GREEN AND BARREN RIVERS, KY

Section Included: Green River from mouth to Lock and Dam No. 3 at mile 108.5. Maintained Depth: Green River, 9 feet from mouth to mile 103; 9 foot depth maintained by private interest between miles 103 and 108.2; thence 5.5 feet to Lock and Dam No.3. River traffic suspended above mile 108.5, Green River; Lock No.3 was placed in a caretaker status effective 1 October 1981, and will remain closed indefinitely.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1993	7,801	1996	7,690	1999	4,454	**2002**	**10,423**
1994	7,837	1997	7,309	2000	4,126		
1995	6,749	1998	5,921	2001	7,786		

Freight Traffic, 2002 (thousand short tons)

Commodity	Grand Total	Internal		
		Inbound Upbound	Outbound Downbnd	Intra Upbound
Total, all commodities	**10,423**	**7,075**	**2,646**	**702**
Total coal	**7,453**	**4,219**	**2,572**	**662**
1100 coal lignite	7,368	4,134	2,572	662
1200 coal coke	85	85	—-	—-
Total petroleum and petroleum products	**2,316**	**2,276**	**—-**	**40**
Subtotal petroleum products	**2,316**	**2,276**	**—-**	**40**
2540 petroleum coke	2,316	2,276	—-	40
Total crude materials, inedible except fuels	**408**	**408**	**—-**	**—-**
Subtotal non-ferrous ores and scrap	**408**	**408**	**—-**	**—-**
4650 aluminum ore	408	408	—-	—-
Total primary manufactured goods	**167**	**167**	**—-**	**—-**
Subtotal lime, cement and glass	**159**	**159**	**—-**	**—-**
5210 lime	159	159	—-	—-
Subtotal primary non-ferrous metal products	**8**	**8**	**—-**	**—-**
5429 smelted prod. nec	3	3	—-	—-
5480 fab. metal products	5	5	—-	—-
Total food and farm products	**74**	**—-**	**74**	**—-**
Subtotal grain	**35**	**—-**	**35**	**—-**
6344 corn	35	—-	35	—-
Subtotal oilseeds	**39**	**—-**	**39**	**—-**
6522 soybeans	37	—-	37	—-
6590 oilseeds nec	2	—-	2	—-
Total all manufactured equipment, machinery and products	**5**	**5**	**—-**	**—-**
7110 machinery (not elec)	5	5	—-	—-
Ton-miles (x1000)	**704,366**	**553,408**	**129,710**	**21,248**

Tons All Traffic (x1000)	**10,423**
Ton-miles All Traffic (x1000)	**704,366**
Total Trip-ton-miles Internal and Intraport (x1000)	**5,489,750**

OHIO RIVER

Section Included: Pittsburgh, PA to Mouth of River, 981 miles. Maintained Depth: 9 feet.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1993	227,235	1996	237,688	1999	240,789	**2002**	**243,147**
1994	236,655	1997	239,757	2000	236,304		
1995	234,064	1998	242,901*	2001	242,503		

*Revised after original year of publication

Freight Traffic, 2002 (thousand short tons)

Commodity	Total	Domestic Coastwise Through Upbound
Total, all commodities	**1**	**1**
Total primary manufactured goods	**1**	**1**
Subtotal primary iron and steel products	**1**	**1**
5360 i&s bars & shapes	1	1
Ton-miles (x1000)	**46**	**46**
Domestic		

Commodity	Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total, all commodities	**243,146**	**40,674**	**28,085**	**16,453**	**38,126**	**19,444**	**20,241**	**40,529**	**39,595**
Total coal	**131,039**	**17,065**	**25,785**	**9,355**	**16,649**	**3,725**	**6,973**	**27,947**	**23,539**
1100 coal lignite	129,355	16,410	25,723	9,342	16,383	3,593	6,476	27,900	23,529
1200 coal coke	1,684	655	62	14	266	132	497	48	10
Total petroleum and petroleum products	**19,746**	**4,058**	**1,027**	**1,295**	**1,854**	**5,059**	**674**	**1,724**	**4,057**
Subtotal crude petroleum	**162**	**—-**	**—-**	**26**	**55**	**—-**	**14**	**67**	**—-**
2100 crude petroleum	162	—	—	26	55	—	14	67	—
Subtotal petroleum products	**19,585**	**4,058**	**1,027**	**1,269**	**1,799**	**5,059**	**660**	**1,657**	**4,057**
2211 gasoline	7,099	953	205	609	773	711	47	997	2,804
2221 kerosene	114	51	—	1	1	—	—	29	31
2330 distillate fuel oil	4,687	1,307	85	411	417	719	92	622	1,035
2340 residual fuel oil	844	287	3	41	109	103	240	—	59
2350 lube oil & greases	850	514	74	3	73	115	42	3	27
2410 petro. jelly & waxes	42	—	—	—	—	35	7	—	—
2429 naphtha & solvents	195	86	86	—	7	7	8	—	1
2430 asphalt, tar & pitch	2,495	503	568	174	48	877	222	5	98
2540 petroleum coke	3,119	357	—	24	311	2,424	1	1	—
2640 liquid natural gas	42	—	—	5	33	3	—	—	2
2990 petro. products nec	100	—	7	—	28	64	1	—	—
Total chemicals and related products	**9,740**	**5,246**	**340**	**31**	**762**	**2,608**	**471**	**208**	**73**
Subtotal fertilizers	**2,604**	**1,557**	**—-**	**17**	**311**	**450**	**39**	**172**	**59**
3110 nitrogenous fert.	1,546	1,134	—	—	60	262	36	42	11
3120 phosphatic fert.	53	49	—	—	—	3	—	—	—
3130 potassic fert.	699	147	—	17	250	104	3	130	48
3190 fert. & mixes nec	307	226	—	—	—	81	—	—	—
Subtotal other chemicals and related products	**7,136**	**3,690**	**340**	**14**	**451**	**2,159**	**432**	**36**	**14**
3211 acyclic hydrocarbons	90	83	—	—	—	—	7	—	—
3212 benzene & toluene	204	49	1	—	48	104	1	—	—
3219 other hydrocarbons	2,964	1,848	339	1	34	676	65	—	—
3220 alcohols	1,370	840	—	1	5	383	141	—	—
3230 carboxylic acids	319	70	—	—	—	249	—	—	—
3240 nitrogen func. comp.	428	60	—	—	23	340	—	4	—
3260 organic comp. nec	307	11	—	3	209	73	5	6	—
3273 ammonia	202	145	—	—	—	58	—	—	—
3274 sodium hydroxide	912	510	—	9	32	243	77	26	14
3275 inorg. elem., oxides, & halogen salts	206	26	—	—	70	4	106	—	—
3276 metallic salts	50	21	—	—	8	1	19	—	—
3279 inorganic chem. nec	37	20	—	—	1	15	—	—	—
3281 radioactive material	5	—	—	—	—	—	5	—	—
3297 chemical additives	13	—	—	—	—	13	—	—	—
3298 wood & resin chem.	2	—	—	—	2	—	—	—	—
3299 chem. products nec	28	5	—	—	18	—	5	—	—

OHIO RIVER
Freight Traffic, 2002 - continued
(thousand short tons)

Commodity	Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total crude materials, inedible except fuels	**52,216**	**8,955**	**871**	**5,342**	**5,236**	**2,803**	**10,049**	**8,266**	**10,695**
Subtotal forest products, wood and chips	**300**	**26**	**—-**	**—-**	**20**	**14**	**240**	**—-**	**—-**
4161 wood chips	295	21	—	—	20	14	240	—	—
4189 lumber	0	0	—	—	—	—	—	—	—
4190 forest products nec	4	4	—	—	—	—	—	—	—
Subtotal soil, sand, gravel, rock and stone	**39,279**	**541**	**765**	**5,328**	**4,410**	**220**	**9,231**	**8,156**	**10,630**
4310 building stone	13	—	—	—	3	—	9	—	—
4322 limestone	21,276	76	720	1,098	1,638	67	7,770	4,099	5,807
4323 gypsum	2,835	236	16	3	971	28	568	416	596
4331 sand & gravel	14,515	196	29	4,226	1,798	76	335	3,639	4,216
4335 waterway improv. mat	640	33	—	—	—	48	548	1	10
Subtotal iron ore and scrap	**6,041**	**4,139**	**102**	**4**	**660**	**498**	**521**	**74**	**42**
4410 iron ore	4,269	3,791	—	—	2	427	46	2	2
4420 iron & steel scrap	1,772	348	102	4	658	72	475	72	39
Subtotal non-ferrous ores and scrap	**3,442**	**2,709**	**4**	**1**	**59**	**661**	**3**	**—-**	**5**
4650 aluminum ore	2,641	2,198	—	—	—	443	—	—	—
4670 manganese ore	413	361	4	1	25	21	—	—	—
4690 non-ferrous ores nec	389	150	—	—	34	197	3	—	5
Subtotal sulphur, clay and salt	**237**	**154**	**—-**	**—-**	**3**	**43**	**37**	**—-**	**0**
4782 clay & refrac. mat.	237	154	—	—	3	43	37	—	0
Subtotal slag	**177**	**46**	**—-**	**3**	**78**	**5**	**7**	**24**	**14**
4860 slag	177	46	—	3	78	5	7	24	14
Subtotal other non-metal. min.	**2,740**	**1,340**	**—-**	**5**	**7**	**1,361**	**10**	**12**	**5**
4900 non-metal. min. nec	2,740	1,340	—	5	7	1,361	10	12	5
Total primary manufactured goods	**13,003**	**4,807**	**59**	**304**	**1,710**	**2,237**	**461**	**2,271**	**1,154**
Subtotal paper products	**21**	**—-**	**—-**	**—-**	**—-**	**21**	**—-**	**—-**	**—-**
5110 newsprint	21	—	—	—	—	21	—	—	—
Subtotal lime, cement and glass	**5,300**	**687**	**—-**	**298**	**559**	**769**	**100**	**2,069**	**818**
5210 lime	2,705	560	—	73	3	159	—	1,158	752
5220 cement & concrete	2,589	127	—	225	556	608	96	911	66
5240 glass & glass prod.	4	—	—	—	—	—	4	—	—
5290 misc. mineral prod.	2	1	—	—	—	1	—	—	—
Subtotal primary iron and steel products	**6,340**	**3,264**	**57**	**—-**	**969**	**1,207**	**315**	**196**	**332**
5312 pig iron	1,998	1,684	—	—	3	310	1	—	—
5315 ferro alloys	641	476	—	—	41	105	9	—	10
5320 i&s primary forms	522	232	—	—	28	41	1	—	220
5330 i&s plates & sheets	1,551	242	57	—	560	300	172	174	45
5360 i&s bars & shapes	890	525	—	—	2	343	19	—	1
5370 i&s pipe & tube	221	18	—	—	96	—	107	—	—
5390 primary i&s nec	518	87	—	—	241	108	4	22	55
Subtotal primary non-ferrous metal products	**1,342**	**856**	**2**	**6**	**182**	**241**	**46**	**5**	**4**
5421 copper	1	1	—	—	—	—	—	—	—
5422 aluminum	452	369	—	—	—	83	—	—	—
5429 smelted prod. nec	185	35	—	—	33	113	4	—	—
5480 fab. metal products	704	451	2	6	148	46	41	5	4
Total food and farm products	**17,334**	**525**	**4**	**125**	**11,902**	**3,006**	**1,592**	**113**	**67**
Subtotal grain	**8,030**	**97**	**2**	**13**	**5,217**	**2,153**	**549**	**—-**	**—-**
6241 wheat	817	19	—	—	392	291	116	—	—
6344 corn	7,067	14	2	13	4,776	1,830	433	—	—
6442 rice	10	2	—	—	2	7	—	—	—
6443 barley & rye	30	27	—	—	1	2	—	—	—
6445 oats	59	35	—	—	—	24	—	—	—
6447 sorghum grains	47	—	—	—	47	—	—	—	—
Subtotal oilseeds	**6,398**	**374**	**2**	**14**	**4,295**	**768**	**779**	**100**	**67**
6522 soybeans	3,653	374	2	—	1,965	763	382	100	67
6590 oilseeds nec	2,744	—	—	14	2,329	5	397	—	—
Subtotal vegetable products	**372**	**—-**	**—-**	**99**	**181**	**—-**	**80**	**13**	**—-**
6653 vegetable oils	368	—	—	99	177	—	80	13	—
6654 vegetables & prod.	4	—	—	—	4	—	—	—	—
Subtotal processed grain and animal feed	**2,486**	**10**	**—-**	**—-**	**2,205**	**86**	**185**	**—-**	**—-**
6747 grain mill products	171	—	—	—	116	—	55	—	—
6782 animal feed, prep.	2,315	10	—	—	2,089	86	130	—	—
Subtotal other agricultural products	**49**	**45**	**—-**	**—-**	**4**	**—-**	**—-**	**—-**	**—-**
6838 tallow, animal oils	4	—	—	—	4	—	—	—	—
6865 molasses	39	39	—	—	—	—	—	—	—
6885 alcoholic beverages	6	6	—	—	—	—	—	—	—

OHIO RIVER
Freight Traffic, 2002 - continued
(thousand short tons)

Commodity	Total	Internal								
		Inbound		Outbound		Through		Intra		
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total all manufactured equipment, machinery and products	**63**	**18**	**—-**	**—-**	**10**	**5**	**21**	**—-**	**8**
7110 machinery (not elec)	52	13	—-	—-	6	5	21	—-	8
7120 electrical machinery	0	0	—-	—-	—-	—-	—-	—-	—-
7230 ships & boats	1	1	—-	—-	—-	—-	—-	—-	—-
7500 textile products	4	4	—-	—-	—-	—-	—-	—-	—-
7600 rubber & plastic pr.	4	—-	—-	—-	4	—-	—-	—-	—-
Total waste and scrap nec	**4**	**—-**	**—-**	**—-**	**4**	**—-**	**—-**	**—-**	**—-**
8900 waste and scrap nec	4	—-	—-	—-	4	—-	—-	—-	—-
Ton-miles Internal (x1000)	**57,523,563**	**17,339,305**	**4,789,638**	**3,168,442**	**7,197,484**	**3,856,380**	**6,228,358**	**8,196,177**	**6,747,778**

Tons All Traffic (x1000) **243,147**
Ton-miles All Traffic (x1000) **57,523,608**
Total Trip-ton-miles Internal and Intraport (x1000) **128,289,391**

CINCINNATI, OH

Section Included: Both banks of the Ohio River from mile 465 to mile 491. Maintained Depth: 9 feet.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1993	13,648	1996	12,803	1999	14,294	**2002**	**13,007**
1994	13,193	1997	12,879	2000	14,337		
1995	13,068	1998	11,987	2001	14,099		

Freight Traffic, 2002 (thousand short tons)

	Commodity	Grand Total	Internal		
			Receipts	Shipments	Intraport
	Total, all commodities	**13,007**	**11,550**	**1,451**	**6**
	Total coal	**4,425**	**4,403**	**21**	**—-**
1100	coal lignite	4,394	4,393	2	—
1200	coal coke	30	11	20	—
	Total petroleum and petroleum products	**2,215**	**2,203**	**9**	**3**
	Subtotal petroleum products	**2,215**	**2,203**	**9**	**3**
2211	gasoline	954	951	3	—
2221	kerosene	7	7	—	—
2330	distillate fuel oil	477	474	3	—
2340	residual fuel oil	18	18	—	—
2350	lube oil & greases	121	119	1	—
2429	naphtha & solvents	80	80	—	—
2430	asphalt, tar & pitch	548	544	—	3
2540	petroleum coke	9	8	1	—
2990	petro. products nec	3	3	—	—
	Total chemicals and related products	**1,533**	**1,526**	**8**	**—-**
	Subtotal fertilizers	**470**	**465**	**5**	**—-**
3110	nitrogenous fert.	352	347	5	—
3120	phosphatic fert.	11	11	—	—
3130	potassic fert.	75	75	—	—
3190	fert. & mixes nec	32	32	—	—
	Subtotal other chemicals and related products	**1,063**	**1,061**	**2**	**—-**
3219	other hydrocarbons	135	135	—	—
3220	alcohols	312	312	—	—
3230	carboxylic acids	64	64	—	—
3240	nitrogen func. comp.	39	39	—	—
3273	ammonia	62	62	—	—
3274	sodium hydroxide	426	426	—	—
3275	inorg. elem., oxides, & halogen salts	21	21	—	—
3276	metallic salts	1	1	—	—
3298	wood & resin chem.	2	—	2	—
	Total crude materials, inedible except fuels	**1,923**	**1,922**	**2**	**—-**
	Subtotal soil, sand, gravel, rock and stone	**1,002**	**1,001**	**2**	**—-**
4322	limestone	79	79	—	—
4331	sand & gravel	923	921	2	—
	Subtotal iron ore and scrap	**391**	**391**	**—-**	**—-**
4410	iron ore	391	391	—	—
	Subtotal non-ferrous ores and scrap	**52**	**52**	**—-**	**—-**
4650	aluminum ore	33	33	—	—
4690	non-ferrous ores nec	18	18	—	—
	Subtotal sulphur, clay and salt	**3**	**3**	**—-**	**—-**
4782	clay & refrac. mat.	3	3	—	—
	Subtotal other non-metal. min.	**475**	**475**	**—-**	**—-**
4900	non-metal. min. nec	475	475	—	—
	Total primary manufactured goods	**1,501**	**1,464**	**34**	**3**
	Subtotal lime, cement and glass	**566**	**558**	**5**	**3**
5220	cement & concrete	565	557	5	3
5290	misc. mineral prod.	1	1	—	—
	Subtotal primary iron and steel products	**911**	**882**	**29**	**—-**
5312	pig iron	623	623	—	—
5320	i&s primary forms	3	3	—	—
5330	i&s plates & sheets	65	35	29	—
5360	i&s bars & shapes	202	202	—	—
5390	primary i&s nec	19	19	—	—
	Subtotal primary non-ferrous metal products	**24**	**24**	**—-**	**—-**
5422	aluminum	8	8	—	—
5429	smelted prod. nec	2	2	—	—
5480	fab. metal products	15	15	—	—
	Total food and farm products	**1,406**	**29**	**1,377**	**—-**
	Subtotal grain	**771**	**3**	**767**	**—-**
6241	wheat	15	—	15	—
6344	corn	753	2	752	—
6442	rice	2	2	—	—
	Subtotal oilseeds	**469**	**2**	**467**	**—-**
6522	soybeans	408	2	406	—
6590	oilseeds nec	61	—	61	—
	Subtotal processed grain and animal feed	**152**	**9**	**143**	**—-**
6782	animal feed, prep.	152	9	143	—

CINCINNATI, OH
Freight Traffic, 2002 - continued
(thousand short tons)

Commodity		Grand Total	Internal		
			Receipts	Shipments	Intraport
Subtotal other agricultural products		**15**	**15**	**—-**	**—-**
6865	molasses	15	15	—-	—-
Total all manufactured equipment, machinery and products		**3**	**3**	**—-**	**—-**
7110	machinery (not elec)	1	1	—-	—-
7500	textile products	2	2	—-	—-

LOUISVILLE, KY

Section Included: Both banks of the Ohio River from mile 606 to mile 616. Maintained Depth: 9 feet.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1993	8,294	1996	8,779	1999	8,798	**2002**	**7,894**
1994	9,320	1997	9,043	2000	9,167		
1995	8,999	1998	8,712*	2001	9,087		

*Revised after original year of publication

Freight Traffic, 2002 (thousand short tons)

Commodity		Grand Total	Internal		
			Receipts	Shipments	Intraport
Total, all commodities		**7,894**	**6,923**	**948**	**23**
Total coal		**1,392**	**1,390**	**2**	**—-**
1100	coal lignite	1,392	1,390	2	—
Total petroleum and petroleum products		**3,187**	**3,004**	**159**	**23**
Subtotal petroleum products		**3,187**	**3,004**	**159**	**23**
2211	gasoline	1,934	1,812	110	13
2221	kerosene	41	41	—	—
2330	distillate fuel oil	884	835	38	11
2340	residual fuel oil	7	3	4	—
2350	lube oil & greases	113	113	—	—
2429	naphtha & solvents	23	23	—	—
2430	asphalt, tar & pitch	179	175	3	—
2990	petro. products nec	7	3	4	—
Total chemicals and related products		**416**	**416**	**—-**	**—-**
Subtotal fertilizers		**162**	**162**	**—-**	**—-**
3110	nitrogenous fert.	98	98	—	—
3120	phosphatic fert.	4	4	—	—
3130	potassic fert.	31	31	—	—
3190	fert. & mixes nec	28	28	—	—
Subtotal other chemicals and related products		**255**	**255**	**—-**	**—-**
3212	benzene & toluene	1	1	—	—
3219	other hydrocarbons	122	122	—	—
3220	alcohols	110	110	—	—
3230	carboxylic acids	6	6	—	—
3274	sodium hydroxide	16	16	—	—
Total crude materials, inedible except fuels		**2,146**	**1,890**	**255**	**—-**
Subtotal forest products, wood and chips		**3**	**—-**	**3**	**—-**
4161	wood chips	3	—	3	—
Subtotal soil, sand, gravel, rock and stone		**1,847**	**1,811**	**36**	**—-**
4322	limestone	10	3	6	—
4323	gypsum	2	2	—	—
4331	sand & gravel	1,835	1,806	29	—
Subtotal iron ore and scrap		**225**	**8**	**217**	**—-**
4410	iron ore	8	8	—	—
4420	iron & steel scrap	217	—	217	—
Subtotal slag		**2**	**2**	**—-**	**—-**
4860	slag	2	2	—	—
Subtotal other non-metal. min.		**70**	**70**	**—-**	**—-**
4900	non-metal. min. nec	70	70	—	—
Total primary manufactured goods		**692**	**205**	**486**	**—-**
Subtotal lime, cement and glass		**548**	**62**	**486**	**—-**
5210	lime	486	—	486	—
5220	cement & concrete	62	62	—	—
Subtotal primary iron and steel products		**108**	**108**	**—-**	**—-**
5312	pig iron	39	39	—	—
5315	ferro alloys	15	15	—	—
5330	i&s plates & sheets	32	32	—	—
5360	i&s bars & shapes	21	21	—	—
Subtotal primary non-ferrous metal products		**36**	**36**	**—-**	**—-**
5480	fab. metal products	36	36	—	—
Total food and farm products		**59**	**13**	**45**	**—-**
Subtotal grain		**28**	**13**	**14**	**—-**
6344	corn	14	—	14	—
6443	barley & rye	7	7	—	—
6445	oats	7	7	—	—
Subtotal oilseeds		**27**	**—-**	**27**	**—-**
6522	soybeans	25	—	25	—
6590	oilseeds nec	1	—	1	—
Subtotal processed grain and animal feed		**5**	**—-**	**5**	**—-**
6782	animal feed, prep.	5	—	5	—
Total all manufactured equipment, machinery and products		**3**	**3**	**—-**	**—-**
7500	textile products	3	3	—	—

MOUNT VERNON, IN

Section Included: Right Bank of Ohio River from mile 151 to mile 154. Maintained Depth: 9 feet.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1993	8,460	1996	6,986	1999	3,172	**2002**	**3,835**
1994	9,288	1997	5,863	2000	3,067		
1995	8,226	1998	5,577	2001	3,014		

Freight Traffic, 2002 (thousand short tons)

	Commodity	Grand Total	Internal	
			Receipts	Shipments
	Total, all commodities	**3,835**	**1,136**	**2,699**
	Total coal	**1,159**	**2**	**1,157**
1100	coal lignite	1,156	—	1,156
1200	coal coke	3	2	1
	Total petroleum and petroleum products	**315**	**214**	**101**
	Subtotal crude petroleum	**25**	**—**	**25**
2100	crude petroleum	25	—	25
	Subtotal petroleum products	**290**	**214**	**76**
2211	gasoline	10	10	—
2221	kerosene	24	24	—
2330	distillate fuel oil	105	86	19
2340	residual fuel oil	56	3	52
2430	asphalt, tar & pitch	93	88	5
2640	liquid natural gas	2	2	—
	Total chemicals and related products	**894**	**752**	**142**
	Subtotal fertilizers	**294**	**238**	**56**
3110	nitrogenous fert.	198	142	56
3120	phosphatic fert.	5	5	—
3130	potassic fert.	45	45	—
3190	fert. & mixes nec	46	46	—
	Subtotal other chemicals and related products	**600**	**514**	**86**
3219	other hydrocarbons	484	484	—
3260	organic comp. nec	86	—	86
3273	ammonia	30	30	—
	Total crude materials, inedible except fuels	**76**	**76**	**—**
	Subtotal soil, sand, gravel, rock and stone	**13**	**13**	**—**
4322	limestone	13	13	—
	Subtotal other non-metal. min.	**63**	**63**	**—**
4900	non-metal. min. nec	63	63	—
	Total primary manufactured goods	**66**	**66**	**—**
	Subtotal lime, cement and glass	**63**	**63**	**—**
5220	cement & concrete	63	63	—
	Subtotal primary iron and steel products	**3**	**3**	**—**
5360	i&s bars & shapes	3	3	—
	Total food and farm products	**1,320**	**22**	**1,299**
	Subtotal grain	**742**	**17**	**725**
6241	wheat	50	17	33
6344	corn	690	—	690
6447	sorghum grains	2	—	2
	Subtotal oilseeds	**481**	**5**	**477**
6522	soybeans	117	5	112
6590	oilseeds nec	365	—	365
	Subtotal vegetable products	**52**	**—**	**52**
6653	vegetable oils	52	—	52
	Subtotal processed grain and animal feed	**45**	**—**	**45**
6782	animal feed, prep.	45	—	45
	Total all manufactured equipment, machinery and products	**5**	**5**	**—**
7110	machinery (not elec)	5	5	—
7120	electrical machinery	0	0	—

OHIO RIVER SYSTEM

Section Included: Main Channels and all navigable tributaries and embayments of the Ohio, Tennessee, and Cumberland Rivers.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1993	257,281	1996	270,932	1999	277,902	**2002**	**280,878**
1994	270,539	1997	274,859	2000	274,372		
1995	267,604	1998	278,811*	2001	281,801		

*Revised after original year of publication

Freight Traffic, 2002 (thousand short tons)

Commodity	Grand Total	Domestic							
		Coastwise	Internal						
		Receipts	Inbound		Outbound		Through	Intra	
			Upbound	Downbnd	Upbound	Downbnd	Upbound	Upbound	Downbnd
Total, all commodities	**280,878**	**1**	**44,894**	**141**	**1,837**	**43,715**	**40**	**114,197**	**76,053**
Total coal	**158,804**	**—-**	**5,283**	**—-**	**885**	**12,297**	**1**	**84,431**	**55,907**
1100 coal lignite	157,118	—	4,517	—	885	11,539	—	84,342	55,835
1200 coal coke	1,686	—	766	—	—	759	1	89	72
Total petroleum and petroleum products	**20,538**	**—-**	**9,348**	**15**	**—-**	**924**	**—-**	**5,166**	**5,084**
Subtotal crude petroleum	**459**	**—-**	**156**	**—-**	**—-**	**155**	**—-**	**148**	**—-**
2100 crude petroleum	459	—	156	—	—	155	—	148	—
Subtotal petroleum products	**20,079**	**—-**	**9,192**	**15**	**—-**	**770**	**—-**	**5,018**	**5,084**
2211 gasoline	7,298	—	1,843	—	—	19	—	2,428	3,009
2221 kerosene	114	—	49	—	—	—	—	34	31
2330 distillate fuel oil	4,772	—	2,067	—	—	8	—	1,578	1,120
2340 residual fuel oil	847	—	348	—	—	248	—	188	63
2350 lube oil & greases	850	—	568	—	—	114	—	67	101
2410 petro. jelly & waxes	42	—	9	—	—	7	—	26	—
2429 naphtha & solvents	198	—	55	—	—	18	—	38	88
2430 asphalt, tar & pitch	2,530	—	1,276	15	—	112	—	460	666
2540 petroleum coke	3,160	—	2,783	—	—	239	—	139	—
2640 liquid natural gas	42	—	3	—	—	—	—	37	2
2990 petro. products nec	227	—	192	—	—	5	—	24	7
Total chemicals and related products	**10,575**	**—-**	**8,244**	**3**	**—-**	**1,224**	**—-**	**640**	**464**
Subtotal fertilizers	**2,617**	**—-**	**2,013**	**3**	**—-**	**230**	**—-**	**304**	**66**
3110 nitrogenous fert.	1,547	—	1,395	—	—	41	—	100	11
3120 phosphatic fert.	57	—	57	—	—	—	—	—	—
3130 potassic fert.	701	—	250	3	—	188	—	204	55
3190 fert. & mixes nec	311	—	311	—	—	—	—	—	—
Subtotal other chemicals and related products	**7,959**	**—-**	**6,231**	**—-**	**—-**	**995**	**—-**	**336**	**398**
3211 acyclic hydrocarbons	90	—	83	—	—	7	—	—	—
3212 benzene & toluene	204	—	151	—	—	48	—	4	1
3219 other hydrocarbons	3,515	—	2,913	—	—	256	—	8	339
3220 alcohols	1,376	—	1,194	—	—	141	—	36	6
3230 carboxylic acids	319	—	319	—	—	—	—	—	—
3240 nitrogen func. comp.	526	—	429	—	—	93	—	4	—
3260 organic comp. nec	307	—	84	—	—	214	—	9	—
3273 ammonia	202	—	202	—	—	—	—	—	—
3274 sodium hydroxide	1,021	—	745	—	—	77	—	182	17
3275 inorg. elem., oxides, & halogen salts	264	—	35	—	—	109	—	84	35
3276 metallic salts	50	—	23	—	—	17	—	9	—
3279 inorganic chem. nec	37	—	35	—	—	1	—	—	—
3281 radioactive material	5	—	—	—	—	5	—	—	—
3297 chemical additives	13	—	13	—	—	—	—	—	—
3298 wood & resin chem.	2	—	—	—	—	2	—	—	—
3299 chem. products nec	28	—	5	—	—	23	—	—	—
Total crude materials, inedible except fuels	**59,932**	**—-**	**11,387**	**79**	**951**	**14,222**	**32**	**19,988**	**13,274**
Subtotal forest products, wood and chips	**1,530**	**—-**	**135**	**—-**	**189**	**1,123**	**28**	**47**	**9**
4161 wood chips	1,500	—	130	—	189	1,097	28	47	9
4170 wood in the rough	25	—	—	—	—	25	—	—	—
4189 lumber	0	—	0	—	—	—	—	—	—
4190 forest products nec	4	—	4	—	—	—	—	—	—
Subtotal soil, sand, gravel, rock and stone	**45,299**	**—-**	**376**	**77**	**760**	**11,675**	**—-**	**19,344**	**13,069**
4310 building stone	13	—	—	—	—	13	—	—	—
4322 limestone	23,602	—	81	—	532	9,192	—	7,134	6,663
4323 gypsum	2,887	—	58	—	—	800	—	1,413	615
4331 sand & gravel	18,027	—	203	77	227	1,125	—	10,619	5,775
4335 waterway improv. mat	772	—	33	—	—	545	—	178	16
Subtotal iron ore and scrap	**6,122**	**—-**	**4,432**	**—-**	**3**	**1,229**	**3**	**288**	**168**
4410 iron ore	4,269	—	4,218	—	—	46	—	4	2
4420 iron & steel scrap	1,853	—	214	—	3	1,183	3	285	166

OHIO RIVER SYSTEM
Freight Traffic, 2002 - continued
(thousand short tons)

Commodity	Grand Total	Domestic							
		Coastwise	Internal						
		Receipts	Inbound		Outbound		Through	Intra	
			Upbound	Downbnd	Upbound	Downbnd	Upbound	Upbound	Downbnd
Subtotal non-ferrous ores and scrap	**3,459**	**—-**	**3,379**	**2**	**—-**	**57**	**—-**	**13**	**9**
4650 aluminum ore	2,644	—	2,644	—	—	—	—	—	—
4670 manganese ore	413	—	380	—	—	20	—	8	4
4690 non-ferrous ores nec	403	—	355	2	—	37	—	5	5
Subtotal sulphur, clay and salt	**248**	**—-**	**196**	**—-**	**—-**	**48**	**—-**	**4**	**0**
4782 clay & refrac. mat.	248	—	196	—	—	48	—	4	0
Subtotal slag	**403**	**—-**	**39**	**—-**	**—-**	**79**	**1**	**270**	**14**
4860 slag	403	—	39	—	—	79	1	270	14
Subtotal other non-metal. min.	**2,870**	**—-**	**2,832**	**—-**	**—-**	**12**	**—-**	**22**	**5**
4900 non-metal. min. nec	2,870	—	2,832	—	—	12	—	22	5
Total primary manufactured goods	**13,422**	**1**	**7,094**	**44**	**1**	**1,852**	**6**	**3,191**	**1,235**
Subtotal paper products	**21**	**—-**	**21**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**
5110 newsprint	21	—	21	—	—	—	—	—	—
Subtotal lime, cement and glass	**5,660**	**—-**	**1,636**	**—-**	**—-**	**690**	**—-**	**2,516**	**818**
5210 lime	2,705	—	711	—	—	3	—	1,238	752
5220 cement & concrete	2,948	—	923	—	—	682	—	1,278	66
5240 glass & glass prod.	4	—	—	—	—	4	—	—	—
5290 misc. mineral prod.	2	—	2	—	—	—	—	—	—
Subtotal primary iron and steel products	**6,373**	**1**	**4,388**	**43**	**—-**	**973**	**6**	**552**	**411**
5312 pig iron	1,998	—	1,994	—	—	4	—	0	—
5315 ferro alloys	641	—	535	—	—	48	—	48	10
5320 i&s primary forms	522	—	273	—	—	5	—	24	220
5330 i&s plates & sheets	1,580	—	518	43	—	549	1	356	114
5360 i&s bars & shapes	891	1	864	—	—	21	—	4	1
5370 i&s pipe & tube	221	—	8	—	—	203	—	10	—
5390 primary i&s nec	520	—	198	—	—	143	4	109	66
Subtotal primary non-ferrous metal products	**1,369**	**—-**	**1,049**	**1**	**1**	**189**	**—-**	**123**	**6**
5421 copper	1	—	1	—	—	—	—	—	—
5422 aluminum	452	—	452	—	—	—	—	—	—
5429 smelted prod. nec	200	—	143	—	—	35	—	23	—
5480 fab. metal products	716	—	454	1	1	154	—	101	6
Total food and farm products	**17,529**	**—-**	**3,516**	**—-**	**—-**	**13,169**	**—-**	**766**	**78**
Subtotal grain	**8,166**	**—-**	**2,249**	**—-**	**—-**	**5,597**	**—-**	**310**	**9**
6241 wheat	869	—	309	—	—	497	—	58	6
6344 corn	7,150	—	1,844	—	—	5,050	—	253	3
6442 rice	10	—	8	—	—	2	—	—	—
6443 barley & rye	30	—	28	—	—	1	—	—	—
6445 oats	59	—	59	—	—	—	—	—	—
6447 sorghum grains	47	—	—	—	—	47	—	—	—
Subtotal oilseeds	**6,453**	**—-**	**1,123**	**—-**	**—-**	**4,920**	**—-**	**342**	**69**
6522 soybeans	3,709	—	1,118	—	—	2,194	—	328	69
6590 oilseeds nec	2,744	—	5	—	—	2,726	—	14	—
Subtotal vegetable products	**372**	**—-**	**—-**	**—-**	**—-**	**260**	**—-**	**112**	**—-**
6653 vegetable oils	368	—	—	—	—	257	—	112	—
6654 vegetables & prod.	4	—	—	—	—	4	—	—	—
Subtotal processed grain and animal feed	**2,490**	**—-**	**100**	**—-**	**—-**	**2,388**	**—-**	**2**	**—-**
6747 grain mill products	171	—	—	—	—	171	—	—	—
6782 animal feed, prep.	2,319	—	100	—	—	2,217	—	2	—
Subtotal other agricultural products	**49**	**—-**	**45**	**—-**	**—-**	**4**	**—-**	**—-**	**—-**
6838 tallow, animal oils	4	—	—	—	—	4	—	—	—
6865 molasses	39	—	39	—	—	—	—	—	—
6885 alcoholic beverages	6	—	6	—	—	—	—	—	—
Total all manufactured equipment, machinery and products	**73**	**—-**	**22**	**—-**	**—-**	**27**	**—-**	**12**	**12**
7110 machinery (not elec)	62	—	16	—	—	22	—	12	12
7120 electrical machinery	0	—	0	—	—	—	—	—	—
7230 ships & boats	1	—	1	—	—	—	—	—	—
7500 textile products	4	—	4	—	—	—	—	—	—
7600 rubber & plastic pr.	4	—	—	—	—	4	—	—	—
7900 manufac. prod. nec	0	—	0	—	—	—	—	0	0

OHIO RIVER SYSTEM
Freight Traffic, 2002 - continued
(thousand short tons)

Commodity	Grand Total	Domestic							
		Coastwise	Internal						
		Receipts	Inbound		Outbound		Through	Intra	
			Upbound	Downbnd	Upbound	Downbnd	Upbound	Upbound	Downbnd
Total waste and scrap nec	**4**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**	**4**	**—-**
8900 waste and scrap nec	4	—-	—-	—-	—-	—-	—-	4	—-
Ton-miles (x1000)	**71,583,167**	**192**	**21,718,267**	**50,764**	**675,980**	**10,797,912**	**19,489**	**25,465,947**	**12,854,617**

Tons All Traffic (x1000) **280,878**
Ton-miles All Traffic (x1000) **71,583,167**
Total Trip-ton-miles Internal and Intraport (x1000) **133,453,973**

MISSISSIPPI RIVER SYSTEM

Section Included: Main Channels and all Tributaries of the Mississippi, Illinois, Missouri, and Ohio Rivers.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1993	451,731	1996	482,791	1999	499,550	**2002**	**494,346**
1994	478,673	1997	488,876	2000	493,121		
1995	479,421	1998	491,640*	2001	496,259		

*Revised after original year of publication

Freight Traffic, 2002 (thousand short tons)

Commodity	Grand Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total, all commodities	**494,346**	**28,304**	**12,092**	**14,749**	**27,752**	**4,687**	**2,471**	**204,894**	**199,397**
Total coal	**177,644**	**209**	**52**	**1,714**	**4,762**	**11**	**1**	**97,756**	**73,139**
1100 coal lignite	173,605	—	19	897	4,669	1	—	96,017	72,003
1200 coal coke	4,039	209	33	818	93	9	1	1,739	1,136
Total petroleum and petroleum products	**72,480**	**13,306**	**2,541**	**4,554**	**7,344**	**1,660**	**1,134**	**25,731**	**16,210**
Subtotal crude petroleum	**8,955**	**4,070**	**576**	**153**	**551**	**320**	**259**	**2,236**	**790**
2100 crude petroleum	8,955	4,070	576	153	551	320	259	2,236	790
Subtotal petroleum products	**63,525**	**9,236**	**1,965**	**4,402**	**6,793**	**1,340**	**875**	**23,496**	**15,419**
2211 gasoline	14,202	1,996	786	448	1,059	338	169	6,238	3,167
2221 kerosene	519	—	2	67	225	—	—	143	82
2330 distillate fuel oil	16,372	2,393	430	1,164	2,048	290	232	6,842	2,973
2340 residual fuel oil	11,711	1,837	413	387	956	128	44	2,731	5,216
2350 lube oil & greases	2,817	1,138	46	42	353	213	3	439	583
2410 petro. jelly & waxes	67	30	3	—	7	—	—	26	—
2429 naphtha & solvents	2,820	402	91	356	1,100	164	43	242	423
2430 asphalt, tar & pitch	5,735	492	107	671	404	109	31	2,588	1,335
2540 petroleum coke	7,102	446	60	802	442	2	11	3,775	1,563
2640 liquid natural gas	863	322	4	—	81	85	324	38	9
2990 petro. products nec	1,317	180	23	465	118	10	19	433	69
Total chemicals and related products	**35,451**	**6,426**	**1,459**	**2,311**	**3,145**	**1,158**	**364**	**16,488**	**4,101**
Subtotal fertilizers	**10,596**	**469**	**37**	**732**	**455**	**44**	**11**	**8,135**	**714**
3110 nitrogenous fert.	6,193	44	16	581	405	8	—	4,911	229
3120 phosphatic fert.	344	117	5	18	2	7	1	193	—
3130 potassic fert.	1,576	32	13	16	31	—	—	1,028	455
3190 fert. & mixes nec	2,485	275	2	117	18	30	9	2,003	30
Subtotal other chemicals and related products	**24,855**	**5,956**	**1,422**	**1,580**	**2,690**	**1,114**	**353**	**8,353**	**3,387**
3211 acyclic hydrocarbons	1,130	402	85	67	261	—	32	210	73
3212 benzene & toluene	2,920	462	208	31	541	113	32	590	943
3219 other hydrocarbons	6,334	2,775	666	72	361	418	57	1,461	524
3220 alcohols	3,907	361	165	649	331	241	46	1,760	355
3230 carboxylic acids	368	325	—	11	8	—	—	24	—
3240 nitrogen func. comp.	662	433	4	16	102	43	59	5	—
3250 organo - inorg. comp.	10	—	—	10	—	—	—	—	—
3260 organic comp. nec	688	90	1	120	163	30	48	68	168
3271 sulphur (liquid)	325	239	78	—	—	3	3	3	—
3272 sulphuric acid	766	103	46	56	129	—	—	200	233
3273 ammonia	1,033	10	—	30	157	—	—	618	218
3274 sodium hydroxide	4,007	471	56	432	262	248	33	1,720	786
3275 inorg. elem., oxides, & halogen salts	1,576	58	61	21	88	15	37	1,249	47
3276 metallic salts	479	15	34	23	180	4	6	196	21
3279 inorganic chem. nec	155	—	—	14	3	—	—	135	3
3281 radioactive material	5	—	—	—	—	—	—	—	5
3286 plastics	2	—	—	2	—	—	—	—	—
3297 chemical additives	376	188	16	25	35	—	—	107	5
3298 wood & resin chem.	2	—	—	—	—	—	—	—	2
3299 chem. products nec	107	25	—	1	68	0	1	8	4
Total crude materials, inedible except fuels	**95,818**	**6,094**	**1,745**	**3,389**	**8,288**	**926**	**175**	**43,430**	**31,771**
Subtotal forest products, wood and chips	**2,062**	**178**	**3**	**105**	**1,151**	**16**	**—**	**597**	**14**
4161 wood chips	1,705	169	—	88	1,120	13	—	307	9
4170 wood in the rough	316	—	—	—	25	—	—	286	5
4189 lumber	21	—	3	16	2	—	—	0	—
4190 forest products nec	19	9	—	—	4	3	—	3	—
Subtotal pulp and waste paper	**5**	**0**	**—**	**—**	**—**	**—**	**—**	**4**	**1**
4225 pulp & waste paper	5	0	—	—	—	—	—	4	1
Subtotal soil, sand, gravel, rock and stone	**71,827**	**171**	**630**	**2,438**	**6,024**	**14**	**5**	**32,575**	**29,970**
4310 building stone	14	—	—	—	—	—	—	11	3
4322 limestone	25,101	3	8	1,021	3,277	—	—	8,011	12,779
4323 gypsum	2,921	20	—	—	472	—	—	1,491	939
4327 phosphate rock	1	1	—	—	—	—	—	—	—
4331 sand & gravel	37,720	147	621	1,406	1,593	14	5	20,931	13,003

MISSISSIPPI RIVER SYSTEM
Freight Traffic, 2002 - continued
(thousand short tons)

Commodity	Grand Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
4335 waterway improv. mat	6,069	—	—	11	682	—	—	2,131	3,245
Subtotal iron ore and scrap	**9,176**	**1,084**	**828**	**60**	**450**	**21**	**37**	**5,119**	**1,577**
4410 iron ore	4,472	11	48	24	159	2	5	4,220	5
4420 iron & steel scrap	4,704	1,073	781	37	291	19	32	899	1,572
Subtotal marine shells	**5**	**5**	**—**	**—**	**—**	**—**	**—**	**—**	**—**
4515 marine shells	5	5	—	—	—	—	—	—	—
Subtotal non-ferrous ores and scrap	**4,543**	**681**	**2**	**132**	**83**	**5**	**3**	**3,534**	**103**
4630 copper ore	1	—	—	1	—	—	—	—	—
4650 aluminum ore	3,379	635	—	31	12	5	2	2,692	4
4670 manganese ore	538	5	2	41	37	—	2	437	13
4680 non-ferrous scrap	2	—	—	1	—	—	—	1	—
4690 non-ferrous ores nec	623	40	—	58	34	—	—	404	86
Subtotal sulphur, clay and salt	**575**	**14**	**6**	**44**	**46**	**28**	**24**	**404**	**9**
4782 clay & refrac. mat.	575	14	6	44	46	28	24	404	9
Subtotal slag	**800**	**65**	**6**	**64**	**167**	**4**	**9**	**399**	**86**
4860 slag	800	65	6	64	167	4	9	399	86
Subtotal other non-metal. min.	**6,823**	**3,896**	**270**	**545**	**367**	**838**	**97**	**798**	**11**
4900 non-metal. min. nec	6,823	3,896	270	545	367	838	97	798	11
Total primary manufactured goods	**25,867**	**1,234**	**268**	**2,535**	**2,903**	**212**	**376**	**16,343**	**1,997**
Subtotal paper products	**46**	**—**	**—**	**2**	**—**	**0**	**0**	**21**	**23**
5110 newsprint	21	—	—	—	—	—	—	21	—
5120 paper & paperboard	14	—	—	1	—	—	—	—	13
5190 paper products nec	12	—	—	1	—	0	0	—	10
Subtotal lime, cement and glass	**11,255**	**614**	**21**	**538**	**1,499**	**43**	**125**	**7,069**	**1,347**
5210 lime	3,048	—	—	—	147	—	—	2,130	771
5220 cement & concrete	8,199	614	21	538	1,352	43	125	4,931	576
5240 glass & glass prod.	6	—	—	—	—	—	—	6	—
5290 misc. mineral prod.	2	—	—	—	—	—	—	2	—
Subtotal primary iron and steel products	**12,621**	**559**	**234**	**1,790**	**1,255**	**161**	**248**	**7,848**	**526**
5312 pig iron	4,402	6	2	582	164	—	—	3,647	1
5315 ferro alloys	937	4	4	171	48	—	—	670	39
5320 i&s primary forms	899	19	—	285	5	3	—	363	223
5330 i&s plates & sheets	3,153	260	191	349	581	53	221	1,328	170
5360 i&s bars & shapes	1,901	187	1	264	87	84	—	1,267	11
5370 i&s pipe & tube	422	15	2	41	257	9	10	86	2
5390 primary i&s nec	907	67	34	98	112	11	17	487	80
Subtotal primary non-ferrous metal products	**1,926**	**50**	**12**	**205**	**143**	**9**	**3**	**1,405**	**100**
5421 copper	50	2	—	5	—	—	—	43	—
5422 aluminum	488	13	1	7	2	1	—	461	2
5429 smelted prod. nec	308	—	—	63	44	—	—	195	6
5480 fab. metal products	1,080	35	11	130	97	8	3	705	92
Subtotal primary wood products	**18**	**11**	**0**	**—**	**6**	**—**	**—**	**—**	**1**
5540 primary wood prod.	18	11	0	—	6	—	—	—	1
Total food and farm products	**86,123**	**988**	**6,023**	**233**	**1,248**	**169**	**232**	**5,088**	**72,141**
Subtotal grain	**51,216**	**275**	**3,718**	**56**	**1,132**	**—**	**147**	**2,869**	**43,019**
6241 wheat	5,995	60	620	—	47	—	3	355	4,911
6344 corn	41,547	188	2,817	5	858	—	140	2,223	35,316
6442 rice	2,090	16	136	—	190	—	4	21	1,723
6443 barley & rye	80	—	—	18	—	—	—	61	1
6445 oats	246	3	—	33	27	—	—	176	6
6447 sorghum grains	1,258	8	145	—	11	—	—	34	1,061
Subtotal oilseeds	**25,825**	**216**	**1,554**	**—**	**50**	**10**	**—**	**1,498**	**22,497**
6522 soybeans	21,397	203	1,515	—	50	8	—	1,369	18,251
6590 oilseeds nec	4,428	13	39	—	—	2	—	129	4,246
Subtotal vegetable products	**995**	**1**	**53**	**4**	**—**	**0**	**—**	**188**	**750**
6653 vegetable oils	987	1	49	4	—	0	—	188	744
6654 vegetables & prod.	8	—	3	—	—	—	—	—	5
Subtotal processed grain and animal feed	**6,856**	**90**	**546**	**6**	**16**	**7**	**3**	**352**	**5,834**
6746 wheat flour	22	—	22	—	—	—	—	—	—
6747 grain mill products	402	—	1	—	3	—	—	3	395
6781 hay & fodder	1	—	1	—	—	—	—	—	—
6782 animal feed, prep.	6,431	90	522	6	13	7	3	350	5,439
Subtotal other agricultural products	**1,231**	**406**	**152**	**167**	**50**	**152**	**82**	**180**	**41**
6838 tallow, animal oils	4	—	—	—	1	—	—	—	3
6861 sugar	602	356	136	73	3	14	—	—	19
6865 molasses	316	46	—	70	17	12	—	170	1
6885 alcoholic beverages	21	—	—	—	8	—	—	6	6
6887 groceries	0	—	—	—	—	0	0	—	—
6888 water & ice	204	3	0	24	19	125	21	5	6
6889 food products nec	78	1	16	—	—	—	61	—	—

MISSISSIPPI RIVER SYSTEM
Freight Traffic, 2002 - continued
(thousand short tons)

Commodity	Grand Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
6899 farm products nec	6	—	—	—	—	—	—	—	6
Total all manufactured equipment, machinery and products	**819**	**48**	**4**	**12**	**62**	**414**	**186**	**54**	**39**
7110 machinery (not elec)	747	30	3	4	57	409	178	32	35
7120 electrical machinery	9	2	—	—	2	1	0	2	3
7210 vehicles & parts	0	0	—	—	—	—	—	—	—
7230 ships & boats	3	2	—	—	—	—	1	1	—
7400 manufac. wood prod.	2	—	—	—	1	0	1	—	—
7500 textile products	13	—	—	1	—	—	—	13	—
7600 rubber & plastic pr.	32	12	—	7	1	—	7	4	—
7900 manufac. prod. nec	10	2	1	—	1	3	—	2	1
Total waste and scrap nec	**144**	**—**	**—**	**—**	**—**	**137**	**2**	**4**	**0**
8900 waste and scrap nec	144	—	—	—	—	137	2	4	0
Ton-miles (x1000)	**261,858,650**	**17,724,777**	**9,257,690**	**7,888,708**	**13,505,520**	**2,904,157**	**662,018**	**90,619,976**	**119,295,804**

Tons All Traffic (x1000) **494,346**
Ton-miles All Traffic (x1000) **261,858,650**
Total Trip-ton-miles Internal and Intraport (x1000) **279,315,845**

Other Harbors and Waterways 2002

Harbor or Waterway	Commodity	Thousand Short Tons
Project		
KENTUCKY RIVER, KY	No Commerce Reported	

Trips and Drafts of Vessels, 2002
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
GREEN AND BARREN RIVERS, KY												
	Upbound						Downbound					
Grand Total	**6,594**	**—-**	**—-**	**1,522**	**5,072**	**—-**	**6,598**	**—-**	**—-**	**1,525**	**5,073**	**—-**
DOMESTIC												
Total	**6,594**	**—-**	**—-**	**1,522**	**5,072**	**—-**	**6,598**	**—-**	**—-**	**1,525**	**5,073**	**—-**
13	—-	—-	—-	—-	—-	—-	1	—-	—-	—-	1	—-
12	3	—-	—-	—-	3	—-	1	—-	—-	—-	1	—-
11	9	—-	—-	—-	9	—-	—-	—-	—-	—-	—-	—-
10	34	—-	—-	—-	34	—-	4	—-	—-	—-	4	—-
9	3,248	—-	—-	183	3,065	—-	2,510	—-	—-	184	2,326	—-
8	1,267	—-	—-	385	882	—-	645	—-	—-	385	260	—-
7	742	—-	—-	709	33	—-	720	—-	—-	712	8	—-
6	250	—-	—-	241	9	—-	246	—-	—-	241	5	—-
5	8	—-	—-	3	5	—-	2	—-	—-	2	—-	—-
3	2	—-	—-	—-	2	—-	7	—-	—-	—-	7	—-
2	1,028	—-	—-	—-	1,028	—-	2,454	—-	—-	—-	2,454	—-
1	3	—-	—-	1	2	—-	8	—-	—-	1	7	—-
										Total trips:		**13,192**
OHIO RIVER												
	Upbound						Downbound					
Grand Total	**191,287**	**5,028**	**—-**	**45,640**	**129,569**	**11,050**	**191,202**	**5,000**	**—-**	**45,885**	**129,926**	**10,391**
DOMESTIC												
Total	**191,287**	**5,028**	**—-**	**45,640**	**129,569**	**11,050**	**191,202**	**5,000**	**—-**	**45,885**	**129,926**	**10,391**
13	8	—-	—-	—-	8	—-	51	—-	—-	—-	51	—-
12	103	—-	—-	—-	59	44	495	—-	—-	—-	493	2
11	1,866	—-	—-	516	1,244	106	1,833	—-	—-	544	1,266	23
10	4,505	—-	—-	1,398	2,509	598	4,542	—-	—-	1,588	2,849	105
9	53,513	989	—-	4,099	44,461	3,964	51,368	989	—-	4,035	44,461	1,883
8	23,754	678	—-	6,402	15,413	1,261	23,303	678	—-	6,447	15,351	827
7	15,679	720	—-	9,481	4,793	685	14,731	716	—-	9,450	3,665	900
6	10,870	1,359	—-	7,186	2,158	167	11,042	1,342	—-	7,339	2,121	240
5	7,393	260	—-	6,604	413	116	7,549	255	—-	6,431	696	167
4	2,392	1,017	—-	1,060	212	103	2,519	1,013	—-	1,061	372	73
3	1,197	5	—-	724	285	183	1,478	7	—-	798	426	247
2	67,086	—-	—-	8,093	55,675	3,318	69,035	—-	—-	8,132	55,316	5,587
1	2,921	—-	—-	77	2,339	505	3,256	—-	—-	60	2,859	337
										Total trips:		**382,489**
CINCINNATI, OH												
	Inbound						Outbound					
Grand Total	**10,153**	**1,163**	**—-**	**1,412**	**5,985**	**1,593**	**10,052**	**1,164**	**—-**	**1,379**	**5,991**	**1,518**
DOMESTIC												
Total	**10,153**	**1,163**	**—-**	**1,412**	**5,985**	**1,593**	**10,052**	**1,164**	**—-**	**1,379**	**5,991**	**1,518**
11	82	—-	—-	12	39	31	29	—-	—-	11	16	2
10	494	—-	—-	316	115	63	345	—-	—-	304	38	3
9	4,664	—-	—-	166	3,707	791	688	—-	—-	172	512	4
8	1,509	—-	—-	195	957	357	422	—-	—-	178	242	2
7	755	199	—-	236	73	247	460	199	—-	235	25	1
6	121	4	—-	63	18	36	101	6	—-	61	29	5
5	658	1	—-	414	208	35	606	1	—-	406	198	1
4	1,075	957	—-	3	114	1	1,066	956	—-	3	101	6
3	176	2	—-	6	163	5	285	2	—-	7	160	116
2	598	—-	—-	1	586	11	5,883	—-	—-	2	4,653	1,228
1	21	—-	—-	—-	5	16	167	—-	—-	—-	17	150
										Total trips:		**20,205**

Trips and Drafts of Vessels, 2002
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
LOUISVILLE, KY												
	Inbound						Outbound					
Grand Total	**7,644**	**1,401**	**—-**	**1,481**	**3,004**	**1,758**	**7,580**	**1,400**	**—-**	**1,489**	**3,003**	**1,688**
DOMESTIC												
Total	**7,644**	**1,401**	**—-**	**1,481**	**3,004**	**1,758**	**7,580**	**1,400**	**—-**	**1,489**	**3,003**	**1,688**
11	25	—-	—-	6	11	8	10	—-	—-	7	1	2
10	85	—-	—-	5	34	46	4	—-	—-	2	—-	2
9	2,215	589	—-	171	858	597	1,271	589	—-	170	43	469
8	1,029	—-	—-	243	577	209	559	—-	—-	222	336	1
7	2,460	516	—-	962	668	314	1,492	516	—-	958	18	—-
6	527	171	—-	77	219	60	594	171	—-	110	309	4
5	180	113	—-	14	38	15	130	116	—-	13	—-	1
4	33	11	—-	—-	18	4	8	7	—-	—-	1	—-
3	42	1	—-	3	29	9	35	1	—-	4	2	28
2	1,032	—-	—-	—-	548	484	3,216	—-	—-	3	2,169	1,044
1	16	—-	—-	—-	4	12	261	—-	—-	—-	124	137
										Total trips:		**15,224**
MOUNT VERNON, IN												
	Inbound						Outbound					
Grand Total	**2,097**	**—-**	**—-**	**161**	**1,504**	**432**	**2,069**	**—-**	**—-**	**141**	**1,547**	**381**
DOMESTIC												
Total	**2,097**	**—-**	**—-**	**161**	**1,504**	**432**	**2,069**	**—-**	**—-**	**141**	**1,547**	**381**
13	—-	—-	—-	—-	—-	—-	2	—-	—-	—-	2	—-
12	15	—-	—-	—-	—-	15	11	—-	—-	—-	11	—-
11	5	—-	—-	1	1	3	37	—-	—-	1	35	1
10	20	—-	—-	6	4	10	43	—-	—-	—-	32	11
9	311	—-	—-	52	88	171	1,154	—-	—-	51	1,028	75
8	166	—-	—-	51	88	27	351	—-	—-	40	261	50
7	94	—-	—-	42	8	44	81	—-	—-	41	35	5
6	21	—-	—-	4	—-	17	17	—-	—-	4	12	1
5	6	—-	—-	4	—-	2	5	—-	—-	3	1	1
4	3	—-	—-	—-	—-	3	13	—-	—-	—-	1	12
3	10	—-	—-	1	3	6	6	—-	—-	1	4	1
2	1,440	—-	—-	—-	1,308	132	343	—-	—-	—-	125	218
1	6	—-	—-	—-	4	2	6	—-	—-	—-	—-	6
										Total trips:		**4,166**
OHIO RIVER SYSTEM												
	Upbound						Downbound					
Grand Total	**245,299**	**7,680**	**—-**	**60,711**	**165,474**	**11,434**	**245,300**	**7,627**	**—-**	**61,168**	**165,474**	**11,031**
DOMESTIC												
Total	**245,299**	**7,680**	**—-**	**60,711**	**165,474**	**11,434**	**245,300**	**7,627**	**—-**	**61,168**	**165,474**	**11,031**
13	9	—-	—-	—-	9	—-	50	—-	—-	—-	50	—-
12	117	—-	—-	—-	70	47	492	—-	—-	—-	488	4
11	1,990	—-	—-	531	1,348	111	1,829	—-	—-	554	1,253	22
10	8,231	—-	—-	1,450	6,355	426	5,424	—-	—-	1,595	3,402	427
9	69,607	989	—-	4,868	60,764	2,986	79,033	989	—-	5,682	69,376	2,986
8	30,673	677	—-	8,125	20,738	1,133	26,288	678	—-	8,153	16,323	1,134
7	23,876	729	—-	15,878	6,381	888	21,061	725	—-	15,878	3,742	716
6	15,764	3,150	—-	9,424	2,990	200	15,822	3,151	—-	9,424	3,019	228
5	11,359	1,087	—-	8,860	1,210	202	11,180	1,088	—-	8,861	1,071	160
4	3,729	1,043	—-	1,803	774	109	3,454	989	—-	1,803	592	70
3	1,606	5	—-	866	461	274	1,646	7	—-	933	506	200
2	72,942	—-	—-	8,826	59,466	4,650	77,602	—-	—-	8,226	64,726	4,650
1	5,396	—-	—-	80	4,908	408	1,419	—-	—-	59	926	434
										Total trips:		**490,599**

Trips and Drafts of Vessels, 2002
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
MISSISSIPPI RIVER SYSTEM												
	Upbound						Downbound					
Grand Total	**499,463**	**42,211**	**1,754**	**142,593**	**273,610**	**39,295**	**499,911**	**46,225**	**1,845**	**136,185**	**273,230**	**42,426**
FOREIGN												
Total	**5,449**	**3,900**	**1,438**	**75**	**35**	**1**	**5,897**	**4,164**	**1,474**	**211**	**40**	**8**
13	5,321	3,854	1,436	16	14	1	5,605	4,067	1,473	31	28	6
12	48	11	—	30	7	—	56	14	—	39	3	—
11	7	6	1	—	—	—	4	—	1	1	1	1
10	12	4	—	5	3	—	21	8	—	8	5	—
9	11	5	—	5	1	—	8	5	—	3	—	—
8	8	1	—	3	4	—	23	6	—	17	—	—
7	20	12	—	7	1	—	51	23	—	26	2	—
6	14	5	—	8	1	—	114	35	—	78	—	1
5	1	—	—	1	—	—	10	4	—	6	—	—
4	6	2	—	—	4	—	3	2	—	1	—	—
3	—	—	—	—	—	—	2	—	—	1	1	—
2	1	—	1	—	—	—	—	—	—	—	—	—
DOMESTIC												
Total	**494,014**	**38,311**	**316**	**142,518**	**273,575**	**39,294**	**494,014**	**42,061**	**371**	**135,974**	**273,190**	**42,418**
13	1,385	210	303	455	215	202	2,126	245	270	537	606	468
12	1,526	258	4	533	151	580	2,110	343	—	527	830	410
11	3,924	589	3	792	1,923	617	4,735	388	4	811	2,912	620
10	14,537	220	—	3,821	7,631	2,865	11,263	180	—	3,517	6,255	1,311
9	93,484	2,027	4	12,929	71,825	6,699	98,736	1,951	3	10,837	74,155	11,790
8	61,097	1,907	1	19,514	34,710	4,965	63,652	731	4	25,263	35,342	2,312
7	54,777	4,506	—	35,726	12,490	2,055	49,580	4,286	1	37,592	6,346	1,355
6	37,617	8,391	1	20,267	8,130	828	33,922	5,170	89	22,622	5,359	682
5	38,788	7,411	—	24,109	5,333	1,935	35,473	5,439	—	23,618	5,891	525
4	12,366	2,542	—	6,744	1,684	1,396	8,753	3,361	—	3,122	1,345	925
3	10,729	5,091	—	2,955	1,490	1,193	8,879	3,930	—	2,329	1,458	1,162
2	149,358	5,159	—	12,254	117,795	14,150	169,573	15,973	—	5,099	130,751	17,750
1	14,426	—	—	2,419	10,198	1,809	5,212	64	—	100	1,940	3,108
										Total trips:		**999,374**

KENTUCKY RIVER, KY
(4 feet and less)

	Upbound						Downbound					
Grand Total	**24**	**24**	**—**	**—**	**—**	**—**	**24**	**24**	**—**	**—**	**—**	**—**
										Total trips:		**48**

FRIEGHT TRAFFIC INDEX

B
BARREN RIVER, KY (GREEN AND BARREN RIVERS, KY) 1

C
CINCINNATI, OH 5

G
GREEN AND BARREN RIVERS, KY 1

K
KENTUCKY RIVER, KY 15

L
LOUISVILLE, KY 7
LOUISVILLE, KY DISTRICT 1

M
MISSISSIPPI RIVER SYSTEM 12
MOUNT VERNON, IN 8

O
OHIO RIVER 2
OHIO RIVER SYSTEM 9

TRIPS AND DRAFTS INDEX

B
BARREN RIVER, KY (GREEN AND BARREN RIVERS, KY) 16

C
CINCINNATI, OH 16

G
GREEN AND BARREN RIVERS, KY 16

K
KENTUCKY RIVER, KY 18

L
LOUISVILLE, KY 17
LOUISVILLE, KY DISTRICT 16

M
MISSISSIPPI RIVER SYSTEM 18
MOUNT VERNON, IN 17

O
OHIO RIVER 16
OHIO RIVER SYSTEM 17

Port Facilities by Waterway

Waterway: **Cumberland River** Mile: 359 PWD: 41
Name: **Gainesboro Port Authority Wharf.**
Port: Cumberland River
Location: Mile 359.1, left bank, Cumberland River, Gainesboro. Datum: NPE
Operator: Gainesboro Port Authority, and Farm Bureau Oil Co.
Owner: Gainesboro Port Authority.
Address: Phone: 615-268-9637
Town: Gainesboro State: TN County: Jackson
Railway Connection: None.
Purpose: Occasional shipment of coal and crude oil.
Depth Alongside (feet): 16 | 16 | Latitude (decimal): 36.390833
Total Berthing Space (feet): 800 | 195 | Longitude (decimal): -85.63972
Remarks: The 65 acre open storage area in rear has capacity for 10,000 tons of coal. Farm Bureau Oil Co.: One 6-inch pipeline extends to wharf from one 25,000-barrel storage tank in rear.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 44359 Louisville District

---

Waterway: **Green River** Mile: 1 PWD: 81
Name: **Ohio Valley Marine Service Dock.**
Port: Louisville
Location: Mile 0.5, left bank, Green River, Spottsville. Datum: NPE
Operator: Ohio Valley Marine Service, Inc.
Owner: Ohio Valley Marine Service, Inc.
Address: Green River Road Phone: 502/826-9165
Town: Spottsville State: KY County: Henderson
Railway Connection: None.
Purpose: Mooring barges and occasionally vessels for repair; mooring floating drydock; mooring barges for fleeting.
Depth Alongside (feet): 20 | | Latitude (decimal): 37.901389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -87.49472
Remarks: One 700-ton, floating drydock is moored at wharf. Company operated fleeting area below wharf has capacity for 15 barges (3 wide).

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40500 Louisville District

---

Port Facilities by Waterway

Waterway: **Green River** Mile: 1 PWD: 82
Name: **Triple S Welding & Marine Service Dock.**
Port: Louisville
Location: Mile 0.9, left bank, Green River, Spottsville. Datum: NPE
Operator: Triple S Welding & Marine Service.
Owner: Triple S Welding & Marine Service.
Address: Tillman-Bethel Road Phone: 502/826-3120
Town: Spottsville State: KY County: Henderson
Railway Connection: None.
Purpose: Mooring barges and occasionally towboats for repair.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.901389
Total Berthing Space (feet): 195 | | Longitude (decimal): -87.49083
Remarks: Crounse Corp. maintains fleeting areas at rows of steel sheet pile cellular breasting dolphins having capacity for approximately 40 barges (3-4 wide) along left bank above wharf and one with capacity for approxim wide) on opposite bank.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40500 Louisville District

---

Waterway: **Green River** Mile: 101 PWD: 93
Name: **Tennessee Valley Authority, Paradise Fossil Plant Dock.**
Port: Louisville
Location: Mile 100.8, left bank, Green River, Paradise. Datum: NPE
Operator: Tennessee Valley Authority.
Owner: U. S. Government.
Address: State Highway 176 Phone: 502/476-3332
Town: Paradise State: KY County: Muhlenberg
Railway Connection: One surface track with capacity for 60 cars serves plant at rear; connects with CSX Rail Transport.
Purpose: Receipt of coal.
Depth Alongside (feet): 13 | 13 | 13 Latitude (decimal): 37.261667
Total Berthing Space (feet): 900 | | Longitude (decimal): -86.97556
Remarks: Open storage area at plant in rear has capacity for 2,000,000 tons of coal.????capacity for mooring 30 barges arranged in 15 tiers, each 2 barges wide. Facility has capacity for mooring 20 loaded barges at lower 32 empty barges at upper dolphins.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40600 Louisville District

---

Port Facilities by Waterway

Waterway: **Green River** Mile: 41 PWD: 83
Name: **Alcan Ingot, Sebree Plant Wharf.**
Port: Louisville
Location: Mile 40.5, upper side of rectangular slip, left bank, Green River, Sebree. Datum: NPE
Operator: Alcan Ingot, Division of Alcan Aluminum Corp.
Owner: Alcan Ingot, Division of Alcan Aluminum Corp.
Address: State Highway 2096 Phone: 502/521-7425
Town: Sebree State: KY County: Henderson
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Receipt of petroleum coke and alumina.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.654444
Total Berthing Space (feet): 1440 | | Longitude (decimal): -87.48361
Remarks: Slip is approximately 250 feet wide and 1,800 wide. Three steel silos at rear have total capacity for 51,000 tons of alumina and one steel tank has capacity for 9,000 tons of petroleum coke.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40540 Louisville District

---

Waterway: **Green River** Mile: 41 PWD: 84
Name: **Big Rivers Electric Corp., Robert Green Plant Wharf.**
Port: Louisville
Location: Mile 41.0, left bank, Green River, Sebree. Datum: NPE
Operator: Big Rivers Electric Corp.
Owner: Big Rivers Electric Corp.
Address: State Highway 2097 Phone: 502/827-4821
Town: Sebree State: KY County: Henderson
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Receipt of coal and lime.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.648889
Total Berthing Space (feet): 875 | | Longitude (decimal): -87.48611

Waterway: **Green River** Mile: 41 PWD: 84
Name: **Big Rivers Electric Corp., Robert Green Plant Wharf.**
Port: Louisville
Location: Mile 41.0, left bank, Green River, Sebree. Datum: NPE
Operator: Big Rivers Electric Corp.
Owner: Big Rivers Electric Corp.
Address: State Highway 2097 Phone: 502/827-4821
Town: Sebree State: KY County: Henderson
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Receipt of coal and lime.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.648889
Total Berthing Space (feet): 875 | | Longitude (decimal): -87.48611
Remarks: Open storage area at rear has capacity for 400,000 tons of coal. Four concrete silos at rear have capacity for 150,000 tons of lime.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40543 Louisville District

---

Remarks: Open storage area at rear has capacity for 400,000 tons of coal. Four concrete silos at rear have capacity for 150,000 tons of lime.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40543 Louisville District

---

Port Facilities by Waterway

Waterway: **Green River** Mile: 41 PWD: 84
Name: **Big Rivers Electric Corp., Robert Green Plant Wharf.**
Port: Louisville
Location: Mile 41.0, left bank, Green River, Sebree. Datum: NPE
Operator: Big Rivers Electric Corp.
Owner: Big Rivers Electric Corp.
Address: State Highway 2097 Phone: 502/827-4821
Town: Sebree State: KY County: Henderson
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Receipt of coal and lime.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.648889
Total Berthing Space (feet): 875 | | Longitude (decimal): -87.48611

Waterway: **Green River** Mile: 41 PWD: 84
Name: **Big Rivers Electric Corp., Robert Green Plant Wharf.**
Port: Louisville
Location: Mile 41.0, left bank, Green River, Sebree. Datum: NPE
Operator: Big Rivers Electric Corp.
Owner: Big Rivers Electric Corp.
Address: State Highway 2097 Phone: 502/827-4821
Town: Sebree State: KY County: Henderson
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Receipt of coal and lime.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.648889
Total Berthing Space (feet): 875 | | Longitude (decimal): -87.48611
Remarks: Open storage area at rear has capacity for 400,000 tons of coal. Four concrete silos at rear have capacity for 150,000 tons of lime.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40543 Louisville District

Remarks: Open storage area at rear has capacity for 400,000 tons of coal. Four concrete silos at rear have capacity for 150,000 tons of lime.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40543 Louisville District

Waterway: **Green River** Mile: 41 PWD: 85
Name: **Big Rivers Electric Corp., Robert Reid Plant Wharf.**
Port: Louisville
Location: Mile 41.2, left bank, Green River, Sebree. Datum: NPE
Operator: Big Rivers Electric Corp.
Owner: Big Rivers Electric Corp.
Address: State Highway 2097 Phone: 502/827-4821
Town: Sebree State: KY County: Webster
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Receipt of coal.
Depth Alongside (feet): 12 | 12 | Latitude (decimal): 37.647778
Total Berthing Space (feet): 1100 | 2200 | Longitude (decimal): -87.48722
Remarks: Open storage area at rear has capacity for 400,000 tons of coal. Facility has capacity for mooring 30 barges arranged in 15 tiers, each 2 barges wide.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40541 Louisville District

Port Facilities by Waterway

Waterway: **Green River** Mile: 43 PWD: 86
Name: **Sebree Dock No. 2.**
Port: Louisville
Location: Mile 43.1, left bank, Green River, Sebree. Datum: NPE
Operator: Sebree Dock, Inc.
Owner: Sebree Dock, Inc.
Address: Eastwood Ferry Road Phone: 502/821-0751
Town: Sebree State: KY County: Webster
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.62
Total Berthing Space (feet): 400 | | Longitude (decimal): -87.48722
Remarks: Open storage area at rear has capacity for 12,000 tons of coal. Grain elevator at rear consisting of 2 steel silos with total capacity for 70,000 bushels was out of service at time of survey (1991).

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40540 Louisville District

---

Waterway: **Green River** Mile: 44 PWD: 87
Name: **Sebree Dock No. 1.**
Port: Louisville
Location: Mile 43.9, left bank, Green River, Sebree. Datum: NPE
Operator: Sebree Dock, Inc.
Owner: Sebree Dock, Inc.
Address: Eastwood Ferry Road Phone: 502/821-0751
Town: Sebree State: KY County: Webster
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.611111
Total Berthing Space (feet): 175 | | Longitude (decimal): -87.49778

Waterway: **Green River** Mile: 44 PWD: 87
Name: **Sebree Dock No. 1.**
Port: Louisville
Location: Mile 43.9, left bank, Green River, Sebree. Datum: NPE
Operator: Sebree Dock, Inc.
Owner: Sebree Dock, Inc.
Address: Eastwood Ferry Road Phone: 502/821-0751
Town: Sebree State: KY County: Webster
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.611111
Total Berthing Space (feet): 175 | | Longitude (decimal): -87.49778
Remarks: Open storage area at rear has capacity for 70,000 tons of coal.□□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40543 Louisville District

---

Remarks: Open storage area at rear has capacity for 70,000 tons of coal.□□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40543 Louisville District

---

Port Facilities by Waterway

Waterway: **Green River** Mile: 44 PWD: 87
Name: **Sebree Dock No. 1.**
Port: Louisville
Location: Mile 43.9, left bank, Green River, Sebree. Datum: NPE
Operator: Sebree Dock, Inc.
Owner: Sebree Dock, Inc.
Address: Eastwood Ferry Road Phone: 502/821-0751
Town: Sebree State: KY County: Webster
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.611111
Total Berthing Space (feet): 175 | | Longitude (decimal): -87.49778

Waterway: **Green River** Mile: 44 PWD: 87
Name: **Sebree Dock No. 1.**
Port: Louisville
Location: Mile 43.9, left bank, Green River, Sebree. Datum: NPE
Operator: Sebree Dock, Inc.
Owner: Sebree Dock, Inc.
Address: Eastwood Ferry Road Phone: 502/821-0751
Town: Sebree State: KY County: Webster
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.611111
Total Berthing Space (feet): 175 | | Longitude (decimal): -87.49778
Remarks: Open storage area at rear has capacity for 70,000 tons of coal.□□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40543 Louisville District

Remarks: Open storage area at rear has capacity for 70,000 tons of coal.□□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40543 Louisville District

Waterway: **Green River** Mile: 49 PWD: 88
Name: **Onton Dock.**
Port: Louisville
Location: Mile 49.0, left bank, Green River, Sebree. Datum: NPE
Operator: Onton Dock Co.
Owner: Onton Dock Co.
Address: State Highway 147 Phone: 502/884-7377
Town: Onton State: KY County: Webster
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.589167
Total Berthing Space (feet): 270 | | Longitude (decimal): -87.40639
Remarks: Open storage area at rear served by a radial stacker has capacity for 100,000 tons of coal.□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40549 Louisville District

Port Facilities by Waterway

Waterway: **Green River** Mile: 71 PWD: 89
Name: **Bunge Corp., Livermore Wharf.**
Port: Louisville
Location: Mile 71.1, left bank, Green River, Livermore. Datum: NPE
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: U.S. Highway 431 Phone: 502/278-2327
Town: Livermore State: KY County: McLean
Railway Connection: One surface track serves undertrack pit and loading spout at grain elevator at rear; connects with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.484444
Total Berthing Space (feet): 900 | | Longitude (decimal): -87.13861
Remarks: Grain elevator at rear consisting of 2 steel tanks and 6 concrete silos with 3 interstices has total capacity for 2,960,000 bushels.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40571 Louisville District

---

Waterway: **Green River** Mile: 74 PWD: 97
Name: **Big Rivers Electric Corp., D. B. Wilson Power Station Wharf.**
Port: Louisville
Location: Mile 74.0, right bank, Green River, Island, approximately 2,000 feet below State Highway 85 Bridge. Datum: NPE
Operator: Big Rivers Electric Corp.
Owner: Big Rivers Electric Corp.
Address: State Highway 85 Phone: 502/683-1390 ex
Town: Island State: KY County: Ohio
Railway Connection: Trackage serving power plant in rear connects with CSX Rail Transport.
Purpose: Receipt of coal, limestone, and lime.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.456389
Total Berthing Space (feet): 1675 | | Longitude (decimal): -87.10389
Remarks: Open coal storage area at plant is served by a stacker-bucket wheel reclaimer and and has capacity for 750,000 tons of coal. Two concrete silos at plant have total capacity for 12,000 tons of lime or limestone; 2 in use at time of survey. One mast-and-boom derrick with 5-ton, electric traveling hoist on 30-foot boom for handling supplies and equipment is located on upstream cell adjacent to the unloader cell.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40574 Louisville District

---

Port Facilities by Waterway

Waterway: **Green River** Mile: 77 PWD: 96
Name: **Peabody Coal Co., Alston Dock.**
Port: Louisville
Location: Mile 76.7, right bank, Green River, Kirtley. Datum: NPE
Operator: Not operated.
Owner: Peabody Coal Co.
Address: Phone: 502/338-1960
Town: Kirtley State: KY County: Ohio
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.419167
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.10056
Remarks: Three steel breasting barges are used when facility is in operation. SmallhousePreparation Facility in rear was inactive at time of survey (1991). Open storage area at rear has capacity for 30,000 tons of coal.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40576 Louisville District

---

Waterway: **Green River** Mile: 82 PWD: 90
Name: **Kentucky Utilities Co., Green River Power Station Dock.**
Port: Louisville
Location: Mile 81.5, left bank, Green River, Central City. Datum: NPE
Operator: Not operated.
Owner: Kentucky Utilities Co.
Address: U.S. Highway 431 Phone: 502/754-4828
Town: Central City State: KY County: Muhlenberg
Railway Connection: One surface track serves plant in rear; connects with CSX Rail Transport.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 37.374167
Total Berthing Space (feet): 200 | | Longitude (decimal): -87.12139
Remarks: At time of survey, floating wharf with derrick, equipped with clamshell bucket and receiving hopper for conveyor belt, had been removed (1991). Open storage area at rear has capacity for 150,000 tons of coal.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40581 Louisville District

---

Port Facilities by Waterway

Waterway: **Green River** Mile: 85 PWD: 91
Name: **Peabody Coal Co., River Queen Wharf.**
Port: Louisville
Location: Mile 85.2, left bank, Green River, South Carrollton. Datum: NPE
Operator: Peabody Coal Co.
Owner: Peabody Coal Co.
Address: River Road Phone: 502/338-1960
Town: South Carrollton State: KY County: Muhlenberg
Railway Connection: One surface track serving undertrack pit at rear extends from mine located approximately 10 miles west of wharf; connects with CSX Rail Transport and Paducah & Louisville Railway.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 37.323333
Total Berthing Space (feet): 800 | 800 | Longitude (decimal): -87.12083
Remarks: -□□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40583 Louisville District

---

Waterway: **Green River** Mile: 86 PWD: 92
Name: **Peabody Coal Co., Gibraltar Wharf.**
Port: Louisville
Location: Mile 85.9, left bank, Green River, South Carrollton. Datum: NPE
Operator: Peabody Coal Co.
Owner: Gibraltar Coal Corp.
Address: River Road Phone: 502/338-1960
Town: South Carrollton State: KY County: Muhlenberg
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 37.323333
Total Berthing Space (feet): 900 | 900 | Longitude (decimal): -87.10083
Remarks: Open storage area on opposite side of road in rear has capacity for 30,000 tons of coal.□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40585 Louisville District

---

Waterway: **Green River** Mile: 94 PWD: 95
Name: **Pyramid Mining Dock.**
Port: Louisville
Location: Mile 93.9, right bank, Green River, Rockport. Datum: NPE
Operator: Pyramid Mining, Inc., a subsidiary of First Mississippi Corp.
Owner: Pyramid Mining, Inc., a subsidiary of First Mississippi Corp.
Address: State Highway 85 Phone: 502/274-7182
Town: Rockport. State: KY County: Ohio
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 8 | | Latitude (decimal): 37.343056
Total Berthing Space (feet): 1940 | | Longitude (decimal): -87.00972
Remarks: Open storage area at rear of lower end has capacity for 24,000 tons of coal.□□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40593 Louisville District

---

Port Facilities by Waterway

Waterway: **Green River** Mile: 98 PWD: 94
Name: **Peabody Coal Co., Ken Mine Wharf.**
Port: Louisville
Location: Mile 97.7, right bank, Green River, Rockport. Datum: NPE
Operator: Peabody Coal Co.
Owner: Peabody Coal Co.
Address: Phone: 502/338-1960
Town: Rockport. State: KY County: Ohio
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 30 | | Latitude (decimal): 37.2975
Total Berthing Space (feet): 740 | | Longitude (decimal): -86.98333
Remarks: One 100- by 25-foot, steel float anchored above upper cell is used for mooring towboats. Open storage area in rear has capacity for 50,000 tons of coal.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40597 Louisville District

---

Waterway: **Kentucky River** Mile: PWD: 3
Name: **Bristol Steel and Iron Works, Carrollton Erection Yard Dock**
Port: Kentucky River
Location: Mile 0.4, left bank, Kentucky River, approximately 800 feet above U. S. Highway 42 bridge, Carrollton. Datum: NPE
Operator: Not operated (see Remarks).
Owner: Bristol Steel and Iron Works, Inc.
Address: Second and Seminary Streets. Phone: 502/732-4438
Town: Carrollton State: KY County: Carroll
Railway Connection: One surface track serves facility at rear; connects with The Carrollton Railroad.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.677778
Total Berthing Space (feet): 800 | | Longitude (decimal): -85.18778
Remarks: At time of survey (1991) facility, including a steel fabrication plant and approximately ten acres of open area, was inactive, however, it was being maintained in operating condition while being offered for sale.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41000 Louisville District

---

Port Facilities by Waterway

Waterway: **Kentucky River** Mile: 65 PWD: 2
Name: **Central Kentucky Sand and Gravel Co. Dock.**
Port: Frankfort, KY
Location: Left bank, Kentucky River, mile 65.1, approximately 1,000 feet above Lock and Dam No. 4, Frankfort. Datum: NPE
Operator: Central Kentucky Sand and Gravel Co. Inc.
Owner: Central Kentucky Sand and Gravel Co. Inc.
Address: 770 Wilkinson Boulevard. Phone: 502/227-7366
Town: Frankfort State: KY County: Franklin
Railway Connection: None.
Purpose: Shipment of sand and gravel
Depth Alongside (feet): 9 | | Latitude (decimal): 38.209444
Total Berthing Space (feet): 135 | | Longitude (decimal): -84.87389
Remarks: Open storage area at rear is served by a traveling stacker and has capacity for approximately 40,000 tons of material.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41065 Louisville District

---

Waterway: **Licking River.** Mile: 1 PWD: 24
Name: **The David J. Joseph Co. Docks.**
Port: Licking River.
Location: Mile 1.1, right bank, Licking River, Newport, 600 feet above- and 300 feet below CSX Rail Transport Brid Datum: NPE
Operator: The David J. Joseph Co.
Owner: The David J. Joseph Co.
Address: 1220 Licking Pike. Phone: 606/291-5509
Town: Newport State: KY County: Campbell
Railway Connection: Four surface tracks serve scrap metal processing facility at rear; connect with CSX Rail Transport.
Purpose: Shipment of scrap metal.
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 39.0775
Total Berthing Space (feet): 160 | 30 | Longitude (decimal): -84.49778
Remarks: Wharves are approximately 1,000 feet apart. Scrap metal processing plant and open storage for approximately 10,000 tons of scrap metal are located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41500 Louisville District

---

Port Facilities by Waterway

Waterway: **Licking River.** Mile: 2 PWD: 23
Name: **Newport Steel Corp., Wilder Plant Wharf.**
Port: Licking River.
Location: Mile 2.1, right bank, Licking River, Wilder. Datum: NPE
Operator: Newport Steel Corp.
Owner: Newport Steel Corp.
Address: Licking Pike. Phone: 606/292-6020
Town: Wilder State: KY County: Campbell
Railway Connection: Four surface tracks extending to face serve plant at rear; connect with CSX Rail Transport.
Purpose: Shipment of steel pipe and tubing.
Depth Alongside (feet): 9 | | Latitude (decimal): 39.064167
Total Berthing Space (feet): 350 | | Longitude (decimal): -84.495
Remarks: Five-acre open storage area at rear has capacity for 20,000 tons of steel products.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41500 Louisville District

---

Waterway: **Licking River.** Mile: 3 PWD: 19
Name: **Ashland Petroleum Co., Covington Terminal Dock.**
Port: Licking River.
Location: Mile 2.7, left bank, Licking River, Covington, approximately 1,500 feet below CSX Rail Transport Bridge. Datum: NPE
Operator: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Address: 230 East 33rd Street. Phone: 606/581-5800
Town: Covington State: KY County: Kenton
Railway Connection: None.
Purpose: Receipt of asphalt and petroleum products.
Depth Alongside (feet): 9 | | Latitude (decimal): 39.055
Total Berthing Space (feet): 260 | | Longitude (decimal): -84.50583
Remarks: Five 8-inch pipelines extend from wharf to 5 steel asphalt storage tanks, total capacity 85,000 barrels, and to 9 product storage tanks, total capacity 85,000 barrels at terminal in rear. One 4-inch steam line se

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41500 Louisville District

---

Port Facilities by Waterway

Waterway: **Licking River.** Mile: 3 PWD: 22
Name: **Licking River Terminal Co. Wharf.**
Port: Licking River.
Location: Mile 2.8, right bank, Licking River, Wilder. Datum: NPE
Operator: Licking River Terminal Co., subsidiary of Oglebay Norton Co.
Owner: Licking River Terminal Co., subsidiary of Oglebay Norton Co.
Address: 500 Licking Pike. Phone: 606 431-5545
Town: Wilder State: KY County: Campbell
Railway Connection: Five surface tracks serve rotary dumper at rear; connect with CSX Rail Transport. (See Remarks.)
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.054722
Total Berthing Space (feet): 1250 | | Longitude (decimal): -84.48833
Remarks: Rotary car dumper handles 30 railroad cars per hour. Five storage tracks have capacity for 220 loaded and 111 empty railroad cars.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41500 Louisville District

---

Waterway: **Licking River.** Mile: 4 PWD: 20
Name: **Greater Cincinnati Marine Service, Wilder Dock.**
Port: Licking River.
Location: Mile 4.3, right bank, Licking River, Wilder, approximately one mile below Interstate Highway 275 twin br Datum: NPE
Operator: Greater Cincinnati Marine Service, Inc. and Carlisle Construction Co., Inc.
Owner: Greater Cincinnati Marine Service, Inc., subsidiary of Carlisle Construction Co., Inc.
Address: 840 Licking Pike. Phone: 606/441-7200
Town: Wilder State: KY County: Campbell
Railway Connection: None.
Purpose: Receipt of structural steel, reinforced concrete beams, and miscellaneous construction materials; handling construction equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.02
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.4875
Remarks: Approximately 50 acres of open storage area for construction materials and equipment is located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41500 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 441 PWD: 30
Name: **Dravo Lime Co., Black River Division, Lime and Coal Dock.**
Port: Ohio River
Location: Mile 441.1, left bank, Ohio River, Carntown. Datum: NPE
Operator: Dravo Lime Co., Black River Division.
Owner: Dravo Lime Co., Black River Division.
Address: State Highway 8 Phone: 606/472-7721
Town: Carntown State: KY County: Pendleton
Railway Connection: Four surface tracks serving lime plant at rear connect with CSX Rail Transport.
Purpose: Shipment of lime and receipt of coal.
Depth Alongside (feet): 11 | | Latitude (decimal): 38.834444
Total Berthing Space (feet): 1400 | | Longitude (decimal): -84.23722

Waterway: **Ohio River** Mile: 441 PWD: 30
Name: **Dravo Lime Co., Black River Division, Lime and Coal Dock.**
Port: Ohio River
Location: Mile 441.1, left bank, Ohio River, Carntown. Datum: NPE
Operator: Dravo Lime Co., Black River Division.
Owner: Dravo Lime Co., Black River Division.
Address: State Highway 8 Phone: 606/472-7721
Town: Carntown State: KY County: Pendleton
Railway Connection: Four surface tracks serving lime plant at rear connect with CSX Rail Transport.
Purpose: Shipment of lime and receipt of coal.
Depth Alongside (feet): 11 | | Latitude (decimal): 38.834444
Total Berthing Space (feet): 1400 | | Longitude (decimal): -84.23722

Waterway: **Ohio River** Mile: 441 PWD: 30
Name: **Dravo Lime Co., Black River Division, Lime and Coal Dock.**
Port: Ohio River
Location: Mile 441.1, left bank, Ohio River, Carntown. Datum: NPE
Operator: Dravo Lime Co., Black River Division.
Owner: Dravo Lime Co., Black River Division.
Address: State Highway 8 Phone: 606/472-7721
Town: Carntown State: KY County: Pendleton
Railway Connection: Four surface tracks serving lime plant at rear connect with CSX Rail Transport.
Purpose: Shipment of lime and receipt of coal.
Depth Alongside (feet): 11 | | Latitude (decimal): 38.834444
Total Berthing Space (feet): 1400 | | Longitude (decimal): -84.23722

Remarks: At time of survey (1991), facility was under construction and details of handling equipment had not been finalized. Three coal storage bins at rear have total capacity for 1,800 tons and bin storage at lime plant approximately 10,000 tons. At mile 427.1, approximately 14 miles above wharf, The Augusta Ferriage Co. operates a passenger and vehicular ferry crossing during the hours 8:00 AM to 6:00 PM between ramps at and acrosscommunity of Augusta, KY, on the left bank.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41539 Louisville District

Remarks: At time of survey (1991), facility was under construction and details of handling equipment had not been finalized. Three coal storage bins at rear have total capacity for 1,800 tons and bin storage at lime plant approximately 10,000 tons. At mile 427.1, approximately 14 miles above wharf, The Augusta Ferriage Co. operates a passenger and vehicular ferry crossing during the hours 8:00 AM to 6:00 PM between ramps at and acrosscommunity of Augusta, KY, on the left bank.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41539 Louisville District

Port Facilities by Waterway

Remarks: At time of survey (1991), facility was under construction and details of handling equipment had not been finalized. Three coal storage bins at rear have total capacity for 1,800 tons and bin storage at lime plant approximately 10,000 tons. At mile 427.1, approximately 14 miles above wharf, The Augusta Ferriage Co. operates a passenger and vehicular ferry crossing during the hours 8:00 AM to 6:00 PM between ramps at and acrosscommunity of Augusta, KY, on the left bank.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41539 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 441 PWD: 30
Name: **Dravo Lime Co., Black River Division, Lime and Coal Dock.**
Port: Ohio River
Location: Mile 441.1, left bank, Ohio River, Carntown. Datum: NPE
Operator: Dravo Lime Co., Black River Division.
Owner: Dravo Lime Co., Black River Division.
Address: State Highway 8 Phone: 606/472-7721
Town: Carntown State: KY County: Pendleton
Railway Connection: Four surface tracks serving lime plant at rear connect with CSX Rail Transport.
Purpose: Shipment of lime and receipt of coal.
Depth Alongside (feet): 11 | | Latitude (decimal): 38.834444
Total Berthing Space (feet): 1400 | | Longitude (decimal): -84.23722

Waterway: **Ohio River** Mile: 441 PWD: 30
Name: **Dravo Lime Co., Black River Division, Lime and Coal Dock.**
Port: Ohio River
Location: Mile 441.1, left bank, Ohio River, Carntown. Datum: NPE
Operator: Dravo Lime Co., Black River Division.
Owner: Dravo Lime Co., Black River Division.
Address: State Highway 8 Phone: 606/472-7721
Town: Carntown State: KY County: Pendleton
Railway Connection: Four surface tracks serving lime plant at rear connect with CSX Rail Transport.
Purpose: Shipment of lime and receipt of coal.
Depth Alongside (feet): 11 | | Latitude (decimal): 38.834444
Total Berthing Space (feet): 1400 | | Longitude (decimal): -84.23722

Waterway: **Ohio River** Mile: 441 PWD: 30
Name: **Dravo Lime Co., Black River Division, Lime and Coal Dock.**
Port: Ohio River
Location: Mile 441.1, left bank, Ohio River, Carntown. Datum: NPE
Operator: Dravo Lime Co., Black River Division.
Owner: Dravo Lime Co., Black River Division.
Address: State Highway 8 Phone: 606/472-7721
Town: Carntown State: KY County: Pendleton
Railway Connection: Four surface tracks serving lime plant at rear connect with CSX Rail Transport.
Purpose: Shipment of lime and receipt of coal.
Depth Alongside (feet): 11 | | Latitude (decimal): 38.834444
Total Berthing Space (feet): 1400 | | Longitude (decimal): -84.23722

Remarks: At time of survey (1991), facility was under construction and details of handling equipment had not been finalized. Three coal storage bins at rear have total capacity for 1,800 tons and bin storage at lime plant approximately 10,000 tons. At mile 427.1, approximately 14 miles above wharf, The Augusta Ferriage Co. operates a passenger and vehicular ferry crossing during the hours 8:00 AM to 6:00 PM between ramps at and acrosscommunity of Augusta, KY, on the left bank.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41539 Louisville District

Remarks: At time of survey (1991), facility was under construction and details of handling equipment had not been finalized. Three coal storage bins at rear have total capacity for 1,800 tons and bin storage at lime plant approximately 10,000 tons. At mile 427.1, approximately 14 miles above wharf, The Augusta Ferriage Co. operates a passenger and vehicular ferry crossing during the hours 8:00 AM to 6:00 PM between ramps at and acrosscommunity of Augusta, KY, on the left bank.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41539 Louisville District

Port Facilities by Waterway

Remarks: At time of survey (1991), facility was under construction and details of handling equipment had not been finalized. Three coal storage bins at rear have total capacity for 1,800 tons and bin storage at lime plant approximately 10,000 tons. At mile 427.1, approximately 14 miles above wharf, The Augusta Ferriage Co. operates a passenger and vehicular ferry crossing during the hours 8:00 AM to 6:00 PM between ramps at and acrosscommunity of Augusta, KY, on the left bank.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41539 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 441 PWD: 30
Name: **Dravo Lime Co., Black River Division, Lime and Coal Dock.**
Port: Ohio River
Location: Mile 441.1, left bank, Ohio River, Carntown. Datum: NPE
Operator: Dravo Lime Co., Black River Division.
Owner: Dravo Lime Co., Black River Division.
Address: State Highway 8 Phone: 606/472-7721
Town: Carntown State: KY County: Pendleton
Railway Connection: Four surface tracks serving lime plant at rear connect with CSX Rail Transport.
Purpose: Shipment of lime and receipt of coal.
Depth Alongside (feet): 11 | | Latitude (decimal): 38.834444
Total Berthing Space (feet): 1400 | | Longitude (decimal): -84.23722

Waterway: **Ohio River** Mile: 441 PWD: 30
Name: **Dravo Lime Co., Black River Division, Lime and Coal Dock.**
Port: Ohio River
Location: Mile 441.1, left bank, Ohio River, Carntown. Datum: NPE
Operator: Dravo Lime Co., Black River Division.
Owner: Dravo Lime Co., Black River Division.
Address: State Highway 8 Phone: 606/472-7721
Town: Carntown State: KY County: Pendleton
Railway Connection: Four surface tracks serving lime plant at rear connect with CSX Rail Transport.
Purpose: Shipment of lime and receipt of coal.
Depth Alongside (feet): 11 | | Latitude (decimal): 38.834444
Total Berthing Space (feet): 1400 | | Longitude (decimal): -84.23722

Waterway: **Ohio River** Mile: 441 PWD: 30
Name: **Dravo Lime Co., Black River Division, Lime and Coal Dock.**
Port: Ohio River
Location: Mile 441.1, left bank, Ohio River, Carntown. Datum: NPE
Operator: Dravo Lime Co., Black River Division.
Owner: Dravo Lime Co., Black River Division.
Address: State Highway 8 Phone: 606/472-7721
Town: Carntown State: KY County: Pendleton
Railway Connection: Four surface tracks serving lime plant at rear connect with CSX Rail Transport.
Purpose: Shipment of lime and receipt of coal.
Depth Alongside (feet): 11 | | Latitude (decimal): 38.834444
Total Berthing Space (feet): 1400 | | Longitude (decimal): -84.23722

Remarks: At time of survey (1991), facility was under construction and details of handling equipment had not been finalized. Three coal storage bins at rear have total capacity for 1,800 tons and bin storage at lime plant approximately 10,000 tons. At mile 427.1, approximately 14 miles above wharf, The Augusta Ferriage Co. operates a passenger and vehicular ferry crossing during the hours 8:00 AM to 6:00 PM between ramps at and acrosscommunity of Augusta, KY, on the left bank.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41539 Louisville District

Remarks: At time of survey (1991), facility was under construction and details of handling equipment had not been finalized. Three coal storage bins at rear have total capacity for 1,800 tons and bin storage at lime plant approximately 10,000 tons. At mile 427.1, approximately 14 miles above wharf, The Augusta Ferriage Co. operates a passenger and vehicular ferry crossing during the hours 8:00 AM to 6:00 PM between ramps at and acrosscommunity of Augusta, KY, on the left bank.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41539 Louisville District

Port Facilities by Waterway

Remarks: At time of survey (1991), facility was under construction and details of handling equipment had not been finalized. Three coal storage bins at rear have total capacity for 1,800 tons and bin storage at lime plant approximately 10,000 tons. At mile 427.1, approximately 14 miles above wharf, The Augusta Ferriage Co. operates a passenger and vehicular ferry crossing during the hours 8:00 AM to 6:00 PM between ramps at and acrosscommunity of Augusta, KY, on the left bank.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41539 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 442 PWD: 28
Name: **Dravo Lime Co., Black River Division, Hydrate Lime Dock.**
Port: Ohio River
Location: Mile 441.7, left bank, Ohio River, Carntown. Datum: NPE
Operator: Dravo Lime Co., Black River Division.
Owner: Dravo Lime Co., Black River Division.
Address: State Highway 8 Phone: 606/472-7721
Town: Carntown State: KY County: Pendleton
Railway Connection: Trackage serving facility at rear connects with CSX Rail Transport.
Purpose: Occasional shipment of hydrated lime.
Depth Alongside (feet): 3 - 10 | | Latitude (decimal): 38.843611
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.23861

Waterway: **Ohio River** Mile: 442 PWD: 28
Name: **Dravo Lime Co., Black River Division, Hydrate Lime Dock.**
Port: Ohio River
Location: Mile 441.7, left bank, Ohio River, Carntown. Datum: NPE
Operator: Dravo Lime Co., Black River Division.
Owner: Dravo Lime Co., Black River Division.
Address: State Highway 8 Phone: 606/472-7721
Town: Carntown State: KY County: Pendleton
Railway Connection: Trackage serving facility at rear connects with CSX Rail Transport.
Purpose: Occasional shipment of hydrated lime.
Depth Alongside (feet): 3 - 10 | | Latitude (decimal): 38.843611
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.23861

Waterway: **Ohio River** Mile: 442 PWD: 28
Name: **Dravo Lime Co., Black River Division, Hydrate Lime Dock.**
Port: Ohio River
Location: Mile 441.7, left bank, Ohio River, Carntown. Datum: NPE
Operator: Dravo Lime Co., Black River Division.
Owner: Dravo Lime Co., Black River Division.
Address: State Highway 8 Phone: 606/472-7721
Town: Carntown State: KY County: Pendleton
Railway Connection: Trackage serving facility at rear connects with CSX Rail Transport.
Purpose: Occasional shipment of hydrated lime.
Depth Alongside (feet): 3 - 10 | | Latitude (decimal): 38.843611
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.23861
Remarks: Normally a breasting barge is used to provide a deeper berth. Three steel storage tanks at rear have total capacity for 1,200 tons of hydrated lime.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41539 Louisville District

Remarks: Normally a breasting barge is used to provide a deeper berth. Three steel storage tanks at rear have total capacity for 1,200 tons of hydrated lime.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41539 Louisville District

Remarks: Normally a breasting barge is used to provide a deeper berth. Three steel storage tanks at rear have total capacity for 1,200 tons of hydrated lime.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41539 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 442 PWD: 28
Name: **Dravo Lime Co., Black River Division, Hydrate Lime Dock.**
Port: Ohio River
Location: Mile 441.7, left bank, Ohio River, Carntown. Datum: NPE
Operator: Dravo Lime Co., Black River Division.
Owner: Dravo Lime Co., Black River Division.
Address: State Highway 8 Phone: 606/472-7721
Town: Carntown State: KY County: Pendleton
Railway Connection: Trackage serving facility at rear connects with CSX Rail Transport.
Purpose: Occasional shipment of hydrated lime.
Depth Alongside (feet): 3 - 10 | | Latitude (decimal): 38.843611
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.23861

Waterway: **Ohio River** Mile: 442 PWD: 28
Name: **Dravo Lime Co., Black River Division, Hydrate Lime Dock.**
Port: Ohio River
Location: Mile 441.7, left bank, Ohio River, Carntown. Datum: NPE
Operator: Dravo Lime Co., Black River Division.
Owner: Dravo Lime Co., Black River Division.
Address: State Highway 8 Phone: 606/472-7721
Town: Carntown State: KY County: Pendleton
Railway Connection: Trackage serving facility at rear connects with CSX Rail Transport.
Purpose: Occasional shipment of hydrated lime.
Depth Alongside (feet): 3 - 10 | | Latitude (decimal): 38.843611
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.23861

Waterway: **Ohio River** Mile: 442 PWD: 28
Name: **Dravo Lime Co., Black River Division, Hydrate Lime Dock.**
Port: Ohio River
Location: Mile 441.7, left bank, Ohio River, Carntown. Datum: NPE
Operator: Dravo Lime Co., Black River Division.
Owner: Dravo Lime Co., Black River Division.
Address: State Highway 8 Phone: 606/472-7721
Town: Carntown State: KY County: Pendleton
Railway Connection: Trackage serving facility at rear connects with CSX Rail Transport.
Purpose: Occasional shipment of hydrated lime.
Depth Alongside (feet): 3 - 10 | | Latitude (decimal): 38.843611
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.23861

Remarks: Normally a breasting barge is used to provide a deeper berth. Three steel storage tanks at rear have total capacity for 1,200 tons of hydrated lime.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41539 Louisville District

Remarks: Normally a breasting barge is used to provide a deeper berth. Three steel storage tanks at rear have total capacity for 1,200 tons of hydrated lime.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41539 Louisville District

Remarks: Normally a breasting barge is used to provide a deeper berth. Three steel storage tanks at rear have total capacity for 1,200 tons of hydrated lime.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41539 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 442 PWD: 28
Name: **Dravo Lime Co., Black River Division, Hydrate Lime Dock.**
Port: Ohio River
Location: Mile 441.7, left bank, Ohio River, Carntown. Datum: NPE
Operator: Dravo Lime Co., Black River Division.
Owner: Dravo Lime Co., Black River Division.
Address: State Highway 8 Phone: 606/472-7721
Town: Carntown State: KY County: Pendleton
Railway Connection: Trackage serving facility at rear connects with CSX Rail Transport.
Purpose: Occasional shipment of hydrated lime.
Depth Alongside (feet): 3 - 10 | | Latitude (decimal): 38.843611
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.23861

Waterway: **Ohio River** Mile: 442 PWD: 28
Name: **Dravo Lime Co., Black River Division, Hydrate Lime Dock.**
Port: Ohio River
Location: Mile 441.7, left bank, Ohio River, Carntown. Datum: NPE
Operator: Dravo Lime Co., Black River Division.
Owner: Dravo Lime Co., Black River Division.
Address: State Highway 8 Phone: 606/472-7721
Town: Carntown State: KY County: Pendleton
Railway Connection: Trackage serving facility at rear connects with CSX Rail Transport.
Purpose: Occasional shipment of hydrated lime.
Depth Alongside (feet): 3 - 10 | | Latitude (decimal): 38.843611
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.23861

Waterway: **Ohio River** Mile: 442 PWD: 28
Name: **Dravo Lime Co., Black River Division, Hydrate Lime Dock.**
Port: Ohio River
Location: Mile 441.7, left bank, Ohio River, Carntown. Datum: NPE
Operator: Dravo Lime Co., Black River Division.
Owner: Dravo Lime Co., Black River Division.
Address: State Highway 8 Phone: 606/472-7721
Town: Carntown State: KY County: Pendleton
Railway Connection: Trackage serving facility at rear connects with CSX Rail Transport.
Purpose: Occasional shipment of hydrated lime.
Depth Alongside (feet): 3 - 10 | | Latitude (decimal): 38.843611
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.23861
Remarks: Normally a breasting barge is used to provide a deeper berth. Three steel storage tanks at rear have total capacity for 1,200 tons of hydrated lime.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41539 Louisville District

Remarks: Normally a breasting barge is used to provide a deeper berth. Three steel storage tanks at rear have total capacity for 1,200 tons of hydrated lime.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41539 Louisville District

Remarks: Normally a breasting barge is used to provide a deeper berth. Three steel storage tanks at rear have total capacity for 1,200 tons of hydrated lime.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41539 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 442 PWD: 29
Name: **Dravo Lime Co., Black River Division, Limestone Loading Dock.**
Port: Ohio River
Location: Mile 441.5, left bank, Ohio River, Carntown. Datum: NPE
Operator: Dravo Lime Co., Black River Division.
Owner: Dravo Lime Co., Black River Division.
Address: State Highway 8 Phone: 606/472-7721
Town: Carntown State: KY County: Pendleton
Railway Connection: Trackage serving facility at rear connects with CSX Rail Transport.
Purpose: Shipment of crushed limestone and lime.
Depth Alongside (feet): 11 | | Latitude (decimal): 38.841111
Total Berthing Space (feet): 1570 | | Longitude (decimal): -84.23833

Waterway: **Ohio River** Mile: 442 PWD: 29
Name: **Dravo Lime Co., Black River Division, Limestone Loading Dock.**
Port: Ohio River
Location: Mile 441.5, left bank, Ohio River, Carntown. Datum: NPE
Operator: Dravo Lime Co., Black River Division.
Owner: Dravo Lime Co., Black River Division.
Address: State Highway 8 Phone: 606/472-7721
Town: Carntown State: KY County: Pendleton
Railway Connection: Trackage serving facility at rear connects with CSX Rail Transport.
Purpose: Shipment of crushed limestone and lime.
Depth Alongside (feet): 11 | | Latitude (decimal): 38.841111
Total Berthing Space (feet): 1570 | | Longitude (decimal): -84.23833

Waterway: **Ohio River** Mile: 442 PWD: 29
Name: **Dravo Lime Co., Black River Division, Limestone Loading Dock.**
Port: Ohio River
Location: Mile 441.5, left bank, Ohio River, Carntown. Datum: NPE
Operator: Dravo Lime Co., Black River Division.
Owner: Dravo Lime Co., Black River Division.
Address: State Highway 8 Phone: 606/472-7721
Town: Carntown State: KY County: Pendleton
Railway Connection: Trackage serving facility at rear connects with CSX Rail Transport.
Purpose: Shipment of crushed limestone and lime.
Depth Alongside (feet): 11 | | Latitude (decimal): 38.841111
Total Berthing Space (feet): 1570 | | Longitude (decimal): -84.23833
Remarks: Open storage area at rear has capacity for 1,000,000 tons of crushed limestone. Bulk lime is loaded at a rate of 700 tons per hour.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41539 Louisville District

Remarks: Open storage area at rear has capacity for 1,000,000 tons of crushed limestone. Bulk lime is loaded at a rate of 700 tons per hour.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41539 Louisville District

Remarks: Open storage area at rear has capacity for 1,000,000 tons of crushed limestone. Bulk lime is loaded at a rate of 700 tons per hour.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41539 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 442 PWD: 29
Name: **Dravo Lime Co., Black River Division, Limestone Loading Dock.**
Port: Ohio River
Location: Mile 441.5, left bank, Ohio River, Carntown. Datum: NPE
Operator: Dravo Lime Co., Black River Division.
Owner: Dravo Lime Co., Black River Division.
Address: State Highway 8 Phone: 606/472-7721
Town: Carntown State: KY County: Pendleton
Railway Connection: Trackage serving facility at rear connects with CSX Rail Transport.
Purpose: Shipment of crushed limestone and lime.
Depth Alongside (feet): 11 | | Latitude (decimal): 38.841111
Total Berthing Space (feet): 1570 | | Longitude (decimal): -84.23833

Waterway: **Ohio River** Mile: 442 PWD: 29
Name: **Dravo Lime Co., Black River Division, Limestone Loading Dock.**
Port: Ohio River
Location: Mile 441.5, left bank, Ohio River, Carntown. Datum: NPE
Operator: Dravo Lime Co., Black River Division.
Owner: Dravo Lime Co., Black River Division.
Address: State Highway 8 Phone: 606/472-7721
Town: Carntown State: KY County: Pendleton
Railway Connection: Trackage serving facility at rear connects with CSX Rail Transport.
Purpose: Shipment of crushed limestone and lime.
Depth Alongside (feet): 11 | | Latitude (decimal): 38.841111
Total Berthing Space (feet): 1570 | | Longitude (decimal): -84.23833

Waterway: **Ohio River** Mile: 442 PWD: 29
Name: **Dravo Lime Co., Black River Division, Limestone Loading Dock.**
Port: Ohio River
Location: Mile 441.5, left bank, Ohio River, Carntown. Datum: NPE
Operator: Dravo Lime Co., Black River Division.
Owner: Dravo Lime Co., Black River Division.
Address: State Highway 8 Phone: 606/472-7721
Town: Carntown State: KY County: Pendleton
Railway Connection: Trackage serving facility at rear connects with CSX Rail Transport.
Purpose: Shipment of crushed limestone and lime.
Depth Alongside (feet): 11 | | Latitude (decimal): 38.841111
Total Berthing Space (feet): 1570 | | Longitude (decimal): -84.23833
Remarks: Open storage area at rear has capacity for 1,000,000 tons of crushed limestone. Bulk lime is loaded at a rate of 700 tons per hour.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41539 Louisville District

Remarks: Open storage area at rear has capacity for 1,000,000 tons of crushed limestone. Bulk lime is loaded at a rate of 700 tons per hour.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41539 Louisville District

Remarks: Open storage area at rear has capacity for 1,000,000 tons of crushed limestone. Bulk lime is loaded at a rate of 700 tons per hour.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41539 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 442 PWD: 29
Name: **Dravo Lime Co., Black River Division, Limestone Loading Dock.**
Port: Ohio River
Location: Mile 441.5, left bank, Ohio River, Carntown. Datum: NPE
Operator: Dravo Lime Co., Black River Division.
Owner: Dravo Lime Co., Black River Division.
Address: State Highway 8 Phone: 606/472-7721
Town: Carntown State: KY County: Pendleton
Railway Connection: Trackage serving facility at rear connects with CSX Rail Transport.
Purpose: Shipment of crushed limestone and lime.
Depth Alongside (feet): 11 | | Latitude (decimal): 38.841111
Total Berthing Space (feet): 1570 | | Longitude (decimal): -84.23833

Waterway: **Ohio River** Mile: 442 PWD: 29
Name: **Dravo Lime Co., Black River Division, Limestone Loading Dock.**
Port: Ohio River
Location: Mile 441.5, left bank, Ohio River, Carntown. Datum: NPE
Operator: Dravo Lime Co., Black River Division.
Owner: Dravo Lime Co., Black River Division.
Address: State Highway 8 Phone: 606/472-7721
Town: Carntown State: KY County: Pendleton
Railway Connection: Trackage serving facility at rear connects with CSX Rail Transport.
Purpose: Shipment of crushed limestone and lime.
Depth Alongside (feet): 11 | | Latitude (decimal): 38.841111
Total Berthing Space (feet): 1570 | | Longitude (decimal): -84.23833

Waterway: **Ohio River** Mile: 442 PWD: 29
Name: **Dravo Lime Co., Black River Division, Limestone Loading Dock.**
Port: Ohio River
Location: Mile 441.5, left bank, Ohio River, Carntown. Datum: NPE
Operator: Dravo Lime Co., Black River Division.
Owner: Dravo Lime Co., Black River Division.
Address: State Highway 8 Phone: 606/472-7721
Town: Carntown State: KY County: Pendleton
Railway Connection: Trackage serving facility at rear connects with CSX Rail Transport.
Purpose: Shipment of crushed limestone and lime.
Depth Alongside (feet): 11 | | Latitude (decimal): 38.841111
Total Berthing Space (feet): 1570 | | Longitude (decimal): -84.23833
Remarks: Open storage area at rear has capacity for 1,000,000 tons of crushed limestone. Bulk lime is loaded at a rate of 700 tons per hour.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41539 Louisville District

Remarks: Open storage area at rear has capacity for 1,000,000 tons of crushed limestone. Bulk lime is loaded at a rate of 700 tons per hour.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41539 Louisville District

Remarks: Open storage area at rear has capacity for 1,000,000 tons of crushed limestone. Bulk lime is loaded at a rate of 700 tons per hour.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41539 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 443 PWD: 107
Name: **Cincinnati Gas & Electric Co., William H. Zimmer Station Construct**
Port: Ohio River
Location: Mile 443.0, right bank Ohio River, Moscow. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: 1781 U.S. Highway 52. Phone: 513/553-7600
Town: Moscow State: OH County: Clermont
Railway Connection: None.
Purpose: Mooring miscellaneous vessels; occasionally handling construction materials.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.845833
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.23222

Waterway: **Ohio River** Mile: 443 PWD: 107
Name: **Cincinnati Gas & Electric Co., William H. Zimmer Station Construct**
Port: Ohio River
Location: Mile 443.0, right bank Ohio River, Moscow. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: 1781 U.S. Highway 52. Phone: 513/553-7600
Town: Moscow State: OH County: Clermont
Railway Connection: None.
Purpose: Mooring miscellaneous vessels; occasionally handling construction materials.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.845833
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.23222

Waterway: **Ohio River** Mile: 443 PWD: 107
Name: **Cincinnati Gas & Electric Co., William H. Zimmer Station Construct**
Port: Ohio River
Location: Mile 443.0, right bank Ohio River, Moscow. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: 1781 U.S. Highway 52. Phone: 513/553-7600
Town: Moscow State: OH County: Clermont
Railway Connection: None.
Purpose: Mooring miscellaneous vessels; occasionally handling construction materials.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.845833
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.23222
Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41537 Louisville District

Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41537 Louisville District

Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41537 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 443 PWD: 107
Name: **Cincinnati Gas & Electric Co., William H. Zimmer Station Construct**
Port: Ohio River
Location: Mile 443.0, right bank Ohio River, Moscow. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: 1781 U.S. Highway 52. Phone: 513/553-7600
Town: Moscow State: OH County: Clermont
Railway Connection: None.
Purpose: Mooring miscellaneous vessels; occasionally handling construction materials.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.845833
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.23222

Waterway: **Ohio River** Mile: 443 PWD: 107
Name: **Cincinnati Gas & Electric Co., William H. Zimmer Station Construct**
Port: Ohio River
Location: Mile 443.0, right bank Ohio River, Moscow. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: 1781 U.S. Highway 52. Phone: 513/553-7600
Town: Moscow State: OH County: Clermont
Railway Connection: None.
Purpose: Mooring miscellaneous vessels; occasionally handling construction materials.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.845833
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.23222

Waterway: **Ohio River** Mile: 443 PWD: 107
Name: **Cincinnati Gas & Electric Co., William H. Zimmer Station Construct**
Port: Ohio River
Location: Mile 443.0, right bank Ohio River, Moscow. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: 1781 U.S. Highway 52. Phone: 513/553-7600
Town: Moscow State: OH County: Clermont
Railway Connection: None.
Purpose: Mooring miscellaneous vessels; occasionally handling construction materials.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.845833
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.23222
Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41537 Louisville District

Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41537 Louisville District

Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41537 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 443 PWD: 107
Name: **Cincinnati Gas & Electric Co., William H. Zimmer Station Construct**
Port: Ohio River
Location: Mile 443.0, right bank Ohio River, Moscow. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: 1781 U.S. Highway 52. Phone: 513/553-7600
Town: Moscow State: OH County: Clermont
Railway Connection: None.
Purpose: Mooring miscellaneous vessels; occasionally handling construction materials.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.845833
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.23222

Waterway: **Ohio River** Mile: 443 PWD: 107
Name: **Cincinnati Gas & Electric Co., William H. Zimmer Station Construct**
Port: Ohio River
Location: Mile 443.0, right bank Ohio River, Moscow. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: 1781 U.S. Highway 52. Phone: 513/553-7600
Town: Moscow State: OH County: Clermont
Railway Connection: None.
Purpose: Mooring miscellaneous vessels; occasionally handling construction materials.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.845833
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.23222

Waterway: **Ohio River** Mile: 443 PWD: 107
Name: **Cincinnati Gas & Electric Co., William H. Zimmer Station Construct**
Port: Ohio River
Location: Mile 443.0, right bank Ohio River, Moscow. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: 1781 U.S. Highway 52. Phone: 513/553-7600
Town: Moscow State: OH County: Clermont
Railway Connection: None.
Purpose: Mooring miscellaneous vessels; occasionally handling construction materials.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.845833
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.23222
Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41537 Louisville District

Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41537 Louisville District

Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41537 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 443 PWD: 108
Name: **Cincinnati Gas & Electric Co., William H. Zimmer Station Lime and**
Port: Ohio River
Location: Mile 443.1, right bank Ohio River, Moscow. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: 1781 U.S. Highway 52. Phone: 513/553-7600
Town: Moscow State: OH County: Clermont
Railway Connection: None.
Purpose: Receipt of lime and fuel oil.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.848056
Total Berthing Space (feet): 1520 | | Longitude (decimal): -84.23222

Waterway: **Ohio River** Mile: 443 PWD: 108
Name: **Cincinnati Gas & Electric Co., William H. Zimmer Station Lime and**
Port: Ohio River
Location: Mile 443.1, right bank Ohio River, Moscow. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: 1781 U.S. Highway 52. Phone: 513/553-7600
Town: Moscow State: OH County: Clermont
Railway Connection: None.
Purpose: Receipt of lime and fuel oil.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.848056
Total Berthing Space (feet): 1520 | | Longitude (decimal): -84.23222

Waterway: **Ohio River** Mile: 443 PWD: 108
Name: **Cincinnati Gas & Electric Co., William H. Zimmer Station Lime and**
Port: Ohio River
Location: Mile 443.1, right bank Ohio River, Moscow. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: 1781 U.S. Highway 52. Phone: 513/553-7600
Town: Moscow State: OH County: Clermont
Railway Connection: None.
Purpose: Receipt of lime and fuel oil.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.848056
Total Berthing Space (feet): 1520 | | Longitude (decimal): -84.23222
Remarks: Two concrete storage silos at plant in rear have total capacity for 30,000 tons of lime. One 8-inch pipeline extends from wharf to 2 steel fuel oil storage tanks, total capacity 71,400 barrels. Four loaded barges upstream cells, unloaded barges are placed at the empty barge storage area described under the Coal Unloading Dock (Ref. No. 109).

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41537 Louisville District

Remarks: Two concrete storage silos at plant in rear have total capacity for 30,000 tons of lime. One 8-inch pipeline extends from wharf to 2 steel fuel oil storage tanks, total capacity 71,400 barrels. Four loaded barges upstream cells, unloaded barges are placed at the empty barge storage area described under the Coal Unloading Dock (Ref. No. 109).

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41537 Louisville District

Port Facilities by Waterway

Remarks: Two concrete storage silos at plant in rear have total capacity for 30,000 tons of lime. One 8-inch pipeline extends from wharf to 2 steel fuel oil storage tanks, total capacity 71,400 barrels. Four loaded barges upstream cells, unloaded barges are placed at the empty barge storage area described under the Coal Unloading Dock (Ref. No. 109).

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41537 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 443 PWD: 108
Name: **Cincinnati Gas & Electric Co., William H. Zimmer Station Lime and**
Port: Ohio River
Location: Mile 443.1, right bank Ohio River, Moscow. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: 1781 U.S. Highway 52. Phone: 513/553-7600
Town: Moscow State: OH County: Clermont
Railway Connection: None.
Purpose: Receipt of lime and fuel oil.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.848056
Total Berthing Space (feet): 1520 | | Longitude (decimal): -84.23222

Waterway: **Ohio River** Mile: 443 PWD: 108
Name: **Cincinnati Gas & Electric Co., William H. Zimmer Station Lime and**
Port: Ohio River
Location: Mile 443.1, right bank Ohio River, Moscow. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: 1781 U.S. Highway 52. Phone: 513/553-7600
Town: Moscow State: OH County: Clermont
Railway Connection: None.
Purpose: Receipt of lime and fuel oil.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.848056
Total Berthing Space (feet): 1520 | | Longitude (decimal): -84.23222

Waterway: **Ohio River** Mile: 443 PWD: 108
Name: **Cincinnati Gas & Electric Co., William H. Zimmer Station Lime and**
Port: Ohio River
Location: Mile 443.1, right bank Ohio River, Moscow. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: 1781 U.S. Highway 52. Phone: 513/553-7600
Town: Moscow State: OH County: Clermont
Railway Connection: None.
Purpose: Receipt of lime and fuel oil.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.848056
Total Berthing Space (feet): 1520 | | Longitude (decimal): -84.23222

Remarks: Two concrete storage silos at plant in rear have total capacity for 30,000 tons of lime. One 8-inch pipeline extends from wharf to 2 steel fuel oil storage tanks, total capacity 71,400 barrels. Four loaded barges upstream cells, unloaded barges are placed at the empty barge storage area described under the Coal Unloading Dock (Ref. No. 109).

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41537 Louisville District

Remarks: Two concrete storage silos at plant in rear have total capacity for 30,000 tons of lime. One 8-inch pipeline extends from wharf to 2 steel fuel oil storage tanks, total capacity 71,400 barrels. Four loaded barges upstream cells, unloaded barges are placed at the empty barge storage area described under the Coal Unloading Dock (Ref. No. 109).

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41537 Louisville District

Port Facilities by Waterway

Remarks: Two concrete storage silos at plant in rear have total capacity for 30,000 tons of lime. One 8-inch pipeline extends from wharf to 2 steel fuel oil storage tanks, total capacity 71,400 barrels. Four loaded barges upstream cells, unloaded barges are placed at the empty barge storage area described under the Coal Unloading Dock (Ref. No. 109).

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41537 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 443 PWD: 108
Name: **Cincinnati Gas & Electric Co., William H. Zimmer Station Lime and**
Port: Ohio River
Location: Mile 443.1, right bank Ohio River, Moscow. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: 1781 U.S. Highway 52. Phone: 513/553-7600
Town: Moscow State: OH County: Clermont
Railway Connection: None.
Purpose: Receipt of lime and fuel oil.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.848056
Total Berthing Space (feet): 1520 | | Longitude (decimal): -84.23222

Waterway: **Ohio River** Mile: 443 PWD: 108
Name: **Cincinnati Gas & Electric Co., William H. Zimmer Station Lime and**
Port: Ohio River
Location: Mile 443.1, right bank Ohio River, Moscow. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: 1781 U.S. Highway 52. Phone: 513/553-7600
Town: Moscow State: OH County: Clermont
Railway Connection: None.
Purpose: Receipt of lime and fuel oil.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.848056
Total Berthing Space (feet): 1520 | | Longitude (decimal): -84.23222

Waterway: **Ohio River** Mile: 443 PWD: 108
Name: **Cincinnati Gas & Electric Co., William H. Zimmer Station Lime and**
Port: Ohio River
Location: Mile 443.1, right bank Ohio River, Moscow. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: 1781 U.S. Highway 52. Phone: 513/553-7600
Town: Moscow State: OH County: Clermont
Railway Connection: None.
Purpose: Receipt of lime and fuel oil.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.848056
Total Berthing Space (feet): 1520 | | Longitude (decimal): -84.23222

Remarks: Two concrete storage silos at plant in rear have total capacity for 30,000 tons of lime. One 8-inch pipeline extends from wharf to 2 steel fuel oil storage tanks, total capacity 71,400 barrels. Four loaded barges upstream cells, unloaded barges are placed at the empty barge storage area described under the Coal Unloading Dock (Ref. No. 109).

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41537 Louisville District

Remarks: Two concrete storage silos at plant in rear have total capacity for 30,000 tons of lime. One 8-inch pipeline extends from wharf to 2 steel fuel oil storage tanks, total capacity 71,400 barrels. Four loaded barges upstream cells, unloaded barges are placed at the empty barge storage area described under the Coal Unloading Dock (Ref. No. 109).

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41537 Louisville District

Port Facilities by Waterway

Remarks: Two concrete storage silos at plant in rear have total capacity for 30,000 tons of lime. One 8-inch pipeline extends from wharf to 2 steel fuel oil storage tanks, total capacity 71,400 barrels. Four loaded barges upstream cells, unloaded barges are placed at the empty barge storage area described under the Coal Unloading Dock (Ref. No. 109).

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41537 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 444 PWD: 109
Name: **Cincinnati Gas & Electric Co., William H. Zimmer Station Coal Unlo**
Port: Ohio River
Location: Mile 443.5, right bank Ohio River, Moscow. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: 1781 U.S. Highway 52. Phone: 513/553-7600
Town: Moscow State: OH County: Clermont
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.852778
Total Berthing Space (feet): 2130 | | Longitude (decimal): -84.23194

Waterway: **Ohio River** Mile: 444 PWD: 109
Name: **Cincinnati Gas & Electric Co., William H. Zimmer Station Coal Unlo**
Port: Ohio River
Location: Mile 443.5, right bank Ohio River, Moscow. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: 1781 U.S. Highway 52. Phone: 513/553-7600
Town: Moscow State: OH County: Clermont
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.852778
Total Berthing Space (feet): 2130 | | Longitude (decimal): -84.23194

Waterway: **Ohio River** Mile: 444 PWD: 109
Name: **Cincinnati Gas & Electric Co., William H. Zimmer Station Coal Unlo**
Port: Ohio River
Location: Mile 443.5, right bank Ohio River, Moscow. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: 1781 U.S. Highway 52. Phone: 513/553-7600
Town: Moscow State: OH County: Clermont
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.852778
Total Berthing Space (feet): 2130 | | Longitude (decimal): -84.23194
Remarks: Open storage area at rear has capacity for 500,000 tons of coal.□Twenty-four empty barges can be held at the 7 upper cells arranged in 6 tiers each 4 barges wide; 36 loaded barges can be stored at the 10 downstre arranged in 9 tiers each 4 barges wide. Two additional cells perpendicular to upper end of loaded barge mooring anchor a 90- by 50-foot irregularly-shaped steel float to provide a towboat mooring.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41537 Louisville District

Remarks: Open storage area at rear has capacity for 500,000 tons of coal.□Twenty-four empty barges can be held at the 7 upper cells arranged in 6 tiers each 4 barges wide; 36 loaded barges can be stored at the 10 downstre arranged in 9 tiers each 4 barges wide. Two additional cells perpendicular to upper end of loaded barge mooring anchor a 90- by 50-foot irregularly-shaped steel float to provide a towboat mooring.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41537 Louisville District

Port Facilities by Waterway

Remarks: Open storage area at rear has capacity for 500,000 tons of coal.□Twenty-four empty barges can be held at the 7 upper cells arranged in 6 tiers each 4 barges wide; 36 loaded barges can be stored at the 10 downstre arranged in 9 tiers each 4 barges wide. Two additional cells perpendicular to upper end of loaded barge mooring anchor a 90- by 50-foot irregularly-shaped steel float to provide a towboat mooring.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41537 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 444 PWD: 109
Name: **Cincinnati Gas & Electric Co., William H. Zimmer Station Coal Unlo**
Port: Ohio River
Location: Mile 443.5, right bank Ohio River, Moscow. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: 1781 U.S. Highway 52. Phone: 513/553-7600
Town: Moscow State: OH County: Clermont
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.852778
Total Berthing Space (feet): 2130 | | Longitude (decimal): -84.23194

Waterway: **Ohio River** Mile: 444 PWD: 109
Name: **Cincinnati Gas & Electric Co., William H. Zimmer Station Coal Unlo**
Port: Ohio River
Location: Mile 443.5, right bank Ohio River, Moscow. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: 1781 U.S. Highway 52. Phone: 513/553-7600
Town: Moscow State: OH County: Clermont
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.852778
Total Berthing Space (feet): 2130 | | Longitude (decimal): -84.23194

Waterway: **Ohio River** Mile: 444 PWD: 109
Name: **Cincinnati Gas & Electric Co., William H. Zimmer Station Coal Unlo**
Port: Ohio River
Location: Mile 443.5, right bank Ohio River, Moscow. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: 1781 U.S. Highway 52. Phone: 513/553-7600
Town: Moscow State: OH County: Clermont
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.852778
Total Berthing Space (feet): 2130 | | Longitude (decimal): -84.23194

Remarks: Open storage area at rear has capacity for 500,000 tons of coal.□Twenty-four empty barges can be held at the 7 upper cells arranged in 6 tiers each 4 barges wide; 36 loaded barges can be stored at the 10 downstre arranged in 9 tiers each 4 barges wide. Two additional cells perpendicular to upper end of loaded barge mooring anchor a 90- by 50-foot irregularly-shaped steel float to provide a towboat mooring.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41537 Louisville District

Remarks: Open storage area at rear has capacity for 500,000 tons of coal.□Twenty-four empty barges can be held at the 7 upper cells arranged in 6 tiers each 4 barges wide; 36 loaded barges can be stored at the 10 downstre arranged in 9 tiers each 4 barges wide. Two additional cells perpendicular to upper end of loaded barge mooring anchor a 90- by 50-foot irregularly-shaped steel float to provide a towboat mooring.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41537 Louisville District

Port Facilities by Waterway

Remarks: Open storage area at rear has capacity for 500,000 tons of coal.□Twenty-four empty barges can be held at the 7 upper cells arranged in 6 tiers each 4 barges wide; 36 loaded barges can be stored at the 10 downstre arranged in 9 tiers each 4 barges wide. Two additional cells perpendicular to upper end of loaded barge mooring anchor a 90- by 50-foot irregularly-shaped steel float to provide a towboat mooring.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41537 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 444 PWD: 109
Name: **Cincinnati Gas & Electric Co., William H. Zimmer Station Coal Unlo**
Port: Ohio River
Location: Mile 443.5, right bank Ohio River, Moscow. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: 1781 U.S. Highway 52. Phone: 513/553-7600
Town: Moscow State: OH County: Clermont
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.852778
Total Berthing Space (feet): 2130 | | Longitude (decimal): -84.23194

Waterway: **Ohio River** Mile: 444 PWD: 109
Name: **Cincinnati Gas & Electric Co., William H. Zimmer Station Coal Unlo**
Port: Ohio River
Location: Mile 443.5, right bank Ohio River, Moscow. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: 1781 U.S. Highway 52. Phone: 513/553-7600
Town: Moscow State: OH County: Clermont
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.852778
Total Berthing Space (feet): 2130 | | Longitude (decimal): -84.23194

Waterway: **Ohio River** Mile: 444 PWD: 109
Name: **Cincinnati Gas & Electric Co., William H. Zimmer Station Coal Unlo**
Port: Ohio River
Location: Mile 443.5, right bank Ohio River, Moscow. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: 1781 U.S. Highway 52. Phone: 513/553-7600
Town: Moscow State: OH County: Clermont
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.852778
Total Berthing Space (feet): 2130 | | Longitude (decimal): -84.23194

Remarks: Open storage area at rear has capacity for 500,000 tons of coal.□Twenty-four empty barges can be held at the 7 upper cells arranged in 6 tiers each 4 barges wide; 36 loaded barges can be stored at the 10 downstre arranged in 9 tiers each 4 barges wide. Two additional cells perpendicular to upper end of loaded barge mooring anchor a 90- by 50-foot irregularly-shaped steel float to provide a towboat mooring.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41537 Louisville District

Remarks: Open storage area at rear has capacity for 500,000 tons of coal.□Twenty-four empty barges can be held at the 7 upper cells arranged in 6 tiers each 4 barges wide; 36 loaded barges can be stored at the 10 downstre arranged in 9 tiers each 4 barges wide. Two additional cells perpendicular to upper end of loaded barge mooring anchor a 90- by 50-foot irregularly-shaped steel float to provide a towboat mooring.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41537 Louisville District

Port Facilities by Waterway

Remarks: Open storage area at rear has capacity for 500,000 tons of coal.□Twenty-four empty barges can be held at the 7 upper cells arranged in 6 tiers each 4 barges wide; 36 loaded barges can be stored at the 10 downstre arranged in 9 tiers each 4 barges wide. Two additional cells perpendicular to upper end of loaded barge mooring anchor a 90- by 50-foot irregularly-shaped steel float to provide a towboat mooring.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41537 Louisville District

---

Waterway: **Ohio River** Mile: 453 PWD: 111

Name: **Cincinnati Gas & Electric Co., Walter C. Beckjord Station Coal Unl**

Port: Ohio River

Location: Mile 453.1, right bank Ohio River, New Richmond. Datum: NPE

Operator: Cincinnati Gas & Electric Co.

Owner: Cincinnati Gas & Electric Co.

Address: U.S. Highway 52. Phone: 513/553-5556

Town: New Richmond State: OH County: Clermont

Railway Connection: None.

Purpose: Receipt of coal.

Depth Alongside (feet): 15 | | 15 Latitude (decimal): 38.991944

Total Berthing Space (feet): 440 | | 20 Longitude (decimal): -84.29806

Waterway: **Ohio River** Mile: 453 PWD: 111

Name: **Cincinnati Gas & Electric Co., Walter C. Beckjord Station Coal Unl**

Port: Ohio River

Location: Mile 453.1, right bank Ohio River, New Richmond. Datum: NPE

Operator: Cincinnati Gas & Electric Co.

Owner: Cincinnati Gas & Electric Co.

Address: U.S. Highway 52. Phone: 513/553-5556

Town: New Richmond State: OH County: Clermont

Railway Connection: None.

Purpose: Receipt of coal.

Depth Alongside (feet): 15 | | 15 Latitude (decimal): 38.991944

Total Berthing Space (feet): 440 | | 20 Longitude (decimal): -84.29806

Remarks: Open storage area at rear has capacity for 300,000 tons of coal. Additional loaded barges can be held at shore moorings below wharf and at Fuel Oil Dock (Ref. No. 110). Empty barges are moored at shore moorings a Dock.Facility has capacity for mooring a total of 50 loaded and 30 empty barges.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41527 Louisville District

---

Remarks: Open storage area at rear has capacity for 300,000 tons of coal. Additional loaded barges can be held at shore moorings below wharf and at Fuel Oil Dock (Ref. No. 110). Empty barges are moored at shore moorings a Dock.Facility has capacity for mooring a total of 50 loaded and 30 empty barges.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41527 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 453 PWD: 111
Name: **Cincinnati Gas & Electric Co., Walter C. Beckjord Station Coal Unl**
Port: Ohio River
Location: Mile 453.1, right bank Ohio River, New Richmond. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: U.S. Highway 52. Phone: 513/553-5556
Town: New Richmond State: OH County: Clermont
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 15 | | 15 Latitude (decimal): 38.991944
Total Berthing Space (feet): 440 | | 20 Longitude (decimal): -84.29806

Waterway: **Ohio River** Mile: 453 PWD: 111
Name: **Cincinnati Gas & Electric Co., Walter C. Beckjord Station Coal Unl**
Port: Ohio River
Location: Mile 453.1, right bank Ohio River, New Richmond. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: U.S. Highway 52. Phone: 513/553-5556
Town: New Richmond State: OH County: Clermont
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 15 | | 15 Latitude (decimal): 38.991944
Total Berthing Space (feet): 440 | | 20 Longitude (decimal): -84.29806

Remarks: Open storage area at rear has capacity for 300,000 tons of coal. Additional loaded barges can be held at shore moorings below wharf and at Fuel Oil Dock (Ref. No. 110). Empty barges are moored at shore moorings a Dock.Facility has capacity for mooring a total of 50 loaded and 30 empty barges.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41527 Louisville District

Remarks: Open storage area at rear has capacity for 300,000 tons of coal. Additional loaded barges can be held at shore moorings below wharf and at Fuel Oil Dock (Ref. No. 110). Empty barges are moored at shore moorings a Dock.Facility has capacity for mooring a total of 50 loaded and 30 empty barges.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41527 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 453 PWD: 110
Name: **Cincinnati Gas & Electric Co., Walter C. Beckjord Station Fuel Oil**
Port: Ohio River
Location: Mile 452.9, right bank Ohio River, Blairsville. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: U.S. Highway 52. Phone: 513/553-5556
Town: New Richmond State: OH County: Clermont
Railway Connection: None.
Purpose: Receipt of fuel oil; mooring coal barges (see Ref. No. 111).
Depth Alongside (feet): 15 | | Latitude (decimal): 38.989444
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.29722

Waterway: **Ohio River** Mile: 453 PWD: 110
Name: **Cincinnati Gas & Electric Co., Walter C. Beckjord Station Fuel Oil**
Port: Ohio River
Location: Mile 452.9, right bank Ohio River, Blairsville. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: U.S. Highway 52. Phone: 513/553-5556
Town: New Richmond State: OH County: Clermont
Railway Connection: None.
Purpose: Receipt of fuel oil; mooring coal barges (see Ref. No. 111).
Depth Alongside (feet): 15 | | Latitude (decimal): 38.989444
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.29722

Remarks: One 6-inch pipeline extends from wharf to 3 steel storage tanks, at plant in rear, total capacity 50,000 barrels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41527 Louisville District

Remarks: One 6-inch pipeline extends from wharf to 3 steel storage tanks, at plant in rear, total capacity 50,000 barrels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41527 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 453 PWD: 110
Name: **Cincinnati Gas & Electric Co., Walter C. Beckjord Station Fuel Oil**
Port: Ohio River
Location: Mile 452.9, right bank Ohio River, Blairsville. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: U.S. Highway 52. Phone: 513/553-5556
Town: New Richmond State: OH County: Clermont
Railway Connection: None.
Purpose: Receipt of fuel oil; mooring coal barges (see Ref. No. 111).
Depth Alongside (feet): 15 | | Latitude (decimal): 38.989444
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.29722

Waterway: **Ohio River** Mile: 453 PWD: 110
Name: **Cincinnati Gas & Electric Co., Walter C. Beckjord Station Fuel Oil**
Port: Ohio River
Location: Mile 452.9, right bank Ohio River, Blairsville. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: U.S. Highway 52. Phone: 513/553-5556
Town: New Richmond State: OH County: Clermont
Railway Connection: None.
Purpose: Receipt of fuel oil; mooring coal barges (see Ref. No. 111).
Depth Alongside (feet): 15 | | Latitude (decimal): 38.989444
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.29722

Remarks: One 6-inch pipeline extends from wharf to 3 steel storage tanks, at plant in rear, total capacity 50,000 barrels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41527 Louisville District

Remarks: One 6-inch pipeline extends from wharf to 3 steel storage tanks, at plant in rear, total capacity 50,000 barrels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41527 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 458 PWD: 25
Name: **Mid-States Terminals, Silver Grove Terminal Wharf.**
Port: Ohio River
Location: Mile 458.0, left bank, Ohio River, Silver Grove. Datum: NPE
Operator: Mid-States Terminals, Inc.
Owner: Countrymark, Inc.
Address: Morscher Road Phone: 606/781-2175
Town: Silver Grove State: KY County: Campbell
Railway Connection: One surface track serves undertrack pit and loading spout at grain elevator in rear; connects with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 26 | | Latitude (decimal): 39.04
Total Berthing Space (feet): 560 | | Longitude (decimal): -84.37972
Remarks: Grain elevator in rear, consisting of 11 concrete silos and 1 steel storage tank, has capacity for 300,000 bushels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41523 Louisville District

---

Waterway: **Ohio River** Mile: 459 PWD: 27
Name: **Agrico Chemical Co., Melbourne Terminal Wharf.**
Port: Ohio River
Location: Mile 458.7, left bank, Ohio River, Melbourne. Datum: NPE
Operator: Agrico Chemical Co., Division of Freeport McMoran Resource Partners.
Owner: Agrico Chemical Co., Division of Freeport McMoran Resource Partners.
Address: State Highway 8 Phone: 606/441-5904
Town: Melbourne State: KY County: Campbell
Railway Connection: Two surface tracks, total capacity 25 cars, serve plant at rear; connect with CSX Rail Transport.
Purpose: Receipt of dry bulk fertilizer.
Depth Alongside (feet): 11 | | Latitude (decimal): 39.034167
Total Berthing Space (feet): 1000 | | Longitude (decimal): -84.35139
Remarks: Timber storage building at rear has capacity for 20,000 tons of fertilizer and is served by one truck and two rail car loading stations.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41524 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 459 PWD: 26
Name: **Silver Grove Fleeting Dock and Fleet.**
Port: Ohio River
Location: Miles 458.7, and 459.0 left bank, Ohio River, Silver Grove Datum: NPE
Operator: Silver Grove Fleeting, Inc.
Owner: Silver Grove Fleeting, Inc.
Address: Morscher Road Phone: 606/781-3000
Town: Silver Grove State: KY County: Campbell
Railway Connection: None.
Purpose: Mooring company-owned equipment; mooring barges for fleeting.
Depth Alongside (feet): 10 | 8 - 10 | Latitude (decimal): 39.039722
Total Berthing Space (feet): 175 | 1200 | Longitude (decimal): -84.37833
Remarks: Fleeting area, located on downstream side of Ref. No. 25 has capacity for 30 barges arranged in a block 6 barges long by 5-wide. An additional 10 barges can be stored adjacent to Mooring Float.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41522 Louisville District

---

Waterway: **Ohio River** Mile: 460 PWD: 113
Name: **Cargill Cincinnati Terminal Elevator Wharf.**
Port: Cincinnati
Location: Mile 460.0, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 6761 Kellogg Road. Phone: 513/232-8981
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.048333
Total Berthing Space (feet): 235 | | Longitude (decimal): -84.39667
Remarks: Grain elevator in rear consisting of 10 steel tanks has total capacity for 575,000 bushels. The elevator handles primarily corn, soybeans, and soft red winter wheat.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41521 Louisville District

---

Waterway: **Ohio River** Mile: 460 PWD: 112
Name: **Hilltop Basic Resources, East Cincinnati River Terminal Dock.**
Port: Cincinnati
Location: Mile 459.8, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Hilltop Basic Resources, Inc.
Owner: Hilltop Basic Resources, Inc.
Address: 6777 Kellogg Road. Phone: 513/232-1755
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Receipt of concrete aggregate by self unloading vessel.
Depth Alongside (feet): 5 - 6 | | Latitude (decimal): 39.047778
Total Berthing Space (feet): 145 | | Longitude (decimal): -84.39444
Remarks: Open storage area at in rear has capacity for 200,000 tons□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41521 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 466 PWD: 115
Name: **Arcadian Corp., Cincinnati Terminal Dock.**
Port: Cincinnati
Location: Mile 465.8, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Arcadian Corp.
Owner: Arcadian Corp.
Address: 64 Congress Street. Phone: 513/871-6567
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Receipt and occasional shipment of liquid fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.44222
Remarks: Two 6-inch pipelines extend from wharf to 3 steel storage tanks at rear, total capacity 4,000,000 gallons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

---

Waterway: **Ohio River** Mile: 466 PWD: 114
Name: **Queen City Terminals Wharf.**
Port: Cincinnati
Location: Mile 465.6, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Queen City Terminals, Inc.
Owner: Queen City Terminals, Inc.
Address: 3806 Kellogg Road. Phone: 513/871-9018
Town: Cincinnati State: OH County: Hamilton
Railway Connection: One surface track serves tank car loading rack at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil, liquid fertilizer, and miscellaneous chemicals including caustic soda, ethylene glycol and methanol.
Depth Alongside (feet): 24 | | Latitude (decimal): 39.091667
Total Berthing Space (feet): 445 | | Longitude (decimal): -84.44
Remarks: Terminal operates as a public storage warehouse for bulk liquids. Three 12-, five 8-, and one 6-inch pipelines extend from wharf to 14 steel storage tanks at terminal in rear, total capacity 26,250,000 gallons. stations and truck scale located at rear. Facility has capacity for mooring 6 barges.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 468 PWD: 116
Name: **Noramco Terminals Corp. Wharf.**
Port: Cincinnati
Location: Mile 468.3, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Noramco Terminals Corp.
Owner: Noramco Terminals Corp.
Address: 1725 Eastern Avenue. Phone: 513/241-3131
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Receipt and occasional shipment of palletized general cargo, lumber and steel products.
Depth Alongside (feet): 17 | | Latitude (decimal): 39.098333
Total Berthing Space (feet): 109 | | Longitude (decimal): -84.48389
Remarks: Material is unloaded directly into trucks. Approximately 5 acres of partially asphalt-surfaced open storage area is located at rear. In addition, approximately 20,000 square feet of storage area is available in a metal-covered building at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

---

Waterway: **Ohio River** Mile: 470 PWD: 117
Name: **Cincinnati Public Landing Wharf.**
Port: Cincinnati
Location: Mile 470.0, right bank Ohio River, Cincinnati. Datum: NPE
Operator: City of Cincinnati.
Owner: City of Cincinnati.
Address: Mehring Way Phone: 513/241-6550
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Mooring showboat 'Majestic'.
Depth Alongside (feet): 14 | | Latitude (decimal): 39.096667
Total Berthing Space (feet): 600 | | Longitude (decimal): -84.50333
Remarks: Concrete paved bank is used as a parking lot.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 471 PWD: 18
Name: **Covington Landing, BB Riverboats Dock.**
Port: Covington
Location: Mile 470.7, left bank, Ohio River, Covington, below the Covington and Cincinnati Suspension Bridge. Datum: NPE
Operator: BB Riverboats.
Owner: BB Riverboats.
Address: Foot of Madison Avenue. Phone: 606/261-8500
Town: Covington State: KY County: Kenton
Railway Connection: None.
Purpose: Mooring excursion boats; boarding passengers.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.090833
Total Berthing Space (feet): 320 | | Longitude (decimal): -84.51944
Remarks: The excursion boats 'Becky Thatcher', 'Mark Twain', 'Cincinnati-Covington Funliner'and 'Kon Tiki' operate from wharf. Wharf is adjacent to the lower end of the Covington Landing floating entertainment complex which consists of a 300- by 100-foot wharf boat and the 270- by 70-foot sternwheel vessel 'Spirit of America' replica.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

---

Waterway: **Ohio River** Mile: 471 PWD: 118
Name: **Hilltop Basic Resources Cincinnati River Terminal Wharf.**
Port: Cincinnati
Location: Mile 470.9, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Hilltop Basic Resources, Inc.
Owner: Hilltop Basic Resources, Inc.
Address: 511 Water Street. Phone: 513/721-0577
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Receipt of sand, gravel, and crushed limestone.
Depth Alongside (feet): 12 - 15 | | Latitude (decimal): 39.0925
Total Berthing Space (feet): 660 | | Longitude (decimal): -84.52
Remarks: Open storage area at rear has capacity for 200,000 tons of material. A ready- mix concrete plant with 2 truck loading stations is located at terminal.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 472 PWD: 121
Name: **Cincinnati Bulk Terminals, Grain Dock.**
Port: Cincinnati
Location: Mile 471.9, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Electric Fuels Corp.
Owner: Electric Fuels Corp. (See Remarks)
Address: Phone: 513/621-4800
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks serve terminal at rear; connect with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.096944
Total Berthing Space (feet): 445 | | Longitude (decimal): -84.53361

Waterway: **Ohio River** Mile: 472 PWD: 121
Name: **Cincinnati Bulk Terminals, Grain Dock.**
Port: Cincinnati
Location: Mile 471.9, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Electric Fuels Corp.
Owner: Electric Fuels Corp. (See Remarks)
Address: Phone: 513/621-4800
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks serve terminal at rear; connect with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.096944
Total Berthing Space (feet): 445 | | Longitude (decimal): -84.53361

Waterway: **Ohio River** Mile: 472 PWD: 121
Name: **Cincinnati Bulk Terminals, Grain Dock.**
Port: Cincinnati
Location: Mile 471.9, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Electric Fuels Corp.
Owner: Electric Fuels Corp. (See Remarks)
Address: Phone: 513/621-4800
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks serve terminal at rear; connect with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.096944
Total Berthing Space (feet): 445 | | Longitude (decimal): -84.53361

Remarks: Grain elevator in rear, consisting of 4 steel tanks, with total capacity for 120,000 bushels is owned by Central Soya Co., Inc.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Grain elevator in rear, consisting of 4 steel tanks, with total capacity for 120,000 bushels is owned by Central Soya Co., Inc.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Grain elevator in rear, consisting of 4 steel tanks, with total capacity for 120,000 bushels is owned by Central Soya Co., Inc.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 472 PWD: 121
Name: **Cincinnati Bulk Terminals, Grain Dock.**
Port: Cincinnati
Location: Mile 471.9, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Electric Fuels Corp.
Owner: Electric Fuels Corp. (See Remarks)
Address: Phone: 513/621-4800
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks serve terminal at rear; connect with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.096944
Total Berthing Space (feet): 445 | | Longitude (decimal): -84.53361

Waterway: **Ohio River** Mile: 472 PWD: 121
Name: **Cincinnati Bulk Terminals, Grain Dock.**
Port: Cincinnati
Location: Mile 471.9, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Electric Fuels Corp.
Owner: Electric Fuels Corp. (See Remarks)
Address: Phone: 513/621-4800
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks serve terminal at rear; connect with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.096944
Total Berthing Space (feet): 445 | | Longitude (decimal): -84.53361

Waterway: **Ohio River** Mile: 472 PWD: 121
Name: **Cincinnati Bulk Terminals, Grain Dock.**
Port: Cincinnati
Location: Mile 471.9, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Electric Fuels Corp.
Owner: Electric Fuels Corp. (See Remarks)
Address: Phone: 513/621-4800
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks serve terminal at rear; connect with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.096944
Total Berthing Space (feet): 445 | | Longitude (decimal): -84.53361

Remarks: Grain elevator in rear, consisting of 4 steel tanks, with total capacity for 120,000 bushels is owned by Central Soya Co., Inc.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Grain elevator in rear, consisting of 4 steel tanks, with total capacity for 120,000 bushels is owned by Central Soya Co., Inc.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Grain elevator in rear, consisting of 4 steel tanks, with total capacity for 120,000 bushels is owned by Central Soya Co., Inc.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 472 PWD: 121
Name: **Cincinnati Bulk Terminals, Grain Dock.**
Port: Cincinnati
Location: Mile 471.9, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Electric Fuels Corp.
Owner: Electric Fuels Corp. (See Remarks)
Address: Phone: 513/621-4800
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks serve terminal at rear; connect with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.096944
Total Berthing Space (feet): 445 | | Longitude (decimal): -84.53361

Waterway: **Ohio River** Mile: 472 PWD: 121
Name: **Cincinnati Bulk Terminals, Grain Dock.**
Port: Cincinnati
Location: Mile 471.9, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Electric Fuels Corp.
Owner: Electric Fuels Corp. (See Remarks)
Address: Phone: 513/621-4800
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks serve terminal at rear; connect with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.096944
Total Berthing Space (feet): 445 | | Longitude (decimal): -84.53361

Waterway: **Ohio River** Mile: 472 PWD: 121
Name: **Cincinnati Bulk Terminals, Grain Dock.**
Port: Cincinnati
Location: Mile 471.9, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Electric Fuels Corp.
Owner: Electric Fuels Corp. (See Remarks)
Address: Phone: 513/621-4800
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks serve terminal at rear; connect with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.096944
Total Berthing Space (feet): 445 | | Longitude (decimal): -84.53361

Remarks: Grain elevator in rear, consisting of 4 steel tanks, with total capacity for 120,000 bushels is owned by Central Soya Co., Inc.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Grain elevator in rear, consisting of 4 steel tanks, with total capacity for 120,000 bushels is owned by Central Soya Co., Inc.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Grain elevator in rear, consisting of 4 steel tanks, with total capacity for 120,000 bushels is owned by Central Soya Co., Inc.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 472 PWD: 119
Name: **Cincinnati Bulk Terminals, Loading Dock.**
Port: Cincinnati
Location: Mile 471.6, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Electric Fuels Corp.
Owner: Electric Fuels Corp.
Address: 895 West Mehring Way. Phone: 513/621-4800
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks serve terminal at rear; connect with CSX Rail Transport.
Purpose: Shipment of grain and other miscellaneous dry bulk materials.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.52889

Waterway: **Ohio River** Mile: 472 PWD: 119
Name: **Cincinnati Bulk Terminals, Loading Dock.**
Port: Cincinnati
Location: Mile 471.6, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Electric Fuels Corp.
Owner: Electric Fuels Corp.
Address: 895 West Mehring Way. Phone: 513/621-4800
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks serve terminal at rear; connect with CSX Rail Transport.
Purpose: Shipment of grain and other miscellaneous dry bulk materials.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.52889

Waterway: **Ohio River** Mile: 472 PWD: 119
Name: **Cincinnati Bulk Terminals, Loading Dock.**
Port: Cincinnati
Location: Mile 471.6, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Electric Fuels Corp.
Owner: Electric Fuels Corp.
Address: 895 West Mehring Way. Phone: 513/621-4800
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks serve terminal at rear; connect with CSX Rail Transport.
Purpose: Shipment of grain and other miscellaneous dry bulk materials.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.52889

Remarks: Storage building at rear has capacity for 3,000 tons of dry bulk material.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Storage building at rear has capacity for 3,000 tons of dry bulk material.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Storage building at rear has capacity for 3,000 tons of dry bulk material.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 472 PWD: 119
Name: **Cincinnati Bulk Terminals, Loading Dock.**
Port: Cincinnati
Location: Mile 471.6, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Electric Fuels Corp.
Owner: Electric Fuels Corp.
Address: 895 West Mehring Way. Phone: 513/621-4800
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks serve terminal at rear; connect with CSX Rail Transport.
Purpose: Shipment of grain and other miscellaneous dry bulk materials.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.52889

Waterway: **Ohio River** Mile: 472 PWD: 119
Name: **Cincinnati Bulk Terminals, Loading Dock.**
Port: Cincinnati
Location: Mile 471.6, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Electric Fuels Corp.
Owner: Electric Fuels Corp.
Address: 895 West Mehring Way. Phone: 513/621-4800
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks serve terminal at rear; connect with CSX Rail Transport.
Purpose: Shipment of grain and other miscellaneous dry bulk materials.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.52889

Waterway: **Ohio River** Mile: 472 PWD: 119
Name: **Cincinnati Bulk Terminals, Loading Dock.**
Port: Cincinnati
Location: Mile 471.6, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Electric Fuels Corp.
Owner: Electric Fuels Corp.
Address: 895 West Mehring Way. Phone: 513/621-4800
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks serve terminal at rear; connect with CSX Rail Transport.
Purpose: Shipment of grain and other miscellaneous dry bulk materials.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.52889

Remarks: Storage building at rear has capacity for 3,000 tons of dry bulk material.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Storage building at rear has capacity for 3,000 tons of dry bulk material.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Storage building at rear has capacity for 3,000 tons of dry bulk material.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 472 PWD: 119
Name: **Cincinnati Bulk Terminals, Loading Dock.**
Port: Cincinnati
Location: Mile 471.6, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Electric Fuels Corp.
Owner: Electric Fuels Corp.
Address: 895 West Mehring Way. Phone: 513/621-4800
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks serve terminal at rear; connect with CSX Rail Transport.
Purpose: Shipment of grain and other miscellaneous dry bulk materials.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.52889

Waterway: **Ohio River** Mile: 472 PWD: 119
Name: **Cincinnati Bulk Terminals, Loading Dock.**
Port: Cincinnati
Location: Mile 471.6, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Electric Fuels Corp.
Owner: Electric Fuels Corp.
Address: 895 West Mehring Way. Phone: 513/621-4800
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks serve terminal at rear; connect with CSX Rail Transport.
Purpose: Shipment of grain and other miscellaneous dry bulk materials.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.52889

Waterway: **Ohio River** Mile: 472 PWD: 119
Name: **Cincinnati Bulk Terminals, Loading Dock.**
Port: Cincinnati
Location: Mile 471.6, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Electric Fuels Corp.
Owner: Electric Fuels Corp.
Address: 895 West Mehring Way. Phone: 513/621-4800
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks serve terminal at rear; connect with CSX Rail Transport.
Purpose: Shipment of grain and other miscellaneous dry bulk materials.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.52889

Remarks: Storage building at rear has capacity for 3,000 tons of dry bulk material.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Storage building at rear has capacity for 3,000 tons of dry bulk material.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Storage building at rear has capacity for 3,000 tons of dry bulk material.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 472 PWD: 120
Name: **Cincinnati Bulk Terminals, Unloading Dock.**
Port: Cincinnati
Location: Mile 471.7, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Electric Fuels Corp.
Owner: Electric Fuels Corp.
Address: 895 West Mehring Way. Phone: 513/621-4800
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks serve terminal at rear; connect with CSX Rail Transport.
Purpose: Receipt of coal, coke and other miscellaneous dry bulk materials.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.095
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.53028

Waterway: **Ohio River** Mile: 472 PWD: 120
Name: **Cincinnati Bulk Terminals, Unloading Dock.**
Port: Cincinnati
Location: Mile 471.7, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Electric Fuels Corp.
Owner: Electric Fuels Corp.
Address: 895 West Mehring Way. Phone: 513/621-4800
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks serve terminal at rear; connect with CSX Rail Transport.
Purpose: Receipt of coal, coke and other miscellaneous dry bulk materials.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.095
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.53028

Waterway: **Ohio River** Mile: 472 PWD: 120
Name: **Cincinnati Bulk Terminals, Unloading Dock.**
Port: Cincinnati
Location: Mile 471.7, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Electric Fuels Corp.
Owner: Electric Fuels Corp.
Address: 895 West Mehring Way. Phone: 513/621-4800
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks serve terminal at rear; connect with CSX Rail Transport.
Purpose: Receipt of coal, coke and other miscellaneous dry bulk materials.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.095
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.53028

Remarks: Open storage area at rear has capacity for 150,000 tons of coal. Terminal has capacity for mooring 20 barges.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Open storage area at rear has capacity for 150,000 tons of coal. Terminal has capacity for mooring 20 barges.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Open storage area at rear has capacity for 150,000 tons of coal. Terminal has capacity for mooring 20 barges.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 472 PWD: 120
Name: **Cincinnati Bulk Terminals, Unloading Dock.**
Port: Cincinnati
Location: Mile 471.7, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Electric Fuels Corp.
Owner: Electric Fuels Corp.
Address: 895 West Mehring Way. Phone: 513/621-4800
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks serve terminal at rear; connect with CSX Rail Transport.
Purpose: Receipt of coal, coke and other miscellaneous dry bulk materials.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.095
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.53028

Waterway: **Ohio River** Mile: 472 PWD: 120
Name: **Cincinnati Bulk Terminals, Unloading Dock.**
Port: Cincinnati
Location: Mile 471.7, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Electric Fuels Corp.
Owner: Electric Fuels Corp.
Address: 895 West Mehring Way. Phone: 513/621-4800
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks serve terminal at rear; connect with CSX Rail Transport.
Purpose: Receipt of coal, coke and other miscellaneous dry bulk materials.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.095
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.53028

Waterway: **Ohio River** Mile: 472 PWD: 120
Name: **Cincinnati Bulk Terminals, Unloading Dock.**
Port: Cincinnati
Location: Mile 471.7, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Electric Fuels Corp.
Owner: Electric Fuels Corp.
Address: 895 West Mehring Way. Phone: 513/621-4800
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks serve terminal at rear; connect with CSX Rail Transport.
Purpose: Receipt of coal, coke and other miscellaneous dry bulk materials.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.095
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.53028

Remarks: Open storage area at rear has capacity for 150,000 tons of coal. Terminal has capacity for mooring 20 barges.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Open storage area at rear has capacity for 150,000 tons of coal. Terminal has capacity for mooring 20 barges.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Open storage area at rear has capacity for 150,000 tons of coal. Terminal has capacity for mooring 20 barges.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 472 PWD: 120
Name: **Cincinnati Bulk Terminals, Unloading Dock.**
Port: Cincinnati
Location: Mile 471.7, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Electric Fuels Corp.
Owner: Electric Fuels Corp.
Address: 895 West Mehring Way. Phone: 513/621-4800
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks serve terminal at rear; connect with CSX Rail Transport.
Purpose: Receipt of coal, coke and other miscellaneous dry bulk materials.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.095
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.53028

Waterway: **Ohio River** Mile: 472 PWD: 120
Name: **Cincinnati Bulk Terminals, Unloading Dock.**
Port: Cincinnati
Location: Mile 471.7, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Electric Fuels Corp.
Owner: Electric Fuels Corp.
Address: 895 West Mehring Way. Phone: 513/621-4800
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks serve terminal at rear; connect with CSX Rail Transport.
Purpose: Receipt of coal, coke and other miscellaneous dry bulk materials.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.095
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.53028

Waterway: **Ohio River** Mile: 472 PWD: 120
Name: **Cincinnati Bulk Terminals, Unloading Dock.**
Port: Cincinnati
Location: Mile 471.7, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Electric Fuels Corp.
Owner: Electric Fuels Corp.
Address: 895 West Mehring Way. Phone: 513/621-4800
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks serve terminal at rear; connect with CSX Rail Transport.
Purpose: Receipt of coal, coke and other miscellaneous dry bulk materials.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.095
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.53028

Remarks: Open storage area at rear has capacity for 150,000 tons of coal. Terminal has capacity for mooring 20 barges.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Open storage area at rear has capacity for 150,000 tons of coal. Terminal has capacity for mooring 20 barges.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Open storage area at rear has capacity for 150,000 tons of coal. Terminal has capacity for mooring 20 barges.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 472 PWD: 122
Name: **Valley Terminal Co. Cincinnati Dock.**
Port: Cincinnati
Location: Mile 472.1, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Valley Terminal-Cincinnati, Inc.
Owner: Valley Terminal-Cincinnati, Inc.
Address: Mehring Way and Carr Street. Phone: 513/721-5766
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Six surface tracks with total capacity for 14 cars serve terminal at rear; connect with CSX Rail Transport.
Purpose: Receipt and shipment of steel products and building materials.
Depth Alongside (feet): 30 | | Latitude (decimal): 39.098056
Total Berthing Space (feet): 180 | | Longitude (decimal): -84.53639
Remarks: One 30,000-square foot warehouse building in rear has capacity for 4,000 tons of material. Terminal has capacity for mooring 64 barges at shore moorings downstream of wharf arranged in 8 tiers each 8 barges wide

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

---

Waterway: **Ohio River** Mile: 473 PWD: 17
Name: **Greater Cincinnati Marine Service, Ludlow Dock.**
Port: Covington
Location: Mile 472.8, left bank, Ohio River, Ludlow, below the CSX Rail Transport Bridge. Datum: NPE
Operator: Greater Cincinnati Marine Service, Inc., Subsidiary of Carlisle Construction Co., Inc
Owner: Greater Cincinnati Marine Service, Inc., Subsidiary of Carlisle Construction Co., Inc.
Address: Foot of Locust Street Phone: 606/441-7200
Town: Ludlow State: KY County: Kenton
Railway Connection: None.
Purpose: Handling equipment and supplies; mooring barges.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.096667
Total Berthing Space (feet): 195 | 800 | Longitude (decimal): -84.54889
Remarks: Fleeting area fronting and extending downstream from work barge has capacity for 20 barges arranged in a block 5 barges long by 4 wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 474 PWD: 16
Name: **B P Oil Co., Pipeline Terminal, Bromley Wharf.**
Port: Covington
Location: Mile 474.2, left bank, Ohio River, Bromley. Datum: NPE
Operator: B P Oil Co.
Owner: B P Oil Co.
Address: 409 River Road Phone: 606/261-8605
Town: Bromley State: KY County: Kenton
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 13 | | Latitude (decimal): 39.081389
Total Berthing Space (feet): 238 | | Longitude (decimal): -84.56667
Remarks: Two 6-inch pipelines extend from wharf to 9 steel storage tanks at rear, total capacity 416,000 barrels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

---

Waterway: **Ohio River** Mile: 474 PWD: 124
Name: **Consolidated Grain & Barge Co., Cincinnati Wharf.**
Port: Cincinnati
Location: Mile 474.3, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Consolidated Grain & Barge Co.
Owner: Consolidated Grain & Barge Co.
Address: 3164 Southside Avenue Phone: 513/244-7400
Town: Cincinnati State: OH County: Hamilton
Railway Connection: One surface track serves undertrack pit and loading spout at grain elevator in rear; connects with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 26 | | Latitude (decimal): 39.083333
Total Berthing Space (feet): 525 | | Longitude (decimal): -84.5725
Remarks: Grain elevator complex at rear consisting of 9 steel storage tanks, one concrete silo, and one timber flat storage building, has total capacity for 2,074,000 bushels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 474 PWD: 123
Name: **The Uno-Ven Co., Cincinnati Terminal Wharf.**
Port: Cincinnati
Location: Mile 474.0, right bank Ohio River, Cincinnati. Datum: NPE
Operator: The Uno-Ven Co.
Owner: The Uno-Ven Co.
Address: 3117 Southside Avenue Phone: 513/921-5600
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 10 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.087222
Total Berthing Space (feet): 89 | | Longitude (decimal): -84.56611
Remarks: Five 6-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 105,000 barrels. Four warehouse buildings at rear have storage capacities of 7,890-, 18,960-, 20,830-, and 13 respectively, for packaged lubricating oil. Latter warehouse has basement, sub-basement, and tank basement with 5,330-, 2,450-, and 14,170-square feet of storage space, respectively.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

---

Waterway: **Ohio River** Mile: 475 PWD: 127
Name: **Cargill Cincinnati Molasses Terminal Wharf.**
Port: Cincinnati
Location: Mile 474.8, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Cargill, Inc., Liquid Products Division.
Owner: Cargill, Inc., Liquid Products Division.
Address: 3335 Southside Avenue. Phone: 513/921-8800
Town: Cincinnati State: OH County: Hamilton
Railway Connection: One surface track serves facility at rear; connects with CSX Rail Transport.
Purpose: Receipt of molasses, caustic soda and miscellaneous vegetable oils.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.081389
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.57611
Remarks: Wharf was in the planning stage at time of survey. Type of construction and dimensions had not been finalized and were subject to change. Three 6-inch pipelines extend from wharf (bank) to 3 steel molasses stora capacity 1,560,000 gallons and to 20 additional tanks, total capacity 402,000 gallons at terminal in rear. One 3-inch steam- and one 1 1/2- inch compressed air pipelines serve facility.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 475 PWD: 128
Name: **Cohen Terminal Lower Dock.**
Port: Cincinnati
Location: Mile 475.0, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Mose Cohen & Sons Inc.
Owner: Mose Cohen & Sons Inc.
Address: 3401 Southside Avenue. Phone: 513/621-7080
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Shipment of scrap metal.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.081111
Total Berthing Space (feet): 250 | | Longitude (decimal): -84.57806

Waterway: **Ohio River** Mile: 475 PWD: 128
Name: **Cohen Terminal Lower Dock.**
Port: Cincinnati
Location: Mile 475.0, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Mose Cohen & Sons Inc.
Owner: Mose Cohen & Sons Inc.
Address: 3401 Southside Avenue. Phone: 513/621-7080
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Shipment of scrap metal.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.081111
Total Berthing Space (feet): 250 | | Longitude (decimal): -84.57806
Remarks: Scrap metal is loaded directly from truck to barge.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Scrap metal is loaded directly from truck to barge.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 475 PWD: 128
Name: **Cohen Terminal Lower Dock.**
Port: Cincinnati
Location: Mile 475.0, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Mose Cohen & Sons Inc.
Owner: Mose Cohen & Sons Inc.
Address: 3401 Southside Avenue. Phone: 513/621-7080
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Shipment of scrap metal.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.081111
Total Berthing Space (feet): 250 | | Longitude (decimal): -84.57806

Waterway: **Ohio River** Mile: 475 PWD: 128
Name: **Cohen Terminal Lower Dock.**
Port: Cincinnati
Location: Mile 475.0, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Mose Cohen & Sons Inc.
Owner: Mose Cohen & Sons Inc.
Address: 3401 Southside Avenue. Phone: 513/621-7080
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Shipment of scrap metal.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.081111
Total Berthing Space (feet): 250 | | Longitude (decimal): -84.57806
Remarks: Scrap metal is loaded directly from truck to barge.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Scrap metal is loaded directly from truck to barge.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 475 PWD: 126
Name: **Cohen Terminal Upper Dock.**
Port: Cincinnati
Location: Mile 474.6, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Mose Cohen & Sons Inc.
Owner: Mose Cohen & Sons Inc.
Address: 3291 Southside Avenue. Phone: 513/621-7080
Town: Cincinnati State: OH County: Hamilton
Railway Connection: One surface track on opposite of Southside Avenue in rear; connects with CSX Rail Transport.
Purpose: Shipment of scrap metal.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.081667
Total Berthing Space (feet): 525 | | Longitude (decimal): -84.575

Waterway: **Ohio River** Mile: 475 PWD: 126
Name: **Cohen Terminal Upper Dock.**
Port: Cincinnati
Location: Mile 474.6, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Mose Cohen & Sons Inc.
Owner: Mose Cohen & Sons Inc.
Address: 3291 Southside Avenue. Phone: 513/621-7080
Town: Cincinnati State: OH County: Hamilton
Railway Connection: One surface track on opposite of Southside Avenue in rear; connects with CSX Rail Transport.
Purpose: Shipment of scrap metal.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.081667
Total Berthing Space (feet): 525 | | Longitude (decimal): -84.575

Remarks: A total of 13 acres of partly paved open storage area is located at rear and on opposite of Southside Avenue in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: A total of 13 acres of partly paved open storage area is located at rear and on opposite of Southside Avenue in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 475 PWD: 126
Name: **Cohen Terminal Upper Dock.**
Port: Cincinnati
Location: Mile 474.6, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Mose Cohen & Sons Inc.
Owner: Mose Cohen & Sons Inc.
Address: 3291 Southside Avenue. Phone: 513/621-7080
Town: Cincinnati State: OH County: Hamilton
Railway Connection: One surface track on opposite of Southside Avenue in rear; connects with CSX Rail Transport.
Purpose: Shipment of scrap metal.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.081667
Total Berthing Space (feet): 525 | | Longitude (decimal): -84.575

Waterway: **Ohio River** Mile: 475 PWD: 126
Name: **Cohen Terminal Upper Dock.**
Port: Cincinnati
Location: Mile 474.6, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Mose Cohen & Sons Inc.
Owner: Mose Cohen & Sons Inc.
Address: 3291 Southside Avenue. Phone: 513/621-7080
Town: Cincinnati State: OH County: Hamilton
Railway Connection: One surface track on opposite of Southside Avenue in rear; connects with CSX Rail Transport.
Purpose: Shipment of scrap metal.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.081667
Total Berthing Space (feet): 525 | | Longitude (decimal): -84.575

Remarks: A total of 13 acres of partly paved open storage area is located at rear and on opposite of Southside Avenue in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: A total of 13 acres of partly paved open storage area is located at rear and on opposite of Southside Avenue in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 475 PWD: 130
Name: **I. Deutch & Sons Dock.**
Port: Cincinnati
Location: Mile 475.2, right bank Ohio River, Cincinnati. Datum: NPE
Operator: I. Deutch & Sons.
Owner: I. Deutch & Sons.
Address: 3521 Southside Avenue. Phone: 513/721-7256
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Shipment of scrap metal.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.08
Total Berthing Space (feet): 132 | | Longitude (decimal): -84.585
Remarks: Facility was in the pre-construction stage at time of survey. Completion was scheduled for 1992.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

---

Waterway: **Ohio River** Mile: 475 PWD: 125
Name: **Kosmos Cement Co., Cincinnati Southside Terminal Wharf.**
Port: Cincinnati
Location: Mile 474.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Kosmos Cement Co., subsidiary of Southdown Inc.
Owner: Kosmos Cement Co., subsidiary of Southdown Inc.
Address: 3271 Southside Avenue. Phone: 513/251-3366
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Receipt of cement.
Depth Alongside (feet): 18 | | Latitude (decimal): 39.0825
Total Berthing Space (feet): 500 | | Longitude (decimal): -84.57361
Remarks: One 12-inch pneumatic pipeline extends from wharf to 3 concrete, cement storage silos in rear, total capacity approximately 12,000 tons. One 8-inch compressed air pipeline also serves wharf.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

---

Waterway: **Ohio River** Mile: 475 PWD: 129
Name: **Southside River Rail Corp. Dock.**
Port: Cincinnati
Location: Mile 475.0, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Southside River Rail Corp.
Owner: Southside River Rail Corp.
Address: 3415 Southside Avenue. Phone: 513/251-4111
Town: Cincinnati State: OH County: Hamilton
Railway Connection: One surface track serves facility at rear; connects with CSX RailTransport.
Purpose: Receipt of caustic soda, liquid fertilizer, vegetable oils and naphtha.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.080556
Total Berthing Space (feet): 390 | | Longitude (decimal): -84.58
Remarks: Nine 6-inch pipelines extend from wharf to 23 steel storage tanks at terminal in rear, total capacity 20,000,000 gallons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 476 PWD: 15
Name: **Chevron U.S.A., Covington Terminal Wharf.**
Port: Covington
Location: Mile 475.5, left bank, Ohio River, Covington. Datum: NPE
Operator: Chevron U.S.A., Inc.
Owner: Chevron U.S.A., Inc.
Address: 700 River Road Phone: 606/331-6650
Town: Covington State: KY County: Kenton
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.074722
Total Berthing Space (feet): 400 | | Longitude (decimal): -84.58917
Remarks: Two 10- and two 6-inch pipelines extend from wharf to 11 steel storage tanks in rear, total capacity 210,000 barrels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

---

Waterway: **Ohio River** Mile: 476 PWD: 132
Name: **Kosmos Cement Co., Barkley Avenue Wharf.**
Port: Cincinnati
Location: Mile 476.4, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Kosmos Cement Co., Subsidiary of Southdown, Inc.
Owner: Kosmos Cement Co., Subsidiary of Southdown, Inc.
Address: 200 Barkley Avenue. Phone: 513/251-3366
Town: Cincinnati State: OH County: Hamilton
Railway Connection: One surface track serves loading station at rear; connects with CSX Rail Transport.
Purpose: Receipt of bulk cement by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.074722
Total Berthing Space (feet): 325 | | Longitude (decimal): -84.58722
Remarks: Two 10-inch pneumatic pipelines extend from wharf to 3 concrete, cement storage silos in rear, total capacity 12,000 tons. One truck loading spout is located under center silo. Two 6-inch compressed air pipelines

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 476 PWD: 131

Name: **Valvoline Cincinnati Dock.**

Port: Cincinnati

Location: Mile 476.2, right bank Ohio River, Cincinnati. Datum: NPE

Operator: Not operated.

Owner: Valvoline Oil, Division of Ashland Oil, Inc.

Address: 3901 River Road Phone: 513/471-0115

Town: Cincinnati State: OH County: Hamilton

Railway Connection: One surface track serves facility at rear; connects with CSX Rail Transport.

Purpose: Not used.

Depth Alongside (feet): 10 | | Latitude (decimal): 39.075

Total Berthing Space (feet): 200 | | Longitude (decimal): -84.58556

Remarks: Three 6-inch pipelines, blanked at time of survey, extend from wharf to 2 steel storage tanks at rear, total capacity 60,000 barrels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 477 PWD: 133
Name: **Ashland Petroleum Co., Cincinnati Terminal Dock.**
Port: Cincinnati
Location: Mile 476.7, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Address: 4050 River Road. Phone: 513/347-1234
Town: Cincinnati State: OH County: Hamilton
Railway Connection: One surface track serves terminal in rear; connects with CSX Rail Transport.
Purpose: Receipt of petroleum products, chemicals, petrochemicals, and acids.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.073889
Total Berthing Space (feet): 400 | | Longitude (decimal): -84.60917

Waterway: **Ohio River** Mile: 477 PWD: 133
Name: **Ashland Petroleum Co., Cincinnati Terminal Dock.**
Port: Cincinnati
Location: Mile 476.7, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Address: 4050 River Road. Phone: 513/347-1234
Town: Cincinnati State: OH County: Hamilton
Railway Connection: One surface track serves terminal in rear; connects with CSX Rail Transport.
Purpose: Receipt of petroleum products, chemicals, petrochemicals, and acids.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.073889
Total Berthing Space (feet): 400 | | Longitude (decimal): -84.60917

Remarks: One 8-, nine 6-, and one 4-inch pipelines extend from wharf to 7 steel petroleum products storage tanks, total capacity 315,800 barrels and 16 steel chemical storage tanks total capacity 16,136,000 gallons at te

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: One 8-, nine 6-, and one 4-inch pipelines extend from wharf to 7 steel petroleum products storage tanks, total capacity 315,800 barrels and 16 steel chemical storage tanks total capacity 16,136,000 gallons at te

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 477 PWD: 133
Name: **Ashland Petroleum Co., Cincinnati Terminal Dock.**
Port: Cincinnati
Location: Mile 476.7, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Address: 4050 River Road. Phone: 513/347-1234
Town: Cincinnati State: OH County: Hamilton
Railway Connection: One surface track serves terminal in rear; connects with CSX Rail Transport.
Purpose: Receipt of petroleum products, chemicals, petrochemicals, and acids.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.073889
Total Berthing Space (feet): 400 | | Longitude (decimal): -84.60917

Waterway: **Ohio River** Mile: 477 PWD: 133
Name: **Ashland Petroleum Co., Cincinnati Terminal Dock.**
Port: Cincinnati
Location: Mile 476.7, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Address: 4050 River Road. Phone: 513/347-1234
Town: Cincinnati State: OH County: Hamilton
Railway Connection: One surface track serves terminal in rear; connects with CSX Rail Transport.
Purpose: Receipt of petroleum products, chemicals, petrochemicals, and acids.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.073889
Total Berthing Space (feet): 400 | | Longitude (decimal): -84.60917

Remarks: One 8-, nine 6-, and one 4-inch pipelines extend from wharf to 7 steel petroleum products storage tanks, total capacity 315,800 barrels and 16 steel chemical storage tanks total capacity 16,136,000 gallons at te

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: One 8-, nine 6-, and one 4-inch pipelines extend from wharf to 7 steel petroleum products storage tanks, total capacity 315,800 barrels and 16 steel chemical storage tanks total capacity 16,136,000 gallons at te

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 477 PWD: 134
Name: **Ashland Petroleum Co., Cincinnati Terminal Texaco Dock.**
Port: Cincinnati
Location: Mile 477.1, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Address: 4050 River Road. Phone: 513/347-1234
Town: Cincinnati State: OH County: Hamilton
Railway Connection: One surface track serves facility at rear; connects with CSX Rail Transport.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.074444
Total Berthing Space (feet): 400 | | Longitude (decimal): -84.61833

Waterway: **Ohio River** Mile: 477 PWD: 134
Name: **Ashland Petroleum Co., Cincinnati Terminal Texaco Dock.**
Port: Cincinnati
Location: Mile 477.1, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Address: 4050 River Road. Phone: 513/347-1234
Town: Cincinnati State: OH County: Hamilton
Railway Connection: One surface track serves facility at rear; connects with CSX Rail Transport.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.074444
Total Berthing Space (feet): 400 | | Longitude (decimal): -84.61833

Remarks: Five 10-inch pipelines extend from wharf to 14 steel storage tanks at terminal in rear, total capacity 214,000 barrels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Five 10-inch pipelines extend from wharf to 14 steel storage tanks at terminal in rear, total capacity 214,000 barrels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 477 PWD: 134
Name: **Ashland Petroleum Co., Cincinnati Terminal Texaco Dock.**
Port: Cincinnati
Location: Mile 477.1, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Address: 4050 River Road. Phone: 513/347-1234
Town: Cincinnati State: OH County: Hamilton
Railway Connection: One surface track serves facility at rear; connects with CSX Rail Transport.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.074444
Total Berthing Space (feet): 400 | | Longitude (decimal): -84.61833

Waterway: **Ohio River** Mile: 477 PWD: 134
Name: **Ashland Petroleum Co., Cincinnati Terminal Texaco Dock.**
Port: Cincinnati
Location: Mile 477.1, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Address: 4050 River Road. Phone: 513/347-1234
Town: Cincinnati State: OH County: Hamilton
Railway Connection: One surface track serves facility at rear; connects with CSX Rail Transport.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.074444
Total Berthing Space (feet): 400 | | Longitude (decimal): -84.61833

Remarks: Five 10-inch pipelines extend from wharf to 14 steel storage tanks at terminal in rear, total capacity 214,000 barrels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Five 10-inch pipelines extend from wharf to 14 steel storage tanks at terminal in rear, total capacity 214,000 barrels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 478 PWD: 14
Name: **Interstate Asphalt Co., Constance Plant Dock.**
Port: Ohio River
Location: Mile 478.3, left bank, Ohio River, Constance. Datum: NPE
Operator: Interstate Asphalt Co.
Owner: Interstate Asphalt Co.
Address: 4400 River Road Phone: 606/689-4103
Town: Constance State: KY County: Boone
Railway Connection: None.
Purpose: Receipt of crushed stone.
Depth Alongside (feet): 9 | | Latitude (decimal): 39.076667
Total Berthing Space (feet): 376 | | Longitude (decimal): -84.63833
Remarks: Open storage area at rear is served by two stackers and has capacity for 200,000 cubic yards of material.□ Anderson Ferry (passenger and vehicular) operates on daily schedule between 6:00 AM and 8:00 PM during the months November through April and between 6:00 AM and 9:30 PM during the remainder of the year from landings located approximately 4,000 feet above wharf. The service has been in operati1817.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

---

Waterway: **Ohio River** Mile: 479 PWD: 138
Name: **CF Industries Cincinnati Warehouse Wharf.**
Port: Cincinnati
Location: Mile 479.2, right bank Ohio River, Cincinnati. Datum: NPE
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: 5125 River Road. Phone: 513/941-6164
Town: Cincinnati State: OH County: Hamilton
Railway Connection: One surface track with capaacity for 25 cars serves terminal at rear; connects with CSX Rail Transport.
Purpose: Receipt of dry bulk urea, phosphate, and liquid fertilizer.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.089444
Total Berthing Space (feet): 800 | | Longitude (decimal): -84.64722
Remarks: Three concrete and timber storage buildings at terminal in rear have total capacity for 60,000 tons of dry bulk fertilizer. One 12-inch pipeline extends from wharf to one steel storage tank at terminal, capacity Two stations for loading railroad cars and two stations for loading trucks are also located at terminal.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 479 PWD: 136
Name: **Defense Fuel Support Point, Cincinnati Terminal Wharf.**
Port: Cincinnati
Location: Mile 478.7, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Gatron Inc.
Owner: U.S. Government.
Address: 4820 River Road. Phone: 513/941-1700
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Four surface tracks serve tank car loading rack at terminal in rear; connect with CSX Rail Transport.
Purpose: Receipt of jet fuel and diesel fuel.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.083333
Total Berthing Space (feet): 320 | | Longitude (decimal): -84.63972
Remarks: Three 8-inch pipelines extend from wharf to 6 steel storage tanks at rear, total capacity 490,000 barrels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

---

Waterway: **Ohio River** Mile: 479 PWD: 135
Name: **Indiana Grain Cincinnati Wharf.**
Port: Cincinnati
Location: Mile 478.6, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Indiana Grain Cincinnati, Division of Indiana Farm Bureau Cooperative Association, In
Owner: Indiana Grain Cincinnati, Division of Indiana Farm Bureau Cooperative Association, Inc.
Address: 4837 River Road. Phone: 513/941-6760
Town: Cincinnati State: OH County: Hamilton
Railway Connection: One surface track serves undertrack pit and loading spout at grain elevator in rear; connects with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.081944
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.6375
Remarks: Grain elevator in rear, consisting of 8 steel tanks, has total capacity for 1,400,000 bushels. Approximately 0.2 mile above wharf, the Anderson Ferry operates between ramps at mile 477.4 Cincinnati and Stringtow right and left banks, respectively.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 479 PWD: 140
Name: **River Transportation Co., Center Landing.**
Port: Cincinnati
Location: Mile 479.4, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of vegetable oil, liquid plasticizer, and liquid fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.0925
Total Berthing Space (feet): 120 | | Longitude (decimal): -84.65139

Waterway: **Ohio River** Mile: 479 PWD: 140
Name: **River Transportation Co., Center Landing.**
Port: Cincinnati
Location: Mile 479.4, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of vegetable oil, liquid plasticizer, and liquid fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.0925
Total Berthing Space (feet): 120 | | Longitude (decimal): -84.65139

Waterway: **Ohio River** Mile: 479 PWD: 140
Name: **River Transportation Co., Center Landing.**
Port: Cincinnati
Location: Mile 479.4, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of vegetable oil, liquid plasticizer, and liquid fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.0925
Total Berthing Space (feet): 120 | | Longitude (decimal): -84.65139

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 479 PWD: 140
Name: **River Transportation Co., Center Landing.**
Port: Cincinnati
Location: Mile 479.4, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of vegetable oil, liquid plasticizer, and liquid fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.0925
Total Berthing Space (feet): 120 | | Longitude (decimal): -84.65139

Waterway: **Ohio River** Mile: 479 PWD: 140
Name: **River Transportation Co., Center Landing.**
Port: Cincinnati
Location: Mile 479.4, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of vegetable oil, liquid plasticizer, and liquid fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.0925
Total Berthing Space (feet): 120 | | Longitude (decimal): -84.65139

Remarks: Three 6-, and one 4-1nch pipelines extend from wharf to 2 fertilizer storage tanks, total capacity 2,310,000 gallons and to one 630,000 gallon plasticizer storage tank at terminal in rear. Vegetable oil is loaded

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Three 6-, and one 4-1nch pipelines extend from wharf to 2 fertilizer storage tanks, total capacity 2,310,000 gallons and to one 630,000 gallon plasticizer storage tank at terminal in rear. Vegetable oil is loaded

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Three 6-, and one 4-1nch pipelines extend from wharf to 2 fertilizer storage tanks, total capacity 2,310,000 gallons and to one 630,000 gallon plasticizer storage tank at terminal in rear. Vegetable oil is loaded

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Three 6-, and one 4-1nch pipelines extend from wharf to 2 fertilizer storage tanks, total capacity 2,310,000 gallons and to one 630,000 gallon plasticizer storage tank at terminal in rear. Vegetable oil is loaded

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Remarks: Three 6-, and one 4-1nch pipelines extend from wharf to 2 fertilizer storage tanks, total capacity 2,310,000 gallons and to one 630,000 gallon plasticizer storage tank at terminal in rear. Vegetable oil is loaded

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 479 PWD: 140
Name: **River Transportation Co., Center Landing.**
Port: Cincinnati
Location: Mile 479.4, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of vegetable oil, liquid plasticizer, and liquid fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.0925
Total Berthing Space (feet): 120 | | Longitude (decimal): -84.65139

Waterway: **Ohio River** Mile: 479 PWD: 140
Name: **River Transportation Co., Center Landing.**
Port: Cincinnati
Location: Mile 479.4, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of vegetable oil, liquid plasticizer, and liquid fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.0925
Total Berthing Space (feet): 120 | | Longitude (decimal): -84.65139

Waterway: **Ohio River** Mile: 479 PWD: 140
Name: **River Transportation Co., Center Landing.**
Port: Cincinnati
Location: Mile 479.4, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of vegetable oil, liquid plasticizer, and liquid fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.0925
Total Berthing Space (feet): 120 | | Longitude (decimal): -84.65139

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 479 PWD: 140
Name: **River Transportation Co., Center Landing.**
Port: Cincinnati
Location: Mile 479.4, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of vegetable oil, liquid plasticizer, and liquid fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.0925
Total Berthing Space (feet): 120 | | Longitude (decimal): -84.65139

Waterway: **Ohio River** Mile: 479 PWD: 140
Name: **River Transportation Co., Center Landing.**
Port: Cincinnati
Location: Mile 479.4, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of vegetable oil, liquid plasticizer, and liquid fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.0925
Total Berthing Space (feet): 120 | | Longitude (decimal): -84.65139

Remarks: Three 6-, and one 4-1nch pipelines extend from wharf to 2 fertilizer storage tanks, total capacity 2,310,000 gallons and to one 630,000 gallon plasticizer storage tank at terminal in rear. Vegetable oil is loaded

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Three 6-, and one 4-1nch pipelines extend from wharf to 2 fertilizer storage tanks, total capacity 2,310,000 gallons and to one 630,000 gallon plasticizer storage tank at terminal in rear. Vegetable oil is loaded

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Three 6-, and one 4-1nch pipelines extend from wharf to 2 fertilizer storage tanks, total capacity 2,310,000 gallons and to one 630,000 gallon plasticizer storage tank at terminal in rear. Vegetable oil is loaded

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Three 6-, and one 4-1nch pipelines extend from wharf to 2 fertilizer storage tanks, total capacity 2,310,000 gallons and to one 630,000 gallon plasticizer storage tank at terminal in rear. Vegetable oil is loaded

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Remarks: Three 6-, and one 4-1nch pipelines extend from wharf to 2 fertilizer storage tanks, total capacity 2,310,000 gallons and to one 630,000 gallon plasticizer storage tank at terminal in rear. Vegetable oil is loaded

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 479 PWD: 140
Name: **River Transportation Co., Center Landing.**
Port: Cincinnati
Location: Mile 479.4, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of vegetable oil, liquid plasticizer, and liquid fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.0925
Total Berthing Space (feet): 120 | | Longitude (decimal): -84.65139

Waterway: **Ohio River** Mile: 479 PWD: 140
Name: **River Transportation Co., Center Landing.**
Port: Cincinnati
Location: Mile 479.4, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of vegetable oil, liquid plasticizer, and liquid fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.0925
Total Berthing Space (feet): 120 | | Longitude (decimal): -84.65139

Waterway: **Ohio River** Mile: 479 PWD: 140
Name: **River Transportation Co., Center Landing.**
Port: Cincinnati
Location: Mile 479.4, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of vegetable oil, liquid plasticizer, and liquid fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.0925
Total Berthing Space (feet): 120 | | Longitude (decimal): -84.65139

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 479 PWD: 140
Name: **River Transportation Co., Center Landing.**
Port: Cincinnati
Location: Mile 479.4, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of vegetable oil, liquid plasticizer, and liquid fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.0925
Total Berthing Space (feet): 120 | | Longitude (decimal): -84.65139

Waterway: **Ohio River** Mile: 479 PWD: 140
Name: **River Transportation Co., Center Landing.**
Port: Cincinnati
Location: Mile 479.4, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of vegetable oil, liquid plasticizer, and liquid fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.0925
Total Berthing Space (feet): 120 | | Longitude (decimal): -84.65139

Remarks: Three 6-, and one 4-1nch pipelines extend from wharf to 2 fertilizer storage tanks, total capacity 2,310,000 gallons and to one 630,000 gallon plasticizer storage tank at terminal in rear. Vegetable oil is loaded

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Three 6-, and one 4-1nch pipelines extend from wharf to 2 fertilizer storage tanks, total capacity 2,310,000 gallons and to one 630,000 gallon plasticizer storage tank at terminal in rear. Vegetable oil is loaded

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Three 6-, and one 4-1nch pipelines extend from wharf to 2 fertilizer storage tanks, total capacity 2,310,000 gallons and to one 630,000 gallon plasticizer storage tank at terminal in rear. Vegetable oil is loaded

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Three 6-, and one 4-1nch pipelines extend from wharf to 2 fertilizer storage tanks, total capacity 2,310,000 gallons and to one 630,000 gallon plasticizer storage tank at terminal in rear. Vegetable oil is loaded

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Remarks: Three 6-, and one 4-1nch pipelines extend from wharf to 2 fertilizer storage tanks, total capacity 2,310,000 gallons and to one 630,000 gallon plasticizer storage tank at terminal in rear. Vegetable oil is loaded

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 479 PWD: 140
Name: **River Transportation Co., Center Landing.**
Port: Cincinnati
Location: Mile 479.4, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of vegetable oil, liquid plasticizer, and liquid fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.0925
Total Berthing Space (feet): 120 | | Longitude (decimal): -84.65139

Waterway: **Ohio River** Mile: 479 PWD: 140
Name: **River Transportation Co., Center Landing.**
Port: Cincinnati
Location: Mile 479.4, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of vegetable oil, liquid plasticizer, and liquid fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.0925
Total Berthing Space (feet): 120 | | Longitude (decimal): -84.65139

Waterway: **Ohio River** Mile: 479 PWD: 140
Name: **River Transportation Co., Center Landing.**
Port: Cincinnati
Location: Mile 479.4, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of vegetable oil, liquid plasticizer, and liquid fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.0925
Total Berthing Space (feet): 120 | | Longitude (decimal): -84.65139

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 479 PWD: 140
Name: **River Transportation Co., Center Landing.**
Port: Cincinnati
Location: Mile 479.4, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of vegetable oil, liquid plasticizer, and liquid fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.0925
Total Berthing Space (feet): 120 | | Longitude (decimal): -84.65139

Waterway: **Ohio River** Mile: 479 PWD: 140
Name: **River Transportation Co., Center Landing.**
Port: Cincinnati
Location: Mile 479.4, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of vegetable oil, liquid plasticizer, and liquid fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.0925
Total Berthing Space (feet): 120 | | Longitude (decimal): -84.65139

Remarks: Three 6-, and one 4-1nch pipelines extend from wharf to 2 fertilizer storage tanks, total capacity 2,310,000 gallons and to one 630,000 gallon plasticizer storage tank at terminal in rear. Vegetable oil is loaded

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Three 6-, and one 4-1nch pipelines extend from wharf to 2 fertilizer storage tanks, total capacity 2,310,000 gallons and to one 630,000 gallon plasticizer storage tank at terminal in rear. Vegetable oil is loaded

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Three 6-, and one 4-1nch pipelines extend from wharf to 2 fertilizer storage tanks, total capacity 2,310,000 gallons and to one 630,000 gallon plasticizer storage tank at terminal in rear. Vegetable oil is loaded

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Three 6-, and one 4-1nch pipelines extend from wharf to 2 fertilizer storage tanks, total capacity 2,310,000 gallons and to one 630,000 gallon plasticizer storage tank at terminal in rear. Vegetable oil is loaded

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Remarks: Three 6-, and one 4-1nch pipelines extend from wharf to 2 fertilizer storage tanks, total capacity 2,310,000 gallons and to one 630,000 gallon plasticizer storage tank at terminal in rear. Vegetable oil is loaded

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 479 PWD: 140
Name: **River Transportation Co., Center Landing.**
Port: Cincinnati
Location: Mile 479.4, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of vegetable oil, liquid plasticizer, and liquid fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.0925
Total Berthing Space (feet): 120 | | Longitude (decimal): -84.65139

Waterway: **Ohio River** Mile: 479 PWD: 140
Name: **River Transportation Co., Center Landing.**
Port: Cincinnati
Location: Mile 479.4, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of vegetable oil, liquid plasticizer, and liquid fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.0925
Total Berthing Space (feet): 120 | | Longitude (decimal): -84.65139

Waterway: **Ohio River** Mile: 479 PWD: 140
Name: **River Transportation Co., Center Landing.**
Port: Cincinnati
Location: Mile 479.4, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of vegetable oil, liquid plasticizer, and liquid fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.0925
Total Berthing Space (feet): 120 | | Longitude (decimal): -84.65139

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 479 PWD: 140
Name: **River Transportation Co., Center Landing.**
Port: Cincinnati
Location: Mile 479.4, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of vegetable oil, liquid plasticizer, and liquid fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.0925
Total Berthing Space (feet): 120 | | Longitude (decimal): -84.65139

Waterway: **Ohio River** Mile: 479 PWD: 140
Name: **River Transportation Co., Center Landing.**
Port: Cincinnati
Location: Mile 479.4, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of vegetable oil, liquid plasticizer, and liquid fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.0925
Total Berthing Space (feet): 120 | | Longitude (decimal): -84.65139

Remarks: Three 6-, and one 4-1nch pipelines extend from wharf to 2 fertilizer storage tanks, total capacity 2,310,000 gallons and to one 630,000 gallon plasticizer storage tank at terminal in rear. Vegetable oil is loaded

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Three 6-, and one 4-1nch pipelines extend from wharf to 2 fertilizer storage tanks, total capacity 2,310,000 gallons and to one 630,000 gallon plasticizer storage tank at terminal in rear. Vegetable oil is loaded

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Three 6-, and one 4-1nch pipelines extend from wharf to 2 fertilizer storage tanks, total capacity 2,310,000 gallons and to one 630,000 gallon plasticizer storage tank at terminal in rear. Vegetable oil is loaded

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Three 6-, and one 4-1nch pipelines extend from wharf to 2 fertilizer storage tanks, total capacity 2,310,000 gallons and to one 630,000 gallon plasticizer storage tank at terminal in rear. Vegetable oil is loaded

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Remarks: Three 6-, and one 4-1nch pipelines extend from wharf to 2 fertilizer storage tanks, total capacity 2,310,000 gallons and to one 630,000 gallon plasticizer storage tank at terminal in rear. Vegetable oil is loaded

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 479 PWD: 139
Name: **River Transportation Co., Upper Landing.**
Port: Cincinnati
Location: Mile 479.3, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of petroleum products and caustic soda
Depth Alongside (feet): 25 | | Latitude (decimal): 39.091389
Total Berthing Space (feet): 131 | | Longitude (decimal): -84.64944

Waterway: **Ohio River** Mile: 479 PWD: 139
Name: **River Transportation Co., Upper Landing.**
Port: Cincinnati
Location: Mile 479.3, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of petroleum products and caustic soda
Depth Alongside (feet): 25 | | Latitude (decimal): 39.091389
Total Berthing Space (feet): 131 | | Longitude (decimal): -84.64944

Waterway: **Ohio River** Mile: 479 PWD: 139
Name: **River Transportation Co., Upper Landing.**
Port: Cincinnati
Location: Mile 479.3, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of petroleum products and caustic soda
Depth Alongside (feet): 25 | | Latitude (decimal): 39.091389
Total Berthing Space (feet): 131 | | Longitude (decimal): -84.64944

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 479 PWD: 139
Name: **River Transportation Co., Upper Landing.**
Port: Cincinnati
Location: Mile 479.3, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of petroleum products and caustic soda
Depth Alongside (feet): 25 | | Latitude (decimal): 39.091389
Total Berthing Space (feet): 131 | | Longitude (decimal): -84.64944

Waterway: **Ohio River** Mile: 479 PWD: 139
Name: **River Transportation Co., Upper Landing.**
Port: Cincinnati
Location: Mile 479.3, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of petroleum products and caustic soda
Depth Alongside (feet): 25 | | Latitude (decimal): 39.091389
Total Berthing Space (feet): 131 | | Longitude (decimal): -84.64944

Remarks: Two 6-inch pipelines extend from wharf to 13 petroleum products storage tanks, total capacity 250,000 barrels and one 4-inch pipeline extends to 4 caustic soda storage tanks, total capacity 546,000 gallons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Two 6-inch pipelines extend from wharf to 13 petroleum products storage tanks, total capacity 250,000 barrels and one 4-inch pipeline extends to 4 caustic soda storage tanks, total capacity 546,000 gallons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Two 6-inch pipelines extend from wharf to 13 petroleum products storage tanks, total capacity 250,000 barrels and one 4-inch pipeline extends to 4 caustic soda storage tanks, total capacity 546,000 gallons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Two 6-inch pipelines extend from wharf to 13 petroleum products storage tanks, total capacity 250,000 barrels and one 4-inch pipeline extends to 4 caustic soda storage tanks, total capacity 546,000 gallons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Two 6-inch pipelines extend from wharf to 13 petroleum products storage tanks, total capacity 250,000 barrels and one 4-inch pipeline extends to 4 caustic soda storage tanks, total capacity 546,000 gallons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 479 PWD: 139
Name: **River Transportation Co., Upper Landing.**
Port: Cincinnati
Location: Mile 479.3, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of petroleum products and caustic soda
Depth Alongside (feet): 25 | | Latitude (decimal): 39.091389
Total Berthing Space (feet): 131 | | Longitude (decimal): -84.64944

Waterway: **Ohio River** Mile: 479 PWD: 139
Name: **River Transportation Co., Upper Landing.**
Port: Cincinnati
Location: Mile 479.3, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of petroleum products and caustic soda
Depth Alongside (feet): 25 | | Latitude (decimal): 39.091389
Total Berthing Space (feet): 131 | | Longitude (decimal): -84.64944

Waterway: **Ohio River** Mile: 479 PWD: 139
Name: **River Transportation Co., Upper Landing.**
Port: Cincinnati
Location: Mile 479.3, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of petroleum products and caustic soda
Depth Alongside (feet): 25 | | Latitude (decimal): 39.091389
Total Berthing Space (feet): 131 | | Longitude (decimal): -84.64944

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 479 PWD: 139
Name: **River Transportation Co., Upper Landing.**
Port: Cincinnati
Location: Mile 479.3, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of petroleum products and caustic soda
Depth Alongside (feet): 25 | | Latitude (decimal): 39.091389
Total Berthing Space (feet): 131 | | Longitude (decimal): -84.64944

Waterway: **Ohio River** Mile: 479 PWD: 139
Name: **River Transportation Co., Upper Landing.**
Port: Cincinnati
Location: Mile 479.3, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of petroleum products and caustic soda
Depth Alongside (feet): 25 | | Latitude (decimal): 39.091389
Total Berthing Space (feet): 131 | | Longitude (decimal): -84.64944

Remarks: Two 6-inch pipelines extend from wharf to 13 petroleum products storage tanks, total capacity 250,000 barrels and one 4-inch pipeline extends to 4 caustic soda storage tanks, total capacity 546,000 gallons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Two 6-inch pipelines extend from wharf to 13 petroleum products storage tanks, total capacity 250,000 barrels and one 4-inch pipeline extends to 4 caustic soda storage tanks, total capacity 546,000 gallons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Two 6-inch pipelines extend from wharf to 13 petroleum products storage tanks, total capacity 250,000 barrels and one 4-inch pipeline extends to 4 caustic soda storage tanks, total capacity 546,000 gallons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Two 6-inch pipelines extend from wharf to 13 petroleum products storage tanks, total capacity 250,000 barrels and one 4-inch pipeline extends to 4 caustic soda storage tanks, total capacity 546,000 gallons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Two 6-inch pipelines extend from wharf to 13 petroleum products storage tanks, total capacity 250,000 barrels and one 4-inch pipeline extends to 4 caustic soda storage tanks, total capacity 546,000 gallons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 479 PWD: 139
Name: **River Transportation Co., Upper Landing.**
Port: Cincinnati
Location: Mile 479.3, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of petroleum products and caustic soda
Depth Alongside (feet): 25 | | Latitude (decimal): 39.091389
Total Berthing Space (feet): 131 | | Longitude (decimal): -84.64944

Waterway: **Ohio River** Mile: 479 PWD: 139
Name: **River Transportation Co., Upper Landing.**
Port: Cincinnati
Location: Mile 479.3, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of petroleum products and caustic soda
Depth Alongside (feet): 25 | | Latitude (decimal): 39.091389
Total Berthing Space (feet): 131 | | Longitude (decimal): -84.64944

Waterway: **Ohio River** Mile: 479 PWD: 139
Name: **River Transportation Co., Upper Landing.**
Port: Cincinnati
Location: Mile 479.3, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of petroleum products and caustic soda
Depth Alongside (feet): 25 | | Latitude (decimal): 39.091389
Total Berthing Space (feet): 131 | | Longitude (decimal): -84.64944

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 479 PWD: 139
Name: **River Transportation Co., Upper Landing.**
Port: Cincinnati
Location: Mile 479.3, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of petroleum products and caustic soda
Depth Alongside (feet): 25 | | Latitude (decimal): 39.091389
Total Berthing Space (feet): 131 | | Longitude (decimal): -84.64944

Waterway: **Ohio River** Mile: 479 PWD: 139
Name: **River Transportation Co., Upper Landing.**
Port: Cincinnati
Location: Mile 479.3, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of petroleum products and caustic soda
Depth Alongside (feet): 25 | | Latitude (decimal): 39.091389
Total Berthing Space (feet): 131 | | Longitude (decimal): -84.64944

Remarks: Two 6-inch pipelines extend from wharf to 13 petroleum products storage tanks, total capacity 250,000 barrels and one 4-inch pipeline extends to 4 caustic soda storage tanks, total capacity 546,000 gallons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Two 6-inch pipelines extend from wharf to 13 petroleum products storage tanks, total capacity 250,000 barrels and one 4-inch pipeline extends to 4 caustic soda storage tanks, total capacity 546,000 gallons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Two 6-inch pipelines extend from wharf to 13 petroleum products storage tanks, total capacity 250,000 barrels and one 4-inch pipeline extends to 4 caustic soda storage tanks, total capacity 546,000 gallons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Two 6-inch pipelines extend from wharf to 13 petroleum products storage tanks, total capacity 250,000 barrels and one 4-inch pipeline extends to 4 caustic soda storage tanks, total capacity 546,000 gallons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Two 6-inch pipelines extend from wharf to 13 petroleum products storage tanks, total capacity 250,000 barrels and one 4-inch pipeline extends to 4 caustic soda storage tanks, total capacity 546,000 gallons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 479 PWD: 139
Name: **River Transportation Co., Upper Landing.**
Port: Cincinnati
Location: Mile 479.3, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of petroleum products and caustic soda
Depth Alongside (feet): 25 | | Latitude (decimal): 39.091389
Total Berthing Space (feet): 131 | | Longitude (decimal): -84.64944

Waterway: **Ohio River** Mile: 479 PWD: 139
Name: **River Transportation Co., Upper Landing.**
Port: Cincinnati
Location: Mile 479.3, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of petroleum products and caustic soda
Depth Alongside (feet): 25 | | Latitude (decimal): 39.091389
Total Berthing Space (feet): 131 | | Longitude (decimal): -84.64944

Waterway: **Ohio River** Mile: 479 PWD: 139
Name: **River Transportation Co., Upper Landing.**
Port: Cincinnati
Location: Mile 479.3, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of petroleum products and caustic soda
Depth Alongside (feet): 25 | | Latitude (decimal): 39.091389
Total Berthing Space (feet): 131 | | Longitude (decimal): -84.64944

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 479 PWD: 139
Name: **River Transportation Co., Upper Landing.**
Port: Cincinnati
Location: Mile 479.3, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of petroleum products and caustic soda
Depth Alongside (feet): 25 | | Latitude (decimal): 39.091389
Total Berthing Space (feet): 131 | | Longitude (decimal): -84.64944

Waterway: **Ohio River** Mile: 479 PWD: 139
Name: **River Transportation Co., Upper Landing.**
Port: Cincinnati
Location: Mile 479.3, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of petroleum products and caustic soda
Depth Alongside (feet): 25 | | Latitude (decimal): 39.091389
Total Berthing Space (feet): 131 | | Longitude (decimal): -84.64944

Remarks: Two 6-inch pipelines extend from wharf to 13 petroleum products storage tanks, total capacity 250,000 barrels and one 4-inch pipeline extends to 4 caustic soda storage tanks, total capacity 546,000 gallons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Two 6-inch pipelines extend from wharf to 13 petroleum products storage tanks, total capacity 250,000 barrels and one 4-inch pipeline extends to 4 caustic soda storage tanks, total capacity 546,000 gallons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Two 6-inch pipelines extend from wharf to 13 petroleum products storage tanks, total capacity 250,000 barrels and one 4-inch pipeline extends to 4 caustic soda storage tanks, total capacity 546,000 gallons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Two 6-inch pipelines extend from wharf to 13 petroleum products storage tanks, total capacity 250,000 barrels and one 4-inch pipeline extends to 4 caustic soda storage tanks, total capacity 546,000 gallons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Two 6-inch pipelines extend from wharf to 13 petroleum products storage tanks, total capacity 250,000 barrels and one 4-inch pipeline extends to 4 caustic soda storage tanks, total capacity 546,000 gallons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 479 PWD: 139
Name: **River Transportation Co., Upper Landing.**
Port: Cincinnati
Location: Mile 479.3, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of petroleum products and caustic soda
Depth Alongside (feet): 25 | | Latitude (decimal): 39.091389
Total Berthing Space (feet): 131 | | Longitude (decimal): -84.64944

Waterway: **Ohio River** Mile: 479 PWD: 139
Name: **River Transportation Co., Upper Landing.**
Port: Cincinnati
Location: Mile 479.3, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of petroleum products and caustic soda
Depth Alongside (feet): 25 | | Latitude (decimal): 39.091389
Total Berthing Space (feet): 131 | | Longitude (decimal): -84.64944

Waterway: **Ohio River** Mile: 479 PWD: 139
Name: **River Transportation Co., Upper Landing.**
Port: Cincinnati
Location: Mile 479.3, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of petroleum products and caustic soda
Depth Alongside (feet): 25 | | Latitude (decimal): 39.091389
Total Berthing Space (feet): 131 | | Longitude (decimal): -84.64944

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 479 PWD: 139
Name: **River Transportation Co., Upper Landing.**
Port: Cincinnati
Location: Mile 479.3, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of petroleum products and caustic soda
Depth Alongside (feet): 25 | | Latitude (decimal): 39.091389
Total Berthing Space (feet): 131 | | Longitude (decimal): -84.64944

Waterway: **Ohio River** Mile: 479 PWD: 139
Name: **River Transportation Co., Upper Landing.**
Port: Cincinnati
Location: Mile 479.3, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of petroleum products and caustic soda
Depth Alongside (feet): 25 | | Latitude (decimal): 39.091389
Total Berthing Space (feet): 131 | | Longitude (decimal): -84.64944

Remarks: Two 6-inch pipelines extend from wharf to 13 petroleum products storage tanks, total capacity 250,000 barrels and one 4-inch pipeline extends to 4 caustic soda storage tanks, total capacity 546,000 gallons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Two 6-inch pipelines extend from wharf to 13 petroleum products storage tanks, total capacity 250,000 barrels and one 4-inch pipeline extends to 4 caustic soda storage tanks, total capacity 546,000 gallons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Two 6-inch pipelines extend from wharf to 13 petroleum products storage tanks, total capacity 250,000 barrels and one 4-inch pipeline extends to 4 caustic soda storage tanks, total capacity 546,000 gallons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Two 6-inch pipelines extend from wharf to 13 petroleum products storage tanks, total capacity 250,000 barrels and one 4-inch pipeline extends to 4 caustic soda storage tanks, total capacity 546,000 gallons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Two 6-inch pipelines extend from wharf to 13 petroleum products storage tanks, total capacity 250,000 barrels and one 4-inch pipeline extends to 4 caustic soda storage tanks, total capacity 546,000 gallons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 479 PWD: 137
Name: **Shell Oil Co., Cincinnati Asphalt Plant Dock.**
Port: Cincinnati
Location: Mile 479.0, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Shell Oil Co.
Owner: Shell Oil Co.
Address: 5047 River Road. Phone: 513/941-1665
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Receipt of asphalt.
Depth Alongside (feet): 14 | | Latitude (decimal): 39.086667
Total Berthing Space (feet): 800 | | Longitude (decimal): -84.64444
Remarks: One 8-inch pipeline extends from wharf to 11 steel storage tanks at rear, total capacity 126,000 barrels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

---

Waterway: **Ohio River** Mile: 480 PWD: 144
Name: **Cargill Cincinnati, River Road Terminal Wharf.**
Port: Cincinnati
Location: Mile 479.7, right bank Ohio River, Cincinnati. Datum: NPE
Operator: Cargill Inc.
Owner: Cargill Inc.
Address: 5495 River Road. Phone: 513/941-7111
Town: Cincinnati State: OH County: Hamilton
Railway Connection: One surface track serves elevator at rear; connects with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.096111
Total Berthing Space (feet): 365 | | Longitude (decimal): -84.65778
Remarks: Grain elevator in rear, consisting of 4 steel tanks and one concrete silo, has capacity for 380,000 bushels of grain.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 145
Name: **McGinnis Cincinnati Terminal Upper Fleet Mooring.**
Port: Cincinnati
Location: Mile 479.9, right bank Ohio River, Cincinnati. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: 5525 River Road. Phone: 513/941-0200
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.096667
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.65889

Waterway: **Ohio River** Mile: 480 PWD: 145
Name: **McGinnis Cincinnati Terminal Upper Fleet Mooring.**
Port: Cincinnati
Location: Mile 479.9, right bank Ohio River, Cincinnati. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: 5525 River Road. Phone: 513/941-0200
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.096667
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.65889

Waterway: **Ohio River** Mile: 480 PWD: 145
Name: **McGinnis Cincinnati Terminal Upper Fleet Mooring.**
Port: Cincinnati
Location: Mile 479.9, right bank Ohio River, Cincinnati. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: 5525 River Road. Phone: 513/941-0200
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.096667
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.65889
Remarks: Facility has capacity for mooring 5 barges abreast.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Facility has capacity for mooring 5 barges abreast.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Facility has capacity for mooring 5 barges abreast.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 145
Name: **McGinnis Cincinnati Terminal Upper Fleet Mooring.**
Port: Cincinnati
Location: Mile 479.9, right bank Ohio River, Cincinnati. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: 5525 River Road. Phone: 513/941-0200
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.096667
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.65889

Waterway: **Ohio River** Mile: 480 PWD: 145
Name: **McGinnis Cincinnati Terminal Upper Fleet Mooring.**
Port: Cincinnati
Location: Mile 479.9, right bank Ohio River, Cincinnati. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: 5525 River Road. Phone: 513/941-0200
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.096667
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.65889

Waterway: **Ohio River** Mile: 480 PWD: 145
Name: **McGinnis Cincinnati Terminal Upper Fleet Mooring.**
Port: Cincinnati
Location: Mile 479.9, right bank Ohio River, Cincinnati. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: 5525 River Road. Phone: 513/941-0200
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.096667
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.65889
Remarks: Facility has capacity for mooring 5 barges abreast.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Facility has capacity for mooring 5 barges abreast.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Facility has capacity for mooring 5 barges abreast.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 145
Name: **McGinnis Cincinnati Terminal Upper Fleet Mooring.**
Port: Cincinnati
Location: Mile 479.9, right bank Ohio River, Cincinnati. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: 5525 River Road. Phone: 513/941-0200
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.096667
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.65889

Waterway: **Ohio River** Mile: 480 PWD: 145
Name: **McGinnis Cincinnati Terminal Upper Fleet Mooring.**
Port: Cincinnati
Location: Mile 479.9, right bank Ohio River, Cincinnati. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: 5525 River Road. Phone: 513/941-0200
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.096667
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.65889

Waterway: **Ohio River** Mile: 480 PWD: 145
Name: **McGinnis Cincinnati Terminal Upper Fleet Mooring.**
Port: Cincinnati
Location: Mile 479.9, right bank Ohio River, Cincinnati. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: 5525 River Road. Phone: 513/941-0200
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.096667
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.65889
Remarks: Facility has capacity for mooring 5 barges abreast.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Facility has capacity for mooring 5 barges abreast.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Facility has capacity for mooring 5 barges abreast.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 146
Name: **McGinnis Cincinnati Terminal Wharf.**
Port: Cincinnati
Location: Mile 480.0, right bank Ohio River, Cincinnati. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: 5525 River Road. Phone: 513/941-0200
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Mooring barges for repair and fleeting; mooring floating drydock.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.096944
Total Berthing Space (feet): 435 | | Longitude (decimal): -84.65972

Waterway: **Ohio River** Mile: 480 PWD: 146
Name: **McGinnis Cincinnati Terminal Wharf.**
Port: Cincinnati
Location: Mile 480.0, right bank Ohio River, Cincinnati. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: 5525 River Road. Phone: 513/941-0200
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Mooring barges for repair and fleeting; mooring floating drydock.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.096944
Total Berthing Space (feet): 435 | | Longitude (decimal): -84.65972

Waterway: **Ohio River** Mile: 480 PWD: 146
Name: **McGinnis Cincinnati Terminal Wharf.**
Port: Cincinnati
Location: Mile 480.0, right bank Ohio River, Cincinnati. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: 5525 River Road. Phone: 513/941-0200
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Mooring barges for repair and fleeting; mooring floating drydock.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.096944
Total Berthing Space (feet): 435 | | Longitude (decimal): -84.65972
Remarks: Facility has capacity for mooring 5 barges abreast at lower end. One 350-ton floating drydock is moored at wharf. Two wharf barges are equipped with outlets for compressed air, oxygen, and welding gas.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Facility has capacity for mooring 5 barges abreast at lower end. One 350-ton floating drydock is moored at wharf. Two wharf barges are equipped with outlets for compressed air, oxygen, and welding gas.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Remarks: Facility has capacity for mooring 5 barges abreast at lower end. One 350-ton floating drydock is moored at wharf. Two wharf barges are equipped with outlets for compressed air, oxygen, and welding gas.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 146
Name: **McGinnis Cincinnati Terminal Wharf.**
Port: Cincinnati
Location: Mile 480.0, right bank Ohio River, Cincinnati. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: 5525 River Road. Phone: 513/941-0200
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Mooring barges for repair and fleeting; mooring floating drydock.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.096944
Total Berthing Space (feet): 435 | | Longitude (decimal): -84.65972

Waterway: **Ohio River** Mile: 480 PWD: 146
Name: **McGinnis Cincinnati Terminal Wharf.**
Port: Cincinnati
Location: Mile 480.0, right bank Ohio River, Cincinnati. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: 5525 River Road. Phone: 513/941-0200
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Mooring barges for repair and fleeting; mooring floating drydock.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.096944
Total Berthing Space (feet): 435 | | Longitude (decimal): -84.65972

Waterway: **Ohio River** Mile: 480 PWD: 146
Name: **McGinnis Cincinnati Terminal Wharf.**
Port: Cincinnati
Location: Mile 480.0, right bank Ohio River, Cincinnati. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: 5525 River Road. Phone: 513/941-0200
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Mooring barges for repair and fleeting; mooring floating drydock.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.096944
Total Berthing Space (feet): 435 | | Longitude (decimal): -84.65972
Remarks: Facility has capacity for mooring 5 barges abreast at lower end. One 350-ton floating drydock is moored at wharf. Two wharf barges are equipped with outlets for compressed air, oxygen, and welding gas.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Facility has capacity for mooring 5 barges abreast at lower end. One 350-ton floating drydock is moored at wharf. Two wharf barges are equipped with outlets for compressed air, oxygen, and welding gas.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Remarks: Facility has capacity for mooring 5 barges abreast at lower end. One 350-ton floating drydock is moored at wharf. Two wharf barges are equipped with outlets for compressed air, oxygen, and welding gas.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 146
Name: **McGinnis Cincinnati Terminal Wharf.**
Port: Cincinnati
Location: Mile 480.0, right bank Ohio River, Cincinnati. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: 5525 River Road. Phone: 513/941-0200
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Mooring barges for repair and fleeting; mooring floating drydock.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.096944
Total Berthing Space (feet): 435 | | Longitude (decimal): -84.65972

Waterway: **Ohio River** Mile: 480 PWD: 146
Name: **McGinnis Cincinnati Terminal Wharf.**
Port: Cincinnati
Location: Mile 480.0, right bank Ohio River, Cincinnati. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: 5525 River Road. Phone: 513/941-0200
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Mooring barges for repair and fleeting; mooring floating drydock.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.096944
Total Berthing Space (feet): 435 | | Longitude (decimal): -84.65972

Waterway: **Ohio River** Mile: 480 PWD: 146
Name: **McGinnis Cincinnati Terminal Wharf.**
Port: Cincinnati
Location: Mile 480.0, right bank Ohio River, Cincinnati. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: 5525 River Road. Phone: 513/941-0200
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Mooring barges for repair and fleeting; mooring floating drydock.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.096944
Total Berthing Space (feet): 435 | | Longitude (decimal): -84.65972
Remarks: Facility has capacity for mooring 5 barges abreast at lower end. One 350-ton floating drydock is moored at wharf. Two wharf barges are equipped with outlets for compressed air, oxygen, and welding gas.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Facility has capacity for mooring 5 barges abreast at lower end. One 350-ton floating drydock is moored at wharf. Two wharf barges are equipped with outlets for compressed air, oxygen, and welding gas.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Remarks: Facility has capacity for mooring 5 barges abreast at lower end. One 350-ton floating drydock is moored at wharf. Two wharf barges are equipped with outlets for compressed air, oxygen, and welding gas.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 142
Name: **River Transportation Co. Dry Bulk Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of dry bulk commodities, including iron ore, magnesite, gravel, salt, and fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 215 | | Longitude (decimal): -84.65361

Waterway: **Ohio River** Mile: 480 PWD: 142
Name: **River Transportation Co. Dry Bulk Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of dry bulk commodities, including iron ore, magnesite, gravel, salt, and fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 215 | | Longitude (decimal): -84.65361

Waterway: **Ohio River** Mile: 480 PWD: 142
Name: **River Transportation Co. Dry Bulk Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of dry bulk commodities, including iron ore, magnesite, gravel, salt, and fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 215 | | Longitude (decimal): -84.65361

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 142
Name: **River Transportation Co. Dry Bulk Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of dry bulk commodities, including iron ore, magnesite, gravel, salt, and fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 215 | | Longitude (decimal): -84.65361

Waterway: **Ohio River** Mile: 480 PWD: 142
Name: **River Transportation Co. Dry Bulk Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of dry bulk commodities, including iron ore, magnesite, gravel, salt, and fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 215 | | Longitude (decimal): -84.65361

Remarks: Approximately 5 acres of paved and 5 acres of unpaved open storage area located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Approximately 5 acres of paved and 5 acres of unpaved open storage area located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Approximately 5 acres of paved and 5 acres of unpaved open storage area located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Approximately 5 acres of paved and 5 acres of unpaved open storage area located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Approximately 5 acres of paved and 5 acres of unpaved open storage area located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 142
Name: **River Transportation Co. Dry Bulk Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of dry bulk commodities, including iron ore, magnesite, gravel, salt, and fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 215 | | Longitude (decimal): -84.65361

Waterway: **Ohio River** Mile: 480 PWD: 142
Name: **River Transportation Co. Dry Bulk Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of dry bulk commodities, including iron ore, magnesite, gravel, salt, and fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 215 | | Longitude (decimal): -84.65361

Waterway: **Ohio River** Mile: 480 PWD: 142
Name: **River Transportation Co. Dry Bulk Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of dry bulk commodities, including iron ore, magnesite, gravel, salt, and fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 215 | | Longitude (decimal): -84.65361

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 142
Name: **River Transportation Co. Dry Bulk Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of dry bulk commodities, including iron ore, magnesite, gravel, salt, and fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 215 | | Longitude (decimal): -84.65361

Waterway: **Ohio River** Mile: 480 PWD: 142
Name: **River Transportation Co. Dry Bulk Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of dry bulk commodities, including iron ore, magnesite, gravel, salt, and fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 215 | | Longitude (decimal): -84.65361

Remarks: Approximately 5 acres of paved and 5 acres of unpaved open storage area located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Approximately 5 acres of paved and 5 acres of unpaved open storage area located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Approximately 5 acres of paved and 5 acres of unpaved open storage area located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Approximately 5 acres of paved and 5 acres of unpaved open storage area located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Approximately 5 acres of paved and 5 acres of unpaved open storage area located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 142
Name: **River Transportation Co. Dry Bulk Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of dry bulk commodities, including iron ore, magnesite, gravel, salt, and fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 215 | | Longitude (decimal): -84.65361

Waterway: **Ohio River** Mile: 480 PWD: 142
Name: **River Transportation Co. Dry Bulk Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of dry bulk commodities, including iron ore, magnesite, gravel, salt, and fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 215 | | Longitude (decimal): -84.65361

Waterway: **Ohio River** Mile: 480 PWD: 142
Name: **River Transportation Co. Dry Bulk Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of dry bulk commodities, including iron ore, magnesite, gravel, salt, and fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 215 | | Longitude (decimal): -84.65361

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 142
Name: **River Transportation Co. Dry Bulk Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of dry bulk commodities, including iron ore, magnesite, gravel, salt, and fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 215 | | Longitude (decimal): -84.65361

Waterway: **Ohio River** Mile: 480 PWD: 142
Name: **River Transportation Co. Dry Bulk Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of dry bulk commodities, including iron ore, magnesite, gravel, salt, and fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 215 | | Longitude (decimal): -84.65361

Remarks: Approximately 5 acres of paved and 5 acres of unpaved open storage area located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Approximately 5 acres of paved and 5 acres of unpaved open storage area located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Approximately 5 acres of paved and 5 acres of unpaved open storage area located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Approximately 5 acres of paved and 5 acres of unpaved open storage area located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Approximately 5 acres of paved and 5 acres of unpaved open storage area located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 142
Name: **River Transportation Co. Dry Bulk Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of dry bulk commodities, including iron ore, magnesite, gravel, salt, and fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 215 | | Longitude (decimal): -84.65361

Waterway: **Ohio River** Mile: 480 PWD: 142
Name: **River Transportation Co. Dry Bulk Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of dry bulk commodities, including iron ore, magnesite, gravel, salt, and fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 215 | | Longitude (decimal): -84.65361

Waterway: **Ohio River** Mile: 480 PWD: 142
Name: **River Transportation Co. Dry Bulk Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of dry bulk commodities, including iron ore, magnesite, gravel, salt, and fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 215 | | Longitude (decimal): -84.65361

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 142
Name: **River Transportation Co. Dry Bulk Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of dry bulk commodities, including iron ore, magnesite, gravel, salt, and fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 215 | | Longitude (decimal): -84.65361

Waterway: **Ohio River** Mile: 480 PWD: 142
Name: **River Transportation Co. Dry Bulk Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of dry bulk commodities, including iron ore, magnesite, gravel, salt, and fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 215 | | Longitude (decimal): -84.65361

Remarks: Approximately 5 acres of paved and 5 acres of unpaved open storage area located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Approximately 5 acres of paved and 5 acres of unpaved open storage area located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Approximately 5 acres of paved and 5 acres of unpaved open storage area located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Approximately 5 acres of paved and 5 acres of unpaved open storage area located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Approximately 5 acres of paved and 5 acres of unpaved open storage area located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 142
Name: **River Transportation Co. Dry Bulk Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of dry bulk commodities, including iron ore, magnesite, gravel, salt, and fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 215 | | Longitude (decimal): -84.65361

Waterway: **Ohio River** Mile: 480 PWD: 142
Name: **River Transportation Co. Dry Bulk Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of dry bulk commodities, including iron ore, magnesite, gravel, salt, and fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 215 | | Longitude (decimal): -84.65361

Waterway: **Ohio River** Mile: 480 PWD: 142
Name: **River Transportation Co. Dry Bulk Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of dry bulk commodities, including iron ore, magnesite, gravel, salt, and fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 215 | | Longitude (decimal): -84.65361

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 142
Name: **River Transportation Co. Dry Bulk Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of dry bulk commodities, including iron ore, magnesite, gravel, salt, and fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 215 | | Longitude (decimal): -84.65361

Waterway: **Ohio River** Mile: 480 PWD: 142
Name: **River Transportation Co. Dry Bulk Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of dry bulk commodities, including iron ore, magnesite, gravel, salt, and fertilizer.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094167
Total Berthing Space (feet): 215 | | Longitude (decimal): -84.65361

Remarks: Approximately 5 acres of paved and 5 acres of unpaved open storage area located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Approximately 5 acres of paved and 5 acres of unpaved open storage area located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Approximately 5 acres of paved and 5 acres of unpaved open storage area located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Approximately 5 acres of paved and 5 acres of unpaved open storage area located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Approximately 5 acres of paved and 5 acres of unpaved open storage area located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 143
Name: **River Transportation Co. Lower Landing.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of methanol and vinyl acetate.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094722
Total Berthing Space (feet): 100 | | Longitude (decimal): -84.65444

Waterway: **Ohio River** Mile: 480 PWD: 143
Name: **River Transportation Co. Lower Landing.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of methanol and vinyl acetate.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094722
Total Berthing Space (feet): 100 | | Longitude (decimal): -84.65444

Waterway: **Ohio River** Mile: 480 PWD: 143
Name: **River Transportation Co. Lower Landing.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of methanol and vinyl acetate.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094722
Total Berthing Space (feet): 100 | | Longitude (decimal): -84.65444

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 143
Name: **River Transportation Co. Lower Landing.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of methanol and vinyl acetate.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094722
Total Berthing Space (feet): 100 | | Longitude (decimal): -84.65444

Waterway: **Ohio River** Mile: 480 PWD: 143
Name: **River Transportation Co. Lower Landing.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of methanol and vinyl acetate.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094722
Total Berthing Space (feet): 100 | | Longitude (decimal): -84.65444

Remarks: One 4-inch pipeline extends from wharf to one 420,000-gallon methanol storage tank and one 6-inch pipeline extends to one 525,000-gallon vinyl acetate storage tank in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: One 4-inch pipeline extends from wharf to one 420,000-gallon methanol storage tank and one 6-inch pipeline extends to one 525,000-gallon vinyl acetate storage tank in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: One 4-inch pipeline extends from wharf to one 420,000-gallon methanol storage tank and one 6-inch pipeline extends to one 525,000-gallon vinyl acetate storage tank in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: One 4-inch pipeline extends from wharf to one 420,000-gallon methanol storage tank and one 6-inch pipeline extends to one 525,000-gallon vinyl acetate storage tank in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: One 4-inch pipeline extends from wharf to one 420,000-gallon methanol storage tank and one 6-inch pipeline extends to one 525,000-gallon vinyl acetate storage tank in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 143
Name: **River Transportation Co. Lower Landing.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of methanol and vinyl acetate.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094722
Total Berthing Space (feet): 100 | | Longitude (decimal): -84.65444

Waterway: **Ohio River** Mile: 480 PWD: 143
Name: **River Transportation Co. Lower Landing.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of methanol and vinyl acetate.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094722
Total Berthing Space (feet): 100 | | Longitude (decimal): -84.65444

Waterway: **Ohio River** Mile: 480 PWD: 143
Name: **River Transportation Co. Lower Landing.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of methanol and vinyl acetate.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094722
Total Berthing Space (feet): 100 | | Longitude (decimal): -84.65444

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 143
Name: **River Transportation Co. Lower Landing.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of methanol and vinyl acetate.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094722
Total Berthing Space (feet): 100 | | Longitude (decimal): -84.65444

Waterway: **Ohio River** Mile: 480 PWD: 143
Name: **River Transportation Co. Lower Landing.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of methanol and vinyl acetate.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094722
Total Berthing Space (feet): 100 | | Longitude (decimal): -84.65444

Remarks: One 4-inch pipeline extends from wharf to one 420,000-gallon methanol storage tank and one 6-inch pipeline extends to one 525,000-gallon vinyl acetate storage tank in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: One 4-inch pipeline extends from wharf to one 420,000-gallon methanol storage tank and one 6-inch pipeline extends to one 525,000-gallon vinyl acetate storage tank in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: One 4-inch pipeline extends from wharf to one 420,000-gallon methanol storage tank and one 6-inch pipeline extends to one 525,000-gallon vinyl acetate storage tank in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: One 4-inch pipeline extends from wharf to one 420,000-gallon methanol storage tank and one 6-inch pipeline extends to one 525,000-gallon vinyl acetate storage tank in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: One 4-inch pipeline extends from wharf to one 420,000-gallon methanol storage tank and one 6-inch pipeline extends to one 525,000-gallon vinyl acetate storage tank in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 143
Name: **River Transportation Co. Lower Landing.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of methanol and vinyl acetate.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094722
Total Berthing Space (feet): 100 | | Longitude (decimal): -84.65444

Waterway: **Ohio River** Mile: 480 PWD: 143
Name: **River Transportation Co. Lower Landing.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of methanol and vinyl acetate.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094722
Total Berthing Space (feet): 100 | | Longitude (decimal): -84.65444

Waterway: **Ohio River** Mile: 480 PWD: 143
Name: **River Transportation Co. Lower Landing.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of methanol and vinyl acetate.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094722
Total Berthing Space (feet): 100 | | Longitude (decimal): -84.65444

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 143
Name: **River Transportation Co. Lower Landing.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of methanol and vinyl acetate.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094722
Total Berthing Space (feet): 100 | | Longitude (decimal): -84.65444

Waterway: **Ohio River** Mile: 480 PWD: 143
Name: **River Transportation Co. Lower Landing.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of methanol and vinyl acetate.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094722
Total Berthing Space (feet): 100 | | Longitude (decimal): -84.65444

Remarks: One 4-inch pipeline extends from wharf to one 420,000-gallon methanol storage tank and one 6-inch pipeline extends to one 525,000-gallon vinyl acetate storage tank in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: One 4-inch pipeline extends from wharf to one 420,000-gallon methanol storage tank and one 6-inch pipeline extends to one 525,000-gallon vinyl acetate storage tank in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: One 4-inch pipeline extends from wharf to one 420,000-gallon methanol storage tank and one 6-inch pipeline extends to one 525,000-gallon vinyl acetate storage tank in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: One 4-inch pipeline extends from wharf to one 420,000-gallon methanol storage tank and one 6-inch pipeline extends to one 525,000-gallon vinyl acetate storage tank in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: One 4-inch pipeline extends from wharf to one 420,000-gallon methanol storage tank and one 6-inch pipeline extends to one 525,000-gallon vinyl acetate storage tank in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 143
Name: **River Transportation Co. Lower Landing.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of methanol and vinyl acetate.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094722
Total Berthing Space (feet): 100 | | Longitude (decimal): -84.65444

Waterway: **Ohio River** Mile: 480 PWD: 143
Name: **River Transportation Co. Lower Landing.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of methanol and vinyl acetate.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094722
Total Berthing Space (feet): 100 | | Longitude (decimal): -84.65444

Waterway: **Ohio River** Mile: 480 PWD: 143
Name: **River Transportation Co. Lower Landing.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of methanol and vinyl acetate.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094722
Total Berthing Space (feet): 100 | | Longitude (decimal): -84.65444

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 143
Name: **River Transportation Co. Lower Landing.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of methanol and vinyl acetate.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094722
Total Berthing Space (feet): 100 | | Longitude (decimal): -84.65444

Waterway: **Ohio River** Mile: 480 PWD: 143
Name: **River Transportation Co. Lower Landing.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of methanol and vinyl acetate.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094722
Total Berthing Space (feet): 100 | | Longitude (decimal): -84.65444

Remarks: One 4-inch pipeline extends from wharf to one 420,000-gallon methanol storage tank and one 6-inch pipeline extends to one 525,000-gallon vinyl acetate storage tank in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: One 4-inch pipeline extends from wharf to one 420,000-gallon methanol storage tank and one 6-inch pipeline extends to one 525,000-gallon vinyl acetate storage tank in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: One 4-inch pipeline extends from wharf to one 420,000-gallon methanol storage tank and one 6-inch pipeline extends to one 525,000-gallon vinyl acetate storage tank in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: One 4-inch pipeline extends from wharf to one 420,000-gallon methanol storage tank and one 6-inch pipeline extends to one 525,000-gallon vinyl acetate storage tank in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: One 4-inch pipeline extends from wharf to one 420,000-gallon methanol storage tank and one 6-inch pipeline extends to one 525,000-gallon vinyl acetate storage tank in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 143
Name: **River Transportation Co. Lower Landing.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of methanol and vinyl acetate.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094722
Total Berthing Space (feet): 100 | | Longitude (decimal): -84.65444

Waterway: **Ohio River** Mile: 480 PWD: 143
Name: **River Transportation Co. Lower Landing.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of methanol and vinyl acetate.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094722
Total Berthing Space (feet): 100 | | Longitude (decimal): -84.65444

Waterway: **Ohio River** Mile: 480 PWD: 143
Name: **River Transportation Co. Lower Landing.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of methanol and vinyl acetate.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094722
Total Berthing Space (feet): 100 | | Longitude (decimal): -84.65444

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 143
Name: **River Transportation Co. Lower Landing.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of methanol and vinyl acetate.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094722
Total Berthing Space (feet): 100 | | Longitude (decimal): -84.65444

Waterway: **Ohio River** Mile: 480 PWD: 143
Name: **River Transportation Co. Lower Landing.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of methanol and vinyl acetate.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.094722
Total Berthing Space (feet): 100 | | Longitude (decimal): -84.65444

Remarks: One 4-inch pipeline extends from wharf to one 420,000-gallon methanol storage tank and one 6-inch pipeline extends to one 525,000-gallon vinyl acetate storage tank in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: One 4-inch pipeline extends from wharf to one 420,000-gallon methanol storage tank and one 6-inch pipeline extends to one 525,000-gallon vinyl acetate storage tank in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: One 4-inch pipeline extends from wharf to one 420,000-gallon methanol storage tank and one 6-inch pipeline extends to one 525,000-gallon vinyl acetate storage tank in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: One 4-inch pipeline extends from wharf to one 420,000-gallon methanol storage tank and one 6-inch pipeline extends to one 525,000-gallon vinyl acetate storage tank in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: One 4-inch pipeline extends from wharf to one 420,000-gallon methanol storage tank and one 6-inch pipeline extends to one 525,000-gallon vinyl acetate storage tank in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 141
Name: **River Transportation Co., General Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of general cargo, steel products and dry bulk commodities, including iron and zinc ores, pig iron, scrap metal, gravel, salt, charcoal briquets and fertilizer.
Depth Alongside (feet): 25 | 25 | Latitude (decimal): 39.093056
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -84.65194

Waterway: **Ohio River** Mile: 480 PWD: 141
Name: **River Transportation Co., General Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of general cargo, steel products and dry bulk commodities, including iron and zinc ores, pig iron, scrap metal, gravel, salt, charcoal briquets and fertilizer.
Depth Alongside (feet): 25 | 25 | Latitude (decimal): 39.093056
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -84.65194

Waterway: **Ohio River** Mile: 480 PWD: 141
Name: **River Transportation Co., General Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of general cargo, steel products and dry bulk commodities, including iron and zinc ores, pig iron, scrap metal, gravel, salt, charcoal briquets and fertilizer.
Depth Alongside (feet): 25 | 25 | Latitude (decimal): 39.093056
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -84.65194

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 141
Name: **River Transportation Co., General Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of general cargo, steel products and dry bulk commodities, including iron and zinc ores, pig iron, scrap metal, gravel, salt, charcoal briquets and fertilizer.
Depth Alongside (feet): 25 | 25 | Latitude (decimal): 39.093056
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -84.65194

Waterway: **Ohio River** Mile: 480 PWD: 141
Name: **River Transportation Co., General Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of general cargo, steel products and dry bulk commodities, including iron and zinc ores, pig iron, scrap metal, gravel, salt, charcoal briquets and fertilizer.
Depth Alongside (feet): 25 | 25 | Latitude (decimal): 39.093056
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -84.65194

Remarks: Six storage buildings at rear have a total of 52,000 square feet of storage space, 5 additional buildings located off site have a total area of 115,000 square feet. One 8,000 square foot concrete paved transit st acre unpaved open storage area are located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Six storage buildings at rear have a total of 52,000 square feet of storage space, 5 additional buildings located off site have a total area of 115,000 square feet. One 8,000 square foot concrete paved transit st acre unpaved open storage area are located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Six storage buildings at rear have a total of 52,000 square feet of storage space, 5 additional buildings located off site have a total area of 115,000 square feet. One 8,000 square foot concrete paved transit st acre unpaved open storage area are located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Six storage buildings at rear have a total of 52,000 square feet of storage space, 5 additional buildings located off site have a total area of 115,000 square feet. One 8,000 square foot concrete paved transit st acre unpaved open storage area are located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Remarks: Six storage buildings at rear have a total of 52,000 square feet of storage space, 5 additional buildings located off site have a total area of 115,000 square feet. One 8,000 square foot concrete paved transit st acre unpaved open storage area are located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 141
Name: **River Transportation Co., General Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of general cargo, steel products and dry bulk commodities, including iron and zinc ores, pig iron, scrap metal, gravel, salt, charcoal briquets and fertilizer.
Depth Alongside (feet): 25 | 25 | Latitude (decimal): 39.093056
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -84.65194

Waterway: **Ohio River** Mile: 480 PWD: 141
Name: **River Transportation Co., General Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of general cargo, steel products and dry bulk commodities, including iron and zinc ores, pig iron, scrap metal, gravel, salt, charcoal briquets and fertilizer.
Depth Alongside (feet): 25 | 25 | Latitude (decimal): 39.093056
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -84.65194

Waterway: **Ohio River** Mile: 480 PWD: 141
Name: **River Transportation Co., General Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of general cargo, steel products and dry bulk commodities, including iron and zinc ores, pig iron, scrap metal, gravel, salt, charcoal briquets and fertilizer.
Depth Alongside (feet): 25 | 25 | Latitude (decimal): 39.093056
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -84.65194

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 141
Name: **River Transportation Co., General Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of general cargo, steel products and dry bulk commodities, including iron and zinc ores, pig iron, scrap metal, gravel, salt, charcoal briquets and fertilizer.
Depth Alongside (feet): 25 | 25 | Latitude (decimal): 39.093056
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -84.65194

Waterway: **Ohio River** Mile: 480 PWD: 141
Name: **River Transportation Co., General Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of general cargo, steel products and dry bulk commodities, including iron and zinc ores, pig iron, scrap metal, gravel, salt, charcoal briquets and fertilizer.
Depth Alongside (feet): 25 | 25 | Latitude (decimal): 39.093056
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -84.65194

Remarks: Six storage buildings at rear have a total of 52,000 square feet of storage space, 5 additional buildings located off site have a total area of 115,000 square feet. One 8,000 square foot concrete paved transit st acre unpaved open storage area are located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Six storage buildings at rear have a total of 52,000 square feet of storage space, 5 additional buildings located off site have a total area of 115,000 square feet. One 8,000 square foot concrete paved transit st acre unpaved open storage area are located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Six storage buildings at rear have a total of 52,000 square feet of storage space, 5 additional buildings located off site have a total area of 115,000 square feet. One 8,000 square foot concrete paved transit st acre unpaved open storage area are located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Six storage buildings at rear have a total of 52,000 square feet of storage space, 5 additional buildings located off site have a total area of 115,000 square feet. One 8,000 square foot concrete paved transit st acre unpaved open storage area are located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Remarks: Six storage buildings at rear have a total of 52,000 square feet of storage space, 5 additional buildings located off site have a total area of 115,000 square feet. One 8,000 square foot concrete paved transit st acre unpaved open storage area are located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 141
Name: **River Transportation Co., General Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of general cargo, steel products and dry bulk commodities, including iron and zinc ores, pig iron, scrap metal, gravel, salt, charcoal briquets and fertilizer.
Depth Alongside (feet): 25 | 25 | Latitude (decimal): 39.093056
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -84.65194

Waterway: **Ohio River** Mile: 480 PWD: 141
Name: **River Transportation Co., General Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of general cargo, steel products and dry bulk commodities, including iron and zinc ores, pig iron, scrap metal, gravel, salt, charcoal briquets and fertilizer.
Depth Alongside (feet): 25 | 25 | Latitude (decimal): 39.093056
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -84.65194

Waterway: **Ohio River** Mile: 480 PWD: 141
Name: **River Transportation Co., General Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of general cargo, steel products and dry bulk commodities, including iron and zinc ores, pig iron, scrap metal, gravel, salt, charcoal briquets and fertilizer.
Depth Alongside (feet): 25 | 25 | Latitude (decimal): 39.093056
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -84.65194

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 141
Name: **River Transportation Co., General Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of general cargo, steel products and dry bulk commodities, including iron and zinc ores, pig iron, scrap metal, gravel, salt, charcoal briquets and fertilizer.
Depth Alongside (feet): 25 | 25 | Latitude (decimal): 39.093056
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -84.65194

Waterway: **Ohio River** Mile: 480 PWD: 141
Name: **River Transportation Co., General Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of general cargo, steel products and dry bulk commodities, including iron and zinc ores, pig iron, scrap metal, gravel, salt, charcoal briquets and fertilizer.
Depth Alongside (feet): 25 | 25 | Latitude (decimal): 39.093056
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -84.65194

Remarks: Six storage buildings at rear have a total of 52,000 square feet of storage space, 5 additional buildings located off site have a total area of 115,000 square feet. One 8,000 square foot concrete paved transit st acre unpaved open storage area are located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Six storage buildings at rear have a total of 52,000 square feet of storage space, 5 additional buildings located off site have a total area of 115,000 square feet. One 8,000 square foot concrete paved transit st acre unpaved open storage area are located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Six storage buildings at rear have a total of 52,000 square feet of storage space, 5 additional buildings located off site have a total area of 115,000 square feet. One 8,000 square foot concrete paved transit st acre unpaved open storage area are located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Six storage buildings at rear have a total of 52,000 square feet of storage space, 5 additional buildings located off site have a total area of 115,000 square feet. One 8,000 square foot concrete paved transit st acre unpaved open storage area are located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Remarks: Six storage buildings at rear have a total of 52,000 square feet of storage space, 5 additional buildings located off site have a total area of 115,000 square feet. One 8,000 square foot concrete paved transit st acre unpaved open storage area are located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 141
Name: **River Transportation Co., General Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of general cargo, steel products and dry bulk commodities, including iron and zinc ores, pig iron, scrap metal, gravel, salt, charcoal briquets and fertilizer.
Depth Alongside (feet): 25 | 25 | Latitude (decimal): 39.093056
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -84.65194

Waterway: **Ohio River** Mile: 480 PWD: 141
Name: **River Transportation Co., General Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of general cargo, steel products and dry bulk commodities, including iron and zinc ores, pig iron, scrap metal, gravel, salt, charcoal briquets and fertilizer.
Depth Alongside (feet): 25 | 25 | Latitude (decimal): 39.093056
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -84.65194

Waterway: **Ohio River** Mile: 480 PWD: 141
Name: **River Transportation Co., General Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of general cargo, steel products and dry bulk commodities, including iron and zinc ores, pig iron, scrap metal, gravel, salt, charcoal briquets and fertilizer.
Depth Alongside (feet): 25 | 25 | Latitude (decimal): 39.093056
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -84.65194

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 141
Name: **River Transportation Co., General Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of general cargo, steel products and dry bulk commodities, including iron and zinc ores, pig iron, scrap metal, gravel, salt, charcoal briquets and fertilizer.
Depth Alongside (feet): 25 | 25 | Latitude (decimal): 39.093056
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -84.65194

Waterway: **Ohio River** Mile: 480 PWD: 141
Name: **River Transportation Co., General Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of general cargo, steel products and dry bulk commodities, including iron and zinc ores, pig iron, scrap metal, gravel, salt, charcoal briquets and fertilizer.
Depth Alongside (feet): 25 | 25 | Latitude (decimal): 39.093056
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -84.65194

Remarks: Six storage buildings at rear have a total of 52,000 square feet of storage space, 5 additional buildings located off site have a total area of 115,000 square feet. One 8,000 square foot concrete paved transit st acre unpaved open storage area are located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Six storage buildings at rear have a total of 52,000 square feet of storage space, 5 additional buildings located off site have a total area of 115,000 square feet. One 8,000 square foot concrete paved transit st acre unpaved open storage area are located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Six storage buildings at rear have a total of 52,000 square feet of storage space, 5 additional buildings located off site have a total area of 115,000 square feet. One 8,000 square foot concrete paved transit st acre unpaved open storage area are located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Six storage buildings at rear have a total of 52,000 square feet of storage space, 5 additional buildings located off site have a total area of 115,000 square feet. One 8,000 square foot concrete paved transit st acre unpaved open storage area are located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Remarks: Six storage buildings at rear have a total of 52,000 square feet of storage space, 5 additional buildings located off site have a total area of 115,000 square feet. One 8,000 square foot concrete paved transit st acre unpaved open storage area are located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 141
Name: **River Transportation Co., General Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of general cargo, steel products and dry bulk commodities, including iron and zinc ores, pig iron, scrap metal, gravel, salt, charcoal briquets and fertilizer.
Depth Alongside (feet): 25 | 25 | Latitude (decimal): 39.093056
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -84.65194

Waterway: **Ohio River** Mile: 480 PWD: 141
Name: **River Transportation Co., General Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of general cargo, steel products and dry bulk commodities, including iron and zinc ores, pig iron, scrap metal, gravel, salt, charcoal briquets and fertilizer.
Depth Alongside (feet): 25 | 25 | Latitude (decimal): 39.093056
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -84.65194

Waterway: **Ohio River** Mile: 480 PWD: 141
Name: **River Transportation Co., General Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of general cargo, steel products and dry bulk commodities, including iron and zinc ores, pig iron, scrap metal, gravel, salt, charcoal briquets and fertilizer.
Depth Alongside (feet): 25 | 25 | Latitude (decimal): 39.093056
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -84.65194

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 480 PWD: 141
Name: **River Transportation Co., General Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of general cargo, steel products and dry bulk commodities, including iron and zinc ores, pig iron, scrap metal, gravel, salt, charcoal briquets and fertilizer.
Depth Alongside (feet): 25 | 25 | Latitude (decimal): 39.093056
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -84.65194

Waterway: **Ohio River** Mile: 480 PWD: 141
Name: **River Transportation Co., General Cargo Wharf.**
Port: Cincinnati
Location: Mile 479.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: River Transportation Co, a division of Boswell Oil Co.
Owner: River Transportation Co, a division of Boswell Oil Co.
Address: 5297 River Road. Phone: 513/941-0500
Town: Cincinnati State: OH County: Hamilton
Railway Connection: Two surface tracks with capacity for 75 cars serve facility at rear; connect with CSX Rail Transport.
Purpose: Receipt of general cargo, steel products and dry bulk commodities, including iron and zinc ores, pig iron, scrap metal, gravel, salt, charcoal briquets and fertilizer.
Depth Alongside (feet): 25 | 25 | Latitude (decimal): 39.093056
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -84.65194

Remarks: Six storage buildings at rear have a total of 52,000 square feet of storage space, 5 additional buildings located off site have a total area of 115,000 square feet. One 8,000 square foot concrete paved transit st acre unpaved open storage area are located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Six storage buildings at rear have a total of 52,000 square feet of storage space, 5 additional buildings located off site have a total area of 115,000 square feet. One 8,000 square foot concrete paved transit st acre unpaved open storage area are located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Six storage buildings at rear have a total of 52,000 square feet of storage space, 5 additional buildings located off site have a total area of 115,000 square feet. One 8,000 square foot concrete paved transit st acre unpaved open storage area are located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Six storage buildings at rear have a total of 52,000 square feet of storage space, 5 additional buildings located off site have a total area of 115,000 square feet. One 8,000 square foot concrete paved transit st acre unpaved open storage area are located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Remarks: Six storage buildings at rear have a total of 52,000 square feet of storage space, 5 additional buildings located off site have a total area of 115,000 square feet. One 8,000 square foot concrete paved transit st acre unpaved open storage area are located at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Waterway: **Ohio River** Mile: 481 PWD: 13

Name: **Ashland Oil Stringtown Dock.**

Port: Ohio River

Location: Mile 480.9, left bank, Ohio River, Taylorsport. Datum: NPE

Operator: Various lessees.

Owner: Ashland Oil, Inc.

Address: River Road Phone:

Town: Taylorsport State: KY County: Boone

Railway Connection: None.

Purpose: Mooring barges.

Depth Alongside (feet): 10 | | Latitude (decimal): 39.110556

Total Berthing Space (feet): 400 | | Longitude (decimal): -84.67667

Remarks: Facility was formerly used for shipment of crude oil, pipelines have been removed.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 482 PWD: 147
Name: **McGinnis Cincinnati Terminal Lower Fleet Mooring.**
Port: Cincinnati
Location: Mile 481.3 to 481.8, right bank Ohio River, Cincinnati. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: 5525 River Road. Phone: 513/941-0200
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 9 | | Latitude (decimal): 39.097778
Total Berthing Space (feet): 2500 | | Longitude (decimal): -84.66278

Waterway: **Ohio River** Mile: 482 PWD: 147
Name: **McGinnis Cincinnati Terminal Lower Fleet Mooring.**
Port: Cincinnati
Location: Mile 481.3 to 481.8, right bank Ohio River, Cincinnati. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: 5525 River Road. Phone: 513/941-0200
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 9 | | Latitude (decimal): 39.097778
Total Berthing Space (feet): 2500 | | Longitude (decimal): -84.66278

Waterway: **Ohio River** Mile: 482 PWD: 147
Name: **McGinnis Cincinnati Terminal Lower Fleet Mooring.**
Port: Cincinnati
Location: Mile 481.3 to 481.8, right bank Ohio River, Cincinnati. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: 5525 River Road. Phone: 513/941-0200
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 9 | | Latitude (decimal): 39.097778
Total Berthing Space (feet): 2500 | | Longitude (decimal): -84.66278
Remarks: Facility has capacity for approximately 56 barges arranged in 12 tiers, 4- and 5- barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Facility has capacity for approximately 56 barges arranged in 12 tiers, 4- and 5- barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Facility has capacity for approximately 56 barges arranged in 12 tiers, 4- and 5- barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 482 PWD: 147
Name: **McGinnis Cincinnati Terminal Lower Fleet Mooring.**
Port: Cincinnati
Location: Mile 481.3 to 481.8, right bank Ohio River, Cincinnati. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: 5525 River Road. Phone: 513/941-0200
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 9 | | Latitude (decimal): 39.097778
Total Berthing Space (feet): 2500 | | Longitude (decimal): -84.66278

Waterway: **Ohio River** Mile: 482 PWD: 147
Name: **McGinnis Cincinnati Terminal Lower Fleet Mooring.**
Port: Cincinnati
Location: Mile 481.3 to 481.8, right bank Ohio River, Cincinnati. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: 5525 River Road. Phone: 513/941-0200
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 9 | | Latitude (decimal): 39.097778
Total Berthing Space (feet): 2500 | | Longitude (decimal): -84.66278

Waterway: **Ohio River** Mile: 482 PWD: 147
Name: **McGinnis Cincinnati Terminal Lower Fleet Mooring.**
Port: Cincinnati
Location: Mile 481.3 to 481.8, right bank Ohio River, Cincinnati. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: 5525 River Road. Phone: 513/941-0200
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 9 | | Latitude (decimal): 39.097778
Total Berthing Space (feet): 2500 | | Longitude (decimal): -84.66278
Remarks: Facility has capacity for approximately 56 barges arranged in 12 tiers, 4- and 5- barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Facility has capacity for approximately 56 barges arranged in 12 tiers, 4- and 5- barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Facility has capacity for approximately 56 barges arranged in 12 tiers, 4- and 5- barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 482 PWD: 147
Name: **McGinnis Cincinnati Terminal Lower Fleet Mooring.**
Port: Cincinnati
Location: Mile 481.3 to 481.8, right bank Ohio River, Cincinnati. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: 5525 River Road. Phone: 513/941-0200
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 9 | | Latitude (decimal): 39.097778
Total Berthing Space (feet): 2500 | | Longitude (decimal): -84.66278

Waterway: **Ohio River** Mile: 482 PWD: 147
Name: **McGinnis Cincinnati Terminal Lower Fleet Mooring.**
Port: Cincinnati
Location: Mile 481.3 to 481.8, right bank Ohio River, Cincinnati. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: 5525 River Road. Phone: 513/941-0200
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 9 | | Latitude (decimal): 39.097778
Total Berthing Space (feet): 2500 | | Longitude (decimal): -84.66278

Waterway: **Ohio River** Mile: 482 PWD: 147
Name: **McGinnis Cincinnati Terminal Lower Fleet Mooring.**
Port: Cincinnati
Location: Mile 481.3 to 481.8, right bank Ohio River, Cincinnati. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: 5525 River Road. Phone: 513/941-0200
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 9 | | Latitude (decimal): 39.097778
Total Berthing Space (feet): 2500 | | Longitude (decimal): -84.66278
Remarks: Facility has capacity for approximately 56 barges arranged in 12 tiers, 4- and 5- barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Facility has capacity for approximately 56 barges arranged in 12 tiers, 4- and 5- barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Facility has capacity for approximately 56 barges arranged in 12 tiers, 4- and 5- barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 483 PWD: 148
Name: **CGB Marine Services, Sayler Park Mooring.**
Port: Cincinnati
Location: Mile 482.5, right bank Ohio River, Cincinnati. Datum: NPE
Operator: CGB Marine Services, Subsidiary of Consolidated Grain & Barge Co.
Owner: Archer Daniels Midland Co.
Address: 6555 River Road Phone: 513/941-8200
Town: Cincinnati State: OH County: Hamilton
Railway Connection: None.
Purpose: Mooring barges for fleeting and repair.
Depth Alongside (feet): 18 | | Latitude (decimal): 39.110278
Total Berthing Space (feet): 275 | | Longitude (decimal): -84.69444
Remarks: Three 6-inch pipelines extending from wharf to 11 concrete storage bins in building at rear total capacity 104 tons of flour, were out of service at time of survey. Fleeting area at shore moorings above wharf has capacity for 35 barges arranged in 7 tiers each 5 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

---

Waterway: **Ohio River** Mile: 483 PWD: 12
Name: **Morehead Marine Service/River Bend Marine Co. Wharf**
Port: Ohio River
Location: Mile 482.5, left bank, Ohio River, Taylorsport. Datum: NPE
Operator: Morehead Marine Service, Inc. and River Bend Marine Co.
Owner: Morehead Marine Service, Inc.
Address: 6778 River Road Phone: 606/689-4730
Town: Taylorsport State: KY County: Boone
Railway Connection: None.
Purpose: Mooring barges for fleeting; mooring company-owned barges for maintenance and repair. (See Remarks.)
Depth Alongside (feet): 10 | | Latitude (decimal): 39.107778
Total Berthing Space (feet): 1800 | | Longitude (decimal): -84.69889
Remarks: Morehead Marine Service, Inc. operates fleeting area with capacity for 64 barges consisting of 10 tiers, each 5 or 6 barges wide at shore moorings below wharf and 8 to 10 at upper 1,200-foot portion of wharf. Sev fleeting boats are also moored at upper end of wharf. River Bend Marine Co. operates lower 600-foot portion of wharf and performs repair work for various companies on a selective basis. Two floating drydocks are moore

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 484 PWD: 149

Name: **Monsanto Co., Addyston Plastics Plant Wharf.**

Port: Ohio River

Location: Mile 484.2, right bank Ohio River, Addyston . Datum: NPE

Operator: Monsanto Co.

Owner: Monsanto Co.

Address: U.S. Highway 50. Phone: 513/467-2325

Town: Addyston State: OH County: Hamilton

Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.

Purpose: Receipt of styrene, acrylonitrile, fuel oil, and methanol. Mooring barges for fleeting (See Remarks).

Depth Alongside (feet): 15 | | Latitude (decimal): 39.133333

Total Berthing Space (feet): 525 | | Longitude (decimal): -84.71389

Remarks: One 14-, two 8-, and one 6-inch pipelines extend from wharf to 7 steel storage tanks at rear.
Commodity Tanks CapacityStyrene 3
4,061,400 gallons Acrylonitrile 2 1,596,000 gallons Fuel
oilbarrelsMethanol 1 1,006,300 gallons□CGB Marine Services maintains
their 'North Bend Fleet' at shore moorings below wharf with capacity for 100 barges arranged in 20 tie

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 486 PWD: 151
Name: **Consolidated Grain & Barge Co. North Bend Terminal, Loading Dock.**
Port: Ohio River
Location: Mile 486.0, right bank Ohio River, North Bend. Datum: NPE
Operator: Consolidated Grain & Barge Co.
Owner: Consolidated Grain & Barge Co.
Address: 200 Sunset Avenue Phone: 513/941-8200
Town: North Bend State: OH County: Hamilton
Railway Connection: Six surface tracks with capacity for 100 cars serve undertrack pit and loading spout at terminal in rear; connect with Consolidated Rail Corp. and CSX Rail Transport.
Purpose: Shipment of dry bulk commodities, including salt, coal, and agricultural products.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.147222
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.74194

Waterway: **Ohio River** Mile: 486 PWD: 151
Name: **Consolidated Grain & Barge Co. North Bend Terminal, Loading Dock.**
Port: Ohio River
Location: Mile 486.0, right bank Ohio River, North Bend. Datum: NPE
Operator: Consolidated Grain & Barge Co.
Owner: Consolidated Grain & Barge Co.
Address: 200 Sunset Avenue Phone: 513/941-8200
Town: North Bend State: OH County: Hamilton
Railway Connection: Six surface tracks with capacity for 100 cars serve undertrack pit and loading spout at terminal in rear; connect with Consolidated Rail Corp. and CSX Rail Transport.
Purpose: Shipment of dry bulk commodities, including salt, coal, and agricultural products.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.147222
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.74194

Remarks: One timber storage building at rear has capacity for 1,400 tons of dry bulk commodities. Facility is equipped for cleaning dry and liquid cargo barges.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: One timber storage building at rear has capacity for 1,400 tons of dry bulk commodities. Facility is equipped for cleaning dry and liquid cargo barges.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 486 PWD: 151
Name: **Consolidated Grain & Barge Co. North Bend Terminal, Loading Dock.**
Port: Ohio River
Location: Mile 486.0, right bank Ohio River, North Bend. Datum: NPE
Operator: Consolidated Grain & Barge Co.
Owner: Consolidated Grain & Barge Co.
Address: 200 Sunset Avenue Phone: 513/941-8200
Town: North Bend State: OH County: Hamilton
Railway Connection: Six surface tracks with capacity for 100 cars serve undertrack pit and loading spout at terminal in rear; connect with Consolidated Rail Corp. and CSX Rail Transport.
Purpose: Shipment of dry bulk commodities, including salt, coal, and agricultural products.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.147222
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.74194

Waterway: **Ohio River** Mile: 486 PWD: 151
Name: **Consolidated Grain & Barge Co. North Bend Terminal, Loading Dock.**
Port: Ohio River
Location: Mile 486.0, right bank Ohio River, North Bend. Datum: NPE
Operator: Consolidated Grain & Barge Co.
Owner: Consolidated Grain & Barge Co.
Address: 200 Sunset Avenue Phone: 513/941-8200
Town: North Bend State: OH County: Hamilton
Railway Connection: Six surface tracks with capacity for 100 cars serve undertrack pit and loading spout at terminal in rear; connect with Consolidated Rail Corp. and CSX Rail Transport.
Purpose: Shipment of dry bulk commodities, including salt, coal, and agricultural products.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.147222
Total Berthing Space (feet): 195 | | Longitude (decimal): -84.74194

Remarks: One timber storage building at rear has capacity for 1,400 tons of dry bulk commodities. Facility is equipped for cleaning dry and liquid cargo barges.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: One timber storage building at rear has capacity for 1,400 tons of dry bulk commodities. Facility is equipped for cleaning dry and liquid cargo barges.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 486 PWD: 150
Name: **Consolidated Grain & Barge Co. North Bend Terminal, Unloading Dock**
Port: Ohio River
Location: Mile 485.7, right bank Ohio River, North Bend. Datum: NPE
Operator: Consolidated Grain & Barge Co.
Owner: Consolidated Grain & Barge Co.
Address: 200 Sunset Avenue Phone: 513/941-8200
Town: North Bend State: OH County: Hamilton
Railway Connection: Six surface tracks with capacity for 100 cars serve undertrack pit and loading spout at terminal in rear; connect with Consolidated Rail Corp. and CSX Rail Transport.
Purpose: Receipt of dry bulk commodities, including salt, coal, and fertilizer.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.146944
Total Berthing Space (feet): 350 | | Longitude (decimal): -84.74

Waterway: **Ohio River** Mile: 486 PWD: 150
Name: **Consolidated Grain & Barge Co. North Bend Terminal, Unloading Dock**
Port: Ohio River
Location: Mile 485.7, right bank Ohio River, North Bend. Datum: NPE
Operator: Consolidated Grain & Barge Co.
Owner: Consolidated Grain & Barge Co.
Address: 200 Sunset Avenue Phone: 513/941-8200
Town: North Bend State: OH County: Hamilton
Railway Connection: Six surface tracks with capacity for 100 cars serve undertrack pit and loading spout at terminal in rear; connect with Consolidated Rail Corp. and CSX Rail Transport.
Purpose: Receipt of dry bulk commodities, including salt, coal, and fertilizer.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.146944
Total Berthing Space (feet): 350 | | Longitude (decimal): -84.74

Remarks: Four concrete storage domes at rear have total capacity for 12,000 tons of dry bulk commodities. Approximately 5 acres of paved and 20 acres of unpaved open storage area at rear has capacity for approximately 15 materials. Facility has capacity for mooring 10 barges.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Four concrete storage domes at rear have total capacity for 12,000 tons of dry bulk commodities. Approximately 5 acres of paved and 20 acres of unpaved open storage area at rear has capacity for approximately 15 materials. Facility has capacity for mooring 10 barges.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 486 PWD: 150
Name: **Consolidated Grain & Barge Co. North Bend Terminal, Unloading Dock**
Port: Ohio River
Location: Mile 485.7, right bank Ohio River, North Bend. Datum: NPE
Operator: Consolidated Grain & Barge Co.
Owner: Consolidated Grain & Barge Co.
Address: 200 Sunset Avenue Phone: 513/941-8200
Town: North Bend State: OH County: Hamilton
Railway Connection: Six surface tracks with capacity for 100 cars serve undertrack pit and loading spout at terminal in rear; connect with Consolidated Rail Corp. and CSX Rail Transport.
Purpose: Receipt of dry bulk commodities, including salt, coal, and fertilizer.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.146944
Total Berthing Space (feet): 350 | | Longitude (decimal): -84.74

Waterway: **Ohio River** Mile: 486 PWD: 150
Name: **Consolidated Grain & Barge Co. North Bend Terminal, Unloading Dock**
Port: Ohio River
Location: Mile 485.7, right bank Ohio River, North Bend. Datum: NPE
Operator: Consolidated Grain & Barge Co.
Owner: Consolidated Grain & Barge Co.
Address: 200 Sunset Avenue Phone: 513/941-8200
Town: North Bend State: OH County: Hamilton
Railway Connection: Six surface tracks with capacity for 100 cars serve undertrack pit and loading spout at terminal in rear; connect with Consolidated Rail Corp. and CSX Rail Transport.
Purpose: Receipt of dry bulk commodities, including salt, coal, and fertilizer.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.146944
Total Berthing Space (feet): 350 | | Longitude (decimal): -84.74

Remarks: Four concrete storage domes at rear have total capacity for 12,000 tons of dry bulk commodities. Approximately 5 acres of paved and 20 acres of unpaved open storage area at rear has capacity for approximately 15 materials. Facility has capacity for mooring 10 barges.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Four concrete storage domes at rear have total capacity for 12,000 tons of dry bulk commodities. Approximately 5 acres of paved and 20 acres of unpaved open storage area at rear has capacity for approximately 15 materials. Facility has capacity for mooring 10 barges.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 487 PWD: 152

Name: **Chevron U.S.A., Cincinnati Facility Dock.**

Port: Ohio River

Location: Mile 486.8, right bank Ohio River, North Bend. Datum: NPE

Operator: Not operated.

Owner: Chevron U.S.A., Inc.

Address: 9531 Brower Road. Phone: 513/353-1323

Town: North Bend State: OH County: Hamilton

Railway Connection: One surface track at loading rack in rear; connects with CSX Rail Transport.

Purpose: Not used.

Depth Alongside (feet): 15 | | Latitude (decimal): 39.143889

Total Berthing Space (feet): 120 | | Longitude (decimal): -84.75972

Remarks: Five 6-inch pipelines, blanked at time of survey extend from wharf to 24 steel storage tanks at refinery in rear.

Tanks	Capacity	Commodity
Gasoline	11	596,000 Jet fuel and kerosene
8	78,900	No. 2 heating oil

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 488 PWD: 153
Name: **Koch Materials Co.,Cincinnati Terminal Dock.**
Port: Ohio River
Location: Mile 487.9, right bank Ohio River, North Bend. Datum: NPE
Operator: Koch Materials Co.
Owner: Koch Materials Co.
Address: 10100 Brower Road. Phone: 513/941-0550
Town: North Bend State: OH County: Hamilton
Railway Connection: None.
Purpose: Receipt of liquid asphalt and flux oil.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.133056
Total Berthing Space (feet): 380 | | Longitude (decimal): -84.77222

Waterway: **Ohio River** Mile: 488 PWD: 153
Name: **Koch Materials Co.,Cincinnati Terminal Dock.**
Port: Ohio River
Location: Mile 487.9, right bank Ohio River, North Bend. Datum: NPE
Operator: Koch Materials Co.
Owner: Koch Materials Co.
Address: 10100 Brower Road. Phone: 513/941-0550
Town: North Bend State: OH County: Hamilton
Railway Connection: None.
Purpose: Receipt of liquid asphalt and flux oil.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.133056
Total Berthing Space (feet): 380 | | Longitude (decimal): -84.77222

Remarks: One 10-inch pipeline extends from wharf to 13 steel storage tanks at terminal in rear, total capacity 240,000 barrels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: One 10-inch pipeline extends from wharf to 13 steel storage tanks at terminal in rear, total capacity 240,000 barrels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 488 PWD: 153
Name: **Koch Materials Co.,Cincinnati Terminal Dock.**
Port: Ohio River
Location: Mile 487.9, right bank Ohio River, North Bend. Datum: NPE
Operator: Koch Materials Co.
Owner: Koch Materials Co.
Address: 10100 Brower Road. Phone: 513/941-0550
Town: North Bend State: OH County: Hamilton
Railway Connection: None.
Purpose: Receipt of liquid asphalt and flux oil.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.133056
Total Berthing Space (feet): 380 | | Longitude (decimal): -84.77222

Waterway: **Ohio River** Mile: 488 PWD: 153
Name: **Koch Materials Co.,Cincinnati Terminal Dock.**
Port: Ohio River
Location: Mile 487.9, right bank Ohio River, North Bend. Datum: NPE
Operator: Koch Materials Co.
Owner: Koch Materials Co.
Address: 10100 Brower Road. Phone: 513/941-0550
Town: North Bend State: OH County: Hamilton
Railway Connection: None.
Purpose: Receipt of liquid asphalt and flux oil.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.133056
Total Berthing Space (feet): 380 | | Longitude (decimal): -84.77222

Remarks: One 10-inch pipeline extends from wharf to 13 steel storage tanks at terminal in rear, total capacity 240,000 barrels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: One 10-inch pipeline extends from wharf to 13 steel storage tanks at terminal in rear, total capacity 240,000 barrels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Waterway: **Ohio River** Mile: 489 PWD: 154
Name: **Kaiser Estech, Cincinnati Plant Wharf.**
Port: Ohio River
Location: Mile 489.3, right bank Ohio River, North Bend. Datum: NPE
Operator: Kaiser Estech, Divisions of Vigoro Industries,Inc
Owner: Kaiser Estech, Divisions of Vigoro Industries,Inc
Address: 10743 Brower Road. Phone: 513/941-4100
Town: North Bend State: OH County: Hamilton
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Receipt of anhydrous ammonia; shipment of liquid fertilizer.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.116944
Total Berthing Space (feet): 200 | | Longitude (decimal): -84.77083
Remarks: One 10-inch pipeline extends from wharf to one 7,020,00-gallon anhydrous ammonia storage tank and one 6-inch pipeline extends to wharf from 2 liquid fertilizer tanks, total capacity 2,920,000 gallons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 490 PWD: 155
Name: **Chevron U.S.A., Cincinnati Asphalt Terminal Wharf.**
Port: Ohio River
Location: Mile 489.7, right bank Ohio River, North Bend. Datum: NPE
Operator: Chevron U.S.A., Inc.
Owner: Chevron U.S.A., Inc.
Address: 11001 Brower Road. Phone: 513/941-4400
Town: North Bend State: OH County: Hamilton
Railway Connection: Two surface tracks serve terminal at rear, connect with CSX Rail Transport.
Purpose: Receipt and occasional shipment of asphalt and kerosene.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.113611
Total Berthing Space (feet): 440 | | Longitude (decimal): -84.79333

Waterway: **Ohio River** Mile: 490 PWD: 155
Name: **Chevron U.S.A., Cincinnati Asphalt Terminal Wharf.**
Port: Ohio River
Location: Mile 489.7, right bank Ohio River, North Bend. Datum: NPE
Operator: Chevron U.S.A., Inc.
Owner: Chevron U.S.A., Inc.
Address: 11001 Brower Road. Phone: 513/941-4400
Town: North Bend State: OH County: Hamilton
Railway Connection: Two surface tracks serve terminal at rear, connect with CSX Rail Transport.
Purpose: Receipt and occasional shipment of asphalt and kerosene.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.113611
Total Berthing Space (feet): 440 | | Longitude (decimal): -84.79333

Remarks: One 18-, one 12-, one 10-, three 8-, and one 6-inch pipelines extend from wharf to 25 tanks at terminal approximately one mile in rear, total capacity 1,700,000 barrels. One 2-inch steam line serves wharf.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: One 18-, one 12-, one 10-, three 8-, and one 6-inch pipelines extend from wharf to 25 tanks at terminal approximately one mile in rear, total capacity 1,700,000 barrels. One 2-inch steam line serves wharf.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 490 PWD: 155
Name: **Chevron U.S.A., Cincinnati Asphalt Terminal Wharf.**
Port: Ohio River
Location: Mile 489.7, right bank Ohio River, North Bend. Datum: NPE
Operator: Chevron U.S.A., Inc.
Owner: Chevron U.S.A., Inc.
Address: 11001 Brower Road. Phone: 513/941-4400
Town: North Bend State: OH County: Hamilton
Railway Connection: Two surface tracks serve terminal at rear, connect with CSX Rail Transport.
Purpose: Receipt and occasional shipment of asphalt and kerosene.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.113611
Total Berthing Space (feet): 440 | | Longitude (decimal): -84.79333

Waterway: **Ohio River** Mile: 490 PWD: 155
Name: **Chevron U.S.A., Cincinnati Asphalt Terminal Wharf.**
Port: Ohio River
Location: Mile 489.7, right bank Ohio River, North Bend. Datum: NPE
Operator: Chevron U.S.A., Inc.
Owner: Chevron U.S.A., Inc.
Address: 11001 Brower Road. Phone: 513/941-4400
Town: North Bend State: OH County: Hamilton
Railway Connection: Two surface tracks serve terminal at rear, connect with CSX Rail Transport.
Purpose: Receipt and occasional shipment of asphalt and kerosene.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.113611
Total Berthing Space (feet): 440 | | Longitude (decimal): -84.79333

Remarks: One 18-, one 12-, one 10-, three 8-, and one 6-inch pipelines extend from wharf to 25 tanks at terminal approximately one mile in rear, total capacity 1,700,000 barrels. One 2-inch steam line serves wharf.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: One 18-, one 12-, one 10-, three 8-, and one 6-inch pipelines extend from wharf to 25 tanks at terminal approximately one mile in rear, total capacity 1,700,000 barrels. One 2-inch steam line serves wharf.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 490 PWD: 157
Name: **Cincinnati Gas & Electric Co., Miami Fort Plant Coal Unloading Doc**
Port: Ohio River
Location: Mile 490.1, right bank Ohio River, North Bend. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: Brower Road. Phone: 513/467-2609
Town: North Bend State: OH County: Hamilton
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Receipt of coal; mooring loaded coal barges.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.111944
Total Berthing Space (feet): 440 | | Longitude (decimal): -84.80139

Waterway: **Ohio River** Mile: 490 PWD: 157
Name: **Cincinnati Gas & Electric Co., Miami Fort Plant Coal Unloading Doc**
Port: Ohio River
Location: Mile 490.1, right bank Ohio River, North Bend. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: Brower Road. Phone: 513/467-2609
Town: North Bend State: OH County: Hamilton
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Receipt of coal; mooring loaded coal barges.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.111944
Total Berthing Space (feet): 440 | | Longitude (decimal): -84.80139

Waterway: **Ohio River** Mile: 490 PWD: 157
Name: **Cincinnati Gas & Electric Co., Miami Fort Plant Coal Unloading Doc**
Port: Ohio River
Location: Mile 490.1, right bank Ohio River, North Bend. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: Brower Road. Phone: 513/467-2609
Town: North Bend State: OH County: Hamilton
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Receipt of coal; mooring loaded coal barges.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.111944
Total Berthing Space (feet): 440 | | Longitude (decimal): -84.80139
Remarks: Open storage area at rear has capacity for 600,000 tons of coal.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

---

Remarks: Open storage area at rear has capacity for 600,000 tons of coal.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

---

Remarks: Open storage area at rear has capacity for 600,000 tons of coal.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 490 PWD: 157
Name: **Cincinnati Gas & Electric Co., Miami Fort Plant Coal Unloading Doc**
Port: Ohio River
Location: Mile 490.1, right bank Ohio River, North Bend. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: Brower Road. Phone: 513/467-2609
Town: North Bend State: OH County: Hamilton
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Receipt of coal; mooring loaded coal barges.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.111944
Total Berthing Space (feet): 440 | | Longitude (decimal): -84.80139

Waterway: **Ohio River** Mile: 490 PWD: 157
Name: **Cincinnati Gas & Electric Co., Miami Fort Plant Coal Unloading Doc**
Port: Ohio River
Location: Mile 490.1, right bank Ohio River, North Bend. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: Brower Road. Phone: 513/467-2609
Town: North Bend State: OH County: Hamilton
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Receipt of coal; mooring loaded coal barges.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.111944
Total Berthing Space (feet): 440 | | Longitude (decimal): -84.80139

Waterway: **Ohio River** Mile: 490 PWD: 157
Name: **Cincinnati Gas & Electric Co., Miami Fort Plant Coal Unloading Doc**
Port: Ohio River
Location: Mile 490.1, right bank Ohio River, North Bend. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: Brower Road. Phone: 513/467-2609
Town: North Bend State: OH County: Hamilton
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Receipt of coal; mooring loaded coal barges.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.111944
Total Berthing Space (feet): 440 | | Longitude (decimal): -84.80139
Remarks: Open storage area at rear has capacity for 600,000 tons of coal.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

---

Remarks: Open storage area at rear has capacity for 600,000 tons of coal.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

---

Remarks: Open storage area at rear has capacity for 600,000 tons of coal.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 490 PWD: 157
Name: **Cincinnati Gas & Electric Co., Miami Fort Plant Coal Unloading Doc**
Port: Ohio River
Location: Mile 490.1, right bank Ohio River, North Bend. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: Brower Road. Phone: 513/467-2609
Town: North Bend State: OH County: Hamilton
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Receipt of coal; mooring loaded coal barges.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.111944
Total Berthing Space (feet): 440 | | Longitude (decimal): -84.80139

Waterway: **Ohio River** Mile: 490 PWD: 157
Name: **Cincinnati Gas & Electric Co., Miami Fort Plant Coal Unloading Doc**
Port: Ohio River
Location: Mile 490.1, right bank Ohio River, North Bend. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: Brower Road. Phone: 513/467-2609
Town: North Bend State: OH County: Hamilton
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Receipt of coal; mooring loaded coal barges.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.111944
Total Berthing Space (feet): 440 | | Longitude (decimal): -84.80139

Waterway: **Ohio River** Mile: 490 PWD: 157
Name: **Cincinnati Gas & Electric Co., Miami Fort Plant Coal Unloading Doc**
Port: Ohio River
Location: Mile 490.1, right bank Ohio River, North Bend. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: Brower Road. Phone: 513/467-2609
Town: North Bend State: OH County: Hamilton
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Receipt of coal; mooring loaded coal barges.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.111944
Total Berthing Space (feet): 440 | | Longitude (decimal): -84.80139
Remarks: Open storage area at rear has capacity for 600,000 tons of coal.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Open storage area at rear has capacity for 600,000 tons of coal.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Open storage area at rear has capacity for 600,000 tons of coal.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 490 PWD: 158
Name: **Cincinnati Gas & Electric Co., Miami Fort Plant Fuel Oil Dock.**
Port: Ohio River
Location: Mile 490.3, right bank Ohio River, North Bend. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: Brower Road. Phone: 513/467-2609
Town: North Bend State: OH County: Hamilton
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Receipt of fuel oil; mooring empty coal barges.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.111389
Total Berthing Space (feet): 850 | | Longitude (decimal): -84.80333

Waterway: **Ohio River** Mile: 490 PWD: 158
Name: **Cincinnati Gas & Electric Co., Miami Fort Plant Fuel Oil Dock.**
Port: Ohio River
Location: Mile 490.3, right bank Ohio River, North Bend. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: Brower Road. Phone: 513/467-2609
Town: North Bend State: OH County: Hamilton
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Receipt of fuel oil; mooring empty coal barges.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.111389
Total Berthing Space (feet): 850 | | Longitude (decimal): -84.80333

Waterway: **Ohio River** Mile: 490 PWD: 158
Name: **Cincinnati Gas & Electric Co., Miami Fort Plant Fuel Oil Dock.**
Port: Ohio River
Location: Mile 490.3, right bank Ohio River, North Bend. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: Brower Road. Phone: 513/467-2609
Town: North Bend State: OH County: Hamilton
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Receipt of fuel oil; mooring empty coal barges.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.111389
Total Berthing Space (feet): 850 | | Longitude (decimal): -84.80333
Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 200,000 barrels. Facility has capacity for mooring 48 empty coal barges arranged in 6 tiers, each 8 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 200,000 barrels. Facility has capacity for mooring 48 empty coal barges arranged in 6 tiers, each 8 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 200,000 barrels. Facility has capacity for mooring 48 empty coal barges arranged in 6 tiers, each 8 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 490 PWD: 158
Name: **Cincinnati Gas & Electric Co., Miami Fort Plant Fuel Oil Dock.**
Port: Ohio River
Location: Mile 490.3, right bank Ohio River, North Bend. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: Brower Road. Phone: 513/467-2609
Town: North Bend State: OH County: Hamilton
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Receipt of fuel oil; mooring empty coal barges.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.111389
Total Berthing Space (feet): 850 | | Longitude (decimal): -84.80333

Waterway: **Ohio River** Mile: 490 PWD: 158
Name: **Cincinnati Gas & Electric Co., Miami Fort Plant Fuel Oil Dock.**
Port: Ohio River
Location: Mile 490.3, right bank Ohio River, North Bend. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: Brower Road. Phone: 513/467-2609
Town: North Bend State: OH County: Hamilton
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Receipt of fuel oil; mooring empty coal barges.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.111389
Total Berthing Space (feet): 850 | | Longitude (decimal): -84.80333

Waterway: **Ohio River** Mile: 490 PWD: 158
Name: **Cincinnati Gas & Electric Co., Miami Fort Plant Fuel Oil Dock.**
Port: Ohio River
Location: Mile 490.3, right bank Ohio River, North Bend. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: Brower Road. Phone: 513/467-2609
Town: North Bend State: OH County: Hamilton
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Receipt of fuel oil; mooring empty coal barges.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.111389
Total Berthing Space (feet): 850 | | Longitude (decimal): -84.80333
Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 200,000 barrels. Facility has capacity for mooring 48 empty coal barges arranged in 6 tiers, each 8 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 200,000 barrels. Facility has capacity for mooring 48 empty coal barges arranged in 6 tiers, each 8 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 200,000 barrels. Facility has capacity for mooring 48 empty coal barges arranged in 6 tiers, each 8 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 490 PWD: 158
Name: **Cincinnati Gas & Electric Co., Miami Fort Plant Fuel Oil Dock.**
Port: Ohio River
Location: Mile 490.3, right bank Ohio River, North Bend. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: Brower Road. Phone: 513/467-2609
Town: North Bend State: OH County: Hamilton
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Receipt of fuel oil; mooring empty coal barges.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.111389
Total Berthing Space (feet): 850 | | Longitude (decimal): -84.80333

Waterway: **Ohio River** Mile: 490 PWD: 158
Name: **Cincinnati Gas & Electric Co., Miami Fort Plant Fuel Oil Dock.**
Port: Ohio River
Location: Mile 490.3, right bank Ohio River, North Bend. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: Brower Road. Phone: 513/467-2609
Town: North Bend State: OH County: Hamilton
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Receipt of fuel oil; mooring empty coal barges.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.111389
Total Berthing Space (feet): 850 | | Longitude (decimal): -84.80333

Waterway: **Ohio River** Mile: 490 PWD: 158
Name: **Cincinnati Gas & Electric Co., Miami Fort Plant Fuel Oil Dock.**
Port: Ohio River
Location: Mile 490.3, right bank Ohio River, North Bend. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: Brower Road. Phone: 513/467-2609
Town: North Bend State: OH County: Hamilton
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Receipt of fuel oil; mooring empty coal barges.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.111389
Total Berthing Space (feet): 850 | | Longitude (decimal): -84.80333
Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 200,000 barrels. Facility has capacity for mooring 48 empty coal barges arranged in 6 tiers, each 8 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 200,000 barrels. Facility has capacity for mooring 48 empty coal barges arranged in 6 tiers, each 8 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 200,000 barrels. Facility has capacity for mooring 48 empty coal barges arranged in 6 tiers, each 8 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 490 PWD: 156
Name: **Cincinnati Gas & Electric Co., Miami Fort Plant General Freight Do**
Port: Ohio River
Location: Mile 490.0, right bank Ohio River, North Bend. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: Brower Road. Phone: 513/467-2609
Town: North Bend State: OH County: Hamilton
Railway Connection: One surface track extending to face, connects with CSX Rail Transport.
Purpose: Receipt of steel products, machinery, and heavy-lift items; mooring full coal barges.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.112778
Total Berthing Space (feet): 1000 | | Longitude (decimal): -84.79778

Waterway: **Ohio River** Mile: 490 PWD: 156
Name: **Cincinnati Gas & Electric Co., Miami Fort Plant General Freight Do**
Port: Ohio River
Location: Mile 490.0, right bank Ohio River, North Bend. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: Brower Road. Phone: 513/467-2609
Town: North Bend State: OH County: Hamilton
Railway Connection: One surface track extending to face, connects with CSX Rail Transport.
Purpose: Receipt of steel products, machinery, and heavy-lift items; mooring full coal barges.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.112778
Total Berthing Space (feet): 1000 | | Longitude (decimal): -84.79778

Waterway: **Ohio River** Mile: 490 PWD: 156
Name: **Cincinnati Gas & Electric Co., Miami Fort Plant General Freight Do**
Port: Ohio River
Location: Mile 490.0, right bank Ohio River, North Bend. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: Brower Road. Phone: 513/467-2609
Town: North Bend State: OH County: Hamilton
Railway Connection: One surface track extending to face, connects with CSX Rail Transport.
Purpose: Receipt of steel products, machinery, and heavy-lift items; mooring full coal barges.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.112778
Total Berthing Space (feet): 1000 | | Longitude (decimal): -84.79778

Waterway: **Ohio River** Mile: 490 PWD: 156
Name: **Cincinnati Gas & Electric Co., Miami Fort Plant General Freight Do**
Port: Ohio River
Location: Mile 490.0, right bank Ohio River, North Bend. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: Brower Road. Phone: 513/467-2609
Town: North Bend State: OH County: Hamilton
Railway Connection: One surface track extending to face, connects with CSX Rail Transport.
Purpose: Receipt of steel products, machinery, and heavy-lift items; mooring full coal barges.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.112778
Total Berthing Space (feet): 1000 | | Longitude (decimal): -84.79778
Remarks: Crane is available for public hire. Mooring facility has capacity for 48 loaded coal barges arranged in 6 tiers, each 8 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Crane is available for public hire. Mooring facility has capacity for 48 loaded coal barges arranged in 6 tiers, each 8 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Crane is available for public hire. Mooring facility has capacity for 48 loaded coal barges arranged in 6 tiers, each 8 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 490 PWD: 156
Name: **Cincinnati Gas & Electric Co., Miami Fort Plant General Freight Do**
Port: Ohio River
Location: Mile 490.0, right bank Ohio River, North Bend. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: Brower Road. Phone: 513/467-2609
Town: North Bend State: OH County: Hamilton
Railway Connection: One surface track extending to face, connects with CSX Rail Transport.
Purpose: Receipt of steel products, machinery, and heavy-lift items; mooring full coal barges.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.112778
Total Berthing Space (feet): 1000 | | Longitude (decimal): -84.79778

Waterway: **Ohio River** Mile: 490 PWD: 156
Name: **Cincinnati Gas & Electric Co., Miami Fort Plant General Freight Do**
Port: Ohio River
Location: Mile 490.0, right bank Ohio River, North Bend. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: Brower Road. Phone: 513/467-2609
Town: North Bend State: OH County: Hamilton
Railway Connection: One surface track extending to face, connects with CSX Rail Transport.
Purpose: Receipt of steel products, machinery, and heavy-lift items; mooring full coal barges.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.112778
Total Berthing Space (feet): 1000 | | Longitude (decimal): -84.79778

Waterway: **Ohio River** Mile: 490 PWD: 156
Name: **Cincinnati Gas & Electric Co., Miami Fort Plant General Freight Do**
Port: Ohio River
Location: Mile 490.0, right bank Ohio River, North Bend. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: Brower Road. Phone: 513/467-2609
Town: North Bend State: OH County: Hamilton
Railway Connection: One surface track extending to face, connects with CSX Rail Transport.
Purpose: Receipt of steel products, machinery, and heavy-lift items; mooring full coal barges.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.112778
Total Berthing Space (feet): 1000 | | Longitude (decimal): -84.79778
Remarks: Crane is available for public hire. Mooring facility has capacity for 48 loaded coal barges arranged in 6 tiers, each 8 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Crane is available for public hire. Mooring facility has capacity for 48 loaded coal barges arranged in 6 tiers, each 8 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Crane is available for public hire. Mooring facility has capacity for 48 loaded coal barges arranged in 6 tiers, each 8 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 490 PWD: 156
Name: **Cincinnati Gas & Electric Co., Miami Fort Plant General Freight Do**
Port: Ohio River
Location: Mile 490.0, right bank Ohio River, North Bend. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: Brower Road. Phone: 513/467-2609
Town: North Bend State: OH County: Hamilton
Railway Connection: One surface track extending to face, connects with CSX Rail Transport.
Purpose: Receipt of steel products, machinery, and heavy-lift items; mooring full coal barges.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.112778
Total Berthing Space (feet): 1000 | | Longitude (decimal): -84.79778

Waterway: **Ohio River** Mile: 490 PWD: 156
Name: **Cincinnati Gas & Electric Co., Miami Fort Plant General Freight Do**
Port: Ohio River
Location: Mile 490.0, right bank Ohio River, North Bend. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: Brower Road. Phone: 513/467-2609
Town: North Bend State: OH County: Hamilton
Railway Connection: One surface track extending to face, connects with CSX Rail Transport.
Purpose: Receipt of steel products, machinery, and heavy-lift items; mooring full coal barges.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.112778
Total Berthing Space (feet): 1000 | | Longitude (decimal): -84.79778

Waterway: **Ohio River** Mile: 490 PWD: 156
Name: **Cincinnati Gas & Electric Co., Miami Fort Plant General Freight Do**
Port: Ohio River
Location: Mile 490.0, right bank Ohio River, North Bend. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: Brower Road. Phone: 513/467-2609
Town: North Bend State: OH County: Hamilton
Railway Connection: One surface track extending to face, connects with CSX Rail Transport.
Purpose: Receipt of steel products, machinery, and heavy-lift items; mooring full coal barges.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.112778
Total Berthing Space (feet): 1000 | | Longitude (decimal): -84.79778

Waterway: **Ohio River** Mile: 490 PWD: 156
Name: **Cincinnati Gas & Electric Co., Miami Fort Plant General Freight Do**
Port: Ohio River
Location: Mile 490.0, right bank Ohio River, North Bend. Datum: NPE
Operator: Cincinnati Gas & Electric Co.
Owner: Cincinnati Gas & Electric Co.
Address: Brower Road. Phone: 513/467-2609
Town: North Bend State: OH County: Hamilton
Railway Connection: One surface track extending to face, connects with CSX Rail Transport.
Purpose: Receipt of steel products, machinery, and heavy-lift items; mooring full coal barges.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.112778
Total Berthing Space (feet): 1000 | | Longitude (decimal): -84.79778
Remarks: Crane is available for public hire. Mooring facility has capacity for 48 loaded coal barges arranged in 6 tiers, each 8 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Crane is available for public hire. Mooring facility has capacity for 48 loaded coal barges arranged in 6 tiers, each 8 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Remarks: Crane is available for public hire. Mooring facility has capacity for 48 loaded coal barges arranged in 6 tiers, each 8 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 491 PWD: 159
Name: **Du Pont, Fort Hill Plant Dock.**
Port: Ohio River
Location: Mile 490.7, right bank Ohio River, Miami Fort Station. Datum: NPE
Operator: E. I. du Pont de Nemours & Co. Inc.
Owner: E. I. du Pont de Nemours & Co. Inc.
Address: 11215 Brower Road. Phone: 513/941-4121
Town: Miami Fort Stat State: OH County: Hamilton
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Shipment of sulfuric acid.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.109444
Total Berthing Space (feet): 120 | | Longitude (decimal): -84.80972
Remarks: One 6-inch pipeline extends to wharf from one 250,000 gallon steel storage tank at rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41503 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 494 PWD: 162
Name: **Indiana & Michigan Power Co., Tanners Creek Plant Fuel Oil Unloadi**
Port: Ohio River
Location: Mile 494.2, right bank Ohio River, Lawrenceburg. Datum: NPE
Operator: Indiana & Michigan Power Co.
Owner: Indiana & Michigan Power Co.
Address: I & M Road. Phone: 812/537-1000
Town: Lawrenceburg State: IN County: Dearborn
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil.
Depth Alongside (feet): 26 | | Latitude (decimal): 39.078889
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.86056

Waterway: **Ohio River** Mile: 494 PWD: 162
Name: **Indiana & Michigan Power Co., Tanners Creek Plant Fuel Oil Unloadi**
Port: Ohio River
Location: Mile 494.2, right bank Ohio River, Lawrenceburg. Datum: NPE
Operator: Indiana & Michigan Power Co.
Owner: Indiana & Michigan Power Co.
Address: I & M Road. Phone: 812/537-1000
Town: Lawrenceburg State: IN County: Dearborn
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil.
Depth Alongside (feet): 26 | | Latitude (decimal): 39.078889
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.86056

Waterway: **Ohio River** Mile: 494 PWD: 162
Name: **Indiana & Michigan Power Co., Tanners Creek Plant Fuel Oil Unloadi**
Port: Ohio River
Location: Mile 494.2, right bank Ohio River, Lawrenceburg. Datum: NPE
Operator: Indiana & Michigan Power Co.
Owner: Indiana & Michigan Power Co.
Address: I & M Road. Phone: 812/537-1000
Town: Lawrenceburg State: IN County: Dearborn
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil.
Depth Alongside (feet): 26 | | Latitude (decimal): 39.078889
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.86056

Remarks: One 8-inch pipeline extends from wharf to one 20,200-barrel steel storage tank at plant in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41488 Louisville District

Remarks: One 8-inch pipeline extends from wharf to one 20,200-barrel steel storage tank at plant in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41488 Louisville District

Remarks: One 8-inch pipeline extends from wharf to one 20,200-barrel steel storage tank at plant in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41488 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 494 PWD: 162
Name: **Indiana & Michigan Power Co., Tanners Creek Plant Fuel Oil Unloadi**
Port: Ohio River
Location: Mile 494.2, right bank Ohio River, Lawrenceburg. Datum: NPE
Operator: Indiana & Michigan Power Co.
Owner: Indiana & Michigan Power Co.
Address: I & M Road. Phone: 812/537-1000
Town: Lawrenceburg State: IN County: Dearborn
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil.
Depth Alongside (feet): 26 | | Latitude (decimal): 39.078889
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.86056

Waterway: **Ohio River** Mile: 494 PWD: 162
Name: **Indiana & Michigan Power Co., Tanners Creek Plant Fuel Oil Unloadi**
Port: Ohio River
Location: Mile 494.2, right bank Ohio River, Lawrenceburg. Datum: NPE
Operator: Indiana & Michigan Power Co.
Owner: Indiana & Michigan Power Co.
Address: I & M Road. Phone: 812/537-1000
Town: Lawrenceburg State: IN County: Dearborn
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil.
Depth Alongside (feet): 26 | | Latitude (decimal): 39.078889
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.86056

Waterway: **Ohio River** Mile: 494 PWD: 162
Name: **Indiana & Michigan Power Co., Tanners Creek Plant Fuel Oil Unloadi**
Port: Ohio River
Location: Mile 494.2, right bank Ohio River, Lawrenceburg. Datum: NPE
Operator: Indiana & Michigan Power Co.
Owner: Indiana & Michigan Power Co.
Address: I & M Road. Phone: 812/537-1000
Town: Lawrenceburg State: IN County: Dearborn
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil.
Depth Alongside (feet): 26 | | Latitude (decimal): 39.078889
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.86056

Remarks: One 8-inch pipeline extends from wharf to one 20,200-barrel steel storage tank at plant in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41488 Louisville District

Remarks: One 8-inch pipeline extends from wharf to one 20,200-barrel steel storage tank at plant in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41488 Louisville District

Remarks: One 8-inch pipeline extends from wharf to one 20,200-barrel steel storage tank at plant in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41488 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 494 PWD: 162
Name: **Indiana & Michigan Power Co., Tanners Creek Plant Fuel Oil Unloadi**
Port: Ohio River
Location: Mile 494.2, right bank Ohio River, Lawrenceburg. Datum: NPE
Operator: Indiana & Michigan Power Co.
Owner: Indiana & Michigan Power Co.
Address: I & M Road. Phone: 812/537-1000
Town: Lawrenceburg State: IN County: Dearborn
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil.
Depth Alongside (feet): 26 | | Latitude (decimal): 39.078889
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.86056

Waterway: **Ohio River** Mile: 494 PWD: 162
Name: **Indiana & Michigan Power Co., Tanners Creek Plant Fuel Oil Unloadi**
Port: Ohio River
Location: Mile 494.2, right bank Ohio River, Lawrenceburg. Datum: NPE
Operator: Indiana & Michigan Power Co.
Owner: Indiana & Michigan Power Co.
Address: I & M Road. Phone: 812/537-1000
Town: Lawrenceburg State: IN County: Dearborn
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil.
Depth Alongside (feet): 26 | | Latitude (decimal): 39.078889
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.86056

Waterway: **Ohio River** Mile: 494 PWD: 162
Name: **Indiana & Michigan Power Co., Tanners Creek Plant Fuel Oil Unloadi**
Port: Ohio River
Location: Mile 494.2, right bank Ohio River, Lawrenceburg. Datum: NPE
Operator: Indiana & Michigan Power Co.
Owner: Indiana & Michigan Power Co.
Address: I & M Road. Phone: 812/537-1000
Town: Lawrenceburg State: IN County: Dearborn
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil.
Depth Alongside (feet): 26 | | Latitude (decimal): 39.078889
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.86056

Remarks: One 8-inch pipeline extends from wharf to one 20,200-barrel steel storage tank at plant in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41488 Louisville District

Remarks: One 8-inch pipeline extends from wharf to one 20,200-barrel steel storage tank at plant in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41488 Louisville District

Remarks: One 8-inch pipeline extends from wharf to one 20,200-barrel steel storage tank at plant in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41488 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 494 PWD: 161
Name: **Indiana & Michigan Power Co., Tanners Creek Plant Lower Coal Unloa**
Port: Ohio River
Location: Mile 494.0, right bank Ohio River, Lawrenceburg. Datum: NPE
Operator: Indiana & Michigan Power Co.
Owner: Indiana & Michigan Power Co.
Address: I & M Road. Phone: 812/537-1000
Town: Lawrenceburg State: IN County: Dearborn
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of coal.
Depth Alongside (feet): 26 | | Latitude (decimal): 39.080556
Total Berthing Space (feet): 1500 | | Longitude (decimal): -84.85861

Waterway: **Ohio River** Mile: 494 PWD: 161
Name: **Indiana & Michigan Power Co., Tanners Creek Plant Lower Coal Unloa**
Port: Ohio River
Location: Mile 494.0, right bank Ohio River, Lawrenceburg. Datum: NPE
Operator: Indiana & Michigan Power Co.
Owner: Indiana & Michigan Power Co.
Address: I & M Road. Phone: 812/537-1000
Town: Lawrenceburg State: IN County: Dearborn
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of coal.
Depth Alongside (feet): 26 | | Latitude (decimal): 39.080556
Total Berthing Space (feet): 1500 | | Longitude (decimal): -84.85861

Waterway: **Ohio River** Mile: 494 PWD: 161
Name: **Indiana & Michigan Power Co., Tanners Creek Plant Lower Coal Unloa**
Port: Ohio River
Location: Mile 494.0, right bank Ohio River, Lawrenceburg. Datum: NPE
Operator: Indiana & Michigan Power Co.
Owner: Indiana & Michigan Power Co.
Address: I & M Road. Phone: 812/537-1000
Town: Lawrenceburg State: IN County: Dearborn
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of coal.
Depth Alongside (feet): 26 | | Latitude (decimal): 39.080556
Total Berthing Space (feet): 1500 | | Longitude (decimal): -84.85861

Remarks: Main and auxiliary open storage areas at rear have capacities for 150,000 and 300,000 tons of coal, respectively.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41488 Louisville District

Remarks: Main and auxiliary open storage areas at rear have capacities for 150,000 and 300,000 tons of coal, respectively.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41488 Louisville District

Remarks: Main and auxiliary open storage areas at rear have capacities for 150,000 and 300,000 tons of coal, respectively.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41488 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 494 PWD: 161
Name: **Indiana & Michigan Power Co., Tanners Creek Plant Lower Coal Unloa**
Port: Ohio River
Location: Mile 494.0, right bank Ohio River, Lawrenceburg. Datum: NPE
Operator: Indiana & Michigan Power Co.
Owner: Indiana & Michigan Power Co.
Address: I & M Road. Phone: 812/537-1000
Town: Lawrenceburg State: IN County: Dearborn
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of coal.
Depth Alongside (feet): 26 | | Latitude (decimal): 39.080556
Total Berthing Space (feet): 1500 | | Longitude (decimal): -84.85861

Waterway: **Ohio River** Mile: 494 PWD: 161
Name: **Indiana & Michigan Power Co., Tanners Creek Plant Lower Coal Unloa**
Port: Ohio River
Location: Mile 494.0, right bank Ohio River, Lawrenceburg. Datum: NPE
Operator: Indiana & Michigan Power Co.
Owner: Indiana & Michigan Power Co.
Address: I & M Road. Phone: 812/537-1000
Town: Lawrenceburg State: IN County: Dearborn
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of coal.
Depth Alongside (feet): 26 | | Latitude (decimal): 39.080556
Total Berthing Space (feet): 1500 | | Longitude (decimal): -84.85861

Waterway: **Ohio River** Mile: 494 PWD: 161
Name: **Indiana & Michigan Power Co., Tanners Creek Plant Lower Coal Unloa**
Port: Ohio River
Location: Mile 494.0, right bank Ohio River, Lawrenceburg. Datum: NPE
Operator: Indiana & Michigan Power Co.
Owner: Indiana & Michigan Power Co.
Address: I & M Road. Phone: 812/537-1000
Town: Lawrenceburg State: IN County: Dearborn
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of coal.
Depth Alongside (feet): 26 | | Latitude (decimal): 39.080556
Total Berthing Space (feet): 1500 | | Longitude (decimal): -84.85861
Remarks: Main and auxiliary open storage areas at rear have capacities for 150,000 and 300,000 tons of coal, respectively.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41488 Louisville District

Remarks: Main and auxiliary open storage areas at rear have capacities for 150,000 and 300,000 tons of coal, respectively.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41488 Louisville District

Remarks: Main and auxiliary open storage areas at rear have capacities for 150,000 and 300,000 tons of coal, respectively.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41488 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 494 PWD: 161
Name: **Indiana & Michigan Power Co., Tanners Creek Plant Lower Coal Unloa**
Port: Ohio River
Location: Mile 494.0, right bank Ohio River, Lawrenceburg. Datum: NPE
Operator: Indiana & Michigan Power Co.
Owner: Indiana & Michigan Power Co.
Address: I & M Road. Phone: 812/537-1000
Town: Lawrenceburg State: IN County: Dearborn
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of coal.
Depth Alongside (feet): 26 | | Latitude (decimal): 39.080556
Total Berthing Space (feet): 1500 | | Longitude (decimal): -84.85861

Waterway: **Ohio River** Mile: 494 PWD: 161
Name: **Indiana & Michigan Power Co., Tanners Creek Plant Lower Coal Unloa**
Port: Ohio River
Location: Mile 494.0, right bank Ohio River, Lawrenceburg. Datum: NPE
Operator: Indiana & Michigan Power Co.
Owner: Indiana & Michigan Power Co.
Address: I & M Road. Phone: 812/537-1000
Town: Lawrenceburg State: IN County: Dearborn
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of coal.
Depth Alongside (feet): 26 | | Latitude (decimal): 39.080556
Total Berthing Space (feet): 1500 | | Longitude (decimal): -84.85861

Waterway: **Ohio River** Mile: 494 PWD: 161
Name: **Indiana & Michigan Power Co., Tanners Creek Plant Lower Coal Unloa**
Port: Ohio River
Location: Mile 494.0, right bank Ohio River, Lawrenceburg. Datum: NPE
Operator: Indiana & Michigan Power Co.
Owner: Indiana & Michigan Power Co.
Address: I & M Road. Phone: 812/537-1000
Town: Lawrenceburg State: IN County: Dearborn
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of coal.
Depth Alongside (feet): 26 | | Latitude (decimal): 39.080556
Total Berthing Space (feet): 1500 | | Longitude (decimal): -84.85861
Remarks: Main and auxiliary open storage areas at rear have capacities for 150,000 and 300,000 tons of coal, respectively.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41488 Louisville District

Remarks: Main and auxiliary open storage areas at rear have capacities for 150,000 and 300,000 tons of coal, respectively.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41488 Louisville District

Remarks: Main and auxiliary open storage areas at rear have capacities for 150,000 and 300,000 tons of coal, respectively.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41488 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 494 PWD: 160
Name: **Indiana & Michigan Power Co., Tanners Creek Plant Upper Coal Unloa**
Port: Ohio River
Location: Mile 493.9, right bank Ohio River, Lawrenceburg. Datum: NPE
Operator: Indiana & Michigan Power Co.
Owner: Indiana & Michigan Power Co.
Address: I & M Road. Phone: 812/537-1000
Town: Lawrenceburg State: IN County: Dearborn
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of coal.
Depth Alongside (feet): 26 | | Latitude (decimal): 39.083611
Total Berthing Space (feet): 1970 | | Longitude (decimal): -84.85528

Waterway: **Ohio River** Mile: 494 PWD: 160
Name: **Indiana & Michigan Power Co., Tanners Creek Plant Upper Coal Unloa**
Port: Ohio River
Location: Mile 493.9, right bank Ohio River, Lawrenceburg. Datum: NPE
Operator: Indiana & Michigan Power Co.
Owner: Indiana & Michigan Power Co.
Address: I & M Road. Phone: 812/537-1000
Town: Lawrenceburg State: IN County: Dearborn
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of coal.
Depth Alongside (feet): 26 | | Latitude (decimal): 39.083611
Total Berthing Space (feet): 1970 | | Longitude (decimal): -84.85528

Waterway: **Ohio River** Mile: 494 PWD: 160
Name: **Indiana & Michigan Power Co., Tanners Creek Plant Upper Coal Unloa**
Port: Ohio River
Location: Mile 493.9, right bank Ohio River, Lawrenceburg. Datum: NPE
Operator: Indiana & Michigan Power Co.
Owner: Indiana & Michigan Power Co.
Address: I & M Road. Phone: 812/537-1000
Town: Lawrenceburg State: IN County: Dearborn
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of coal.
Depth Alongside (feet): 26 | | Latitude (decimal): 39.083611
Total Berthing Space (feet): 1970 | | Longitude (decimal): -84.85528

Remarks: Open storage area at rear has capacity for 500,000 tons of coal. Wharf has capacity for mooring 30 full coal barges arranged in 5 tiers, each 6 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41488 Louisville District

Remarks: Open storage area at rear has capacity for 500,000 tons of coal. Wharf has capacity for mooring 30 full coal barges arranged in 5 tiers, each 6 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41488 Louisville District

Remarks: Open storage area at rear has capacity for 500,000 tons of coal. Wharf has capacity for mooring 30 full coal barges arranged in 5 tiers, each 6 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41488 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 494 PWD: 160
Name: **Indiana & Michigan Power Co., Tanners Creek Plant Upper Coal Unloa**
Port: Ohio River
Location: Mile 493.9, right bank Ohio River, Lawrenceburg. Datum: NPE
Operator: Indiana & Michigan Power Co.
Owner: Indiana & Michigan Power Co.
Address: I & M Road. Phone: 812/537-1000
Town: Lawrenceburg State: IN County: Dearborn
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of coal.
Depth Alongside (feet): 26 | | Latitude (decimal): 39.083611
Total Berthing Space (feet): 1970 | | Longitude (decimal): -84.85528

Waterway: **Ohio River** Mile: 494 PWD: 160
Name: **Indiana & Michigan Power Co., Tanners Creek Plant Upper Coal Unloa**
Port: Ohio River
Location: Mile 493.9, right bank Ohio River, Lawrenceburg. Datum: NPE
Operator: Indiana & Michigan Power Co.
Owner: Indiana & Michigan Power Co.
Address: I & M Road. Phone: 812/537-1000
Town: Lawrenceburg State: IN County: Dearborn
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of coal.
Depth Alongside (feet): 26 | | Latitude (decimal): 39.083611
Total Berthing Space (feet): 1970 | | Longitude (decimal): -84.85528

Waterway: **Ohio River** Mile: 494 PWD: 160
Name: **Indiana & Michigan Power Co., Tanners Creek Plant Upper Coal Unloa**
Port: Ohio River
Location: Mile 493.9, right bank Ohio River, Lawrenceburg. Datum: NPE
Operator: Indiana & Michigan Power Co.
Owner: Indiana & Michigan Power Co.
Address: I & M Road. Phone: 812/537-1000
Town: Lawrenceburg State: IN County: Dearborn
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of coal.
Depth Alongside (feet): 26 | | Latitude (decimal): 39.083611
Total Berthing Space (feet): 1970 | | Longitude (decimal): -84.85528

Remarks: Open storage area at rear has capacity for 500,000 tons of coal. Wharf has capacity for mooring 30 full coal barges arranged in 5 tiers, each 6 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41488 Louisville District

Remarks: Open storage area at rear has capacity for 500,000 tons of coal. Wharf has capacity for mooring 30 full coal barges arranged in 5 tiers, each 6 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41488 Louisville District

Remarks: Open storage area at rear has capacity for 500,000 tons of coal. Wharf has capacity for mooring 30 full coal barges arranged in 5 tiers, each 6 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41488 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 494 PWD: 160
Name: **Indiana & Michigan Power Co., Tanners Creek Plant Upper Coal Unloa**
Port: Ohio River
Location: Mile 493.9, right bank Ohio River, Lawrenceburg. Datum: NPE
Operator: Indiana & Michigan Power Co.
Owner: Indiana & Michigan Power Co.
Address: I & M Road. Phone: 812/537-1000
Town: Lawrenceburg State: IN County: Dearborn
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of coal.
Depth Alongside (feet): 26 | | Latitude (decimal): 39.083611
Total Berthing Space (feet): 1970 | | Longitude (decimal): -84.85528

Waterway: **Ohio River** Mile: 494 PWD: 160
Name: **Indiana & Michigan Power Co., Tanners Creek Plant Upper Coal Unloa**
Port: Ohio River
Location: Mile 493.9, right bank Ohio River, Lawrenceburg. Datum: NPE
Operator: Indiana & Michigan Power Co.
Owner: Indiana & Michigan Power Co.
Address: I & M Road. Phone: 812/537-1000
Town: Lawrenceburg State: IN County: Dearborn
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of coal.
Depth Alongside (feet): 26 | | Latitude (decimal): 39.083611
Total Berthing Space (feet): 1970 | | Longitude (decimal): -84.85528

Waterway: **Ohio River** Mile: 494 PWD: 160
Name: **Indiana & Michigan Power Co., Tanners Creek Plant Upper Coal Unloa**
Port: Ohio River
Location: Mile 493.9, right bank Ohio River, Lawrenceburg. Datum: NPE
Operator: Indiana & Michigan Power Co.
Owner: Indiana & Michigan Power Co.
Address: I & M Road. Phone: 812/537-1000
Town: Lawrenceburg State: IN County: Dearborn
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of coal.
Depth Alongside (feet): 26 | | Latitude (decimal): 39.083611
Total Berthing Space (feet): 1970 | | Longitude (decimal): -84.85528

Remarks: Open storage area at rear has capacity for 500,000 tons of coal. Wharf has capacity for mooring 30 full coal barges arranged in 5 tiers, each 6 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41488 Louisville District

Remarks: Open storage area at rear has capacity for 500,000 tons of coal. Wharf has capacity for mooring 30 full coal barges arranged in 5 tiers, each 6 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41488 Louisville District

Remarks: Open storage area at rear has capacity for 500,000 tons of coal. Wharf has capacity for mooring 30 full coal barges arranged in 5 tiers, each 6 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41488 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 497 PWD: 164
Name: **Consolidated Grain & Barge Co., Aurora Terminal, Lower Wharf.**
Port: Ohio River
Location: Mile 496.7, right bank Ohio River, Aurora. Datum: NPE
Operator: Consolidated Grain & Barge Co.
Owner: Consolidated Grain & Barge Co.
Address: 403 George Street Phone: 812/926-0740
Town: Aurora State: IN County: Dearborn
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.058056
Total Berthing Space (feet): 330 | | Longitude (decimal): -84.89667

Waterway: **Ohio River** Mile: 497 PWD: 164
Name: **Consolidated Grain & Barge Co., Aurora Terminal, Lower Wharf.**
Port: Ohio River
Location: Mile 496.7, right bank Ohio River, Aurora. Datum: NPE
Operator: Consolidated Grain & Barge Co.
Owner: Consolidated Grain & Barge Co.
Address: 403 George Street Phone: 812/926-0740
Town: Aurora State: IN County: Dearborn
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.058056
Total Berthing Space (feet): 330 | | Longitude (decimal): -84.89667
Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41483 Louisville District

Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41483 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 497 PWD: 164
Name: **Consolidated Grain & Barge Co., Aurora Terminal, Lower Wharf.**
Port: Ohio River
Location: Mile 496.7, right bank Ohio River, Aurora. Datum: NPE
Operator: Consolidated Grain & Barge Co.
Owner: Consolidated Grain & Barge Co.
Address: 403 George Street Phone: 812/926-0740
Town: Aurora State: IN County: Dearborn
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.058056
Total Berthing Space (feet): 330 | | Longitude (decimal): -84.89667

Waterway: **Ohio River** Mile: 497 PWD: 164
Name: **Consolidated Grain & Barge Co., Aurora Terminal, Lower Wharf.**
Port: Ohio River
Location: Mile 496.7, right bank Ohio River, Aurora. Datum: NPE
Operator: Consolidated Grain & Barge Co.
Owner: Consolidated Grain & Barge Co.
Address: 403 George Street Phone: 812/926-0740
Town: Aurora State: IN County: Dearborn
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.058056
Total Berthing Space (feet): 330 | | Longitude (decimal): -84.89667
Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41483 Louisville District

Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41483 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 497 PWD: 163
Name: **Consolidated Grain & Barge Co., Aurora Terminal, Upper Wharf.**
Port: Ohio River
Location: Mile 496.5, right bank Ohio River, Aurora. Datum: NPE
Operator: Consolidated Grain & Barge Co.
Owner: Consolidated Grain & Barge Co.
Address: 403 George Street Phone: 812/926-0740
Town: Aurora State: IN County: Dearborn
Railway Connection: Two surface tracks serving 2 undertrack pits and 2 loading spouts at grain elevator in rear; connects with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.059444
Total Berthing Space (feet): 540 | | Longitude (decimal): -84.89639

Waterway: **Ohio River** Mile: 497 PWD: 163
Name: **Consolidated Grain & Barge Co., Aurora Terminal, Upper Wharf.**
Port: Ohio River
Location: Mile 496.5, right bank Ohio River, Aurora. Datum: NPE
Operator: Consolidated Grain & Barge Co.
Owner: Consolidated Grain & Barge Co.
Address: 403 George Street Phone: 812/926-0740
Town: Aurora State: IN County: Dearborn
Railway Connection: Two surface tracks serving 2 undertrack pits and 2 loading spouts at grain elevator in rear; connects with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.059444
Total Berthing Space (feet): 540 | | Longitude (decimal): -84.89639
Remarks: Grain elevator in rear consisting of 4 steel storage tanks, has total capacity for 200,000 bushels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41483 Louisville District

Remarks: Grain elevator in rear consisting of 4 steel storage tanks, has total capacity for 200,000 bushels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41483 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 497 PWD: 163
Name: **Consolidated Grain & Barge Co., Aurora Terminal, Upper Wharf.**
Port: Ohio River
Location: Mile 496.5, right bank Ohio River, Aurora. Datum: NPE
Operator: Consolidated Grain & Barge Co.
Owner: Consolidated Grain & Barge Co.
Address: 403 George Street Phone: 812/926-0740
Town: Aurora State: IN County: Dearborn
Railway Connection: Two surface tracks serving 2 undertrack pits and 2 loading spouts at grain elevator in rear; connects with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.059444
Total Berthing Space (feet): 540 | | Longitude (decimal): -84.89639

Waterway: **Ohio River** Mile: 497 PWD: 163
Name: **Consolidated Grain & Barge Co., Aurora Terminal, Upper Wharf.**
Port: Ohio River
Location: Mile 496.5, right bank Ohio River, Aurora. Datum: NPE
Operator: Consolidated Grain & Barge Co.
Owner: Consolidated Grain & Barge Co.
Address: 403 George Street Phone: 812/926-0740
Town: Aurora State: IN County: Dearborn
Railway Connection: Two surface tracks serving 2 undertrack pits and 2 loading spouts at grain elevator in rear; connects with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.059444
Total Berthing Space (feet): 540 | | Longitude (decimal): -84.89639
Remarks: Grain elevator in rear consisting of 4 steel storage tanks, has total capacity for 200,000 bushels.□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41483 Louisville District

Remarks: Grain elevator in rear consisting of 4 steel storage tanks, has total capacity for 200,000 bushels.□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41483 Louisville District

Waterway: **Ohio River** Mile: 498 PWD: 11
Name: **Northern Kentucky Aggregates, Petersburg Dock.**
Port: Ohio River
Location: Mile 497.7, left bank, Ohio River, Petersburg. Datum: NPE
Operator: Northern Kentucky Aggregates.
Owner: Northern Kentucky Aggregates.
Address: 3745 Belleview Road Phone: 606/586-6610
Town: Petersburg State: KY County: Boone
Railway Connection: None.
Purpose: Shipment of sand and aggregate.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 39.044722
Total Berthing Space (feet): 175 | | Longitude (decimal): -84.88722
Remarks: Quarry and open storage area at rear for 20,000 tons of material.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41483 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 502 PWD: 10

Name: **Martin-Marietta Aggregrates Central Division, Belleview Dock.**

Port: Ohio River

Location: Mile 502.0, left bank, Ohio River, Belleview. Datum: NPE

Operator: Not operated.

Owner: Martin-Marietta Aggregates Central Division.

Address: State Highway 20. Phone: 317/824-0744

Town: Belleview State: KY County: Boone

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): | | Latitude (decimal): 38.995556

Total Berthing Space (feet): 790 | | Longitude (decimal): -84.83667

Remarks: Approximately 10 acres of open storage area is located at rear. At time of survey (1991), facility formerly used for shipment of sand and gravel from quarry in rear had not been in operation for 10 years.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41479 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 511 PWD: 8
Name: **Cincinnati Gas and Electric Co., East Bend Station Coal Unloading**
Port: Ohio River
Location: Mile 511.0, left bank, Ohio River, Union. Datum: NPE
Operator: Cincinnati Gas and Electric Co.
Owner: Cincinnati Gas and Electric Co.
Address: State Highway 338. Phone: 606/586-5600
Town: Union. State: KY County: Boone
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 15 | 15 | 15 Latitude (decimal): 38.900278
Total Berthing Space (feet): 690 | 4500 | 4500 Longitude (decimal): -84.84694

Waterway: **Ohio River** Mile: 511 PWD: 8
Name: **Cincinnati Gas and Electric Co., East Bend Station Coal Unloading**
Port: Ohio River
Location: Mile 511.0, left bank, Ohio River, Union. Datum: NPE
Operator: Cincinnati Gas and Electric Co.
Owner: Cincinnati Gas and Electric Co.
Address: State Highway 338. Phone: 606/586-5600
Town: Union. State: KY County: Boone
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 15 | 15 | 15 Latitude (decimal): 38.900278
Total Berthing Space (feet): 690 | 4500 | 4500 Longitude (decimal): -84.84694

Waterway: **Ohio River** Mile: 511 PWD: 8
Name: **Cincinnati Gas and Electric Co., East Bend Station Coal Unloading**
Port: Ohio River
Location: Mile 511.0, left bank, Ohio River, Union. Datum: NPE
Operator: Cincinnati Gas and Electric Co.
Owner: Cincinnati Gas and Electric Co.
Address: State Highway 338. Phone: 606/586-5600
Town: Union. State: KY County: Boone
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 15 | 15 | 15 Latitude (decimal): 38.900278
Total Berthing Space (feet): 690 | 4500 | 4500 Longitude (decimal): -84.84694
Remarks: Open storage at rear has capacity for 225,000 tons of coal; at time of survey (1991) plans called for expanding capacity to 2,200,000 tons. Lower and Upper Dolphins have berthing area for 40 empty- and 40 loaded- arranged in blocks 8 barges long by 5-wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41470 Louisville District

Remarks: Open storage at rear has capacity for 225,000 tons of coal; at time of survey (1991) plans called for expanding capacity to 2,200,000 tons. Lower and Upper Dolphins have berthing area for 40 empty- and 40 loaded- arranged in blocks 8 barges long by 5-wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41470 Louisville District

Port Facilities by Waterway

Remarks: Open storage at rear has capacity for 225,000 tons of coal; at time of survey (1991) plans called for expanding capacity to 2,200,000 tons. Lower and Upper Dolphins have berthing area for 40 empty- and 40 loaded- arranged in blocks 8 barges long by 5-wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41470 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 511 PWD: 8
Name: **Cincinnati Gas and Electric Co., East Bend Station Coal Unloading**
Port: Ohio River
Location: Mile 511.0, left bank, Ohio River, Union. Datum: NPE
Operator: Cincinnati Gas and Electric Co.
Owner: Cincinnati Gas and Electric Co.
Address: State Highway 338. Phone: 606/586-5600
Town: Union. State: KY County: Boone
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 15 | 15 | 15 Latitude (decimal): 38.900278
Total Berthing Space (feet): 690 | 4500 | 4500 Longitude (decimal): -84.84694

Waterway: **Ohio River** Mile: 511 PWD: 8
Name: **Cincinnati Gas and Electric Co., East Bend Station Coal Unloading**
Port: Ohio River
Location: Mile 511.0, left bank, Ohio River, Union. Datum: NPE
Operator: Cincinnati Gas and Electric Co.
Owner: Cincinnati Gas and Electric Co.
Address: State Highway 338. Phone: 606/586-5600
Town: Union. State: KY County: Boone
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 15 | 15 | 15 Latitude (decimal): 38.900278
Total Berthing Space (feet): 690 | 4500 | 4500 Longitude (decimal): -84.84694

Waterway: **Ohio River** Mile: 511 PWD: 8
Name: **Cincinnati Gas and Electric Co., East Bend Station Coal Unloading**
Port: Ohio River
Location: Mile 511.0, left bank, Ohio River, Union. Datum: NPE
Operator: Cincinnati Gas and Electric Co.
Owner: Cincinnati Gas and Electric Co.
Address: State Highway 338. Phone: 606/586-5600
Town: Union. State: KY County: Boone
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 15 | 15 | 15 Latitude (decimal): 38.900278
Total Berthing Space (feet): 690 | 4500 | 4500 Longitude (decimal): -84.84694
Remarks: Open storage at rear has capacity for 225,000 tons of coal; at time of survey (1991) plans called for expanding capacity to 2,200,000 tons. Lower and Upper Dolphins have berthing area for 40 empty- and 40 loaded- arranged in blocks 8 barges long by 5-wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41470 Louisville District

Remarks: Open storage at rear has capacity for 225,000 tons of coal; at time of survey (1991) plans called for expanding capacity to 2,200,000 tons. Lower and Upper Dolphins have berthing area for 40 empty- and 40 loaded- arranged in blocks 8 barges long by 5-wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41470 Louisville District

Port Facilities by Waterway

Remarks: Open storage at rear has capacity for 225,000 tons of coal; at time of survey (1991) plans called for expanding capacity to 2,200,000 tons. Lower and Upper Dolphins have berthing area for 40 empty- and 40 loaded- arranged in blocks 8 barges long by 5-wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41470 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 511 PWD: 8
Name: **Cincinnati Gas and Electric Co., East Bend Station Coal Unloading**
Port: Ohio River
Location: Mile 511.0, left bank, Ohio River, Union. Datum: NPE
Operator: Cincinnati Gas and Electric Co.
Owner: Cincinnati Gas and Electric Co.
Address: State Highway 338. Phone: 606/586-5600
Town: Union. State: KY County: Boone
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 15 | 15 | 15 Latitude (decimal): 38.900278
Total Berthing Space (feet): 690 | 4500 | 4500 Longitude (decimal): -84.84694

Waterway: **Ohio River** Mile: 511 PWD: 8
Name: **Cincinnati Gas and Electric Co., East Bend Station Coal Unloading**
Port: Ohio River
Location: Mile 511.0, left bank, Ohio River, Union. Datum: NPE
Operator: Cincinnati Gas and Electric Co.
Owner: Cincinnati Gas and Electric Co.
Address: State Highway 338. Phone: 606/586-5600
Town: Union. State: KY County: Boone
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 15 | 15 | 15 Latitude (decimal): 38.900278
Total Berthing Space (feet): 690 | 4500 | 4500 Longitude (decimal): -84.84694

Waterway: **Ohio River** Mile: 511 PWD: 8
Name: **Cincinnati Gas and Electric Co., East Bend Station Coal Unloading**
Port: Ohio River
Location: Mile 511.0, left bank, Ohio River, Union. Datum: NPE
Operator: Cincinnati Gas and Electric Co.
Owner: Cincinnati Gas and Electric Co.
Address: State Highway 338. Phone: 606/586-5600
Town: Union. State: KY County: Boone
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 15 | 15 | 15 Latitude (decimal): 38.900278
Total Berthing Space (feet): 690 | 4500 | 4500 Longitude (decimal): -84.84694
Remarks: Open storage at rear has capacity for 225,000 tons of coal; at time of survey (1991) plans called for expanding capacity to 2,200,000 tons. Lower and Upper Dolphins have berthing area for 40 empty- and 40 loaded- arranged in blocks 8 barges long by 5-wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41470 Louisville District

Remarks: Open storage at rear has capacity for 225,000 tons of coal; at time of survey (1991) plans called for expanding capacity to 2,200,000 tons. Lower and Upper Dolphins have berthing area for 40 empty- and 40 loaded- arranged in blocks 8 barges long by 5-wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41470 Louisville District

Port Facilities by Waterway

Remarks: Open storage at rear has capacity for 225,000 tons of coal; at time of survey (1991) plans called for expanding capacity to 2,200,000 tons. Lower and Upper Dolphins have berthing area for 40 empty- and 40 loaded- arranged in blocks 8 barges long by 5-wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41470 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 511 PWD: 9
Name: **Cincinnati Gas and Electric Co., East Bend Station Lime Unloading**
Port: Ohio River
Location: Mile 510.7, left bank, Ohio River, Union. Datum: NPE
Operator: Cincinnati Gas and Electric Co.
Owner: Cincinnati Gas and Electric Co.
Address: State Highway 338. Phone: 606/586-5600
Town: Union State: KY County: Boone
Railway Connection: None.
Purpose: Receipt of lime.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.900278
Total Berthing Space (feet): 590 | | Longitude (decimal): -84.855

Waterway: **Ohio River** Mile: 511 PWD: 9
Name: **Cincinnati Gas and Electric Co., East Bend Station Lime Unloading**
Port: Ohio River
Location: Mile 510.7, left bank, Ohio River, Union. Datum: NPE
Operator: Cincinnati Gas and Electric Co.
Owner: Cincinnati Gas and Electric Co.
Address: State Highway 338. Phone: 606/586-5600
Town: Union State: KY County: Boone
Railway Connection: None.
Purpose: Receipt of lime.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.900278
Total Berthing Space (feet): 590 | | Longitude (decimal): -84.855

Waterway: **Ohio River** Mile: 511 PWD: 9
Name: **Cincinnati Gas and Electric Co., East Bend Station Lime Unloading**
Port: Ohio River
Location: Mile 510.7, left bank, Ohio River, Union. Datum: NPE
Operator: Cincinnati Gas and Electric Co.
Owner: Cincinnati Gas and Electric Co.
Address: State Highway 338. Phone: 606/586-5600
Town: Union State: KY County: Boone
Railway Connection: None.
Purpose: Receipt of lime.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.900278
Total Berthing Space (feet): 590 | | Longitude (decimal): -84.855

Remarks: One concrete storage silo at rear has capacity for 13,100 tons of lime.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41470 Louisville District

Remarks: One concrete storage silo at rear has capacity for 13,100 tons of lime.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41470 Louisville District

Remarks: One concrete storage silo at rear has capacity for 13,100 tons of lime.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41470 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 511 PWD: 9
Name: **Cincinnati Gas and Electric Co., East Bend Station Lime Unloading**
Port: Ohio River
Location: Mile 510.7, left bank, Ohio River, Union. Datum: NPE
Operator: Cincinnati Gas and Electric Co.
Owner: Cincinnati Gas and Electric Co.
Address: State Highway 338. Phone: 606/586-5600
Town: Union State: KY County: Boone
Railway Connection: None.
Purpose: Receipt of lime.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.900278
Total Berthing Space (feet): 590 | | Longitude (decimal): -84.855

Waterway: **Ohio River** Mile: 511 PWD: 9
Name: **Cincinnati Gas and Electric Co., East Bend Station Lime Unloading**
Port: Ohio River
Location: Mile 510.7, left bank, Ohio River, Union. Datum: NPE
Operator: Cincinnati Gas and Electric Co.
Owner: Cincinnati Gas and Electric Co.
Address: State Highway 338. Phone: 606/586-5600
Town: Union State: KY County: Boone
Railway Connection: None.
Purpose: Receipt of lime.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.900278
Total Berthing Space (feet): 590 | | Longitude (decimal): -84.855

Waterway: **Ohio River** Mile: 511 PWD: 9
Name: **Cincinnati Gas and Electric Co., East Bend Station Lime Unloading**
Port: Ohio River
Location: Mile 510.7, left bank, Ohio River, Union. Datum: NPE
Operator: Cincinnati Gas and Electric Co.
Owner: Cincinnati Gas and Electric Co.
Address: State Highway 338. Phone: 606/586-5600
Town: Union State: KY County: Boone
Railway Connection: None.
Purpose: Receipt of lime.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.900278
Total Berthing Space (feet): 590 | | Longitude (decimal): -84.855

Remarks: One concrete storage silo at rear has capacity for 13,100 tons of lime.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41470 Louisville District

Remarks: One concrete storage silo at rear has capacity for 13,100 tons of lime.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41470 Louisville District

Remarks: One concrete storage silo at rear has capacity for 13,100 tons of lime.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41470 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 511 PWD: 9
Name: **Cincinnati Gas and Electric Co., East Bend Station Lime Unloading**
Port: Ohio River
Location: Mile 510.7, left bank, Ohio River, Union. Datum: NPE
Operator: Cincinnati Gas and Electric Co.
Owner: Cincinnati Gas and Electric Co.
Address: State Highway 338. Phone: 606/586-5600
Town: Union State: KY County: Boone
Railway Connection: None.
Purpose: Receipt of lime.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.900278
Total Berthing Space (feet): 590 | | Longitude (decimal): -84.855

Waterway: **Ohio River** Mile: 511 PWD: 9
Name: **Cincinnati Gas and Electric Co., East Bend Station Lime Unloading**
Port: Ohio River
Location: Mile 510.7, left bank, Ohio River, Union. Datum: NPE
Operator: Cincinnati Gas and Electric Co.
Owner: Cincinnati Gas and Electric Co.
Address: State Highway 338. Phone: 606/586-5600
Town: Union State: KY County: Boone
Railway Connection: None.
Purpose: Receipt of lime.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.900278
Total Berthing Space (feet): 590 | | Longitude (decimal): -84.855

Waterway: **Ohio River** Mile: 511 PWD: 9
Name: **Cincinnati Gas and Electric Co., East Bend Station Lime Unloading**
Port: Ohio River
Location: Mile 510.7, left bank, Ohio River, Union. Datum: NPE
Operator: Cincinnati Gas and Electric Co.
Owner: Cincinnati Gas and Electric Co.
Address: State Highway 338. Phone: 606/586-5600
Town: Union State: KY County: Boone
Railway Connection: None.
Purpose: Receipt of lime.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.900278
Total Berthing Space (feet): 590 | | Longitude (decimal): -84.855

Remarks: One concrete storage silo at rear has capacity for 13,100 tons of lime.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41470 Louisville District

Remarks: One concrete storage silo at rear has capacity for 13,100 tons of lime.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41470 Louisville District

Remarks: One concrete storage silo at rear has capacity for 13,100 tons of lime.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41470 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 512 PWD: 7
Name: **Cincinnati Gas and Electric Co., East Bend Station Construction Do**
Port: Ohio River
Location: Mile 511.6, left bank, Ohio River, Union. Datum: NPE
Operator: Cincinnati Gas and Electric Co.
Owner: Cincinnati Gas and Electric Co.
Address: State Highway 338. Phone: 606/586-5600
Town: Union. State: KY County: Boone
Railway Connection: None.
Purpose: Handling supplies and equipment for construction and maintenance.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.900833
Total Berthing Space (feet): 200 | | Longitude (decimal): -84.83778

Waterway: **Ohio River** Mile: 512 PWD: 7
Name: **Cincinnati Gas and Electric Co., East Bend Station Construction Do**
Port: Ohio River
Location: Mile 511.6, left bank, Ohio River, Union. Datum: NPE
Operator: Cincinnati Gas and Electric Co.
Owner: Cincinnati Gas and Electric Co.
Address: State Highway 338. Phone: 606/586-5600
Town: Union. State: KY County: Boone
Railway Connection: None.
Purpose: Handling supplies and equipment for construction and maintenance.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.900833
Total Berthing Space (feet): 200 | | Longitude (decimal): -84.83778

Waterway: **Ohio River** Mile: 512 PWD: 7
Name: **Cincinnati Gas and Electric Co., East Bend Station Construction Do**
Port: Ohio River
Location: Mile 511.6, left bank, Ohio River, Union. Datum: NPE
Operator: Cincinnati Gas and Electric Co.
Owner: Cincinnati Gas and Electric Co.
Address: State Highway 338. Phone: 606/586-5600
Town: Union. State: KY County: Boone
Railway Connection: None.
Purpose: Handling supplies and equipment for construction and maintenance.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.900833
Total Berthing Space (feet): 200 | | Longitude (decimal): -84.83778
Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41470 Louisville District

Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41470 Louisville District

Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41470 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 512 PWD: 7
Name: **Cincinnati Gas and Electric Co., East Bend Station Construction Do**
Port: Ohio River
Location: Mile 511.6, left bank, Ohio River, Union. Datum: NPE
Operator: Cincinnati Gas and Electric Co.
Owner: Cincinnati Gas and Electric Co.
Address: State Highway 338. Phone: 606/586-5600
Town: Union. State: KY County: Boone
Railway Connection: None.
Purpose: Handling supplies and equipment for construction and maintenance.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.900833
Total Berthing Space (feet): 200 | | Longitude (decimal): -84.83778

Waterway: **Ohio River** Mile: 512 PWD: 7
Name: **Cincinnati Gas and Electric Co., East Bend Station Construction Do**
Port: Ohio River
Location: Mile 511.6, left bank, Ohio River, Union. Datum: NPE
Operator: Cincinnati Gas and Electric Co.
Owner: Cincinnati Gas and Electric Co.
Address: State Highway 338. Phone: 606/586-5600
Town: Union. State: KY County: Boone
Railway Connection: None.
Purpose: Handling supplies and equipment for construction and maintenance.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.900833
Total Berthing Space (feet): 200 | | Longitude (decimal): -84.83778

Waterway: **Ohio River** Mile: 512 PWD: 7
Name: **Cincinnati Gas and Electric Co., East Bend Station Construction Do**
Port: Ohio River
Location: Mile 511.6, left bank, Ohio River, Union. Datum: NPE
Operator: Cincinnati Gas and Electric Co.
Owner: Cincinnati Gas and Electric Co.
Address: State Highway 338. Phone: 606/586-5600
Town: Union. State: KY County: Boone
Railway Connection: None.
Purpose: Handling supplies and equipment for construction and maintenance.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.900833
Total Berthing Space (feet): 200 | | Longitude (decimal): -84.83778
Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41470 Louisville District

Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41470 Louisville District

Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41470 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 512 PWD: 7
Name: **Cincinnati Gas and Electric Co., East Bend Station Construction Do**
Port: Ohio River
Location: Mile 511.6, left bank, Ohio River, Union. Datum: NPE
Operator: Cincinnati Gas and Electric Co.
Owner: Cincinnati Gas and Electric Co.
Address: State Highway 338. Phone: 606/586-5600
Town: Union. State: KY County: Boone
Railway Connection: None.
Purpose: Handling supplies and equipment for construction and maintenance.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.900833
Total Berthing Space (feet): 200 | | Longitude (decimal): -84.83778

Waterway: **Ohio River** Mile: 512 PWD: 7
Name: **Cincinnati Gas and Electric Co., East Bend Station Construction Do**
Port: Ohio River
Location: Mile 511.6, left bank, Ohio River, Union. Datum: NPE
Operator: Cincinnati Gas and Electric Co.
Owner: Cincinnati Gas and Electric Co.
Address: State Highway 338. Phone: 606/586-5600
Town: Union. State: KY County: Boone
Railway Connection: None.
Purpose: Handling supplies and equipment for construction and maintenance.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.900833
Total Berthing Space (feet): 200 | | Longitude (decimal): -84.83778

Waterway: **Ohio River** Mile: 512 PWD: 7
Name: **Cincinnati Gas and Electric Co., East Bend Station Construction Do**
Port: Ohio River
Location: Mile 511.6, left bank, Ohio River, Union. Datum: NPE
Operator: Cincinnati Gas and Electric Co.
Owner: Cincinnati Gas and Electric Co.
Address: State Highway 338. Phone: 606/586-5600
Town: Union. State: KY County: Boone
Railway Connection: None.
Purpose: Handling supplies and equipment for construction and maintenance.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.900833
Total Berthing Space (feet): 200 | | Longitude (decimal): -84.83778
Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41470 Louisville District

Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41470 Louisville District

Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41470 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 514 PWD: 165
Name: **Hilltop Basic Resources, Patriot Aggregate Plant Loading Dock.**
Port: Ohio River
Location: Mile 514.0, right bank Ohio River, Patriot. Datum: NPE
Operator: Hilltop Basic Resources, Inc.
Owner: Hilltop Basic Resources, Inc.
Address: State Highway 156. Phone: 812/594-2293
Town: Patriot State: IN County: Switzerland
Railway Connection: None.
Purpose: Shipment of concrete aggregates.
Depth Alongside (feet): 14 | | Latitude (decimal): 38.886389
Total Berthing Space (feet): 1380 | | Longitude (decimal): -84.79472
Remarks: Three open storage areas at rear have total capacity for 150,000 tons of material. Wharf has mooring capacity for 25 barges in tiers up to 5-wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41467 Louisville District

---

Waterway: **Ohio River** Mile: 514 PWD: 166
Name: **Hilltop Basic Resources, Patriot Aggregate Plant Service Dock.**
Port: Ohio River
Location: Mile 514.2, right bank Ohio River, Patriot. Datum: NPE
Operator: Hilltop Basic Resources, Inc.
Owner: Hilltop Basic Resources, Inc.
Address: State Highway 156. Phone: 812/594-2293
Town: Patriot State: IN County: Switzerland
Railway Connection: None.
Purpose: Mooring barges for cleaning and maintenance.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.885556
Total Berthing Space (feet): 390 | | Longitude (decimal): -84.79333
Remarks: -

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41467 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 535 PWD: 6
Name: **Cleancoal Terminal Co. Wharf.**
Port: Ohio River
Location: Mile 535.3, left bank, Ohio River, Ghent, approximately 3.5 miles below Markland Lock and Dam. Datum: NPE
Operator: Cleancoal Terminal Co.
Owner: Cleancoal Terminal Co.
Address: U.S. Highway 42. Phone: 502/347-5357
Town: Ghent State: KY County: Carroll
Railway Connection: One surface track at rear serves a rotary car dumper, joins 240 car capacity storage yard, and connects with The Carrollton Railroad.
Purpose: Shipment of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.758056
Total Berthing Space (feet): 2000 | | Longitude (decimal): -85.01972
Remarks: Open storage area in rear is served by a stacker and has capacity for 400,000 tons of coal. Two 28 cubic yard diesel front end loaders are used for reclamation. Berthing area has capacity for 150 barges consisti empty barges 6-wide and full barges 4-wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41455 Louisville District

---

Waterway: **Ohio River** Mile: 536 PWD: 5
Name: **Kentucky Utilities Co., Ghent Generating Station Dock.**
Port: Ohio River
Location: Mile 535.8, left bank, Ohio River, Ghent. Datum: NPE
Operator: Kentucky Utilities Co., Inc.
Owner: Kentucky Utilities Co., Inc.
Address: U.S. Highway 42. Phone: 502/347-5383
Town: Ghent State: KY County: Carroll
Railway Connection: Two unused surface tracks at plant in rear connect with The Carrollton Railroad.
Purpose: Receipt of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.751944
Total Berthing Space (feet): 2800 | | Longitude (decimal): -85.03278
Remarks: One 10,000-ton concrete surge silo and open storage area for 750,600 tons of coal are located at plant in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41446 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 542 PWD: 4
Name: **Dow Corning Corp., Carrollton Plant Wharf.**
Port: Ohio River
Location: Mile 541.5, left bank, Ohio River, Carrollton. Datum: NPE
Operator: Dow Corning Corp.
Owner: Dow Corning Corp.
Address: U.S. Highway 42. Phone: 502/732-4371 ex
Town: Carrollton State: KY County: Carroll
Railway Connection: Trackage serving plant in rear connects with The Carrollton Railroad.
Purpose: Receipt of methanol.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.707222
Total Berthing Space (feet): 150 | | Longitude (decimal): -85.11722
Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 2,000,000 gallons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41440 Louisville District

---

Waterway: **Ohio River** Mile: 552 PWD: 1
Name: **Nugent Sand Co. Dock.**
Port: Ohio River
Location: Mile 552.3, left bank, Ohio River, 5.0 miles above Madison (U.S. Highway 421) Bridge, Milton. Datum: NPE
Operator: Nugent Sand Co., Inc.
Owner: Nugent Sand Co., Inc.
Address: State Highway 36 Phone: 502/732-4352
Town: Milton State: KY County: Carroll
Railway Connection: None.
Purpose: Shipment of sand and gravel.
Depth Alongside (feet): 8 - 9 | | Latitude (decimal): 38.737222
Total Berthing Space (feet): 850 | | Longitude (decimal): -85.28111
Remarks: Open storage area at rear has capacity for 200,000 tons of sand and gravel. Floating crane berths at the outer end of a 120- by 30- foot grounded steel barge perpendicular to bank, located approximately 200 feet dolphin, and is used for cleaning barges berthed end to lower side of grounded barge.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40429 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 556 PWD: 167
Name: **Bennett's Towboat Service Wharf.**
Port: Ohio River
Location: Mile 556.0, right bank Ohio River, Madison. Datum: NPE
Operator: Bennett's Towboat Service, Inc.
Owner: Bennett's Towboat Service, Inc.
Address: State Highway 156. Phone: 812/265-2272
Town: Madison State: IN County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels for repair; mooring barges for fleeting.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.731667
Total Berthing Space (feet): 975 | | Longitude (decimal): -85.35611
Remarks: Four company-owned fleeting boats based here. Facility has capacity for mooring 25 barges arranged in 5 tiers, each 5 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40425 Louisville District

---

Waterway: **Ohio River** Mile: 558 PWD: 168
Name: **Bonnies Landing.**
Port: Ohio River
Location: Mile 557.8, right bank Ohio River, Madison. Datum: NPE
Operator: Bonnie Belle, Inc.
Owner: City of Madison.
Address: 115 Vaughn Drive Phone: 812/265-2090
Town: Madison State: IN County: Jefferson
Railway Connection: None.
Purpose: Mooring restaurant boat and dinner cruise vessel 'Bonnie Belle'
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 38.731111
Total Berthing Space (feet): | 90 | Longitude (decimal): -85.37972
Remarks: Dinner cruise vessel 'Bonnie Belle' operates from wharf on a regular schedule during the period May through October.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40423 Louisville District

---

Waterway: **Ohio River** Mile: 559 PWD: 169
Name: **Century Terminals Wharf.**
Port: Ohio River
Location: Mile 558.9, right bank Ohio River, Madison. Datum: NPE
Operator: Century Terminals, Inc.
Owner: Century Terminals, Inc.
Address: 1107 First Street Phone: 815/226-5645
Town: Madison State: IN County: Jefferson
Railway Connection: One surface track serves facility at rear; connects with Madison Railroad.
Purpose: Receipt of dry bulk materials, steel products, and timber; shipment of grain.
Depth Alongside (feet): 13 | | Latitude (decimal): 38.736388
Total Berthing Space (feet): 325 | | Longitude (decimal): -85.39944
Remarks: Three timber dome storage buildings at rear have total capacity for 24,000 tons of dry bulk materials.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40422 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 559 PWD: 170
Name: **Consolidated Grain and Barge Co., Madison Wharf.**
Port: Ohio River
Location: Mile 559.0, right bank Ohio River, Madison. Datum: NPE
Operator: Consolidated Grain and Barge Co. and Midwest Terminal Co.
Owner: Charter Transportation and Terminal Co.
Address: 215 Marine Street Phone: 812/265-6505
Town: Madison State: IN County: Jefferson
Railway Connection: None.
Purpose: Shipment of grain; receipt of liquid fertilizer.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.736667
Total Berthing Space (feet): 200 | | Longitude (decimal): -85.40056
Remarks: Midwest Terminal Co.: One 6-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 1,500,000 gallons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40421 Louisville District

---

Waterway: **Ohio River** Mile: 559 PWD: 172
Name: **Indiana-Kentucky Electric Corp., Clifty Creek Station Upper Coal D**
Port: Ohio River
Location: Mile 559.3, right bank Ohio River, Madison. Datum: NPE
Operator: Indiana-Kentucky Electric Corp.
Owner: Indiana-Kentucky Electric Corp.
Address: U.S. Highway 56. Phone: 812/265-8700
Town: Madison State: IN County: Jefferson
Railway Connection: One unused surface track at power plant in rear; connects with Madison Railroad.
Purpose: Receipt of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.7375
Total Berthing Space (feet): 1900 | | Longitude (decimal): -85.41222

Waterway: **Ohio River** Mile: 559 PWD: 172
Name: **Indiana-Kentucky Electric Corp., Clifty Creek Station Upper Coal D**
Port: Ohio River
Location: Mile 559.3, right bank Ohio River, Madison. Datum: NPE
Operator: Indiana-Kentucky Electric Corp.
Owner: Indiana-Kentucky Electric Corp.
Address: U.S. Highway 56. Phone: 812/265-8700
Town: Madison State: IN County: Jefferson
Railway Connection: One unused surface track at power plant in rear; connects with Madison Railroad.
Purpose: Receipt of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.7375
Total Berthing Space (feet): 1900 | | Longitude (decimal): -85.41222
Remarks: Open storage area at rear has capacity for 1,200,000 tons of coal. Facility has capacity for mooring 39 loaded barges arranged in 5 tiers, each 7- an 8- barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40421 Louisville District

---

Remarks: Open storage area at rear has capacity for 1,200,000 tons of coal. Facility has capacity for mooring 39 loaded barges arranged in 5 tiers, each 7- an 8- barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40421 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 559 PWD: 172
Name: **Indiana-Kentucky Electric Corp., Clifty Creek Station Upper Coal D**
Port: Ohio River
Location: Mile 559.3, right bank Ohio River, Madison. Datum: NPE
Operator: Indiana-Kentucky Electric Corp.
Owner: Indiana-Kentucky Electric Corp.
Address: U.S. Highway 56. Phone: 812/265-8700
Town: Madison State: IN County: Jefferson
Railway Connection: One unused surface track at power plant in rear; connects with Madison Railroad.
Purpose: Receipt of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.7375
Total Berthing Space (feet): 1900 | | Longitude (decimal): -85.41222

Waterway: **Ohio River** Mile: 559 PWD: 172
Name: **Indiana-Kentucky Electric Corp., Clifty Creek Station Upper Coal D**
Port: Ohio River
Location: Mile 559.3, right bank Ohio River, Madison. Datum: NPE
Operator: Indiana-Kentucky Electric Corp.
Owner: Indiana-Kentucky Electric Corp.
Address: U.S. Highway 56. Phone: 812/265-8700
Town: Madison State: IN County: Jefferson
Railway Connection: One unused surface track at power plant in rear; connects with Madison Railroad.
Purpose: Receipt of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.7375
Total Berthing Space (feet): 1900 | | Longitude (decimal): -85.41222

Remarks: Open storage area at rear has capacity for 1,200,000 tons of coal. Facility has capacity for mooring 39 loaded barges arranged in 5 tiers, each 7- an 8- barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40421 Louisville District

Remarks: Open storage area at rear has capacity for 1,200,000 tons of coal. Facility has capacity for mooring 39 loaded barges arranged in 5 tiers, each 7- an 8- barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40421 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 559 PWD: 171

Name: **Madison River Terminal Wharf.**

Port: Ohio River

Location: Mile 559.0, right bank Ohio River, Madison. Datum: NPE

Operator: Madison River Terminal Inc.

Owner: Madison River Terminal Inc.

Address: 211 Marine Street Phone: 812/265-2256

Town: Madison State: IN County: Jefferson

Railway Connection: None.

Purpose: Receipt of dry bulk fertilizer, crushed stone, coal, and steel products; shipment of logs.

Depth Alongside (feet): 12 | | Latitude (decimal): 38.736667

Total Berthing Space (feet): 200 | | Longitude (decimal): -85.40139

Remarks: Approximately 2 1/2 acres of open storage area and a 150 by 30 foot storage building are located on shore at rear. At time of survey (1991), operator planned to place wharf and occupy site, however, all details h resolved.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40421 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 560 PWD: 173
Name: **Indiana-Kentucky Electric Corp., Clifty Creek Station Lower Coal D**
Port: Ohio River
Location: Mile 559.5, right bank Ohio River, Madison. Datum: NPE
Operator: Indiana-Kentucky Electric Corp.
Owner: Indiana-Kentucky Electric Corp.
Address: U.S. Highway 56. Phone: 812/265-8700
Town: Madison State: IN County: Jefferson
Railway Connection: One unused surface track at power plant in rear; connects with Madison Railroad.
Purpose: Receipt of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.736944
Total Berthing Space (feet): 1800 | | Longitude (decimal): -85.415

Waterway: **Ohio River** Mile: 560 PWD: 173
Name: **Indiana-Kentucky Electric Corp., Clifty Creek Station Lower Coal D**
Port: Ohio River
Location: Mile 559.5, right bank Ohio River, Madison. Datum: NPE
Operator: Indiana-Kentucky Electric Corp.
Owner: Indiana-Kentucky Electric Corp.
Address: U.S. Highway 56. Phone: 812/265-8700
Town: Madison State: IN County: Jefferson
Railway Connection: One unused surface track at power plant in rear; connects with Madison Railroad.
Purpose: Receipt of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.736944
Total Berthing Space (feet): 1800 | | Longitude (decimal): -85.415
Remarks: Conveyor system extends to open storage area described under Ref. No. 172. Facility has capacity for mooring 35 empty coal barges arranged in 5 tiers each 7 wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40421 Louisville District

Remarks: Conveyor system extends to open storage area described under Ref. No. 172. Facility has capacity for mooring 35 empty coal barges arranged in 5 tiers each 7 wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40421 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 560 PWD: 173
Name: **Indiana-Kentucky Electric Corp., Clifty Creek Station Lower Coal D**
Port: Ohio River
Location: Mile 559.5, right bank Ohio River, Madison. Datum: NPE
Operator: Indiana-Kentucky Electric Corp.
Owner: Indiana-Kentucky Electric Corp.
Address: U.S. Highway 56. Phone: 812/265-8700
Town: Madison State: IN County: Jefferson
Railway Connection: One unused surface track at power plant in rear; connects with Madison Railroad.
Purpose: Receipt of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.736944
Total Berthing Space (feet): 1800 | | Longitude (decimal): -85.415

Waterway: **Ohio River** Mile: 560 PWD: 173
Name: **Indiana-Kentucky Electric Corp., Clifty Creek Station Lower Coal D**
Port: Ohio River
Location: Mile 559.5, right bank Ohio River, Madison. Datum: NPE
Operator: Indiana-Kentucky Electric Corp.
Owner: Indiana-Kentucky Electric Corp.
Address: U.S. Highway 56. Phone: 812/265-8700
Town: Madison State: IN County: Jefferson
Railway Connection: One unused surface track at power plant in rear; connects with Madison Railroad.
Purpose: Receipt of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.736944
Total Berthing Space (feet): 1800 | | Longitude (decimal): -85.415
Remarks: Conveyor system extends to open storage area described under Ref. No. 172. Facility has capacity for mooring 35 empty coal barges arranged in 5 tiers each 7 wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40421 Louisville District

Remarks: Conveyor system extends to open storage area described under Ref. No. 172. Facility has capacity for mooring 35 empty coal barges arranged in 5 tiers each 7 wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40421 Louisville District

Waterway: **Ohio River** Mile: 571 PWD: 164
Name: **Louisville Gas and Electric Co., Coal Dock.**
Port: Louisville
Location: Mile 571.3, left bank, Ohio River, Wises Landing. Datum: NPE
Operator: Louisville Gas and Electric Co.
Owner: Louisville Gas and Electric Co.
Address: State Highway 1838 Phone: 502/627-6205
Town: Wises Landing State: KY County: Trimble
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 30 | | Latitude (decimal): 38.587778
Total Berthing Space (feet): 3285 | | Longitude (decimal): -85.42278
Remarks: Open storage area at rear has capacity for 1,950,000 tons of coal. Wharf has capacity for 15 loaded and 15 empty barges.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40409 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 572 PWD: 163
Name: **Louisville Gas and Electric Co., Limestone Dock.**
Port: Louisville
Location: Mile 571.8, left bank, Ohio River, Wises Landing. Datum: NPE
Operator: Louisville Gas and Electric Co.
Owner: Louisville Gas and Electric Co.
Address: State Highway 1838 Phone: 502/627-6205
Town: Wises Landing State: KY County: Trimble
Railway Connection: None.
Purpose: Receipt of crushed limestone.
Depth Alongside (feet): 29 | | Latitude (decimal): 38.581389
Total Berthing Space (feet): 1745 | | Longitude (decimal): -85.41806
Remarks: Open storage area at rear has capacity for 250,000 tons of limestone. Wharf has capacity for 9 loaded and 9 empty barges.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40408 Louisville District

---

Waterway: **Ohio River** Mile: 572 PWD: 162
Name: **Louisville Gas and Electric Co., Trimble County Generating Station**
Port: Louisville
Location: Mile 572.0, left bank, Ohio River, Wises Landing. Datum: NPE
Operator: Louisville Gas and Electric Co.
Owner: Louisville Gas and Electric Co.
Address: State Highway 1838 Phone: 502/627-6205
Town: Wises Landing State: KY County: Trimble
Railway Connection: None.
Purpose: Handling equipment and supplies.
Depth Alongside (feet): 12 | | - 5 Latitude (decimal): 38.577778
Total Berthing Space (feet): 195 | | 195 Longitude (decimal): -85.40722
Remarks: Face of pier is in line with breasting dolphins of Limestone Dock (PWD Ref. No. ?????).

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40408 Louisville District

---

Waterway: **Ohio River** Mile: 586 PWD: 166
Name: **Mulzer Crushed Stone, Charlestown Quarry, Main Wharf.**
Port: Louisville
Location: Mile 586.4, right bank, Ohio River, Charlestown. Datum: NPE
Operator: Mulzer Crushed Stone, Inc.
Owner: Mulzer Crushed Stone, Inc.
Address: 15602 Charlestown-Bethlehem Road Phone: 812/256-4142
Town: Charlestown State: IN County: Clark
Railway Connection: None.
Purpose: Shipment of crushed stone.
Depth Alongside (feet): 14 | | Latitude (decimal): 38.452222
Total Berthing Space (feet): 1340 | | Longitude (decimal): -85.57611
Remarks: Fleeting area has capacity for 12 full and 12 empty barges. Open storage area at rear has capacity for 200,000 tons of crushed limestone.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40395 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 586 PWD: 165
Name: **Mulzer Crushed Stone, Charlestown Quarry, Truck Wharf.**
Port: Louisville
Location: Mile 586.2, right bank, Ohio River, Charlestown. Datum: NPE
Operator: Mulzer Crushed Stone, Inc.
Owner: Mulzer Crushed Stone, Inc.
Address: 15602 Charlestown-Bethlehem Road Phone: 812/256-4142
Town: Charlestown State: IN County: Clark
Railway Connection: None.
Purpose: Shipment of crushed stone.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.452778
Total Berthing Space (feet): 200 | | Longitude (decimal): -85.575
Remarks: -□□

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40396 Louisville District

---

Waterway: **Ohio River** Mile: 595 PWD: 167
Name: **American Commercial Marine Services Co., Utica and Twelve Mile Isl**
Port: Louisville
Location: Mile 594.7, Right bank, Ohio River and Mile 593.0 Twelve Mile Island,Utica. Datum: NPE
Operator: American Commercial Marine Services Co., Fleet Services Department.
Owner: American Commercial Marine Services Co.
Address: Utica Pike. Phone: 812/288-0488
Town: Utica State: IN County: Clark
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 10 - 12 | 8 - 10 | Latitude (decimal): 38.350278
Total Berthing Space (feet): 2200 | 1000 | Longitude (decimal): -85.64361
Remarks: Utica Fleet has capacity for 77 barges arranged in 11 tiers each 7 barges wide; and Twelve Mile Island Fleet located approximately 0.75 miles on the opposite side at lower end of the Island has capacity for 30 ba each 6 barges wide.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40386 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 596 PWD: 168
Name: **Marine Builders, Wharf and Slip.**
Port: Louisville
Location: Mile 596.3, right bank, Ohio River, Utica. Datum: NPE
Operator: Marine Builders, Inc.
Owner: Marine Builders, Inc.
Address: 208 West Church Street Phone: 812/283-7932
Town: Utica State: IN County: Clark
Railway Connection: None.
Purpose: Mooring barges and towboats for repair and outfitting; mooring floating drydock.
Depth Alongside (feet): 10 - 12 | 10 | Latitude (decimal): 38.326389
Total Berthing Space (feet): 100 | 800 | Longitude (decimal): -85.65472
Remarks: Slip is approximately 150 feet wide by 200 feet long. One 1,000-ton floating drydock is moored in slip. Construction of the bulkheads was underway at time of survey (1991), plans called for future construction o sides of the slip. Facility is primarily engaged in vessel and barge construction.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40384 Louisville District

---

Waterway: **Ohio River** Mile: 597 PWD: 169
Name: **Indiana Port Commission, Clark Maritime Centre Crane Dock.**
Port: Louisville
Location: Mile 597.3, right bank, Ohio River, Jeffersonville. Datum: NPE
Operator: Eagle Steel Products, Inc.
Owner: Indiana Port Commission.
Address: 5150 Utica Pike Phone: 812/282-4770
Town: Jeffersonville State: IN County: Clark
Railway Connection: One surface track serves warehouse at rear, connects with CSX Rail Transport.
Purpose: Receipt and shipment of steel products.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.319444
Total Berthing Space (feet): 200 | | Longitude (decimal): -85.66111
Remarks: One 38,000 square foot, steel frame, metal-covered warehouse building is located at rear.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40383 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 597 PWD: 170
Name: **Indiana Port Commission, Clark Maritime Centre General Cargo Dock.**
Port: Louisville
Location: Mile 597.3, right bank, Ohio River, Jeffersonville. Datum: NPE
Operator: Consolidated Grain and Barge Co.
Owner: Indiana Port Commission.
Address: 5140 Utica Pike Phone: 812/283-9500
Town: Jeffersonville State: IN County: Clark
Railway Connection: One surface track at rear connects with CSX Rail Transport.
Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials, including gypsum rock, pig iron and scrap metal
Depth Alongside (feet): 12 | | Latitude (decimal): 38.316667
Total Berthing Space (feet): 380 | | Longitude (decimal): -85.66361
Remarks: Foreign Trade Zone No. 170 operates inside transit shed. Five acres of paved open storage area at rear has capacity for approximately 50,000 tons of bulk materials.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40383 Louisville District

---

Waterway: **Ohio River** Mile: 598 PWD: 171
Name: **Consolidated Grain and Barge Co., Clark Maritime Centre Grain Dock**
Port: Louisville
Location: Mile 597.5, Right bank, Ohio River,Jeffersonville. Datum: NPE
Operator: Consolidated Grain and Barge Co.
Owner: Indiana Port Commission.
Address: 5130 Utica Pike Phone: 812/283-9500
Town: Jeffersonville State: IN County: Clark
Railway Connection: One surface track serves undertrack pit and loading spout at grain elevator and one serves bulk material loading hopper in rear ; connect with CSX Rail Transport.
Purpose: Shipment of grain; receipt of miscellaneous bulk materials, including fertilizer, salt and grain.
Depth Alongside (feet): 12 | 12 | Latitude (decimal): 38.314167
Total Berthing Space (feet): 350 | 200 | Longitude (decimal): -85.66583
Remarks: Grain elevator in rear consisting of 8 concrete silos with 5 interstices has capacity for 650,000 bushels

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40383 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 599 PWD: 172

Name: **Wooten's River Service and Supply, Louisville Dock.**

Port: Louisville

Location: Mile 598.7, right bank, Ohio River, Jeffersonville. Datum: NPE

Operator: Wooten's River Service and Supply.

Owner: Wooten's River Service and Supply.

Address: 3732 Utica Pike Phone: 502/896-0317

Town: Jeffersonville State: IN County: Clark

Railway Connection: None.

Purpose: Mooring midstream fueling barges; fueling towboats; handling marine supplies.

Depth Alongside (feet): 15 | | Latitude (decimal): 38.300556

Total Berthing Space (feet): 200 | | Longitude (decimal): -85.67639

Remarks: Two company-owned midstream fueling barges are based at wharf.□□

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40382 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 601 PWD: 160
Name: **River Road Terminal, Lower Wharf.**
Port: Louisville
Location: Mile 601.0, left bank, Ohio River, Louisville. Datum: NPE
Operator: River Road Terminal, Inc.
Owner: River Road Terminal, Inc.
Address: 2611 Upper River Road Phone: 502/896-1776
Town: Louisville State: KY County: Jefferson
Railway Connection: One surface track serves terminal in rear, connects with CSX Rail Transport.
Purpose: Receipt of dry bulk fertilizer, salt, and steel products; shipment of coal; receipt and shipment of coke and aggregate; handling machinery and heavy-lift items.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.276944
Total Berthing Space (feet): 300 | | Longitude (decimal): -85.70917

Waterway: **Ohio River** Mile: 601 PWD: 160
Name: **River Road Terminal, Lower Wharf.**
Port: Louisville
Location: Mile 601.0, left bank, Ohio River, Louisville. Datum: NPE
Operator: River Road Terminal, Inc.
Owner: River Road Terminal, Inc.
Address: 2611 Upper River Road Phone: 502/896-1776
Town: Louisville State: KY County: Jefferson
Railway Connection: One surface track serves terminal in rear, connects with CSX Rail Transport.
Purpose: Receipt of dry bulk fertilizer, salt, and steel products; shipment of coal; receipt and shipment of coke and aggregate; handling machinery and heavy-lift items.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.276944
Total Berthing Space (feet): 300 | | Longitude (decimal): -85.70917

Remarks: River Road Terminal, Inc.: One 16,000- and one 5,000-square-foot storage warehouses; one acre of paved- and 35 acres of unpaved- open storage area.□Cargill Inc.: Four storage buildings at rear have total capacit tons of dry bulk fertilizer.□Morton Salt Co.: One 10,000-square-foot building with capacity for 4,000 tons and 2 acres of paved open storage area with capacity for 17,000 tons of saltare also located at rear.□Terminal has capacity for mooring 30 barges arranged in 8 tiers, each 3 or 4 barges wide.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Remarks: River Road Terminal, Inc.: One 16,000- and one 5,000-square-foot storage warehouses; one acre of paved- and 35 acres of unpaved- open storage area.□Cargill Inc.: Four storage buildings at rear have total capacit tons of dry bulk fertilizer.□Morton Salt Co.: One 10,000-square-foot building with capacity for 4,000 tons and 2 acres of paved open storage area with capacity for 17,000 tons of saltare also located at rear.□Terminal has capacity for mooring 30 barges arranged in 8 tiers, each 3 or 4 barges wide.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 601 PWD: 160
Name: **River Road Terminal, Lower Wharf.**
Port: Louisville
Location: Mile 601.0, left bank, Ohio River, Louisville. Datum: NPE
Operator: River Road Terminal, Inc.
Owner: River Road Terminal, Inc.
Address: 2611 Upper River Road Phone: 502/896-1776
Town: Louisville State: KY County: Jefferson
Railway Connection: One surface track serves terminal in rear, connects with CSX Rail Transport.
Purpose: Receipt of dry bulk fertilizer, salt, and steel products; shipment of coal; receipt and shipment of coke and aggregate; handling machinery and heavy-lift items.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.276944
Total Berthing Space (feet): 300 | | Longitude (decimal): -85.70917

Waterway: **Ohio River** Mile: 601 PWD: 160
Name: **River Road Terminal, Lower Wharf.**
Port: Louisville
Location: Mile 601.0, left bank, Ohio River, Louisville. Datum: NPE
Operator: River Road Terminal, Inc.
Owner: River Road Terminal, Inc.
Address: 2611 Upper River Road Phone: 502/896-1776
Town: Louisville State: KY County: Jefferson
Railway Connection: One surface track serves terminal in rear, connects with CSX Rail Transport.
Purpose: Receipt of dry bulk fertilizer, salt, and steel products; shipment of coal; receipt and shipment of coke and aggregate; handling machinery and heavy-lift items.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.276944
Total Berthing Space (feet): 300 | | Longitude (decimal): -85.70917

Remarks: River Road Terminal, Inc.: One 16,000- and one 5,000-square-foot storage warehouses; one acre of paved- and 35 acres of unpaved- open storage area.□Cargill Inc.: Four storage buildings at rear have total capacit tons of dry bulk fertilizer.□Morton Salt Co.: One 10,000-square-foot building with capacity for 4,000 tons and 2 acres of paved open storage area with capacity for 17,000 tons of saltare also located at rear.□Terminal has capacity for mooring 30 barges arranged in 8 tiers, each 3 or 4 barges wide.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Remarks: River Road Terminal, Inc.: One 16,000- and one 5,000-square-foot storage warehouses; one acre of paved- and 35 acres of unpaved- open storage area.□Cargill Inc.: Four storage buildings at rear have total capacit tons of dry bulk fertilizer.□Morton Salt Co.: One 10,000-square-foot building with capacity for 4,000 tons and 2 acres of paved open storage area with capacity for 17,000 tons of saltare also located at rear.□Terminal has capacity for mooring 30 barges arranged in 8 tiers, each 3 or 4 barges wide.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 601 PWD: 161
Name: **River Road Terminal, Upper Wharf.**
Port: Louisville
Location: Mile 600.8, left bank, Ohio River, Louisville. Datum: NPE
Operator: River Road Terminal, Inc.
Owner: River Road Terminal, Inc.
Address: 2611 Upper River Road Phone: 502/896-1776
Town: Louisville State: KY County: Jefferson
Railway Connection: One surface track serves terminal in rear, connects with CSX Rail Transport.
Purpose: Shipment of grain and aggregate.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.278056
Total Berthing Space (feet): 200 | | Longitude (decimal): -85.7075

Waterway: **Ohio River** Mile: 601 PWD: 161
Name: **River Road Terminal, Upper Wharf.**
Port: Louisville
Location: Mile 600.8, left bank, Ohio River, Louisville. Datum: NPE
Operator: River Road Terminal, Inc.
Owner: River Road Terminal, Inc.
Address: 2611 Upper River Road Phone: 502/896-1776
Town: Louisville State: KY County: Jefferson
Railway Connection: One surface track serves terminal in rear, connects with CSX Rail Transport.
Purpose: Shipment of grain and aggregate.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.278056
Total Berthing Space (feet): 200 | | Longitude (decimal): -85.7075
Remarks: Grain elevator at rear consisting of 4 concrete silos has total capacity for 150,000 bushels of grain.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Remarks: Grain elevator at rear consisting of 4 concrete silos has total capacity for 150,000 bushels of grain.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 601 PWD: 161
Name: **River Road Terminal, Upper Wharf.**
Port: Louisville
Location: Mile 600.8, left bank, Ohio River, Louisville. Datum: NPE
Operator: River Road Terminal, Inc.
Owner: River Road Terminal, Inc.
Address: 2611 Upper River Road Phone: 502/896-1776
Town: Louisville State: KY County: Jefferson
Railway Connection: One surface track serves terminal in rear, connects with CSX Rail Transport.
Purpose: Shipment of grain and aggregate.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.278056
Total Berthing Space (feet): 200 | | Longitude (decimal): -85.7075

Waterway: **Ohio River** Mile: 601 PWD: 161
Name: **River Road Terminal, Upper Wharf.**
Port: Louisville
Location: Mile 600.8, left bank, Ohio River, Louisville. Datum: NPE
Operator: River Road Terminal, Inc.
Owner: River Road Terminal, Inc.
Address: 2611 Upper River Road Phone: 502/896-1776
Town: Louisville State: KY County: Jefferson
Railway Connection: One surface track serves terminal in rear, connects with CSX Rail Transport.
Purpose: Shipment of grain and aggregate.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.278056
Total Berthing Space (feet): 200 | | Longitude (decimal): -85.7075
Remarks: Grain elevator at rear consisting of 4 concrete silos has total capacity for 150,000 bushels of grain.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Remarks: Grain elevator at rear consisting of 4 concrete silos has total capacity for 150,000 bushels of grain.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 602 PWD: 174
Name: **Jeffboat Marine Repair Dock.**
Port: Louisville
Location: Mile 602.0, Right bank, Ohio River, Jeffersonville. Datum: NPE
Operator: Jeffboat, Division of American Commercial Marine Service Co.
Owner: Jeffboat, Division of American Commercial Marine Service Co.
Address: 1030 East Market Street Phone: 812/288-0450
Town: Jeffersonville State: IN County: Clark
Railway Connection: One surface track along rear of wharf joins additional shipyard trackage in rear; connects with CSX Rail Transport and Consolidated Rail Corp.
Purpose: Mooring towboats and barges for outfitting and repair; mooring floating drydocks.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.275
Total Berthing Space (feet): 2180 | | Longitude (decimal): -85.72722

Waterway: **Ohio River** Mile: 602 PWD: 174
Name: **Jeffboat Marine Repair Dock.**
Port: Louisville
Location: Mile 602.0, Right bank, Ohio River, Jeffersonville. Datum: NPE
Operator: Jeffboat, Division of American Commercial Marine Service Co.
Owner: Jeffboat, Division of American Commercial Marine Service Co.
Address: 1030 East Market Street Phone: 812/288-0450
Town: Jeffersonville State: IN County: Clark
Railway Connection: One surface track along rear of wharf joins additional shipyard trackage in rear; connects with CSX Rail Transport and Consolidated Rail Corp.
Purpose: Mooring towboats and barges for outfitting and repair; mooring floating drydocks.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.275
Total Berthing Space (feet): 2180 | | Longitude (decimal): -85.72722

Remarks: One 2,200-, one 1,200-, one 400-, and one 300-ton floating drydocks are moored at wharf.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40377 Louisville District

Remarks: One 2,200-, one 1,200-, one 400-, and one 300-ton floating drydocks are moored at wharf.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40377 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 602 PWD: 174
Name: **Jeffboat Marine Repair Dock.**
Port: Louisville
Location: Mile 602.0, Right bank, Ohio River, Jeffersonville. Datum: NPE
Operator: Jeffboat, Division of American Commercial Marine Service Co.
Owner: Jeffboat, Division of American Commercial Marine Service Co.
Address: 1030 East Market Street Phone: 812/288-0450
Town: Jeffersonville State: IN County: Clark
Railway Connection: One surface track along rear of wharf joins additional shipyard trackage in rear; connects with CSX Rail Transport and Consolidated Rail Corp.
Purpose: Mooring towboats and barges for outfitting and repair; mooring floating drydocks.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.275
Total Berthing Space (feet): 2180 | | Longitude (decimal): -85.72722

Waterway: **Ohio River** Mile: 602 PWD: 174
Name: **Jeffboat Marine Repair Dock.**
Port: Louisville
Location: Mile 602.0, Right bank, Ohio River, Jeffersonville. Datum: NPE
Operator: Jeffboat, Division of American Commercial Marine Service Co.
Owner: Jeffboat, Division of American Commercial Marine Service Co.
Address: 1030 East Market Street Phone: 812/288-0450
Town: Jeffersonville State: IN County: Clark
Railway Connection: One surface track along rear of wharf joins additional shipyard trackage in rear; connects with CSX Rail Transport and Consolidated Rail Corp.
Purpose: Mooring towboats and barges for outfitting and repair; mooring floating drydocks.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.275
Total Berthing Space (feet): 2180 | | Longitude (decimal): -85.72722

Remarks: One 2,200-, one 1,200-, one 400-, and one 300-ton floating drydocks are moored at wharf.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40377 Louisville District

Remarks: One 2,200-, one 1,200-, one 400-, and one 300-ton floating drydocks are moored at wharf.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40377 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 602 PWD: 173
Name: **Jeffboat Outfitting Dock.**
Port: Louisville
Location: Mile 601.7, right bank, Ohio River, Jeffersonville. Datum: NPE
Operator: Jeffboat, Division of American Commercial Marine Service Co.
Owner: Jeffboat, Division of American Commercial Marine Service Co.
Address: 1030 East Market Street Phone: 812/288-0450
Town: Jeffersonville State: IN County: Clark
Railway Connection: One surface track on apron joins additional shipyard trackage in rear; connects with CSX Rail Transport and Consolidated Rail Corp.
Purpose: Mooring towboats and barges for outfitting and repair.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.277778
Total Berthing Space (feet): 600 | | Longitude (decimal): -85.72056

Waterway: **Ohio River** Mile: 602 PWD: 173
Name: **Jeffboat Outfitting Dock.**
Port: Louisville
Location: Mile 601.7, right bank, Ohio River, Jeffersonville. Datum: NPE
Operator: Jeffboat, Division of American Commercial Marine Service Co.
Owner: Jeffboat, Division of American Commercial Marine Service Co.
Address: 1030 East Market Street Phone: 812/288-0450
Town: Jeffersonville State: IN County: Clark
Railway Connection: One surface track on apron joins additional shipyard trackage in rear; connects with CSX Rail Transport and Consolidated Rail Corp.
Purpose: Mooring towboats and barges for outfitting and repair.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.277778
Total Berthing Space (feet): 600 | | Longitude (decimal): -85.72056

Remarks: Approximately 1,500 feet of additional berthing space is available along natural bank above wharf. The following cranes serve shipyard:
NUMBER CAPACITY MOTIVE TYPE BOOM LENGTH (Tons)
POWER (Feet) 3 55 Electric Full portal 1 50
Electric Full portal gantry 110□ 4 40 Diesel-electric Locomotive 60
2 30 Diesel Loco 1 40 Diesel Mobile 70
1 25 Diesel Mobile 80 1 40 Diesel-elect1
30 Diesel Fixed pedestal 105

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40377 Louisville District

Remarks: Approximately 1,500 feet of additional berthing space is available along natural bank above wharf. The following cranes serve shipyard:
NUMBER CAPACITY MOTIVE TYPE BOOM LENGTH (Tons)
POWER (Feet) 3 55 Electric Full portal 1 50
Electric Full portal gantry 110□ 4 40 Diesel-electric Locomotive 60
2 30 Diesel Loco 1 40 Diesel Mobile 70
1 25 Diesel Mobile 80 1 40 Diesel-elect1
30 Diesel Fixed pedestal 105

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40377 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 602 PWD: 173
Name: **Jeffboat Outfitting Dock.**
Port: Louisville
Location: Mile 601.7, right bank, Ohio River, Jeffersonville. Datum: NPE
Operator: Jeffboat, Division of American Commercial Marine Service Co.
Owner: Jeffboat, Division of American Commercial Marine Service Co.
Address: 1030 East Market Street Phone: 812/288-0450
Town: Jeffersonville State: IN County: Clark
Railway Connection: One surface track on apron joins additional shipyard trackage in rear; connects with CSX Rail Transport and Consolidated Rail Corp.
Purpose: Mooring towboats and barges for outfitting and repair.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.277778
Total Berthing Space (feet): 600 | | Longitude (decimal): -85.72056

Waterway: **Ohio River** Mile: 602 PWD: 173
Name: **Jeffboat Outfitting Dock.**
Port: Louisville
Location: Mile 601.7, right bank, Ohio River, Jeffersonville. Datum: NPE
Operator: Jeffboat, Division of American Commercial Marine Service Co.
Owner: Jeffboat, Division of American Commercial Marine Service Co.
Address: 1030 East Market Street Phone: 812/288-0450
Town: Jeffersonville State: IN County: Clark
Railway Connection: One surface track on apron joins additional shipyard trackage in rear; connects with CSX Rail Transport and Consolidated Rail Corp.
Purpose: Mooring towboats and barges for outfitting and repair.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.277778
Total Berthing Space (feet): 600 | | Longitude (decimal): -85.72056

Remarks: Approximately 1,500 feet of additional berthing space is available along natural bank above wharf. The following cranes serve shipyard:
NUMBER CAPACITY MOTIVE TYPE BOOM LENGTH (Tons)
POWER (Feet) 3 55 Electric Full portal 1 50
Electric Full portal gantry 110□ 4 40 Diesel-electric Locomotive 60
2 30 Diesel Loco 1 40 Diesel Mobile 70
1 25 Diesel Mobile 80 1 40 Diesel-elect1
30 Diesel Fixed pedestal 105

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40377 Louisville District

Remarks: Approximately 1,500 feet of additional berthing space is available along natural bank above wharf. The following cranes serve shipyard:
NUMBER CAPACITY MOTIVE TYPE BOOM LENGTH (Tons)
POWER (Feet) 3 55 Electric Full portal 1 50
Electric Full portal gantry 110□ 4 40 Diesel-electric Locomotive 60
2 30 Diesel Loco 1 40 Diesel Mobile 70
1 25 Diesel Mobile 80 1 40 Diesel-elect1
30 Diesel Fixed pedestal 105

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40377 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 602 PWD: 175
Name: **Jeffboat Structural Steel Dock.**
Port: Louisville
Location: Mile 602.2, right bank, Ohio River, Jeffersonville. Datum: NPE
Operator: Jeffboat, Division of American Commercial Marine Service Co.
Owner: Jeffboat, Division of American Commercial Marine Service Co.
Address: 1030 East Market Street Phone: 812/288-0450
Town: Jeffersonville State: IN County: Clark
Railway Connection: One surface track along rear of storage area joins additional shipyard trackage in rear; connects with CSX Rail Transport and Consolidated Rail Corp.
Purpose: Receipt of structural steel for shipyard use.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.273056
Total Berthing Space (feet): 535 | | Longitude (decimal): -85.73139
Remarks: Approximately 1.4 acres of open storage area for structural steel is located at rear.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40381 Louisville District

---

Waterway: **Ohio River** Mile: 602 PWD: 159
Name: **Louisiana Dock Co., Louisville Dock.**
Port: Louisville
Location: Mile 601.6, left bank, Ohio River, Louisville. Datum: NPE
Operator: American Commercial Lines, Fleet Services Department.
Owner: Louisiana Dock Co., Inc.
Address: 2041 Upper River Road Phone: 812/288-0472
Town: Louisville State: KY County: Jefferson
Railway Connection: None.
Purpose: Mooring barges for fleeting; fueling company-owned vessels.
Depth Alongside (feet): 13 | | Latitude (decimal): 38.2725
Total Berthing Space (feet): 575 | | Longitude (decimal): -85.71694
Remarks: Operator specializes in engine overhaul and repair. Machine shop located on lower barge; parts and supplies are stored in covered structure on center barge. One 6-inch, fueling pipeline extends to wharf from 1 at rear, capacity 47,600 barrels.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 602 PWD: 158
Name: **Nugent Sand Co., Louisville Wharf.**
Port: Louisville
Location: Mile 602.7, Left bank, Ohio River, Louisville, approximately 1.4 miles above John F. Kennedy Memorial (I Datum: NPE
Operator: Nugent Sand Co., Inc.
Owner: Nugent Sand Co., Inc.
Address: 1833 Upper River Road Phone: 502/584-0158
Town: Louisville State: KY County: Jefferson
Railway Connection: One surface track serves open storage area at rear; connects with CSX Rail Transport.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.270833
Total Berthing Space (feet): 200 | | Longitude (decimal): -85.72
Remarks: Open storage area at rear is served by 2 belt stackers and has capacity for 100,000 tons of sand and gravel.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

---

Waterway: **Ohio River** Mile: 603 PWD: 153
Name: **Ashland Petroleum Co., Louisville Asphalt Dock.**
Port: Louisville
Location: Mile 603.0, left bank, Ohio River, Louisville, above John F. Kennedy Memorial (Interstate Highway 65) Br Datum: NPE
Operator: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Address: 815 River Road Phone: 502/589-4952
Town: Louisville State: KY County: Jefferson
Railway Connection: None.
Purpose: Receipt of liquid asphalt.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.262222
Total Berthing Space (feet): 150 | | Longitude (decimal): -85.74083
Remarks: One 8- and one 6-inch pipelines extend from wharf to 12 steel storage tanks at rear, total capacity 93,000 barrels. One 2-inch steam line serves wharf.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 603 PWD: 176
Name: **Falls Cities Riverboats Landing**
Port: Louisville
Location: Mile 603.4, right bank, Ohio River, Jeffersonville. Datum: NPE
Operator: Falls Cities Riverboats, Inc.
Owner: Captain Robert Lumpp.
Address: 707 West Riverside Drive Phone: 812/282-1282
Town: Jeffersonville State: IN County: Clark
Railway Connection: None.
Purpose: Boarding passengers; mooring dinner excursion boat.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.2675
Total Berthing Space (feet): 375 | | Longitude (decimal): -85.74944
Remarks: The inner floats are used for office and restaurant; the outer float on the upper side serves as passenger waiting area and berthing space for excursion vessel 'River Queen' and the lower two serve as dining area recreational craft.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40377 Louisville District

---

Waterway: **Ohio River** Mile: 603 PWD: 154
Name: **Missouri Portland Cement Co., Louisville Terminal Dock.**
Port: Louisville
Location: Mile 602.9, left bank, Ohio River, Louisville, approximately 1,300 feet above John F. Kennedy Memorial (Datum: NPE
Operator: Missouri Portland Cement Co. and Indiana Grain, Division of Indiana Farm Bureau Coope
Owner: Missouri Portland Cement Co.
Address: 925 River Road Phone: 502/503-0616
Town: Louisville State: KY County: Jefferson
Railway Connection: None.
Purpose: Receipt of cement; shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.2625
Total Berthing Space (feet): 300 | | Longitude (decimal): -85.73806
Remarks: One 8-inch pneumatic pipeline extends from wharf to 3 concrete storage silos at terminal in rear, total capacity 4,950 tons. One 8- and one 6-inch compressed air pipelines also serve wharf. Grain elevator at rear consisting of 16 concrete silos is no longer in service. Grain is transported by truck from company's 2,100,000-bushel-capacity grain elevator located at 1340 West Ormsby Avenue, approximately 3wharf.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 603 PWD: 152

Name: **Port of Louisville Terminal Wharf.**

Port: Louisville

Location: Mile 603.3, left bank, Ohio River, Louisville, approximately 1,000 feet below John F. Kennedy (Interstat Datum: NPE

Operator: American Commercial Marine Services Co.

Owner: American Commercial Marine Services Co.

Address: 333 River Road Phone: 502/583-7723

Town: Louisville State: KY County: Jefferson

Railway Connection: Two surface tracks on apron join additional terminal trackage with capacity for 32 cars; connect with CSX Rail Transport.

Purpose: Receipt and shipment of general cargo: heavy-lift items; steel products; paper products; plywood; copper tubing; insulating materials; and scrap metal.

Depth Alongside (feet): 10 | | Latitude (decimal): 38.260556

Total Berthing Space (feet): 1160 | | Longitude (decimal): -85.74583

Remarks: One steel-frame, metal-covered, warehouse with approximately 60,000 square feet of storage space is located at the rear of upper transit shed (Steel Warehouse). Approximately 13,000 square feet of open storage a at rear of wharf.□At time of survey, plans called for property to be vacated in 1994 and ultimately converted to public recreational use.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 603 PWD: 156
Name: **Riverway Louisville Terminal Co., Liquid Dock.**
Port: Louisville
Location: Mile 602.7, left bank, Ohio River, Louisville, approximately 2,000 feet above John F. Kennedy Memorial (Datum: NPE
Operator: Riverway Louisville Terminal Co.
Owner: Riverway Louisville Terminal Co.
Address: - Phone: 502/583-8351
Town: Louisville State: KY County: Jefferson
Railway Connection: Six surface tracks, total capacity 45 cars, serves terminal at rear; connects with CSX Rail Transport.
Purpose: Receipt of liquid fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.263611
Total Berthing Space (feet): 175 | | Longitude (decimal): -85.73417

Waterway: **Ohio River** Mile: 603 PWD: 156
Name: **Riverway Louisville Terminal Co., Liquid Dock.**
Port: Louisville
Location: Mile 602.7, left bank, Ohio River, Louisville, approximately 2,000 feet above John F. Kennedy Memorial (Datum: NPE
Operator: Riverway Louisville Terminal Co.
Owner: Riverway Louisville Terminal Co.
Address: - Phone: 502/583-8351
Town: Louisville State: KY County: Jefferson
Railway Connection: Six surface tracks, total capacity 45 cars, serves terminal at rear; connects with CSX Rail Transport.
Purpose: Receipt of liquid fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.263611
Total Berthing Space (feet): 175 | | Longitude (decimal): -85.73417

Waterway: **Ohio River** Mile: 603 PWD: 156
Name: **Riverway Louisville Terminal Co., Liquid Dock.**
Port: Louisville
Location: Mile 602.7, left bank, Ohio River, Louisville, approximately 2,000 feet above John F. Kennedy Memorial (Datum: NPE
Operator: Riverway Louisville Terminal Co.
Owner: Riverway Louisville Terminal Co.
Address: - Phone: 502/583-8351
Town: Louisville State: KY County: Jefferson
Railway Connection: Six surface tracks, total capacity 45 cars, serves terminal at rear; connects with CSX Rail Transport.
Purpose: Receipt of liquid fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.263611
Total Berthing Space (feet): 175 | | Longitude (decimal): -85.73417

Waterway: **Ohio River** Mile: 603 PWD: 156
Name: **Riverway Louisville Terminal Co., Liquid Dock.**
Port: Louisville
Location: Mile 602.7, left bank, Ohio River, Louisville, approximately 2,000 feet above John F. Kennedy Memorial (Datum: NPE
Operator: Riverway Louisville Terminal Co.
Owner: Riverway Louisville Terminal Co.
Address: - Phone: 502/583-8351
Town: Louisville State: KY County: Jefferson
Railway Connection: Six surface tracks, total capacity 45 cars, serves terminal at rear; connects with CSX Rail Transport.
Purpose: Receipt of liquid fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.263611
Total Berthing Space (feet): 175 | | Longitude (decimal): -85.73417
Remarks: One 8-inch pipeline extends from wharf to 4 steel storage tanks at rear, total capacity 3,000,000 gallons.□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Remarks: One 8-inch pipeline extends from wharf to 4 steel storage tanks at rear, total capacity 3,000,000 gallons.□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Port Facilities by Waterway

Remarks: One 8-inch pipeline extends from wharf to 4 steel storage tanks at rear, total capacity 3,000,000 gallons.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 603 PWD: 156
Name: **Riverway Louisville Terminal Co., Liquid Dock.**
Port: Louisville
Location: Mile 602.7, left bank, Ohio River, Louisville, approximately 2,000 feet above John F. Kennedy Memorial (Datum: NPE
Operator: Riverway Louisville Terminal Co.
Owner: Riverway Louisville Terminal Co.
Address: - Phone: 502/583-8351
Town: Louisville State: KY County: Jefferson
Railway Connection: Six surface tracks, total capacity 45 cars, serves terminal at rear; connects with CSX Rail Transport.
Purpose: Receipt of liquid fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.263611
Total Berthing Space (feet): 175 | | Longitude (decimal): -85.73417

Waterway: **Ohio River** Mile: 603 PWD: 156
Name: **Riverway Louisville Terminal Co., Liquid Dock.**
Port: Louisville
Location: Mile 602.7, left bank, Ohio River, Louisville, approximately 2,000 feet above John F. Kennedy Memorial (Datum: NPE
Operator: Riverway Louisville Terminal Co.
Owner: Riverway Louisville Terminal Co.
Address: - Phone: 502/583-8351
Town: Louisville State: KY County: Jefferson
Railway Connection: Six surface tracks, total capacity 45 cars, serves terminal at rear; connects with CSX Rail Transport.
Purpose: Receipt of liquid fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.263611
Total Berthing Space (feet): 175 | | Longitude (decimal): -85.73417

Waterway: **Ohio River** Mile: 603 PWD: 156
Name: **Riverway Louisville Terminal Co., Liquid Dock.**
Port: Louisville
Location: Mile 602.7, left bank, Ohio River, Louisville, approximately 2,000 feet above John F. Kennedy Memorial (Datum: NPE
Operator: Riverway Louisville Terminal Co.
Owner: Riverway Louisville Terminal Co.
Address: - Phone: 502/583-8351
Town: Louisville State: KY County: Jefferson
Railway Connection: Six surface tracks, total capacity 45 cars, serves terminal at rear; connects with CSX Rail Transport.
Purpose: Receipt of liquid fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.263611
Total Berthing Space (feet): 175 | | Longitude (decimal): -85.73417

Waterway: **Ohio River** Mile: 603 PWD: 156
Name: **Riverway Louisville Terminal Co., Liquid Dock.**
Port: Louisville
Location: Mile 602.7, left bank, Ohio River, Louisville, approximately 2,000 feet above John F. Kennedy Memorial (Datum: NPE
Operator: Riverway Louisville Terminal Co.
Owner: Riverway Louisville Terminal Co.
Address: - Phone: 502/583-8351
Town: Louisville State: KY County: Jefferson
Railway Connection: Six surface tracks, total capacity 45 cars, serves terminal at rear; connects with CSX Rail Transport.
Purpose: Receipt of liquid fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.263611
Total Berthing Space (feet): 175 | | Longitude (decimal): -85.73417
Remarks: One 8-inch pipeline extends from wharf to 4 steel storage tanks at rear, total capacity 3,000,000 gallons.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Remarks: One 8-inch pipeline extends from wharf to 4 steel storage tanks at rear, total capacity 3,000,000 gallons.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Port Facilities by Waterway

Remarks: One 8-inch pipeline extends from wharf to 4 steel storage tanks at rear, total capacity 3,000,000 gallons.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 603 PWD: 156
Name: **Riverway Louisville Terminal Co., Liquid Dock.**
Port: Louisville
Location: Mile 602.7, left bank, Ohio River, Louisville, approximately 2,000 feet above John F. Kennedy Memorial (Datum: NPE
Operator: Riverway Louisville Terminal Co.
Owner: Riverway Louisville Terminal Co.
Address: - Phone: 502/583-8351
Town: Louisville State: KY County: Jefferson
Railway Connection: Six surface tracks, total capacity 45 cars, serves terminal at rear; connects with CSX Rail Transport.
Purpose: Receipt of liquid fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.263611
Total Berthing Space (feet): 175 | | Longitude (decimal): -85.73417

Waterway: **Ohio River** Mile: 603 PWD: 156
Name: **Riverway Louisville Terminal Co., Liquid Dock.**
Port: Louisville
Location: Mile 602.7, left bank, Ohio River, Louisville, approximately 2,000 feet above John F. Kennedy Memorial (Datum: NPE
Operator: Riverway Louisville Terminal Co.
Owner: Riverway Louisville Terminal Co.
Address: - Phone: 502/583-8351
Town: Louisville State: KY County: Jefferson
Railway Connection: Six surface tracks, total capacity 45 cars, serves terminal at rear; connects with CSX Rail Transport.
Purpose: Receipt of liquid fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.263611
Total Berthing Space (feet): 175 | | Longitude (decimal): -85.73417

Waterway: **Ohio River** Mile: 603 PWD: 156
Name: **Riverway Louisville Terminal Co., Liquid Dock.**
Port: Louisville
Location: Mile 602.7, left bank, Ohio River, Louisville, approximately 2,000 feet above John F. Kennedy Memorial (Datum: NPE
Operator: Riverway Louisville Terminal Co.
Owner: Riverway Louisville Terminal Co.
Address: - Phone: 502/583-8351
Town: Louisville State: KY County: Jefferson
Railway Connection: Six surface tracks, total capacity 45 cars, serves terminal at rear; connects with CSX Rail Transport.
Purpose: Receipt of liquid fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.263611
Total Berthing Space (feet): 175 | | Longitude (decimal): -85.73417

Remarks: One 8-inch pipeline extends from wharf to 4 steel storage tanks at rear, total capacity 3,000,000 gallons.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Remarks: One 8-inch pipeline extends from wharf to 4 steel storage tanks at rear, total capacity 3,000,000 gallons.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Port Facilities by Waterway

Remarks: One 8-inch pipeline extends from wharf to 4 steel storage tanks at rear, total capacity 3,000,000 gallons.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 603 PWD: 155
Name: **Riverway Louisville Terminal Co., Lower Dock.**
Port: Louisville
Location: Mile 602.9, left bank, Ohio River, Louisville, approximately 1,800 feet above John F. Kennedy Memorial (Datum: NPE
Operator: Riverway Louisville Terminal Co.
Owner: Riverway Louisville Terminal Co.
Address: 1201 Upper River Road Phone: 502/583-8351
Town: Louisville State: KY County: Jefferson
Railway Connection: Six surface tracks, total capacity 45 cars, serves terminal at rear; connects with CSX Rail Transport.
Purpose: Receipt of steel products, salt, and dry bulk fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.263056
Total Berthing Space (feet): 400 | | Longitude (decimal): -85.73583

Waterway: **Ohio River** Mile: 603 PWD: 155
Name: **Riverway Louisville Terminal Co., Lower Dock.**
Port: Louisville
Location: Mile 602.9, left bank, Ohio River, Louisville, approximately 1,800 feet above John F. Kennedy Memorial (Datum: NPE
Operator: Riverway Louisville Terminal Co.
Owner: Riverway Louisville Terminal Co.
Address: 1201 Upper River Road Phone: 502/583-8351
Town: Louisville State: KY County: Jefferson
Railway Connection: Six surface tracks, total capacity 45 cars, serves terminal at rear; connects with CSX Rail Transport.
Purpose: Receipt of steel products, salt, and dry bulk fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.263056
Total Berthing Space (feet): 400 | | Longitude (decimal): -85.73583

Waterway: **Ohio River** Mile: 603 PWD: 155
Name: **Riverway Louisville Terminal Co., Lower Dock.**
Port: Louisville
Location: Mile 602.9, left bank, Ohio River, Louisville, approximately 1,800 feet above John F. Kennedy Memorial (Datum: NPE
Operator: Riverway Louisville Terminal Co.
Owner: Riverway Louisville Terminal Co.
Address: 1201 Upper River Road Phone: 502/583-8351
Town: Louisville State: KY County: Jefferson
Railway Connection: Six surface tracks, total capacity 45 cars, serves terminal at rear; connects with CSX Rail Transport.
Purpose: Receipt of steel products, salt, and dry bulk fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.263056
Total Berthing Space (feet): 400 | | Longitude (decimal): -85.73583

Waterway: **Ohio River** Mile: 603 PWD: 155
Name: **Riverway Louisville Terminal Co., Lower Dock.**
Port: Louisville
Location: Mile 602.9, left bank, Ohio River, Louisville, approximately 1,800 feet above John F. Kennedy Memorial (Datum: NPE
Operator: Riverway Louisville Terminal Co.
Owner: Riverway Louisville Terminal Co.
Address: 1201 Upper River Road Phone: 502/583-8351
Town: Louisville State: KY County: Jefferson
Railway Connection: Six surface tracks, total capacity 45 cars, serves terminal at rear; connects with CSX Rail Transport.
Purpose: Receipt of steel products, salt, and dry bulk fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.263056
Total Berthing Space (feet): 400 | | Longitude (decimal): -85.73583
Remarks: One 14,000-square foot warehouse building and approximately 5 acres of open storage area located at rear. Wharf has capacity for mooring 6 barges.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Remarks: One 14,000-square foot warehouse building and approximately 5 acres of open storage area located at rear. Wharf has capacity for mooring 6 barges.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Port Facilities by Waterway

Remarks: One 14,000-square foot warehouse building and approximately 5 acres of open storage area located at rear. Wharf has capacity for mooring 6 barges.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 603 PWD: 155
Name: **Riverway Louisville Terminal Co., Lower Dock.**
Port: Louisville
Location: Mile 602.9, left bank, Ohio River, Louisville, approximately 1,800 feet above John F. Kennedy Memorial (Datum: NPE
Operator: Riverway Louisville Terminal Co.
Owner: Riverway Louisville Terminal Co.
Address: 1201 Upper River Road Phone: 502/583-8351
Town: Louisville State: KY County: Jefferson
Railway Connection: Six surface tracks, total capacity 45 cars, serves terminal at rear; connects with CSX Rail Transport.
Purpose: Receipt of steel products, salt, and dry bulk fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.263056
Total Berthing Space (feet): 400 | | Longitude (decimal): -85.73583

Waterway: **Ohio River** Mile: 603 PWD: 155
Name: **Riverway Louisville Terminal Co., Lower Dock.**
Port: Louisville
Location: Mile 602.9, left bank, Ohio River, Louisville, approximately 1,800 feet above John F. Kennedy Memorial (Datum: NPE
Operator: Riverway Louisville Terminal Co.
Owner: Riverway Louisville Terminal Co.
Address: 1201 Upper River Road Phone: 502/583-8351
Town: Louisville State: KY County: Jefferson
Railway Connection: Six surface tracks, total capacity 45 cars, serves terminal at rear; connects with CSX Rail Transport.
Purpose: Receipt of steel products, salt, and dry bulk fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.263056
Total Berthing Space (feet): 400 | | Longitude (decimal): -85.73583

Waterway: **Ohio River** Mile: 603 PWD: 155
Name: **Riverway Louisville Terminal Co., Lower Dock.**
Port: Louisville
Location: Mile 602.9, left bank, Ohio River, Louisville, approximately 1,800 feet above John F. Kennedy Memorial (Datum: NPE
Operator: Riverway Louisville Terminal Co.
Owner: Riverway Louisville Terminal Co.
Address: 1201 Upper River Road Phone: 502/583-8351
Town: Louisville State: KY County: Jefferson
Railway Connection: Six surface tracks, total capacity 45 cars, serves terminal at rear; connects with CSX Rail Transport.
Purpose: Receipt of steel products, salt, and dry bulk fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.263056
Total Berthing Space (feet): 400 | | Longitude (decimal): -85.73583

Waterway: **Ohio River** Mile: 603 PWD: 155
Name: **Riverway Louisville Terminal Co., Lower Dock.**
Port: Louisville
Location: Mile 602.9, left bank, Ohio River, Louisville, approximately 1,800 feet above John F. Kennedy Memorial (Datum: NPE
Operator: Riverway Louisville Terminal Co.
Owner: Riverway Louisville Terminal Co.
Address: 1201 Upper River Road Phone: 502/583-8351
Town: Louisville State: KY County: Jefferson
Railway Connection: Six surface tracks, total capacity 45 cars, serves terminal at rear; connects with CSX Rail Transport.
Purpose: Receipt of steel products, salt, and dry bulk fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.263056
Total Berthing Space (feet): 400 | | Longitude (decimal): -85.73583
Remarks: One 14,000-square foot warehouse building and approximately 5 acres of open storage area located at rear. Wharf has capacity for mooring 6 barges.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Remarks: One 14,000-square foot warehouse building and approximately 5 acres of open storage area located at rear. Wharf has capacity for mooring 6 barges.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Port Facilities by Waterway

Remarks: One 14,000-square foot warehouse building and approximately 5 acres of open storage area located at rear. Wharf has capacity for mooring 6 barges.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 603 PWD: 155
Name: **Riverway Louisville Terminal Co., Lower Dock.**
Port: Louisville
Location: Mile 602.9, left bank, Ohio River, Louisville, approximately 1,800 feet above John F. Kennedy Memorial (Datum: NPE
Operator: Riverway Louisville Terminal Co.
Owner: Riverway Louisville Terminal Co.
Address: 1201 Upper River Road Phone: 502/583-8351
Town: Louisville State: KY County: Jefferson
Railway Connection: Six surface tracks, total capacity 45 cars, serves terminal at rear; connects with CSX Rail Transport.
Purpose: Receipt of steel products, salt, and dry bulk fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.263056
Total Berthing Space (feet): 400 | | Longitude (decimal): -85.73583

Waterway: **Ohio River** Mile: 603 PWD: 155
Name: **Riverway Louisville Terminal Co., Lower Dock.**
Port: Louisville
Location: Mile 602.9, left bank, Ohio River, Louisville, approximately 1,800 feet above John F. Kennedy Memorial (Datum: NPE
Operator: Riverway Louisville Terminal Co.
Owner: Riverway Louisville Terminal Co.
Address: 1201 Upper River Road Phone: 502/583-8351
Town: Louisville State: KY County: Jefferson
Railway Connection: Six surface tracks, total capacity 45 cars, serves terminal at rear; connects with CSX Rail Transport.
Purpose: Receipt of steel products, salt, and dry bulk fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.263056
Total Berthing Space (feet): 400 | | Longitude (decimal): -85.73583

Waterway: **Ohio River** Mile: 603 PWD: 155
Name: **Riverway Louisville Terminal Co., Lower Dock.**
Port: Louisville
Location: Mile 602.9, left bank, Ohio River, Louisville, approximately 1,800 feet above John F. Kennedy Memorial (Datum: NPE
Operator: Riverway Louisville Terminal Co.
Owner: Riverway Louisville Terminal Co.
Address: 1201 Upper River Road Phone: 502/583-8351
Town: Louisville State: KY County: Jefferson
Railway Connection: Six surface tracks, total capacity 45 cars, serves terminal at rear; connects with CSX Rail Transport.
Purpose: Receipt of steel products, salt, and dry bulk fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.263056
Total Berthing Space (feet): 400 | | Longitude (decimal): -85.73583

Waterway: **Ohio River** Mile: 603 PWD: 155
Name: **Riverway Louisville Terminal Co., Lower Dock.**
Port: Louisville
Location: Mile 602.9, left bank, Ohio River, Louisville, approximately 1,800 feet above John F. Kennedy Memorial (Datum: NPE
Operator: Riverway Louisville Terminal Co.
Owner: Riverway Louisville Terminal Co.
Address: 1201 Upper River Road Phone: 502/583-8351
Town: Louisville State: KY County: Jefferson
Railway Connection: Six surface tracks, total capacity 45 cars, serves terminal at rear; connects with CSX Rail Transport.
Purpose: Receipt of steel products, salt, and dry bulk fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.263056
Total Berthing Space (feet): 400 | | Longitude (decimal): -85.73583
Remarks: One 14,000-square foot warehouse building and approximately 5 acres of open storage area located at rear. Wharf has capacity for mooring 6 barges.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Remarks: One 14,000-square foot warehouse building and approximately 5 acres of open storage area located at rear. Wharf has capacity for mooring 6 barges.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Port Facilities by Waterway

Remarks: One 14,000-square foot warehouse building and approximately 5 acres of open storage area located at rear. Wharf has capacity for mooring 6 barges.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 603 PWD: 157
Name: **Riverway Louisville Terminal Co., Upper Truck Dock.**
Port: Louisville
Location: Mile 602.7, Left bank, Ohio River, Louisville, approximately 0.5 mile above John F. Kennedy Memorial (In Datum: NPE
Operator: Riverway Louisville Terminal Co.
Owner: Riverway Louisville Terminal Co.
Address: 1201 Upper River Road Phone: 502/583-8351
Town: Louisville State: KY County: Jefferson
Railway Connection: Six surface tracks, total capacity 45 cars, serves terminal at rear; connects with CSX Rail Transport.
Purpose: Shipment of shredded scrap metal and occasionally other miscellaneous bulk materials.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.263889
Total Berthing Space (feet): 200 | | Longitude (decimal): -85.73278

Waterway: **Ohio River** Mile: 603 PWD: 157
Name: **Riverway Louisville Terminal Co., Upper Truck Dock.**
Port: Louisville
Location: Mile 602.7, Left bank, Ohio River, Louisville, approximately 0.5 mile above John F. Kennedy Memorial (In Datum: NPE
Operator: Riverway Louisville Terminal Co.
Owner: Riverway Louisville Terminal Co.
Address: 1201 Upper River Road Phone: 502/583-8351
Town: Louisville State: KY County: Jefferson
Railway Connection: Six surface tracks, total capacity 45 cars, serves terminal at rear; connects with CSX Rail Transport.
Purpose: Shipment of shredded scrap metal and occasionally other miscellaneous bulk materials.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.263889
Total Berthing Space (feet): 200 | | Longitude (decimal): -85.73278

Waterway: **Ohio River** Mile: 603 PWD: 157
Name: **Riverway Louisville Terminal Co., Upper Truck Dock.**
Port: Louisville
Location: Mile 602.7, Left bank, Ohio River, Louisville, approximately 0.5 mile above John F. Kennedy Memorial (In Datum: NPE
Operator: Riverway Louisville Terminal Co.
Owner: Riverway Louisville Terminal Co.
Address: 1201 Upper River Road Phone: 502/583-8351
Town: Louisville State: KY County: Jefferson
Railway Connection: Six surface tracks, total capacity 45 cars, serves terminal at rear; connects with CSX Rail Transport.
Purpose: Shipment of shredded scrap metal and occasionally other miscellaneous bulk materials.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.263889
Total Berthing Space (feet): 200 | | Longitude (decimal): -85.73278
Remarks: -□□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Remarks: -□□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Port Facilities by Waterway

Remarks: -□□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 603 PWD: 157
Name: **Riverway Louisville Terminal Co., Upper Truck Dock.**
Port: Louisville
Location: Mile 602.7, Left bank, Ohio River, Louisville, approximately 0.5 mile above John F. Kennedy Memorial (In Datum: NPE
Operator: Riverway Louisville Terminal Co.
Owner: Riverway Louisville Terminal Co.
Address: 1201 Upper River Road Phone: 502/583-8351
Town: Louisville State: KY County: Jefferson
Railway Connection: Six surface tracks, total capacity 45 cars, serves terminal at rear; connects with CSX Rail Transport.
Purpose: Shipment of shredded scrap metal and occasionally other miscellaneous bulk materials.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.263889
Total Berthing Space (feet): 200 | | Longitude (decimal): -85.73278

Waterway: **Ohio River** Mile: 603 PWD: 157
Name: **Riverway Louisville Terminal Co., Upper Truck Dock.**
Port: Louisville
Location: Mile 602.7, Left bank, Ohio River, Louisville, approximately 0.5 mile above John F. Kennedy Memorial (In Datum: NPE
Operator: Riverway Louisville Terminal Co.
Owner: Riverway Louisville Terminal Co.
Address: 1201 Upper River Road Phone: 502/583-8351
Town: Louisville State: KY County: Jefferson
Railway Connection: Six surface tracks, total capacity 45 cars, serves terminal at rear; connects with CSX Rail Transport.
Purpose: Shipment of shredded scrap metal and occasionally other miscellaneous bulk materials.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.263889
Total Berthing Space (feet): 200 | | Longitude (decimal): -85.73278

Waterway: **Ohio River** Mile: 603 PWD: 157
Name: **Riverway Louisville Terminal Co., Upper Truck Dock.**
Port: Louisville
Location: Mile 602.7, Left bank, Ohio River, Louisville, approximately 0.5 mile above John F. Kennedy Memorial (In Datum: NPE
Operator: Riverway Louisville Terminal Co.
Owner: Riverway Louisville Terminal Co.
Address: 1201 Upper River Road Phone: 502/583-8351
Town: Louisville State: KY County: Jefferson
Railway Connection: Six surface tracks, total capacity 45 cars, serves terminal at rear; connects with CSX Rail Transport.
Purpose: Shipment of shredded scrap metal and occasionally other miscellaneous bulk materials.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.263889
Total Berthing Space (feet): 200 | | Longitude (decimal): -85.73278
Remarks: -□□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Remarks: -□□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Port Facilities by Waterway

Remarks: -□□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 603 PWD: 157
Name: **Riverway Louisville Terminal Co., Upper Truck Dock.**
Port: Louisville
Location: Mile 602.7, Left bank, Ohio River, Louisville, approximately 0.5 mile above John F. Kennedy Memorial (In Datum: NPE
Operator: Riverway Louisville Terminal Co.
Owner: Riverway Louisville Terminal Co.
Address: 1201 Upper River Road Phone: 502/583-8351
Town: Louisville State: KY County: Jefferson
Railway Connection: Six surface tracks, total capacity 45 cars, serves terminal at rear; connects with CSX Rail Transport.
Purpose: Shipment of shredded scrap metal and occasionally other miscellaneous bulk materials.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.263889
Total Berthing Space (feet): 200 | | Longitude (decimal): -85.73278

Waterway: **Ohio River** Mile: 603 PWD: 157
Name: **Riverway Louisville Terminal Co., Upper Truck Dock.**
Port: Louisville
Location: Mile 602.7, Left bank, Ohio River, Louisville, approximately 0.5 mile above John F. Kennedy Memorial (In Datum: NPE
Operator: Riverway Louisville Terminal Co.
Owner: Riverway Louisville Terminal Co.
Address: 1201 Upper River Road Phone: 502/583-8351
Town: Louisville State: KY County: Jefferson
Railway Connection: Six surface tracks, total capacity 45 cars, serves terminal at rear; connects with CSX Rail Transport.
Purpose: Shipment of shredded scrap metal and occasionally other miscellaneous bulk materials.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.263889
Total Berthing Space (feet): 200 | | Longitude (decimal): -85.73278

Waterway: **Ohio River** Mile: 603 PWD: 157
Name: **Riverway Louisville Terminal Co., Upper Truck Dock.**
Port: Louisville
Location: Mile 602.7, Left bank, Ohio River, Louisville, approximately 0.5 mile above John F. Kennedy Memorial (In Datum: NPE
Operator: Riverway Louisville Terminal Co.
Owner: Riverway Louisville Terminal Co.
Address: 1201 Upper River Road Phone: 502/583-8351
Town: Louisville State: KY County: Jefferson
Railway Connection: Six surface tracks, total capacity 45 cars, serves terminal at rear; connects with CSX Rail Transport.
Purpose: Shipment of shredded scrap metal and occasionally other miscellaneous bulk materials.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.263889
Total Berthing Space (feet): 200 | | Longitude (decimal): -85.73278
Remarks: -□□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Remarks: -□□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Port Facilities by Waterway

Remarks: -□□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Waterway: **Ohio River** Mile: 604 PWD: 177
Name: **Ashland Petroleum Co., Clarksville Terminal Wharf.**
Port: Louisville
Location: Mile 604.0, right bank, Ohio River, Clarksville. Datum: NPE
Operator: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Address: 1412 West Riverside Drive. Phone: 812/282-0801
Town: Clarksville. State: IN County: Clark
Railway Connection: None.
Purpose: Receipt of petroleum products, alcohol, and caustic soda.
Depth Alongside (feet): 14 | | Latitude (decimal): 38.268889
Total Berthing Space (feet): 360 | | Longitude (decimal): -85.75472
Remarks: Two 8-inch pipelines extend from wharf to 6 petroleum products storage tanks, total capacity 240,000 barrels, One 8-inch pipeline extends from wharf to one 630,000 gallon alcohol storage tank located at terminal feet in rear. One 4-inch caustic soda pipeline extends from wharf to a truck loading station at rear of wharf.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40377 Louisville District

Waterway: **Ohio River** Mile: 604 PWD: 151
Name: **Louisville Municipal Wharf.**
Port: Louisville
Location: Mile 603.8, left bank, Ohio River, Louisville. Datum: NPE
Operator: Belle of Louisville Operating Board.
Owner: City of Louisville.
Address: 401 West River Road Phone: 502/625-2355
Town: Louisville State: KY County: Jefferson
Railway Connection: None.
Purpose: Landing for excursion vessel 'Belle of Louisville'; boarding passengers; mooring office boat and miscellaneous vessels.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.258889
Total Berthing Space (feet): 800 | | Longitude (decimal): -85.75389
Remarks: -□□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 606 PWD: 150
Name: **U. S. Army Corps of Engineers, Louisville Repair Station Mooring.**
Port: Louisville
Location: North side of Louisville and Portland Canal (Mile 605.9, Ohio River), Louisville. Datum: NPE
Operator: U. S. Army Corps of Engineers.
Owner: U. S. Government.
Address: 809 North 27th Street Phone: 502/582-6027
Town: Louisville State: KY County: Jefferson
Railway Connection: None.
Purpose: Mooring government-owned floating equipment.
Depth Alongside (feet): 7 | | Latitude (decimal): 38.278889
Total Berthing Space (feet): 294 | 100 | Longitude (decimal): -85.78444
Remarks: Corps of Engineers Repair Shop for lock and dam apparatus is located in rear.□□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

---

Waterway: **Ohio River** Mile: 610 PWD: 178
Name: **Itapco-Kentuckiana Terminal, Wharf.**
Port: Louisville
Location: Mile 609.4, right bank, Ohio River, New Albany. Datum: NPE
Operator: Itapco-Kentuckiana Terminal, Wharf.
Owner: Independent Terminal and Pipeline Co.
Address: 20 Jackson Street Phone: 812/948-2458
Town: New Albany State: IN County: Clark
Railway Connection: None.
Purpose: Receipt and occasional shipment of liquid chemicals.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.268889
Total Berthing Space (feet): 40 | | Longitude (decimal): -85.83417
Remarks: Two 8- and eight 6-inch pipelines extend from wharf to 16 steel storage tanks at rear, total capacity 8,942,000 gallons.□

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40377 Louisville District

---

Waterway: **Ohio River** Mile: 610 PWD: 179
Name: **P.S.I. Energy, Robert A. Gallagher Plant Wharf.**
Port: Louisville
Location: Mile 610.0, right bank, Ohio River, New Albany. Datum: NPE
Operator: P.S.I. Energy, Inc
Owner: P.S.I. Energy, Inc
Address: Jackson Street Phone: 812/944-8471 ex
Town: New Albany State: IN County: Clark
Railway Connection: One unused surface track at rear; connects with CSX Rail Transport.
Purpose: Receipt of coal.
Depth Alongside (feet): 11 | | Latitude (decimal): 38.261389
Total Berthing Space (feet): 560 | | Longitude (decimal): -85.83778
Remarks: Open storage area at rear has capacity for 1,000,000 tons of coal, normal stock is 500,000 tons. Wharf has capacity for mooring 14 full barges at upper end and 14 empty barges at lower end, each in tiers up to 5

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40377 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 612 PWD: 147
Name: **Ashland Petroleum Co., Louisville Refinery, Lower Dock.**
Port: Louisville
Location: Mile 612.2, left bank, Ohio River, Louisville. Datum: NPE
Operator: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Address: 4510 Algonquin Parkway Phone: 502/772-5200
Town: Louisville State: KY County: Jefferson
Railway Connection: One surface track serves facility at rear; connects with CSX Rail Transport.
Purpose: Receipt and shipment of asphalt; receipt of petroleum products; fueling vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.228333
Total Berthing Space (feet): 356 | | Longitude (decimal): -85.84083

Waterway: **Ohio River** Mile: 612 PWD: 147
Name: **Ashland Petroleum Co., Louisville Refinery, Lower Dock.**
Port: Louisville
Location: Mile 612.2, left bank, Ohio River, Louisville. Datum: NPE
Operator: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Address: 4510 Algonquin Parkway Phone: 502/772-5200
Town: Louisville State: KY County: Jefferson
Railway Connection: One surface track serves facility at rear; connects with CSX Rail Transport.
Purpose: Receipt and shipment of asphalt; receipt of petroleum products; fueling vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.228333
Total Berthing Space (feet): 356 | | Longitude (decimal): -85.84083

Remarks: Two 10-, three 8-, and two 6-inch pipelines extend from wharf to 3 steel asphalt storage tank, total capacity 150,000 barrels and to 13 product storage tanks, total capacity 700,000 barrels.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Remarks: Two 10-, three 8-, and two 6-inch pipelines extend from wharf to 3 steel asphalt storage tank, total capacity 150,000 barrels and to 13 product storage tanks, total capacity 700,000 barrels.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 612 PWD: 147
Name: **Ashland Petroleum Co., Louisville Refinery, Lower Dock.**
Port: Louisville
Location: Mile 612.2, left bank, Ohio River, Louisville. Datum: NPE
Operator: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Address: 4510 Algonquin Parkway Phone: 502/772-5200
Town: Louisville State: KY County: Jefferson
Railway Connection: One surface track serves facility at rear; connects with CSX Rail Transport.
Purpose: Receipt and shipment of asphalt; receipt of petroleum products; fueling vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.228333
Total Berthing Space (feet): 356 | | Longitude (decimal): -85.84083

Waterway: **Ohio River** Mile: 612 PWD: 147
Name: **Ashland Petroleum Co., Louisville Refinery, Lower Dock.**
Port: Louisville
Location: Mile 612.2, left bank, Ohio River, Louisville. Datum: NPE
Operator: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Address: 4510 Algonquin Parkway Phone: 502/772-5200
Town: Louisville State: KY County: Jefferson
Railway Connection: One surface track serves facility at rear; connects with CSX Rail Transport.
Purpose: Receipt and shipment of asphalt; receipt of petroleum products; fueling vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.228333
Total Berthing Space (feet): 356 | | Longitude (decimal): -85.84083

Remarks: Two 10-, three 8-, and two 6-inch pipelines extend from wharf to 3 steel asphalt storage tank, total capacity 150,000 barrels and to 13 product storage tanks, total capacity 700,000 barrels.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Remarks: Two 10-, three 8-, and two 6-inch pipelines extend from wharf to 3 steel asphalt storage tank, total capacity 150,000 barrels and to 13 product storage tanks, total capacity 700,000 barrels.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 612 PWD: 149
Name: **Ashland Petroleum Co., Louisville Refinery, Upper Dock.**
Port: Louisville
Location: Mile 611.7, left bank, Ohio River, Louisville. Datum: NPE
Operator: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Address: 1300 South Western Parkway Phone: 502/772-5200
Town: Louisville State: KY County: Jefferson
Railway Connection: One surface track serves facility at rear; connects with CSX Rail Transport.
Purpose: Receipt of petroleum products; fueling vessels.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.238611
Total Berthing Space (feet): 110 | | Longitude (decimal): -85.83556

Waterway: **Ohio River** Mile: 612 PWD: 149
Name: **Ashland Petroleum Co., Louisville Refinery, Upper Dock.**
Port: Louisville
Location: Mile 611.7, left bank, Ohio River, Louisville. Datum: NPE
Operator: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Address: 1300 South Western Parkway Phone: 502/772-5200
Town: Louisville State: KY County: Jefferson
Railway Connection: One surface track serves facility at rear; connects with CSX Rail Transport.
Purpose: Receipt of petroleum products; fueling vessels.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.238611
Total Berthing Space (feet): 110 | | Longitude (decimal): -85.83556

Remarks: Three 8-inch pipelines extend from wharf to 6 steel storage tanks at terminal in rear, total capacity 275,000 barrels.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Remarks: Three 8-inch pipelines extend from wharf to 6 steel storage tanks at terminal in rear, total capacity 275,000 barrels.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 612 PWD: 149
Name: **Ashland Petroleum Co., Louisville Refinery, Upper Dock.**
Port: Louisville
Location: Mile 611.7, left bank, Ohio River, Louisville. Datum: NPE
Operator: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Address: 1300 South Western Parkway Phone: 502/772-5200
Town: Louisville State: KY County: Jefferson
Railway Connection: One surface track serves facility at rear; connects with CSX Rail Transport.
Purpose: Receipt of petroleum products; fueling vessels.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.238611
Total Berthing Space (feet): 110 | | Longitude (decimal): -85.83556

Waterway: **Ohio River** Mile: 612 PWD: 149
Name: **Ashland Petroleum Co., Louisville Refinery, Upper Dock.**
Port: Louisville
Location: Mile 611.7, left bank, Ohio River, Louisville. Datum: NPE
Operator: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Address: 1300 South Western Parkway Phone: 502/772-5200
Town: Louisville State: KY County: Jefferson
Railway Connection: One surface track serves facility at rear; connects with CSX Rail Transport.
Purpose: Receipt of petroleum products; fueling vessels.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.238611
Total Berthing Space (feet): 110 | | Longitude (decimal): -85.83556

Remarks: Three 8-inch pipelines extend from wharf to 6 steel storage tanks at terminal in rear, total capacity 275,000 barrels.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Remarks: Three 8-inch pipelines extend from wharf to 6 steel storage tanks at terminal in rear, total capacity 275,000 barrels.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Waterway: **Ohio River** Mile: 612 PWD: 148
Name: **BP Oil Co., Louisville Terminal Dock.**
Port: Louisville
Location: Mile 612.0, left bank, Ohio River, Louisville. Datum: NPE
Operator: BP Oil Co.
Owner: BP Oil Co.
Address: 1500 South Western Parkway Phone: 502/776-4761
Town: Louisville State: KY County: Jefferson
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products; fueling vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.233611
Total Berthing Space (feet): 220 | | Longitude (decimal): -85.83778
Remarks: Six 8-inch pipelines extend from wharf to 8 steel storage tanks at rear, total capacity 203,000 barrels.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 612 PWD: 146
Name: **Chevron U.S.A., Louisville Terminal/Blending Plant Wharf.**
Port: Louisville
Location: Mile 612.4, left bank, Ohio River, Louisville. Datum: NPE
Operator: Chevron U.S.A., Inc.
Owner: Chevron U.S.A., Inc.
Address: 4401 Bells Lane Phone: 502/776-5507
Town: Louisville State: KY County: Jefferson
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products; supplying mid-stream fueling equipment.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.224722
Total Berthing Space (feet): 500 | | Longitude (decimal): -85.84417
Remarks: One 12-, three 8-, and one 6-inch pipelines extend from wharf to 40 steel storage tanks at rear, total capacity 750,000 barrels. In addition, one 6-inch steam- and one 6-inch compressed air pipelines serve wharf pipelines extending to wharf were blanked at time of survey.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

---

Waterway: **Ohio River** Mile: 613 PWD: 180
Name: **Five M Transportation Corp. Dock.**
Port: Louisville
Location: Mile 612.7, right bank, Ohio River, New Albany. Datum: NPE
Operator: Five M Transportation Corp.
Owner: Five M Transportation Corp.
Address: 4228 Old River Road Phone: 812/948-1041
Town: New Albany State: IN County: Clark
Railway Connection: None.
Purpose: Mooring barges for repair; mooring floating drydock; mooring barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.226111
Total Berthing Space (feet): 590 | | Longitude (decimal): -85.84889
Remarks: One 200-ton drydock is moored at upper end. Seven fleeting boats are based at wharf. McBride's Upper Fleet located at shore moorings above wharf (Miles 612.0 - 612.6) has capacity for 45 barges arranged in tiers CHECK OTHERS !!!

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40377 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 613 PWD: 144
Name: **Itapco, Louisville Wharf.**
Port: Louisville
Location: Mile 612.7, left bank, Ohio River, Louisville. Datum: NPE
Operator: Itapco, Louisville Terminal, Inc.
Owner: Itapco, Louisville Terminal, Inc.
Address: 4510 Bells Lane Phone: 502/772-7575
Town: Louisville State: KY County: Jefferson
Railway Connection: Two surface tracks serve terminal at rear; connect with Norfolk Southern Railway.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 11 | | Latitude (decimal): 38.223333
Total Berthing Space (feet): 200 | | Longitude (decimal): -85.84583
Remarks: One 10-, one 8-, and three 6-inch pipelines extend from wharf to 9 steel storage tanks at rear, total capacity 169,500 barrels.□The B. F. Goodrich Co.: One unused 6-inch pipeline extends to plant approximately 1/2 mile in rear.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

---

Waterway: **Ohio River** Mile: 613 PWD: 145
Name: **The Carbon/Graphite Group Wharf.**
Port: Louisville
Location: Mile 612.5, left bank, Ohio River, Louisville. Datum: NPE
Operator: The Carbon/Graphite Group, Inc.
Owner: The Carbon/Graphite Group, Inc.
Address: 4400 Bells Lane Phone: 502/775-4155
Town: Louisville State: KY County: Jefferson
Railway Connection: One surface track serves plant at rear; connects with Norfolk Southern Railway.
Purpose: Shipment of slurried calcium hydroxide.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.224167
Total Berthing Space (feet): 600 | | Longitude (decimal): -85.84444
Remarks: Two loading spouts on floats are served by one 10-inch pipeline extending from 2 open reservoirs with total capacity for 4,500,000 gallons at plant in rear.□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 614 PWD: 142
Name: **Kerr-McGee Refining Corp., Louisville Terminal Wharf.**
Port: Louisville
Location: Mile 614.0, left bank, Ohio River, Louisville. Datum: NPE
Operator: Kerr-McGee Refining Corp.
Owner: Kerr-McGee Refining Corp.
Address: 4724 Camp Ground Road Phone: 502/447-1030
Town: Louisville State: KY County: Jefferson
Railway Connection: One surface track serves terminal in rear; connects with CSX Rail Transport.
Purpose: Receipt of petroleum products and chloroform.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.211111
Total Berthing Space (feet): 375 | | Longitude (decimal): -85.86167
Remarks: One 12-, one 10-, two 8-, and one 4-inch pipelines extend from wharf to 7 steel petroleum products storage tanks, total capacity 250,000 barrels, and 3 chloroform storage tanks, total capacity 1,260,000 gallons.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

---

Waterway: **Ohio River** Mile: 614 PWD: 143
Name: **Rohm and Haas Kentucky, Louisville Wharf.**
Port: Louisville
Location: Mile 613.5, left bank, Ohio River, Louisville. Datum: NPE
Operator: Rohm and Haas Kentucky, Inc.
Owner: Rohm and Haas Kentucky, Inc.
Address: 4500 Camp Ground Road Phone: 502/449-5509
Town: Louisville State: KY County: Jefferson
Railway Connection: Two surface tracks serve plant at rear; connect with CSX Rail Transport.
Purpose: Receipt of methyl methacrylate, ethyl acrylate, and butyl acrylate.
Depth Alongside (feet): 14 - 15 | | Latitude (decimal): 38.215278
Total Berthing Space (feet): 175 | | Longitude (decimal): -85.855
Remarks: Rohm and Haas Kentucky, Inc.: Three 6-inch pipelines extend from wharf to 4 steel storage tanks at plant in rear, total capacity 5,900,000 gallons.American Synthetic Rubber Co.: One 6- and one 4-inch pipelines (at time of survey) extend from wharf to one 386,000-gallon styrene storage tank and 2 butadiene storage spheres, total capacity 1,270,000 gallons, located on adjacent plant property.One 6-inch steam line serves wharf and one 6-inch toluene pipeline was out of service at time of survey.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 615 PWD: 140
Name: **Borden Chemical Division, Louisville Dock.**
Port: Louisville
Location: Mile 615.2, left bank, Ohio River, Louisville. Datum: NPE
Operator: Borden Chemical, Division of Borden, Inc.
Owner: Borden Chemical, Division of Borden, Inc.
Address: 6200 Camp Ground Road Phone: 502/449-6241
Town: Louisville State: KY County: Jefferson
Railway Connection: Four surface tracks serve plant at rear; connect with Paducah and Louisville Railroad.
Purpose: Receipt of methanol.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.199167
Total Berthing Space (feet): 150 | | Longitude (decimal): -85.87778
Remarks: One 6-inch pipeline extends from wharf to one 730,000-gallon steel storage tank at rear.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

---

Waterway: **Ohio River** Mile: 615 PWD: 141
Name: **I.C.I Americas, Inc., Louisville Wharf.**
Port: Louisville
Location: Mile 614.7, left bank, Ohio River, Louisville. Datum: NPE
Operator: Not operated.
Owner: I.C.I Americas, Inc.
Address: 6100 Camp Ground Road Phone: 502/448-2640
Town: Louisville State: KY County: Jefferson
Railway Connection: Trackage serving plant in rear connects with CSX Rail Transport.
Purpose: Not used.
Depth Alongside (feet): 18 | | Latitude (decimal): 38.202778
Total Berthing Space (feet): 735 | | Longitude (decimal): -85.87333
Remarks: One 6- and one 4-inch blanked pipelines extend from wharf to one 375,000-gallon methanol storage tank and one 85,000-gallon perchlorethylene storage tank, all out of service at time of survey (1991).

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40377 Louisville District

---

Waterway: **Ohio River** Mile: 617 PWD: 139
Name: **Louisville Gas and Electric Co., Cane Run Plant Dock.**
Port: Louisville
Location: Mile 616.8, left bank, Ohio River, Louisville. Datum: NPE
Operator: Louisville Gas and Electric Co.
Owner: Louisville Gas and Electric Co.
Address: 5252 Cane Run Road Phone: 502/449-8803
Town: Louisville State: KY County: Jefferson
Railway Connection: One surface track serves undertrack pit at plant in rear; connects with CSX Rail Transport.
Purpose: Receipt of slurried calcium hydroxide.
Depth Alongside (feet): 15 | 12 | Latitude (decimal): 38.183611
Total Berthing Space (feet): 200 | 200 | Longitude (decimal): -85.89222
Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 2,000,000 gallons. Product is shipped from The Carbon/Graphite GroupWharf (Ref. No. 145).

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40364 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 618 PWD: 138
Name: **Jefferson Riverport General Cargo Dock.**
Port: Louisville
Location: Mile 617.8, left bank, Ohio River, Louisville. Datum: NPE
Operator: Cooper/T. Smith Stevedoring Co.
Owner: Louisville and Jefferson County Riverport Authority.
Address: Foot of Port Road Phone: 502/933-7678
Town: Louisville State: KY County: Jefferson
Railway Connection: None.
Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 38.1675
Total Berthing Space (feet): 460 | | Longitude (decimal): -85.90111
Remarks: Approximately 2 acres of open storage area at rear is available on a temporary basis.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40362 Louisville District

---

Waterway: **Ohio River** Mile: 619 PWD: 137
Name: **Jefferson Riverport Bulk Terminal Dock.**
Port: Louisville
Location: Mile 618.5, left bank, Ohio River, Louisville. Datum: NPE
Operator: Cooper/T. Smith Stevedoring Co.
Owner: Louisville and Jefferson County Riverport Authority.
Address: 6900 Cane Run Road Phone: 502/933-7678
Town: Louisville State: KY County: Jefferson
Railway Connection: One 240-car-capacity (2-unit train) loop track serves undertrack pit, at terminal in rear, connects with CSX Rail Transport.
Purpose: Shipment of coal and occasionally other miscellaneous bulk materials.
Depth Alongside (feet): 12 | | 12 Latitude (decimal): 38.157778
Total Berthing Space (feet): 1720 | | 950 Longitude (decimal): -85.90306
Remarks: Lower mooring cells have capacity for 15 loaded barges and 15 empty barges are moored at upper cells in line with face. Open storage area at rear is served by a stacker and has capacity for 200,000 tons of coal.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40362 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 620 PWD: 136
Name: **Sun Refining and Marketing Co., Louisville Terminal Wharf.**
Port: Louisville
Location: Mile 619.8, left bank, Ohio River, Louisville. Datum: NPE
Operator: Sun Refining and Marketing Co.
Owner: Sun Refining and Marketing Co.
Address: 7800 Cane Run Road Phone: 502/937-7233
Town: Louisville State: KY County: Jefferson
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 11 | | Latitude (decimal): 38.139722
Total Berthing Space (feet): 190 | | Longitude (decimal): -85.90389
Remarks: Two 8- becoming 6-inch pipelines extend from wharf to 5 steel storage tanks at rear, total capacity 115,000 barrels.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40361 Louisville District

---

Waterway: **Ohio River** Mile: 621 PWD: 135
Name: **Marathon Oil Co., Louisville Asphalt Terminal Wharf.**
Port: Louisville
Location: Mile 620.5, left bank, Ohio River, Louisville. Datum: NPE
Operator: Marathon Oil Co..
Owner: Marathon Oil Co.
Address: 8600 Cane Run Road Phone: 502/937-0121
Town: Louisville State: KY County: Jefferson
Railway Connection: None.
Purpose: Receipt of asphalt.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.129722
Total Berthing Space (feet): 180 | | Longitude (decimal): -85.90333
Remarks: One 8-inch pipeline extends from wharf to 7 steel storage tanks at terminal in rear, total capacity 140,000 barrels.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40360 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 626 PWD: 134
Name: **Louisville Gas and Electric Co., Mill Creek Station Mooring Dock.**
Port: Louisville
Location: Mile 626.4, left bank, Ohio River, Louisville. Datum: NPE
Operator: Louisville Gas and Electric Co.
Owner: Louisville Gas and Electric Co.
Address: 14460 Dixie Highway Phone: 502/933-6520
Town: Louisville State: KY County: Jefferson
Railway Connection: Four surface tracks, capacity 250 cars, serve undertrack pit at power plant in rear; connect with Paducah and Louisville Railroad.
Purpose: Mooring barges.
Depth Alongside (feet): 11 | | Latitude (decimal): 38.050556
Total Berthing Space (feet): 390 | | Longitude (decimal): -85.91278

Waterway: **Ohio River** Mile: 626 PWD: 134
Name: **Louisville Gas and Electric Co., Mill Creek Station Mooring Dock.**
Port: Louisville
Location: Mile 626.4, left bank, Ohio River, Louisville. Datum: NPE
Operator: Louisville Gas and Electric Co.
Owner: Louisville Gas and Electric Co.
Address: 14460 Dixie Highway Phone: 502/933-6520
Town: Louisville State: KY County: Jefferson
Railway Connection: Four surface tracks, capacity 250 cars, serve undertrack pit at power plant in rear; connect with Paducah and Louisville Railroad.
Purpose: Mooring barges.
Depth Alongside (feet): 11 | | Latitude (decimal): 38.050556
Total Berthing Space (feet): 390 | | Longitude (decimal): -85.91278
Remarks: Wharf formerly was used for receipt of slurried calcium hydroxide. One 10-inch unused pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 85,700 barrels.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40354 Louisville District

Remarks: Wharf formerly was used for receipt of slurried calcium hydroxide. One 10-inch unused pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 85,700 barrels.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40354 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 626 PWD: 134
Name: **Louisville Gas and Electric Co., Mill Creek Station Mooring Dock.**
Port: Louisville
Location: Mile 626.4, left bank, Ohio River, Louisville. Datum: NPE
Operator: Louisville Gas and Electric Co.
Owner: Louisville Gas and Electric Co.
Address: 14460 Dixie Highway Phone: 502/933-6520
Town: Louisville State: KY County: Jefferson
Railway Connection: Four surface tracks, capacity 250 cars, serve undertrack pit at power plant in rear; connect with Paducah and Louisville Railroad.
Purpose: Mooring barges.
Depth Alongside (feet): 11 | | Latitude (decimal): 38.050556
Total Berthing Space (feet): 390 | | Longitude (decimal): -85.91278

Waterway: **Ohio River** Mile: 626 PWD: 134
Name: **Louisville Gas and Electric Co., Mill Creek Station Mooring Dock.**
Port: Louisville
Location: Mile 626.4, left bank, Ohio River, Louisville. Datum: NPE
Operator: Louisville Gas and Electric Co.
Owner: Louisville Gas and Electric Co.
Address: 14460 Dixie Highway Phone: 502/933-6520
Town: Louisville State: KY County: Jefferson
Railway Connection: Four surface tracks, capacity 250 cars, serve undertrack pit at power plant in rear; connect with Paducah and Louisville Railroad.
Purpose: Mooring barges.
Depth Alongside (feet): 11 | | Latitude (decimal): 38.050556
Total Berthing Space (feet): 390 | | Longitude (decimal): -85.91278
Remarks: Wharf formerly was used for receipt of slurried calcium hydroxide. One 10-inch unused pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 85,700 barrels.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40354 Louisville District

Remarks: Wharf formerly was used for receipt of slurried calcium hydroxide. One 10-inch unused pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 85,700 barrels.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40354 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 627 PWD: 132
Name: **Kosmos Cement Co., Cement Dock.**
Port: Louisville
Location: Mile 627.1, left bank, Ohio River, Kosmosdale. Datum: NPE
Operator: Kosmos Cement Co.
Owner: Kosmos Cement Co.
Address: 15301 Dixie Highway Phone: 502/935-7331
Town: Kosmosdale State: KY County: Jefferson
Railway Connection: Two surface tracks serve plant at rear; connect with CSX Rail Transport.
Purpose: Shipment of cement.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.038333
Total Berthing Space (feet): 625 | | Longitude (decimal): -85.91389

Waterway: **Ohio River** Mile: 627 PWD: 132
Name: **Kosmos Cement Co., Cement Dock.**
Port: Louisville
Location: Mile 627.1, left bank, Ohio River, Kosmosdale. Datum: NPE
Operator: Kosmos Cement Co.
Owner: Kosmos Cement Co.
Address: 15301 Dixie Highway Phone: 502/935-7331
Town: Kosmosdale State: KY County: Jefferson
Railway Connection: Two surface tracks serve plant at rear; connect with CSX Rail Transport.
Purpose: Shipment of cement.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.038333
Total Berthing Space (feet): 625 | | Longitude (decimal): -85.91389

Remarks: Pneumatic pipelines extend from 7 concrete silos, total capacity 28,500 tons at plant in rear. An additional 4 silos at plant have total capacity for 16,500 tons; however, are seldom used for supplying barges.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40353 Louisville District

Remarks: Pneumatic pipelines extend from 7 concrete silos, total capacity 28,500 tons at plant in rear. An additional 4 silos at plant have total capacity for 16,500 tons; however, are seldom used for supplying barges.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40353 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 627 PWD: 132
Name: **Kosmos Cement Co., Cement Dock.**
Port: Louisville
Location: Mile 627.1, left bank, Ohio River, Kosmosdale. Datum: NPE
Operator: Kosmos Cement Co.
Owner: Kosmos Cement Co.
Address: 15301 Dixie Highway Phone: 502/935-7331
Town: Kosmosdale State: KY County: Jefferson
Railway Connection: Two surface tracks serve plant at rear; connect with CSX Rail Transport.
Purpose: Shipment of cement.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.038333
Total Berthing Space (feet): 625 | | Longitude (decimal): -85.91389

Waterway: **Ohio River** Mile: 627 PWD: 132
Name: **Kosmos Cement Co., Cement Dock.**
Port: Louisville
Location: Mile 627.1, left bank, Ohio River, Kosmosdale. Datum: NPE
Operator: Kosmos Cement Co.
Owner: Kosmos Cement Co.
Address: 15301 Dixie Highway Phone: 502/935-7331
Town: Kosmosdale State: KY County: Jefferson
Railway Connection: Two surface tracks serve plant at rear; connect with CSX Rail Transport.
Purpose: Shipment of cement.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.038333
Total Berthing Space (feet): 625 | | Longitude (decimal): -85.91389

Remarks: Pneumatic pipelines extend from 7 concrete silos, total capacity 28,500 tons at plant in rear. An additional 4 silos at plant have total capacity for 16,500 tons; however, are seldom used for supplying barges.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40353 Louisville District

Remarks: Pneumatic pipelines extend from 7 concrete silos, total capacity 28,500 tons at plant in rear. An additional 4 silos at plant have total capacity for 16,500 tons; however, are seldom used for supplying barges.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40353 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 627 PWD: 133
Name: **Louisville Gas and Electric Co., Mill Creek Station, Coal Unloadin**
Port: Louisville
Location: Mile 627.1, left bank, Ohio River, Louisville. Datum: NPE
Operator: Louisville Gas and Electric Co.
Owner: Louisville Gas and Electric Co.
Address: 14460 Dixie Highway Phone: 502/933-6520
Town: Louisville State: KY County: Jefferson
Railway Connection: Four surface tracks, capacity 250 cars, serve undertrack pit at power plant in rear; connect with Paducah and Louisville Railroad.
Purpose: Receipt of coal.
Depth Alongside (feet): 11 | | Latitude (decimal): 38.035278
Total Berthing Space (feet): 2745 | | Longitude (decimal): -85.91306

Waterway: **Ohio River** Mile: 627 PWD: 133
Name: **Louisville Gas and Electric Co., Mill Creek Station, Coal Unloadin**
Port: Louisville
Location: Mile 627.1, left bank, Ohio River, Louisville. Datum: NPE
Operator: Louisville Gas and Electric Co.
Owner: Louisville Gas and Electric Co.
Address: 14460 Dixie Highway Phone: 502/933-6520
Town: Louisville State: KY County: Jefferson
Railway Connection: Four surface tracks, capacity 250 cars, serve undertrack pit at power plant in rear; connect with Paducah and Louisville Railroad.
Purpose: Receipt of coal.
Depth Alongside (feet): 11 | | Latitude (decimal): 38.035278
Total Berthing Space (feet): 2745 | | Longitude (decimal): -85.91306
Remarks: Open storage area at plant in rear has capacity for 986,000 tons of coal. Wharf has capacity for mooring 15 full barges at upper end and 15 empty barges at lower end.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40354 Louisville District

Remarks: Open storage area at plant in rear has capacity for 986,000 tons of coal. Wharf has capacity for mooring 15 full barges at upper end and 15 empty barges at lower end.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40354 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 627 PWD: 133
Name: **Louisville Gas and Electric Co., Mill Creek Station, Coal Unloadin**
Port: Louisville
Location: Mile 627.1, left bank, Ohio River, Louisville. Datum: NPE
Operator: Louisville Gas and Electric Co.
Owner: Louisville Gas and Electric Co.
Address: 14460 Dixie Highway Phone: 502/933-6520
Town: Louisville State: KY County: Jefferson
Railway Connection: Four surface tracks, capacity 250 cars, serve undertrack pit at power plant in rear; connect with Paducah and Louisville Railroad.
Purpose: Receipt of coal.
Depth Alongside (feet): 11 | | Latitude (decimal): 38.035278
Total Berthing Space (feet): 2745 | | Longitude (decimal): -85.91306

Waterway: **Ohio River** Mile: 627 PWD: 133
Name: **Louisville Gas and Electric Co., Mill Creek Station, Coal Unloadin**
Port: Louisville
Location: Mile 627.1, left bank, Ohio River, Louisville. Datum: NPE
Operator: Louisville Gas and Electric Co.
Owner: Louisville Gas and Electric Co.
Address: 14460 Dixie Highway Phone: 502/933-6520
Town: Louisville State: KY County: Jefferson
Railway Connection: Four surface tracks, capacity 250 cars, serve undertrack pit at power plant in rear; connect with Paducah and Louisville Railroad.
Purpose: Receipt of coal.
Depth Alongside (feet): 11 | | Latitude (decimal): 38.035278
Total Berthing Space (feet): 2745 | | Longitude (decimal): -85.91306
Remarks: Open storage area at plant in rear has capacity for 986,000 tons of coal. Wharf has capacity for mooring 15 full barges at upper end and 15 empty barges at lower end.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40354 Louisville District

Remarks: Open storage area at plant in rear has capacity for 986,000 tons of coal. Wharf has capacity for mooring 15 full barges at upper end and 15 empty barges at lower end.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40354 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 628 PWD: 130

Name: **B. T. Energy Corp. Dock.**

Port: Louisville

Location: Mile 627.8, left bank, Ohio River, Kosmosdale. Datum: NPE

Operator: B. T. Energy Corp.

Owner: B. T. Energy Corp.

Address: 15700 Dixie Highway Phone: 502/937-1700

Town: Kosmosdale State: KY County: Jefferson

Railway Connection: None.

Purpose: Receipt of petroleum products.

Depth Alongside (feet): 10 | | Latitude (decimal): 38.025

Total Berthing Space (feet): 40 | | Longitude (decimal): -85.91833

Remarks: One 6-inch pipeline extends from wharf to 7 steel storage tanks at rear, total capacity 140,000 barrels.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40353 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 628 PWD: 131
Name: **Kosmos Cement Co., Stone Dock.**
Port: Louisville
Location: Mile 627.6, left bank, Ohio River, Kosmosdale. Datum: NPE
Operator: Kosmos Cement Co.
Owner: Kosmos Cement Co.
Address: 15301 Dixie Highway Phone: 502/935-7331
Town: Kosmosdale State: KY County: Jefferson
Railway Connection: Two surface tracks serve plant at rear; connect with CSX Rail Transport.
Purpose: Receipt of crushed stone.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.035
Total Berthing Space (feet): 820 | | Longitude (decimal): -85.91444

Waterway: **Ohio River** Mile: 628 PWD: 131
Name: **Kosmos Cement Co., Stone Dock.**
Port: Louisville
Location: Mile 627.6, left bank, Ohio River, Kosmosdale. Datum: NPE
Operator: Kosmos Cement Co.
Owner: Kosmos Cement Co.
Address: 15301 Dixie Highway Phone: 502/935-7331
Town: Kosmosdale State: KY County: Jefferson
Railway Connection: Two surface tracks serve plant at rear; connect with CSX Rail Transport.
Purpose: Receipt of crushed stone.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.035
Total Berthing Space (feet): 820 | | Longitude (decimal): -85.91444

Remarks: Float dimensions proceeding upstream are: 100 by 24; 35 by 24; 120 by 32; 75 by 20; 75 by 20; 195 by 40; 110 by 32; and 110 by 30.□Open storage area at rear has capacity for 300,000 tons of crushed stone and a steel frame, asbestos-cement covered storage building has capacity for an additional 10,000 tons.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40353 Louisville District

Remarks: Float dimensions proceeding upstream are: 100 by 24; 35 by 24; 120 by 32; 75 by 20; 75 by 20; 195 by 40; 110 by 32; and 110 by 30.□Open storage area at rear has capacity for 300,000 tons of crushed stone and a steel frame, asbestos-cement covered storage building has capacity for an additional 10,000 tons.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40353 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 628 PWD: 131
Name: **Kosmos Cement Co., Stone Dock.**
Port: Louisville
Location: Mile 627.6, left bank, Ohio River, Kosmosdale. Datum: NPE
Operator: Kosmos Cement Co.
Owner: Kosmos Cement Co.
Address: 15301 Dixie Highway Phone: 502/935-7331
Town: Kosmosdale State: KY County: Jefferson
Railway Connection: Two surface tracks serve plant at rear; connect with CSX Rail Transport.
Purpose: Receipt of crushed stone.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.035
Total Berthing Space (feet): 820 | | Longitude (decimal): -85.91444

Waterway: **Ohio River** Mile: 628 PWD: 131
Name: **Kosmos Cement Co., Stone Dock.**
Port: Louisville
Location: Mile 627.6, left bank, Ohio River, Kosmosdale. Datum: NPE
Operator: Kosmos Cement Co.
Owner: Kosmos Cement Co.
Address: 15301 Dixie Highway Phone: 502/935-7331
Town: Kosmosdale State: KY County: Jefferson
Railway Connection: Two surface tracks serve plant at rear; connect with CSX Rail Transport.
Purpose: Receipt of crushed stone.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.035
Total Berthing Space (feet): 820 | | Longitude (decimal): -85.91444

Remarks: Float dimensions proceeding upstream are: 100 by 24; 35 by 24; 120 by 32; 75 by 20; 75 by 20; 195 by 40; 110 by 32; and 110 by 30.□Open storage area at rear has capacity for 300,000 tons of crushed stone and a steel frame, asbestos-cement covered storage building has capacity for an additional 10,000 tons.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40353 Louisville District

Remarks: Float dimensions proceeding upstream are: 100 by 24; 35 by 24; 120 by 32; 75 by 20; 75 by 20; 195 by 40; 110 by 32; and 110 by 30.□Open storage area at rear has capacity for 300,000 tons of crushed stone and a steel frame, asbestos-cement covered storage building has capacity for an additional 10,000 tons.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40353 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 643 PWD: 129
Name: **Olin Corp., Doe Run Plant Dock.**
Port: Louisville
Location: Mile 643.2, left bank, Ohio River, Brandenburg. Datum: NPE
Operator: Olin Corp.
Owner: Olin Corp.
Address: 2450 Olin Road Phone: 502/422-2101
Town: Brandenburg State: KY County: Meade
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Shipment of aromatic distillate.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.011944
Total Berthing Space (feet): 195 | | Longitude (decimal): -86.10056
Remarks: One 6-inch pipeline extends to wharf from 2 steel storage tanks, total capacity 966,000 gallons. One 6-inch vapor return pipeline serves wharf and one additional 6-inch pipeline on wharf was not of service at tim

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40337 Louisville District

---

Waterway: **Ohio River** Mile: 654 PWD: 128
Name: **Kosmos Cement Co., Oolite Wharf.**
Port: Louisville
Location: Mile 654.0, left bank, Ohio River, Battletown. Datum: NPE
Operator: Kosmos Cement Co., Inc.
Owner: Kosmos Cement Co., Inc.
Address: Rock Quarry Road Phone: 502/497-4107
Town: Battletown State: KY County: Meade
Railway Connection: None.
Purpose: Shipment of crushed stone.
Depth Alongside (feet): 16 | | Latitude (decimal): 38.074444
Total Berthing Space (feet): 388 | | Longitude (decimal): -86.28167
Remarks: Open storage area at rear has capacity for 25,000 tons of stone. Crusher is located at rock quarry.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40327 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 674 PWD: 182
Name: **Mulzer Crushed Stone, Cape Sandy Quarry, Lower Wharf.**
Port: Louisville
Location: Mile 673.8, right bank, Ohio River, Cape Sandy. Datum: NPE
Operator: Mulzer Crushed Stone, Inc.
Owner: Mulzer Crushed Stone, Inc.
Address: Fredonia-Alton Road. Phone: 812/739-2929
Town: Cape Sandy State: IN County: Crawford
Railway Connection: None.
Purpose: Shipment of crushed limestone.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.129167
Total Berthing Space (feet): 205 | | Longitude (decimal): -86.35528

Waterway: **Ohio River** Mile: 674 PWD: 182
Name: **Mulzer Crushed Stone, Cape Sandy Quarry, Lower Wharf.**
Port: Louisville
Location: Mile 673.8, right bank, Ohio River, Cape Sandy. Datum: NPE
Operator: Mulzer Crushed Stone, Inc.
Owner: Mulzer Crushed Stone, Inc.
Address: Fredonia-Alton Road. Phone: 812/739-2929
Town: Cape Sandy State: IN County: Crawford
Railway Connection: None.
Purpose: Shipment of crushed limestone.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.129167
Total Berthing Space (feet): 205 | | Longitude (decimal): -86.35528

Remarks: A total of 84 barges can be fleeted downstream of wharf in tiers 3-wide: 15 at 2 floats (mile 674.0); 12 at one steel float (mile 674.2); and 48 at 2 floats and 6 steel breasting dolphins between miles 674.4 and

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40307 Louisville District

Remarks: A total of 84 barges can be fleeted downstream of wharf in tiers 3-wide: 15 at 2 floats (mile 674.0); 12 at one steel float (mile 674.2); and 48 at 2 floats and 6 steel breasting dolphins between miles 674.4 and

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40307 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 674 PWD: 182
Name: **Mulzer Crushed Stone, Cape Sandy Quarry, Lower Wharf.**
Port: Louisville
Location: Mile 673.8, right bank, Ohio River, Cape Sandy. Datum: NPE
Operator: Mulzer Crushed Stone, Inc.
Owner: Mulzer Crushed Stone, Inc.
Address: Fredonia-Alton Road. Phone: 812/739-2929
Town: Cape Sandy State: IN County: Crawford
Railway Connection: None.
Purpose: Shipment of crushed limestone.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.129167
Total Berthing Space (feet): 205 | | Longitude (decimal): -86.35528

Waterway: **Ohio River** Mile: 674 PWD: 182
Name: **Mulzer Crushed Stone, Cape Sandy Quarry, Lower Wharf.**
Port: Louisville
Location: Mile 673.8, right bank, Ohio River, Cape Sandy. Datum: NPE
Operator: Mulzer Crushed Stone, Inc.
Owner: Mulzer Crushed Stone, Inc.
Address: Fredonia-Alton Road. Phone: 812/739-2929
Town: Cape Sandy State: IN County: Crawford
Railway Connection: None.
Purpose: Shipment of crushed limestone.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.129167
Total Berthing Space (feet): 205 | | Longitude (decimal): -86.35528

Remarks: A total of 84 barges can be fleeted downstream of wharf in tiers 3-wide: 15 at 2 floats (mile 674.0); 12 at one steel float (mile 674.2); and 48 at 2 floats and 6 steel breasting dolphins between miles 674.4 and

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40307 Louisville District

Remarks: A total of 84 barges can be fleeted downstream of wharf in tiers 3-wide: 15 at 2 floats (mile 674.0); 12 at one steel float (mile 674.2); and 48 at 2 floats and 6 steel breasting dolphins between miles 674.4 and

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40307 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 674 PWD: 181
Name: **Mulzer Crushed Stone, Cape Sandy Quarry, Upper Wharf.**
Port: Louisville
Location: Mile 673.7, right bank, Ohio River, Cape Sandy. Datum: NPE
Operator: Mulzer Crushed Stone, Inc.
Owner: Mulzer Crushed Stone, Inc.
Address: Fredonia-Alton Road. Phone: 812/739-2929
Town: Cape Sandy State: IN County: Crawford
Railway Connection: None.
Purpose: Shipment of crushed limestone.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.128889
Total Berthing Space (feet): 60 | | Longitude (decimal): -86.35222

Waterway: **Ohio River** Mile: 674 PWD: 181
Name: **Mulzer Crushed Stone, Cape Sandy Quarry, Upper Wharf.**
Port: Louisville
Location: Mile 673.7, right bank, Ohio River, Cape Sandy. Datum: NPE
Operator: Mulzer Crushed Stone, Inc.
Owner: Mulzer Crushed Stone, Inc.
Address: Fredonia-Alton Road. Phone: 812/739-2929
Town: Cape Sandy State: IN County: Crawford
Railway Connection: None.
Purpose: Shipment of crushed limestone.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.128889
Total Berthing Space (feet): 60 | | Longitude (decimal): -86.35222

Remarks: Open storage area at quarry in rear has capacity for 1,000,000 tons of crushed limestone.□Upper fleet with capacity for 15 barges arranged in 5 tiers, each 3 barges wide is located at 2 steel breasting dolphins approximately 1,400 feet upstream from wharf.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40307 Louisville District

Remarks: Open storage area at quarry in rear has capacity for 1,000,000 tons of crushed limestone.□Upper fleet with capacity for 15 barges arranged in 5 tiers, each 3 barges wide is located at 2 steel breasting dolphins approximately 1,400 feet upstream from wharf.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40307 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 674 PWD: 181
Name: **Mulzer Crushed Stone, Cape Sandy Quarry, Upper Wharf.**
Port: Louisville
Location: Mile 673.7, right bank, Ohio River, Cape Sandy. Datum: NPE
Operator: Mulzer Crushed Stone, Inc.
Owner: Mulzer Crushed Stone, Inc.
Address: Fredonia-Alton Road. Phone: 812/739-2929
Town: Cape Sandy State: IN County: Crawford
Railway Connection: None.
Purpose: Shipment of crushed limestone.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.128889
Total Berthing Space (feet): 60 | | Longitude (decimal): -86.35222

Waterway: **Ohio River** Mile: 674 PWD: 181
Name: **Mulzer Crushed Stone, Cape Sandy Quarry, Upper Wharf.**
Port: Louisville
Location: Mile 673.7, right bank, Ohio River, Cape Sandy. Datum: NPE
Operator: Mulzer Crushed Stone, Inc.
Owner: Mulzer Crushed Stone, Inc.
Address: Fredonia-Alton Road. Phone: 812/739-2929
Town: Cape Sandy State: IN County: Crawford
Railway Connection: None.
Purpose: Shipment of crushed limestone.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.128889
Total Berthing Space (feet): 60 | | Longitude (decimal): -86.35222

Remarks: Open storage area at quarry in rear has capacity for 1,000,000 tons of crushed limestone.□Upper fleet with capacity for 15 barges arranged in 5 tiers, each 3 barges wide is located at 2 steel breasting dolphins approximately 1,400 feet upstream from wharf.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40307 Louisville District

Remarks: Open storage area at quarry in rear has capacity for 1,000,000 tons of crushed limestone.□Upper fleet with capacity for 15 barges arranged in 5 tiers, each 3 barges wide is located at 2 steel breasting dolphins approximately 1,400 feet upstream from wharf.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40307 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 674 PWD: 126
Name: **Riverside Stone Co., Lower Dock.**
Port: Louisville
Location: Mile 674.2, left bank, Ohio River, Wolf Creek. Datum: NPE
Operator: Riverside Stone Co., a subsidiary of Yager Materials, Inc.
Owner: Riverside Stone Co., a subsidiary of Yager Materials, Inc.
Address: 4800 Cedar Flat Road Phone: 502/497-4191
Town: Wolf Creek State: KY County: Meade
Railway Connection: None.
Purpose: Shipment of crushed stone.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.125278
Total Berthing Space (feet): 100 | | Longitude (decimal): -86.36722
Remarks: Open storage area at rear has capacity for 150,000 tons of crushed stone.□□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40306 Louisville District

---

Waterway: **Ohio River** Mile: 674 PWD: 127
Name: **Riverside Stone Co., Upper Dock.**
Port: Louisville
Location: Mile 674.1, left bank, Ohio River, Wolf Creek. Datum: NPE
Operator: Riverside Stone Co., a subsidiary of Yager Materials, Inc.
Owner: Riverside Stone Co., a subsidiary of Yager Materials, Inc.
Address: 4800 Cedar Flat Road Phone: 502/497-4191
Town: Wolf Creek State: KY County: Meade
Railway Connection: None.
Purpose: Shipment of crushed stone.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.125556
Total Berthing Space (feet): 120 | | Longitude (decimal): -86.36417
Remarks: Use of open storage area at rear of Lower Wharf, Ref. No. ????□□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40306 Louisville District

---

Waterway: **Ohio River** Mile: 726 PWD: 125
Name: **Yager Materials, Hawesville Dock.**
Port: Louisville
Location: Mile 726.0, left bank, Ohio River, Hawesville. Datum: NPE
Operator: Yager Materials, Inc.
Owner: Yager Materials, Inc.
Address: State Highway 271 Phone: 502/927-6996
Town: Hawesville State: KY County: Hancock
Railway Connection: None.
Purpose: Receipt of sand, gravel, crushed limestone, and lime.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.939722
Total Berthing Space (feet): 200 | | Longitude (decimal): -86.77778
Remarks: Open storage area at rear has capacity for 130,000 tons of sand, gravel, and crushed limestone.□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40254 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 727 PWD: 183
Name: **Maxon Marine Dock.**
Port: Louisville
Location: Mile 726.5, right bank, Ohio River, Tell City. Datum: NPE
Operator: Maxon Marine, Inc.
Owner: Maxon Marine, Inc.
Address: Old Cannelton Road Phone: 812/547-2341
Town: Tell City State: IN County: Perry
Railway Connection: One surface track serves shipyard in rear; connects with CSX Rail Transport.
Purpose: Mooring barges and towboats for repair.
Depth Alongside (feet): 15 | | Latitude (decimal): 37.938333
Total Berthing Space (feet): 145 | | Longitude (decimal): -86.76861
Remarks: A tilt beam launchway at upper end of shipyard can also be used for hauling out barges and is rated at 300 tons. One 500-ton marine railway is located adjacent to upper end of wharf.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40254 Louisville District

---

Waterway: **Ohio River** Mile: 727 PWD: 124
Name: **NSA-Southwire Co.**
Port: Louisville
Location: Mile 727.3, left bank, Ohio River, Hawesville. Datum: NPE
Operator: NSA, a Division of Southwire Co.
Owner: NSA, a Division of Southwire Co.
Address: State Highway 271 Phone: 502/927-6921
Town: Hawesville State: KY County: Hancock
Railway Connection: One surface track serves facility at rear; connects with CSX Rail Transport.
Purpose: Receipt of alumina and coke.
Depth Alongside (feet): 10 - 13 | | Latitude (decimal): 37.946667
Total Berthing Space (feet): 1400 | | Longitude (decimal): -86.78139
Remarks: Eight steel alumina silos and 2 steel coke silos, at rear, have capacities for 29,600 and 7,400 tons, respectively.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40253 Louisville District

---

Waterway: **Ohio River** Mile: 728 PWD: 184
Name: **Mulzer Crushed Stone, Tell City Dock.**
Port: Louisville
Location: Mile 727.9, right bank, Ohio River, Tell City. Datum: NPE
Operator: Mulzer Crushed Stone, Inc.
Owner: Mulzer Crushed Stone, Inc.
Address: Foot of Lafayette Street Phone: 812/547-3467
Town: Tell City State: IN County: Perry
Railway Connection: None.
Purpose: Receipt of sand.
Depth Alongside (feet): 9 | | Latitude (decimal): 37.957778
Total Berthing Space (feet): 100 | | Longitude (decimal): -86.77806
Remarks: Open storage area at rear served by overhead conveyors has capacity for 20,000 tons of sand.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40253 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 729 PWD: 123
Name: **Big Rivers Electric Corp., Kenneth C. Coleman Plant Wharf.**
Port: Louisville
Location: Mile 728.5, left bank, Ohio River, Hawesville. Datum: NPE
Operator: Big Rivers Electric Corp.
Owner: Big Rivers Electric Corp.
Address: River Road Phone: 502/827-4028
Town: Hawesville State: KY County: Hancock
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 13 | | Latitude (decimal): 37.962778
Total Berthing Space (feet): 2145 | | Longitude (decimal): -86.78944
Remarks: Open storage area at rear has capacity for 300,000 tons of coal. Wharf has capacity for mooring 12 full and 12 empty barges.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40252 Louisville District

---

Waterway: **Ohio River** Mile: 732 PWD: 185
Name: **Troy Terminal Corp. Dock.**
Port: Louisville
Location: Mile 731.7, right bank, Ohio River, Troy. Datum: NPE
Operator: Troy Terminal Corp.
Owner: Southern Terminals, Inc.
Address: State Highway 66. Phone: 812/547-4636
Town: Troy State: IN County: Perry
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.999444
Total Berthing Space (feet): 370 | | Longitude (decimal): -86.81861
Remarks: Open storage area at rear has capacity for 25,000 tons of coal.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40249 Louisville District

---

Waterway: **Ohio River** Mile: 734 PWD: 186
Name: **Corn Island Shipyard.**
Port: Louisville
Location: Mile 734.3, right bank, Ohio River, Maxville. Datum: NPE
Operator: Corn Island Shipyard, Inc.
Owner: Foertsch Construction Co., Inc.
Address: State Highway 66 Phone: 812/362-8808
Town: Maxville State: IN County: Perry
Railway Connection: None.
Purpose: Mooring barges for repair, maintenance, and outfitting.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.98
Total Berthing Space (feet): 120 | | Longitude (decimal): -86.86722
Remarks: Fabrication shop, launchway, 350-ton side haul marine railway, and barge building area at rear were under construction at time of survey (1992).

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40246 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 736 PWD: 187

Name: **New Hope Dock Corp. Wharf.**

Port: Louisville

Location: Mile 735.8, right bank, Ohio River, Grandview. Datum: NPE

Operator: New Hope Dock Corp.

Owner: New Hope Dock Corp.

Address: State Highway 66 Phone: 812/362-7707

Town: Grandview State: IN County: Perry

Railway Connection: None.

Purpose: Shipment and occasional receipt of coal.

Depth Alongside (feet): 14 | 13 | Latitude (decimal): 37.966944

Total Berthing Space (feet): 420 | 420 | Longitude (decimal): -86.88333

Remarks: Open storage area at rear has capacity for 100,000 tons of coal. Barge holding area at shore moorings, located approximately 2,000 feet below wharf, has capacity for 15 barges arranged in 5 tiers each 3 barges wi

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40245 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 744 PWD: 188
Name: **Grandview Dock Corp. Wharf.**
Port: Louisville
Location: Mile 743.8, right bank, Ohio River, Grandview. Datum: NPE
Operator: Grandview Dock Corp.
Owner: Fretina Investment Co.
Address: State Highway 66 Phone: 812/547-6471
Town: Grandview State: IN County: Perry
Railway Connection: None.
Purpose: Shipment of coal. (See Remarks.)
Depth Alongside (feet): 15 | | Latitude (decimal): 37.92
Total Berthing Space (feet): 200 | | Longitude (decimal): -87.01028

Waterway: **Ohio River** Mile: 744 PWD: 188
Name: **Grandview Dock Corp. Wharf.**
Port: Louisville
Location: Mile 743.8, right bank, Ohio River, Grandview. Datum: NPE
Operator: Grandview Dock Corp.
Owner: Fretina Investment Co.
Address: State Highway 66 Phone: 812/547-6471
Town: Grandview State: IN County: Perry
Railway Connection: None.
Purpose: Shipment of coal. (See Remarks.)
Depth Alongside (feet): 15 | | Latitude (decimal): 37.92
Total Berthing Space (feet): 200 | | Longitude (decimal): -87.01028

Remarks: Open storage area at rear has capacity for 160,000 tons of coal. Terminal was inactive at time of survey, however plans called for reactivation in 1992.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40237 Louisville District

Remarks: Open storage area at rear has capacity for 160,000 tons of coal. Terminal was inactive at time of survey, however plans called for reactivation in 1992.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40237 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 744 PWD: 188
Name: **Grandview Dock Corp. Wharf.**
Port: Louisville
Location: Mile 743.8, right bank, Ohio River, Grandview. Datum: NPE
Operator: Grandview Dock Corp.
Owner: Fretina Investment Co.
Address: State Highway 66 Phone: 812/547-6471
Town: Grandview State: IN County: Perry
Railway Connection: None.
Purpose: Shipment of coal. (See Remarks.)
Depth Alongside (feet): 15 | | Latitude (decimal): 37.92
Total Berthing Space (feet): 200 | | Longitude (decimal): -87.01028

Waterway: **Ohio River** Mile: 744 PWD: 188
Name: **Grandview Dock Corp. Wharf.**
Port: Louisville
Location: Mile 743.8, right bank, Ohio River, Grandview. Datum: NPE
Operator: Grandview Dock Corp.
Owner: Fretina Investment Co.
Address: State Highway 66 Phone: 812/547-6471
Town: Grandview State: IN County: Perry
Railway Connection: None.
Purpose: Shipment of coal. (See Remarks.)
Depth Alongside (feet): 15 | | Latitude (decimal): 37.92
Total Berthing Space (feet): 200 | | Longitude (decimal): -87.01028

Remarks: Open storage area at rear has capacity for 160,000 tons of coal. Terminal was inactive at time of survey, however plans called for reactivation in 1992.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40237 Louisville District

Remarks: Open storage area at rear has capacity for 160,000 tons of coal. Terminal was inactive at time of survey, however plans called for reactivation in 1992.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40237 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 745 PWD: 189
Name: **Indiana-Michigan Power Co., Rockport Plant Dock.**
Port: Louisville
Location: Mile 744.8, right bank, Ohio River, Rockport. Datum: NPE
Operator: Indiana-Michigan Power Co.
Owner: Indiana-Michigan Power Co.
Address: State Highway 231 Phone: 812/649-9171
Town: Rockport State: IN County: Perry
Railway Connection: One surface track serves plant at rear; connects with Norfolk Southern Railway.
Purpose: Receipt of coal and occasionally fuel oil for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.911667
Total Berthing Space (feet): 7812 | | Longitude (decimal): -87.02583

Waterway: **Ohio River** Mile: 745 PWD: 189
Name: **Indiana-Michigan Power Co., Rockport Plant Dock.**
Port: Louisville
Location: Mile 744.8, right bank, Ohio River, Rockport. Datum: NPE
Operator: Indiana-Michigan Power Co.
Owner: Indiana-Michigan Power Co.
Address: State Highway 231 Phone: 812/649-9171
Town: Rockport State: IN County: Perry
Railway Connection: One surface track serves plant at rear; connects with Norfolk Southern Railway.
Purpose: Receipt of coal and occasionally fuel oil for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.911667
Total Berthing Space (feet): 7812 | | Longitude (decimal): -87.02583

Remarks: Open storage area at rear has capacity for 300,000,000 tons of coal. Wharf has capacity for mooring 30 empty and 30 loaded barges in tiers 3-barges wide.□One 8-inch pipeline extends from wharf to 2 steel storage rear, total capacity 47,600 barrels.□One 2 1/2- inch steam utility line serves cell with unloading arm

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40237 Louisville District

Remarks: Open storage area at rear has capacity for 300,000,000 tons of coal. Wharf has capacity for mooring 30 empty and 30 loaded barges in tiers 3-barges wide.□One 8-inch pipeline extends from wharf to 2 steel storage rear, total capacity 47,600 barrels.□One 2 1/2- inch steam utility line serves cell with unloading arm

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40237 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 745 PWD: 189
Name: **Indiana-Michigan Power Co., Rockport Plant Dock.**
Port: Louisville
Location: Mile 744.8, right bank, Ohio River, Rockport. Datum: NPE
Operator: Indiana-Michigan Power Co.
Owner: Indiana-Michigan Power Co.
Address: State Highway 231 Phone: 812/649-9171
Town: Rockport State: IN County: Perry
Railway Connection: One surface track serves plant at rear; connects with Norfolk Southern Railway.
Purpose: Receipt of coal and occasionally fuel oil for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.911667
Total Berthing Space (feet): 7812 | | Longitude (decimal): -87.02583

Waterway: **Ohio River** Mile: 745 PWD: 189
Name: **Indiana-Michigan Power Co., Rockport Plant Dock.**
Port: Louisville
Location: Mile 744.8, right bank, Ohio River, Rockport. Datum: NPE
Operator: Indiana-Michigan Power Co.
Owner: Indiana-Michigan Power Co.
Address: State Highway 231 Phone: 812/649-9171
Town: Rockport State: IN County: Perry
Railway Connection: One surface track serves plant at rear; connects with Norfolk Southern Railway.
Purpose: Receipt of coal and occasionally fuel oil for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.911667
Total Berthing Space (feet): 7812 | | Longitude (decimal): -87.02583

Remarks: Open storage area at rear has capacity for 300,000,000 tons of coal. Wharf has capacity for mooring 30 empty and 30 loaded barges in tiers 3-barges wide.□One 8-inch pipeline extends from wharf to 2 steel storage rear, total capacity 47,600 barrels.□One 2 1/2- inch steam utility line serves cell with unloading arm

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40237 Louisville District

Remarks: Open storage area at rear has capacity for 300,000,000 tons of coal. Wharf has capacity for mooring 30 empty and 30 loaded barges in tiers 3-barges wide.□One 8-inch pipeline extends from wharf to 2 steel storage rear, total capacity 47,600 barrels.□One 2 1/2- inch steam utility line serves cell with unloading arm

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40237 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 746 PWD: 190
Name: **Rockport River Terminal Dock.**
Port: Louisville
Location: Mile 746.1, right bank, Ohio River, Rockport. Datum: NPE
Operator: P - V Mining Co., Inc.
Owner: P - V Mining Co., Inc.
Address: State Highway 66 Phone: 812/649-5015
Town: Rockport State: IN County: Perry
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 25 | | Latitude (decimal): 37.895833
Total Berthing Space (feet): 450 | | Longitude (decimal): -87.04417
Remarks: Open storage area at rear has capacity for 90,000 tons of coal.□□

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40235 Louisville District

---

Waterway: **Ohio River** Mile: 747 PWD: 191
Name: **Inland Terminal Wharf.**
Port: Louisville
Location: Mile 746.6, right bank, Ohio River, Rockport. Datum: NPE
Operator: Wallace Enterprises, Inc.
Owner: Inland Coal Corp.
Address: State Highway 66 Phone: 812/649-5077
Town: Rockport State: IN County: Perry
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 13 | | Latitude (decimal): 37.891944
Total Berthing Space (feet): 650 | | Longitude (decimal): -87.04611
Remarks: Open storage area at rear has capacity for 100,000 tons of coal.□□

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40235 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 747 PWD: 194
Name: **Mulzer Crushed Stone, Rockport Repair Plant Lower Wharf.**
Port: Louisville
Location: Mile 747.0, Right bank, Ohio River,Rockport. Datum: NPE
Operator: Mulzer Crushed Stone, Inc.
Owner: Mulzer Crushed Stone, Inc.
Address: 411 Washington Street Phone: 812/649-5055
Town: Rockport. State: IN County: Perry
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for maintenance and repair;mooring barges for fleeting. (See Remarks.)
Depth Alongside (feet): 9 | | Latitude (decimal): 37.885278
Total Berthing Space (feet): 195 | | Longitude (decimal): -87.04611

Waterway: **Ohio River** Mile: 747 PWD: 194
Name: **Mulzer Crushed Stone, Rockport Repair Plant Lower Wharf.**
Port: Louisville
Location: Mile 747.0, Right bank, Ohio River,Rockport. Datum: NPE
Operator: Mulzer Crushed Stone, Inc.
Owner: Mulzer Crushed Stone, Inc.
Address: 411 Washington Street Phone: 812/649-5055
Town: Rockport. State: IN County: Perry
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for maintenance and repair;mooring barges for fleeting. (See Remarks.)
Depth Alongside (feet): 9 | | Latitude (decimal): 37.885278
Total Berthing Space (feet): 195 | | Longitude (decimal): -87.04611

Remarks: Owensboro Harbor Service Upper Right Bank Fleet, located approximately 1.5 miles below wharf at shore moorings between miles 748.3 and 749.0, has capacity for 100 barges arranged in 25 tiers each 4 barges wide.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40234 Louisville District

Remarks: Owensboro Harbor Service Upper Right Bank Fleet, located approximately 1.5 miles below wharf at shore moorings between miles 748.3 and 749.0, has capacity for 100 barges arranged in 25 tiers each 4 barges wide.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40234 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 747 PWD: 194
Name: **Mulzer Crushed Stone, Rockport Repair Plant Lower Wharf.**
Port: Louisville
Location: Mile 747.0, Right bank, Ohio River,Rockport. Datum: NPE
Operator: Mulzer Crushed Stone, Inc.
Owner: Mulzer Crushed Stone, Inc.
Address: 411 Washington Street Phone: 812/649-5055
Town: Rockport. State: IN County: Perry
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for maintenance and repair;mooring barges for fleeting. (See Remarks.)
Depth Alongside (feet): 9 | | Latitude (decimal): 37.885278
Total Berthing Space (feet): 195 | | Longitude (decimal): -87.04611

Waterway: **Ohio River** Mile: 747 PWD: 194
Name: **Mulzer Crushed Stone, Rockport Repair Plant Lower Wharf.**
Port: Louisville
Location: Mile 747.0, Right bank, Ohio River,Rockport. Datum: NPE
Operator: Mulzer Crushed Stone, Inc.
Owner: Mulzer Crushed Stone, Inc.
Address: 411 Washington Street Phone: 812/649-5055
Town: Rockport. State: IN County: Perry
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for maintenance and repair;mooring barges for fleeting. (See Remarks.)
Depth Alongside (feet): 9 | | Latitude (decimal): 37.885278
Total Berthing Space (feet): 195 | | Longitude (decimal): -87.04611

Remarks: Owensboro Harbor Service Upper Right Bank Fleet, located approximately 1.5 miles below wharf at shore moorings between miles 748.3 and 749.0, has capacity for 100 barges arranged in 25 tiers each 4 barges wide.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40234 Louisville District

Remarks: Owensboro Harbor Service Upper Right Bank Fleet, located approximately 1.5 miles below wharf at shore moorings between miles 748.3 and 749.0, has capacity for 100 barges arranged in 25 tiers each 4 barges wide.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40234 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 747 PWD: 192
Name: **Mulzer Crushed Stone, Rockport Repair Plant Upper Wharf.**
Port: Louisville
Location: Mile 746.8, right bank, Ohio River, Rockport. Datum: NPE
Operator: Mulzer Crushed Stone, Inc.
Owner: Mulzer Crushed Stone, Inc.
Address: 411 Washington Street Phone: 812/649-5055
Town: Rockport. State: IN County: Perry
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for maintenance and repair; mooring floating drydock.
Depth Alongside (feet): 9 | | Latitude (decimal): 37.888056
Total Berthing Space (feet): 600 | | Longitude (decimal): -87.04639

Waterway: **Ohio River** Mile: 747 PWD: 192
Name: **Mulzer Crushed Stone, Rockport Repair Plant Upper Wharf.**
Port: Louisville
Location: Mile 746.8, right bank, Ohio River, Rockport. Datum: NPE
Operator: Mulzer Crushed Stone, Inc.
Owner: Mulzer Crushed Stone, Inc.
Address: 411 Washington Street Phone: 812/649-5055
Town: Rockport. State: IN County: Perry
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for maintenance and repair; mooring floating drydock.
Depth Alongside (feet): 9 | | Latitude (decimal): 37.888056
Total Berthing Space (feet): 600 | | Longitude (decimal): -87.04639
Remarks: One 500-ton floating drydock is moored at wharf.□□

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40234 Louisville District

Remarks: One 500-ton floating drydock is moored at wharf.□□

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40234 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 747 PWD: 192
Name: **Mulzer Crushed Stone, Rockport Repair Plant Upper Wharf.**
Port: Louisville
Location: Mile 746.8, right bank, Ohio River, Rockport. Datum: NPE
Operator: Mulzer Crushed Stone, Inc.
Owner: Mulzer Crushed Stone, Inc.
Address: 411 Washington Street Phone: 812/649-5055
Town: Rockport. State: IN County: Perry
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for maintenance and repair; mooring floating drydock.
Depth Alongside (feet): 9 | | Latitude (decimal): 37.888056
Total Berthing Space (feet): 600 | | Longitude (decimal): -87.04639

Waterway: **Ohio River** Mile: 747 PWD: 192
Name: **Mulzer Crushed Stone, Rockport Repair Plant Upper Wharf.**
Port: Louisville
Location: Mile 746.8, right bank, Ohio River, Rockport. Datum: NPE
Operator: Mulzer Crushed Stone, Inc.
Owner: Mulzer Crushed Stone, Inc.
Address: 411 Washington Street Phone: 812/649-5055
Town: Rockport. State: IN County: Perry
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for maintenance and repair; mooring floating drydock.
Depth Alongside (feet): 9 | | Latitude (decimal): 37.888056
Total Berthing Space (feet): 600 | | Longitude (decimal): -87.04639
Remarks: One 500-ton floating drydock is moored at wharf.□□

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40234 Louisville District

Remarks: One 500-ton floating drydock is moored at wharf.□□

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40234 Louisville District

Waterway: **Ohio River** Mile: 747 PWD: 193
Name: **Mulzer Crushed Stone, Rockport Yard Dock.**
Port: Louisville
Location: Mile 746.9, right bank, Ohio River, Rockport. Datum: NPE
Operator: Mulzer Crushed Stone, Inc.
Owner: Mulzer Crushed Stone, Inc.
Address: 411 Washington Street Phone: 812/649-5055
Town: Rockport. State: IN County: Perry
Railway Connection: None.
Purpose: Receipt of sand, gravel, and crushed limestone.
Depth Alongside (feet): 9 | | Latitude (decimal): 37.886667
Total Berthing Space (feet): 200 | | Longitude (decimal): -87.04583
Remarks: Open storage area at rear has capacity for 250,000 tons of material.□□

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40234 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 750 PWD: 122
Name: **Addington No. 3 Coal Dock.**
Port: Louisville
Location: Mile 750.0, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Addwest Mining, Inc.
Owner: Addwest Mining, Inc.
Address: 7415 Iceland Road Phone: 502/264-4280
Town: Owensboro State: KY County: Daviess
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 37.843889
Total Berthing Space (feet): 490 | | Longitude (decimal): -87.0425
Remarks: Open storage area at rear has capacity for 100,000 tons of coal.□□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40231 Louisville District

---

Waterway: **Ohio River** Mile: 751 PWD: 121
Name: **Owensboro Harbor Service Repair Slip and Upper Left Bank Fleet Moo**
Port: Louisville
Location: Mile 751.4, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Owensboro Harbor Service, Inc.
Owner: Daviess County Sand and Gravel, Inc. (Slip)
Address: 100 Wrights Landing Road Phone: 502/264-1316
Town: Owensboro State: KY County: Daviess
Railway Connection: None.
Purpose: Mooring barges and towboats for repair; mooring floating drydock; mooring barges for fleeting.
Depth Alongside (feet): 5 - 20 | 5 - 10 | Latitude (decimal): 37.823889
Total Berthing Space (feet): 500 | 3000 | Longitude (decimal): -87.04694
Remarks: One 400-ton floating drydock is moored on upper side of slip near entrance. Fleeting area along river has capacity for approximately 50 barges arranged in 17 tiers, each 2 or 3 barges wide.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40229 Louisville District

---

Waterway: **Ohio River** Mile: 752 PWD: 120
Name: **Daviess County Sand and Gravel Co. Dock.**
Port: Louisville
Location: Mile 751.5, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Daviess County Sand and Gravel, Inc.
Owner: Hawesway, Inc.
Address: 6133 U.S. Highway 60, East Phone: 502/684-3278
Town: Owensboro State: KY County: Daviess
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 9 | | Latitude (decimal): 37.823889
Total Berthing Space (feet): 100 | | Longitude (decimal): -87.04778
Remarks: Open storage area at rear has capacity for 25,000 tons of material.□□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40229 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 752 PWD: 119
Name: **Green Coal Co. Wharf.**
Port: Louisville
Location: Mile 751.6, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Green Coal Co.
Owner: Hawesway, Inc.
Address: 5965 U.S. Highway 60, East Phone: 502/926-3565
Town: Owensboro State: KY County: Daviess
Railway Connection: None.
Purpose: Shipment of coal; handling heavy-lift cargo.
Depth Alongside (feet): 10 | 9 | Latitude (decimal): 37.818611
Total Berthing Space (feet): 315 | 30 | Longitude (decimal): -87.04944
Remarks: Open storage area at rear has capacity for 85,000 tons of coal.□□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40229 Louisville District

---

Waterway: **Ohio River** Mile: 752 PWD: 118
Name: **PM Ag Products, Owensboro Dock.**
Port: Louisville
Location: Mile 751.8, left bank, Ohio River, Owensboro. Datum: NPE
Operator: PM Ag Products.
Owner: PM Ag Products, Inc.
Address: 5961 U.S. Highway 60, East Phone: 502/926-6325
Town: Owensboro State: KY County: Daviess
Railway Connection: None.
Purpose: Receipt of molasses.
Depth Alongside (feet): 9 | | Latitude (decimal): 37.816944
Total Berthing Space (feet): 150 | | Longitude (decimal): -87.05028
Remarks: One 10-inch pipeline extends from wharf to 2 steel storage tanks at terminal in rear, total capacity 956,500 gallons. One 3-inch steam line also serves loading platform.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40229 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 753 PWD: 117
Name: **Yager Marine Industries, a division of Yager Materials, Inc.**
Port: Louisville
Location: Mile 752.6, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Yager Marine Industries, a division of Yager Materials, Inc.
Owner: Yager Materials, Inc.
Address: 5001 U.S. Highway 60 East Phone: 502/926-3565
Town: Owensboro State: KY County: Daviess
Railway Connection: None.
Purpose: Receipt of sand and gravel; mooring barges and vessels for repair and outfitting; mooring floating drydock.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.808056
Total Berthing Space (feet): 585 | | Longitude (decimal): -87.05556
Remarks: Open storage area at rear has capacity for 10,000 tons of sand and gravel. A fourth steel barge is stacked on upper grounded barge. A 400-ton, floating drydock is moored at upper end. Barge launching ways are loc Approximately 90% of repair work is accomplished on company-owned equipment.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40228 Louisville District

---

Waterway: **Ohio River** Mile: 753 PWD: 116
Name: **Yager Materials, Coal Terminal Dock.**
Port: Louisville
Location: Mile 752.6, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Yager Materials, Inc.
Owner: Yager Materials, Inc.
Address: 5001 U.S. Highway 60 East Phone: 502/926-3611
Town: Owensboro State: KY County: Daviess
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.8075
Total Berthing Space (feet): 550 | | Longitude (decimal): -87.05667
Remarks: Open storage area at rear has capacity for 12,000 tons.□□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40228 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 754 PWD: 114
Name: **River Terminal Co. Wharf.**
Port: Louisville
Location: Mile 753.7, left bank, Ohio River, Owensboro. Datum: NPE
Operator: River Terminal Co.
Owner: Southern States Cooperative, Inc.
Address: 150 Coast Guard Lane Phone: 502/683-0146
Town: Owensboro State: KY County: Daviess
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 14 - 18 | | Latitude (decimal): 37.7925
Total Berthing Space (feet): 135 | | Longitude (decimal): -87.06722
Remarks: Two 6-inch pipelines extend from wharf to 11 steel storage tanks at rear, total capacity 126,000 barrels.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40227 Louisville District

---

Waterway: **Ohio River** Mile: 754 PWD: 115
Name: **U. S. Coast Guard, Owensboro Depot Wharf.**
Port: Louisville
Location: Mile 753.6, left bank, Ohio River, Owensboro. Datum: NPE
Operator: U. S. Coast Guard.
Owner: U. S. Government.
Address: 201 Coast Guard Lane Phone: 502/684-4765
Town: Owensboro State: KY County: Daviess
Railway Connection: None.
Purpose: Mooring U. S. Coast Guard vessels.
Depth Alongside (feet): 5 | | Latitude (decimal): 37.793333
Total Berthing Space (feet): 80 | | Longitude (decimal): -87.06639
Remarks: Wharf is used during high water -- alternate facilities (Ref. No. ??) are used during periods of low water.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40227 Louisville District

---

Waterway: **Ohio River** Mile: 755 PWD: 112
Name: **Glenmore Distilleries Co. Dock.**
Port: Louisville
Location: Mile 755.2, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Not operated.
Owner: Glenmore Distilleries Co.
Address: Hardinsburg Road Phone: 502/926-1110
Town: Owensboro State: KY County: Daviess
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.78
Total Berthing Space (feet): 195 | | Longitude (decimal): -87.08861
Remarks: Wharf formerly was used for the receipt of grain alcohol. One 5-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 642,000 gallons.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 755 PWD: 113
Name: **Marathon Fuels, Owensboro Terminal Wharf.**
Port: Louisville
Location: Mile 754.7, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Marathon Fuels, Inc.
Owner: Marathon Fuels, Inc.
Address: Foot of B & B Court Phone: 502/926-3250
Town: Owensboro State: KY County: Daviess
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 19 | | Latitude (decimal): 37.783889
Total Berthing Space (feet): 150 | | Longitude (decimal): -87.07972
Remarks: Three 6-inch pipelines extend from wharf to 2 steel storage tanks at terminal on Pleasant Valley Road, approximately 1/2 mile in rear; total capacity 23,800 barrels.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

---

Waterway: **Ohio River** Mile: 755 PWD: 111
Name: **Owensboro Grain Co., Soybean Oil Dock.**
Port: Louisville
Location: Mile 755.3, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Owensboro Grain Co.
Owner: Owensboro Grain Co.
Address: 1851 Hardinsburg Road Phone: 502/926-2032
Town: Owensboro State: KY County: Daviess
Railway Connection: None.
Purpose: Shipment of soybean oil.
Depth Alongside (feet): 18 | | Latitude (decimal): 37.778611
Total Berthing Space (feet): 195 | | Longitude (decimal): -87.09139
Remarks: A 195- by 35-foot breasting barge is used when loading operations are in progress. One 6-inch pipeline extends from platform to 4 steel storage tanks at rear, total capacity 1,500,000 gallons.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

---

Waterway: **Ohio River** Mile: 756 PWD: 108
Name: **Yager Materials, Main Wharf.**
Port: Louisville
Location: Mile 756.1, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Yager Materials, Inc.
Owner: Yager Materials, Inc.
Address: 701 East 2nd Street Phone: 502/926-3611
Town: Owensboro State: KY County: Daviess
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 9 | | Latitude (decimal): 37.776111
Total Berthing Space (feet): 200 | | Longitude (decimal): -87.10528
Remarks: Open storage area at rear has capacity for 50,000 tons of material and extends to the rear of adjacent wharf Ref. No.107

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 756 PWD: 110
Name: **Missouri Portland Cement Co., Owensboro Terminal Dock.**
Port: Louisville
Location: Mile 755.7, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Missouri Portland Cement Co.
Owner: Missouri Portland Cement Co.
Address: 1215 East 2nd Street Phone: 502/684-8863
Town: Owensboro State: KY County: Daviess
Railway Connection: None.
Purpose: Receipt of cement.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.776944
Total Berthing Space (feet): 200 | | Longitude (decimal): -87.09806
Remarks: Three 8-inch pneumatic pipelines extend from wharf to 3 concrete storage silos in rear, total capacity 4,500 tons.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

---

Waterway: **Ohio River** Mile: 756 PWD: 106
Name: **Owensboro Grain Co., Owensboro Lower Dock.**
Port: Louisville
Location: Mile 756.2, left bank, Ohio River, Owensboro, above U.S.Highway 231 Bridge. Datum: NPE
Operator: Owensboro Grain Co.
Owner: Owensboro Grain Co.
Address: 108 Crittenden Street Phone: 502/826-3983
Town: Owensboro State: KY County: Daviess
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.776111
Total Berthing Space (feet): 130 | | Longitude (decimal): -87.1075
Remarks: Grain elevator in rear consisting of 5 concrete silos and 6 steel tanks has capacity for 550,000 bushels.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 756 PWD: 109
Name: **Owensboro Grain Co., Owensboro Upper Dock.**
Port: Louisville
Location: Mile 755.8, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Owensboro Grain Co.
Owner: Owensboro Grain Co.
Address: 719 East 2nd Street Phone: 502/926-2032
Town: Owensboro State: KY County: Daviess
Railway Connection: Two surface tracks serve two undertrack pits at grain elevator in rear; connect with CSX Rail Transport.
Purpose: Receipt of grain, shipment of grain, meal, and soybean oil. (See Remarks.)
Depth Alongside (feet): 12 | | Latitude (decimal): 37.776389
Total Berthing Space (feet): 518 | | Longitude (decimal): -87.10111
Remarks: At time of survey (1991), the lower 4 dolphins and attendant-loading facilities were to be constructed with completion scheduled for 1992. One 6-inch pipeline was planned to extend from 2 steel storage tanks, to gallons.□Grain elevator in rear consists of 6 steel grain storage tanks, total capacity 240,000 bushels and 7 steel meal storage tanks, total capacity 42,000 tons.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

---

Waterway: **Ohio River** Mile: 756 PWD: 107
Name: **Owensboro River-Rail Terminal Wharf.**
Port: Louisville
Location: Mile 756.2, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Owensboro River-Rail Terminal, a division of Yager Materials, Inc.
Owner: Owensboro River-Rail Terminal, a division of Yager Materials, Inc.
Address: 701 East 2nd Street Phone: 502/926-3611
Town: Owensboro State: KY County: Daviess
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 9 | | Latitude (decimal): 37.776111
Total Berthing Space (feet): 100 | 140 | Longitude (decimal): -87.10528
Remarks: Open storage area at rear has capacity for 50,000 tons of material and extends to the rear of adjacent wharf Ref. No.108.□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 757 PWD: 104
Name: **Executive Inn, Rivermont Wharf.**
Port: Louisville
Location: Mile 756.6, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Executive Inn, Rivermont.
Owner: Executive Inn, Rivermont.
Address: 1 Executive Blvd Phone: 502/273-9027
Town: Owensboro State: KY County: Daviess
Railway Connection: None.
Purpose: Mooring excursion vessel; landing for passengers.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.776111
Total Berthing Space (feet): 100 | | Longitude (decimal): -87.11694
Remarks: The excursion boat 'Executive Queen' operates from wharf.□□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

---

Waterway: **Ohio River** Mile: 757 PWD: 105
Name: **Owensboro Municipal Wharf.**
Port: Louisville
Location: Mile 756.5, left bank, Ohio River, Owensboro. Datum: NPE
Operator: City of Owensboro.
Owner: City of Owensboro.
Address: Foot of Frederica Street Phone: 502/685-8278
Town: Owensboro State: KY County: Daviess
Railway Connection: None.
Purpose: Mooring miscellaneous vessels.
Depth Alongside (feet): | | Latitude (decimal): 37.776111
Total Berthing Space (feet): 1000 | | Longitude (decimal): -87.1125
Remarks: A small boat launching ramp is located at lower end.□□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

---

Waterway: **Ohio River** Mile: 757 PWD: 103
Name: **Peter B. English Park, U. S. Coast Guard Mooring.**
Port: Louisville
Location: Mile 757.3, left bank, Ohio River, Owensboro. Datum: NPE
Operator: U. S. Coast Guard.
Owner: U. S. Government.
Address: 1 Hanning Lane Phone: 502/685-8297
Town: Owensboro State: KY County: Daviess
Railway Connection: None.
Purpose: Mooring U. S. Coast Guard vessels.
Depth Alongside (feet): 25 | | Latitude (decimal): 37.778611
Total Berthing Space (feet): 1300 | | Longitude (decimal): -87.12861
Remarks: Mooring is only used during periods of low water.□□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 759 PWD: 99
Name: **Miles Farm Supply Dock.**
Port: Louisville
Location: Mile 758.8, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Miles Farm Supply, Inc.
Owner: Miles Farm Supply, Inc.
Address: Harbor Road Phone: 502/926-2420 ex
Town: Owensboro State: KY County: Daviess
Railway Connection: None.
Purpose: Receipt of dry bulk and liquid fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.796111
Total Berthing Space (feet): 195 | | Longitude (decimal): -87.14056

Waterway: **Ohio River** Mile: 759 PWD: 99
Name: **Miles Farm Supply Dock.**
Port: Louisville
Location: Mile 758.8, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Miles Farm Supply, Inc.
Owner: Miles Farm Supply, Inc.
Address: Harbor Road Phone: 502/926-2420 ex
Town: Owensboro State: KY County: Daviess
Railway Connection: None.
Purpose: Receipt of dry bulk and liquid fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.796111
Total Berthing Space (feet): 195 | | Longitude (decimal): -87.14056

Waterway: **Ohio River** Mile: 759 PWD: 99
Name: **Miles Farm Supply Dock.**
Port: Louisville
Location: Mile 758.8, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Miles Farm Supply, Inc.
Owner: Miles Farm Supply, Inc.
Address: Harbor Road Phone: 502/926-2420 ex
Town: Owensboro State: KY County: Daviess
Railway Connection: None.
Purpose: Receipt of dry bulk and liquid fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.796111
Total Berthing Space (feet): 195 | | Longitude (decimal): -87.14056
Remarks: One concrete- and steel-bulk storage building in rear has capacity for approx- imately 19,000 tons. One 6-inch pipeline extends from upper dolphin to 2 liquid fertilizer storage tanks at rear, total capacity 1,50 6-inch pipeline extends from wharf to 2 steel, diesel fuel storage tanks, total capacity 28,600 barrels.□Owensboro Harbor Service operates the '759 Kentucky Fleet' with capacity for 48 barges arranged in a block 6 barges long by 8-wide at shore moorings located below wharf.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

Remarks: One concrete- and steel-bulk storage building in rear has capacity for approx- imately 19,000 tons. One 6-inch pipeline extends from upper dolphin to 2 liquid fertilizer storage tanks at rear, total capacity 1,50 6-inch pipeline extends from wharf to 2 steel, diesel fuel storage tanks, total capacity 28,600 barrels.□Owensboro Harbor Service operates the '759 Kentucky Fleet' with capacity for 48 barges arranged in a block 6 barges long by 8-wide at shore moorings located below wharf.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

Port Facilities by Waterway

Remarks: One concrete- and steel-bulk storage building in rear has capacity for approx- imately 19,000 tons. One 6-inch pipeline extends from upper dolphin to 2 liquid fertilizer storage tanks at rear, total capacity 1,50 6-inch pipeline extends from wharf to 2 steel, diesel fuel storage tanks, total capacity 28,600 barrels. Owensboro Harbor Service operates the '759 Kentucky Fleet' with capacity for 48 barges arranged in a block 6 barges long by 8-wide at shore moorings located below wharf.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 759 PWD: 99
Name: **Miles Farm Supply Dock.**
Port: Louisville
Location: Mile 758.8, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Miles Farm Supply, Inc.
Owner: Miles Farm Supply, Inc.
Address: Harbor Road Phone: 502/926-2420 ex
Town: Owensboro State: KY County: Daviess
Railway Connection: None.
Purpose: Receipt of dry bulk and liquid fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.796111
Total Berthing Space (feet): 195 | | Longitude (decimal): -87.14056

Waterway: **Ohio River** Mile: 759 PWD: 99
Name: **Miles Farm Supply Dock.**
Port: Louisville
Location: Mile 758.8, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Miles Farm Supply, Inc.
Owner: Miles Farm Supply, Inc.
Address: Harbor Road Phone: 502/926-2420 ex
Town: Owensboro State: KY County: Daviess
Railway Connection: None.
Purpose: Receipt of dry bulk and liquid fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.796111
Total Berthing Space (feet): 195 | | Longitude (decimal): -87.14056

Waterway: **Ohio River** Mile: 759 PWD: 99
Name: **Miles Farm Supply Dock.**
Port: Louisville
Location: Mile 758.8, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Miles Farm Supply, Inc.
Owner: Miles Farm Supply, Inc.
Address: Harbor Road Phone: 502/926-2420 ex
Town: Owensboro State: KY County: Daviess
Railway Connection: None.
Purpose: Receipt of dry bulk and liquid fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.796111
Total Berthing Space (feet): 195 | | Longitude (decimal): -87.14056

Remarks: One concrete- and steel-bulk storage building in rear has capacity for approx- imately 19,000 tons. One 6-inch pipeline extends from upper dolphin to 2 liquid fertilizer storage tanks at rear, total capacity 1,50 6-inch pipeline extends from wharf to 2 steel, diesel fuel storage tanks, total capacity 28,600 barrels.□Owensboro Harbor Service operates the '759 Kentucky Fleet' with capacity for 48 barges arranged in a block 6 barges long by 8-wide at shore moorings located below wharf.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

Remarks: One concrete- and steel-bulk storage building in rear has capacity for approx- imately 19,000 tons. One 6-inch pipeline extends from upper dolphin to 2 liquid fertilizer storage tanks at rear, total capacity 1,50 6-inch pipeline extends from wharf to 2 steel, diesel fuel storage tanks, total capacity 28,600 barrels.□Owensboro Harbor Service operates the '759 Kentucky Fleet' with capacity for 48 barges arranged in a block 6 barges long by 8-wide at shore moorings located below wharf.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

Port Facilities by Waterway

Remarks: One concrete- and steel-bulk storage building in rear has capacity for approx- imately 19,000 tons. One 6-inch pipeline extends from upper dolphin to 2 liquid fertilizer storage tanks at rear, total capacity 1,50 6-inch pipeline extends from wharf to 2 steel, diesel fuel storage tanks, total capacity 28,600 barrels. Owensboro Harbor Service operates the '759 Kentucky Fleet' with capacity for 48 barges arranged in a block 6 barges long by 8-wide at shore moorings located below wharf.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 759 PWD: 99
Name: **Miles Farm Supply Dock.**
Port: Louisville
Location: Mile 758.8, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Miles Farm Supply, Inc.
Owner: Miles Farm Supply, Inc.
Address: Harbor Road Phone: 502/926-2420 ex
Town: Owensboro State: KY County: Daviess
Railway Connection: None.
Purpose: Receipt of dry bulk and liquid fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.796111
Total Berthing Space (feet): 195 | | Longitude (decimal): -87.14056

Waterway: **Ohio River** Mile: 759 PWD: 99
Name: **Miles Farm Supply Dock.**
Port: Louisville
Location: Mile 758.8, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Miles Farm Supply, Inc.
Owner: Miles Farm Supply, Inc.
Address: Harbor Road Phone: 502/926-2420 ex
Town: Owensboro State: KY County: Daviess
Railway Connection: None.
Purpose: Receipt of dry bulk and liquid fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.796111
Total Berthing Space (feet): 195 | | Longitude (decimal): -87.14056

Waterway: **Ohio River** Mile: 759 PWD: 99
Name: **Miles Farm Supply Dock.**
Port: Louisville
Location: Mile 758.8, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Miles Farm Supply, Inc.
Owner: Miles Farm Supply, Inc.
Address: Harbor Road Phone: 502/926-2420 ex
Town: Owensboro State: KY County: Daviess
Railway Connection: None.
Purpose: Receipt of dry bulk and liquid fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.796111
Total Berthing Space (feet): 195 | | Longitude (decimal): -87.14056

Remarks: One concrete- and steel-bulk storage building in rear has capacity for approx- imately 19,000 tons. One 6-inch pipeline extends from upper dolphin to 2 liquid fertilizer storage tanks at rear, total capacity 1,50 6-inch pipeline extends from wharf to 2 steel, diesel fuel storage tanks, total capacity 28,600 barrels.□Owensboro Harbor Service operates the '759 Kentucky Fleet' with capacity for 48 barges arranged in a block 6 barges long by 8-wide at shore moorings located below wharf.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

Remarks: One concrete- and steel-bulk storage building in rear has capacity for approx- imately 19,000 tons. One 6-inch pipeline extends from upper dolphin to 2 liquid fertilizer storage tanks at rear, total capacity 1,50 6-inch pipeline extends from wharf to 2 steel, diesel fuel storage tanks, total capacity 28,600 barrels.□Owensboro Harbor Service operates the '759 Kentucky Fleet' with capacity for 48 barges arranged in a block 6 barges long by 8-wide at shore moorings located below wharf.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

Port Facilities by Waterway

Remarks: One concrete- and steel-bulk storage building in rear has capacity for approx- imately 19,000 tons. One 6-inch pipeline extends from upper dolphin to 2 liquid fertilizer storage tanks at rear, total capacity 1,50 6-inch pipeline extends from wharf to 2 steel, diesel fuel storage tanks, total capacity 28,600 barrels.□Owensboro Harbor Service operates the '759 Kentucky Fleet' with capacity for 48 barges arranged in a block 6 barges long by 8-wide at shore moorings located below wharf.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

---

Waterway: **Ohio River** Mile: 759 PWD: 98

Name: **Owensboro Coal Dock.**

Port: Louisville

Location: Mile 759.3, left bank, Ohio River, Owensboro. Datum: NPE

Operator: Owensboro Coal Dock, Inc. and American Marine Terminals, Inc. (See Remarks.)

Owner: Alley Cassety Coal Co.

Address: 3110 Rinaldo Road Phone: 502/684-2625

Town: Owensboro State: KY County: Daviess

Railway Connection: One 100-car-capacity loop track serves tandem undertrack pit with 7 receiving hoppers at East/West Marine Terminal in rear; connects with CSX Rail Transport.

Purpose: Shipment of coal.

Depth Alongside (feet): 14 | | Latitude (decimal): 37.802778

Total Berthing Space (feet): 850 | | Longitude (decimal): -87.14167

Remarks: Owensboro Coal Dock, Inc.: Open storage area at rear is served by a stacker and has capacity for 100,000 tons of coal.□American Marine Terminals, Inc.: Open storage area at rear served only by rail has a tandem undertrack pit with an operating rate of 4,500 tons per hour, a radial stacker and a storage capacity of 92,000 tons.□At time of survey (1991), plans called for removal of the work floats andrelocation of the control house to the loading cell.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40221 Louisville District

---

Waterway: **Ohio River** Mile: 759 PWD: 102

Name: **Owensboro Riverport Authority, Dart Polymers Dock.**

Port: Louisville

Location: Mile 758.5, left bank, Ohio River, Owensboro. Datum:

Operator: Dart Polymers, Inc.

Owner: Owensboro Riverport Authority.

Address: Harbor Road Phone: 502/926-4238

Town: Owensboro State: KY County: Daviess

Railway Connection: None.

Purpose: Receipt of styrene.

Depth Alongside (feet): 10 | | Latitude (decimal): 37.7925

Total Berthing Space (feet): 195 | | Longitude (decimal): -87.1425

Remarks: One 6-inch pipeline extends from wharf to 4 steel storage tanks at rear, total capacity 26,600 barrels.□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 759 PWD: 100
Name: **Owensboro Riverport Authority, Dry Bulk and General Cargo Dock.**
Port: Louisville
Location: Mile 758.7, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Owensboro Riverport Authority.
Owner: Owensboro Riverport Authority.
Address: Harbor Road Phone: 502/926-4238
Town: Owensboro State: KY County: Daviess
Railway Connection: Two surface tracks on upper apron join additional trackage with capacity for 50 cars, serve terminal at rear; connect with CSX Rail Transport.
Purpose: Receipt and shipment of general cargo and miscellaneous dry bulk materials including fertilizer, ferromanganese and ferrochrome ore, aluminum ingots and molds; shipment of steel products and fabricn's.fabrica
Depth Alongside (feet): 10 | | Latitude (decimal): 37.794722
Total Berthing Space (feet): 780 | | Longitude (decimal): -87.14222

Waterway: **Ohio River** Mile: 759 PWD: 100
Name: **Owensboro Riverport Authority, Dry Bulk and General Cargo Dock.**
Port: Louisville
Location: Mile 758.7, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Owensboro Riverport Authority.
Owner: Owensboro Riverport Authority.
Address: Harbor Road Phone: 502/926-4238
Town: Owensboro State: KY County: Daviess
Railway Connection: Two surface tracks on upper apron join additional trackage with capacity for 50 cars, serve terminal at rear; connect with CSX Rail Transport.
Purpose: Receipt and shipment of general cargo and miscellaneous dry bulk materials including fertilizer, ferromanganese and ferrochrome ore, aluminum ingots and molds; shipment of steel products and fabricn's.fabrica
Depth Alongside (feet): 10 | | Latitude (decimal): 37.794722
Total Berthing Space (feet): 780 | | Longitude (decimal): -87.14222

Waterway: **Ohio River** Mile: 759 PWD: 100
Name: **Owensboro Riverport Authority, Dry Bulk and General Cargo Dock.**
Port: Louisville
Location: Mile 758.7, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Owensboro Riverport Authority.
Owner: Owensboro Riverport Authority.
Address: Harbor Road Phone: 502/926-4238
Town: Owensboro State: KY County: Daviess
Railway Connection: Two surface tracks on upper apron join additional trackage with capacity for 50 cars, serve terminal at rear; connect with CSX Rail Transport.
Purpose: Receipt and shipment of general cargo and miscellaneous dry bulk materials including fertilizer, ferromanganese and ferrochrome ore, aluminum ingots and molds; shipment of steel products and fabricn's.fabrica
Depth Alongside (feet): 10 | | Latitude (decimal): 37.794722
Total Berthing Space (feet): 780 | | Longitude (decimal): -87.14222

Remarks: Two storage domes at rear have total capacity for 14,200 tons of fertilizer. Ancillary facilities at terminal include approximately 2.5 acres of asphalt-paved and 5 acres of unpaved open storage area, and one 44 22,000-square-foot, steel frame, metal-covered bulk storage warehouses.□□Owensboro Harbor Service operates the '759 Indiana Fleet' with capacity for 15barges arranged in a block 3 barges long by 5-wide at shore moorings located directly across the river.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

Port Facilities by Waterway

Remarks: Two storage domes at rear have total capacity for 14,200 tons of fertilizer. Ancillary facilities at terminal include approximately 2.5 acres of asphalt-paved and 5 acres of unpaved open storage area, and one 44 22,000-square-foot, steel frame, metal-covered bulk storage warehouses.□□Owensboro Harbor Service operates the '759 Indiana Fleet' with capacity for 15barges arranged in a block 3 barges long by 5-wide at shore moorings located directly across the river.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

Remarks: Two storage domes at rear have total capacity for 14,200 tons of fertilizer. Ancillary facilities at terminal include approximately 2.5 acres of asphalt-paved and 5 acres of unpaved open storage area, and one 44 22,000-square-foot, steel frame, metal-covered bulk storage warehouses.□□Owensboro Harbor Service operates the '759 Indiana Fleet' with capacity for 15barges arranged in a block 3 barges long by 5-wide at shore moorings located directly across the river.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 759 PWD: 100
Name: **Owensboro Riverport Authority, Dry Bulk and General Cargo Dock.**
Port: Louisville
Location: Mile 758.7, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Owensboro Riverport Authority.
Owner: Owensboro Riverport Authority.
Address: Harbor Road Phone: 502/926-4238
Town: Owensboro State: KY County: Daviess
Railway Connection: Two surface tracks on upper apron join additional trackage with capacity for 50 cars, serve terminal at rear; connect with CSX Rail Transport.
Purpose: Receipt and shipment of general cargo and miscellaneous dry bulk materials including fertilizer, ferromanganese and ferrochrome ore, aluminum ingots and molds; shipment of steel products and fabricn's.fabrica
Depth Alongside (feet): 10 | | Latitude (decimal): 37.794722
Total Berthing Space (feet): 780 | | Longitude (decimal): -87.14222

Waterway: **Ohio River** Mile: 759 PWD: 100
Name: **Owensboro Riverport Authority, Dry Bulk and General Cargo Dock.**
Port: Louisville
Location: Mile 758.7, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Owensboro Riverport Authority.
Owner: Owensboro Riverport Authority.
Address: Harbor Road Phone: 502/926-4238
Town: Owensboro State: KY County: Daviess
Railway Connection: Two surface tracks on upper apron join additional trackage with capacity for 50 cars, serve terminal at rear; connect with CSX Rail Transport.
Purpose: Receipt and shipment of general cargo and miscellaneous dry bulk materials including fertilizer, ferromanganese and ferrochrome ore, aluminum ingots and molds; shipment of steel products and fabricn's.fabrica
Depth Alongside (feet): 10 | | Latitude (decimal): 37.794722
Total Berthing Space (feet): 780 | | Longitude (decimal): -87.14222

Waterway: **Ohio River** Mile: 759 PWD: 100
Name: **Owensboro Riverport Authority, Dry Bulk and General Cargo Dock.**
Port: Louisville
Location: Mile 758.7, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Owensboro Riverport Authority.
Owner: Owensboro Riverport Authority.
Address: Harbor Road Phone: 502/926-4238
Town: Owensboro State: KY County: Daviess
Railway Connection: Two surface tracks on upper apron join additional trackage with capacity for 50 cars, serve terminal at rear; connect with CSX Rail Transport.
Purpose: Receipt and shipment of general cargo and miscellaneous dry bulk materials including fertilizer, ferromanganese and ferrochrome ore, aluminum ingots and molds; shipment of steel products and fabricn's.fabrica
Depth Alongside (feet): 10 | | Latitude (decimal): 37.794722
Total Berthing Space (feet): 780 | | Longitude (decimal): -87.14222

Waterway: **Ohio River** Mile: 759 PWD: 100
Name: **Owensboro Riverport Authority, Dry Bulk and General Cargo Dock.**
Port: Louisville
Location: Mile 758.7, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Owensboro Riverport Authority.
Owner: Owensboro Riverport Authority.
Address: Harbor Road Phone: 502/926-4238
Town: Owensboro State: KY County: Daviess
Railway Connection: Two surface tracks on upper apron join additional trackage with capacity for 50 cars, serve terminal at rear; connect with CSX Rail Transport.
Purpose: Receipt and shipment of general cargo and miscellaneous dry bulk materials including fertilizer, ferromanganese and ferrochrome ore, aluminum ingots and molds; shipment of steel products and fabricn's.fabrica
Depth Alongside (feet): 10 | | Latitude (decimal): 37.794722
Total Berthing Space (feet): 780 | | Longitude (decimal): -87.14222
Remarks: Two storage domes at rear have total capacity for 14,200 tons of fertilizer. Ancillary facilities at terminal include approximately 2.5 acres of asphalt-paved and 5 acres of unpaved open storage area, and one 44 22,000-square-foot, steel frame, metal-covered bulk storage warehouses.□□Owensboro Harbor Service operates the '759 Indiana Fleet' with capacity for 15barges arranged in a block 3 barges long by 5-wide at shore moorings located directly across the river.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

Port Facilities by Waterway

Remarks: Two storage domes at rear have total capacity for 14,200 tons of fertilizer. Ancillary facilities at terminal include approximately 2.5 acres of asphalt-paved and 5 acres of unpaved open storage area, and one 44 22,000-square-foot, steel frame, metal-covered bulk storage warehouses.□□Owensboro Harbor Service operates the '759 Indiana Fleet' with capacity for 15barges arranged in a block 3 barges long by 5-wide at shore moorings located directly across the river.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

Remarks: Two storage domes at rear have total capacity for 14,200 tons of fertilizer. Ancillary facilities at terminal include approximately 2.5 acres of asphalt-paved and 5 acres of unpaved open storage area, and one 44 22,000-square-foot, steel frame, metal-covered bulk storage warehouses.□□Owensboro Harbor Service operates the '759 Indiana Fleet' with capacity for 15barges arranged in a block 3 barges long by 5-wide at shore moorings located directly across the river.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 759 PWD: 100
Name: **Owensboro Riverport Authority, Dry Bulk and General Cargo Dock.**
Port: Louisville
Location: Mile 758.7, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Owensboro Riverport Authority.
Owner: Owensboro Riverport Authority.
Address: Harbor Road Phone: 502/926-4238
Town: Owensboro State: KY County: Daviess
Railway Connection: Two surface tracks on upper apron join additional trackage with capacity for 50 cars, serve terminal at rear; connect with CSX Rail Transport.
Purpose: Receipt and shipment of general cargo and miscellaneous dry bulk materials including fertilizer, ferromanganese and ferrochrome ore, aluminum ingots and molds; shipment of steel products and fabricn's.fabrica
Depth Alongside (feet): 10 | | Latitude (decimal): 37.794722
Total Berthing Space (feet): 780 | | Longitude (decimal): -87.14222

Waterway: **Ohio River** Mile: 759 PWD: 100
Name: **Owensboro Riverport Authority, Dry Bulk and General Cargo Dock.**
Port: Louisville
Location: Mile 758.7, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Owensboro Riverport Authority.
Owner: Owensboro Riverport Authority.
Address: Harbor Road Phone: 502/926-4238
Town: Owensboro State: KY County: Daviess
Railway Connection: Two surface tracks on upper apron join additional trackage with capacity for 50 cars, serve terminal at rear; connect with CSX Rail Transport.
Purpose: Receipt and shipment of general cargo and miscellaneous dry bulk materials including fertilizer, ferromanganese and ferrochrome ore, aluminum ingots and molds; shipment of steel products and fabricn's.fabrica
Depth Alongside (feet): 10 | | Latitude (decimal): 37.794722
Total Berthing Space (feet): 780 | | Longitude (decimal): -87.14222

Waterway: **Ohio River** Mile: 759 PWD: 100
Name: **Owensboro Riverport Authority, Dry Bulk and General Cargo Dock.**
Port: Louisville
Location: Mile 758.7, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Owensboro Riverport Authority.
Owner: Owensboro Riverport Authority.
Address: Harbor Road Phone: 502/926-4238
Town: Owensboro State: KY County: Daviess
Railway Connection: Two surface tracks on upper apron join additional trackage with capacity for 50 cars, serve terminal at rear; connect with CSX Rail Transport.
Purpose: Receipt and shipment of general cargo and miscellaneous dry bulk materials including fertilizer, ferromanganese and ferrochrome ore, aluminum ingots and molds; shipment of steel products and fabricn's.fabrica
Depth Alongside (feet): 10 | | Latitude (decimal): 37.794722
Total Berthing Space (feet): 780 | | Longitude (decimal): -87.14222

Waterway: **Ohio River** Mile: 759 PWD: 100
Name: **Owensboro Riverport Authority, Dry Bulk and General Cargo Dock.**
Port: Louisville
Location: Mile 758.7, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Owensboro Riverport Authority.
Owner: Owensboro Riverport Authority.
Address: Harbor Road Phone: 502/926-4238
Town: Owensboro State: KY County: Daviess
Railway Connection: Two surface tracks on upper apron join additional trackage with capacity for 50 cars, serve terminal at rear; connect with CSX Rail Transport.
Purpose: Receipt and shipment of general cargo and miscellaneous dry bulk materials including fertilizer, ferromanganese and ferrochrome ore, aluminum ingots and molds; shipment of steel products and fabricn's.fabrica
Depth Alongside (feet): 10 | | Latitude (decimal): 37.794722
Total Berthing Space (feet): 780 | | Longitude (decimal): -87.14222
Remarks: Two storage domes at rear have total capacity for 14,200 tons of fertilizer. Ancillary facilities at terminal include approximately 2.5 acres of asphalt-paved and 5 acres of unpaved open storage area, and one 44 22,000-square-foot, steel frame, metal-covered bulk storage warehouses.□□Owensboro Harbor Service operates the '759 Indiana Fleet' with capacity for 15barges arranged in a block 3 barges long by 5-wide at shore moorings located directly across the river.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

Port Facilities by Waterway

Remarks: Two storage domes at rear have total capacity for 14,200 tons of fertilizer. Ancillary facilities at terminal include approximately 2.5 acres of asphalt-paved and 5 acres of unpaved open storage area, and one 44 22,000-square-foot, steel frame, metal-covered bulk storage warehouses.□□Owensboro Harbor Service operates the '759 Indiana Fleet' with capacity for 15barges arranged in a block 3 barges long by 5-wide at shore moorings located directly across the river.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

Remarks: Two storage domes at rear have total capacity for 14,200 tons of fertilizer. Ancillary facilities at terminal include approximately 2.5 acres of asphalt-paved and 5 acres of unpaved open storage area, and one 44 22,000-square-foot, steel frame, metal-covered bulk storage warehouses.□□Owensboro Harbor Service operates the '759 Indiana Fleet' with capacity for 15barges arranged in a block 3 barges long by 5-wide at shore moorings located directly across the river.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 759 PWD: 101
Name: **Owensboro Riverport Authority, Grain Loading Dock.**
Port: Louisville
Location: Mile 758.6, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Archer Daniels Midland Co.
Owner: Owensboro Riverport Authority.
Address: 2300 Harbor Road Phone: 502/685-5135
Town: Owensboro State: KY County: Daviess
Railway Connection: One surface track serves undertrack pit and grain-loading spout, joins additional trackage with capacity for 50 cars, at rear; connects with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.793333
Total Berthing Space (feet): 260 | | Longitude (decimal): -87.14333

Waterway: **Ohio River** Mile: 759 PWD: 101
Name: **Owensboro Riverport Authority, Grain Loading Dock.**
Port: Louisville
Location: Mile 758.6, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Archer Daniels Midland Co.
Owner: Owensboro Riverport Authority.
Address: 2300 Harbor Road Phone: 502/685-5135
Town: Owensboro State: KY County: Daviess
Railway Connection: One surface track serves undertrack pit and grain-loading spout, joins additional trackage with capacity for 50 cars, at rear; connects with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.793333
Total Berthing Space (feet): 260 | | Longitude (decimal): -87.14333

Waterway: **Ohio River** Mile: 759 PWD: 101
Name: **Owensboro Riverport Authority, Grain Loading Dock.**
Port: Louisville
Location: Mile 758.6, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Archer Daniels Midland Co.
Owner: Owensboro Riverport Authority.
Address: 2300 Harbor Road Phone: 502/685-5135
Town: Owensboro State: KY County: Daviess
Railway Connection: One surface track serves undertrack pit and grain-loading spout, joins additional trackage with capacity for 50 cars, at rear; connects with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.793333
Total Berthing Space (feet): 260 | | Longitude (decimal): -87.14333
Remarks: Two grain storage silos in rear have total capacity for 60,000 bushels. At time of survey, grain marketing operations were being handled by ADM/Growmark, Subsidiary of Archer Daniels Midland Co.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

Remarks: Two grain storage silos in rear have total capacity for 60,000 bushels. At time of survey, grain marketing operations were being handled by ADM/Growmark, Subsidiary of Archer Daniels Midland Co.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

Port Facilities by Waterway

Remarks: Two grain storage silos in rear have total capacity for 60,000 bushels. At time of survey, grain marketing operations were being handled by ADM/Growmark, Subsidiary of Archer Daniels Midland Co.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 759 PWD: 101
Name: **Owensboro Riverport Authority, Grain Loading Dock.**
Port: Louisville
Location: Mile 758.6, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Archer Daniels Midland Co.
Owner: Owensboro Riverport Authority.
Address: 2300 Harbor Road Phone: 502/685-5135
Town: Owensboro State: KY County: Daviess
Railway Connection: One surface track serves undertrack pit and grain-loading spout, joins additional trackage with capacity for 50 cars, at rear; connects with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.793333
Total Berthing Space (feet): 260 | | Longitude (decimal): -87.14333

Waterway: **Ohio River** Mile: 759 PWD: 101
Name: **Owensboro Riverport Authority, Grain Loading Dock.**
Port: Louisville
Location: Mile 758.6, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Archer Daniels Midland Co.
Owner: Owensboro Riverport Authority.
Address: 2300 Harbor Road Phone: 502/685-5135
Town: Owensboro State: KY County: Daviess
Railway Connection: One surface track serves undertrack pit and grain-loading spout, joins additional trackage with capacity for 50 cars, at rear; connects with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.793333
Total Berthing Space (feet): 260 | | Longitude (decimal): -87.14333

Waterway: **Ohio River** Mile: 759 PWD: 101
Name: **Owensboro Riverport Authority, Grain Loading Dock.**
Port: Louisville
Location: Mile 758.6, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Archer Daniels Midland Co.
Owner: Owensboro Riverport Authority.
Address: 2300 Harbor Road Phone: 502/685-5135
Town: Owensboro State: KY County: Daviess
Railway Connection: One surface track serves undertrack pit and grain-loading spout, joins additional trackage with capacity for 50 cars, at rear; connects with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.793333
Total Berthing Space (feet): 260 | | Longitude (decimal): -87.14333
Remarks: Two grain storage silos in rear have total capacity for 60,000 bushels. At time of survey, grain marketing operations were being handled by ADM/Growmark, Subsidiary of Archer Daniels Midland Co.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

Remarks: Two grain storage silos in rear have total capacity for 60,000 bushels. At time of survey, grain marketing operations were being handled by ADM/Growmark, Subsidiary of Archer Daniels Midland Co.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

Port Facilities by Waterway

Remarks: Two grain storage silos in rear have total capacity for 60,000 bushels. At time of survey, grain marketing operations were being handled by ADM/Growmark, Subsidiary of Archer Daniels Midland Co.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 759 PWD: 101
Name: **Owensboro Riverport Authority, Grain Loading Dock.**
Port: Louisville
Location: Mile 758.6, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Archer Daniels Midland Co.
Owner: Owensboro Riverport Authority.
Address: 2300 Harbor Road Phone: 502/685-5135
Town: Owensboro State: KY County: Daviess
Railway Connection: One surface track serves undertrack pit and grain-loading spout, joins additional trackage with capacity for 50 cars, at rear; connects with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.793333
Total Berthing Space (feet): 260 | | Longitude (decimal): -87.14333

Waterway: **Ohio River** Mile: 759 PWD: 101
Name: **Owensboro Riverport Authority, Grain Loading Dock.**
Port: Louisville
Location: Mile 758.6, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Archer Daniels Midland Co.
Owner: Owensboro Riverport Authority.
Address: 2300 Harbor Road Phone: 502/685-5135
Town: Owensboro State: KY County: Daviess
Railway Connection: One surface track serves undertrack pit and grain-loading spout, joins additional trackage with capacity for 50 cars, at rear; connects with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.793333
Total Berthing Space (feet): 260 | | Longitude (decimal): -87.14333

Waterway: **Ohio River** Mile: 759 PWD: 101
Name: **Owensboro Riverport Authority, Grain Loading Dock.**
Port: Louisville
Location: Mile 758.6, left bank, Ohio River, Owensboro. Datum: NPE
Operator: Archer Daniels Midland Co.
Owner: Owensboro Riverport Authority.
Address: 2300 Harbor Road Phone: 502/685-5135
Town: Owensboro State: KY County: Daviess
Railway Connection: One surface track serves undertrack pit and grain-loading spout, joins additional trackage with capacity for 50 cars, at rear; connects with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.793333
Total Berthing Space (feet): 260 | | Longitude (decimal): -87.14333
Remarks: Two grain storage silos in rear have total capacity for 60,000 bushels. At time of survey, grain marketing operations were being handled by ADM/Growmark, Subsidiary of Archer Daniels Midland Co.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

Remarks: Two grain storage silos in rear have total capacity for 60,000 bushels. At time of survey, grain marketing operations were being handled by ADM/Growmark, Subsidiary of Archer Daniels Midland Co.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

Port Facilities by Waterway

Remarks: Two grain storage silos in rear have total capacity for 60,000 bushels. At time of survey, grain marketing operations were being handled by ADM/Growmark, Subsidiary of Archer Daniels Midland Co.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40224 Louisville District

---

Waterway: **Ohio River** Mile: 773 PWD: 195

Name: **Yankeetown Dock Corp. Wharf.**

Port: Louisville

Location: Mile 772.5, Yankeetown. Datum: NPE

Operator: Yankeetown Dock Corp.

Owner: Amax Coal Co. and Peabody Coal Co.

Address: Fredonia Road. Phone: 812/853-3387

Town: Yankeetown State: IN County: Warrick

Railway Connection: Four surface tracks, capacity 290 cars, serve rotary dumper, rate 20 cars per hour; connect with Southern Railway.

Purpose: Shipment of coal.

Depth Alongside (feet): 25 | | Latitude (decimal): 37.905833

Total Berthing Space (feet): 4500 | | Longitude (decimal): -87.32083

Remarks: -□□

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40209 Louisville District

---

Waterway: **Ohio River** Mile: 774 PWD: 196

Name: **Aluminum Co. of America, Warrick Plant Wharf.**

Port: Louisville

Location: Mile 773.8, right bank, Ohio River, Newburgh. Datum: NPE

Operator: Aluminum Co. of America.

Owner: Aluminum Co. of America.

Address: State Highway 66 Phone: 812/853-4476

Town: Newburgh State: IN County: Warrick

Railway Connection: Trackage serving plant at rear connects with CSX Rail Transport.

Purpose: Receipt of fuel oil and alumina; mooring barges for fleeting.

Depth Alongside (feet): 22 | | Latitude (decimal): 37.913889

Total Berthing Space (feet): 1960 | | Longitude (decimal): -87.33861

Remarks: Storage facilities at plant in rear include six steel alumina storage tanks, total capacity 48,250 tons; six concrete coke storage silos, total capacity 130,000 tons; and open storage area for ------- tons of coa 195). One 10-inch pipeline, unused at time of survey, extends to 6 steel fuel oil storage tanks, total capacity 127,850 barrels. Owensboro Harbor Service, Inc. maintains their 'Alcoa Fleet' with capacity for 30 bargetiers, each 2 or 3 barges wide, adjacent to wharf.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40207 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 775 PWD: 197
Name: **Inland Marine Constructors Dock.**
Port: Louisville
Location: Mile 774.8, right bank, Ohio River, Newburgh. Datum: NPE
Operator: Inland Marine Constructors.
Owner: Inland Marine Constructors.
Address: State Highway 66 Phone:
Town: Newburgh State: IN County: Warrick
Railway Connection: None.
Purpose: Receipt of coal and coke; mooring barges for cleaning.
Depth Alongside (feet): 12 | | Latitude (decimal):
Total Berthing Space (feet): 50 | | Longitude (decimal):
Remarks: Coal is transferred by truck to the open storage area and coke to the storage silos described under Ref. No. 195.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40206 Louisville District

---

Waterway: **Ohio River** Mile: 779 PWD: 199
Name: **Garnac Grain Co. Newburgh Elevator, Wharf.**
Port: Louisville
Location: Mile 779.1, right bank, Ohio River, Newburgh. Datum: NPE
Operator: Garnac Grain Co., Inc.
Owner: Mulzer Crushed Stone, Inc.
Address: Newburgh Road (State Highway 662). Phone: 812/853-2986
Town: Newburgh State: IN County: Warrick
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.944444
Total Berthing Space (feet): 100 | | Longitude (decimal): -87.42611

Waterway: **Ohio River** Mile: 779 PWD: 199
Name: **Garnac Grain Co. Newburgh Elevator, Wharf.**
Port: Louisville
Location: Mile 779.1, right bank, Ohio River, Newburgh. Datum: NPE
Operator: Garnac Grain Co., Inc.
Owner: Mulzer Crushed Stone, Inc.
Address: Newburgh Road (State Highway 662). Phone: 812/853-2986
Town: Newburgh State: IN County: Warrick
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.944444
Total Berthing Space (feet): 100 | | Longitude (decimal): -87.42611
Remarks: Grain elevator at rear consisting of 8 steel tanks and one steel flat storage building has capacity for 1,200,000 bushels.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40201 Louisville District

---

Remarks: Grain elevator at rear consisting of 8 steel tanks and one steel flat storage building has capacity for 1,200,000 bushels.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40201 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 779 PWD: 199
Name: **Garnac Grain Co. Newburgh Elevator, Wharf.**
Port: Louisville
Location: Mile 779.1, right bank, Ohio River, Newburgh. Datum: NPE
Operator: Garnac Grain Co., Inc.
Owner: Mulzer Crushed Stone, Inc.
Address: Newburgh Road (State Highway 662). Phone: 812/853-2986
Town: Newburgh State: IN County: Warrick
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.944444
Total Berthing Space (feet): 100 | | Longitude (decimal): -87.42611

Waterway: **Ohio River** Mile: 779 PWD: 199
Name: **Garnac Grain Co. Newburgh Elevator, Wharf.**
Port: Louisville
Location: Mile 779.1, right bank, Ohio River, Newburgh. Datum: NPE
Operator: Garnac Grain Co., Inc.
Owner: Mulzer Crushed Stone, Inc.
Address: Newburgh Road (State Highway 662). Phone: 812/853-2986
Town: Newburgh State: IN County: Warrick
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.944444
Total Berthing Space (feet): 100 | | Longitude (decimal): -87.42611

Remarks: Grain elevator at rear consisting of 8 steel tanks and one steel flat storage building has capacity for 1,200,000 bushels.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40201 Louisville District

Remarks: Grain elevator at rear consisting of 8 steel tanks and one steel flat storage building has capacity for 1,200,000 bushels.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40201 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 779 PWD: 198
Name: **Mulzer Crushed Stone, Newburg Yard Wharf.**
Port: Louisville
Location: Mile 779.0, right bank, Ohio River, Newburgh. Datum: NPE
Operator: Mulzer Crushed Stone, Inc.
Owner: Mulzer Crushed Stone, Inc.
Address: Highway 662. Phone: 812/853-3684
Town: Newburgh State: IN County: Warrick
Railway Connection: None.
Purpose: Receipt of crushed stone, lime, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.944444
Total Berthing Space (feet): 100 | | Longitude (decimal): -87.425

Waterway: **Ohio River** Mile: 779 PWD: 198
Name: **Mulzer Crushed Stone, Newburg Yard Wharf.**
Port: Louisville
Location: Mile 779.0, right bank, Ohio River, Newburgh. Datum: NPE
Operator: Mulzer Crushed Stone, Inc.
Owner: Mulzer Crushed Stone, Inc.
Address: Highway 662. Phone: 812/853-3684
Town: Newburgh State: IN County: Warrick
Railway Connection: None.
Purpose: Receipt of crushed stone, lime, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.944444
Total Berthing Space (feet): 100 | | Longitude (decimal): -87.425
Remarks: Open storage area at rear has capacity for 80,000 tons of material.□□

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40201 Louisville District

Remarks: Open storage area at rear has capacity for 80,000 tons of material.□□

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40201 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 779 PWD: 198
Name: **Mulzer Crushed Stone, Newburg Yard Wharf.**
Port: Louisville
Location: Mile 779.0, right bank, Ohio River, Newburgh. Datum: NPE
Operator: Mulzer Crushed Stone, Inc.
Owner: Mulzer Crushed Stone, Inc.
Address: Highway 662. Phone: 812/853-3684
Town: Newburgh State: IN County: Warrick
Railway Connection: None.
Purpose: Receipt of crushed stone, lime, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.944444
Total Berthing Space (feet): 100 | | Longitude (decimal): -87.425

Waterway: **Ohio River** Mile: 779 PWD: 198
Name: **Mulzer Crushed Stone, Newburg Yard Wharf.**
Port: Louisville
Location: Mile 779.0, right bank, Ohio River, Newburgh. Datum: NPE
Operator: Mulzer Crushed Stone, Inc.
Owner: Mulzer Crushed Stone, Inc.
Address: Highway 662. Phone: 812/853-3684
Town: Newburgh State: IN County: Warrick
Railway Connection: None.
Purpose: Receipt of crushed stone, lime, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.944444
Total Berthing Space (feet): 100 | | Longitude (decimal): -87.425
Remarks: Open storage area at rear has capacity for 80,000 tons of material.□□

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40201 Louisville District

Remarks: Open storage area at rear has capacity for 80,000 tons of material.□□

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40201 Louisville District

Waterway: **Ohio River** Mile: 784 PWD: 200
Name: **Southern Indiana Dock/Evansville Terminal Dock.**
Port: Louisville
Location: Mile 784.0, right bank, Ohio River, Evansville. Datum: NPE
Operator: Southern Indiana Dock/Evansville Terminal.
Owner: Southern Indiana Dock.
Address: 649 Highway 41N. Phone: 812/477/7601
Town: Evansville State: IN County: Vanderburgh
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 18 | | Latitude (decimal): 37.908611
Total Berthing Space (feet): 425 | | Longitude (decimal): -87.50333
Remarks: Open storage area at rear has capacity for 100,000 tons of coal.□□

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40197 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 793 PWD: 205
Name: **Cargill Evansville Wharf.**
Port: Louisville
Location: Mile 793.2, right bank, Ohio River, Evansville. Datum: NPE
Operator: Cargill, Inc.
Owner: Mead Johnson Terminal Corp.
Address: 2000 W. Ohio Street. Phone: 812/424-2431
Town: Evansville State: IN County: Vanderburgh
Railway Connection: Two surface tracks serve undertrack pit and loading spout at grain elevator in rear; connect with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.975278
Total Berthing Space (feet): 260 | | Longitude (decimal): -87.59528

Waterway: **Ohio River** Mile: 793 PWD: 205
Name: **Cargill Evansville Wharf.**
Port: Louisville
Location: Mile 793.2, right bank, Ohio River, Evansville. Datum: NPE
Operator: Cargill, Inc.
Owner: Mead Johnson Terminal Corp.
Address: 2000 W. Ohio Street. Phone: 812/424-2431
Town: Evansville State: IN County: Vanderburgh
Railway Connection: Two surface tracks serve undertrack pit and loading spout at grain elevator in rear; connect with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.975278
Total Berthing Space (feet): 260 | | Longitude (decimal): -87.59528

Remarks: Grain elevator at rear, consisting of 6 concrete silos and 2 steel tanks, has capacity for 1,800,000 bushels.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40188 Louisville District

Remarks: Grain elevator at rear, consisting of 6 concrete silos and 2 steel tanks, has capacity for 1,800,000 bushels.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40188 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 793 PWD: 205
Name: **Cargill Evansville Wharf.**
Port: Louisville
Location: Mile 793.2, right bank, Ohio River, Evansville. Datum: NPE
Operator: Cargill, Inc.
Owner: Mead Johnson Terminal Corp.
Address: 2000 W. Ohio Street. Phone: 812/424-2431
Town: Evansville State: IN County: Vanderburgh
Railway Connection: Two surface tracks serve undertrack pit and loading spout at grain elevator in rear; connect with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.975278
Total Berthing Space (feet): 260 | | Longitude (decimal): -87.59528

Waterway: **Ohio River** Mile: 793 PWD: 205
Name: **Cargill Evansville Wharf.**
Port: Louisville
Location: Mile 793.2, right bank, Ohio River, Evansville. Datum: NPE
Operator: Cargill, Inc.
Owner: Mead Johnson Terminal Corp.
Address: 2000 W. Ohio Street. Phone: 812/424-2431
Town: Evansville State: IN County: Vanderburgh
Railway Connection: Two surface tracks serve undertrack pit and loading spout at grain elevator in rear; connect with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.975278
Total Berthing Space (feet): 260 | | Longitude (decimal): -87.59528
Remarks: Grain elevator at rear, consisting of 6 concrete silos and 2 steel tanks, has capacity for 1,800,000 bushels.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40188 Louisville District

Remarks: Grain elevator at rear, consisting of 6 concrete silos and 2 steel tanks, has capacity for 1,800,000 bushels.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40188 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 793 PWD: 204
Name: **Evansville Barge and Marine Service Wharf.**
Port: Louisville
Location: Mile 793.2, Right bank, Ohio River,Evansville. Datum: NPE
Operator: Evansville Barge and Marine Service, Inc.
Owner: Evansville Barge and Marine Service, Inc.
Address: 2010 W. Ohio Street. Phone: 812/424-1101
Town: Evansville State: IN County: Vanderburgh
Railway Connection: None.
Purpose: Shipment of miscellaneous dry bulk commodities including coal, fertilizer and grain; mooring barges for fleeting.
Depth Alongside (feet): 15 | | Latitude (decimal): 37.975556
Total Berthing Space (feet): 420 | | Longitude (decimal): -87.59333
Remarks: Four fleeting boats and one towboat are based at wharf. Company's Evansville Fleet with capacity for 15 barges arranged in 5 tiers each 3 barges wide is located at Mile 793.0 on opposite side of Ref. No. 203. Add fleeting areas are described under Ref No. 212.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40188 Louisville District

---

Waterway: **Ohio River** Mile: 793 PWD: 201
Name: **Evansville Public Wharf.**
Port: Louisville
Location: Mile 792.5, right bank, Ohio River, Evansville. Datum: NPE
Operator: City of Evansville.
Owner: City of Evansville.
Address: Phone:
Town: Evansville State: IN County: Vanderburgh
Railway Connection: None.
Purpose: Occasional landing for excursion vessels; boarding passengers.
Depth Alongside (feet): 9 | | Latitude (decimal): 37.973333
Total Berthing Space (feet): 60 | | Longitude (decimal): -87.58222
Remarks: -□□

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40188 Louisville District

---

Waterway: **Ohio River** Mile: 793 PWD: 202
Name: **Mulzer Crushed Stone, Evansville Wharf.**
Port: Louisville
Location: Mile 792.7, right bank, Ohio River, Evansville. Datum: NPE
Operator: Mulzer Crushed Stone, Inc.
Owner: Mulzer Crushed Stone, Inc.
Address: 901 N. W. Riverside Drive Phone: 812/424-5583
Town: Evansville State: IN County: Vanderburgh
Railway Connection: None.
Purpose: Receipt of crushed stone, sand, and gravel.
Depth Alongside (feet): 9 | | Latitude (decimal): 37.973889
Total Berthing Space (feet): 1300 | | Longitude (decimal): -87.58361
Remarks: Open storage area located at rear has capacity for 100,000 tons of material.□□

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40188 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 793 PWD: 203
Name: **Valley Terminal-Evansville, Wharf.**
Port: Louisville
Location: Mile 793.0, right bank, Ohio River, Evansville. Datum: NPE
Operator: Valley Terminal-Evansville, Inc.
Owner: Valley Line Co.
Address: 1830 W. Ohio Street. Phone: 812/425-7152
Town: Evansville State: IN County: Vanderburgh
Railway Connection: Two surface tracks along rear of wharf connect with CSX Rail Transport.
Purpose: Receipt and shipment of general cargo, steel products, packaged goods, scrap metal, and miscellaneous dry bulk commodities.
Depth Alongside (feet): 15 | 10 | Latitude (decimal): 37.975278
Total Berthing Space (feet): 175 | 285 | Longitude (decimal): -87.59167
Remarks: A 150,000-square foot storage warehouse and approximately 2 acres of open storage area are located at rear.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40188 Louisville District

---

Waterway: **Ohio River** Mile: 794 PWD: 209
Name: **Amoco/Itapco, Evansville Terminal Wharf.**
Port: Louisville
Location: Mile 793.9, right bank, Ohio River, Evansville. Datum: NPE
Operator: Amoco Oil Co. and Itapco Evansville Terminal Inc.
Owner: Amoco Oil Co. and Itapco Evansville Terminal Inc.
Address: 2760 Broadway. Phone: 812/425-9046
Town: Evansville State: IN County: Vanderburgh
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 13 | | Latitude (decimal): 37.966111
Total Berthing Space (feet): 400 | | Longitude (decimal): -87.60333
Remarks: Amoco Oil Co.: One 8- and one 6-inch pipelines extend from wharf to 15 steel storage tanks at rear, total capacity 145,000 barrels. Itapco Evansville Terminal Inc.: Two 8-inch pipelines extend from wharf to 5 steel storage tanks at rear, total capacity 85,000 barrels.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40188 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 794 PWD: 208

Name: **Ashland Petroleum Co., Evansville Terminal Wharf.**

Port: Louisville

Location: Mile 793.7, right bank, Ohio River, Evansville. Datum: NPE

Operator: Ashland Petroleum Co., Division of Ashland Oil, Inc.

Owner: Ashland Petroleum Co., Division of Ashland Oil, Inc.

Address: 2500 Broadway. Phone: 812/425-3195

Town: Evansville State: IN County: Vanderburgh

Railway Connection: None.

Purpose: Receipt of petroleum products; supplying mid-stream fueling equipment.

Depth Alongside (feet): 9 | | Latitude (decimal): 37.970278

Total Berthing Space (feet): 260 | | Longitude (decimal): -87.60222

Remarks: One 10-, two 8-, and one 6-inch pipelines extend from wharf to 7 steel storage tanks at rear, total capacity 115,000 barrels.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40188 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 794 PWD: 207
Name: **Garnac Grain Co., Evansville Grain Elevator Dock.**
Port: Louisville
Location: Mile 793.6, right bank, Ohio River, Evansville. Datum: NPE
Operator: Garnac Grain Co., Inc.
Owner: Garnac Grain Co., Inc.
Address: 2350 Broadway. Phone: 812/424-3581
Town: Evansville State: IN County: Vanderburgh
Railway Connection: One surface track serves undertrack pit and loading spout at grain elevator in rear; connects with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 9 | | Latitude (decimal): 37.971389
Total Berthing Space (feet): 492 | | Longitude (decimal): -87.60139

Waterway: **Ohio River** Mile: 794 PWD: 207
Name: **Garnac Grain Co., Evansville Grain Elevator Dock.**
Port: Louisville
Location: Mile 793.6, right bank, Ohio River, Evansville. Datum: NPE
Operator: Garnac Grain Co., Inc.
Owner: Garnac Grain Co., Inc.
Address: 2350 Broadway. Phone: 812/424-3581
Town: Evansville State: IN County: Vanderburgh
Railway Connection: One surface track serves undertrack pit and loading spout at grain elevator in rear; connects with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 9 | | Latitude (decimal): 37.971389
Total Berthing Space (feet): 492 | | Longitude (decimal): -87.60139

Remarks: Grain elevator at rear consisting of 26 concrete silos and 2 steel tanks has total capacity for 1,000,000 bushels.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40188 Louisville District

Remarks: Grain elevator at rear consisting of 26 concrete silos and 2 steel tanks has total capacity for 1,000,000 bushels.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40188 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 794 PWD: 207
Name: **Garnac Grain Co., Evansville Grain Elevator Dock.**
Port: Louisville
Location: Mile 793.6, right bank, Ohio River, Evansville. Datum: NPE
Operator: Garnac Grain Co., Inc.
Owner: Garnac Grain Co., Inc.
Address: 2350 Broadway. Phone: 812/424-3581
Town: Evansville State: IN County: Vanderburgh
Railway Connection: One surface track serves undertrack pit and loading spout at grain elevator in rear; connects with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 9 | | Latitude (decimal): 37.971389
Total Berthing Space (feet): 492 | | Longitude (decimal): -87.60139

Waterway: **Ohio River** Mile: 794 PWD: 207
Name: **Garnac Grain Co., Evansville Grain Elevator Dock.**
Port: Louisville
Location: Mile 793.6, right bank, Ohio River, Evansville. Datum: NPE
Operator: Garnac Grain Co., Inc.
Owner: Garnac Grain Co., Inc.
Address: 2350 Broadway. Phone: 812/424-3581
Town: Evansville State: IN County: Vanderburgh
Railway Connection: One surface track serves undertrack pit and loading spout at grain elevator in rear; connects with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 9 | | Latitude (decimal): 37.971389
Total Berthing Space (feet): 492 | | Longitude (decimal): -87.60139

Remarks: Grain elevator at rear consisting of 26 concrete silos and 2 steel tanks has total capacity for 1,000,000 bushels.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40188 Louisville District

Remarks: Grain elevator at rear consisting of 26 concrete silos and 2 steel tanks has total capacity for 1,000,000 bushels.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40188 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 794 PWD: 206
Name: **General Waste Products Dock.**
Port: Louisville
Location: Mile 793.5, right bank, Ohio River, Evansville. Datum: NPE
Operator: General Waste Products, Inc.
Owner: General Waste Products, Inc.
Address: 2348 Broadway. Phone: 812/423-4267
Town: Evansville State: IN County: Vanderburgh
Railway Connection: None.
Purpose: Shipment of scrap metal.
Depth Alongside (feet): 9 | | Latitude (decimal): 37.9725
Total Berthing Space (feet): 200 | | Longitude (decimal): -87.60056
Remarks: Open storage area at rear has capacity for 3,000 tons of scrap metal. Additional open storage area for approximately 400 tons is available at yard at main office located at Seventh Avenue and Lloyd Expressway app mile in rear.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40188 Louisville District

---

Waterway: **Ohio River** Mile: 794 PWD: 210
Name: **Southern Indiana Dock, Wharf.**
Port: Louisville
Location: Mile 794.4, right bank, Ohio River, Evansville. Datum: NPE
Operator: Southern Indiana Dock.
Owner: Southern Indiana Dock.
Address: 2720 Dixie Flyer Road. Phone: 812/477/7601
Town: Evansville State: IN County: Vanderburgh
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.959444
Total Berthing Space (feet): 425 | | Longitude (decimal): -87.60361
Remarks: Open storage area for 30,000 tons of coal is located in rear.□□

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40188 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 795 PWD: 212
Name: **Peavey Co., Evansville Wharf.**
Port: Louisville
Location: Mile 794.5, right bank, Ohio River, Evansville. Datum: NPE
Operator: Not operated.
Owner: Peavey Co.
Address: 2730 Dixie Flyer Road. Phone: 502/827-3533
Town: Evansville State: IN County: Vanderburgh
Railway Connection: One unused surface track serves undertrack pit and loading spout at grain elevator in rear; connects with CSX Rail Transport.
Purpose: Mooring barges for fleeting (See Remarks).
Depth Alongside (feet): 11 | | Latitude (decimal): 37.958333
Total Berthing Space (feet): 195 | | Longitude (decimal): -87.60361
Remarks: Grain elevator at rear consisting of 5 steel tanks with total capacity for 350,000 bushels was not in operation at time of survey (1991), however was being used for overflow storage from company's grain elevator described under Ref No. 62. Wharf was being maintained in operable condition.□□Evansville Barge and Marine Service, Inc.: Indiana Fleet with capacity for51barges arranged in 17 tiers each 3 barges wide is located at Mile 795.5 approximately one mile downstream on the right bank and their Harris Landing Fleet with capacity for 51 barges arranged in 17located at Mile 794.5 directly across the river.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40188 Louisville District

---

Waterway: **Ohio River** Mile: 798 PWD: 213
Name: **Mulzer Crushed Stone Co., West Yard Wharf.**
Port: Louisville
Location: Mile 798.4, right bank, Ohio River, Evansville. Datum: NPE
Operator: Mulzer Crushed Stone Co.
Owner: Mulzer Crushed Stone Co.
Address: Old Henderson Road. Phone: 812/424-5583
Town: Evansville State: IN County: Vanderburgh
Railway Connection: None.
Purpose: Occasional receipt of coal and other miscellaneous bulk materials.
Depth Alongside (feet): 9 | | Latitude (decimal): 37.906111
Total Berthing Space (feet): 40 | | Longitude (decimal): -87.61944
Remarks: Approximately one acre of open storage area is located at rear.□□

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40183 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 805 PWD: 78
Name: **Henderson County Sand Co. Dock.**
Port: Louisville
Location: Mile 804.7, Left bank, Ohio River, Henderson. Datum: NPE
Operator: Delta Materials Inc. dba. Henderson County Sand Co.
Owner: Delta Materials Inc.
Address: 300 Towles Street. Phone: 502/826-4261
Town: Henderson State: KY County: Henderson
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 5 | | Latitude (decimal): 37.834167
Total Berthing Space (feet): 25 | | Longitude (decimal): -87.60139
Remarks: Open storage area at rear has capacity for 25,000 tons of sand and gravel.□□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40176 Louisville District

---

Waterway: **Ohio River** Mile: 805 PWD: 79
Name: **Peavey Co., Henderson Wharf.**
Port: Louisville
Location: Mile 804.6, left bank, Ohio River, Henderson. Datum: NPE
Operator: Peavey Co.
Owner: Peavey Co.
Address: 105 Towles Avenue Phone: 502/827-3533
Town: Henderson State: KY County: Henderson
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 13 | | Latitude (decimal): 37.834444
Total Berthing Space (feet): 400 | | Longitude (decimal): -87.60111
Remarks: Grain elevator at rear consisting of 46 concrete silos with 26 interstices and 2 steel tanks has total capacity for 2,300,000 bushels.□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40176 Louisville District

---

Waterway: **Ohio River** Mile: 808 PWD: 77
Name: **Agrico Chemical Co., Henderson Dock.**
Port: Louisville
Location: Mile 807.5, Left bank, Ohio River, Henderson. Datum: NPE
Operator: Agrico Chemical Co., division of Freeport - McMoran Resource Partners
Owner: Agrico Chemical Co., division of Freeport - McMoran Resource Partners
Address: West Geneva Road. Phone: 502/826-6231
Town: Henderson State: KY County: Henderson
Railway Connection: Two surface tracks serve facility at rear; connect with Indiana Hi-Rail Corp.
Purpose: Receipt of ammonia, liquid fertilizer, and dry bulk fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.815556
Total Berthing Space (feet): 800 | | Longitude (decimal): -87.64917
Remarks: Timber storage building at rear has capacity for 16,500 tons of dry bulk fertilizer. One 10- and one 6-inch pipelines extend from wharf to 2 ammonia storage tanks, total capacity 45,000 tons, and to 4 liquid fer total capacity 6,006,000 gallons.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40173 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 808 PWD: 75

Name: **Henderson County Riverport Authority Wharf.**

Port: Louisville

Location: Mile 807.8, left bank, Ohio River, Henderson. Datum: NPE

Operator: Henderson County Riverport Authority.

Owner: Henderson County Riverport Authority.

Address: 6200 Riverport Road Phone: 502/826-1636

Town: Henderson State: KY County: Henderson

Railway Connection: Surface tracks serve undertrack pit, transit shed, wharf apron, and adjacent Coal Wharf, connect with Indiana Hi-Rail Corp.

Purpose: Receipt and shipment of steel, heavy equipment, general cargo, and scrap metal, fertilizer, sand, gravel, and limestone; shipment of coal and grain; mooring barges for fleeting.

Depth Alongside (feet): 15 | | Latitude (decimal): 37.815

Total Berthing Space (feet): 950 | | Longitude (decimal): -87.65556

Remarks: Approximately 10 acres of open storage area are located at terminal in rear.□□Henderson Harbor Service operates a fleeting area with capacity for 40 barges arranged in 10 tiers, each 4 barges wide at Deadman's Island on opposite side of channel, and the Riverport Fleet with capacity for approximately 50 barges along 4,800 feet of Huron County Riverport Authority frontingwharf.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40173 Louisville District

---

Waterway: **Ohio River** Mile: 808 PWD: 76

Name: **Henderson County Riverport Authority, Coal Loading Dock.**

Port: Louisville

Location: Mile 807.6, left bank, Ohio River, Henderson. Datum: NPE

Operator: Henderson County Riverport Authority.

Owner: Henderson County Riverport Authority.

Address: 6200 Riverport Road Phone: 502/826-1636

Town: Henderson State: KY County: Henderson

Railway Connection: One surface loop track with capacity for accommodating 110-car unit trains serves undertrack pit, connects with Indiana Hi-Rail Corp.

Purpose: Shipment of coal, grain, and other miscellaneous bulk materials.

Depth Alongside (feet): 15 | | Latitude (decimal): 37.815278

Total Berthing Space (feet): 225 | | Longitude (decimal): -87.65361

Remarks: A coal-blending facility and radial stacker serve open storage area with capacity for 150,000 tons are located at rear.□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40172 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 808 PWD: 73
Name: **Henderson Terminaling Co. Dock.**
Port: Louisville
Location: Mile 808.4, left bank, Ohio River, Henderson. Datum: NPE
Operator: Henderson Terminaling Co.
Owner: Henderson Terminaling Co.
Address: 2321 Old Geneva Road Phone: 502/827-1811
Town: Henderson State: KY County: Henderson
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 17 | | Latitude (decimal): 37.818056
Total Berthing Space (feet): 175 | | Longitude (decimal): -87.66806
Remarks: Two 8-inch pipelines extend from wharf to 4 steel storage tanks at terminal in rear, total capacity 140,000 barrels.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40172 Louisville District

---

Waterway: **Ohio River** Mile: 808 PWD: 74
Name: **Owensboro Grain Co., Geneva River Terminal Wharf.**
Port: Louisville
Location: Mile 808.3, left bank, Ohio River, Henderson. Datum: NPE
Operator: Owensboro Grain Co.
Owner: Owensboro Grain Co.
Address: 2301 Old Geneva Road Phone: 502/826-3983
Town: Henderson State: KY County: Henderson
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 25 | | Latitude (decimal): 37.817222
Total Berthing Space (feet): 130 | | Longitude (decimal): -87.66611
Remarks: Grain elevator at rear, consisting of 10 steel tanks, has capacity for 1,000,000 bushels of grain.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40172 Louisville District

---

Waterway: **Ohio River** Mile: 809 PWD: 72
Name: **Henderson Materials Wharf.**
Port: Louisville
Location: Mile 808.8, left bank, Ohio River, Henderson. Datum: NPE
Operator: Henderson Materials, Inc.
Owner: Mulzer Crushed Stone, Inc.
Address: 2351 Old Geneva Road Phone: 502/826-2394
Town: Henderson State: KY County: Henderson
Railway Connection: None.
Purpose: Receipt of sand and crushed stone.
Depth Alongside (feet): 8 - 9 | | Latitude (decimal): 37.82
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.6725
Remarks: Open storage area at rear is served by a radial stacker and has capacity for 80,000 tons of sand and crushed stone.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40171 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 827 PWD: 222
Name: **Mount Vernon Fleeting Service, Port, Towhead and Kentucky Fleet Mo**
Port: Louisville
Location: Miles 828.5-828.9, 827.4-828.5, and 827.0-830.0, right bank; Island and left bank, Ohio River, respectiv Datum: NPE
Operator: Mount Vernon Fleeting Service, Inc.
Owner: Southwind Maritime Centre, Indiana Port Commission, and others.
Address: Phone: 812/838-4889
Town: Mount Vernon State: IN County: Posey
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 8 - 14 | 10 - 14 | 8 - 14 Latitude (decimal): 37.9275
Total Berthing Space (feet): 50 | 75 | 200 Longitude (decimal): -87.88472

Waterway: **Ohio River** Mile: 827 PWD: 222
Name: **Mount Vernon Fleeting Service, Port, Towhead and Kentucky Fleet Mo**
Port: Louisville
Location: Miles 828.5-828.9, 827.4-828.5, and 827.0-830.0, right bank; Island and left bank, Ohio River, respectiv Datum: NPE
Operator: Mount Vernon Fleeting Service, Inc.
Owner: Southwind Maritime Centre, Indiana Port Commission, and others.
Address: Phone: 812/838-4889
Town: Mount Vernon State: IN County: Posey
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 8 - 14 | 10 - 14 | 8 - 14 Latitude (decimal): 37.9275
Total Berthing Space (feet): 50 | 75 | 200 Longitude (decimal): -87.88472

Remarks: Port Fleet barges generally are moored end-to bank, Towhead Fleet is arranged in tiers 2- and 3- wide on Indiana side and end-to bank on Kentucky side and Kentucky Fleet normally is arranged in tiers 3 barges wid

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

Remarks: Port Fleet barges generally are moored end-to bank, Towhead Fleet is arranged in tiers 2- and 3- wide on Indiana side and end-to bank on Kentucky side and Kentucky Fleet normally is arranged in tiers 3 barges wid

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 827 PWD: 222
Name: **Mount Vernon Fleeting Service, Port, Towhead and Kentucky Fleet Mo**
Port: Louisville
Location: Miles 828.5-828.9, 827.4-828.5, and 827.0-830.0, right bank; Island and left bank, Ohio River, respectiv Datum: NPE
Operator: Mount Vernon Fleeting Service, Inc.
Owner: Southwind Maritime Centre, Indiana Port Commission, and others.
Address: Phone: 812/838-4889
Town: Mount Vernon State: IN County: Posey
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 8 - 14 | 10 - 14 | 8 - 14 Latitude (decimal): 37.9275
Total Berthing Space (feet): 50 | 75 | 200 Longitude (decimal): -87.88472

Waterway: **Ohio River** Mile: 827 PWD: 222
Name: **Mount Vernon Fleeting Service, Port, Towhead and Kentucky Fleet Mo**
Port: Louisville
Location: Miles 828.5-828.9, 827.4-828.5, and 827.0-830.0, right bank; Island and left bank, Ohio River, respectiv Datum: NPE
Operator: Mount Vernon Fleeting Service, Inc.
Owner: Southwind Maritime Centre, Indiana Port Commission, and others.
Address: Phone: 812/838-4889
Town: Mount Vernon State: IN County: Posey
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 8 - 14 | 10 - 14 | 8 - 14 Latitude (decimal): 37.9275
Total Berthing Space (feet): 50 | 75 | 200 Longitude (decimal): -87.88472

Remarks: Port Fleet barges generally are moored end-to bank, Towhead Fleet is arranged in tiers 2- and 3- wide on Indiana side and end-to bank on Kentucky side and Kentucky Fleet normally is arranged in tiers 3 barges wid

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

Remarks: Port Fleet barges generally are moored end-to bank, Towhead Fleet is arranged in tiers 2- and 3- wide on Indiana side and end-to bank on Kentucky side and Kentucky Fleet normally is arranged in tiers 3 barges wid

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 828 PWD: 218

Name: **Consolidated Grain and Barge Co., Mount Vernon River Dock.**

Port: Louisville

Location: Mile 828.0, right bank, Ohio River, Mount Vernon. Datum: NPE

Operator: Consolidated Grain and Barge Co.

Owner: Indiana Port Commision, Southwind Maritime Centre.

Address: Bluff Road Phone: 812/838-6651

Town: Mount Vernon State: IN County: Posey

Railway Connection: One surface track serves undertrack pits and loading spout at grain elevator at rear; connects with CSX Rail Transport.

Purpose: Shipment of grain.

Depth Alongside (feet): 14 | | Latitude (decimal): 37.921944

Total Berthing Space (feet): 1000 | | Longitude (decimal): -87.8725

Remarks: Grain elevator in rear consisting of 24 concrete silos has capacity for 2,600,000 bushels.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 828 PWD: 219
Name: **Indiana Port Commission, Southwind Maritime Centre, General Cargo**
Port: Louisville
Location: Mile 828.1, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Hall-Buck Marine, Inc.
Owner: Indiana Port Commision, Southwind Maritime Centre.
Address: 1700 Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One marginal surface track each on higher and lower shore aprons at rear; connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of containerized and conventional general cargo, machinery, transformers, steel products and miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.923333
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.87444

Waterway: **Ohio River** Mile: 828 PWD: 219
Name: **Indiana Port Commission, Southwind Maritime Centre, General Cargo**
Port: Louisville
Location: Mile 828.1, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Hall-Buck Marine, Inc.
Owner: Indiana Port Commision, Southwind Maritime Centre.
Address: 1700 Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One marginal surface track each on higher and lower shore aprons at rear; connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of containerized and conventional general cargo, machinery, transformers, steel products and miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.923333
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.87444

Waterway: **Ohio River** Mile: 828 PWD: 219
Name: **Indiana Port Commission, Southwind Maritime Centre, General Cargo**
Port: Louisville
Location: Mile 828.1, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Hall-Buck Marine, Inc.
Owner: Indiana Port Commision, Southwind Maritime Centre.
Address: 1700 Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One marginal surface track each on higher and lower shore aprons at rear; connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of containerized and conventional general cargo, machinery, transformers, steel products and miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.923333
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.87444

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 828 PWD: 219

Name: **Indiana Port Commission, Southwind Maritime Centre, General Cargo**

Port: Louisville

Location: Mile 828.1, right bank, Ohio River, Mount Vernon. Datum: NPE

Operator: Hall-Buck Marine, Inc.

Owner: Indiana Port Commision, Southwind Maritime Centre.

Address: 1700 Bluff Road Phone: 812/838-4382

Town: Mount Vernon State: IN County: Posey

Railway Connection: One marginal surface track each on higher and lower shore aprons at rear; connect with 70-car capacity storage yard and CSX Rail Transport.

Purpose: Receipt and shipment of containerized and conventional general cargo, machinery, transformers, steel products and miscellaneous dry bulk materials.

Depth Alongside (feet): 14 | | Latitude (decimal): 37.923333

Total Berthing Space (feet): 300 | | Longitude (decimal): -87.87444

Remarks: In addition to transit shed/warehouse described above two adjacent warehouses operated by Mount Vernon Barge Service have a total of 30,000 square feet available for short- or long- term storage. Breasting dolphi those of Ref. No. 220 providing a total of 725 feet of continuous berthing space.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: In addition to transit shed/warehouse described above two adjacent warehouses operated by Mount Vernon Barge Service have a total of 30,000 square feet available for short- or long- term storage. Breasting dolphi those of Ref. No. 220 providing a total of 725 feet of continuous berthing space.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: In addition to transit shed/warehouse described above two adjacent warehouses operated by Mount Vernon Barge Service have a total of 30,000 square feet available for short- or long- term storage. Breasting dolphi those of Ref. No. 220 providing a total of 725 feet of continuous berthing space.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: In addition to transit shed/warehouse described above two adjacent warehouses operated by Mount Vernon Barge Service have a total of 30,000 square feet available for short- or long- term storage. Breasting dolphi those of Ref. No. 220 providing a total of 725 feet of continuous berthing space.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 828 PWD: 219
Name: **Indiana Port Commission, Southwind Maritime Centre, General Cargo**
Port: Louisville
Location: Mile 828.1, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Hall-Buck Marine, Inc.
Owner: Indiana Port Commision, Southwind Maritime Centre.
Address: 1700 Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One marginal surface track each on higher and lower shore aprons at rear; connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of containerized and conventional general cargo, machinery, transformers, steel products and miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.923333
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.87444

Waterway: **Ohio River** Mile: 828 PWD: 219
Name: **Indiana Port Commission, Southwind Maritime Centre, General Cargo**
Port: Louisville
Location: Mile 828.1, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Hall-Buck Marine, Inc.
Owner: Indiana Port Commision, Southwind Maritime Centre.
Address: 1700 Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One marginal surface track each on higher and lower shore aprons at rear; connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of containerized and conventional general cargo, machinery, transformers, steel products and miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.923333
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.87444

Waterway: **Ohio River** Mile: 828 PWD: 219
Name: **Indiana Port Commission, Southwind Maritime Centre, General Cargo**
Port: Louisville
Location: Mile 828.1, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Hall-Buck Marine, Inc.
Owner: Indiana Port Commision, Southwind Maritime Centre.
Address: 1700 Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One marginal surface track each on higher and lower shore aprons at rear; connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of containerized and conventional general cargo, machinery, transformers, steel products and miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.923333
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.87444

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 828 PWD: 219

Name: **Indiana Port Commission, Southwind Maritime Centre, General Cargo**

Port: Louisville

Location: Mile 828.1, right bank, Ohio River, Mount Vernon. Datum: NPE

Operator: Hall-Buck Marine, Inc.

Owner: Indiana Port Commision, Southwind Maritime Centre.

Address: 1700 Bluff Road Phone: 812/838-4382

Town: Mount Vernon State: IN County: Posey

Railway Connection: One marginal surface track each on higher and lower shore aprons at rear; connect with 70-car capacity storage yard and CSX Rail Transport.

Purpose: Receipt and shipment of containerized and conventional general cargo, machinery, transformers, steel products and miscellaneous dry bulk materials.

Depth Alongside (feet): 14 | | Latitude (decimal): 37.923333

Total Berthing Space (feet): 300 | | Longitude (decimal): -87.87444

Remarks: In addition to transit shed/warehouse described above two adjacent warehouses operated by Mount Vernon Barge Service have a total of 30,000 square feet available for short- or long- term storage. Breasting dolphi those of Ref. No. 220 providing a total of 725 feet of continuous berthing space.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: In addition to transit shed/warehouse described above two adjacent warehouses operated by Mount Vernon Barge Service have a total of 30,000 square feet available for short- or long- term storage. Breasting dolphi those of Ref. No. 220 providing a total of 725 feet of continuous berthing space.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: In addition to transit shed/warehouse described above two adjacent warehouses operated by Mount Vernon Barge Service have a total of 30,000 square feet available for short- or long- term storage. Breasting dolphi those of Ref. No. 220 providing a total of 725 feet of continuous berthing space.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: In addition to transit shed/warehouse described above two adjacent warehouses operated by Mount Vernon Barge Service have a total of 30,000 square feet available for short- or long- term storage. Breasting dolphi those of Ref. No. 220 providing a total of 725 feet of continuous berthing space.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 828 PWD: 219
Name: **Indiana Port Commission, Southwind Maritime Centre, General Cargo**
Port: Louisville
Location: Mile 828.1, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Hall-Buck Marine, Inc.
Owner: Indiana Port Commision, Southwind Maritime Centre.
Address: 1700 Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One marginal surface track each on higher and lower shore aprons at rear; connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of containerized and conventional general cargo, machinery, transformers, steel products and miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.923333
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.87444

Waterway: **Ohio River** Mile: 828 PWD: 219
Name: **Indiana Port Commission, Southwind Maritime Centre, General Cargo**
Port: Louisville
Location: Mile 828.1, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Hall-Buck Marine, Inc.
Owner: Indiana Port Commision, Southwind Maritime Centre.
Address: 1700 Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One marginal surface track each on higher and lower shore aprons at rear; connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of containerized and conventional general cargo, machinery, transformers, steel products and miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.923333
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.87444

Waterway: **Ohio River** Mile: 828 PWD: 219
Name: **Indiana Port Commission, Southwind Maritime Centre, General Cargo**
Port: Louisville
Location: Mile 828.1, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Hall-Buck Marine, Inc.
Owner: Indiana Port Commision, Southwind Maritime Centre.
Address: 1700 Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One marginal surface track each on higher and lower shore aprons at rear; connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of containerized and conventional general cargo, machinery, transformers, steel products and miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.923333
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.87444

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 828 PWD: 219

Name: **Indiana Port Commission, Southwind Maritime Centre, General Cargo**

Port: Louisville

Location: Mile 828.1, right bank, Ohio River, Mount Vernon. Datum: NPE

Operator: Hall-Buck Marine, Inc.

Owner: Indiana Port Commision, Southwind Maritime Centre.

Address: 1700 Bluff Road Phone: 812/838-4382

Town: Mount Vernon State: IN County: Posey

Railway Connection: One marginal surface track each on higher and lower shore aprons at rear; connect with 70-car capacity storage yard and CSX Rail Transport.

Purpose: Receipt and shipment of containerized and conventional general cargo, machinery, transformers, steel products and miscellaneous dry bulk materials.

Depth Alongside (feet): 14 | | Latitude (decimal): 37.923333

Total Berthing Space (feet): 300 | | Longitude (decimal): -87.87444

Remarks: In addition to transit shed/warehouse described above two adjacent warehouses operated by Mount Vernon Barge Service have a total of 30,000 square feet available for short- or long- term storage. Breasting dolphi those of Ref. No. 220 providing a total of 725 feet of continuous berthing space.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: In addition to transit shed/warehouse described above two adjacent warehouses operated by Mount Vernon Barge Service have a total of 30,000 square feet available for short- or long- term storage. Breasting dolphi those of Ref. No. 220 providing a total of 725 feet of continuous berthing space.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: In addition to transit shed/warehouse described above two adjacent warehouses operated by Mount Vernon Barge Service have a total of 30,000 square feet available for short- or long- term storage. Breasting dolphi those of Ref. No. 220 providing a total of 725 feet of continuous berthing space.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: In addition to transit shed/warehouse described above two adjacent warehouses operated by Mount Vernon Barge Service have a total of 30,000 square feet available for short- or long- term storage. Breasting dolphi those of Ref. No. 220 providing a total of 725 feet of continuous berthing space.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 828 PWD: 219
Name: **Indiana Port Commission, Southwind Maritime Centre, General Cargo**
Port: Louisville
Location: Mile 828.1, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Hall-Buck Marine, Inc.
Owner: Indiana Port Commision, Southwind Maritime Centre.
Address: 1700 Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One marginal surface track each on higher and lower shore aprons at rear; connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of containerized and conventional general cargo, machinery, transformers, steel products and miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.923333
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.87444

Waterway: **Ohio River** Mile: 828 PWD: 219
Name: **Indiana Port Commission, Southwind Maritime Centre, General Cargo**
Port: Louisville
Location: Mile 828.1, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Hall-Buck Marine, Inc.
Owner: Indiana Port Commision, Southwind Maritime Centre.
Address: 1700 Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One marginal surface track each on higher and lower shore aprons at rear; connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of containerized and conventional general cargo, machinery, transformers, steel products and miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.923333
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.87444

Waterway: **Ohio River** Mile: 828 PWD: 219
Name: **Indiana Port Commission, Southwind Maritime Centre, General Cargo**
Port: Louisville
Location: Mile 828.1, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Hall-Buck Marine, Inc.
Owner: Indiana Port Commision, Southwind Maritime Centre.
Address: 1700 Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One marginal surface track each on higher and lower shore aprons at rear; connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of containerized and conventional general cargo, machinery, transformers, steel products and miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.923333
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.87444

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 828 PWD: 219

Name: **Indiana Port Commission, Southwind Maritime Centre, General Cargo**

Port: Louisville

Location: Mile 828.1, right bank, Ohio River, Mount Vernon. Datum: NPE

Operator: Hall-Buck Marine, Inc.

Owner: Indiana Port Commision, Southwind Maritime Centre.

Address: 1700 Bluff Road Phone: 812/838-4382

Town: Mount Vernon State: IN County: Posey

Railway Connection: One marginal surface track each on higher and lower shore aprons at rear; connect with 70-car capacity storage yard and CSX Rail Transport.

Purpose: Receipt and shipment of containerized and conventional general cargo, machinery, transformers, steel products and miscellaneous dry bulk materials.

Depth Alongside (feet): 14 | | Latitude (decimal): 37.923333

Total Berthing Space (feet): 300 | | Longitude (decimal): -87.87444

Remarks: In addition to transit shed/warehouse described above two adjacent warehouses operated by Mount Vernon Barge Service have a total of 30,000 square feet available for short- or long- term storage. Breasting dolphi those of Ref. No. 220 providing a total of 725 feet of continuous berthing space.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: In addition to transit shed/warehouse described above two adjacent warehouses operated by Mount Vernon Barge Service have a total of 30,000 square feet available for short- or long- term storage. Breasting dolphi those of Ref. No. 220 providing a total of 725 feet of continuous berthing space.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: In addition to transit shed/warehouse described above two adjacent warehouses operated by Mount Vernon Barge Service have a total of 30,000 square feet available for short- or long- term storage. Breasting dolphi those of Ref. No. 220 providing a total of 725 feet of continuous berthing space.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: In addition to transit shed/warehouse described above two adjacent warehouses operated by Mount Vernon Barge Service have a total of 30,000 square feet available for short- or long- term storage. Breasting dolphi those of Ref. No. 220 providing a total of 725 feet of continuous berthing space.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 828 PWD: 216

Name: **Indiana Port Commission, Southwind Maritime Centre, Pier 1.**

Port: Louisville

Location: Mile 828.0, inner end lower side of Southwind Maritime Centre Slip, right bank, Ohio River, Mount Vernon Datum: NPE

Operator: Cargill, Inc.

Owner: Indiana Port Commission, Southwind Maritime Centre.

Address: Bluff Road Phone: 812/838-6581

Town: Mount Vernon State: IN County: Posey

Railway Connection: None.

Purpose: Receipt of dry bulk fertilizer; Receipt and shipment of liquid fertilizer.

Depth Alongside (feet): 14 | | Latitude (decimal): 37.923611

Total Berthing Space (feet): 375 | | Longitude (decimal): -87.86944

Remarks: Dry bulk fertilizer is trucked to 4 domed storage buildings at Cargill Inc. fertilizer terminal in rear, total capacity 30,000 tons. One 8-inch pipeline for liquid fertilizer extends from wharf and one extends f 3 steel storage tanks at the same terminal, total capacity 2,998,800 gallons.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 828 PWD: 220
Name: **Indiana Port Commission, Southwind Maritime Centre, Pier No. 2.**
Port: Louisville
Location: Mile 828.1, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Indiana Port Commission, Southwind Maritime Centre.
Owner: Indiana Port Commission, Southwind Maritime Centre.
Address: 1700 Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One marginal surface track each on higher and lower shore aprons at rear; connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of containerized and conventional general cargo, machinery, transformers, steel products, and miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.923889
Total Berthing Space (feet): 250 | | Longitude (decimal): -87.87528

Waterway: **Ohio River** Mile: 828 PWD: 220
Name: **Indiana Port Commission, Southwind Maritime Centre, Pier No. 2.**
Port: Louisville
Location: Mile 828.1, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Indiana Port Commission, Southwind Maritime Centre.
Owner: Indiana Port Commission, Southwind Maritime Centre.
Address: 1700 Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One marginal surface track each on higher and lower shore aprons at rear; connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of containerized and conventional general cargo, machinery, transformers, steel products, and miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.923889
Total Berthing Space (feet): 250 | | Longitude (decimal): -87.87528

Waterway: **Ohio River** Mile: 828 PWD: 220
Name: **Indiana Port Commission, Southwind Maritime Centre, Pier No. 2.**
Port: Louisville
Location: Mile 828.1, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Indiana Port Commission, Southwind Maritime Centre.
Owner: Indiana Port Commission, Southwind Maritime Centre.
Address: 1700 Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One marginal surface track each on higher and lower shore aprons at rear; connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of containerized and conventional general cargo, machinery, transformers, steel products, and miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.923889
Total Berthing Space (feet): 250 | | Longitude (decimal): -87.87528

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 828 PWD: 220

Name: **Indiana Port Commission, Southwind Maritime Centre, Pier No. 2.**

Port: Louisville

Location: Mile 828.1, right bank, Ohio River, Mount Vernon. Datum: NPE

Operator: Indiana Port Commission, Southwind Maritime Centre.

Owner: Indiana Port Commission, Southwind Maritime Centre.

Address: 1700 Bluff Road Phone: 812/838-4382

Town: Mount Vernon State: IN County: Posey

Railway Connection: One marginal surface track each on higher and lower shore aprons at rear; connect with 70-car capacity storage yard and CSX Rail Transport.

Purpose: Receipt and shipment of containerized and conventional general cargo, machinery, transformers, steel products, and miscellaneous dry bulk materials.

Depth Alongside (feet): 14 | | Latitude (decimal): 37.923889

Total Berthing Space (feet): 250 | | Longitude (decimal): -87.87528

Remarks: Breasting dolphins are in line with those of Ref. No. 219 providing a total of 725 feet of continuous berthing space.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Breasting dolphins are in line with those of Ref. No. 219 providing a total of 725 feet of continuous berthing space.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Breasting dolphins are in line with those of Ref. No. 219 providing a total of 725 feet of continuous berthing space.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Breasting dolphins are in line with those of Ref. No. 219 providing a total of 725 feet of continuous berthing space.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 828 PWD: 220
Name: **Indiana Port Commission, Southwind Maritime Centre, Pier No. 2.**
Port: Louisville
Location: Mile 828.1, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Indiana Port Commission, Southwind Maritime Centre.
Owner: Indiana Port Commission, Southwind Maritime Centre.
Address: 1700 Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One marginal surface track each on higher and lower shore aprons at rear; connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of containerized and conventional general cargo, machinery, transformers, steel products, and miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.923889
Total Berthing Space (feet): 250 | | Longitude (decimal): -87.87528

Waterway: **Ohio River** Mile: 828 PWD: 220
Name: **Indiana Port Commission, Southwind Maritime Centre, Pier No. 2.**
Port: Louisville
Location: Mile 828.1, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Indiana Port Commission, Southwind Maritime Centre.
Owner: Indiana Port Commission, Southwind Maritime Centre.
Address: 1700 Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One marginal surface track each on higher and lower shore aprons at rear; connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of containerized and conventional general cargo, machinery, transformers, steel products, and miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.923889
Total Berthing Space (feet): 250 | | Longitude (decimal): -87.87528

Waterway: **Ohio River** Mile: 828 PWD: 220
Name: **Indiana Port Commission, Southwind Maritime Centre, Pier No. 2.**
Port: Louisville
Location: Mile 828.1, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Indiana Port Commission, Southwind Maritime Centre.
Owner: Indiana Port Commission, Southwind Maritime Centre.
Address: 1700 Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One marginal surface track each on higher and lower shore aprons at rear; connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of containerized and conventional general cargo, machinery, transformers, steel products, and miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.923889
Total Berthing Space (feet): 250 | | Longitude (decimal): -87.87528

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 828 PWD: 220

Name: **Indiana Port Commission, Southwind Maritime Centre, Pier No. 2.**

Port: Louisville

Location: Mile 828.1, right bank, Ohio River, Mount Vernon. Datum: NPE

Operator: Indiana Port Commission, Southwind Maritime Centre.

Owner: Indiana Port Commission, Southwind Maritime Centre.

Address: 1700 Bluff Road Phone: 812/838-4382

Town: Mount Vernon State: IN County: Posey

Railway Connection: One marginal surface track each on higher and lower shore aprons at rear; connect with 70-car capacity storage yard and CSX Rail Transport.

Purpose: Receipt and shipment of containerized and conventional general cargo, machinery, transformers, steel products, and miscellaneous dry bulk materials.

Depth Alongside (feet): 14 | | Latitude (decimal): 37.923889

Total Berthing Space (feet): 250 | | Longitude (decimal): -87.87528

Remarks: Breasting dolphins are in line with those of Ref. No. 219 providing a total of 725 feet of continuous berthing space.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Breasting dolphins are in line with those of Ref. No. 219 providing a total of 725 feet of continuous berthing space.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Breasting dolphins are in line with those of Ref. No. 219 providing a total of 725 feet of continuous berthing space.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Breasting dolphins are in line with those of Ref. No. 219 providing a total of 725 feet of continuous berthing space.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 828 PWD: 220
Name: **Indiana Port Commission, Southwind Maritime Centre, Pier No. 2.**
Port: Louisville
Location: Mile 828.1, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Indiana Port Commission, Southwind Maritime Centre.
Owner: Indiana Port Commission, Southwind Maritime Centre.
Address: 1700 Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One marginal surface track each on higher and lower shore aprons at rear; connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of containerized and conventional general cargo, machinery, transformers, steel products, and miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.923889
Total Berthing Space (feet): 250 | | Longitude (decimal): -87.87528

Waterway: **Ohio River** Mile: 828 PWD: 220
Name: **Indiana Port Commission, Southwind Maritime Centre, Pier No. 2.**
Port: Louisville
Location: Mile 828.1, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Indiana Port Commission, Southwind Maritime Centre.
Owner: Indiana Port Commission, Southwind Maritime Centre.
Address: 1700 Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One marginal surface track each on higher and lower shore aprons at rear; connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of containerized and conventional general cargo, machinery, transformers, steel products, and miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.923889
Total Berthing Space (feet): 250 | | Longitude (decimal): -87.87528

Waterway: **Ohio River** Mile: 828 PWD: 220
Name: **Indiana Port Commission, Southwind Maritime Centre, Pier No. 2.**
Port: Louisville
Location: Mile 828.1, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Indiana Port Commission, Southwind Maritime Centre.
Owner: Indiana Port Commission, Southwind Maritime Centre.
Address: 1700 Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One marginal surface track each on higher and lower shore aprons at rear; connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of containerized and conventional general cargo, machinery, transformers, steel products, and miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.923889
Total Berthing Space (feet): 250 | | Longitude (decimal): -87.87528

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 828 PWD: 220

Name: **Indiana Port Commission, Southwind Maritime Centre, Pier No. 2.**

Port: Louisville

Location: Mile 828.1, right bank, Ohio River, Mount Vernon. Datum: NPE

Operator: Indiana Port Commission, Southwind Maritime Centre.

Owner: Indiana Port Commission, Southwind Maritime Centre.

Address: 1700 Bluff Road Phone: 812/838-4382

Town: Mount Vernon State: IN County: Posey

Railway Connection: One marginal surface track each on higher and lower shore aprons at rear; connect with 70-car capacity storage yard and CSX Rail Transport.

Purpose: Receipt and shipment of containerized and conventional general cargo, machinery, transformers, steel products, and miscellaneous dry bulk materials.

Depth Alongside (feet): 14 | | Latitude (decimal): 37.923889

Total Berthing Space (feet): 250 | | Longitude (decimal): -87.87528

Remarks: Breasting dolphins are in line with those of Ref. No. 219 providing a total of 725 feet of continuous berthing space.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Breasting dolphins are in line with those of Ref. No. 219 providing a total of 725 feet of continuous berthing space.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Breasting dolphins are in line with those of Ref. No. 219 providing a total of 725 feet of continuous berthing space.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Breasting dolphins are in line with those of Ref. No. 219 providing a total of 725 feet of continuous berthing space.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 828 PWD: 220
Name: **Indiana Port Commission, Southwind Maritime Centre, Pier No. 2.**
Port: Louisville
Location: Mile 828.1, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Indiana Port Commission, Southwind Maritime Centre.
Owner: Indiana Port Commission, Southwind Maritime Centre.
Address: 1700 Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One marginal surface track each on higher and lower shore aprons at rear; connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of containerized and conventional general cargo, machinery, transformers, steel products, and miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.923889
Total Berthing Space (feet): 250 | | Longitude (decimal): -87.87528

Waterway: **Ohio River** Mile: 828 PWD: 220
Name: **Indiana Port Commission, Southwind Maritime Centre, Pier No. 2.**
Port: Louisville
Location: Mile 828.1, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Indiana Port Commission, Southwind Maritime Centre.
Owner: Indiana Port Commission, Southwind Maritime Centre.
Address: 1700 Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One marginal surface track each on higher and lower shore aprons at rear; connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of containerized and conventional general cargo, machinery, transformers, steel products, and miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.923889
Total Berthing Space (feet): 250 | | Longitude (decimal): -87.87528

Waterway: **Ohio River** Mile: 828 PWD: 220
Name: **Indiana Port Commission, Southwind Maritime Centre, Pier No. 2.**
Port: Louisville
Location: Mile 828.1, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Indiana Port Commission, Southwind Maritime Centre.
Owner: Indiana Port Commission, Southwind Maritime Centre.
Address: 1700 Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One marginal surface track each on higher and lower shore aprons at rear; connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of containerized and conventional general cargo, machinery, transformers, steel products, and miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.923889
Total Berthing Space (feet): 250 | | Longitude (decimal): -87.87528

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 828 PWD: 220

Name: **Indiana Port Commission, Southwind Maritime Centre, Pier No. 2.**

Port: Louisville

Location: Mile 828.1, right bank, Ohio River, Mount Vernon. Datum: NPE

Operator: Indiana Port Commission, Southwind Maritime Centre.

Owner: Indiana Port Commission, Southwind Maritime Centre.

Address: 1700 Bluff Road Phone: 812/838-4382

Town: Mount Vernon State: IN County: Posey

Railway Connection: One marginal surface track each on higher and lower shore aprons at rear; connect with 70-car capacity storage yard and CSX Rail Transport.

Purpose: Receipt and shipment of containerized and conventional general cargo, machinery, transformers, steel products, and miscellaneous dry bulk materials.

Depth Alongside (feet): 14 | | Latitude (decimal): 37.923889

Total Berthing Space (feet): 250 | | Longitude (decimal): -87.87528

Remarks: Breasting dolphins are in line with those of Ref. No. 219 providing a total of 725 feet of continuous berthing space.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Breasting dolphins are in line with those of Ref. No. 219 providing a total of 725 feet of continuous berthing space.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Breasting dolphins are in line with those of Ref. No. 219 providing a total of 725 feet of continuous berthing space.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Breasting dolphins are in line with those of Ref. No. 219 providing a total of 725 feet of continuous berthing space.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 828 PWD: 221
Name: **Indiana Port Commission, Southwind Maritime Centre, Pier No. 3.**
Port: Louisville
Location: Mile 828.4, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Indiana Port Commission, Southwind Maritime Centre.
Owner: Indiana Port Commission, Southwind Maritime Centre.
Address: Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One surface track serving undertrack pit, and two parallel surface tracks connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of fertilizer and other miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.926111
Total Berthing Space (feet): 480 | | Longitude (decimal): -87.87972

Waterway: **Ohio River** Mile: 828 PWD: 221
Name: **Indiana Port Commission, Southwind Maritime Centre, Pier No. 3.**
Port: Louisville
Location: Mile 828.4, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Indiana Port Commission, Southwind Maritime Centre.
Owner: Indiana Port Commission, Southwind Maritime Centre.
Address: Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One surface track serving undertrack pit, and two parallel surface tracks connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of fertilizer and other miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.926111
Total Berthing Space (feet): 480 | | Longitude (decimal): -87.87972

Waterway: **Ohio River** Mile: 828 PWD: 221
Name: **Indiana Port Commission, Southwind Maritime Centre, Pier No. 3.**
Port: Louisville
Location: Mile 828.4, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Indiana Port Commission, Southwind Maritime Centre.
Owner: Indiana Port Commission, Southwind Maritime Centre.
Address: Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One surface track serving undertrack pit, and two parallel surface tracks connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of fertilizer and other miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.926111
Total Berthing Space (feet): 480 | | Longitude (decimal): -87.87972

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 828 PWD: 221

Name: **Indiana Port Commission, Southwind Maritime Centre, Pier No. 3.**

Port: Louisville

Location: Mile 828.4, right bank, Ohio River, Mount Vernon. Datum: NPE

Operator: Indiana Port Commission, Southwind Maritime Centre.

Owner: Indiana Port Commission, Southwind Maritime Centre.

Address: Bluff Road Phone: 812/838-4382

Town: Mount Vernon State: IN County: Posey

Railway Connection: One surface track serving undertrack pit, and two parallel surface tracks connect with 70-car capacity storage yard and CSX Rail Transport.

Purpose: Receipt and shipment of fertilizer and other miscellaneous dry bulk materials.

Depth Alongside (feet): 14 | | Latitude (decimal): 37.926111

Total Berthing Space (feet): 480 | | Longitude (decimal): -87.87972

Remarks: Hutson Co., Inc. operates a concrete A-frame storage warehouse with capacity for 22,000 tons of fertilizer at rear. A 15,000 square foot asphalt paved open storage area is located at rear of wharf apron.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Hutson Co., Inc. operates a concrete A-frame storage warehouse with capacity for 22,000 tons of fertilizer at rear. A 15,000 square foot asphalt paved open storage area is located at rear of wharf apron.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Hutson Co., Inc. operates a concrete A-frame storage warehouse with capacity for 22,000 tons of fertilizer at rear. A 15,000 square foot asphalt paved open storage area is located at rear of wharf apron.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Hutson Co., Inc. operates a concrete A-frame storage warehouse with capacity for 22,000 tons of fertilizer at rear. A 15,000 square foot asphalt paved open storage area is located at rear of wharf apron.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 828 PWD: 221
Name: **Indiana Port Commission, Southwind Maritime Centre, Pier No. 3.**
Port: Louisville
Location: Mile 828.4, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Indiana Port Commission, Southwind Maritime Centre.
Owner: Indiana Port Commission, Southwind Maritime Centre.
Address: Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One surface track serving undertrack pit, and two parallel surface tracks connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of fertilizer and other miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.926111
Total Berthing Space (feet): 480 | | Longitude (decimal): -87.87972

Waterway: **Ohio River** Mile: 828 PWD: 221
Name: **Indiana Port Commission, Southwind Maritime Centre, Pier No. 3.**
Port: Louisville
Location: Mile 828.4, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Indiana Port Commission, Southwind Maritime Centre.
Owner: Indiana Port Commission, Southwind Maritime Centre.
Address: Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One surface track serving undertrack pit, and two parallel surface tracks connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of fertilizer and other miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.926111
Total Berthing Space (feet): 480 | | Longitude (decimal): -87.87972

Waterway: **Ohio River** Mile: 828 PWD: 221
Name: **Indiana Port Commission, Southwind Maritime Centre, Pier No. 3.**
Port: Louisville
Location: Mile 828.4, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Indiana Port Commission, Southwind Maritime Centre.
Owner: Indiana Port Commission, Southwind Maritime Centre.
Address: Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One surface track serving undertrack pit, and two parallel surface tracks connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of fertilizer and other miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.926111
Total Berthing Space (feet): 480 | | Longitude (decimal): -87.87972

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 828 PWD: 221

Name: **Indiana Port Commission, Southwind Maritime Centre, Pier No. 3.**

Port: Louisville

Location: Mile 828.4, right bank, Ohio River, Mount Vernon. Datum: NPE

Operator: Indiana Port Commission, Southwind Maritime Centre.

Owner: Indiana Port Commission, Southwind Maritime Centre.

Address: Bluff Road Phone: 812/838-4382

Town: Mount Vernon State: IN County: Posey

Railway Connection: One surface track serving undertrack pit, and two parallel surface tracks connect with 70-car capacity storage yard and CSX Rail Transport.

Purpose: Receipt and shipment of fertilizer and other miscellaneous dry bulk materials.

Depth Alongside (feet): 14 | | Latitude (decimal): 37.926111

Total Berthing Space (feet): 480 | | Longitude (decimal): -87.87972

Remarks: Hutson Co., Inc. operates a concrete A-frame storage warehouse with capacity for 22,000 tons of fertilizer at rear. A 15,000 square foot asphalt paved open storage area is located at rear of wharf apron.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Hutson Co., Inc. operates a concrete A-frame storage warehouse with capacity for 22,000 tons of fertilizer at rear. A 15,000 square foot asphalt paved open storage area is located at rear of wharf apron.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Hutson Co., Inc. operates a concrete A-frame storage warehouse with capacity for 22,000 tons of fertilizer at rear. A 15,000 square foot asphalt paved open storage area is located at rear of wharf apron.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Hutson Co., Inc. operates a concrete A-frame storage warehouse with capacity for 22,000 tons of fertilizer at rear. A 15,000 square foot asphalt paved open storage area is located at rear of wharf apron.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 828 PWD: 221
Name: **Indiana Port Commission, Southwind Maritime Centre, Pier No. 3.**
Port: Louisville
Location: Mile 828.4, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Indiana Port Commission, Southwind Maritime Centre.
Owner: Indiana Port Commission, Southwind Maritime Centre.
Address: Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One surface track serving undertrack pit, and two parallel surface tracks connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of fertilizer and other miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.926111
Total Berthing Space (feet): 480 | | Longitude (decimal): -87.87972

Waterway: **Ohio River** Mile: 828 PWD: 221
Name: **Indiana Port Commission, Southwind Maritime Centre, Pier No. 3.**
Port: Louisville
Location: Mile 828.4, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Indiana Port Commission, Southwind Maritime Centre.
Owner: Indiana Port Commission, Southwind Maritime Centre.
Address: Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One surface track serving undertrack pit, and two parallel surface tracks connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of fertilizer and other miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.926111
Total Berthing Space (feet): 480 | | Longitude (decimal): -87.87972

Waterway: **Ohio River** Mile: 828 PWD: 221
Name: **Indiana Port Commission, Southwind Maritime Centre, Pier No. 3.**
Port: Louisville
Location: Mile 828.4, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Indiana Port Commission, Southwind Maritime Centre.
Owner: Indiana Port Commission, Southwind Maritime Centre.
Address: Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One surface track serving undertrack pit, and two parallel surface tracks connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of fertilizer and other miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.926111
Total Berthing Space (feet): 480 | | Longitude (decimal): -87.87972

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 828 PWD: 221

Name: **Indiana Port Commission, Southwind Maritime Centre, Pier No. 3.**

Port: Louisville

Location: Mile 828.4, right bank, Ohio River, Mount Vernon. Datum: NPE

Operator: Indiana Port Commission, Southwind Maritime Centre.

Owner: Indiana Port Commission, Southwind Maritime Centre.

Address: Bluff Road Phone: 812/838-4382

Town: Mount Vernon State: IN County: Posey

Railway Connection: One surface track serving undertrack pit, and two parallel surface tracks connect with 70-car capacity storage yard and CSX Rail Transport.

Purpose: Receipt and shipment of fertilizer and other miscellaneous dry bulk materials.

Depth Alongside (feet): 14 | | Latitude (decimal): 37.926111

Total Berthing Space (feet): 480 | | Longitude (decimal): -87.87972

Remarks: Hutson Co., Inc. operates a concrete A-frame storage warehouse with capacity for 22,000 tons of fertilizer at rear. A 15,000 square foot asphalt paved open storage area is located at rear of wharf apron.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Hutson Co., Inc. operates a concrete A-frame storage warehouse with capacity for 22,000 tons of fertilizer at rear. A 15,000 square foot asphalt paved open storage area is located at rear of wharf apron.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Hutson Co., Inc. operates a concrete A-frame storage warehouse with capacity for 22,000 tons of fertilizer at rear. A 15,000 square foot asphalt paved open storage area is located at rear of wharf apron.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Hutson Co., Inc. operates a concrete A-frame storage warehouse with capacity for 22,000 tons of fertilizer at rear. A 15,000 square foot asphalt paved open storage area is located at rear of wharf apron.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 828 PWD: 221
Name: **Indiana Port Commission, Southwind Maritime Centre, Pier No. 3.**
Port: Louisville
Location: Mile 828.4, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Indiana Port Commission, Southwind Maritime Centre.
Owner: Indiana Port Commission, Southwind Maritime Centre.
Address: Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One surface track serving undertrack pit, and two parallel surface tracks connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of fertilizer and other miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.926111
Total Berthing Space (feet): 480 | | Longitude (decimal): -87.87972

Waterway: **Ohio River** Mile: 828 PWD: 221
Name: **Indiana Port Commission, Southwind Maritime Centre, Pier No. 3.**
Port: Louisville
Location: Mile 828.4, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Indiana Port Commission, Southwind Maritime Centre.
Owner: Indiana Port Commission, Southwind Maritime Centre.
Address: Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One surface track serving undertrack pit, and two parallel surface tracks connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of fertilizer and other miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.926111
Total Berthing Space (feet): 480 | | Longitude (decimal): -87.87972

Waterway: **Ohio River** Mile: 828 PWD: 221
Name: **Indiana Port Commission, Southwind Maritime Centre, Pier No. 3.**
Port: Louisville
Location: Mile 828.4, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Indiana Port Commission, Southwind Maritime Centre.
Owner: Indiana Port Commission, Southwind Maritime Centre.
Address: Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One surface track serving undertrack pit, and two parallel surface tracks connect with 70-car capacity storage yard and CSX Rail Transport.
Purpose: Receipt and shipment of fertilizer and other miscellaneous dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.926111
Total Berthing Space (feet): 480 | | Longitude (decimal): -87.87972

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 828 PWD: 221

Name: **Indiana Port Commission, Southwind Maritime Centre, Pier No. 3.**

Port: Louisville

Location: Mile 828.4, right bank, Ohio River, Mount Vernon. Datum: NPE

Operator: Indiana Port Commission, Southwind Maritime Centre.

Owner: Indiana Port Commission, Southwind Maritime Centre.

Address: Bluff Road Phone: 812/838-4382

Town: Mount Vernon State: IN County: Posey

Railway Connection: One surface track serving undertrack pit, and two parallel surface tracks connect with 70-car capacity storage yard and CSX Rail Transport.

Purpose: Receipt and shipment of fertilizer and other miscellaneous dry bulk materials.

Depth Alongside (feet): 14 | | Latitude (decimal): 37.926111

Total Berthing Space (feet): 480 | | Longitude (decimal): -87.87972

Remarks: Hutson Co., Inc. operates a concrete A-frame storage warehouse with capacity for 22,000 tons of fertilizer at rear. A 15,000 square foot asphalt paved open storage area is located at rear of wharf apron.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Hutson Co., Inc. operates a concrete A-frame storage warehouse with capacity for 22,000 tons of fertilizer at rear. A 15,000 square foot asphalt paved open storage area is located at rear of wharf apron.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Hutson Co., Inc. operates a concrete A-frame storage warehouse with capacity for 22,000 tons of fertilizer at rear. A 15,000 square foot asphalt paved open storage area is located at rear of wharf apron.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Hutson Co., Inc. operates a concrete A-frame storage warehouse with capacity for 22,000 tons of fertilizer at rear. A 15,000 square foot asphalt paved open storage area is located at rear of wharf apron.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 828 PWD: 215

Name: **Mount Vernon Barge Service, Southwind Maritime Centre Dock.**

Port: Louisville

Location: Mile 827.8, inner end of Southwind Maritime Centre Slip, right bank, Ohio River, Mount Vernon. Datum: NPE

Operator: Mount Vernon Barge Service, Inc.

Owner: Indiana Port Commission, Southwind Maritime Centre.

Address: 1700 Bluff Road Phone: 812/838-4889

Town: Mount Vernon State: IN County: Posey

Railway Connection: None.

Purpose: Mooring barges for cleaning and repair; mooring company-owned floating equipment; mooring floating drydock.

Depth Alongside (feet): 14 | 14 | Latitude (decimal): 37.923056

Total Berthing Space (feet): | 260 | Longitude (decimal): -87.86722

Remarks: Permanently-moored barges form 'L.' One 1,000-ton floating drydock is moored against barges adjacent and parallel to lower side of slip.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 828 PWD: 214
Name: **Mount Vernon Coal Transfer Co. Dock.**
Port: Louisville
Location: Mile 827.6, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Mount Vernon Coal Transfer Co.
Owner: MAPCO, Inc.
Address: Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One loop surface track, capacity 100 cars, serves undertrack pit at terminal in rear; connects with CSX Rail Transport.
Purpose: Shipment of coal.
Depth Alongside (feet): 35 | | Latitude (decimal): 37.917778
Total Berthing Space (feet): 1300 | | 795 Longitude (decimal): -87.86778

Waterway: **Ohio River** Mile: 828 PWD: 214
Name: **Mount Vernon Coal Transfer Co. Dock.**
Port: Louisville
Location: Mile 827.6, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Mount Vernon Coal Transfer Co.
Owner: MAPCO, Inc.
Address: Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One loop surface track, capacity 100 cars, serves undertrack pit at terminal in rear; connects with CSX Rail Transport.
Purpose: Shipment of coal.
Depth Alongside (feet): 35 | | Latitude (decimal): 37.917778
Total Berthing Space (feet): 1300 | | 795 Longitude (decimal): -87.86778

Waterway: **Ohio River** Mile: 828 PWD: 214
Name: **Mount Vernon Coal Transfer Co. Dock.**
Port: Louisville
Location: Mile 827.6, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Mount Vernon Coal Transfer Co.
Owner: MAPCO, Inc.
Address: Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One loop surface track, capacity 100 cars, serves undertrack pit at terminal in rear; connects with CSX Rail Transport.
Purpose: Shipment of coal.
Depth Alongside (feet): 35 | | Latitude (decimal): 37.917778
Total Berthing Space (feet): 1300 | | 795 Longitude (decimal): -87.86778

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 828 PWD: 214

Name: **Mount Vernon Coal Transfer Co. Dock.**

Port: Louisville

Location: Mile 827.6, right bank, Ohio River, Mount Vernon. Datum: NPE

Operator: Mount Vernon Coal Transfer Co.

Owner: MAPCO, Inc.

Address: Bluff Road Phone: 812/838-4382

Town: Mount Vernon State: IN County: Posey

Railway Connection: One loop surface track, capacity 100 cars, serves undertrack pit at terminal in rear; connects with CSX Rail Transport.

Purpose: Shipment of coal.

Depth Alongside (feet): 35 | | Latitude (decimal): 37.917778

Total Berthing Space (feet): 1300 | | 795 Longitude (decimal): -87.86778

Remarks: Open storage area at rear has capacity for 30,000 tons of coal. Upper breasting dolphins (empty fleet) have berthing space for 6 jumbo barges (3 long by 2 wide); after 4 jumbo barges can be held at lower dolphi Jumbo barges have capacity for 3,100 tons of coal.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Open storage area at rear has capacity for 30,000 tons of coal. Upper breasting dolphins (empty fleet) have berthing space for 6 jumbo barges (3 long by 2 wide); after 4 jumbo barges can be held at lower dolphi Jumbo barges have capacity for 3,100 tons of coal.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Open storage area at rear has capacity for 30,000 tons of coal. Upper breasting dolphins (empty fleet) have berthing space for 6 jumbo barges (3 long by 2 wide); after 4 jumbo barges can be held at lower dolphi Jumbo barges have capacity for 3,100 tons of coal.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Open storage area at rear has capacity for 30,000 tons of coal. Upper breasting dolphins (empty fleet) have berthing space for 6 jumbo barges (3 long by 2 wide); after 4 jumbo barges can be held at lower dolphi Jumbo barges have capacity for 3,100 tons of coal.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 828 PWD: 214
Name: **Mount Vernon Coal Transfer Co. Dock.**
Port: Louisville
Location: Mile 827.6, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Mount Vernon Coal Transfer Co.
Owner: MAPCO, Inc.
Address: Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One loop surface track, capacity 100 cars, serves undertrack pit at terminal in rear; connects with CSX Rail Transport.
Purpose: Shipment of coal.
Depth Alongside (feet): 35 | | Latitude (decimal): 37.917778
Total Berthing Space (feet): 1300 | | 795 Longitude (decimal): -87.86778

Waterway: **Ohio River** Mile: 828 PWD: 214
Name: **Mount Vernon Coal Transfer Co. Dock.**
Port: Louisville
Location: Mile 827.6, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Mount Vernon Coal Transfer Co.
Owner: MAPCO, Inc.
Address: Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One loop surface track, capacity 100 cars, serves undertrack pit at terminal in rear; connects with CSX Rail Transport.
Purpose: Shipment of coal.
Depth Alongside (feet): 35 | | Latitude (decimal): 37.917778
Total Berthing Space (feet): 1300 | | 795 Longitude (decimal): -87.86778

Waterway: **Ohio River** Mile: 828 PWD: 214
Name: **Mount Vernon Coal Transfer Co. Dock.**
Port: Louisville
Location: Mile 827.6, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Mount Vernon Coal Transfer Co.
Owner: MAPCO, Inc.
Address: Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One loop surface track, capacity 100 cars, serves undertrack pit at terminal in rear; connects with CSX Rail Transport.
Purpose: Shipment of coal.
Depth Alongside (feet): 35 | | Latitude (decimal): 37.917778
Total Berthing Space (feet): 1300 | | 795 Longitude (decimal): -87.86778

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 828 PWD: 214

Name: **Mount Vernon Coal Transfer Co. Dock.**

Port: Louisville

Location: Mile 827.6, right bank, Ohio River, Mount Vernon. Datum: NPE

Operator: Mount Vernon Coal Transfer Co.

Owner: MAPCO, Inc.

Address: Bluff Road Phone: 812/838-4382

Town: Mount Vernon State: IN County: Posey

Railway Connection: One loop surface track, capacity 100 cars, serves undertrack pit at terminal in rear; connects with CSX Rail Transport.

Purpose: Shipment of coal.

Depth Alongside (feet): 35 | | Latitude (decimal): 37.917778

Total Berthing Space (feet): 1300 | | 795 Longitude (decimal): -87.86778

Remarks: Open storage area at rear has capacity for 30,000 tons of coal. Upper breasting dolphins (empty fleet) have berthing space for 6 jumbo barges (3 long by 2 wide); after 4 jumbo barges can be held at lower dolphi Jumbo barges have capacity for 3,100 tons of coal.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Open storage area at rear has capacity for 30,000 tons of coal. Upper breasting dolphins (empty fleet) have berthing space for 6 jumbo barges (3 long by 2 wide); after 4 jumbo barges can be held at lower dolphi Jumbo barges have capacity for 3,100 tons of coal.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Open storage area at rear has capacity for 30,000 tons of coal. Upper breasting dolphins (empty fleet) have berthing space for 6 jumbo barges (3 long by 2 wide); after 4 jumbo barges can be held at lower dolphi Jumbo barges have capacity for 3,100 tons of coal.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Open storage area at rear has capacity for 30,000 tons of coal. Upper breasting dolphins (empty fleet) have berthing space for 6 jumbo barges (3 long by 2 wide); after 4 jumbo barges can be held at lower dolphi Jumbo barges have capacity for 3,100 tons of coal.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 828 PWD: 214
Name: **Mount Vernon Coal Transfer Co. Dock.**
Port: Louisville
Location: Mile 827.6, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Mount Vernon Coal Transfer Co.
Owner: MAPCO, Inc.
Address: Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One loop surface track, capacity 100 cars, serves undertrack pit at terminal in rear; connects with CSX Rail Transport.
Purpose: Shipment of coal.
Depth Alongside (feet): 35 | | Latitude (decimal): 37.917778
Total Berthing Space (feet): 1300 | | 795 Longitude (decimal): -87.86778

Waterway: **Ohio River** Mile: 828 PWD: 214
Name: **Mount Vernon Coal Transfer Co. Dock.**
Port: Louisville
Location: Mile 827.6, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Mount Vernon Coal Transfer Co.
Owner: MAPCO, Inc.
Address: Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One loop surface track, capacity 100 cars, serves undertrack pit at terminal in rear; connects with CSX Rail Transport.
Purpose: Shipment of coal.
Depth Alongside (feet): 35 | | Latitude (decimal): 37.917778
Total Berthing Space (feet): 1300 | | 795 Longitude (decimal): -87.86778

Waterway: **Ohio River** Mile: 828 PWD: 214
Name: **Mount Vernon Coal Transfer Co. Dock.**
Port: Louisville
Location: Mile 827.6, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Mount Vernon Coal Transfer Co.
Owner: MAPCO, Inc.
Address: Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One loop surface track, capacity 100 cars, serves undertrack pit at terminal in rear; connects with CSX Rail Transport.
Purpose: Shipment of coal.
Depth Alongside (feet): 35 | | Latitude (decimal): 37.917778
Total Berthing Space (feet): 1300 | | 795 Longitude (decimal): -87.86778

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 828 PWD: 214

Name: **Mount Vernon Coal Transfer Co. Dock.**

Port: Louisville

Location: Mile 827.6, right bank, Ohio River, Mount Vernon. Datum: NPE

Operator: Mount Vernon Coal Transfer Co.

Owner: MAPCO, Inc.

Address: Bluff Road Phone: 812/838-4382

Town: Mount Vernon State: IN County: Posey

Railway Connection: One loop surface track, capacity 100 cars, serves undertrack pit at terminal in rear; connects with CSX Rail Transport.

Purpose: Shipment of coal.

Depth Alongside (feet): 35 | | Latitude (decimal): 37.917778

Total Berthing Space (feet): 1300 | | 795 Longitude (decimal): -87.86778

Remarks: Open storage area at rear has capacity for 30,000 tons of coal. Upper breasting dolphins (empty fleet) have berthing space for 6 jumbo barges (3 long by 2 wide); after 4 jumbo barges can be held at lower dolphi Jumbo barges have capacity for 3,100 tons of coal.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Open storage area at rear has capacity for 30,000 tons of coal. Upper breasting dolphins (empty fleet) have berthing space for 6 jumbo barges (3 long by 2 wide); after 4 jumbo barges can be held at lower dolphi Jumbo barges have capacity for 3,100 tons of coal.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Open storage area at rear has capacity for 30,000 tons of coal. Upper breasting dolphins (empty fleet) have berthing space for 6 jumbo barges (3 long by 2 wide); after 4 jumbo barges can be held at lower dolphi Jumbo barges have capacity for 3,100 tons of coal.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Open storage area at rear has capacity for 30,000 tons of coal. Upper breasting dolphins (empty fleet) have berthing space for 6 jumbo barges (3 long by 2 wide); after 4 jumbo barges can be held at lower dolphi Jumbo barges have capacity for 3,100 tons of coal.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 828 PWD: 214
Name: **Mount Vernon Coal Transfer Co. Dock.**
Port: Louisville
Location: Mile 827.6, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Mount Vernon Coal Transfer Co.
Owner: MAPCO, Inc.
Address: Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One loop surface track, capacity 100 cars, serves undertrack pit at terminal in rear; connects with CSX Rail Transport.
Purpose: Shipment of coal.
Depth Alongside (feet): 35 | | Latitude (decimal): 37.917778
Total Berthing Space (feet): 1300 | | 795 Longitude (decimal): -87.86778

Waterway: **Ohio River** Mile: 828 PWD: 214
Name: **Mount Vernon Coal Transfer Co. Dock.**
Port: Louisville
Location: Mile 827.6, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Mount Vernon Coal Transfer Co.
Owner: MAPCO, Inc.
Address: Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One loop surface track, capacity 100 cars, serves undertrack pit at terminal in rear; connects with CSX Rail Transport.
Purpose: Shipment of coal.
Depth Alongside (feet): 35 | | Latitude (decimal): 37.917778
Total Berthing Space (feet): 1300 | | 795 Longitude (decimal): -87.86778

Waterway: **Ohio River** Mile: 828 PWD: 214
Name: **Mount Vernon Coal Transfer Co. Dock.**
Port: Louisville
Location: Mile 827.6, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Mount Vernon Coal Transfer Co.
Owner: MAPCO, Inc.
Address: Bluff Road Phone: 812/838-4382
Town: Mount Vernon State: IN County: Posey
Railway Connection: One loop surface track, capacity 100 cars, serves undertrack pit at terminal in rear; connects with CSX Rail Transport.
Purpose: Shipment of coal.
Depth Alongside (feet): 35 | | Latitude (decimal): 37.917778
Total Berthing Space (feet): 1300 | | 795 Longitude (decimal): -87.86778

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 828 PWD: 214

Name: **Mount Vernon Coal Transfer Co. Dock.**

Port: Louisville

Location: Mile 827.6, right bank, Ohio River, Mount Vernon. Datum: NPE

Operator: Mount Vernon Coal Transfer Co.

Owner: MAPCO, Inc.

Address: Bluff Road Phone: 812/838-4382

Town: Mount Vernon State: IN County: Posey

Railway Connection: One loop surface track, capacity 100 cars, serves undertrack pit at terminal in rear; connects with CSX Rail Transport.

Purpose: Shipment of coal.

Depth Alongside (feet): 35 | | Latitude (decimal): 37.917778

Total Berthing Space (feet): 1300 | | 795 Longitude (decimal): -87.86778

Remarks: Open storage area at rear has capacity for 30,000 tons of coal. Upper breasting dolphins (empty fleet) have berthing space for 6 jumbo barges (3 long by 2 wide); after 4 jumbo barges can be held at lower dolphi Jumbo barges have capacity for 3,100 tons of coal.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Open storage area at rear has capacity for 30,000 tons of coal. Upper breasting dolphins (empty fleet) have berthing space for 6 jumbo barges (3 long by 2 wide); after 4 jumbo barges can be held at lower dolphi Jumbo barges have capacity for 3,100 tons of coal.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Open storage area at rear has capacity for 30,000 tons of coal. Upper breasting dolphins (empty fleet) have berthing space for 6 jumbo barges (3 long by 2 wide); after 4 jumbo barges can be held at lower dolphi Jumbo barges have capacity for 3,100 tons of coal.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Remarks: Open storage area at rear has capacity for 30,000 tons of coal. Upper breasting dolphins (empty fleet) have berthing space for 6 jumbo barges (3 long by 2 wide); after 4 jumbo barges can be held at lower dolphi Jumbo barges have capacity for 3,100 tons of coal.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 829 PWD: 223
Name: **Mount Vernon Barge Service, Canal Street Dock.**
Port: Louisville
Location: Mile 828.9, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Mount Vernon Barge Service, Inc.
Owner: Mount Vernon Barge Service, Inc.
Address: 502 E. Water Street Phone: 812/838-4889
Town: Mount Vernon State: IN County: Posey
Railway Connection: None.
Purpose: Mooring barges for repair and cleaning; mooring floating equipment.
Depth Alongside (feet): 28 | | Latitude (decimal): 37.9275
Total Berthing Space (feet): 500 | | Longitude (decimal): -87.8725

Waterway: **Ohio River** Mile: 829 PWD: 223
Name: **Mount Vernon Barge Service, Canal Street Dock.**
Port: Louisville
Location: Mile 828.9, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Mount Vernon Barge Service, Inc.
Owner: Mount Vernon Barge Service, Inc.
Address: 502 E. Water Street Phone: 812/838-4889
Town: Mount Vernon State: IN County: Posey
Railway Connection: None.
Purpose: Mooring barges for repair and cleaning; mooring floating equipment.
Depth Alongside (feet): 28 | | Latitude (decimal): 37.9275
Total Berthing Space (feet): 500 | | Longitude (decimal): -87.8725

Remarks: Two fleeting boats are based at wharf. Gas freeing plant located on center barge.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

Remarks: Two fleeting boats are based at wharf. Gas freeing plant located on center barge.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 829 PWD: 223
Name: **Mount Vernon Barge Service, Canal Street Dock.**
Port: Louisville
Location: Mile 828.9, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Mount Vernon Barge Service, Inc.
Owner: Mount Vernon Barge Service, Inc.
Address: 502 E. Water Street Phone: 812/838-4889
Town: Mount Vernon State: IN County: Posey
Railway Connection: None.
Purpose: Mooring barges for repair and cleaning; mooring floating equipment.
Depth Alongside (feet): 28 | | Latitude (decimal): 37.9275
Total Berthing Space (feet): 500 | | Longitude (decimal): -87.8725

Waterway: **Ohio River** Mile: 829 PWD: 223
Name: **Mount Vernon Barge Service, Canal Street Dock.**
Port: Louisville
Location: Mile 828.9, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Mount Vernon Barge Service, Inc.
Owner: Mount Vernon Barge Service, Inc.
Address: 502 E. Water Street Phone: 812/838-4889
Town: Mount Vernon State: IN County: Posey
Railway Connection: None.
Purpose: Mooring barges for repair and cleaning; mooring floating equipment.
Depth Alongside (feet): 28 | | Latitude (decimal): 37.9275
Total Berthing Space (feet): 500 | | Longitude (decimal): -87.8725
Remarks: Two fleeting boats are based at wharf. Gas freeing plant located on center barge.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

Remarks: Two fleeting boats are based at wharf. Gas freeing plant located on center barge.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

Waterway: **Ohio River** Mile: 829 PWD: 224
Name: **Mount Vernon Public Landing.**
Port: Louisville
Location: Mile 829.2, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Hironimus Food Center.
Owner: City of Mount Vernon.
Address: Foot of Main Street Phone: 812/838-2261
Town: Mount Vernon State: IN County: Posey
Railway Connection: None.
Purpose: Handling groceries and marine supplies.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.928333
Total Berthing Space (feet): 55 | | Longitude (decimal): -87.89444
Remarks: The company-owned vessel 'Bonnie-Jill' is used for midstream transfer of groceries and supplies.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 830 PWD: 225
Name: **ADM Milling Co., Fuhrer-Ford Division, Mount Vernon Wharf.**
Port: Louisville
Location: Mile 829.5, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: ADM Milling Co., Fuhrer-Ford Division.
Owner: ADM Milling Co., Fuhrer-Ford Division.
Address: 612 West 2nd Street. Phone: 812/838-4445
Town: Mount Vernon State: IN County: Posey
Railway Connection: Trackage serving undertrack pit at grain elevator and loading spout at flour mill in rear; connect with CSX Rail Transport.
Purpose: Receipt of grain (wheat).
Depth Alongside (feet): 15 | | Latitude (decimal): 37.926944
Total Berthing Space (feet): 370 | | Longitude (decimal): -87.90083
Remarks: Grain elevator at rear consisting of 34 concrete silos with 34 interstices has total capacity for 1,200,000 bushels of wheat.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Waterway: **Ohio River** Mile: 830 PWD: 228
Name: **Continental Grain Co., Mount Vernon Grain Elevator Dock.**
Port: Louisville
Location: Mile 829.8, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Continental Grain Co.
Owner: Continental Grain Co.
Address: Uniontown Road (Old Highway 69 South) Phone: 812/838-4300
Town: Mount Vernon State: IN County: Posey
Railway Connection: One surface track serves under track pit and loading spouts at grain elevator in rear; connects with CSX Rail Transport.
Purpose: Shipment of grain.
Depth Alongside (feet): 15 | | Latitude (decimal): 37.916944
Total Berthing Space (feet): 260 | | Longitude (decimal): -87.91306
Remarks: Grain elevator at rear consisting of 30 concrete silos and 2 steel tanks has total capacity for 1,600,000 bushels of grain.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 830 PWD: 226
Name: **Countrymark Co-Op, Mount Vernon Terminal Wharf.**
Port: Louisville
Location: Mile 829.7, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Countrymark Co-Op.
Owner: Countrymark Co-Op.
Address: Mann and Ohio Streets Phone: 812/838-8174
Town: Mount Vernon State: IN County: Posey
Railway Connection: None.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products.
Depth Alongside (feet): 17 | | Latitude (decimal): 37.925556
Total Berthing Space (feet): 216 | | Longitude (decimal): -87.90417
Remarks: One 16-, one 10-, and one 8-inch pipelines connect wharf with 6 crude oil storage tanks, total capacity 450,000 barrels, and 19 product storage tanks, total capacity 800,000 barrels, at refinery approximately one

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Waterway: **Ohio River** Mile: 830 PWD: 227
Name: **Indian Refining, Mount Vernon Terminal Dock.**
Port: Louisville
Location: Mile 829.8, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Indian Refining Co.
Owner: Indian Refining Co.
Address: 300 Old Highway 69 South Phone: 812/838-6714
Town: Mount Vernon State: IN County: Posey
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 20 | | Latitude (decimal): 37.923611
Total Berthing Space (feet): 303 | | Longitude (decimal): -87.90667
Remarks: Two 12-, four 10-, and one 8-inch pipelines extend from wharf to 18 steel storage tanks at terminal in rear, total capacity 1,110,000 barrels.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 831 PWD: 230
Name: **Babcock and Wilcox, Mount Vernon Plant Dock.**
Port: Louisville
Location: Mile 830.8, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Babcock and Wilcox, Division of A. McDermott Co.
Owner: Babcock and Wilcox, Division of A. McDermott Co.
Address: 1400 Old Highway 69 South Phone: 812/838-1211
Town: Mount Vernon State: IN County: Posey
Railway Connection: Trackage serving plant at rear; connects with CSX Rail Transport.
Purpose: Receipt and shipment of heavy lift items including transformers, turbines, and fabricated steel products.
Depth Alongside (feet): 22 | 15 | Latitude (decimal): 37.911944
Total Berthing Space (feet): 125 | 125 | Longitude (decimal): -87.91806

Waterway: **Ohio River** Mile: 831 PWD: 230
Name: **Babcock and Wilcox, Mount Vernon Plant Dock.**
Port: Louisville
Location: Mile 830.8, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Babcock and Wilcox, Division of A. McDermott Co.
Owner: Babcock and Wilcox, Division of A. McDermott Co.
Address: 1400 Old Highway 69 South Phone: 812/838-1211
Town: Mount Vernon State: IN County: Posey
Railway Connection: Trackage serving plant at rear; connects with CSX Rail Transport.
Purpose: Receipt and shipment of heavy lift items including transformers, turbines, and fabricated steel products.
Depth Alongside (feet): 22 | 15 | Latitude (decimal): 37.911944
Total Berthing Space (feet): 125 | 125 | Longitude (decimal): -87.91806

Remarks: Fabrication plant for pressure vessels and large steel fabrications is located in rear. Bridge crane is available to the public for loading or unloading heavy lift cargo.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

Remarks: Fabrication plant for pressure vessels and large steel fabrications is located in rear. Bridge crane is available to the public for loading or unloading heavy lift cargo.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 831 PWD: 230
Name: **Babcock and Wilcox, Mount Vernon Plant Dock.**
Port: Louisville
Location: Mile 830.8, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Babcock and Wilcox, Division of A. McDermott Co.
Owner: Babcock and Wilcox, Division of A. McDermott Co.
Address: 1400 Old Highway 69 South Phone: 812/838-1211
Town: Mount Vernon State: IN County: Posey
Railway Connection: Trackage serving plant at rear; connects with CSX Rail Transport.
Purpose: Receipt and shipment of heavy lift items including transformers, turbines, and fabricated steel products.
Depth Alongside (feet): 22 | 15 | Latitude (decimal): 37.911944
Total Berthing Space (feet): 125 | 125 | Longitude (decimal): -87.91806

Waterway: **Ohio River** Mile: 831 PWD: 230
Name: **Babcock and Wilcox, Mount Vernon Plant Dock.**
Port: Louisville
Location: Mile 830.8, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Babcock and Wilcox, Division of A. McDermott Co.
Owner: Babcock and Wilcox, Division of A. McDermott Co.
Address: 1400 Old Highway 69 South Phone: 812/838-1211
Town: Mount Vernon State: IN County: Posey
Railway Connection: Trackage serving plant at rear; connects with CSX Rail Transport.
Purpose: Receipt and shipment of heavy lift items including transformers, turbines, and fabricated steel products.
Depth Alongside (feet): 22 | 15 | Latitude (decimal): 37.911944
Total Berthing Space (feet): 125 | 125 | Longitude (decimal): -87.91806

Remarks: Fabrication plant for pressure vessels and large steel fabrications is located in rear. Bridge crane is available to the public for loading or unloading heavy lift cargo.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

Remarks: Fabrication plant for pressure vessels and large steel fabrications is located in rear. Bridge crane is available to the public for loading or unloading heavy lift cargo.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

Waterway: **Ohio River** Mile: 831 PWD: 231
Name: **CF Industries, Mount Vernon Terminal Wharf.**
Port: Louisville
Location: Mile 831.0, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: CF Industries.
Owner: CF Industries.
Address: Old Highway 69 South Phone: 812/838-4851
Town: Mount Vernon State: IN County: Posey
Railway Connection: Three surface tracks serve plant in rear; connect with CSX Rail Transport.
Purpose: Receipt of anhydrous ammonia and nitrogen solution.
Depth Alongside (feet): 18 | | Latitude (decimal): 37.907778
Total Berthing Space (feet): 250 | | Longitude (decimal): -87.92222
Remarks: One 12- and one 6-inch pipelines extend from wharf to one 15,000-ton anhydrous ammonia storage tank; and to 3 nitrogen solution storage tanks, total capacity 6,900,000 gallons, at terminal in rear.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 831 PWD: 232
Name: **General Electric Co., Mount Vernon Phenol Plant Wharf.**
Port: Louisville
Location: Mile 831.2, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: General Electric Co.
Owner: General Electric Co.
Address: Highway 69 South Phone: 812/831-7379
Town: Mount Vernon State: IN County: Posey
Railway Connection: Four surface tracks serve plant in rear; connect with CSX Rail Transport.
Purpose: Receipt of cumene; shipment of acetone.
Depth Alongside (feet): 30 | | Latitude (decimal): 37.907778
Total Berthing Space (feet): 350 | | Longitude (decimal): -87.92222

Waterway: **Ohio River** Mile: 831 PWD: 232
Name: **General Electric Co., Mount Vernon Phenol Plant Wharf.**
Port: Louisville
Location: Mile 831.2, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: General Electric Co.
Owner: General Electric Co.
Address: Highway 69 South Phone: 812/831-7379
Town: Mount Vernon State: IN County: Posey
Railway Connection: Four surface tracks serve plant in rear; connect with CSX Rail Transport.
Purpose: Receipt of cumene; shipment of acetone.
Depth Alongside (feet): 30 | | Latitude (decimal): 37.907778
Total Berthing Space (feet): 350 | | Longitude (decimal): -87.92222

Remarks: One 8- and one 6-inch pipelines extend from wharf to 3 steel cumene storage tanks at rear, total capacity 85,700 barrels, and 3 acetone storage tanks, total capacity 21,400 barrels. One 2-inch steam- and one 3/4- lines serve wharf.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

Remarks: One 8- and one 6-inch pipelines extend from wharf to 3 steel cumene storage tanks at rear, total capacity 85,700 barrels, and 3 acetone storage tanks, total capacity 21,400 barrels. One 2-inch steam- and one 3/4- lines serve wharf.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 831 PWD: 232
Name: **General Electric Co., Mount Vernon Phenol Plant Wharf.**
Port: Louisville
Location: Mile 831.2, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: General Electric Co.
Owner: General Electric Co.
Address: Highway 69 South Phone: 812/831-7379
Town: Mount Vernon State: IN County: Posey
Railway Connection: Four surface tracks serve plant in rear; connect with CSX Rail Transport.
Purpose: Receipt of cumene; shipment of acetone.
Depth Alongside (feet): 30 | | Latitude (decimal): 37.907778
Total Berthing Space (feet): 350 | | Longitude (decimal): -87.92222

Waterway: **Ohio River** Mile: 831 PWD: 232
Name: **General Electric Co., Mount Vernon Phenol Plant Wharf.**
Port: Louisville
Location: Mile 831.2, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: General Electric Co.
Owner: General Electric Co.
Address: Highway 69 South Phone: 812/831-7379
Town: Mount Vernon State: IN County: Posey
Railway Connection: Four surface tracks serve plant in rear; connect with CSX Rail Transport.
Purpose: Receipt of cumene; shipment of acetone.
Depth Alongside (feet): 30 | | Latitude (decimal): 37.907778
Total Berthing Space (feet): 350 | | Longitude (decimal): -87.92222

Remarks: One 8- and one 6-inch pipelines extend from wharf to 3 steel cumene storage tanks at rear, total capacity 85,700 barrels, and 3 acetone storage tanks, total capacity 21,400 barrels. One 2-inch steam- and one 3/4- lines serve wharf.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

Remarks: One 8- and one 6-inch pipelines extend from wharf to 3 steel cumene storage tanks at rear, total capacity 85,700 barrels, and 3 acetone storage tanks, total capacity 21,400 barrels. One 2-inch steam- and one 3/4- lines serve wharf.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 831 PWD: 229
Name: **Marathon Oil Co., Mount Vernon Dock.**
Port: Louisville
Location: Mile 830.5, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Marathon Oil Co.
Owner: Marathon Oil Co.
Address: Uniontown Road (Old Highway 69 South) Phone: 812/838-2633
Town: Mount Vernon State: IN County: Posey
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products; fueling vessels.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.915
Total Berthing Space (feet): 200 | | Longitude (decimal): -87.91472
Remarks: Two 12- and one 8-inch pipelines extend from wharf to 9 steel storage tanks at terminal in rear, total capacity 350,000 barrels.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Waterway: **Ohio River** Mile: 833 PWD: 233
Name: **Mount Vernon Fleeting Service, Hovey Fleet Mooring.**
Port: Louisville
Location: Miles 832.5 - 833.1, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Mount Vernon Fleeting Service Inc.
Owner: Mount Vernon Fleeting Service Inc.
Address: Highway 69 South. Phone: 812/838-4889
Town: Mount Vernon State: IN County: Posey
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.889444
Total Berthing Space (feet): 3000 | | Longitude (decimal): -87.94
Remarks: Fleeting area has capacity for mooring 30 barges arranged in 10 tiers each 3 barges wide.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40151 Louisville District

---

Waterway: **Ohio River** Mile: 833 PWD: 234
Name: **Mulzer Crushed Stone Co., Mount Vernon Yard Dock.**
Port: Louisville
Location: Mile 833.2, right bank, Ohio River, Mount Vernon. Datum: NPE
Operator: Mulzer Crushed Stone Co.
Owner: Mulzer Crushed Stone Co.
Address: Highway 69 South Phone: 812/424-5583
Town: Mount Vernon State: IN County: Posey
Railway Connection: None.
Purpose: Receipt of sand, gravel, and crushed stone.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.884167
Total Berthing Space (feet): 600 | | Longitude (decimal): -87.94278
Remarks: Open storage area at rear, served by overhead conveyors and 2 radial stackers, has capacity for 500,000 tons of material.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40377 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 842 PWD: 71
Name: **Peabody Coal Co., Camp Terminal Dock.**
Port: Louisville
Location: Mile 841.6, left bank, Ohio River, Uniontown. Datum: NPE
Operator: Peabody Coal Co.
Owner: Peabody Coal Co.
Address: State Highway 360 Phone: 502/822-4293
Town: Uniontown State: KY County: Union
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 13 | 13 | Latitude (decimal): 37.786111
Total Berthing Space (feet): 2400 | 945 | Longitude (decimal): -87.9325
Remarks: Open storage area at rear has capacity for 250,000 tons of coal. Mooring facility has capacity for 15 barges.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40138 Louisville District

---

Waterway: **Ohio River** Mile: 843 PWD: 69
Name: **Island Creek Coal Co., Ohio No. 11, Mine Wharf.**
Port: Louisville
Location: Mile 842.9, left bank, Ohio River, Uniontown. Datum: NPE
Operator: Island Creek Coal Co.
Owner: Island Creek Coal Co.
Address: State Highway 360 Phone: 502/822-9121
Town: Uniontown State: KY County: Union
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 11 | 11 | Latitude (decimal): 37.768056
Total Berthing Space (feet): 585 | 820 | Longitude (decimal): -87.94889
Remarks: Open storage area at rear has capacity for 100,000 tons of coal.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40139 Louisville District

---

Waterway: **Ohio River** Mile: 843 PWD: 70
Name: **Wabash Elevator Co. Wharf.**
Port: Louisville
Location: Mile 842.6, left bank, Ohio River, Uniontown. Datum: NPE
Operator: Wabash Elevator Co.
Owner: Wabash Elevator Co.
Address: Foot of State Highway 130 Phone: 502/822-4241
Town: Uniontown State: KY County: Union
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.773333
Total Berthing Space (feet): 200 | | Longitude (decimal): -87.94
Remarks: Grain is trucked to wharf from a 1,250,000-bushel-capacity grain elevator located at Madison and Dewey Streets, approximately one mile distant.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40138 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 852 PWD: 68
Name: **Island Creek Coal Co., Hamilton Mine Wharf.**
Port: Louisville
Location: Mile 851.7, left bank, Ohio River, Uniontown. Datum: NPE
Operator: Island Creek Coal Co.
Owner: Island Creek Coal Co.
Address: State Highway 871 Phone: 502/822-4725
Town: Uniontown State: KY County: Union
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 20 | | 20 Latitude (decimal): 37.745833
Total Berthing Space (feet): 1200 | | 590 Longitude (decimal): -88.04917
Remarks: Open storage area at rear has capacity for 400,000 tons of coal. Wharf has capacity for mooring 15 barges.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40129 Louisville District

---

Waterway: **Ohio River** Mile: 858 PWD: 236
Name: **Bunge Corp., Shawneetown Wharf.**
Port: Louisville
Location: Mile 858.3, right bank, Ohio River, Shawneetown. Datum: NPE
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: Phone: 618-269-3154
Town: Shawneetown State: IL County: Gallatin
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 16 | | Latitude (decimal): 37.690556
Total Berthing Space (feet): 380 | | Longitude (decimal): -88.13667
Remarks: Grain elevator at rear consisting of 12 steel tanks has total capacity for 3,600,000 bushels.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40122 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 858 PWD: 237
Name: **Delta Materials, Shawneetown Lower Wharf.**
Port: Louisville
Location: Mile 858.4, right bank, Ohio River, Shawneetown. Datum: NPE
Operator: Delta Materials, Inc.
Owner: Delta Materials, Inc.
Address: S. Market St. Phone: 618-269-3313
Town: Shawneetown State: IL County: Gallatin
Railway Connection: None.
Purpose: Receipt of dry bulk commodities including fluorspar, coal, sand and gravel, and fertilizer.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.688889
Total Berthing Space (feet): 100 | | Longitude (decimal): -88.1375
Remarks: Floating cranes and front-end loaders described under Ref. No. 234 are used interchangeably at other company facilities located on the Ohio River at Ledbetter and Caseyville, KY, Shawneetown and Metropolis, IL, (66, 235 and 247, respectively). This facility is used to unload dry bulk commodities during periods of low water only. Open storage area at rear has capacity for 70,000 tons of material. In addition, company operatanywhere along the Ohio River where material is required to be unloaded.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40122 Louisville District

---

Waterway: **Ohio River** Mile: 858 PWD: 235
Name: **Delta Materials, Shawneetown Upper Wharf.**
Port: Louisville
Location: Mile 858.2, right bank, Ohio River, Shawneetown. Datum: NPE
Operator: Delta Materials, Inc.
Owner: Delta Materials, Inc.
Address: South Market Street Phone: 618-269-3313
Town: Shawneetown State: IL County: Gallatin
Railway Connection: None.
Purpose: Receipt of dry bulk commodities including fluorspar, coal, sand,gravel, and fertilizer; receipt and shipment of liquid fertilizer.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.691389
Total Berthing Space (feet): 200 | | Longitude (decimal): -88.13611
Remarks: Floating cranes and front-end loaders are used interchangeably at other company facilities located on the Ohio River at Ledbetter and Caseyville, KY, Shawneetown and Metropolis, IL, (Ref. Nos. 19, 66, 237 and 247 This facility is used to unload dry bulk commodities during periods of high water only. Open storage area at rear has capacity for 70,000 tons of material. In addition, company operates equipment anywhere along theRiver where material is required to be unloaded.□One 6-inch pipeline extends from bank to one 1,000,000 gallon liquid fertilizer tank in rear.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40123 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 859 PWD: 238
Name: **Peabody Coal Co., Eagle Loading Dock.**
Port: Louisville
Location: Mile 858.8, right bank, Ohio River, Shawneetown. Datum: NPE
Operator: Peabody Coal Co.
Owner: Peabody Coal Co.
Address: Phone: 618-269-3195
Town: Shawneetown State: IL County: Gallatin
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 37.685556
Total Berthing Space (feet): 1225 | | Longitude (decimal): -88.14167
Remarks: Open storage area at rear has capacity for 200,000 tons of coal.□□

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40122 Louisville District

---

Waterway: **Ohio River** Mile: 870 PWD: 67
Name: **Kanipe Enterprises, Ohio River Terminal Dock.**
Port: Louisville
Location: Mile 870.1, left bank, Ohio River, DeKoven. Datum: NPE
Operator: Kanipe Enterprises, Inc.
Owner: Kanipe Enterprises, Inc.
Address: State Highway 1508 Phone: 502/333-2317
Town: DeKoven State: KY County: Union
Railway Connection: None.
Purpose: Shipment of miscellaneous bulk materials including stone, coal, grain, and dry bulk fertilizer.
Depth Alongside (feet): 18 | | Latitude (decimal): 37.547222
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.08278
Remarks: Open storage area at rear has capacity for 25,000 tons of coal. Approximately 75 acres of potential open storage area was undeveloped at time of survey.□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40110 Louisville District

---

Waterway: **Ohio River** Mile: 871 PWD: 66
Name: **Delta Materials, Caseyville Dock.**
Port: Louisville
Location: Mile 871.2, left bank, Ohio River, Caseyville. Datum: NPE
Operator: Delta Materials, Inc.
Owner: Delta Materials, Inc.
Address: State Highway 1508 Phone: 502/333-5325
Town: Caseyville State: KY County: Union
Railway Connection: None.
Purpose: Receipt of sand, gravel, coal, and dry bulk fertilizer.
Depth Alongside (feet): 15 | | Latitude (decimal): 37.535278
Total Berthing Space (feet): 250 | | Longitude (decimal): -88.07083
Remarks: Open storage area at rear has capacity for approximately 150,000 tons of sand and gravel.□

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40109 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 871 PWD: 65
Name: **Pyro Mining Co., Caseyville Dock.**
Port: Louisville
Location: Mile 871.3, left bank, Ohio River, Caseyville. Datum: NPE
Operator: Caseyville Dock, a subsidiary of Pyro Mining Co.
Owner: Caseyville Dock, a subsidiary of Pyro Mining Co.
Address: State Highway 1508 Phone: 502/333-4391 ex
Town: Caseyville State: KY County: Union
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.532222
Total Berthing Space (feet): 400 | | Longitude (decimal): -88.06722
Remarks: Open storage area at rear is served by 3 radial stackers and has capacity for 100,000 tons of coal.

Port Series: 63 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 40109 Louisville District

---

Waterway: **Ohio River** Mile: 879 PWD: 239
Name: **Dravo Basic Materials Co., Cave-In-Rock Quarry Wharf.**
Port: Louisville
Location: Mile 879.0, right bank, Ohio River, Cave-In-Rock. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Missouri Portland Cement Co.
Address: Phone: 618-289-3272
Town: Cave-In-Rock State: IL County: Hardin
Railway Connection: None.
Purpose: Shipment of crushed stone.
Depth Alongside (feet): 23 | 10 | Latitude (decimal): 37.4725
Total Berthing Space (feet): 1000 | 235 | Longitude (decimal): -88.13167
Remarks: Open and covered storage areas at rear have capacities for 115,000-, and 500,000 tons of material respectively. Facility has fleeting capacity for 30 barges.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40102 Louisville District

---

Waterway: **Ohio River** Mile: 881 PWD: 240
Name: **Rigsby and Barnard Quarry, Cave-In-Rock Dock.**
Port: Louisville
Location: Mile 881.3, right bank, Ohio River, Cave-In-Rock. Datum: NPE
Operator: Rigsby and Barnard Quarry, Inc.
Owner: Rigsby and Barnard Quarry, Inc.
Address: R.R. # 1. Phone: 618-289-3244
Town: Cave-In-Rock State: IL County: Hardin
Railway Connection: None.
Purpose: Shipment of crushed stone and coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.465833
Total Berthing Space (feet): 260 | | Longitude (decimal): -88.17139
Remarks: Company does own fleeting along natural bank with shore moorings, capacity 24 barges in 6 tiers, 4 barges wide above, and 12 barges in 4 tiers 3 barges wide below.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40099 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 892 PWD: 241
Name: **American Minerals, Rosiclare Wharf.**
Port: Louisville
Location: Mile 892.2, right bank, Ohio River, Rosiclare. Datum: NPE
Operator: American Minerals.
Owner: American Minerals.
Address: Phone: 618-285-6558
Town: Rosiclare State: IL County: Hardin
Railway Connection: None.
Purpose: Receipt of manganese and iron ore, iron chromites, and magnesium oxide.
Depth Alongside (feet): 21 | | Latitude (decimal): 37.411389
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.34861
Remarks: Approximately 10 acres of open storage area located at plant complex in rear has normal capacity for 50,000 tons of ores.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40088 Louisville District

---

Waterway: **Ohio River** Mile: 896 PWD: 243
Name: **Barter Enterprises Dock.**
Port: Louisville
Location: Mile 896.1, right bank, Ohio River. Datum: NPE
Operator: Barter Enterprises.
Owner: Barter Enterprises.
Address: Phone: 618-252-5200
Town: Shetlerville State: IL County: Hardin
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.425
Total Berthing Space (feet): 250 | | Longitude (decimal): -88.40778
Remarks: Open storage area at rear has capacity for approximately 500,000 tons of coal. Fleeting along natural bank with shore moorings on lower has capacity for 8 barges moored 2 abreast; 40 barges on opposite bank are m

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40085 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 896 PWD: 242
Name: **Tradewater Corp., Empire Dock.**
Port: Louisville
Location: Mile 896.9, right bank, Ohio River, Rosiclare. Datum: NPE
Operator: Tradewater Corp.
Owner: Downen Enterprises.
Address: Phone: 618-285-3320
Town: Shetlerville State: IL County: Hardin
Railway Connection: None.
Purpose: Shipment of coal. (See Remarks.)
Depth Alongside (feet): 18 | | Latitude (decimal): 37.424444
Total Berthing Space (feet): 314 | | Longitude (decimal): -88.40139
Remarks: Facility operates as a public coal terminal, and future plans call for receipt of coal by barge for blending. Facility has 20 acres of open storage for 250,000 tons of coal, with 50,000 tons directly accessible

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40085 Louisville District

---

Waterway: **Ohio River** Mile: 929 PWD: 19
Name: **Delta Materials, Ledbetter Dock.**
Port: Louisville
Location: Mile 929.3, left bank, Ohio River, Ledbetter. Datum: NPE
Operator: Delta Materials, Inc.
Owner: Delta Materials, Inc.
Address: Phone: 618-269-3313
Town: Ledbetter State: KY County: Livingston
Railway Connection: None.
Purpose: Receipt of dry bulk commodities including sand and gravel.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.055
Total Berthing Space (feet): 200 | | Longitude (decimal): -88.50722
Remarks: Floating cranes and front end loaders are used interchangeably at other company facilities located on the Ohio River at Caseyville, KY., Shawneetown and Metropolis, Il. (Ref. Nos. 66, 235, 237 and 247, respective area at rear has capacity for 300,000 tons of material. In addition, company operates at landings along the Ohio River where material is required to be unloaded.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40052 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 929 PWD: 20
Name: **Ingram Materials Company Ledbetter Ramp.**
Port: Louisville
Location: Mile 928.8, left bank, Ohio River, Ledbetter. Datum: NPE
Operator: Ingram Materials Company.
Owner: Ingram Materials Company.
Address: Phone:
Town: Ledbetter State: KY County: Livingston
Railway Connection: None.
Purpose: Landing for crewboat, occasionally handling supplies.
Depth Alongside (feet): - 9 | | Latitude (decimal): 37.055833
Total Berthing Space (feet): 2000 | | Longitude (decimal): -88.49806
Remarks: A steel float is usually moored in front of ramp.□□

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40053 Louisville District

---

Waterway: **Ohio River** Mile: 935 PWD: 3
Name: **Mid-West Terminal, Paducah Dock.**
Port: Louisville
Location: Mile 935.4, left bank, Ohio River, Paducah. Datum: NPE
Operator: Mid-West Terminal, Inc.
Owner: Mid-West Terminal, Inc.
Address: 725 North Fifth Street. Phone: 502-442-0362
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.096111
Total Berthing Space (feet): 300 | | Longitude (decimal): -88.60389
Remarks: One 8- and two 6-inch pipelines extend from wharf to 7 steel storage tanks at rear, total capacity 85,900 barrels.□

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40044 Louisville District

---

Waterway: **Ohio River** Mile: 943 PWD: 244
Name: **Kotter Ready-Mix, Metropolis Dock.**
Port: Louisville
Location: Mile 942.5, right bank, Ohio River, Metropolis. Datum: NPE
Operator: Kotter Ready-Mix, Inc.
Owner: Kotter Ready-Mix, Inc.
Address: 100 Yasoda Avenue Phone: 618-524-8221
Town: Metropolis State: IL County: Massac
Railway Connection: None.
Purpose: Receipt and shipment of coal and steel wire rods and coils; receipt of dry bulk commodities including fertilizer, aggregates, and salt; shipment of ash and scrap steel.
Depth Alongside (feet): 10 | 10 - 12 | Latitude (decimal): 37.139444
Total Berthing Space (feet): 200 | 325 | Longitude (decimal): -88.71722
Remarks: Fertilizer building at rear has capacity for 20,000 tons; open storage area has capacity for 100,000 tons of all commodities.□

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40038 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 943 PWD: 245
Name: **Mid-South Towing Co., Metropolis Dock.**
Port: Louisville
Location: Mile 943.2, right bank, Ohio River, Metropolis. Datum: NPE
Operator: Mid-South Towing Co.
Owner: Mid-South Towing Co.
Address: Phone: 618-524-3100
Town: Metropolis State: IL County: Massac
Railway Connection: None.
Purpose: Mooring and repairing company-owned floating equipment.
Depth Alongside (feet): 15 | 15 | Latitude (decimal): 37.141667
Total Berthing Space (feet): 585 | 390 | Longitude (decimal): -88.72389
Remarks: Upper dock was in planning stage at time of survey and will have berthing space for two or three barges.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40037 Louisville District

---

Waterway: **Ohio River** Mile: 943 PWD: 246
Name: **Mid-South Towing Co., Metropolis Fleet Moorings.**
Port: Louisville
Location: Mile 943.3-943.7, right bank, miles 941.9-942.5, and 942.9-943.5, left bank, Ohio River. Datum: NPE
Operator: Mid-South Towing Co.
Owner: City of Metropolis, and various owners.
Address: Phone: 618-524-3100
Town: Metropolis State: IL County: Massac
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 30 | 15 - 20 | 15 - 20 Latitude (decimal): 37.1425
Total Berthing Space (feet): 98 | 45 | 45 Longitude (decimal): -88.72778
Remarks: Right Bank fleet is has capacity for 98 barges moored in 14 tiers, 7 barges wide; Left Bank fleets have capacity for 45 barges each moored in 15 tiers, 3 barges wide.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40037 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 944 PWD: 2
Name: **American Marine Terminals, West Paducah Coal Terminal Dock.**
Port: Louisville
Location: Mile 944.0, left bank, Ohio River, West Paducah. Datum: NPE
Operator: American Marine Terminals, Inc.
Owner: American Marine Terminals, Inc.
Address: Phone: 502-926-6994
Town: West Paducah State: KY County: McCracken
Railway Connection: One surface loop-track for 120 car unit trains serves 3-car dumper; connects with Paducah and Illinois Railroad, Burlington Northern Railroad, and the Illinois Central Railroad (See remarks).
Purpose: Receipt and shipment of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.140278
Total Berthing Space (feet): 1300 | | Longitude (decimal): -88.74194
Remarks: At time of survey (1991) facility was in pre-construction phase and is described to the extent design details were available. Plans call for development in stages, first to ship coal by barge, and then to also re via barge unloader. Storage area was to be expanded to 1,000,000 ton capacity; and fleeting for 200 barges made available.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40037 Louisville District

---

Waterway: **Ohio River** Mile: 944 PWD: 247
Name: **Delta Materials, Metropolis Dock.**
Port: Louisville
Location: Mile 882.1, right bank, Ohio River, Metropolis, approximately 900 feet above Illinois Central Railroad B Datum: NPE
Operator: Delta Materials, Inc.
Owner: City of Metropolis.
Address: Phone: 618-269-3313
Town: Metropolis State: IL County: Massac
Railway Connection: None.
Purpose: Receipt of dry bulk commodities including stone, sand, and coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.146667
Total Berthing Space (feet): 200 | | Longitude (decimal): -88.7375
Remarks: Floating cranes and front-end loaders are used interchangeably at other company facilities located on the Ohio River at Ledbetter and Caseyville, KY, and Shawneetown, IL, (Ref. Nos. 19, 66, 235 and 237, respectiv anywhere along the Ohio river as required. At this facility, material is normally trucked to off site storage.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40037 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 946 PWD: 1
Name: **Tennessee Valley Authority, Shawnee Fossil Plant Wharf.**
Port: Louisville
Location: Mile 946.0, left bank, Ohio River, West Paducah. Datum: NPE
Operator: Tennessee Valley Authority.
Owner: U. S. Government.
Address: Phone: 502-442-1261
Town: West Paducah State: KY County: McCracken
Railway Connection: One surface track serves rotary car dumper at facility at rear; connects with Paducah & Louisville Railway, and Illinois Central Railroad.
Purpose: Receipt of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 37.158889
Total Berthing Space (feet): 2150 | | Longitude (decimal): -88.775
Remarks: Open storage area at rear has capacity for 2,000,000 tons of coal. Wharf can accommodate 40 loaded and 40 empty barges.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40035 Louisville District

---

Waterway: **Ohio River** Mile: 948 PWD: 248
Name: **Cook Coal Terminal, Metropolis Dock.**
Port: Louisville
Location: Mile 947.5, right bank, Ohio River, Metropolis. Datum: NPE
Operator: American Electric Power, Inc.
Owner: Ohio Power Co.
Address: Phone: 618-524-9345
Town: Metropolis State: IL County: Massac
Railway Connection: Surface tracks serve two rotary rail car dumpers; connect with Burlington Northern Railroad. (See Remarks.)
Purpose: Shipment of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.175833
Total Berthing Space (feet): 4515 | | Longitude (decimal): -88.78
Remarks: Two concrete storage silos, total capacity 24,000 tons, and open storage area for 720,000 tons of coal are located at rear. Two unit train cars are emptied simultaneously at rotary dumpers at rear, and a railcar available.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40034 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 952 PWD: 249
Name: **Electric Energy, Joppa Steam Plant Wharf.**
Port: Louisville
Location: Mile 952.3, right bank, Ohio River, Joppa. Datum: NPE
Operator: Electric Energy, Inc.
Owner: Electric Energy, Inc.
Address: Phone: 618-543-7535 ex
Town: Joppa State: IL County: Massac
Railway Connection: Joppa and Eastern Railroad: One surface track serves rotary and bottom rail car dumper at rear; connects with Union Pacific Railroad, Burlington Northern Railroad and Paducah and Louisville Railway.(see R
Purpose: Receipt of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.205833
Total Berthing Space (feet): 2359 | | Longitude (decimal): -88.85861
Remarks: Unit trains of 110 to 115 cars are unloaded in 4 to 5 hours, with 60-inch electric belt conveyor system extending to the 3 stacking chutes from dumper. Open storage area at rear has capacity for approximately 1, coal, respectively. Wharf has capacity for mooring 24 loaded, and 24 empty barges moored 6 long by 4 wide above and below dock, respectively.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40029 Louisville District

---

Waterway: **Ohio River** Mile: 953 PWD: 250
Name: **Lafarge Corp., Joppa Plant Wharf.**
Port: Louisville
Location: Mile 953.2, right bank, Ohio River, Joppa. Datum: NPE
Operator: Lafarge Corp.
Owner: Lafarge Corp.
Address: Phone: 618-543-7541
Town: Joppa State: IL County: Massac
Railway Connection: One surface track serves plant at rear; connects with Union Pacific Railroad.
Purpose: Receipt of crushed stone, coal, and occasionally gypsum; shipment of cement.
Depth Alongside (feet): 11 | | Latitude (decimal): 37.2125
Total Berthing Space (feet): 1200 | | Longitude (decimal): -88.87917
Remarks: Two 12-inch pneumatic pipelines extend to wharf from 20 concrete, cement storage silos at rear, total capacity 92,000 tons. Covered storage area at rear has capacity for 65,000 tons of dry bulk materials.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40027 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 972 PWD: 251

Name: **Consolidated Grain and Barge. Co., Mound City Fleet Moorings.**

Port: Louisville

Location: Mile 972.8, right bank, Ohio River, Mound City. Datum: NPE

Operator: Consolidated Grain and Barge Co.

Owner: Consolidated Grain and Barge Co.

Address: Phone: 618/748-9272

Town: Mound City State: IL County: Pulaski

Railway Connection: None.

Purpose: Mooring barges for fleeting.

Depth Alongside (feet): | | Latitude (decimal): 37.100278

Total Berthing Space (feet): 35 | 9 | 12 Longitude (decimal): -89.14111

Remarks: Fleet Mile Bank Mooring Block Barges□Name Length by Width Held□No. 1 971.8 Right Shore No. 2 972.0 Right Shore 3 by 5 15□No. 3 972.4 Right Shore 5 by 7 35□No. 3 1/2 972.7 Right Shore 3 byNo. 4 973.6 Right Shore 3 by 5 15□No. 5 973.8 Right Shore 3 by 3 9□No. 5 1/2 973.9 Right ShoreNos. 6 thru 9 974.2-975.5 Left Anchor barge, each 5 by 8, each 160□□Fleets Nos. 1 and 2 are high water fleeting, Fleet No. 3 is low water fleeting,Fleets Nos. 6 thru 9 are designated as Anchor Fleets.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40010 Louisville District

---

Waterway: **Ohio River** Mile: 973 PWD: 253

Name: **Archer Daniels Midland Co., Mound City Wharf.**

Port: Louisville

Location: Mile 973.4, right bank, Ohio River, Mound City. Datum: NPE

Operator: Archer Daniels Midland Co.

Owner: Archer Daniels Midland Co.

Address: 100 Commercial Avenue Phone: 618-748-9200

Town: Mound City State: IL County: Pulaski

Railway Connection: Two surface tracks, one serving car pit at elevator in rear; connect with Illinois Central Railroad.

Purpose: Shipment of grain and grain products.

Depth Alongside (feet): 30 | | Latitude (decimal): 37.083611

Total Berthing Space (feet): 380 | | Longitude (decimal): -89.16

Remarks: Grain elevator at rear consisting of 3 concrete silos has total capacity for 211,000 bushels.□

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40008 Louisville District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 973 PWD: 252
Name: **Consolidated Grain and Barge Co. Mound City Dock.**
Port: Louisville
Location: Mile 972.8, right bank, Ohio River, Mound City. Datum: NPE
Operator: Consolidated Grain and Barge Co.
Owner: Consolidated Grain and Barge Co.
Address: 201 Third Street. Phone: 618-748-9276
Town: Mound City State: IL County: Pulaski
Railway Connection: One surface track serves 2 car pits at grain elevator in rear; connects with Illinois Central Railroad.
Purpose: Shipment of grain.
Depth Alongside (feet): 20 | 13 | Latitude (decimal): 37.090556
Total Berthing Space (feet): 390 | 390 | Longitude (decimal): -89.15167
Remarks: Grain elevator at rear consisting of 14 concrete silos, with 6 interstices has total capacity for 1,200,000 bushels.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40009 Louisville District

---

Waterway: **Ohio River** Mile: 974 PWD: 254
Name: **CGB Marine Services Mound City Dock.**
Port: Louisville
Location: Mile 972.8, right bank, Ohio River, Mound City. Datum: NPE
Operator: CGB Marine Services.
Owner: CGB Marine Services.
Address: Phone: 618-748-9291
Town: Mound City State: IL County: Pulaski
Railway Connection: None.
Purpose: Mooring company-owned floating equipment and barges for repair.
Depth Alongside (feet): 13 - 18 | | Latitude (decimal): 37.078056
Total Berthing Space (feet): 585 | | Longitude (decimal): -89.165
Remarks: -

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40008 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 974 PWD: 255
Name: **Louisiana Dock Co., Mound City and East Cairo Fleet Moorings.**
Port: Louisville
Location: Mile 975.7, right bank, Ohio River, Mound City. Datum: *
Operator: Louisiana Dock Co., Subsidiary of American Commercial Barge Co.
Owner: Louisiana Dock Co., Subsidiary of American Commercial Barge Line Co.
Address: Phone: 618-734-0841
Town: Mound City State: Il County: Alexander
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 6 - 20 | | Latitude (decimal): 37.069167
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.17194

Waterway: **Ohio River** Mile: 974 PWD: 255
Name: **Louisiana Dock Co., Mound City and East Cairo Fleet Moorings.**
Port: Louisville
Location: Mile 975.7, right bank, Ohio River, Mound City. Datum: *
Operator: Louisiana Dock Co., Subsidiary of American Commercial Barge Co.
Owner: Louisiana Dock Co., Subsidiary of American Commercial Barge Line Co.
Address: Phone: 618-734-0841
Town: Mound City State: Il County: Alexander
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 6 - 20 | | Latitude (decimal): 37.069167
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.17194

Remarks: Fleet Mile Bank Mooring Block Barges□Name Length by Width Held□Spud 974.1 Right Spud barge Tree 974.4 Right Shore do. 30□Cache River 974.8 Right Shore do. 30□Lower Cache 975.4 Right Shore doMartin Oil 975.7 Right Shore do. 30□Cleaning 975.9 Right Shore do. 30□Upper Bunge Wire 976.1 Right ShoreBunge Wire 976.3 Right Shore do. 30□Lower Bunge Wire 976.6 Right Shore do. 30□Mound City Anchor 975.7 Left AnchorEast Cairo 1 thru 6 978.0-979.3 Left Shore (6) 5 by 5 ea. 150□East Cairo Anchor 978.2-978.9 Left Anchor barges (3)

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40005 Louisville District

Remarks: Fleet Mile Bank Mooring Block Barges□Name Length by Width Held□Spud 974.1 Right Spud barge Tree 974.4 Right Shore do. 30□Cache River 974.8 Right Shore do. 30□Lower Cache 975.4 Right Shore doMartin Oil 975.7 Right Shore do. 30□Cleaning 975.9 Right Shore do. 30□Upper Bunge Wire 976.1 Right ShoreBunge Wire 976.3 Right Shore do. 30□Lower Bunge Wire 976.6 Right Shore do. 30□Mound City Anchor 975.7 Left AnchorEast Cairo 1 thru 6 978.0-979.3 Left Shore (6) 5 by 5 ea. 150□East Cairo Anchor 978.2-978.9 Left Anchor barges (3)

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40005 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 974 PWD: 255
Name: **Louisiana Dock Co., Mound City and East Cairo Fleet Moorings.**
Port: Louisville
Location: Mile 975.7, right bank, Ohio River, Mound City. Datum: *
Operator: Louisiana Dock Co., Subsidiary of American Commercial Barge Co.
Owner: Louisiana Dock Co., Subsidiary of American Commercial Barge Line Co.
Address: Phone: 618-734-0841
Town: Mound City State: Il County: Alexander
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 6 - 20 | | Latitude (decimal): 37.069167
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.17194

Waterway: **Ohio River** Mile: 974 PWD: 255
Name: **Louisiana Dock Co., Mound City and East Cairo Fleet Moorings.**
Port: Louisville
Location: Mile 975.7, right bank, Ohio River, Mound City. Datum: *
Operator: Louisiana Dock Co., Subsidiary of American Commercial Barge Co.
Owner: Louisiana Dock Co., Subsidiary of American Commercial Barge Line Co.
Address: Phone: 618-734-0841
Town: Mound City State: Il County: Alexander
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 6 - 20 | | Latitude (decimal): 37.069167
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.17194

Remarks: Fleet Mile Bank Mooring Block Barges□Name Length by Width Held□Spud 974.1 Right Spud barge Tree 974.4 Right Shore do. 30□Cache River 974.8 Right Shore do. 30□Lower Cache 975.4 Right Shore doMartin Oil 975.7 Right Shore do. 30□Cleaning 975.9 Right Shore do. 30□Upper Bunge Wire 976.1 Right ShoreBunge Wire 976.3 Right Shore do. 30□Lower Bunge Wire 976.6 Right Shore do. 30□Mound City Anchor 975.7 Left AnchorEast Cairo 1 thru 6 978.0-979.3 Left Shore (6) 5 by 5 ea. 150□East Cairo Anchor 978.2-978.9 Left Anchor barges (3)

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40005 Louisville District

Remarks: Fleet Mile Bank Mooring Block Barges□Name Length by Width Held□Spud 974.1 Right Spud barge Tree 974.4 Right Shore do. 30□Cache River 974.8 Right Shore do. 30□Lower Cache 975.4 Right Shore doMartin Oil 975.7 Right Shore do. 30□Cleaning 975.9 Right Shore do. 30□Upper Bunge Wire 976.1 Right ShoreBunge Wire 976.3 Right Shore do. 30□Lower Bunge Wire 976.6 Right Shore do. 30□Mound City Anchor 975.7 Left AnchorEast Cairo 1 thru 6 978.0-979.3 Left Shore (6) 5 by 5 ea. 150□East Cairo Anchor 978.2-978.9 Left Anchor barges (3)

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40005 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 976 PWD: 256
Name: **J. D. Streett and Co., Mound City Wharf.**
Port: Louisville
Location: Mile 975.6, right bank, Ohio River, Mound City. Datum: NPE
Operator: J. D. Streett and Co., Inc.
Owner: J. D. Streett and Co., Inc.
Address: Mound City Road Phone: 618-734-0146
Town: Mound City State: IL County: Alexander
Railway Connection: None.
Purpose: Receipt of liquid fertilizer.
Depth Alongside (feet): 9 | | Latitude (decimal): 37.053611
Total Berthing Space (feet): 35 | | Longitude (decimal): -89.17972

Waterway: **Ohio River** Mile: 976 PWD: 256
Name: **J. D. Streett and Co., Mound City Wharf.**
Port: Louisville
Location: Mile 975.6, right bank, Ohio River, Mound City. Datum: NPE
Operator: J. D. Streett and Co., Inc.
Owner: J. D. Streett and Co., Inc.
Address: Mound City Road Phone: 618-734-0146
Town: Mound City State: IL County: Alexander
Railway Connection: None.
Purpose: Receipt of liquid fertilizer.
Depth Alongside (feet): 9 | | Latitude (decimal): 37.053611
Total Berthing Space (feet): 35 | | Longitude (decimal): -89.17972

Remarks: Two 8-inch pipelines extend to wharf from 6 steel storage tanks at rear, total capacity 5,040,000 gallons. At time of survey (1991) only 2 of the tanks were being used for liquid fertilizer, utilizing 2,310,000

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40005 Louisville District

Remarks: Two 8-inch pipelines extend to wharf from 6 steel storage tanks at rear, total capacity 5,040,000 gallons. At time of survey (1991) only 2 of the tanks were being used for liquid fertilizer, utilizing 2,310,000

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40005 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 976 PWD: 256
Name: **J. D. Streett and Co., Mound City Wharf.**
Port: Louisville
Location: Mile 975.6, right bank, Ohio River, Mound City. Datum: NPE
Operator: J. D. Streett and Co., Inc.
Owner: J. D. Streett and Co., Inc.
Address: Mound City Road Phone: 618-734-0146
Town: Mound City State: IL County: Alexander
Railway Connection: None.
Purpose: Receipt of liquid fertilizer.
Depth Alongside (feet): 9 | | Latitude (decimal): 37.053611
Total Berthing Space (feet): 35 | | Longitude (decimal): -89.17972

Waterway: **Ohio River** Mile: 976 PWD: 256
Name: **J. D. Streett and Co., Mound City Wharf.**
Port: Louisville
Location: Mile 975.6, right bank, Ohio River, Mound City. Datum: NPE
Operator: J. D. Streett and Co., Inc.
Owner: J. D. Streett and Co., Inc.
Address: Mound City Road Phone: 618-734-0146
Town: Mound City State: IL County: Alexander
Railway Connection: None.
Purpose: Receipt of liquid fertilizer.
Depth Alongside (feet): 9 | | Latitude (decimal): 37.053611
Total Berthing Space (feet): 35 | | Longitude (decimal): -89.17972

Remarks: Two 8-inch pipelines extend to wharf from 6 steel storage tanks at rear, total capacity 5,040,000 gallons. At time of survey (1991) only 2 of the tanks were being used for liquid fertilizer, utilizing 2,310,000

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40005 Louisville District

Remarks: Two 8-inch pipelines extend to wharf from 6 steel storage tanks at rear, total capacity 5,040,000 gallons. At time of survey (1991) only 2 of the tanks were being used for liquid fertilizer, utilizing 2,310,000

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40005 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 976 PWD: 257
Name: **Louisiana Dock Co., Mound City Wharf.**
Port: Louisville
Location: Mile 975.7, right bank, Ohio River, Mound City. Datum: NPE
Operator: Louisiana Dock Co.
Owner: Louisiana Dock Co., subsidiary of American Commercial Barge Line Co.
Address: Phone: 618-734-0841
Town: Mound City State: IL County: Alexander
Railway Connection: None.
Purpose: Mooring and repairing company-owned floating equipment.
Depth Alongside (feet): 14 - 15 | | Latitude (decimal): 37.05
Total Berthing Space (feet): 195 | | Longitude (decimal): -89.18056
Remarks: Lower two barges recessed so as to be in line with outer side of towboat, upper two barges 35-feet are outshore of towboat. Towboat 'Al Pannier' functions as office and shop barge.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40005 Louisville District

---

Waterway: **Ohio River** Mile: 977 PWD: 258
Name: **Waterfront Services Co., Fleet Moorings.**
Port: Louisville
Location: Mile 976.7-980.9, right bank; 975.7-977.7 and 979.0-981.5 left bank,Ohio River, mile 951.6-953.8 AHP, le Datum: NPE
Operator: Waterfront Services Co.
Owner: Waterfront Services Co.
Address: 315 Ohio Street. Phone: 618-734-4370
Town: Cairo State: IL County: Alexander
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 10 - 20 | - 10 | - 30 Latitude (decimal): 37.037778
Total Berthing Space (feet): 390 | 480 | 456 Longitude (decimal): -89.18278
Remarks: Fleet River Mile Bank Block Barges□Name Length by Width Held□Illinois 1 thru 10, and Bunge Fleets 1 and 2 Ohio 976.7-979.1 Right 12 @ 4 by 5 240□Illinois 11 thru 18 Ohio 979.7-980.9 Right 6 @ 5 by 5 150□Kentucky 1 thru 9 Ohio 975.7-977.7 Left 9 @ 4Kentucky 10 thru 20 Ohio 979.0-981.5 Left 11 @ 4 by 6 264□Kentucky 21 thru 39 Mississippi 953.8-951.6 Left 19 @ 4 by 6 456□

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40001 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 978 PWD: 259
Name: **Bunge Corp., Cairo Soybean Processing Division Wharf.**
Port: Louisville
Location: Mile 978.0, right bank, Ohio River, Cairo. Datum: NPE
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: 34th Street and Commercial Avenue Phone: 618-734-4141
Town: Cairo State: IL County: Alexander
Railway Connection: Two surface tracks serve grain elevator at rear, connect with Illinois Central Railroad.
Purpose: Receipt of grain; shipment of soybean meal and soybean oil.
Depth Alongside (feet): 15 | | Latitude (decimal): 37.0175
Total Berthing Space (feet): 737 | | Longitude (decimal): -89.17444
Remarks: Grain elevator at rear consisting of 7 steel tanks and 6 concrete silos has total capacity for 5,315,000 bushels. One 6-inch pipeline extends to wharf from 4 steel soybean oil storage tanks at rear, total capaci gallons.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40001 Louisville District

---

Waterway: **Ohio River** Mile: 979 PWD: 260
Name: **Cairo Municipal Landing.**
Port: Louisville
Location: Mile 978.7, right bank, Ohio River, Cairo. Datum: *
Operator: City of Cairo
Owner: City of Cairo
Address: Phone:
Town: Cairo State: IL County: Alexander
Railway Connection: None.
Purpose: Mooring excursion vessels, temporary fleeting of barges.
Depth Alongside (feet): - 9 | | Latitude (decimal): 37.001111
Total Berthing Space (feet): 1700 | | Longitude (decimal): -89.16278
Remarks: -□□

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40001 Louisville District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 980 PWD: 261
Name: **Waterfront Services Co., Cairo Dock.**
Port: Louisville
Location: Mile 979.5, right bank, Ohio River, Cairo. Datum: NPE
Operator: Waterfront Services Co.
Owner: Waterfront Services Co.
Address: 315 Ohio Street. Phone: 618-734-4370
Town: Cairo State: IL County: Alexander
Railway Connection: None.
Purpose: Mooring barges for fleeting and repair; mooring floating drydock; fueling towboats; supplying mid-stream fueling barges.
Depth Alongside (feet): 25 | | Latitude (decimal): 37
Total Berthing Space (feet): 1470 | | Longitude (decimal): -89.16194
Remarks: Ten fleeting boats, 2 workboats, and 2 midstream fueling barges are based here. Office and shop barge, one 10,000-barrel storage barge, and one 1,300-ton floating drydock are moored at upper end. Repair shop is wall on Ohio Street.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 40001 Louisville District

---

Waterway: **Tennessee River** Mile: PWD: 5
Name: **Ingram Barge Co. Paducah Wharf.**
Port: Louisville
Location: Mile 0.3, left bank, Tennessee River, Paducah. Datum: NPE
Operator: Ingram Barge Co.
Owner: Walker Towing Corp.
Address: One Washington Street. Phone: 502-442-1608
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Mooring company-owned barges and towboats.
Depth Alongside (feet): 15 | | Latitude (decimal): 37.086389
Total Berthing Space (feet): 700 | | Longitude (decimal): -88.59222
Remarks: -□□

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 45000 Louisville District

---

Waterway: **Tennessee River** Mile: PWD: 4
Name: **Paducah Municipal Wharf.**
Port: Louisville
Location: Mile 0.05, left bank, Tennessee River, Paducah. Datum: NPE
Operator: City of Paducah.
Owner: City of Paducah.
Address: Phone:
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Mooring excursion and miscellaneous vessels.
Depth Alongside (feet): 9 | | Latitude (decimal): 37.088611
Total Berthing Space (feet): 600 | | Longitude (decimal): -88.59111
Remarks: -□□

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 45000 Louisville District

---

Port Facilities by Waterway

Waterway: **Tennessee River** Mile: 0.05 PWD: 001
Name: **Paducah Municipal Wharf.**
Port: Tennessee River
Location: Mile 0.05, left bank, Tennessee River, foot of Broadway, Paducah. Datum: NPE
Operator: City of Paducah.
Owner: City of Paducah.
Address: Phone: 502/444-8690
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Landing for 'American Queen', 'Mississippi Queen', 'Delta Queen', and 'Niagara Princess' excursion vessels. Boarding and disembarking passengers for day trips ashore.
Depth Alongside (feet): 9 | 9 | Latitude (decimal): 37.088611
Total Berthing Space (feet): 450 | 450 | Longitude (decimal): -88.59111
Remarks: *NPE (Dam No. 52) = 301.9 MSL.□Construction of riverboat-landing facilities in the riprap bank area is partially complete but has been suspended.

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45000 Louisville District

---

Waterway: **Tennessee River** Mile: 0.3 PWD: 002
Name: **Ingram Barge Co., Paducah Landing.**
Port: Tennessee River
Location: Mile 0.3., left bank, Tennessee River, foot of Kentucky Avenue, Paducah. Datum: NPE
Operator: Ingram Barge Co.
Owner: Crounse Corp.
Address: 101 Washington Street. Phone: 502/441-1600
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Mooring company-owned barges and towboats.
Depth Alongside (feet): 15 | | Latitude (decimal): 37.086389
Total Berthing Space (feet): 1,300 | | Longitude (decimal): -88.59222
Remarks: Paducah Midstream Grocery moors 30-foot launch at this facility for delivery of groceries to towboats in transit. At time of survey (1997), plans called for the crane at the facility to be dismantled.

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45000 Louisville District

---

Port Facilities by Waterway

Waterway: **Tennessee River** Mile: 0.5 PWD: 003
Name: **Paducah River Service, Walker's Midstream Fuel Dock.**
Port: Tennessee River
Location: Mile 0.5, left bank, Tennessee River, foot of Jackson Street, Paducah. Datum: NPE
Operator: Paducah River Service, a division of James Marine Inc.
Owner: Walker Boat Yard Inc., a division of Walker of Paducah.
Address: Foot of Jackson Street. Phone: 502/898-7392
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Mooring company-owned vessels. (See Remarks.)
Depth Alongside (feet): 10 | | Latitude (decimal): 37.079444
Total Berthing Space (feet): 175 | | Longitude (decimal): -88.58972

Waterway: **Tennessee River** Mile: 0.5 PWD: 003
Name: **Paducah River Service, Walker's Midstream Fuel Dock.**
Port: Tennessee River
Location: Mile 0.5, left bank, Tennessee River, foot of Jackson Street, Paducah. Datum: NPE
Operator: Paducah River Service, a division of James Marine Inc.
Owner: Walker Boat Yard Inc., a division of Walker of Paducah.
Address: Foot of Jackson Street. Phone: 502/898-7392
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Mooring company-owned vessels. (See Remarks.)
Depth Alongside (feet): 10 | | Latitude (decimal): 37.079444
Total Berthing Space (feet): 175 | | Longitude (decimal): -88.58972

Remarks: Fleeting area located along lower end of Owens Island, on opposite side of river, has capacity for 30 barges arranged in 15 tiers, each 2 barges wide. Fleeting area at lower end of island on Ohio River side has capacity for an additional 30 barges arranged in 10 tiers, each 3 barges wide.

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45000 Louisville District

Remarks: Fleeting area located along lower end of Owens Island, on opposite side of river, has capacity for 30 barges arranged in 15 tiers, each 2 barges wide. Fleeting area at lower end of island on Ohio River side has capacity for an additional 30 barges arranged in 10 tiers, each 3 barges wide.

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45000 Louisville District

Port Facilities by Waterway

Waterway: **Tennessee River** Mile: 0.5 PWD: 003
Name: **Paducah River Service, Walker's Midstream Fuel Dock.**
Port: Tennessee River
Location: Mile 0.5, left bank, Tennessee River, foot of Jackson Street, Paducah. Datum: NPE
Operator: Paducah River Service, a division of James Marine Inc.
Owner: Walker Boat Yard Inc., a division of Walker of Paducah.
Address: Foot of Jackson Street. Phone: 502/898-7392
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Mooring company-owned vessels. (See Remarks.)
Depth Alongside (feet): 10 | | Latitude (decimal): 37.079444
Total Berthing Space (feet): 175 | | Longitude (decimal): -88.58972

Waterway: **Tennessee River** Mile: 0.5 PWD: 003
Name: **Paducah River Service, Walker's Midstream Fuel Dock.**
Port: Tennessee River
Location: Mile 0.5, left bank, Tennessee River, foot of Jackson Street, Paducah. Datum: NPE
Operator: Paducah River Service, a division of James Marine Inc.
Owner: Walker Boat Yard Inc., a division of Walker of Paducah.
Address: Foot of Jackson Street. Phone: 502/898-7392
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Mooring company-owned vessels. (See Remarks.)
Depth Alongside (feet): 10 | | Latitude (decimal): 37.079444
Total Berthing Space (feet): 175 | | Longitude (decimal): -88.58972

Remarks: Fleeting area located along lower end of Owens Island, on opposite side of river, has capacity for 30 barges arranged in 15 tiers, each 2 barges wide. Fleeting area at lower end of island on Ohio River side has capacity for an additional 30 barges arranged in 10 tiers, each 3 barges wide.

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45000 Louisville District

Remarks: Fleeting area located along lower end of Owens Island, on opposite side of river, has capacity for 30 barges arranged in 15 tiers, each 2 barges wide. Fleeting area at lower end of island on Ohio River side has capacity for an additional 30 barges arranged in 10 tiers, each 3 barges wide.

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45000 Louisville District

Port Facilities by Waterway

Waterway: **Tennessee River** Mile: 0.7 PWD: 004
Name: **Ingram Custom Fuel Co., Paducah Wharf.**
Port: Tennessee River
Location: Mile 0.7, left bank, Tennessee River, foot of Ohio Street, Paducah. Datum: NPE
Operator: Ingram Barge Co., for Ingram Custom Fuel Co. of Belle Chase, LA.
Owner: Redbird Enterprises.
Address: 200 Ohio Street. Phone: 502/441-1600
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Mooring fueling barges.
Depth Alongside (feet): 16 | | Latitude (decimal): 37.078611
Total Berthing Space (feet): 170 | | Longitude (decimal): -88.58944
Remarks: *NPE (Dam No. 52) = 301.7 MSL.□-□

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45000 Louisville District

---

Waterway: **Tennessee River** Mile: 0.9 PWD: 005
Name: **Paducah River Fuel Service, Mooring Dock.**
Port: Tennessee River
Location: Mile 0.9, left bank, Tennessee River, between foots of Norton and Tennessee Streets, Paducah. Datum: NPE
Operator: Paducah River Fuel Service Inc., a division of James Marine Inc.
Owner: Paducah River Fuel Service Inc., a division of James Marine Inc.
Address: 804 South Third Street. Phone: 502/444-0185
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Mooring company-owned towboats and fueling barges.
Depth Alongside (feet): 15 | | 9 Latitude (decimal): 37.076944
Total Berthing Space (feet): 600 | | 282 Longitude (decimal): -88.58722

Waterway: **Tennessee River** Mile: 0.9 PWD: 005
Name: **Paducah River Fuel Service, Mooring Dock.**
Port: Tennessee River
Location: Mile 0.9, left bank, Tennessee River, between foots of Norton and Tennessee Streets, Paducah. Datum: NPE
Operator: Paducah River Fuel Service Inc., a division of James Marine Inc.
Owner: Paducah River Fuel Service Inc., a division of James Marine Inc.
Address: 804 South Third Street. Phone: 502/444-0185
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Mooring company-owned towboats and fueling barges.
Depth Alongside (feet): 15 | | 9 Latitude (decimal): 37.076944
Total Berthing Space (feet): 600 | | 282 Longitude (decimal): -88.58722
Remarks: -□□

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45000 Louisville District

---

Remarks: -□□

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45000 Louisville District

Port Facilities by Waterway

Waterway: **Tennessee River** Mile: 0.9 PWD: 005
Name: **Paducah River Fuel Service, Mooring Dock.**
Port: Tennessee River
Location: Mile 0.9, left bank, Tennessee River, between foots of Norton and Tennessee Streets, Paducah. Datum: NPE
Operator: Paducah River Fuel Service Inc., a division of James Marine Inc.
Owner: Paducah River Fuel Service Inc., a division of James Marine Inc.
Address: 804 South Third Street. Phone: 502/444-0185
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Mooring company-owned towboats and fueling barges.
Depth Alongside (feet): 15 | | 9 Latitude (decimal): 37.076944
Total Berthing Space (feet): 600 | | 282 Longitude (decimal): -88.58722

Waterway: **Tennessee River** Mile: 0.9 PWD: 005
Name: **Paducah River Fuel Service, Mooring Dock.**
Port: Tennessee River
Location: Mile 0.9, left bank, Tennessee River, between foots of Norton and Tennessee Streets, Paducah. Datum: NPE
Operator: Paducah River Fuel Service Inc., a division of James Marine Inc.
Owner: Paducah River Fuel Service Inc., a division of James Marine Inc.
Address: 804 South Third Street. Phone: 502/444-0185
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Mooring company-owned towboats and fueling barges.
Depth Alongside (feet): 15 | | 9 Latitude (decimal): 37.076944
Total Berthing Space (feet): 600 | | 282 Longitude (decimal): -88.58722
Remarks: -□□

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45000 Louisville District

Remarks: -□□

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45000 Louisville District

Waterway: **Tennessee River** Mile: 1 PWD: 9
Name: **Chevron U.S.A., Paducah Wharf.**
Port: Louisville
Location: Mile 1.1, left bank, Tennessee River, Paducah. Datum: NPE
Operator: Chevron U.S.A., Inc.
Owner: Chevron U.S.A., Inc.
Address: 1350 S. Third Street Phone: 502-443-3424
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.074167
Total Berthing Space (feet): 250 | | Longitude (decimal): -88.58694
Remarks: Two 10- and two 6-inch pipelines extend from wharf to 12 steel storage tanks at rear, total capacity 179,000 barrels. An additional 6-inch pipeline was not in use at time of survey (1991).

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 45001 Louisville District

Port Facilities by Waterway

Waterway: **Tennessee River** Mile: 1 PWD: 10
Name: **ITAPCO-Paducah Terminal Wharf.**
Port: Louisville
Location: Mile 1.3, left bank, Tennessee River, Paducah. Datum: NPE
Operator: Itapco-Paducah Terminal, Inc.
Owner: Itapco-Paducah Terminal, Inc.
Address: 625 S. 4th Street. Phone: 502-442-1606
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products, loading mid-stream fueling barges.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.072222
Total Berthing Space (feet): 300 | | Longitude (decimal): -88.58528
Remarks: Three 6-inch pipelines extend from wharf to 8 steel storage tanks at rear, total capacity 145,000 barrels.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 45001 Louisville District

---

Waterway: **Tennessee River** Mile: 1 PWD: 6
Name: **James Marine, Midstream Fuel and Service Dock and Owens Island Fle**
Port: Louisville
Location: Mile 0.5, left bank, Tennessee River, Paducah. Datum: NPE
Operator: James Marine, Inc.
Owner: James Marine, Inc.
Address: Foot of Jackson Street. Phone: 502-444-4038
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Mooring midstream fueling barge; fueling towboats; mooring fleet service vessels; mooring barges for fleeting (See Remarks).
Depth Alongside (feet): 15 | 12 | Latitude (decimal): 37.079444
Total Berthing Space (feet): 360 | 144 | Longitude (decimal): -88.58972
Remarks: One midstream fueling barge, and 2 fleeting boats serving James Marine Barge Cleaning and Fleeting Dock (Ref. No. 16) are based here. Fleeting around Owens Island has capacity for approximately 144 barges in 8 t wide, depending on water level and current.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 45000 Louisville District

Port Facilities by Waterway

Waterway: **Tennessee River** Mile: 1 PWD: 7
Name: **M/G Transport Services, Paducah Wharf.**
Port: Louisville
Location: Mile 0.7, left bank, Tennessee River, Paducah. Datum: NPE
Operator: M/G Transport Services, Inc.
Owner: Paducah River Services, division of Walker Towing Corp.
Address: 200 Ohio Street Phone: 502-442-0561
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for storage and repair.
Depth Alongside (feet): 16 | | Latitude (decimal): 37.078611
Total Berthing Space (feet): 170 | | Longitude (decimal): -88.58944
Remarks: -□□

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 45000 Louisville District

---

Waterway: **Tennessee River** Mile: 1 PWD: 8
Name: **Paducah River Fuel Services, Fleeting and Fueling Dock.**
Port: Louisville
Location: Mile 1.0, left bank, Tennessee River, Paducah. Datum: NPE
Operator: Paducah River Fuel Services, Inc.
Owner: Paducah River Fuel Services, Inc.
Address: 840 South Third Street Phone: 502-444-0185
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Mooring barges for fleeting; handling ships' supplies and groceries.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.075278
Total Berthing Space (feet): 600 | | Longitude (decimal): -88.58778
Remarks: Fleeting areas are located adjacent to lower and upper sides of wharf, each have capacity for 12 barges arranged in 3 tiers, each 4-wide.□

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 45001 Louisville District

Port Facilities by Waterway

Waterway: **Tennessee River** Mile: 1.1 PWD: 006
Name: **Itapco-Paducah Terminal, Riverway Lower Wharf.**
Port: Tennessee River
Location: Mile 1.1, left bank, Tennessee River, opposite the middle of Owens Island, Paducah. Datum: NPE
Operator: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Owner: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Address: 233 Elizabeth Street. Phone: 502/442-1606
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.074167
Total Berthing Space (feet): 175 | | Longitude (decimal): -88.58694

Waterway: **Tennessee River** Mile: 1.1 PWD: 006
Name: **Itapco-Paducah Terminal, Riverway Lower Wharf.**
Port: Tennessee River
Location: Mile 1.1, left bank, Tennessee River, opposite the middle of Owens Island, Paducah. Datum: NPE
Operator: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Owner: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Address: 233 Elizabeth Street. Phone: 502/442-1606
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.074167
Total Berthing Space (feet): 175 | | Longitude (decimal): -88.58694

Waterway: **Tennessee River** Mile: 1.1 PWD: 006
Name: **Itapco-Paducah Terminal, Riverway Lower Wharf.**
Port: Tennessee River
Location: Mile 1.1, left bank, Tennessee River, opposite the middle of Owens Island, Paducah. Datum: NPE
Operator: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Owner: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Address: 233 Elizabeth Street. Phone: 502/442-1606
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.074167
Total Berthing Space (feet): 175 | | Longitude (decimal): -88.58694

Remarks: Two 10- and two 6-inch pipelines extend from wharf to 20 steel storage tanks located at rear, total capacity 324,000 barrels.

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45001 Louisville District

Remarks: Two 10- and two 6-inch pipelines extend from wharf to 20 steel storage tanks located at rear, total capacity 324,000 barrels.

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45001 Louisville District

Remarks: Two 10- and two 6-inch pipelines extend from wharf to 20 steel storage tanks located at rear, total capacity 324,000 barrels.

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45001 Louisville District

Port Facilities by Waterway

Waterway: **Tennessee River** Mile: 1.1 PWD: 006
Name: **Itapco-Paducah Terminal, Riverway Lower Wharf.**
Port: Tennessee River
Location: Mile 1.1, left bank, Tennessee River, opposite the middle of Owens Island, Paducah. Datum: NPE
Operator: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Owner: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Address: 233 Elizabeth Street. Phone: 502/442-1606
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.074167
Total Berthing Space (feet): 175 | | Longitude (decimal): -88.58694

Waterway: **Tennessee River** Mile: 1.1 PWD: 006
Name: **Itapco-Paducah Terminal, Riverway Lower Wharf.**
Port: Tennessee River
Location: Mile 1.1, left bank, Tennessee River, opposite the middle of Owens Island, Paducah. Datum: NPE
Operator: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Owner: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Address: 233 Elizabeth Street. Phone: 502/442-1606
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.074167
Total Berthing Space (feet): 175 | | Longitude (decimal): -88.58694

Waterway: **Tennessee River** Mile: 1.1 PWD: 006
Name: **Itapco-Paducah Terminal, Riverway Lower Wharf.**
Port: Tennessee River
Location: Mile 1.1, left bank, Tennessee River, opposite the middle of Owens Island, Paducah. Datum: NPE
Operator: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Owner: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Address: 233 Elizabeth Street. Phone: 502/442-1606
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.074167
Total Berthing Space (feet): 175 | | Longitude (decimal): -88.58694

Remarks: Two 10- and two 6-inch pipelines extend from wharf to 20 steel storage tanks located at rear, total capacity 324,000 barrels.

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45001 Louisville District

Remarks: Two 10- and two 6-inch pipelines extend from wharf to 20 steel storage tanks located at rear, total capacity 324,000 barrels.

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45001 Louisville District

Remarks: Two 10- and two 6-inch pipelines extend from wharf to 20 steel storage tanks located at rear, total capacity 324,000 barrels.

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45001 Louisville District

Port Facilities by Waterway

Waterway: **Tennessee River** Mile: 1.1 PWD: 006
Name: **Itapco-Paducah Terminal, Riverway Lower Wharf.**
Port: Tennessee River
Location: Mile 1.1, left bank, Tennessee River, opposite the middle of Owens Island, Paducah. Datum: NPE
Operator: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Owner: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Address: 233 Elizabeth Street. Phone: 502/442-1606
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.074167
Total Berthing Space (feet): 175 | | Longitude (decimal): -88.58694

Waterway: **Tennessee River** Mile: 1.1 PWD: 006
Name: **Itapco-Paducah Terminal, Riverway Lower Wharf.**
Port: Tennessee River
Location: Mile 1.1, left bank, Tennessee River, opposite the middle of Owens Island, Paducah. Datum: NPE
Operator: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Owner: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Address: 233 Elizabeth Street. Phone: 502/442-1606
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.074167
Total Berthing Space (feet): 175 | | Longitude (decimal): -88.58694

Waterway: **Tennessee River** Mile: 1.1 PWD: 006
Name: **Itapco-Paducah Terminal, Riverway Lower Wharf.**
Port: Tennessee River
Location: Mile 1.1, left bank, Tennessee River, opposite the middle of Owens Island, Paducah. Datum: NPE
Operator: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Owner: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Address: 233 Elizabeth Street. Phone: 502/442-1606
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.074167
Total Berthing Space (feet): 175 | | Longitude (decimal): -88.58694

Remarks: Two 10- and two 6-inch pipelines extend from wharf to 20 steel storage tanks located at rear, total capacity 324,000 barrels.

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45001 Louisville District

Remarks: Two 10- and two 6-inch pipelines extend from wharf to 20 steel storage tanks located at rear, total capacity 324,000 barrels.

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45001 Louisville District

Remarks: Two 10- and two 6-inch pipelines extend from wharf to 20 steel storage tanks located at rear, total capacity 324,000 barrels.

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45001 Louisville District

Port Facilities by Waterway

Waterway: **Tennessee River** Mile: 1.3 PWD: 007
Name: **Itapco-Paducah Terminal, Riverway Upper Wharf.**
Port: Tennessee River
Location: Mile 1.3, left bank, Tennessee River, opposite the middle of Owens Island, Paducah. Datum: NPE
Operator: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Owner: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Address: 233 Elizabeth Street. Phone: 502/442-1606
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.072222
Total Berthing Space (feet): 100 | | Longitude (decimal): -88.58528

Waterway: **Tennessee River** Mile: 1.3 PWD: 007
Name: **Itapco-Paducah Terminal, Riverway Upper Wharf.**
Port: Tennessee River
Location: Mile 1.3, left bank, Tennessee River, opposite the middle of Owens Island, Paducah. Datum: NPE
Operator: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Owner: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Address: 233 Elizabeth Street. Phone: 502/442-1606
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.072222
Total Berthing Space (feet): 100 | | Longitude (decimal): -88.58528

Waterway: **Tennessee River** Mile: 1.3 PWD: 007
Name: **Itapco-Paducah Terminal, Riverway Upper Wharf.**
Port: Tennessee River
Location: Mile 1.3, left bank, Tennessee River, opposite the middle of Owens Island, Paducah. Datum: NPE
Operator: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Owner: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Address: 233 Elizabeth Street. Phone: 502/442-1606
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.072222
Total Berthing Space (feet): 100 | | Longitude (decimal): -88.58528
Remarks: Three 6- and one 12-inch pipelines extend from wharf to steel storage tanks described under Ref. No. 7.□NPE (Dam No. 52) = 301.7 MSL

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45001 Louisville District

Remarks: Three 6- and one 12-inch pipelines extend from wharf to steel storage tanks described under Ref. No. 7.□NPE (Dam No. 52) = 301.7 MSL

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45001 Louisville District

Remarks: Three 6- and one 12-inch pipelines extend from wharf to steel storage tanks described under Ref. No. 7.□NPE (Dam No. 52) = 301.7 MSL

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45001 Louisville District

Port Facilities by Waterway

Waterway: **Tennessee River** Mile: 1.3 PWD: 007
Name: **Itapco-Paducah Terminal, Riverway Upper Wharf.**
Port: Tennessee River
Location: Mile 1.3, left bank, Tennessee River, opposite the middle of Owens Island, Paducah. Datum: NPE
Operator: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Owner: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Address: 233 Elizabeth Street. Phone: 502/442-1606
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.072222
Total Berthing Space (feet): 100 | | Longitude (decimal): -88.58528

Waterway: **Tennessee River** Mile: 1.3 PWD: 007
Name: **Itapco-Paducah Terminal, Riverway Upper Wharf.**
Port: Tennessee River
Location: Mile 1.3, left bank, Tennessee River, opposite the middle of Owens Island, Paducah. Datum: NPE
Operator: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Owner: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Address: 233 Elizabeth Street. Phone: 502/442-1606
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.072222
Total Berthing Space (feet): 100 | | Longitude (decimal): -88.58528

Waterway: **Tennessee River** Mile: 1.3 PWD: 007
Name: **Itapco-Paducah Terminal, Riverway Upper Wharf.**
Port: Tennessee River
Location: Mile 1.3, left bank, Tennessee River, opposite the middle of Owens Island, Paducah. Datum: NPE
Operator: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Owner: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Address: 233 Elizabeth Street. Phone: 502/442-1606
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.072222
Total Berthing Space (feet): 100 | | Longitude (decimal): -88.58528

Remarks: Three 6- and one 12-inch pipelines extend from wharf to steel storage tanks described under Ref. No. 7.□NPE (Dam No. 52) = 301.7 MSL

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45001 Louisville District

Remarks: Three 6- and one 12-inch pipelines extend from wharf to steel storage tanks described under Ref. No. 7.□NPE (Dam No. 52) = 301.7 MSL

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45001 Louisville District

Remarks: Three 6- and one 12-inch pipelines extend from wharf to steel storage tanks described under Ref. No. 7.□NPE (Dam No. 52) = 301.7 MSL

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45001 Louisville District

Port Facilities by Waterway

Waterway: **Tennessee River** Mile: 1.3 PWD: 007
Name: **Itapco-Paducah Terminal, Riverway Upper Wharf.**
Port: Tennessee River
Location: Mile 1.3, left bank, Tennessee River, opposite the middle of Owens Island, Paducah. Datum: NPE
Operator: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Owner: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Address: 233 Elizabeth Street. Phone: 502/442-1606
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.072222
Total Berthing Space (feet): 100 | | Longitude (decimal): -88.58528

Waterway: **Tennessee River** Mile: 1.3 PWD: 007
Name: **Itapco-Paducah Terminal, Riverway Upper Wharf.**
Port: Tennessee River
Location: Mile 1.3, left bank, Tennessee River, opposite the middle of Owens Island, Paducah. Datum: NPE
Operator: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Owner: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Address: 233 Elizabeth Street. Phone: 502/442-1606
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.072222
Total Berthing Space (feet): 100 | | Longitude (decimal): -88.58528

Waterway: **Tennessee River** Mile: 1.3 PWD: 007
Name: **Itapco-Paducah Terminal, Riverway Upper Wharf.**
Port: Tennessee River
Location: Mile 1.3, left bank, Tennessee River, opposite the middle of Owens Island, Paducah. Datum: NPE
Operator: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Owner: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Address: 233 Elizabeth Street. Phone: 502/442-1606
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.072222
Total Berthing Space (feet): 100 | | Longitude (decimal): -88.58528

Remarks: Three 6- and one 12-inch pipelines extend from wharf to steel storage tanks described under Ref. No. 7.□NPE (Dam No. 52) = 301.7 MSL

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45001 Louisville District

Remarks: Three 6- and one 12-inch pipelines extend from wharf to steel storage tanks described under Ref. No. 7.□NPE (Dam No. 52) = 301.7 MSL

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45001 Louisville District

Remarks: Three 6- and one 12-inch pipelines extend from wharf to steel storage tanks described under Ref. No. 7.□NPE (Dam No. 52) = 301.7 MSL

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45001 Louisville District

Port Facilities by Waterway

Waterway: **Tennessee River** Mile: 1.4 PWD: 008
Name: **James Marine Landing, Paducah Wharf.**
Port: Tennessee River
Location: Mile 1.4, left bank, Tennessee River, opposite the middle of Owens Island, Paducah. Datum: NPE
Operator: Walker Midstream Service, a division of James Marine Inc.
Owner: Walker Midstream Service, a division of James Marine Inc.
Address: 1810 South 4th Street. Phone: 502/898-7392
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Mooring company-owned towboats for in-water repairs.
Depth Alongside (feet): 10 | | Latitude (decimal): 37.07
Total Berthing Space (feet): 315 | | Longitude (decimal): -88.58139
Remarks: -□□

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45001 Louisville District

---

Waterway: **Tennessee River** Mile: 1.7 PWD: 009
Name: **Lone Star Industries, Paducah Wharf.**
Port: Tennessee River
Location: Mile 1.7, left bank, Tennessee River, opposite the upper half of Owens Island, Paducah. Datum: NPE
Operator: Lone Star Industries Inc.
Owner: Lone Star Industries Inc.
Address: 1816 Wayne Sullivan Drive. Phone: 502/442-5480
Town: Paducah State: KY County: McCracken
Railway Connection: One surface track serves loading station at rear; connects with Paducah & Louisville Railroad.
Purpose: Receipt of bulk cement.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.068889
Total Berthing Space (feet): 250 | | Longitude (decimal): -88.58056
Remarks: One 12-inch pneumatic pipeline extends from wharf to three concrete, cement storage silos located at rear, total capacity 12,000 tons. Two stations for loading trucks (one for bulk cement and one for bags), and one station for loading railroad cars are located at terminal in rear.

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45001 Louisville District

---

Port Facilities by Waterway

Waterway: **Tennessee River** Mile: 1.75 PWD: 010

Name: **Paducah-McCracken County Riverport Authority Wharf.**

Port: Tennessee River

Location: Mile 1.75, left bank, Tennessee River, opposite the upper half of Owens Island, Paducah. Datum: NPE

Operator: Paducah-McCracken County Riverport Authority.

Owner: Paducah-McCracken County Riverport Authority.

Address: 2000 Wayne Sullivan Drive. Phone: 502/442-9326

Town: Paducah State: KY County: McCracken

Railway Connection: One surface track, capacity 10 railroad cars, serves terminal at rear; connects with Paducah & Louisville Railroad.

Purpose: Shipment of general cargo, grain alcohol, logs, steel products, and miscellaneous bulk materials, including petroleum coke, sand, salt, manganese ore, and fluorspar.

Depth Alongside (feet): 12 | | Latitude (decimal): 37.068056

Total Berthing Space (feet): 700 | | Longitude (decimal): -88.57917

Remarks: *NPE (Dam No. 52) = 301.7 MSL. Approximately 30,000 square feet of open storage area, with capacity for 5,000 tons of dry bulk materials, is located in rear. One steel frame, metal-covered 25,000-square-foot warehouse building and one 9,600- and one 5,600-square-foot steel frame, metal-covered bulk materials storage buildings are located inrear. Wharf has capacity for mooring 6 barges.

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45001 Louisville District

Port Facilities by Waterway

Waterway: **Tennessee River** Mile: 1.8 PWD: 011
Name: **Itapco-Paducah Terminal, Igert Wharf.**
Port: Tennessee River
Location: Mile 1.8, left bank, Tennessee River, opposite the upper half of Owens Island, Paducah. Datum: NPE
Operator: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Owner: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Address: 2300 Meyers Street. Phone: 502/442-1606
Town: Paducah State: KY County: McCracken
Railway Connection: Two 5-car-capacity surface tracks serve terminal at rear; connect with Paducah & Louisville Railroad.
Purpose: Receipt of petroleum products and loading midstream fueling barges.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.0675
Total Berthing Space (feet): 200 | | Longitude (decimal): -88.57861

Waterway: **Tennessee River** Mile: 1.8 PWD: 011
Name: **Itapco-Paducah Terminal, Igert Wharf.**
Port: Tennessee River
Location: Mile 1.8, left bank, Tennessee River, opposite the upper half of Owens Island, Paducah. Datum: NPE
Operator: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Owner: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Address: 2300 Meyers Street. Phone: 502/442-1606
Town: Paducah State: KY County: McCracken
Railway Connection: Two 5-car-capacity surface tracks serve terminal at rear; connect with Paducah & Louisville Railroad.
Purpose: Receipt of petroleum products and loading midstream fueling barges.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.0675
Total Berthing Space (feet): 200 | | Longitude (decimal): -88.57861

Waterway: **Tennessee River** Mile: 1.8 PWD: 011
Name: **Itapco-Paducah Terminal, Igert Wharf.**
Port: Tennessee River
Location: Mile 1.8, left bank, Tennessee River, opposite the upper half of Owens Island, Paducah. Datum: NPE
Operator: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Owner: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Address: 2300 Meyers Street. Phone: 502/442-1606
Town: Paducah State: KY County: McCracken
Railway Connection: Two 5-car-capacity surface tracks serve terminal at rear; connect with Paducah & Louisville Railroad.
Purpose: Receipt of petroleum products and loading midstream fueling barges.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.0675
Total Berthing Space (feet): 200 | | Longitude (decimal): -88.57861
Remarks: One 4-, one 6-, and one 8-inch pipelines extend from wharf to five steel storage tanks, total capacity 62,200 barrels. Only the top level of the 3-tier dock structure was in use at time of survey (1997).

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45001 Louisville District

Remarks: One 4-, one 6-, and one 8-inch pipelines extend from wharf to five steel storage tanks, total capacity 62,200 barrels. Only the top level of the 3-tier dock structure was in use at time of survey (1997).

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45001 Louisville District

Port Facilities by Waterway

Remarks: One 4-, one 6-, and one 8-inch pipelines extend from wharf to five steel storage tanks, total capacity 62,200 barrels. Only the top level of the 3-tier dock structure was in use at time of survey (1997).

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45001 Louisville District

Port Facilities by Waterway

Waterway: **Tennessee River** Mile: 1.8 PWD: 011
Name: **Itapco-Paducah Terminal, Igert Wharf.**
Port: Tennessee River
Location: Mile 1.8, left bank, Tennessee River, opposite the upper half of Owens Island, Paducah. Datum: NPE
Operator: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Owner: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Address: 2300 Meyers Street. Phone: 502/442-1606
Town: Paducah State: KY County: McCracken
Railway Connection: Two 5-car-capacity surface tracks serve terminal at rear; connect with Paducah & Louisville Railroad.
Purpose: Receipt of petroleum products and loading midstream fueling barges.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.0675
Total Berthing Space (feet): 200 | | Longitude (decimal): -88.57861

Waterway: **Tennessee River** Mile: 1.8 PWD: 011
Name: **Itapco-Paducah Terminal, Igert Wharf.**
Port: Tennessee River
Location: Mile 1.8, left bank, Tennessee River, opposite the upper half of Owens Island, Paducah. Datum: NPE
Operator: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Owner: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Address: 2300 Meyers Street. Phone: 502/442-1606
Town: Paducah State: KY County: McCracken
Railway Connection: Two 5-car-capacity surface tracks serve terminal at rear; connect with Paducah & Louisville Railroad.
Purpose: Receipt of petroleum products and loading midstream fueling barges.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.0675
Total Berthing Space (feet): 200 | | Longitude (decimal): -88.57861

Waterway: **Tennessee River** Mile: 1.8 PWD: 011
Name: **Itapco-Paducah Terminal, Igert Wharf.**
Port: Tennessee River
Location: Mile 1.8, left bank, Tennessee River, opposite the upper half of Owens Island, Paducah. Datum: NPE
Operator: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Owner: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Address: 2300 Meyers Street. Phone: 502/442-1606
Town: Paducah State: KY County: McCracken
Railway Connection: Two 5-car-capacity surface tracks serve terminal at rear; connect with Paducah & Louisville Railroad.
Purpose: Receipt of petroleum products and loading midstream fueling barges.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.0675
Total Berthing Space (feet): 200 | | Longitude (decimal): -88.57861

Waterway: **Tennessee River** Mile: 1.8 PWD: 011
Name: **Itapco-Paducah Terminal, Igert Wharf.**
Port: Tennessee River
Location: Mile 1.8, left bank, Tennessee River, opposite the upper half of Owens Island, Paducah. Datum: NPE
Operator: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Owner: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Address: 2300 Meyers Street. Phone: 502/442-1606
Town: Paducah State: KY County: McCracken
Railway Connection: Two 5-car-capacity surface tracks serve terminal at rear; connect with Paducah & Louisville Railroad.
Purpose: Receipt of petroleum products and loading midstream fueling barges.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.0675
Total Berthing Space (feet): 200 | | Longitude (decimal): -88.57861
Remarks: One 4-, one 6-, and one 8-inch pipelines extend from wharf to five steel storage tanks, total capacity 62,200 barrels. Only the top level of the 3-tier dock structure was in use at time of survey (1997).

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45001 Louisville District

Remarks: One 4-, one 6-, and one 8-inch pipelines extend from wharf to five steel storage tanks, total capacity 62,200 barrels. Only the top level of the 3-tier dock structure was in use at time of survey (1997).

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45001 Louisville District

Port Facilities by Waterway

Remarks: One 4-, one 6-, and one 8-inch pipelines extend from wharf to five steel storage tanks, total capacity 62,200 barrels. Only the top level of the 3-tier dock structure was in use at time of survey (1997).

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45001 Louisville District

Port Facilities by Waterway

Waterway: **Tennessee River** Mile: 1.8 PWD: 011
Name: **Itapco-Paducah Terminal, Igert Wharf.**
Port: Tennessee River
Location: Mile 1.8, left bank, Tennessee River, opposite the upper half of Owens Island, Paducah. Datum: NPE
Operator: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Owner: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Address: 2300 Meyers Street. Phone: 502/442-1606
Town: Paducah State: KY County: McCracken
Railway Connection: Two 5-car-capacity surface tracks serve terminal at rear; connect with Paducah & Louisville Railroad.
Purpose: Receipt of petroleum products and loading midstream fueling barges.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.0675
Total Berthing Space (feet): 200 | | Longitude (decimal): -88.57861

Waterway: **Tennessee River** Mile: 1.8 PWD: 011
Name: **Itapco-Paducah Terminal, Igert Wharf.**
Port: Tennessee River
Location: Mile 1.8, left bank, Tennessee River, opposite the upper half of Owens Island, Paducah. Datum: NPE
Operator: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Owner: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Address: 2300 Meyers Street. Phone: 502/442-1606
Town: Paducah State: KY County: McCracken
Railway Connection: Two 5-car-capacity surface tracks serve terminal at rear; connect with Paducah & Louisville Railroad.
Purpose: Receipt of petroleum products and loading midstream fueling barges.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.0675
Total Berthing Space (feet): 200 | | Longitude (decimal): -88.57861

Waterway: **Tennessee River** Mile: 1.8 PWD: 011
Name: **Itapco-Paducah Terminal, Igert Wharf.**
Port: Tennessee River
Location: Mile 1.8, left bank, Tennessee River, opposite the upper half of Owens Island, Paducah. Datum: NPE
Operator: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Owner: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Address: 2300 Meyers Street. Phone: 502/442-1606
Town: Paducah State: KY County: McCracken
Railway Connection: Two 5-car-capacity surface tracks serve terminal at rear; connect with Paducah & Louisville Railroad.
Purpose: Receipt of petroleum products and loading midstream fueling barges.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.0675
Total Berthing Space (feet): 200 | | Longitude (decimal): -88.57861

Waterway: **Tennessee River** Mile: 1.8 PWD: 011
Name: **Itapco-Paducah Terminal, Igert Wharf.**
Port: Tennessee River
Location: Mile 1.8, left bank, Tennessee River, opposite the upper half of Owens Island, Paducah. Datum: NPE
Operator: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Owner: Itapco-Paducah Terminal Inc., a division of Independent Terminal and Pipeline Co.
Address: 2300 Meyers Street. Phone: 502/442-1606
Town: Paducah State: KY County: McCracken
Railway Connection: Two 5-car-capacity surface tracks serve terminal at rear; connect with Paducah & Louisville Railroad.
Purpose: Receipt of petroleum products and loading midstream fueling barges.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.0675
Total Berthing Space (feet): 200 | | Longitude (decimal): -88.57861
Remarks: One 4-, one 6-, and one 8-inch pipelines extend from wharf to five steel storage tanks, total capacity 62,200 barrels. Only the top level of the 3-tier dock structure was in use at time of survey (1997).

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45001 Louisville District

Remarks: One 4-, one 6-, and one 8-inch pipelines extend from wharf to five steel storage tanks, total capacity 62,200 barrels. Only the top level of the 3-tier dock structure was in use at time of survey (1997).

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45001 Louisville District

Port Facilities by Waterway

Remarks: One 4-, one 6-, and one 8-inch pipelines extend from wharf to five steel storage tanks, total capacity 62,200 barrels. Only the top level of the 3-tier dock structure was in use at time of survey (1997).

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45001 Louisville District

---

Waterway: **Tennessee River** Mile: 1.9 PWD: 012

Name: **Marquette Transportation Co., Paducah Dock.**

Port: Tennessee River

Location: Mile 1.9, left bank, Tennessee River, opposite the upper half of Owens Island, Paducah. Datum: NPE

Operator: Marquette Transportation Co. Inc.

Owner: Marquette Transportation Co. Inc.

Address: 2300 Meyers Street. Phone: 502/443-9404

Town: Paducah State: KY County: McCracken

Railway Connection: None.

Purpose: Mooring company-owned floating equipment and transfer of supplies to moored vessels.

Depth Alongside (feet): 14 | | Latitude (decimal): 37.066667

Total Berthing Space (feet): 260 | | Longitude (decimal): -88.57667

Remarks: Operator bases a fleet of 22 towboats at the facility.□□

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45002 Louisville District

---

Waterway: **Tennessee River** Mile: 2 PWD: 18

Name: **Gulf Coast Grain Co., Paducah Dock.**

Port: Louisville

Location: Mile 2.1, left bank, Tennessee River, Paducah. Datum: NPE

Operator: Gulf Coast Grain Co., a division of St. John Grain Corp.; and Hutson Fertilizer Co.,

Owner: Paducah-McCracken Riverport Authority.

Address: 110 Locust Drive. Phone: 502-443-2100

Town: Paducah State: KY County: McCracken

Railway Connection: One 105-car-capacity train surface track serves receiving pit at rear, connects with Paducah and Louisville Railroad.

Purpose: Shipment of grain, receipt and shipment of liquid fertilizer.

Depth Alongside (feet): 14 | | Latitude (decimal): 37.065278

Total Berthing Space (feet): 200 | | Longitude (decimal): -88.55639

Remarks: Hutson Fertilizer Co, Inc.: One 8-inch pipeline extends from wharf to one 1,000,000-gallon steel storage tank located at rear.□Gulf Coast Grain Co., Inc.: Grain elevator at rear consisting of 5 steel tanks has capacity for 225,000 bushels.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 45002 Louisville District

---

Port Facilities by Waterway

Waterway: **Tennessee River** Mile: 2 PWD: 17
Name: **Ingram Materials Co., Paducah Wharf.**
Port: Louisville
Location: Mile 2.05, left bank, Tennessee River, Paducah. Datum: NPE
Operator: Ingram Materials Co.
Owner: Paducah-McCraken County Riverport Authority.
Address: 2445 S. Fourth Street. Phone: 502-442-8480
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Receipt of dry bulk commodities including fertilizer, petroleum coke, sand, potash, gravel, and arklite.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.065556
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.57389
Remarks: The two timber dome buildings are 100- and one 105-foot in diameter, and have storage capacity for 5,700 tons, the timber warehouse has capacity for 10,000 tons, and the open storage area has capacity for 120,000

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 45002 Louisville District

---

Waterway: **Tennessee River** Mile: 2 PWD: 14
Name: **Itapco-Paducah Terminal No. 2 Wharf.**
Port: Louisville
Location: Mile 1.8, left bank, Tennessee River, Paducah. Datum: NPE
Operator: Itapco-Paducah Terminal, Inc.
Owner: Itapco-Paducah Terminal, Inc.
Address: 2300 Meyers Street. Phone: 502-442-1606
Town: Paducah State: KY County: McCracken
Railway Connection: Two surface tracks, total capacity 5 cars, serve terminal at rear; connect with Paducah and Louisville Railroad.
Purpose: Receipt and shipment of petroleum products; loading midstream fueling barges.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.0675
Total Berthing Space (feet): 200 | | Longitude (decimal): -88.57861
Remarks: One 8-, one 6-, and one 4-inch pipelines extend from wharf to 5 steel storage tanks at rear, total capacity 62,200 barrels. Facility also handles direct transfer of petroleum products via trucks and rail tank ca

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 45001 Louisville District

---

Port Facilities by Waterway

Waterway: **Tennessee River** Mile: 2 PWD: 16
Name: **James Marine, Paducah Barge Cleaning Dock and cuba Towhead and Ten**
Port: Louisville
Location: Mile 2.0, left bank, Tennessee River, Paducah. Datum: NPE
Operator: James Marine, Inc.
Owner: James Marine, Inc.
Address: Phone: 502-442-9949
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Mooring barges for cleaning and fleeting.
Depth Alongside (feet): 9 | 9 | 9 Latitude (decimal): 37.066389
Total Berthing Space (feet): 200 | 20 | 48 Longitude (decimal): -88.57583
Remarks: The west side of Cuba Towhead has capacity for 12 barges in 4 tiers 3 wide, and the east side of Cuba Towhead has capacity for 20 barges in two tiers, each 5 long by 2 wide. The Tennessee River Fleet Mooring at 48 barges in 8 tiers 6 wide.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 45002 Louisville District

---

Waterway: **Tennessee River** Mile: 2 PWD: 11
Name: **James Marine, Paducah Repair Facility Dock.**
Port: Louisville
Location: Mile 1.5, left bank, Tennessee River, Paducah. Datum: NPE
Operator: James Marine, Inc.
Owner: James Marine, Inc.
Address: 1810 S. Fourth St. Phone: 502-442-9949
Town: Paducah State: KY County: McCracken
Railway Connection: Paducah and Louisville Railroad: surface track easement at rear of facility.
Purpose: Mooring towboats and barges for repair; mooring floating drydocks.
Depth Alongside (feet): 12 | | Latitude (decimal): 37.070833
Total Berthing Space (feet): 790 | | Longitude (decimal): -88.58389
Remarks: One 1,800- and one 450-ton floating drydocks moored at wharf. Marine repair shops are located on wharf and on river bank in rear. At time of survey, plans called for increasing the length of the smaller floating

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 45001 Louisville District

---

Port Facilities by Waterway

Waterway: **Tennessee River** Mile: 2 PWD: 12
Name: **Lone Star Industries, Paducah Wharf.**
Port: Louisville
Location: Mile 1.7, left bank, Tennessee River, Paducah. Datum: NPE
Operator: Lone Star Industries, Inc.
Owner: Lone Star Industries, Inc.
Address: 1900 S. Fourth Street. Phone: 502-442-1365
Town: Paducah State: KY County: McCracken
Railway Connection: One surface track serves loading station at rear; connects with Illinois Central Railroad.
Purpose: Receipt of bulk cement.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.069722
Total Berthing Space (feet): 250 | | Longitude (decimal): -88.58222
Remarks: One 12-inch pneumatic pipeline extends from wharf to 3 concrete, cement storage silos at rear, total capacity 12,000 tons. Two stations for loading trucks and one for loading railroad cars are located at termina

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 45001 Louisville District

---

Waterway: **Tennessee River** Mile: 2 PWD: 15
Name: **Marquette Transportation Company Paducah Wharf.**
Port: Louisville
Location: Mile 1.9, left bank, Tennessee River, Paducah. Datum: NPE
Operator: Marquette Transportation Company, Inc.
Owner: Marquette Transportation Company, Inc.
Address: 2308 S. Fourth Street. Phone: 502-444-0330
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for maintenance and repair.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.066667
Total Berthing Space (feet): 500 | | Longitude (decimal): -88.57667
Remarks: Machine shop and office located on lower barge.□□

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 45001 Louisville District

Port Facilities by Waterway

Waterway: **Tennessee River** Mile: 2 PWD: 13

Name: **Paducah-McCracken County Riverport Authority Wharf.**

Port: Louisville

Location: Mile 1.75, left bank, Tennessee River, Paducah. Datum: NPE

Operator: Ingram Materials Co.

Owner: Paducah-McCraken County Riverport Authority.

Address: 2000 Wayne Sullivan Drive. Phone: 502-442-9326

Town: Paducah State: KY County: McCracken

Railway Connection: One surface track serves terminal at rear; connects with Paducah and Louisville Railroad.

Purpose: Receipt and shipment of general cargo, logs, steel products, and packaged, bagged and pelletized commodities including petroleum coke (See Remarks).

Depth Alongside (feet): 12 | | Latitude (decimal): 37.068611

Total Berthing Space (feet): 700 | | Longitude (decimal): -88.58056

Remarks: Approximately one acre of open storage area is located at rear. Three steel frame, metal-covered, warehouses at rear with a total of 45,000 square feet of storage area were occupied by private interests at time barges, 2 abreast can be moored at dolphins, and 2 barges can be worked side by side.

Port Series: 63 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 45001 Louisville District

Port Facilities by Waterway

Waterway: **Tennessee River** Mile: 2.0 PWD: 013
Name: **Ingram Paducah, Sand Yard Dock.**
Port: Tennessee River
Location: Mile 2.0, left bank, Tennessee River, opposite the upper half of Owens Island, Paducah. Datum: NPE
Operator: Ingram Materials Co.
Owner: Paducah-McCracken County Riverport Authority.
Address: 2445 S. Fourth Street. Phone: 502/442-9326
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Receipt of dry bulk fertilizer, petroleum coke, sand, potash, gravel, and other dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.066389
Total Berthing Space (feet): 175 | | Longitude (decimal): -88.57583

Waterway: **Tennessee River** Mile: 2.0 PWD: 013
Name: **Ingram Paducah, Sand Yard Dock.**
Port: Tennessee River
Location: Mile 2.0, left bank, Tennessee River, opposite the upper half of Owens Island, Paducah. Datum: NPE
Operator: Ingram Materials Co.
Owner: Paducah-McCracken County Riverport Authority.
Address: 2445 S. Fourth Street. Phone: 502/442-9326
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Receipt of dry bulk fertilizer, petroleum coke, sand, potash, gravel, and other dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.066389
Total Berthing Space (feet): 175 | | Longitude (decimal): -88.57583

Remarks: *NPE (Dam No. 52) = 301.7 MSL. Bulk storage facilities at terminal located in rear include a 3,000-ton-capacity timber storage dome for coke; a 9,000-ton-capacity timber fertilizer warehouse; and an open storage area for 120,000 tons of miscellaneous commodities.

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45002 Louisville District

Remarks: *NPE (Dam No. 52) = 301.7 MSL. Bulk storage facilities at terminal located in rear include a 3,000-ton-capacity timber storage dome for coke; a 9,000-ton-capacity timber fertilizer warehouse; and an open storage area for 120,000 tons of miscellaneous commodities.

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45002 Louisville District

Port Facilities by Waterway

Waterway: **Tennessee River** Mile: 2.0 PWD: 013
Name: **Ingram Paducah, Sand Yard Dock.**
Port: Tennessee River
Location: Mile 2.0, left bank, Tennessee River, opposite the upper half of Owens Island, Paducah. Datum: NPE
Operator: Ingram Materials Co.
Owner: Paducah-McCracken County Riverport Authority.
Address: 2445 S. Fourth Street. Phone: 502/442-9326
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Receipt of dry bulk fertilizer, petroleum coke, sand, potash, gravel, and other dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.066389
Total Berthing Space (feet): 175 | | Longitude (decimal): -88.57583

Waterway: **Tennessee River** Mile: 2.0 PWD: 013
Name: **Ingram Paducah, Sand Yard Dock.**
Port: Tennessee River
Location: Mile 2.0, left bank, Tennessee River, opposite the upper half of Owens Island, Paducah. Datum: NPE
Operator: Ingram Materials Co.
Owner: Paducah-McCracken County Riverport Authority.
Address: 2445 S. Fourth Street. Phone: 502/442-9326
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Receipt of dry bulk fertilizer, petroleum coke, sand, potash, gravel, and other dry bulk materials.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.066389
Total Berthing Space (feet): 175 | | Longitude (decimal): -88.57583

Remarks: *NPE (Dam No. 52) = 301.7 MSL. Bulk storage facilities at terminal located in rear include a 3,000-ton-capacity timber storage dome for coke; a 9,000-ton-capacity timber fertilizer warehouse; and an open storage area for 120,000 tons of miscellaneous commodities.

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45002 Louisville District

Remarks: *NPE (Dam No. 52) = 301.7 MSL. Bulk storage facilities at terminal located in rear include a 3,000-ton-capacity timber storage dome for coke; a 9,000-ton-capacity timber fertilizer warehouse; and an open storage area for 120,000 tons of miscellaneous commodities.

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45002 Louisville District

Port Facilities by Waterway

Waterway: **Tennessee River** Mile: 2.1 PWD: 014
Name: **Hutson, Paducah Dock.**
Port: Tennessee River
Location: Mile 2.1, left bank, Tennessee River, opposite the upper half of Owens Island, Paducah. Datum: NPE
Operator: Hutson Co. Inc. and Consolidated Grain and Barge Co.
Owner: Paducah-McCracken County Riverport Authority.
Address: 110 Locust Drive. Phone: 502/443-2100
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Shipment of grain; receipt of liquid fertilizer.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.065278
Total Berthing Space (feet): 200 | | Longitude (decimal): -88.57306

Waterway: **Tennessee River** Mile: 2.1 PWD: 014
Name: **Hutson, Paducah Dock.**
Port: Tennessee River
Location: Mile 2.1, left bank, Tennessee River, opposite the upper half of Owens Island, Paducah. Datum: NPE
Operator: Hutson Co. Inc. and Consolidated Grain and Barge Co.
Owner: Paducah-McCracken County Riverport Authority.
Address: 110 Locust Drive. Phone: 502/443-2100
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Shipment of grain; receipt of liquid fertilizer.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.065278
Total Berthing Space (feet): 200 | | Longitude (decimal): -88.57306

Remarks: Two grain hopper tanks and three steel, grain storage tanks located at rear, managed by Consolidated Grain and Barge Co., have a combined storage capacity of 201,000 bushels. One 8-inch pipeline extends from wharf to two steel, fertilizer storage tanks located at rear, managed by Hutson Co., have total storage capacity of 3.6 million gallons.

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45002 Louisville District

Remarks: Two grain hopper tanks and three steel, grain storage tanks located at rear, managed by Consolidated Grain and Barge Co., have a combined storage capacity of 201,000 bushels. One 8-inch pipeline extends from wharf to two steel, fertilizer storage tanks located at rear, managed by Hutson Co., have total storage capacity of 3.6 million gallons.

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45002 Louisville District

Port Facilities by Waterway

Waterway: **Tennessee River** Mile: 2.1 PWD: 014
Name: **Hutson, Paducah Dock.**
Port: Tennessee River
Location: Mile 2.1, left bank, Tennessee River, opposite the upper half of Owens Island, Paducah. Datum: NPE
Operator: Hutson Co. Inc. and Consolidated Grain and Barge Co.
Owner: Paducah-McCracken County Riverport Authority.
Address: 110 Locust Drive. Phone: 502/443-2100
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Shipment of grain; receipt of liquid fertilizer.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.065278
Total Berthing Space (feet): 200 | | Longitude (decimal): -88.57306

Waterway: **Tennessee River** Mile: 2.1 PWD: 014
Name: **Hutson, Paducah Dock.**
Port: Tennessee River
Location: Mile 2.1, left bank, Tennessee River, opposite the upper half of Owens Island, Paducah. Datum: NPE
Operator: Hutson Co. Inc. and Consolidated Grain and Barge Co.
Owner: Paducah-McCracken County Riverport Authority.
Address: 110 Locust Drive. Phone: 502/443-2100
Town: Paducah State: KY County: McCracken
Railway Connection: None.
Purpose: Shipment of grain; receipt of liquid fertilizer.
Depth Alongside (feet): 14 | | Latitude (decimal): 37.065278
Total Berthing Space (feet): 200 | | Longitude (decimal): -88.57306

Remarks: Two grain hopper tanks and three steel, grain storage tanks located at rear, managed by Consolidated Grain and Barge Co., have a combined storage capacity of 201,000 bushels. One 8-inch pipeline extends from wharf to two steel, fertilizer storage tanks located at rear, managed by Hutson Co., have total storage capacity of 3.6 million gallons.

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45002 Louisville District

Remarks: Two grain hopper tanks and three steel, grain storage tanks located at rear, managed by Consolidated Grain and Barge Co., have a combined storage capacity of 201,000 bushels. One 8-inch pipeline extends from wharf to two steel, fertilizer storage tanks located at rear, managed by Hutson Co., have total storage capacity of 3.6 million gallons.

Port Series: 64 Year of Last Survey: 1997 Corps of Engnrs Waterway Code: 45002 Louisville District

LPMS Summary by Division/District

January - December 1998 and 1999

Markland — **Aux 1** — **Great Lakes And Ohio River Division**
Ohio — **River Mile: 531.5** — **Louisville District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	2,336	2,126	201	9	457	240	217	2,793	259
Downbound	2,511	2,237	201	13	626	268	358	3,137	286
Total	4,847	4,363	402	22	1,083	508	575	5,930	545
1999									
Upbound	2,482	2,173	297	12	1,141	689	452	3,623	1,075
Downbound	2,761	2,402	297	12	1,281	655	626	4,042	978
Total	5,243	4,575	594	24	2,422	1,344	1,078	7,665	2,053
Percent Change	8%	5%	48%	9%	124%	165%	87%	29%	277%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	916	710	197	9	171	5	0.02	0.52	2.62
Downbound	1,024	754	258	12	220	12	0.03	0.51	6.07
Total	1,940	1,464	455	21	391	17	0.02	0.51	8.69
1999									
Upbound	962	657	293	12	254	63	2.05	8.27	520.77
Downbound	1,092	737	343	12	296	79	2.69	10.08	796.05
Total	2,054	1,394	636	24	550	142	2.39	9.27	1,316.82
Percent Change	6%	-5%	40%	14%	41%	735%	1850%	1718%	15053%

Markland — **Main** — **Great Lakes And Ohio River Division**
Ohio — **River Mile: 531.5** — **Louisville District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	2,424	115	2,306	3	24,664	15,067	9,597	27,088	24,249
Downbound	2,356	83	2,306	1	24,656	19,539	5,117	27,012	30,323
Total	4,780	198	4,612	4	49,320	34,606	14,714	54,100	54,572
1999									
Upbound	2,376	128	2,242	6	24,118	16,166	7,952	26,494	25,956
Downbound	2,376	177	2,242	5	23,857	17,466	6,391	26,233	26,840
Total	4,752	305	4,484	11	47,975	33,632	14,343	52,727	52,796
Percent Change	-1%	54%	-3%	175%	-3%	-3%	-3%	-3%	-3%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	2,336	34	2,299	3	2,293	1,112	0.65	1.33	1,481.50
Downbound	2,305	41	2,263	1	2,254	1,100	0.62	1.27	1,396.27
Total	4,641	75	4,562	4	4,547	2,212	0.63	1.30	2,877.77
1999									
Upbound	2,291	48	2,237	6	2,230	1,157	0.79	1.52	1,762.87
Downbound	2,250	54	2,191	5	2,180	1,126	0.82	1.59	1,790.97
Total	4,541	102	4,428	11	4,410	2,283	0.81	1.56	3,553.84
Percent Change	-2%	36%	-3%	175%	-3%	3%	29%	20%	23%

LPMS Summary by Division/District

January - December 1998 and 1999

Mcalpine — **Aux 1** — **Great Lakes And Ohio River Division**
Ohio — **River Mile: 606.8** — **Louisville District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound									
Downbound									
Total									
1999									
Upbound	92	5	85	2	761	709	52	853	1,160
Downbound	88	13	85	0	721	441	280	809	686
Total	180	18	170	2	1,482	1,150	332	1,662	1,846
Percent Change									

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound									
Downbound									
Total									
1999									
Upbound	78	2	74	2	75	75	31.77	31.77	2,382.95
Downbound	69	1	68	0	70	69	41.26	41.86	2,888.50
Total	147	3	142	2	145	144	36.35	36.61	5,271.45
Percent Change									

1999 data unavailable for the following month(s):Jan Feb Mar Apr May Jul Aug Oct Nov Dec

Mcalpine — **Main** — **Great Lakes And Ohio River Division**
Ohio — **River Mile: 606.8** — **Louisville District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	2,997	501	2,467	29	21,845	17,951	3,894	24,842	28,750
Downbound	3,131	620	2,467	39	21,990	15,573	6,417	25,121	24,104
Total	6,128	1,121	4,934	68	43,835	33,524	10,311	49,963	52,854
1999									
Upbound	2,985	484	2,473	28	22,087	19,659	2,428	25,072	31,463
Downbound	3,218	682	2,473	34	22,401	13,911	8,490	25,619	21,521
Total	6,203	1,166	4,946	62	44,488	33,570	10,918	50,691	52,984
Percent Change	1%	4%	0%	-9%	1%	0%	6%	1%	0%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	2,574	188	2,360	26	2,249	1,349	1.03	1.72	2,322.97
Downbound	2,651	260	2,356	35	2,264	1,380	0.95	1.56	2,148.52
Total	5,225	448	4,716	61	4,513	2,729	0.99	1.64	4,471.49
1999									
Upbound	2,616	214	2,376	26	2,295	1,515	1.36	2.06	3,113.45
Downbound	2,673	243	2,398	32	2,332	1,495	1.52	2.37	3,544.73
Total	5,289	457	4,774	58	4,627	3,010	1.44	2.21	6,658.18
Percent Change	1%	2%	1%	-5%	3%	10%	45%	35%	49%

LPMS Summary by Division/District

January - December 1998 and 1999

Cannelton — **Aux** — **Great Lakes And Ohio River Division**
Ohio — **River Mile: 720.7** — **Louisville District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	687	472	204	11	462	125	337	1,149	188
Downbound	792	542	204	13	538	361	177	1,330	489
Total	1,479	1,014	408	24	1,000	486	514	2,479	677
1999									
Upbound	413	263	142	8	691	438	253	1,104	741
Downbound	459	272	142	3	917	531	386	1,376	775
Total	872	535	284	11	1,608	969	639	2,480	1,516
Percent Change	-41%	-47%	-30%	-54%	61%	99%	24%	0%	124%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	437	231	195	11	123	13	0.05	0.46	5.98
Downbound	520	276	231	13	152	8	0.03	0.54	4.33
Total	957	507	426	24	275	21	0.04	0.49	10.31
1999									
Upbound	303	165	130	8	114	50	10.77	24.55	1,227.35
Downbound	336	158	175	3	149	53	5.35	15.04	797.17
Total	639	323	305	11	263	103	7.70	19.66	2,024.52
Percent Change	-33%	-36%	-28%	-54%	-4%	390%	9150%	3912%	19536%

Cannelton — **Main** — **Great Lakes And Ohio River Division**
Ohio — **River Mile: 720.7** — **Louisville District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	2,216	55	2,155	6	23,041	17,616	5,425	25,257	28,611
Downbound	2,177	78	2,155	3	22,946	16,893	6,053	25,123	25,095
Total	4,393	133	4,310	9	45,987	34,509	11,478	50,380	53,706
1999									
Upbound	2,567	292	2,266	9	24,126	19,843	4,283	26,693	32,219
Downbound	2,588	335	2,266	13	24,119	15,455	8,664	26,707	22,916
Total	5,155	627	4,532	22	48,245	35,298	12,947	53,400	55,135
Percent Change	17%	371%	5%	144%	5%	2%	13%	6%	3%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	2,169	30	2,133	6	2,107	1,088	0.63	1.23	1,333.48
Downbound	2,119	40	2,076	3	2,039	1,001	0.64	1.31	1,314.85
Total	4,288	70	4,209	9	4,146	2,089	0.64	1.27	2,648.33
1999									
Upbound	2,398	151	2,239	8	2,206	1,300	1.11	1.89	2,457.02
Downbound	2,384	167	2,204	13	2,174	1,254	1.00	1.73	2,167.05
Total	4,782	318	4,443	21	4,380	2,554	1.06	1.81	4,624.07
Percent Change	12%	354%	6%	133%	6%	22%	66%	43%	75%

LPMS Summary by Division/District

January - December 1998 and 1999

Newburgh — **Aux 1** — **Great Lakes And Ohio River Division**
Ohio — **River Mile: 776.1** — **Louisville District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	1,296	754	521	21	661	347	314	1,957	501
Downbound	1,435	845	521	25	732	246	486	2,167	336
Total	2,731	1,599	1,042	46	1,393	593	800	4,124	837
1999									
Upbound	1,477	940	509	28	645	337	308	2,122	529
Downbound	1,555	989	509	26	825	310	515	2,380	434
Total	3,032	1,929	1,018	54	1,470	647	823	4,502	963
Percent Change	11%	21%	-2%	17%	6%	9%	3%	9%	15%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	859	320	518	21	326	25	0.03	0.39	9.67
Downbound	959	372	562	25	359	25	0.05	0.74	18.53
Total	1,818	692	1,080	46	685	50	0.04	0.56	28.20
1999									
Upbound	946	411	507	28	330	28	0.03	0.36	10.10
Downbound	1,011	446	539	26	383	22	0.02	0.40	8.88
Total	1,957	857	1,046	54	713	50	0.03	0.38	18.98
Percent Change	8%	24%	-3%	17%	4%	0%	-25%	-32%	-33%

Newburgh — **Main** — **Great Lakes And Ohio River Division**
Ohio — **River Mile: 776.1** — **Louisville District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	2,514	3	2,504	7	29,189	24,413	4,776	31,703	39,231
Downbound	2,487	6	2,504	3	29,312	16,160	13,152	31,799	24,061
Total	5,001	9	5,008	10	58,501	40,573	17,928	63,502	63,292
1999									
Upbound	2,644	5	2,630	9	30,751	26,419	4,332	33,395	42,529
Downbound	2,567	8	2,630	4	30,585	14,264	16,321	33,152	21,017
Total	5,211	13	5,260	13	61,336	40,683	20,653	66,547	63,546
Percent Change	4%	44%	5%	30%	5%	0%	15%	5%	0%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	2,512	3	2,502	7	2,494	1,160	0.43	0.93	1,083.18
Downbound	2,480	1	2,476	3	2,466	1,204	0.46	0.94	1,127.35
Total	4,992	4	4,978	10	4,960	2,364	0.45	0.94	2,210.53
1999									
Upbound	2,639	2	2,628	9	2,617	1,348	0.51	0.99	1,331.90
Downbound	2,558	2	2,552	4	2,548	1,282	0.49	0.97	1,246.28
Total	5,197	4	5,180	13	5,165	2,630	0.50	0.98	2,578.18
Percent Change	4%	0%	4%	30%	4%	11%	11%	4%	17%

LPMS Summary by Division/District

January - December 1998 and 1999

John T. Myers — **Aux 1** — **Great Lakes And Ohio River Division**
Ohio — **River Mile: 846.0** — **Louisville District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	1,662	1,253	383	26	582	218	364	2,244	407
Downbound	1,779	1,352	383	24	692	234	458	2,471	350
Total	3,441	2,605	766	50	1,274	452	822	4,715	757
1999									
Upbound	1,936	1,586	319	31	532	309	223	2,468	526
Downbound	2,086	1,677	319	32	631	109	522	2,717	179
Total	4,022	3,263	638	63	1,163	418	745	5,185	705
Percent Change	17%	25%	-17%	26%	-9%	-8%	-9%	10%	-7%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	1,107	706	375	26	216	11	0.02	0.42	4.58
Downbound	1,182	764	395	23	248	24	0.09	0.98	23.55
Total	2,289	1,470	770	49	464	35	0.06	0.80	28.13
1999									
Upbound	1,201	854	316	31	215	17	0.19	2.35	39.93
Downbound	1,369	963	374	32	255	24	0.04	0.48	11.43
Total	2,570	1,817	690	63	470	41	0.11	1.25	51.36
Percent Change	12%	24%	-10%	29%	1%	17%	83%	56%	83%

John T. Myers — **Main** — **Great Lakes And Ohio River Division**
Ohio — **River Mile: 846.0** — **Louisville District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	2,914	60	2,849	5	33,416	25,494	7,922	36,330	41,506
Downbound	2,867	85	2,849	4	33,004	19,927	13,077	35,871	31,891
Total	5,781	145	5,698	9	66,420	45,421	20,999	72,201	73,397
1999									
Upbound	2,932	88	2,839	5	33,236	26,946	6,290	36,168	44,108
Downbound	2,825	88	2,839	4	32,817	17,098	15,719	35,642	26,582
Total	5,757	176	5,678	9	66,053	44,044	22,009	71,810	70,690
Percent Change	0%	21%	0%	0%	-1%	-3%	5%	-1%	-4%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	2,871	25	2,841	5	2,828	1,609	0.79	1.39	2,244.48
Downbound	2,807	40	2,763	4	2,748	1,460	0.76	1.43	2,086.05
Total	5,678	65	5,604	9	5,576	3,069	0.78	1.41	4,330.53
1999									
Upbound	2,882	51	2,826	5	2,816	1,587	0.77	1.36	2,157.95
Downbound	2,772	43	2,725	4	2,711	1,504	0.67	1.21	1,819.82
Total	5,654	94	5,551	9	5,527	3,091	0.72	1.29	3,977.77
Percent Change	0%	45%	-1%	0%	-1%	1%	-8%	-9%	-8%

LPMS Summary by Division/District

January - December 1998 and 1999

Smithland — **Aux 1** — **Great Lakes And Ohio River Division**
Ohio — **River Mile: 918.5** — **Louisville District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	3,697	262	3,420	15	36,545	23,196	13,349	40,242	37,773
Downbound	847	204	3,420	13	5,741	2,956	2,785	6,588	4,662
Total	4,544	466	6,840	28	42,286	26,152	16,134	46,830	42,435
1999									
Upbound	3,749	329	3,409	11	36,057	25,337	10,720	39,806	41,522
Downbound	1,004	340	3,409	10	5,994	2,802	3,192	6,998	4,483
Total	4,753	669	6,818	21	42,051	28,139	13,912	46,804	46,005
Percent Change	5%	44%	0%	-25%	-1%	8%	-14%	0%	8%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	3,478	112	3,351	15	3,252	531	0.10	0.63	335.83
Downbound	719	91	615	13	542	87	0.39	2.41	209.97
Total	4,197	203	3,966	28	3,794	618	0.14	0.88	545.80
1999									
Upbound	3,480	102	3,367	11	3,274	322	0.09	0.88	282.02
Downbound	743	95	639	9	588	32	0.09	1.56	50.07
Total	4,223	197	4,006	20	3,862	354	0.09	0.94	332.09
Percent Change	1%	-3%	1%	-29%	2%	-43%	-36%	7%	-39%

Smithland — **Main** — **Great Lakes And Ohio River Division**
Ohio — **River Mile: 918.5** — **Louisville District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	757	233	499	25	2,977	1,646	1,331	3,734	2,870
Downbound	3,758	385	499	28	34,607	24,294	10,313	38,365	39,296
Total	4,515	618	998	53	37,584	25,940	11,644	42,099	42,166
1999									
Upbound	863	408	442	13	2,070	1,173	897	2,933	2,116
Downbound	3,791	533	442	18	33,117	21,608	11,509	36,908	33,990
Total	4,654	941	884	31	35,187	22,781	12,406	39,841	36,106
Percent Change	3%	52%	-11%	-42%	-6%	-12%	7%	-5%	-14%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	611	99	487	25	426	86	0.88	4.38	376.80
Downbound	3,445	165	3,252	28	3,156	488	0.24	1.53	748.65
Total	4,056	264	3,739	53	3,582	574	0.31	1.96	1,125.45
1999									
Upbound	565	119	434	12	372	21	0.20	3.54	74.28
Downbound	3,370	172	3,180	18	3,104	217	0.04	0.51	110.50
Total	3,935	291	3,614	30	3,476	238	0.05	0.78	184.78
Percent Change	-3%	10%	-3%	-43%	-3%	-59%	-84%	-60%	-84%

LPMS Summary by Division/District

January - December 1998 and 1999

52 **Aux 1** **Great Lakes And Ohio River Division**
Ohio **River Mile: 938.9** **Louisville District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	**Total**	**Rec**	**Comrcl**	**Other**	**Total**	**Loaded**	**Empty**	**Total**	**ktons**
Upbound	1,078	331	740	7	2,219	1,327	892	3,297	2,771
Downbound	890	87	740	8	2,600	1,320	1,280	3,490	2,223
Total	1,968	418	1,480	15	4,819	2,647	2,172	6,787	4,994
1999									
Upbound	1,682	468	1,202	12	3,635	2,142	1,493	5,317	4,759
Downbound	1,434	174	1,202	11	4,118	1,945	2,173	5,552	3,275
Total	3,116	642	2,404	23	7,753	4,087	3,666	10,869	8,034
Percent Change	58%	54%	62%	53%	61%	54%	69%	60%	61%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	**Total**	**Rec**	**Comrcl**	**Other**	**All**	**Delayed**	**(hrs)**	**(hrs)**	**(hrs)**
Upbound	890	176	707	7	591	404	2.06	3.02	1,219.68
Downbound	814	47	759	8	655	451	3.16	4.58	2,067.02
Total	1,704	223	1,466	15	1,246	855	2.64	3.84	3,286.70
1999									
Upbound	1,385	224	1,149	12	1,002	757	2.56	3.39	2,564.10
Downbound	1,295	82	1,202	11	1,068	826	2.91	3.77	3,113.13
Total	2,680	306	2,351	23	2,070	1,583	2.74	3.59	5,677.23
Percent Change	57%	37%	60%	53%	66%	85%	4%	-7%	73%

1998 data unavailable for the following month(s:Feb Mar Apr May Jun Jul
1999 data unavailable for the following month(s:Feb Mar May Jun

52 **Main** **Great Lakes And Ohio River Division**
Ohio **River Mile: 938.9** **Louisville District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	**Total**	**Rec**	**Comrcl**	**Other**	**Total**	**Loaded**	**Empty**	**Total**	**ktons**
Upbound	4,314	78	4,221	15	43,533	31,168	12,365	47,847	50,654
Downbound	4,556	100	4,221	13	45,045	26,937	18,108	49,601	42,049
Total	8,870	178	8,442	28	88,578	58,105	30,473	97,448	92,703
1999									
Upbound	3,943	105	3,826	12	40,497	31,667	8,830	44,440	51,674
Downbound	4,259	164	3,826	16	41,986	23,076	18,910	46,245	35,415
Total	8,202	269	7,652	28	82,483	54,743	27,740	90,685	87,089
Percent Change	-8%	51%	-9%	0%	-7%	-6%	-9%	-7%	-6%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	**Total**	**Rec**	**Comrcl**	**Other**	**All**	**Delayed**	**(hrs)**	**(hrs)**	**(hrs)**
Upbound	4,101	30	4,057	14	4,024	836	2.18	10.51	8,782.72
Downbound	4,344	51	4,280	13	4,202	861	2.63	12.84	11,055.68
Total	8,445	81	8,337	27	8,226	1,697	2.41	11.69	19,838.40
1999									
Upbound	3,865	46	3,807	12	3,672	1,162	4.33	13.69	15,910.53
Downbound	4,195	118	4,061	16	3,879	1,197	4.46	14.44	17,285.28
Total	8,060	164	7,868	28	7,551	2,359	4.40	14.07	33,195.81
Percent Change	-5%	102%	-6%	4%	-8%	39%	83%	20%	67%

LPMS Summary by Division/District

January - December 1998 and 1999

53 Ohio — **Aux** — **River Mile: 962.6** — **Great Lakes And Ohio River Division** — **Louisville District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound									
Downbound									
Total									
1999									
Upbound	697	205	488	4	1,513	862	651	2,210	2,104
Downbound	560	32	488	5	1,697	856	841	2,257	1,317
Total	1,257	237	976	9	3,210	1,718	1,492	4,467	3,421
Percent Change									

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound									
Downbound									
Total									
1999									
Upbound	563	72	487	4	447	278	1.09	1.76	488.73
Downbound	541	14	522	5	473	271	0.88	1.54	417.43
Total	1,104	86	1,009	9	920	549	0.98	1.65	906.16
Percent Change									

1999 data unavailable for the following month(s)Jan Mar Apr May Jun Jul

53 Ohio — **Main** — **River Mile: 962.6** — **Great Lakes And Ohio River Division** — **Louisville District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	296	11	284	1	3,209	1,928	1,281	3,505	3,174
Downbound	290	2	284	1	3,100	2,231	869	3,390	3,404
Total	586	13	568	2	6,309	4,159	2,150	6,895	6,578
1999									
Upbound	3,704	103	3,586	15	37,709	26,521	11,188	41,413	44,527
Downbound	4,120	226	3,586	20	39,709	26,247	13,462	43,829	39,821
Total	7,824	329	7,172	35	77,418	52,768	24,650	85,242	84,348
Percent Change	1235%	2431%	1163%	1650%	1127%	1169%	1047%	1136%	1182%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	285	1	283	1	268	30	0.00	0.02	0.50
Downbound	289	1	287	1	279	30	0.00	0.02	0.52
Total	574	2	570	2	547	60	0.00	0.02	1.02
1999									
Upbound	3,641	48	3,578	15	3,463	655	0.73	3.86	2,529.70
Downbound	3,998	110	3,868	20	3,743	663	0.70	3.97	2,632.95
Total	7,639	158	7,446	35	7,206	1,318	0.72	3.92	5,162.65
Percent Change	1231%	7800%	1206%	1650%	1217%	2097%	N/A	9500%	506042%

1998 data unavailable for the following month(s)Jan Feb Mar Apr May Jun Jul Aug Sep Oct