

## Port Facilities by Waterway

---

Waterway: **Missouri River** Mile: 503.0 PWD: 183  
Name: **Maczuk Industries, Craig Terminal Dock.**  
Port: Missouri/Arkansas R.  
Location: Left bank, Missouri River, mile 503.0, approximately 5 miles above Rulo (U.S. Highway 159) Bridge. Datum: CRP  
Operator: Maczuk, Industries, Inc.  
Owner: Maczuk, Industries,  
Address: 19654 Candle Road Phone: 816/683-5341  
Town: Craig State: MO County: Holt  
Railway Connection: None.  
Purpose: Receipt of liquid fertilizer.  
Depth Alongside (feet): 15 | | Latitude (decimal): 40.1175  
Total Berthing Space (feet): 210 | | Longitude (decimal): -95.39139  
Remarks: One 6-inch pipeline on loading platform connects with four 6-inch pipelines extending to 5 steel storage tanks at terminal in rear, total capacity 2,529,800 gallons.  
Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51503 Omaha District

---

Waterway: **Missouri River** Mile: 535.1 PWD: 184  
Name: **Brownville Development Corp. Riverboat Dock.**  
Port: Missouri/Arkansas R.  
Location: Right bank, Missouri River, mile 535.1, approximately 1000 feet below Brownville (U.S. Highway 136) Brid Datum: CRP  
Operator: Brownville Development Corp.  
Owner: Brownville Development Corp.  
Address: Phone: 402/825-6441  
Town: Brownville State: NE County: Nemaha  
Railway Connection: None.  
Purpose: Landing for excursion vessels.  
Depth Alongside (feet): 15 | | Latitude (decimal): 40.396389  
Total Berthing Space (feet): 175 | | Longitude (decimal): -95.65111  
Remarks: MV 'Spirit of Brownville' and MV 'Belle of Brownville' operate summer river cruise schedule from wharf. Brownville Recreation Area at rear is administered by State of Nebraska Game and Parks Department.  
Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51535 Omaha District

---

## Port Facilities by Waterway

---

Waterway: **Missouri River** Mile: 535.2 PWD: 185  
Name: **Searcy Grain, Dock.**  
Port: Missouri/Arkansas R.  
Location: Right bank, Missouri River, mile 535.2, below Brownville (U.S. Highway 136) Bridge. Datum: CRP  
Operator: Searcy Grain  
Owner: Searcy Grain  
Address: East Main Street at Missouri River Phone: 402/825-3351  
Town: Brownville State: NE County: Nemaha  
Railway Connection: None.  
Purpose: Shipment of grain.  
Depth Alongside (feet): 12 | | Latitude (decimal): 40.398056  
Total Berthing Space (feet): 195 | | Longitude (decimal): -95.65222  
Remarks: Grain elevator in rear consisting of a concrete storage building with 7 bins and 7 steel storage tanks has total capacity for 357,000 bushels. □  
Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51535 Omaha District

---

Waterway: **Missouri River** Mile: 535.4 PWD: 186  
Name: **Bunge Corp., Brownville Elevator Dock.**  
Port: Missouri/Arkansas R.  
Location: Right bank, Missouri River, mile 535.4, above Brownville (U.S. Highway 136) Bridge. Datum: CRP  
Operator: Bunge Corp.  
Owner: Bunge Corp.  
Address: 415 North First Street Phone: 402/825-3661  
Town: Brownville State: NE County: Nemaha  
Railway Connection: None.  
Purpose: Shipment of grain.  
Depth Alongside (feet): 12 | | Latitude (decimal): 40.400833  
Total Berthing Space (feet): 280 | | Longitude (decimal): -95.655  
Remarks: Grain elevator atop hill at rear consisting of 8 concrete silos with 10 interstices and 17 steel tanks has capacity for 842,000 bushels. □  
Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51535 Omaha District

---

## Port Facilities by Waterway

---

Waterway: **Missouri River** Mile: 561.8 PWD: 187  
Name: **DeBruce Grain, Nebraska City Elevator Dock.**  
Port: Missouri/Arkansas R.  
Location: Right bank, Missouri River, mile 561.8, below Old State Highway 2 Bridge. Datum: CRP  
Operator: DeBruce Grain, Inc.  
Owner: DeBruce Grain, Inc.  
Address: 500 First Terrace Phone: 402/873-6684  
Town: Nebraska City State: NE County: Otoe  
Railway Connection: Two surface tracks, total capacity 75 cars, serves undertrack pits and loading spouts; connects with Union Pacific Railroad.  
Purpose: Shipment of grain.  
Depth Alongside (feet): 8 | | Latitude (decimal): 40.672778  
Total Berthing Space (feet): 550 | | Longitude (decimal): -95.83667  
Remarks: Grain elevator at rear consisting of 42 concrete silos with 12 interstices has capacity for 956,000 bushels.□  
Port Series: 68 Year of Last Survey: 2000 Corps of Engrns Waterway Code: 51562 Omaha District

---

Waterway: **Missouri River** Mile: 562.3 PWD: 189  
Name: **Bartlett and Co., Nebraska City Dock.**  
Port: Missouri/Arkansas R.  
Location: Right bank, Missouri River, mile 562.3, approximately 0.5 miles below Old Nebraska State Highway 2 Bridg Datum: CRP  
Operator: Bartlett and Co.  
Owner: Bartlett and Co.  
Address: North First Street Phone: 402/873-3465  
Town: Nebraska City State: NE County: Otoe  
Railway Connection: One 9-car-capacity surface track serves undertrack pit and loading spout; connects with Union Pacific Railroad.  
Purpose: Shipment of grain.  
Depth Alongside (feet): 10 | | Latitude (decimal): 40.678333  
Total Berthing Space (feet): 200 | | Longitude (decimal): -95.84472  
Remarks: Grain elevator at rear consisting of 18 concrete bins and 2 steel tanks has capacity for 900,000 bushels.□  
Port Series: 68 Year of Last Survey: 2000 Corps of Engrns Waterway Code: 51562 Omaha District

---

## Port Facilities by Waterway

---

Waterway: **Missouri River** Mile: 562.3 PWD: 188  
Name: **DeBruce Ag Service, Dock.**  
Port: Missouri/Arkansas R.  
Location: Right bank, Missouri River, mile 562.3, approximately 0.5 mile above Old State Highway 2 Bridge. Datum: CRP  
Operator: DeBruce Ag Service, Inc.  
Owner: City of Nebraska City.  
Address: 200 East Central Avenue Phone: 402/873-3434  
Town: Nebraska City State: NE County: Otoe  
Railway Connection: One surface track on apron and one at rear of storage building, total capacity 8 cars, connects with Union Pacific Railroad.  
Purpose: Receipt of dry bulk fertilizer and steel products; receipt and shipment of miscellaneous dry bulk materials and occasionally general cargo.  
Depth Alongside (feet): 11 | | Latitude (decimal): 40.677222  
Total Berthing Space (feet): 590 | | Longitude (decimal): -95.84389  
Remarks: Three bulk fertilizer storage buildings at rear have total capacity for 102,000 tons of fertilizer. □  
Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51562 Omaha District

---

Waterway: **Missouri River** Mile: 562.7 PWD: 190  
Name: **American Commercial Terminals, Nebraska City, Tank Farm Dock.**  
Port: Missouri/Arkansas R.  
Location: Right bank, Missouri River, mile 562.7, approximately 0.9 mile below Old Nebraska State Highway 2 Bridge Datum: CRP  
Operator: American Commercial Terminals, LLC.  
Owner: City of Nebraska City.  
Address: 600 North First Street Phone: 402/341-1300  
Town: Nebraska City State: NE County: Otoe  
Railway Connection: One 10-car-capacity surface track serves terminal at rear, connects with Union Pacific Railroad.  
Purpose: Receipt of liquid livestock feed.  
Depth Alongside (feet): 15 | | Latitude (decimal): 40.682778  
Total Berthing Space (feet): 130 | | Longitude (decimal): -95.84694  
Remarks: Two 6-inch pipelines connect dolphins with 4 steel storage tanks, total capacity 15,000 tons. □  
Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51562 Omaha District

---

## Port Facilities by Waterway

---

Waterway: **Missouri River** Mile: 584.5 PWD: 191  
Name: **Haveman Grain Co., Rock Bluff Grain Elevator, Dock.**  
Port: Missouri/Arkansas R.  
Location: Right bank, Missouri River, mile 584.5, approximately 6 miles below Plattsmouth Datum: CRP  
(U.S. Highway 34) Bridge  
Operator: Haveman Grain Co.  
Owner: Haveman Grain Co.  
Address: 4414 Rock Bluff Road. Phone: 402/235-2549  
Town: Rock Bluff State: NE County: Cass  
Railway Connection: None.  
Purpose: Shipment of grain.  
Depth Alongside (feet): 10 | | Latitude (decimal): 40.931111  
Total Berthing Space (feet): 825 | | Longitude (decimal): -95.84056  
Remarks: Grain elevator at rear consisting of 8 concrete silos with 4 interstices has capacity for 250,000 bushels.□  
Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51584 Omaha District

---

Waterway: **Missouri River** Mile: 595.3 PWD: 192  
Name: **PCS Nitrogen, Bellevue Plant Dock.**  
Port: Missouri/Arkansas R.  
Location: Right bank, Missouri River, mile 595.3, above mouth of Platte River. Datum: CRP  
Operator: Not operated  
Owner: PCS Nitrogen Fertilizer LP  
Address: 202 Allied Road Phone: 402/491-0227  
Town: Bellevue State: NE County: Sarpy  
Railway Connection: Trackage serving plant in rear connects with Burlington Northern Santa Fe Railway.  
Purpose: Not used.  
Depth Alongside (feet): 14 | | Latitude (decimal): 41.065  
Total Berthing Space (feet): 360 | | Longitude (decimal): -95.88306  
Remarks: At time of survey (2000) plant had ceased operation and the future of the plant and wharf facility was not known. One 8-inch pipeline extends to wharf from 6 steel storage tanks at plant in rear, total capacity 12,922,000 gallons.  
Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51595 Omaha District

---

## Port Facilities by Waterway

---

Waterway: **Missouri River** Mile: 612.1 PWD: 193  
Name: **Westway Feed Products Co. South Omaha Plant Wharf.**  
Port: Missouri/Arkansas R.  
Location: Right bank, Missouri River, mile 612.1, approximately 500 feet below South Omaha Datum: CRP  
(U.S. Highway 275) Brid  
Operator: Not operated.  
Owner: Westway Feed Products Co.  
Address: 1201 M Street Phone: 402/733-7377  
Town: Omaha State: NE County: Douglas  
Railway Connection: One surface track serves 6 loading stations at terminal in rear; connects with Burlington  
Northern Santa Fe Railway.  
Purpose: Not used.  
Depth Alongside (feet): 10 | | Latitude (decimal): 41.21  
Total Berthing Space (feet): 260 | | Longitude (decimal): -95.9275  
Remarks: One 12-inch pipeline extends from pier to 9 steel storage tanks at terminal in rear, total capacity 25,000  
tons. One 4-inch steam line serves pier. □  
Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51612 Omaha District

---

Waterway: **Missouri River** Mile: 614.3 PWD: 194  
Name: **AGRI Grain Marketing, Council Bluffs Terminal Dock.**  
Port: Missouri/Arkansas R.  
Location: Left bank, Missouri River, mile 614.3, approximately 0.5 mile above Interstate Datum: CRP  
Highway 80 Bridge.  
Operator: AGRI Grain Marketing.  
Owner: AGRI Grain Marketing.  
Address: 2401 South 37th Street Phone: 712/325-7201  
Town: Council Bluffs State: IA County: Pottawattamie  
Railway Connection: Nine surface tracks, total capacity 104 cars, serve undertrack pit and loading spout;  
connect with Union Pacific Railroad.  
Purpose: Shipment of grain.  
Depth Alongside (feet): 10 | | Latitude (decimal): 41.237778  
Total Berthing Space (feet): 700 | | Longitude (decimal): -95.90972  
Remarks: Grain elevator at rear, consisting of 24 concrete silos and interstices and 7 steel tanks, has capacity for  
1,600,000 bushels. □  
Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51614 Omaha District

---

## Port Facilities by Waterway

---

Waterway: **Missouri River** Mile: 614.5 PWD: 195  
Name: **Agriliance Co., Council Bluffs Terminal Dock.**  
Port: Missouri/Arkansas R.  
Location: Left bank, Missouri River, mile 614.5, approximately 0.6 mile above Interstate Highway 80 Bridge. Datum: CRP  
Operator: Agriliance Co.  
Owner: Agriliance Co.  
Address: 2301 South 37th Street Phone: 712/322-8287  
Town: Council Bluffs State: IA County: Pottawattamie  
Railway Connection: Two surface tracks, total capacity 10 cars, serve 2 undertrack pits at storage building in rear; connect with Union Pacific Railroad.  
Purpose: Receipt of dry bulk fertilizer.  
Depth Alongside (feet): 9 - 10 | | Latitude (decimal): 41.240278  
Total Berthing Space (feet): 360 | | Longitude (decimal): -95.91  
Remarks: Timber and concrete storage building at rear has capacity for 25,000 tons.□□  
Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 51614 Omaha District

---

Waterway: **Missouri River** Mile: 614.6 PWD: 196  
Name: **Ameristar Casino Boat Slip.**  
Port: Missouri/Arkansas R.  
Location: Right bank, Missouri River, mile 614.6, approximately 0.7 mile above Interstate Highway 80 Bridge. Datum: CRP  
Operator: Ameristar Casino.  
Owner: Ameristar Casino.  
Address: 2200 River Road Phone: 712/329-4560  
Town: Council Bluffs State: IA County: Pottawattamie  
Railway Connection: None.  
Purpose: Mooring Casino Boat 'Ameristar II'.  
Depth Alongside (feet): 10 | | Latitude (decimal): 41.241667  
Total Berthing Space (feet): 300 | | Longitude (decimal): -95.91056  
Remarks: Casino boat provides periodic river excursions.□□  
Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 51614 Omaha District

---

## Port Facilities by Waterway

---

Waterway: **Missouri River** Mile: 616.2 PWD: 197  
Name: **American Commercial Terminals, Omaha Terminal Dock.**  
Port: Missouri/Arkansas R.  
Location: Right bank, Missouri River, mile 616,2, approximately 1,700 feet above Interstate Highway 480 Bridge. Datum: CRP  
Operator: American Commercial Terminals, LLC.  
Owner: City of Omaha.  
Address: 701 Abbott Drive Phone: 402/341-1300  
Town: Omaha State: NE County: Douglas  
Railway Connection: One surface track on apron joins additional terminal trackage in rear; connects with Union Pacific Railroad.  
Purpose: Receipt of steel and paper products, baler twine and miscellaneous general cargo.  
Depth Alongside (feet): 11 | | Latitude (decimal): 41.264444  
Total Berthing Space (feet): 575 | | Longitude (decimal): -95.92306  
Waterway: **Missouri River** Mile: 616.2 PWD: 197

Name: **American Commercial Terminals, Omaha Terminal Dock.**  
Port: Missouri/Arkansas R.  
Location: Right bank, Missouri River, mile 616,2, approximately 1,700 feet above Interstate Highway 480 Bridge. Datum: CRP  
Operator: American Commercial Terminals, LLC.  
Owner: City of Omaha.  
Address: 701 Abbott Drive Phone: 402/341-1300  
Town: Omaha State: NE County: Douglas  
Railway Connection: One surface track on apron joins additional terminal trackage in rear; connects with Union Pacific Railroad.  
Purpose: Receipt of steel and paper products, baler twine and miscellaneous general cargo.  
Depth Alongside (feet): 11 | | Latitude (decimal): 41.264444  
Total Berthing Space (feet): 575 | | Longitude (decimal): -95.92306  
Waterway: **Missouri River** Mile: 616.2 PWD: 197

Name: **American Commercial Terminals, Omaha Terminal Dock.**  
Port: Missouri/Arkansas R.  
Location: Right bank, Missouri River, mile 616,2, approximately 1,700 feet above Interstate Highway 480 Bridge. Datum: CRP  
Operator: American Commercial Terminals, LLC.  
Owner: City of Omaha.  
Address: 701 Abbott Drive Phone: 402/341-1300  
Town: Omaha State: NE County: Douglas  
Railway Connection: One surface track on apron joins additional terminal trackage in rear; connects with Union Pacific Railroad.  
Purpose: Receipt of steel and paper products, baler twine and miscellaneous general cargo.  
Depth Alongside (feet): 11 | | Latitude (decimal): 41.264444  
Total Berthing Space (feet): 575 | | Longitude (decimal): -95.92306

## Port Facilities by Waterway

Waterway: **Missouri River** Mile: 616.2 PWD: 197  
 Name: **American Commercial Terminals, Omaha Terminal Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616,2, approximately 1,700 feet above Interstate Highway 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: 701 Abbott Drive Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: One surface track on apron joins additional terminal trackage in rear; connects with Union Pacific Railroad.  
 Purpose: Receipt of steel and paper products, baler twine and miscellaneous general cargo.  
 Depth Alongside (feet): 11 | | Latitude (decimal): 41.264444  
 Total Berthing Space (feet): 575 | | Longitude (decimal): -95.92306  
 Remarks: Two steel-frame, clear span, metal-covered storage warehouses, each with 20,000-square feet of storage space located at rear. Approximately 20,000 square feet of open storage area located at rear of lower end.

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

Remarks: Two steel-frame, clear span, metal-covered storage warehouses, each with 20,000-square feet of storage space located at rear. Approximately 20,000 square feet of open storage area located at rear of lower end.

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

Remarks: Two steel-frame, clear span, metal-covered storage warehouses, each with 20,000-square feet of storage space located at rear. Approximately 20,000 square feet of open storage area located at rear of lower end.

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

Remarks: Two steel-frame, clear span, metal-covered storage warehouses, each with 20,000-square feet of storage space located at rear. Approximately 20,000 square feet of open storage area located at rear of lower end.

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

## Port Facilities by Waterway

---

Waterway: **Missouri River** Mile: 616.2 PWD: 197  
Name: **American Commercial Terminals, Omaha Terminal Dock.**  
Port: Missouri/Arkansas R.  
Location: Right bank, Missouri River, mile 616,2, approximately 1,700 feet above Interstate Highway 480 Bridge. Datum: CRP  
Operator: American Commercial Terminals, LLC.  
Owner: City of Omaha.  
Address: 701 Abbott Drive Phone: 402/341-1300  
Town: Omaha State: NE County: Douglas  
Railway Connection: One surface track on apron joins additional terminal trackage in rear; connects with Union Pacific Railroad.  
Purpose: Receipt of steel and paper products, baler twine and miscellaneous general cargo.  
Depth Alongside (feet): 11 | | Latitude (decimal): 41.264444  
Total Berthing Space (feet): 575 | | Longitude (decimal): -95.92306  
Waterway: **Missouri River** Mile: 616.2 PWD: 197

Name: **American Commercial Terminals, Omaha Terminal Dock.**  
Port: Missouri/Arkansas R.  
Location: Right bank, Missouri River, mile 616,2, approximately 1,700 feet above Interstate Highway 480 Bridge. Datum: CRP  
Operator: American Commercial Terminals, LLC.  
Owner: City of Omaha.  
Address: 701 Abbott Drive Phone: 402/341-1300  
Town: Omaha State: NE County: Douglas  
Railway Connection: One surface track on apron joins additional terminal trackage in rear; connects with Union Pacific Railroad.  
Purpose: Receipt of steel and paper products, baler twine and miscellaneous general cargo.  
Depth Alongside (feet): 11 | | Latitude (decimal): 41.264444  
Total Berthing Space (feet): 575 | | Longitude (decimal): -95.92306  
Waterway: **Missouri River** Mile: 616.2 PWD: 197

Name: **American Commercial Terminals, Omaha Terminal Dock.**  
Port: Missouri/Arkansas R.  
Location: Right bank, Missouri River, mile 616,2, approximately 1,700 feet above Interstate Highway 480 Bridge. Datum: CRP  
Operator: American Commercial Terminals, LLC.  
Owner: City of Omaha.  
Address: 701 Abbott Drive Phone: 402/341-1300  
Town: Omaha State: NE County: Douglas  
Railway Connection: One surface track on apron joins additional terminal trackage in rear; connects with Union Pacific Railroad.  
Purpose: Receipt of steel and paper products, baler twine and miscellaneous general cargo.  
Depth Alongside (feet): 11 | | Latitude (decimal): 41.264444  
Total Berthing Space (feet): 575 | | Longitude (decimal): -95.92306

## Port Facilities by Waterway

Waterway: **Missouri River** Mile: 616.2 PWD: 197  
 Name: **American Commercial Terminals, Omaha Terminal Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616,2, approximately 1,700 feet above Interstate Highway 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: 701 Abbott Drive Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: One surface track on apron joins additional terminal trackage in rear; connects with Union Pacific Railroad.  
 Purpose: Receipt of steel and paper products, baler twine and miscellaneous general cargo.  
 Depth Alongside (feet): 11 | | Latitude (decimal): 41.264444  
 Total Berthing Space (feet): 575 | | Longitude (decimal): -95.92306  
 Remarks: Two steel-frame, clear span, metal-covered storage warehouses, each with 20,000-square feet of storage space located at rear. Approximately 20,000 square feet of open storage area located at rear of lower end.

Port Series: 68    Year of Last Survey: 2000    Corps of Engrs Waterway Code: 51616    Omaha District

Remarks: Two steel-frame, clear span, metal-covered storage warehouses, each with 20,000-square feet of storage space located at rear. Approximately 20,000 square feet of open storage area located at rear of lower end.

Port Series: 68    Year of Last Survey: 2000    Corps of Engrs Waterway Code: 51616    Omaha District

Remarks: Two steel-frame, clear span, metal-covered storage warehouses, each with 20,000-square feet of storage space located at rear. Approximately 20,000 square feet of open storage area located at rear of lower end.

Port Series: 68    Year of Last Survey: 2000    Corps of Engrs Waterway Code: 51616    Omaha District

Remarks: Two steel-frame, clear span, metal-covered storage warehouses, each with 20,000-square feet of storage space located at rear. Approximately 20,000 square feet of open storage area located at rear of lower end.

Port Series: 68    Year of Last Survey: 2000    Corps of Engrs Waterway Code: 51616    Omaha District

## Port Facilities by Waterway

Waterway: **Missouri River** Mile: 616.2 PWD: 197  
 Name: **American Commercial Terminals, Omaha Terminal Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616,2, approximately 1,700 feet above Interstate Highway 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: 701 Abbott Drive Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: One surface track on apron joins additional terminal trackage in rear; connects with Union Pacific Railroad.  
 Purpose: Receipt of steel and paper products, baler twine and miscellaneous general cargo.  
 Depth Alongside (feet): 11 | | Latitude (decimal): 41.264444  
 Total Berthing Space (feet): 575 | | Longitude (decimal): -95.92306  
 Waterway: **Missouri River** Mile: 616.2 PWD: 197

Name: **American Commercial Terminals, Omaha Terminal Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616,2, approximately 1,700 feet above Interstate Highway 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: 701 Abbott Drive Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: One surface track on apron joins additional terminal trackage in rear; connects with Union Pacific Railroad.  
 Purpose: Receipt of steel and paper products, baler twine and miscellaneous general cargo.  
 Depth Alongside (feet): 11 | | Latitude (decimal): 41.264444  
 Total Berthing Space (feet): 575 | | Longitude (decimal): -95.92306  
 Waterway: **Missouri River** Mile: 616.2 PWD: 197

Name: **American Commercial Terminals, Omaha Terminal Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616,2, approximately 1,700 feet above Interstate Highway 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: 701 Abbott Drive Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: One surface track on apron joins additional terminal trackage in rear; connects with Union Pacific Railroad.  
 Purpose: Receipt of steel and paper products, baler twine and miscellaneous general cargo.  
 Depth Alongside (feet): 11 | | Latitude (decimal): 41.264444  
 Total Berthing Space (feet): 575 | | Longitude (decimal): -95.92306

## Port Facilities by Waterway

---

Waterway: **Missouri River** Mile: 616.2 PWD: 197  
 Name: **American Commercial Terminals, Omaha Terminal Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616,2, approximately 1,700 feet above Interstate Highway 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: 701 Abbott Drive Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: One surface track on apron joins additional terminal trackage in rear; connects with Union Pacific Railroad.  
 Purpose: Receipt of steel and paper products, baler twine and miscellaneous general cargo.  
 Depth Alongside (feet): 11 | | Latitude (decimal): 41.264444  
 Total Berthing Space (feet): 575 | | Longitude (decimal): -95.92306  
 Remarks: Two steel-frame, clear span, metal-covered storage warehouses, each with 20,000-square feet of storage space located at rear. Approximately 20,000 square feet of open storage area located at rear of lower end.

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engrs Waterway Code: 51616    Omaha District

---

Remarks: Two steel-frame, clear span, metal-covered storage warehouses, each with 20,000-square feet of storage space located at rear. Approximately 20,000 square feet of open storage area located at rear of lower end.

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engrs Waterway Code: 51616    Omaha District

---

Remarks: Two steel-frame, clear span, metal-covered storage warehouses, each with 20,000-square feet of storage space located at rear. Approximately 20,000 square feet of open storage area located at rear of lower end.

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engrs Waterway Code: 51616    Omaha District

---

Remarks: Two steel-frame, clear span, metal-covered storage warehouses, each with 20,000-square feet of storage space located at rear. Approximately 20,000 square feet of open storage area located at rear of lower end.

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engrs Waterway Code: 51616    Omaha District

---

## Port Facilities by Waterway

Waterway: **Missouri River** Mile: 616.2 PWD: 197  
 Name: **American Commercial Terminals, Omaha Terminal Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616,2, approximately 1,700 feet above Interstate Highway 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: 701 Abbott Drive Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: One surface track on apron joins additional terminal trackage in rear; connects with Union Pacific Railroad.  
 Purpose: Receipt of steel and paper products, baler twine and miscellaneous general cargo.  
 Depth Alongside (feet): 11 | | Latitude (decimal): 41.264444  
 Total Berthing Space (feet): 575 | | Longitude (decimal): -95.92306  
 Waterway: **Missouri River** Mile: 616.2 PWD: 197

Name: **American Commercial Terminals, Omaha Terminal Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616,2, approximately 1,700 feet above Interstate Highway 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: 701 Abbott Drive Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: One surface track on apron joins additional terminal trackage in rear; connects with Union Pacific Railroad.  
 Purpose: Receipt of steel and paper products, baler twine and miscellaneous general cargo.  
 Depth Alongside (feet): 11 | | Latitude (decimal): 41.264444  
 Total Berthing Space (feet): 575 | | Longitude (decimal): -95.92306  
 Waterway: **Missouri River** Mile: 616.2 PWD: 197

Name: **American Commercial Terminals, Omaha Terminal Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616,2, approximately 1,700 feet above Interstate Highway 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: 701 Abbott Drive Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: One surface track on apron joins additional terminal trackage in rear; connects with Union Pacific Railroad.  
 Purpose: Receipt of steel and paper products, baler twine and miscellaneous general cargo.  
 Depth Alongside (feet): 11 | | Latitude (decimal): 41.264444  
 Total Berthing Space (feet): 575 | | Longitude (decimal): -95.92306

## Port Facilities by Waterway

---

Waterway: **Missouri River** Mile: 616.2 PWD: 197  
 Name: **American Commercial Terminals, Omaha Terminal Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616,2, approximately 1,700 feet above Interstate Highway 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: 701 Abbott Drive Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: One surface track on apron joins additional terminal trackage in rear; connects with Union Pacific Railroad.  
 Purpose: Receipt of steel and paper products, baler twine and miscellaneous general cargo.  
 Depth Alongside (feet): 11 | | Latitude (decimal): 41.264444  
 Total Berthing Space (feet): 575 | | Longitude (decimal): -95.92306  
 Remarks: Two steel-frame, clear span, metal-covered storage warehouses, each with 20,000-square feet of storage space located at rear. Approximately 20,000 square feet of open storage area located at rear of lower end.

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

Remarks: Two steel-frame, clear span, metal-covered storage warehouses, each with 20,000-square feet of storage space located at rear. Approximately 20,000 square feet of open storage area located at rear of lower end.

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

Remarks: Two steel-frame, clear span, metal-covered storage warehouses, each with 20,000-square feet of storage space located at rear. Approximately 20,000 square feet of open storage area located at rear of lower end.

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

Remarks: Two steel-frame, clear span, metal-covered storage warehouses, each with 20,000-square feet of storage space located at rear. Approximately 20,000 square feet of open storage area located at rear of lower end.

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

## Port Facilities by Waterway

Waterway: **Missouri River** Mile: 616.3 PWD: 198  
 Name: **American Commercial Terminals, Omaha Grain Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.3, approximately 2,100 feet above Interstate Highway 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: One surface track serves undertrack pit at rear; joins additional terminal trackage; connects with Union Pacific Railroad.  
 Purpose: Shipment of grain, alfalfa pellets, and bone meal.  
 Depth Alongside (feet): 11 | | Latitude (decimal): 41.265278  
 Total Berthing Space (feet): 150 | | Longitude (decimal): -95.92361  
 Waterway: **Missouri River** Mile: 616.3 PWD: 198

Name: **American Commercial Terminals, Omaha Grain Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.3, approximately 2,100 feet above Interstate Highway 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: One surface track serves undertrack pit at rear; joins additional terminal trackage; connects with Union Pacific Railroad.  
 Purpose: Shipment of grain, alfalfa pellets, and bone meal.  
 Depth Alongside (feet): 11 | | Latitude (decimal): 41.265278  
 Total Berthing Space (feet): 150 | | Longitude (decimal): -95.92361  
 Waterway: **Missouri River** Mile: 616.3 PWD: 198

Name: **American Commercial Terminals, Omaha Grain Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.3, approximately 2,100 feet above Interstate Highway 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: One surface track serves undertrack pit at rear; joins additional terminal trackage; connects with Union Pacific Railroad.  
 Purpose: Shipment of grain, alfalfa pellets, and bone meal.  
 Depth Alongside (feet): 11 | | Latitude (decimal): 41.265278  
 Total Berthing Space (feet): 150 | | Longitude (decimal): -95.92361

## Port Facilities by Waterway

---

Waterway: **Missouri River** Mile: 616.3 PWD: 198  
 Name: **American Commercial Terminals, Omaha Grain Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.3, approximately 2,100 feet above Interstate Highway 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: One surface track serves undertrack pit at rear; joins additional terminal trackage; connects with Union Pacific Railroad.  
 Purpose: Shipment of grain, alfalfa pellets, and bone meal.  
 Depth Alongside (feet): 11 | | Latitude (decimal): 41.265278  
 Total Berthing Space (feet): 150 | | Longitude (decimal): -95.92361  
 Remarks: -□□

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

Remarks: -□□

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

Remarks: -□□

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

Remarks: -□□

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

## Port Facilities by Waterway

Waterway: **Missouri River** Mile: 616.3 PWD: 198  
 Name: **American Commercial Terminals, Omaha Grain Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.3, approximately 2,100 feet above Interstate Highway 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: One surface track serves undertrack pit at rear; joins additional terminal trackage; connects with Union Pacific Railroad.  
 Purpose: Shipment of grain, alfalfa pellets, and bone meal.  
 Depth Alongside (feet): 11 | | Latitude (decimal): 41.265278  
 Total Berthing Space (feet): 150 | | Longitude (decimal): -95.92361  
 Waterway: **Missouri River** Mile: 616.3 PWD: 198

Name: **American Commercial Terminals, Omaha Grain Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.3, approximately 2,100 feet above Interstate Highway 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: One surface track serves undertrack pit at rear; joins additional terminal trackage; connects with Union Pacific Railroad.  
 Purpose: Shipment of grain, alfalfa pellets, and bone meal.  
 Depth Alongside (feet): 11 | | Latitude (decimal): 41.265278  
 Total Berthing Space (feet): 150 | | Longitude (decimal): -95.92361  
 Waterway: **Missouri River** Mile: 616.3 PWD: 198

Name: **American Commercial Terminals, Omaha Grain Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.3, approximately 2,100 feet above Interstate Highway 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: One surface track serves undertrack pit at rear; joins additional terminal trackage; connects with Union Pacific Railroad.  
 Purpose: Shipment of grain, alfalfa pellets, and bone meal.  
 Depth Alongside (feet): 11 | | Latitude (decimal): 41.265278  
 Total Berthing Space (feet): 150 | | Longitude (decimal): -95.92361

## Port Facilities by Waterway

---

Waterway: **Missouri River** Mile: 616.3 PWD: 198  
 Name: **American Commercial Terminals, Omaha Grain Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.3, approximately 2,100 feet above Interstate Highway 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: One surface track serves undertrack pit at rear; joins additional terminal trackage; connects with Union Pacific Railroad.  
 Purpose: Shipment of grain, alfalfa pellets, and bone meal.  
 Depth Alongside (feet): 11 | | Latitude (decimal): 41.265278  
 Total Berthing Space (feet): 150 | | Longitude (decimal): -95.92361  
 Remarks: -□□

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

Remarks: -□□

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

Remarks: -□□

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

Remarks: -□□

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

## Port Facilities by Waterway

Waterway: **Missouri River** Mile: 616.3 PWD: 198  
 Name: **American Commercial Terminals, Omaha Grain Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.3, approximately 2,100 feet above Interstate Highway 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: One surface track serves undertrack pit at rear; joins additional terminal trackage; connects with Union Pacific Railroad.  
 Purpose: Shipment of grain, alfalfa pellets, and bone meal.  
 Depth Alongside (feet): 11 | | Latitude (decimal): 41.265278  
 Total Berthing Space (feet): 150 | | Longitude (decimal): -95.92361  
 Waterway: **Missouri River** Mile: 616.3 PWD: 198

Name: **American Commercial Terminals, Omaha Grain Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.3, approximately 2,100 feet above Interstate Highway 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: One surface track serves undertrack pit at rear; joins additional terminal trackage; connects with Union Pacific Railroad.  
 Purpose: Shipment of grain, alfalfa pellets, and bone meal.  
 Depth Alongside (feet): 11 | | Latitude (decimal): 41.265278  
 Total Berthing Space (feet): 150 | | Longitude (decimal): -95.92361  
 Waterway: **Missouri River** Mile: 616.3 PWD: 198

Name: **American Commercial Terminals, Omaha Grain Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.3, approximately 2,100 feet above Interstate Highway 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: One surface track serves undertrack pit at rear; joins additional terminal trackage; connects with Union Pacific Railroad.  
 Purpose: Shipment of grain, alfalfa pellets, and bone meal.  
 Depth Alongside (feet): 11 | | Latitude (decimal): 41.265278  
 Total Berthing Space (feet): 150 | | Longitude (decimal): -95.92361

## Port Facilities by Waterway

---

Waterway: **Missouri River** Mile: 616.3 PWD: 198  
 Name: **American Commercial Terminals, Omaha Grain Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.3, approximately 2,100 feet above Interstate Highway 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: One surface track serves undertrack pit at rear; joins additional terminal trackage; connects with Union Pacific Railroad.  
 Purpose: Shipment of grain, alfalfa pellets, and bone meal.  
 Depth Alongside (feet): 11 | | Latitude (decimal): 41.265278  
 Total Berthing Space (feet): 150 | | Longitude (decimal): -95.92361  
 Remarks: -□□

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

Remarks: -□□

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

Remarks: -□□

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

Remarks: -□□

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

## Port Facilities by Waterway

Waterway: **Missouri River** Mile: 616.3 PWD: 198  
 Name: **American Commercial Terminals, Omaha Grain Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.3, approximately 2,100 feet above Interstate Highway 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: One surface track serves undertrack pit at rear; joins additional terminal trackage; connects with Union Pacific Railroad.  
 Purpose: Shipment of grain, alfalfa pellets, and bone meal.  
 Depth Alongside (feet): 11 | | Latitude (decimal): 41.265278  
 Total Berthing Space (feet): 150 | | Longitude (decimal): -95.92361  
 Waterway: **Missouri River** Mile: 616.3 PWD: 198

Name: **American Commercial Terminals, Omaha Grain Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.3, approximately 2,100 feet above Interstate Highway 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: One surface track serves undertrack pit at rear; joins additional terminal trackage; connects with Union Pacific Railroad.  
 Purpose: Shipment of grain, alfalfa pellets, and bone meal.  
 Depth Alongside (feet): 11 | | Latitude (decimal): 41.265278  
 Total Berthing Space (feet): 150 | | Longitude (decimal): -95.92361  
 Waterway: **Missouri River** Mile: 616.3 PWD: 198

Name: **American Commercial Terminals, Omaha Grain Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.3, approximately 2,100 feet above Interstate Highway 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: One surface track serves undertrack pit at rear; joins additional terminal trackage; connects with Union Pacific Railroad.  
 Purpose: Shipment of grain, alfalfa pellets, and bone meal.  
 Depth Alongside (feet): 11 | | Latitude (decimal): 41.265278  
 Total Berthing Space (feet): 150 | | Longitude (decimal): -95.92361

## Port Facilities by Waterway

---

Waterway: **Missouri River** Mile: 616.3 PWD: 198  
 Name: **American Commercial Terminals, Omaha Grain Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.3, approximately 2,100 feet above Interstate Highway 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: One surface track serves undertrack pit at rear; joins additional terminal trackage; connects with Union Pacific Railroad.  
 Purpose: Shipment of grain, alfalfa pellets, and bone meal.  
 Depth Alongside (feet): 11 | | Latitude (decimal): 41.265278  
 Total Berthing Space (feet): 150 | | Longitude (decimal): -95.92361  
 Remarks: -□□

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

Remarks: -□□

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

Remarks: -□□

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

Remarks: -□□

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

## Port Facilities by Waterway

---

Waterway: **Missouri River** Mile: 616.4 PWD: 199  
Name: **American Commercial Terminals, Omaha Loading Platform Dock.**  
Port: Missouri/Arkansas R.  
Location: Right bank, Missouri River, mile 616.4, approximately 2,200 feet above Interstate Highway 480 Bridge. Datum: CRP  
Operator: American Commercial Terminals, LLC.  
Owner: City of Omaha.  
Address: Phone: 402/341-1300  
Town: Omaha State: NE County: Douglas  
Railway Connection: Trackage serving terminal in rear connects with Union Pacific Railroad.  
Purpose: Occasional receipt and shipment of dry bulk fertilizer and other miscellaneous dry bulk materials.  
Depth Alongside (feet): 11 | | Latitude (decimal): 41.266111  
Total Berthing Space (feet): 180 | | Longitude (decimal): -95.92306  
Waterway: **Missouri River** Mile: 616.4 PWD: 199  
Name: **American Commercial Terminals, Omaha Loading Platform Dock.**  
Port: Missouri/Arkansas R.  
Location: Right bank, Missouri River, mile 616.4, approximately 2,200 feet above Interstate Highway 480 Bridge. Datum: CRP  
Operator: American Commercial Terminals, LLC.  
Owner: City of Omaha.  
Address: Phone: 402/341-1300  
Town: Omaha State: NE County: Douglas  
Railway Connection: Trackage serving terminal in rear connects with Union Pacific Railroad.  
Purpose: Occasional receipt and shipment of dry bulk fertilizer and other miscellaneous dry bulk materials.  
Depth Alongside (feet): 11 | | Latitude (decimal): 41.266111  
Total Berthing Space (feet): 180 | | Longitude (decimal): -95.92306  
Waterway: **Missouri River** Mile: 616.4 PWD: 199  
Name: **American Commercial Terminals, Omaha Loading Platform Dock.**  
Port: Missouri/Arkansas R.  
Location: Right bank, Missouri River, mile 616.4, approximately 2,200 feet above Interstate Highway 480 Bridge. Datum: CRP  
Operator: American Commercial Terminals, LLC.  
Owner: City of Omaha.  
Address: Phone: 402/341-1300  
Town: Omaha State: NE County: Douglas  
Railway Connection: Trackage serving terminal in rear connects with Union Pacific Railroad.  
Purpose: Occasional receipt and shipment of dry bulk fertilizer and other miscellaneous dry bulk materials.  
Depth Alongside (feet): 11 | | Latitude (decimal): 41.266111  
Total Berthing Space (feet): 180 | | Longitude (decimal): -95.92306

## Port Facilities by Waterway

---

Waterway: **Missouri River** Mile: 616.4 PWD: 199  
 Name: **American Commercial Terminals, Omaha Loading Platform Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.4, approximately 2,200 feet above Interstate Highway 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: Trackage serving terminal in rear connects with Union Pacific Railroad.  
 Purpose: Occasional receipt and shipment of dry bulk fertilizer and other miscellaneous dry bulk materials.  
 Depth Alongside (feet): 11 | | Latitude (decimal): 41.266111  
 Total Berthing Space (feet): 180 | | Longitude (decimal): -95.92306  
 Remarks: -□□

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engrs Waterway Code: 51616    Omaha District

---

Remarks: -□□

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engrs Waterway Code: 51616    Omaha District

---

Remarks: -□□

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engrs Waterway Code: 51616    Omaha District

---

Remarks: -□□

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engrs Waterway Code: 51616    Omaha District

---

## Port Facilities by Waterway

Waterway: **Missouri River** Mile: 616.4 PWD: 199  
 Name: **American Commercial Terminals, Omaha Loading Platform Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.4, approximately 2,200 feet above Interstate Highway 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: Trackage serving terminal in rear connects with Union Pacific Railroad.  
 Purpose: Occasional receipt and shipment of dry bulk fertilizer and other miscellaneous dry bulk materials.  
 Depth Alongside (feet): 11 | | Latitude (decimal): 41.266111  
 Total Berthing Space (feet): 180 | | Longitude (decimal): -95.92306  
 Waterway: **Missouri River** Mile: 616.4 PWD: 199  
 Name: **American Commercial Terminals, Omaha Loading Platform Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.4, approximately 2,200 feet above Interstate Highway 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: Trackage serving terminal in rear connects with Union Pacific Railroad.  
 Purpose: Occasional receipt and shipment of dry bulk fertilizer and other miscellaneous dry bulk materials.  
 Depth Alongside (feet): 11 | | Latitude (decimal): 41.266111  
 Total Berthing Space (feet): 180 | | Longitude (decimal): -95.92306  
 Waterway: **Missouri River** Mile: 616.4 PWD: 199  
 Name: **American Commercial Terminals, Omaha Loading Platform Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.4, approximately 2,200 feet above Interstate Highway 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: Trackage serving terminal in rear connects with Union Pacific Railroad.  
 Purpose: Occasional receipt and shipment of dry bulk fertilizer and other miscellaneous dry bulk materials.  
 Depth Alongside (feet): 11 | | Latitude (decimal): 41.266111  
 Total Berthing Space (feet): 180 | | Longitude (decimal): -95.92306

## Port Facilities by Waterway

---

Waterway: **Missouri River** Mile: 616.4 PWD: 199  
 Name: **American Commercial Terminals, Omaha Loading Platform Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.4, approximately 2,200 feet above Interstate Highway 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: Trackage serving terminal in rear connects with Union Pacific Railroad.  
 Purpose: Occasional receipt and shipment of dry bulk fertilizer and other miscellaneous dry bulk materials.  
 Depth Alongside (feet): 11 | | Latitude (decimal): 41.266111  
 Total Berthing Space (feet): 180 | | Longitude (decimal): -95.92306  
 Remarks: -□□

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engrs Waterway Code: 51616    Omaha District

---

Remarks: -□□

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engrs Waterway Code: 51616    Omaha District

---

Remarks: -□□

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engrs Waterway Code: 51616    Omaha District

---

Remarks: -□□

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engrs Waterway Code: 51616    Omaha District

---

## Port Facilities by Waterway

---

Waterway: **Missouri River** Mile: 616.4 PWD: 199  
Name: **American Commercial Terminals, Omaha Loading Platform Dock.**  
Port: Missouri/Arkansas R.  
Location: Right bank, Missouri River, mile 616.4, approximately 2,200 feet above Interstate Highway 480 Bridge. Datum: CRP  
Operator: American Commercial Terminals, LLC.  
Owner: City of Omaha.  
Address: Phone: 402/341-1300  
Town: Omaha State: NE County: Douglas  
Railway Connection: Trackage serving terminal in rear connects with Union Pacific Railroad.  
Purpose: Occasional receipt and shipment of dry bulk fertilizer and other miscellaneous dry bulk materials.  
Depth Alongside (feet): 11 | | Latitude (decimal): 41.266111  
Total Berthing Space (feet): 180 | | Longitude (decimal): -95.92306  
Waterway: **Missouri River** Mile: 616.4 PWD: 199  
Name: **American Commercial Terminals, Omaha Loading Platform Dock.**  
Port: Missouri/Arkansas R.  
Location: Right bank, Missouri River, mile 616.4, approximately 2,200 feet above Interstate Highway 480 Bridge. Datum: CRP  
Operator: American Commercial Terminals, LLC.  
Owner: City of Omaha.  
Address: Phone: 402/341-1300  
Town: Omaha State: NE County: Douglas  
Railway Connection: Trackage serving terminal in rear connects with Union Pacific Railroad.  
Purpose: Occasional receipt and shipment of dry bulk fertilizer and other miscellaneous dry bulk materials.  
Depth Alongside (feet): 11 | | Latitude (decimal): 41.266111  
Total Berthing Space (feet): 180 | | Longitude (decimal): -95.92306  
Waterway: **Missouri River** Mile: 616.4 PWD: 199  
Name: **American Commercial Terminals, Omaha Loading Platform Dock.**  
Port: Missouri/Arkansas R.  
Location: Right bank, Missouri River, mile 616.4, approximately 2,200 feet above Interstate Highway 480 Bridge. Datum: CRP  
Operator: American Commercial Terminals, LLC.  
Owner: City of Omaha.  
Address: Phone: 402/341-1300  
Town: Omaha State: NE County: Douglas  
Railway Connection: Trackage serving terminal in rear connects with Union Pacific Railroad.  
Purpose: Occasional receipt and shipment of dry bulk fertilizer and other miscellaneous dry bulk materials.  
Depth Alongside (feet): 11 | | Latitude (decimal): 41.266111  
Total Berthing Space (feet): 180 | | Longitude (decimal): -95.92306

## Port Facilities by Waterway

---

Waterway: **Missouri River** Mile: 616.4 PWD: 199  
 Name: **American Commercial Terminals, Omaha Loading Platform Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.4, approximately 2,200 feet above Interstate Highway 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: Trackage serving terminal in rear connects with Union Pacific Railroad.  
 Purpose: Occasional receipt and shipment of dry bulk fertilizer and other miscellaneous dry bulk materials.  
 Depth Alongside (feet): 11 | | Latitude (decimal): 41.266111  
 Total Berthing Space (feet): 180 | | Longitude (decimal): -95.92306  
 Remarks: -□□

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engrs Waterway Code: 51616    Omaha District

---

Remarks: -□□

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engrs Waterway Code: 51616    Omaha District

---

Remarks: -□□

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engrs Waterway Code: 51616    Omaha District

---

Remarks: -□□

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engrs Waterway Code: 51616    Omaha District

---

## Port Facilities by Waterway

---

Waterway: **Missouri River** Mile: 616.4 PWD: 199  
Name: **American Commercial Terminals, Omaha Loading Platform Dock.**  
Port: Missouri/Arkansas R.  
Location: Right bank, Missouri River, mile 616.4, approximately 2,200 feet above Interstate Highway 480 Bridge. Datum: CRP  
Operator: American Commercial Terminals, LLC.  
Owner: City of Omaha.  
Address: Phone: 402/341-1300  
Town: Omaha State: NE County: Douglas  
Railway Connection: Trackage serving terminal in rear connects with Union Pacific Railroad.  
Purpose: Occasional receipt and shipment of dry bulk fertilizer and other miscellaneous dry bulk materials.  
Depth Alongside (feet): 11 | | Latitude (decimal): 41.266111  
Total Berthing Space (feet): 180 | | Longitude (decimal): -95.92306  
Waterway: **Missouri River** Mile: 616.4 PWD: 199  
Name: **American Commercial Terminals, Omaha Loading Platform Dock.**  
Port: Missouri/Arkansas R.  
Location: Right bank, Missouri River, mile 616.4, approximately 2,200 feet above Interstate Highway 480 Bridge. Datum: CRP  
Operator: American Commercial Terminals, LLC.  
Owner: City of Omaha.  
Address: Phone: 402/341-1300  
Town: Omaha State: NE County: Douglas  
Railway Connection: Trackage serving terminal in rear connects with Union Pacific Railroad.  
Purpose: Occasional receipt and shipment of dry bulk fertilizer and other miscellaneous dry bulk materials.  
Depth Alongside (feet): 11 | | Latitude (decimal): 41.266111  
Total Berthing Space (feet): 180 | | Longitude (decimal): -95.92306  
Waterway: **Missouri River** Mile: 616.4 PWD: 199  
Name: **American Commercial Terminals, Omaha Loading Platform Dock.**  
Port: Missouri/Arkansas R.  
Location: Right bank, Missouri River, mile 616.4, approximately 2,200 feet above Interstate Highway 480 Bridge. Datum: CRP  
Operator: American Commercial Terminals, LLC.  
Owner: City of Omaha.  
Address: Phone: 402/341-1300  
Town: Omaha State: NE County: Douglas  
Railway Connection: Trackage serving terminal in rear connects with Union Pacific Railroad.  
Purpose: Occasional receipt and shipment of dry bulk fertilizer and other miscellaneous dry bulk materials.  
Depth Alongside (feet): 11 | | Latitude (decimal): 41.266111  
Total Berthing Space (feet): 180 | | Longitude (decimal): -95.92306

## Port Facilities by Waterway

---

Waterway: **Missouri River** Mile: 616.4 PWD: 199  
 Name: **American Commercial Terminals, Omaha Loading Platform Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.4, approximately 2,200 feet above Interstate Highway 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: Trackage serving terminal in rear connects with Union Pacific Railroad.  
 Purpose: Occasional receipt and shipment of dry bulk fertilizer and other miscellaneous dry bulk materials.  
 Depth Alongside (feet): 11 | | Latitude (decimal): 41.266111  
 Total Berthing Space (feet): 180 | | Longitude (decimal): -95.92306  
 Remarks: -□□

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engnr's Waterway Code: 51616    Omaha District

Remarks: -□□

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engnr's Waterway Code: 51616    Omaha District

Remarks: -□□

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engnr's Waterway Code: 51616    Omaha District

Remarks: -□□

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engnr's Waterway Code: 51616    Omaha District

---

Waterway: **Missouri River** Mile: 616.4 PWD: 200

Name: **Carbogen, North Omaha Plant, Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.4, approximately 2,500 feet above Interstate Highway 480 Bridge. Datum: CRP  
 Operator: Not operated.  
 Owner: City of Omaha.  
 Address: 701 Abbott Drive Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: Two surface tracks, total capacity 14 cars, serve terminal at rear; connect with Union Pacific Railroad.

Purpose: Not used.

Depth Alongside (feet): 11 | | Latitude (decimal): 41.266389

Total Berthing Space (feet): 175 | | Longitude (decimal): -95.92278

Remarks: Wharf formerly was used for receipt of molasses and livestock feed. One 12-inch, pipeline blanked at time of survey (2000) extends from wharf to 18 steel storage tanks at terminal in rear, total capacity 52,060 tons. Storage tanks are being used for storage of asphalt in a land-based operation.

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engnr's Waterway Code: 51616    Omaha District

## Port Facilities by Waterway

Waterway: **Missouri River** Mile: 616.5 PWD: 201  
 Name: **American Commercial Terminals, Omaha Fertilizer Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.5, approximately 2,800 feet above Interstate 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: 701 Abbott Drive Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: Two marginal surface tracks, total capacity 11 cars, serve undertrack pit at rear, join additional terminal trackage; connect with Union Pacific Railroad.  
 Purpose: Receipt of dry bulk fertilizer and livestock feed.  
 Depth Alongside (feet): 9 | | Latitude (decimal): 41.267222  
 Total Berthing Space (feet): 235 | | Longitude (decimal): -95.92222  
 Waterway: **Missouri River** Mile: 616.5 PWD: 201

Name: **American Commercial Terminals, Omaha Fertilizer Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.5, approximately 2,800 feet above Interstate 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: 701 Abbott Drive Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: Two marginal surface tracks, total capacity 11 cars, serve undertrack pit at rear, join additional terminal trackage; connect with Union Pacific Railroad.  
 Purpose: Receipt of dry bulk fertilizer and livestock feed.  
 Depth Alongside (feet): 9 | | Latitude (decimal): 41.267222  
 Total Berthing Space (feet): 235 | | Longitude (decimal): -95.92222  
 Waterway: **Missouri River** Mile: 616.5 PWD: 201

Name: **American Commercial Terminals, Omaha Fertilizer Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.5, approximately 2,800 feet above Interstate 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: 701 Abbott Drive Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: Two marginal surface tracks, total capacity 11 cars, serve undertrack pit at rear, join additional terminal trackage; connect with Union Pacific Railroad.  
 Purpose: Receipt of dry bulk fertilizer and livestock feed.  
 Depth Alongside (feet): 9 | | Latitude (decimal): 41.267222  
 Total Berthing Space (feet): 235 | | Longitude (decimal): -95.92222

## Port Facilities by Waterway

---

Waterway: **Missouri River** Mile: 616.5 PWD: 201  
 Name: **American Commercial Terminals, Omaha Fertilizer Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.5, approximately 2,800 feet above Interstate 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: 701 Abbott Drive Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: Two marginal surface tracks, total capacity 11 cars, serve undertrack pit at rear, join additional terminal trackage; connect with Union Pacific Railroad.  
 Purpose: Receipt of dry bulk fertilizer and livestock feed.  
 Depth Alongside (feet): 9 | | Latitude (decimal): 41.267222  
 Total Berthing Space (feet): 235 | | Longitude (decimal): -95.92222  
 Remarks: Two timber A-frame storage buildings at rear have total capacity for 49,200 tons of material. □

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

Remarks: Two timber A-frame storage buildings at rear have total capacity for 49,200 tons of material. □

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

Remarks: Two timber A-frame storage buildings at rear have total capacity for 49,200 tons of material. □

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

Remarks: Two timber A-frame storage buildings at rear have total capacity for 49,200 tons of material. □

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

## Port Facilities by Waterway

Waterway: **Missouri River** Mile: 616.5 PWD: 201  
 Name: **American Commercial Terminals, Omaha Fertilizer Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.5, approximately 2,800 feet above Interstate 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: 701 Abbott Drive Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: Two marginal surface tracks, total capacity 11 cars, serve undertrack pit at rear, join additional terminal trackage; connect with Union Pacific Railroad.  
 Purpose: Receipt of dry bulk fertilizer and livestock feed.  
 Depth Alongside (feet): 9 | | Latitude (decimal): 41.267222  
 Total Berthing Space (feet): 235 | | Longitude (decimal): -95.92222  
 Waterway: **Missouri River** Mile: 616.5 PWD: 201

Name: **American Commercial Terminals, Omaha Fertilizer Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.5, approximately 2,800 feet above Interstate 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: 701 Abbott Drive Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: Two marginal surface tracks, total capacity 11 cars, serve undertrack pit at rear, join additional terminal trackage; connect with Union Pacific Railroad.  
 Purpose: Receipt of dry bulk fertilizer and livestock feed.  
 Depth Alongside (feet): 9 | | Latitude (decimal): 41.267222  
 Total Berthing Space (feet): 235 | | Longitude (decimal): -95.92222  
 Waterway: **Missouri River** Mile: 616.5 PWD: 201

Name: **American Commercial Terminals, Omaha Fertilizer Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.5, approximately 2,800 feet above Interstate 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: 701 Abbott Drive Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: Two marginal surface tracks, total capacity 11 cars, serve undertrack pit at rear, join additional terminal trackage; connect with Union Pacific Railroad.  
 Purpose: Receipt of dry bulk fertilizer and livestock feed.  
 Depth Alongside (feet): 9 | | Latitude (decimal): 41.267222  
 Total Berthing Space (feet): 235 | | Longitude (decimal): -95.92222

## Port Facilities by Waterway

---

Waterway: **Missouri River** Mile: 616.5 PWD: 201  
 Name: **American Commercial Terminals, Omaha Fertilizer Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.5, approximately 2,800 feet above Interstate 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: 701 Abbott Drive Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: Two marginal surface tracks, total capacity 11 cars, serve undertrack pit at rear, join additional terminal trackage; connect with Union Pacific Railroad.  
 Purpose: Receipt of dry bulk fertilizer and livestock feed.  
 Depth Alongside (feet): 9 | | Latitude (decimal): 41.267222  
 Total Berthing Space (feet): 235 | | Longitude (decimal): -95.92222  
 Remarks: Two timber A-frame storage buildings at rear have total capacity for 49,200 tons of material. □

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

Remarks: Two timber A-frame storage buildings at rear have total capacity for 49,200 tons of material. □

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

Remarks: Two timber A-frame storage buildings at rear have total capacity for 49,200 tons of material. □

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

Remarks: Two timber A-frame storage buildings at rear have total capacity for 49,200 tons of material. □

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

## Port Facilities by Waterway

Waterway: **Missouri River** Mile: 616.5 PWD: 201  
 Name: **American Commercial Terminals, Omaha Fertilizer Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.5, approximately 2,800 feet above Interstate 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: 701 Abbott Drive Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: Two marginal surface tracks, total capacity 11 cars, serve undertrack pit at rear, join additional terminal trackage; connect with Union Pacific Railroad.  
 Purpose: Receipt of dry bulk fertilizer and livestock feed.  
 Depth Alongside (feet): 9 | | Latitude (decimal): 41.267222  
 Total Berthing Space (feet): 235 | | Longitude (decimal): -95.92222  
 Waterway: **Missouri River** Mile: 616.5 PWD: 201

Name: **American Commercial Terminals, Omaha Fertilizer Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.5, approximately 2,800 feet above Interstate 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: 701 Abbott Drive Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: Two marginal surface tracks, total capacity 11 cars, serve undertrack pit at rear, join additional terminal trackage; connect with Union Pacific Railroad.  
 Purpose: Receipt of dry bulk fertilizer and livestock feed.  
 Depth Alongside (feet): 9 | | Latitude (decimal): 41.267222  
 Total Berthing Space (feet): 235 | | Longitude (decimal): -95.92222  
 Waterway: **Missouri River** Mile: 616.5 PWD: 201

Name: **American Commercial Terminals, Omaha Fertilizer Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.5, approximately 2,800 feet above Interstate 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: 701 Abbott Drive Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: Two marginal surface tracks, total capacity 11 cars, serve undertrack pit at rear, join additional terminal trackage; connect with Union Pacific Railroad.  
 Purpose: Receipt of dry bulk fertilizer and livestock feed.  
 Depth Alongside (feet): 9 | | Latitude (decimal): 41.267222  
 Total Berthing Space (feet): 235 | | Longitude (decimal): -95.92222

## Port Facilities by Waterway

---

Waterway: **Missouri River** Mile: 616.5 PWD: 201  
 Name: **American Commercial Terminals, Omaha Fertilizer Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.5, approximately 2,800 feet above Interstate 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: 701 Abbott Drive Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: Two marginal surface tracks, total capacity 11 cars, serve undertrack pit at rear, join additional terminal trackage; connect with Union Pacific Railroad.  
 Purpose: Receipt of dry bulk fertilizer and livestock feed.  
 Depth Alongside (feet): 9 | | Latitude (decimal): 41.267222  
 Total Berthing Space (feet): 235 | | Longitude (decimal): -95.92222  
 Remarks: Two timber A-frame storage buildings at rear have total capacity for 49,200 tons of material. □

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

Remarks: Two timber A-frame storage buildings at rear have total capacity for 49,200 tons of material. □

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

Remarks: Two timber A-frame storage buildings at rear have total capacity for 49,200 tons of material. □

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

Remarks: Two timber A-frame storage buildings at rear have total capacity for 49,200 tons of material. □

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

## Port Facilities by Waterway

Waterway: **Missouri River** Mile: 616.5 PWD: 201  
 Name: **American Commercial Terminals, Omaha Fertilizer Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.5, approximately 2,800 feet above Interstate 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: 701 Abbott Drive Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: Two marginal surface tracks, total capacity 11 cars, serve undertrack pit at rear, join additional terminal trackage; connect with Union Pacific Railroad.  
 Purpose: Receipt of dry bulk fertilizer and livestock feed.  
 Depth Alongside (feet): 9 | | Latitude (decimal): 41.267222  
 Total Berthing Space (feet): 235 | | Longitude (decimal): -95.92222  
 Waterway: **Missouri River** Mile: 616.5 PWD: 201

Name: **American Commercial Terminals, Omaha Fertilizer Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.5, approximately 2,800 feet above Interstate 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: 701 Abbott Drive Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: Two marginal surface tracks, total capacity 11 cars, serve undertrack pit at rear, join additional terminal trackage; connect with Union Pacific Railroad.  
 Purpose: Receipt of dry bulk fertilizer and livestock feed.  
 Depth Alongside (feet): 9 | | Latitude (decimal): 41.267222  
 Total Berthing Space (feet): 235 | | Longitude (decimal): -95.92222  
 Waterway: **Missouri River** Mile: 616.5 PWD: 201

Name: **American Commercial Terminals, Omaha Fertilizer Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 616.5, approximately 2,800 feet above Interstate 480 Bridge. Datum: CRP  
 Operator: American Commercial Terminals, LLC.  
 Owner: City of Omaha.  
 Address: 701 Abbott Drive Phone: 402/341-1300  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: Two marginal surface tracks, total capacity 11 cars, serve undertrack pit at rear, join additional terminal trackage; connect with Union Pacific Railroad.  
 Purpose: Receipt of dry bulk fertilizer and livestock feed.  
 Depth Alongside (feet): 9 | | Latitude (decimal): 41.267222  
 Total Berthing Space (feet): 235 | | Longitude (decimal): -95.92222

## Port Facilities by Waterway

---

Waterway: **Missouri River** Mile: 616.5 PWD: 201  
Name: **American Commercial Terminals, Omaha Fertilizer Dock.**  
Port: Missouri/Arkansas R.  
Location: Right bank, Missouri River, mile 616.5, approximately 2,800 feet above Interstate 480 Bridge. Datum: CRP  
Operator: American Commercial Terminals, LLC.  
Owner: City of Omaha.  
Address: 701 Abbott Drive Phone: 402/341-1300  
Town: Omaha State: NE County: Douglas  
Railway Connection: Two marginal surface tracks, total capacity 11 cars, serve undertrack pit at rear, join additional terminal trackage; connect with Union Pacific Railroad.  
Purpose: Receipt of dry bulk fertilizer and livestock feed.  
Depth Alongside (feet): 9 | | Latitude (decimal): 41.267222  
Total Berthing Space (feet): 235 | | Longitude (decimal): -95.92222  
Remarks: Two timber A-frame storage buildings at rear have total capacity for 49,200 tons of material. □

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

Remarks: Two timber A-frame storage buildings at rear have total capacity for 49,200 tons of material. □

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

Remarks: Two timber A-frame storage buildings at rear have total capacity for 49,200 tons of material. □

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

Remarks: Two timber A-frame storage buildings at rear have total capacity for 49,200 tons of material. □

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51616    Omaha District

---

Waterway: **Missouri River** Mile: 624.0 PWD: 202  
Name: **American Commercial Terminals, Heartland Terminal Dock.**  
Port: Missouri/Arkansas R.  
Location: Right bank, Missouri River, mile 624.0, approximately 2.5 mile below Mormon (Interstate Highway 680) Bri Datum: CRP  
Operator: American Commercial Terminals, LLC.  
Owner: American Commercial Terminals, LLC.  
Address: 6801 North 9th Street Phone: 402/341-1300  
Town: Omaha State: NE County: Douglas  
Railway Connection: Two surface tracks, total capacity 8 cars serve undertrack pit in rear; connect with Union Pacific Railroad.  
Purpose: Receipt of dry bulk fertilizer and livestock feed.  
Depth Alongside (feet): 9 | | Latitude (decimal): 41.32  
Total Berthing Space (feet): 400 | | Longitude (decimal): -95.92417  
Remarks: Two steel A-frame, metal-covered storage buildings at rear have total capacity for 33,000 tons of dry bulk material. In addition, two 60,000-square foot, asphalt-paved, open storage areas are located adjacent to buildings.

---

Port Series: 68    Year of Last Survey: 2000    Corps of Engnrs Waterway Code: 51624    Omaha District

---

## Port Facilities by Waterway

---

Waterway: **Missouri River** Mile: 624.2 PWD: 203  
Name: **LaFarge Corp., Omaha Terminal Dock.**  
Port: Missouri/Arkansas R.  
Location: Right bank, Missouri River, mile 624.2, approximately 2.3 miles below Mormon Datum: CRP  
(Interstate Highway 680) Br  
Operator: LaFarge Corp.  
Owner: LaFarge Corp.  
Address: 1106 Ida Street Phone: 402/453-6433  
Town: Omaha State: NE County: Douglas  
Railway Connection: One surface track, total capacity 13 cars, connects with Union Pacific Railroad.  
Purpose: Receipt of cement.  
Depth Alongside (feet): 16 | | Latitude (decimal): 41.321389  
Total Berthing Space (feet): 300 | | Longitude (decimal): -95.92806  
Remarks: Cement distribution terminal in rear consisting of 4 concrete silos with one interstice has capacity for 19,800 tons. □  
Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51624 Omaha District

---

Waterway: **Missouri River** Mile: 626.8 PWD: 205  
Name: **U.S. Coast Guard Moorings - Omaha.**  
Port: Missouri/Arkansas R.  
Location: Right bank, mile 626.8 lower side of rectangular basin located 2,000 feet above Datum: CRP  
Mormon (Interstate Highw  
Operator: U.S. Coast Guard.  
Owner: United States Government.  
Address: 9801 Pershing Drive Phone: 402/451-7083  
Town: Omaha State: NE County: Douglas  
Railway Connection: None.  
Purpose: Handling navigational aids, supplies and equipment; mooring U.S. Coast Guard Cutter 'Gasconade'.  
Depth Alongside (feet): 8 | | Latitude (decimal): 41.350556  
Total Berthing Space (feet): 175 | | Longitude (decimal): -95.95083  
Remarks: One 4-inch sewer line serves wharf. U.S. Coast Guard Equipment repair maintenance and storage facilities located at rear. □  
Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51626 Omaha District

---

## Port Facilities by Waterway

---

Waterway: **Missouri River** Mile: 626.9 PWD: 206  
Name: **U.S. Army Corps of Engineers, Missouri River Project Office, Dock.**  
Port: Missouri/Arkansas R.  
Location: Right bank, Missouri River, mile 626.9, inner side of rectangular basin located 2,000 feet above Mormon Datum: CRP  
Operator: U.S. Army Corps of Engineers, Omaha District.  
Owner: United State Government.  
Address: 9901 Pershing Drive Phone: 402/453-9202  
Town: Omaha State: NE County: Douglas  
Railway Connection: None.  
Purpose: Handling construction supplies and equipment; mooring government floating equipment.  
Depth Alongside (feet): 8 | | Latitude (decimal): 41.351944  
Total Berthing Space (feet): 150 | | Longitude (decimal): -95.95167  
Remarks: U.S. Army Corps of Engineers heavy equipment repair maintenance and storage facilities located at rear. □

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51626 Omaha District

---

Waterway: **Missouri River** Mile: 640.5 PWD: 207  
Name: **Fort Calhoun Stone Co., Quarry Dock.**  
Port: Missouri/Arkansas R.  
Location: Right bank, Missouri River, mile 640.5, approximately 8 miles below Blair (U.S. Highway 30) Bridge. Datum: CRP  
Operator: Fort Calhoun Stone Co.  
Owner: Fort Calhoun Stone Co.  
Address: Phone: 402/468-5153  
Town: Fort Calhoun State: NE County: Washington  
Railway Connection: None.  
Purpose: Shipment of stone, predominantly for bank protection.  
Depth Alongside (feet): 10 | | Latitude (decimal): 41.4725  
Total Berthing Space (feet): 195 | | Longitude (decimal): -96.0075  
Remarks: Open storage area at quarry in rear has capacity for 50,000 tons of stone. □□

Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51640 Omaha District

---

## Port Facilities by Waterway

Waterway: **Missouri River** Mile: 646.5 PWD: 204  
 Name: **Pentzien Omaha Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 624.5, approximately 2 miles below Mormon (Interstate Highway 680) Brid Datum: CRP  
 Operator: Pentzien, Inc.  
 Owner: Pentzien, Inc.  
 Address: 1500 Read Street Phone: 402/451-2838  
 Town: Omaha State: NE County: Douglas  
 Railway Connection: None.  
 Purpose: Handling construction materials and equipment.  
 Depth Alongside (feet): 16 | | Latitude (decimal): 41.324167  
 Total Berthing Space (feet): 300 | | Longitude (decimal): -95.93278  
 Remarks: Approximately 2.2 acres of storage area for supplies located at rear. Additional storage area for equipment and supplies and equipment maintenance facilities located on opposite side of levee.  
 Port Series: 68 Year of Last Survey: 2000 Corps of Engrns Waterway Code: 51624 Omaha District

Waterway: **Missouri River** Mile: 647.7 PWD: 208  
 Name: **Terra Nitrogen Corp., Blair Terminal Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Right bank, Missouri River, mile 647.7, approximately 0.5 mile below Blair (U.S. Highway 30) Bridge. Datum: CRP  
 Operator: Not operated.  
 Owner: Terra Nitrogen Corp.  
 Address: 250 Industrial Park Road Phone: 402/426-4164  
 Town: Blair State: NE County: Washington  
 Railway Connection: Two surface tracks, total capacity 25 cars, serve 4 loading stations at terminal in rear; connect with Union Pacific Railroad.  
 Purpose: Not used.  
 Depth Alongside (feet): 12 - 16 | | Latitude (decimal): 41.5425  
 Total Berthing Space (feet): 475 | | Longitude (decimal): -96.09611  
 Remarks: Wharf formerly was used for receipt of anhydrous ammonia and liquid fertilizer. Pipelines have been removed. □  
 Port Series: 68 Year of Last Survey: 2000 Corps of Engrns Waterway Code: 51647 Omaha District

## Port Facilities by Waterway

---

Waterway: **Missouri River** Mile: 648.2 PWD: 209  
Name: **Consolidated Blenders, Blair Terminal Dock.**  
Port: Missouri/Arkansas R.  
Location: Right bank, Missouri River, mile 648.2, below Blair (U.S. Highway 30) Bridge. Datum: CRP  
Operator: Consolidated Blenders, Inc.  
Owner: Consolidated Blenders, Inc.  
Address: 650 Marina Road Phone: 402/426-4504  
Town: Blair State: NE County: Washington  
Railway Connection: None.  
Purpose: Shipment of dehydrated alfalfa.  
Depth Alongside (feet): 8 | | Latitude (decimal): 41.548889  
Total Berthing Space (feet): 350 | | Longitude (decimal): -96.09667  
Remarks: Alfalfa storage elevator at rear consisting of 5 steel tanks has capacity for 10,000 tons. □  
Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51648 Omaha District

---

Waterway: **Missouri River** Mile: 716.9 PWD: 210  
Name: **Ag Processing, Sergeant Bluff Grain Elevator Dock.**  
Port: Missouri/Arkansas R.  
Location: Left bank, Missouri River, mile 716.9, approximately 11.5 miles below Sioux City. Datum: CRP  
Operator: Ag Processing, Inc.  
Owner: Ag Processing, Inc.  
Address: 2753 Port Neal Circle. Phone: 712/943-4282  
Town: Sergeant Bluff State: IA County: Woodbury  
Railway Connection: Six surface tracks, total capacity 150 cars serves undertrack pit and loading spout at elevator in rear connect with Union Pacific Railroad.  
Purpose: Shipment of soybean meal and hulls.  
Depth Alongside (feet): 8 | | Latitude (decimal): 42.297778  
Total Berthing Space (feet): 1,019 | | Longitude (decimal): -96.35056  
Remarks: Soybean meal elevator at rear consisting of 22 concrete silos with 28 interstices and 8 head house bins has total capacity for 3,500,000 bushels. □  
Port Series: 68 Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51717 Omaha District

---

## Port Facilities by Waterway

---

Waterway: **Missouri River** Mile: 717.0 PWD: 211  
Name: **Farmland Industries; Sergeant Bluff, Dock.**  
Port: Missouri/Arkansas R.  
Location: Left bank, Missouri River, mile 717.0, approximately 11.5 miles below Sioux City. Datum: CRP  
Operator: Farmland Industries.  
Owner: Farmland Industries.  
Address: 2735 Port Neal Circle. Phone: 712/943-5624  
Town: Sergeant Bluff State: IA County: Woodbury  
Railway Connection: Four surface tracks, total capacity 60 cars serves loading spout in rear connects with Union Pacific Railroad.  
Purpose: Receipt of dry bulk and liquid fertilizer.  
Depth Alongside (feet): 9 | | Latitude (decimal): 42.299167  
Total Berthing Space (feet): 350 | | Longitude (decimal): -96.35111  
Remarks: Two concrete storage domes at rear have total capacity for 20,000 tons of dry bulk fertilizer. One 10-inch pipeline extends from wharf to one 3,640,000 gallon liquid fertilizer storage tank.  
Port Series: 68 Year of Last Survey: 2000 Corps of Engrns Waterway Code: 51717 Omaha District

---

Waterway: **Missouri River** Mile: 727.0 PWD: 212  
Name: **Sioux By-Products Dock.**  
Port: Missouri/Arkansas R.  
Location: Left bank, Missouri River, mile 727.0, approximately 1.5 miles below Interstate Highway 129 Bridge. Datum: CRP  
Operator: Not operated.  
Owner: Sioux By-Products Division of Darling-Delaware, Inc.  
Address: 1900 Murray Road Phone: 712/258-7524  
Town: Sioux City State: IA County: Woodbury  
Railway Connection: One surface track serving 3 loading stations at plant in rear connects with Union Pacific Railroad.  
Purpose: Not used.  
Depth Alongside (feet): 10 | | Latitude (decimal): 42.425556  
Total Berthing Space (feet): 150 | | Longitude (decimal): -96.39111  
Remarks: Wharf formerly was used for the shipment of tallow. One 8-inch pipeline extends to wharf from 2 steel storage tanks at plant in rear, total capacity 2,200 tons.  
Port Series: 68 Year of Last Survey: 2000 Corps of Engrns Waterway Code: 51727 Omaha District

---

## Port Facilities by Waterway

Waterway: **Missouri River** Mile: 727.4 PWD: 213  
 Name: **Jebro Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Left bank, Missouri River, mile 727.4, approximately 1.2 miles below Interstate Highway 129 Bridge. Datum: CRP  
 Operator: Jebro, Inc.  
 Owner: Jebro, Inc.  
 Address: 2303 Bridgeport Drive Phone: 712/277-8855  
 Town: Sioux City State: IA County: Woodbury  
 Railway Connection: One 22-car-capacity surface track serves plant in rear; connects with Union Pacific Railroad.  
 Purpose: Receipt of asphalt.  
 Depth Alongside (feet): 9 | | Latitude (decimal): 42.431667  
 Total Berthing Space (feet): 300 | | Longitude (decimal): -96.39472  
 Remarks: One 8-inch pipeline extends from wharf to 25 steel storage tanks at ready-mix asphalt plant in rear, total capacity 200,000 barrels. One 2-inch auxiliary steam line serves wharf.  
 Port Series: 68 Year of Last Survey: 2000 Corps of Engrns Waterway Code: 51727 Omaha District

Waterway: **Missouri River** Mile: 727.8 PWD: 214  
 Name: **Big Soo Terminal Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Left bank, Missouri River, mile 727.8, approximately 0.7 mile below Interstate Highway 129 Bridge. Datum: CRP□  
 Operator: Terminal Grain Corp. d.b.a. Big Soo Terminal.  
 Owner: Terminal Grain Corp.  
 Address: 4101 Harbor Drive Phone: 712/258-0537  
 Town: Sioux City State: IA County: Woodbury  
 Railway Connection: Four surface tracks, total capacity 48 cars, serving 5 loading spouts and one undertrack pit connect with Union Pacific Railroad.  
 Purpose: Handling general cargo; receipt of liquid and dry fertilizer; soybean oil, tallow, paper and steel products, scrap metal, and miscellaneous dry bulk materials, including, salt and feed; Shipment of grain.  
 Depth Alongside (feet): 8 | | Latitude (decimal): 42.436944  
 Total Berthing Space (feet): 12 | | Longitude (decimal): -96.38222  
 Remarks: One 8-inch pipeline extends from lower end of berth to 2 steel, soybean oil storage tanks, total capacity 2,000,000 gallons, and one 8-inch pipeline extends from upper dolphin to 3 steel liquid fertilizer storage tanks, total capacity 2,400,000 gallons and 4 liquid tallow storage tanks total capacity 10,18,7000 gallons. One 3-inch steam line serves upper dolphin. Four, timber, and one steel A-frame fertilizer storage warehouses have total capacity for 129,000 tons. Grain elevator at rear consisting of 6 concrete silos and 2 interstices has total capacity for 200,000 bushels. Approximately 25,000 square feet of asphalt paved, open storage area is located at terminal. One 17,000-square foot, concrete block, transit shed is located at rear of lower end. Fleeting area located at shore moorings above wharf has capacity for 12 barges berthed 2-abreast.  
 Port Series: 68 Year of Last Survey: 2000 Corps of Engrns Waterway Code: 51727 Omaha District

## Port Facilities by Waterway

Waterway: **Missouri River** Mile: 731.2 PWD: 215  
 Name: **Nutra-Flo Co. Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Left bank, Missouri River, mile 731.2, above mouth of Floyd River. Datum: CRP  
 Operator: Not operated.  
 Owner: Kay-Flo Industries.  
 Address: 514 South Floyd Boulevard Phone: 712/279-1938  
 Town: Sioux City State: IA County: Woodbury  
 Railway Connection: Two surface tracks with total capacity for 20 cars serve plant on opposite side of Interstate Highway 29; connect with Union Pacific Railroad.  
 Purpose: Not used.  
 Depth Alongside (feet): 8 | | Latitude (decimal): 42.483889  
 Total Berthing Space (feet): 250 | | Longitude (decimal): -96.39194  
 Remarks: One 8- and one 6-inch pipelines disconnected at time of survey (2000) extend from center platform to one 300,000-gallon storage tank at plant on opposite side of Interstate Highway 29.  
 Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 51731 Omaha District

Waterway: **Missouri River** Mile: 731.4 PWD: 216  
 Name: **Argosy's Belle of Sioux City Casino Boat Dock.**  
 Port: Missouri/Arkansas R.  
 Location: Left bank, Missouri River, mile 731.4, approximately 1,000 feet above mouth of Floyd River. Datum: CRP  
 Operator: Argosy's Belle of Sioux City.  
 Owner: City of Sioux City.  
 Address: 100 Larsen Park Road Phone: 712/255-0552  
 Town: Sioux City State: IA County: Woodbury  
 Railway Connection: None.  
 Purpose: Landing for Casino Boat 'Belle of Sioux City'.  
 Depth Alongside (feet): 8 | 8 | Latitude (decimal): 42.484722  
 Total Berthing Space (feet): 285 | | Longitude (decimal): -96.39389  
 Remarks: Vessel berths end-to upper side of float and provides periodic river excursions. Larsen Park parking lot located at rear. □  
 Port Series: 68 Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 51731 Omaha District