PORT OF PITTSBURGH, PA

Section Included: Ohio River from Pittsburgh, PA to mile 40 (Pennsylvania/Ohio State Line); Allegheny River from Pittsburgh, PA to mile 72(to head of project); Monongahela River from Pittsburgh, PA to mile 91(to head of project). Includes Aliquippa-Rochester, Pittsburgh, Clairton-Elizabeth.
Maintained Depth: 9 feet.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1993	44,490	1996	50,874	1999	52,931	**2002**	**52,051**
1994	49,056	1997	51,662	2000	53,923		
1995	48,850	1998	52,904	2001	53,009		

Port limits extended in cy 1993.

Freight Traffic, 2002 (thousand short tons)

Commodity		Grand Total	Internal		
			Receipts	Shipments	Intraport
Total, all commodities		**52,051**	**21,665**	**12,998**	**17,387**
Total coal		**40,809**	**14,174**	**11,741**	**14,893**
1100	coal lignite	40,430	14,125	11,411	14,893
1200	coal coke	379	49	330	—
Total petroleum and petroleum products		**1,982**	**1,520**	**326**	**136**
Subtotal petroleum products		**1,982**	**1,520**	**326**	**136**
2211	gasoline	507	456	34	17
2221	kerosene	29	29	—	—
2330	distillate fuel oil	638	267	251	119
2340	residual fuel oil	76	63	13	—
2350	lube oil & greases	336	335	1	—
2410	petro. jelly & waxes	42	35	7	—
2429	naphtha & solvents	43	43	—	—
2430	asphalt, tar & pitch	250	233	17	—
2540	petroleum coke	60	59	1	—
Total chemicals and related products		**995**	**880**	**115**	**—**
Subtotal fertilizers		**105**	**69**	**36**	**—**
3110	nitrogenous fert.	89	53	36	—
3130	potassic fert.	11	11	—	—
3190	fert. & mixes nec	5	5	—	—
Subtotal other chemicals and related products		**890**	**811**	**79**	**—**
3212	benzene & toluene	48	1	47	—
3219	other hydrocarbons	285	269	16	—
3220	alcohols	187	187	—	—
3230	carboxylic acids	48	48	—	—
3260	organic comp. nec	90	90	—	—
3273	ammonia	40	40	—	—
3274	sodium hydroxide	135	135	—	—
3275	inorg. elem., oxides, & halogen salts	1	1	—	—
3276	metallic salts	19	3	16	—
3279	inorganic chem. nec	32	32	—	—
3299	chem. products nec	5	5	—	—
Total crude materials, inedible except fuels		**5,682**	**3,082**	**243**	**2,358**
Subtotal forest products, wood and chips		**32**	**32**	**—**	**—**
4161	wood chips	28	28	—	—
4190	forest products nec	4	4	—	—
Subtotal soil, sand, gravel, rock and stone		**4,238**	**2,096**	**9**	**2,133**
4322	limestone	1,064	1,041	—	23
4323	gypsum	524	521	—	3
4331	sand & gravel	2,650	534	9	2,107
Subtotal iron ore and scrap		**378**	**159**	**219**	**—**
4410	iron ore	66	66	—	—
4420	iron & steel scrap	312	93	219	—
Subtotal non-ferrous ores and scrap		**235**	**224**	**11**	**—**
4650	aluminum ore	91	91	—	—
4670	manganese ore	41	35	6	—
4690	non-ferrous ores nec	103	98	5	—
Subtotal sulphur, clay and salt		**69**	**69**	**0**	**—**
4782	clay & refrac. mat.	69	69	0	—
Subtotal slag		**260**	**33**	**2**	**225**
4860	slag	260	33	2	225
Subtotal other non-metal. min.		**470**	**469**	**2**	**—**
4900	non-metal. min. nec	470	469	2	—
Total primary manufactured goods		**2,532**	**1,968**	**564**	**—**
Subtotal paper products		**21**	**21**	**—**	**—**
5110	newsprint	21	21	—	—
Subtotal lime, cement and glass		**670**	**666**	**4**	**—**
5210	lime	512	512	—	—
5220	cement & concrete	152	152	—	—
5240	glass & glass prod.	4	—	4	—
5290	misc. mineral prod.	1	1	—	—
Subtotal primary iron and steel products		**1,661**	**1,104**	**557**	**—**
5312	pig iron	186	186	—	—
5315	ferro alloys	478	434	43	—
5320	i&s primary forms	225	2	223	—
5330	i&s plates & sheets	412	189	223	—
5360	i&s bars & shapes	244	242	1	—

PORT OF PITTSBURGH, PA
Freight Traffic, 2002 - continued
(thousand short tons)

Commodity		Grand Total	Internal		
			Receipts	Shipments	Intraport
5370	i&s pipe & tube	59	—-	59	—-
5390	primary i&s nec	56	50	6	—-
Subtotal primary non-ferrous metal products		**181**	**178**	**3**	**—-**
5422	aluminum	14	14	—-	—-
5429	smelted prod. nec	33	33	—-	—-
5480	fab. metal products	134	131	3	—-
Total food and farm products		**47**	**39**	**8**	**—-**
Subtotal grain		**7**	**7**	**—-**	**—-**
6442	rice	3	3	—-	—-
6443	barley & rye	2	2	—-	—-
6445	oats	2	2	—-	—-
Subtotal oilseeds		**7**	**3**	**3**	**—-**
6522	soybeans	3	—-	3	—-
6590	oilseeds nec	3	3	—-	—-
Subtotal processed grain and animal feed		**29**	**29**	**—-**	**—-**
6782	animal feed, prep.	29	29	—-	—-
Subtotal other agricultural products		**4**	**—-**	**4**	**—-**
6838	tallow, animal oils	4	—-	4	—-
Total all manufactured equipment, machinery and products		**3**	**2**	**1**	**—-**
7110	machinery (not elec)	3	2	1	—-

MONONGAHELA RIVER, PA AND WV

Section Included: Pittsburgh, PA to Fairmont, WV, 128.7 miles. Maintained Depth: 9 feet.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1993	33,072	1996	36,588	1999	37,677	**2002**	**38,240**
1994	36,865	1997	37,159	2000	37,291		
1995	34,444	1998	36,753	2001	38,071		

Freight Traffic, 2002 (thousand short tons)

Commodity		Grand Total	Internal			
			Inbound	Outbound	Intra	
			Upbound	Downbnd	Upbound	Downbnd
Total, all commodities		**38,240**	**10,015**	**12,563**	**9,763**	**5,899**
Total coal		**34,797**	**8,082**	**11,423**	**9,521**	**5,773**
1100	coal lignite	34,461	8,073	11,094	9,521	5,773
1200	coal coke	337	8	328	—	—
Total petroleum and petroleum products		**519**	**403**	**101**	**15**	**—**
	Subtotal petroleum products	**519**	**403**	**101**	**15**	**—**
2211	gasoline	17	17	—	—	—
2330	distillate fuel oil	218	128	75	15	—
2340	residual fuel oil	11	11	—	—	—
2350	lube oil & greases	4	3	1	—	—
2410	petro. jelly & waxes	7	—	7	—	—
2430	asphalt, tar & pitch	250	233	17	—	—
2540	petroleum coke	11	11	—	—	—
Total chemicals and related products		**267**	**233**	**35**	**—**	**—**
	Subtotal fertilizers	**61**	**26**	**35**	**—**	**—**
3110	nitrogenous fert.	57	23	35	—	—
3130	potassic fert.	3	3	—	—	—
	Subtotal other chemicals and related products	**207**	**207**	**—**	**—**	**—**
3219	other hydrocarbons	6	6	—	—	—
3220	alcohols	1	1	—	—	—
3230	carboxylic acids	48	48	—	—	—
3260	organic comp. nec	73	73	—	—	—
3273	ammonia	40	40	—	—	—
3274	sodium hydroxide	38	38	—	—	—
3276	metallic salts	1	1	—	—	—
Total crude materials, inedible except fuels		**2,144**	**1,007**	**784**	**227**	**126**
	Subtotal forest products, wood and chips	**14**	**14**	**—**	**—**	**—**
4161	wood chips	14	14	—	—	—
	Subtotal soil, sand, gravel, rock and stone	**1,427**	**594**	**705**	**2**	**126**
4322	limestone	845	15	704	1	124
4331	sand & gravel	582	579	1	1	2
	Subtotal iron ore and scrap	**236**	**161**	**75**	**—**	**—**
4410	iron ore	120	120	—	—	—
4420	iron & steel scrap	116	41	75	—	—
	Subtotal non-ferrous ores and scrap	**28**	**23**	**4**	**—**	**—**
4650	aluminum ore	12	12	—	—	—
4670	manganese ore	4	—	4	—	—
4690	non-ferrous ores nec	11	11	—	—	—
	Subtotal sulphur, clay and salt	**23**	**23**	**—**	**—**	**—**
4782	clay & refrac. mat.	23	23	—	—	—
	Subtotal slag	**225**	**—**	**—**	**225**	**—**
4860	slag	225	—	—	225	—
	Subtotal other non-metal. min.	**191**	**191**	**—**	**—**	**—**
4900	non-metal. min. nec	191	191	—	—	—
Total primary manufactured goods		**476**	**256**	**221**	**—**	**—**
	Subtotal paper products	**21**	**21**	**—**	**—**	**—**
5110	newsprint	21	21	—	—	—
	Subtotal lime, cement and glass	**75**	**75**	**—**	**—**	**—**
5210	lime	73	73	—	—	—
5290	misc. mineral prod.	1	1	—	—	—
	Subtotal primary iron and steel products	**368**	**149**	**219**	**—**	**—**
5312	pig iron	37	37	—	—	—
5315	ferro alloys	6	6	—	—	—
5330	i&s plates & sheets	219	—	219	—	—
5360	i&s bars & shapes	104	104	—	—	—
5390	primary i&s nec	2	2	—	—	—
	Subtotal primary non-ferrous metal products	**13**	**11**	**2**	**—**	**—**
5429	smelted prod. nec	10	10	—	—	—
5480	fab. metal products	2	1	2	—	—

MONONGAHELA RIVER, PA AND WV
Freight Traffic, 2002 - continued
(thousand short tons)

Commodity	Grand Total	Internal			
		Inbound	Outbound	Intra	
		Upbound	Downbnd	Upbound	Downbnd
Total food and farm products	**36**	**36**	**—-**	**—-**	**—-**
Subtotal grain	**3**	**3**	**—-**	**—-**	**—-**
6442 rice	3	3	—-	—-	—-
Subtotal oilseeds	**3**	**3**	**—-**	**—-**	**—-**
6590 oilseeds nec	3	3	—-	—-	—-
Subtotal processed grain and animal feed	**29**	**29**	**—-**	**—-**	**—-**
6782 animal feed, prep.	29	29	—-	—-	—-
Ton-miles (x1000)	**1,355,598**	**236,204**	**836,237**	**148,741**	**134,416**

Tons All Traffic (x1000)	**38,240**
Ton-miles All Traffic (x1000)	**1,355,598**
Total Trip-ton-miles Internal and Intraport (x1000)	**9,837,687**

ALLEGHENY RIVER, PA IMPROVED PORTION

Section Included: Pittsburgh, PA to above East Brady, PA, improved portion 72 miles. Maintained Depth: 9 feet.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1993	3,069	1996	3,340	1999	4,009	**2002**	**2,824**
1994	3,192	1997	3,893	2000	3,791		
1995	3,362	1998	3,868	2001	2,961		

Freight Traffic, 2002 (thousand short tons)

Commodity		Grand Total	Internal			
			Inbound	Outbound	Intra	
			Upbound	Downbnd	Upbound	Downbnd
Total, all commodities		**2,824**	**1,480**	**183**	**367**	**794**
Total coal		**1,053**	**963**	**89**	**1**	**—-**
1100	coal lignite	1,045	954	89	1	—
1200	coal coke	9	9	—	—	—
Total petroleum and petroleum products		**175**	**161**	**13**	**—-**	**—-**
Subtotal petroleum products		**175**	**161**	**13**	**—-**	**—-**
2330	distillate fuel oil	21	21	—	—	—
2340	residual fuel oil	13	—	13	—	—
2350	lube oil & greases	106	106	—	—	—
2410	petro. jelly & waxes	35	35	—	—	—
Total chemicals and related products		**133**	**124**	**10**	**—-**	**—-**
Subtotal fertilizers		**5**	**5**	**—-**	**—-**	**—-**
3110	nitrogenous fert.	5	5	—	—	—
Subtotal other chemicals and related products		**129**	**119**	**10**	**—-**	**—-**
3220	alcohols	104	104	—	—	—
3276	metallic salts	10	—	10	—	—
3279	inorganic chem. nec	15	15	—	—	—
Total crude materials, inedible except fuels		**1,337**	**111**	**66**	**366**	**794**
Subtotal soil, sand, gravel, rock and stone		**1,233**	**49**	**24**	**366**	**794**
4322	limestone	16	16	—	—	—
4323	gypsum	6	3	3	—	—
4331	sand & gravel	1,211	30	21	366	794
Subtotal iron ore and scrap		**66**	**24**	**42**	**—-**	**—-**
4410	iron ore	24	24	—	—	—
4420	iron & steel scrap	42	—	42	—	—
Subtotal non-ferrous ores and scrap		**17**	**17**	**—-**	**—-**	**—-**
4650	aluminum ore	9	9	—	—	—
4670	manganese ore	1	1	—	—	—
4690	non-ferrous ores nec	6	6	—	—	—
Subtotal sulphur, clay and salt		**10**	**10**	**—-**	**—-**	**—-**
4782	clay & refrac. mat.	10	10	—	—	—
Subtotal slag		**3**	**3**	**—-**	**—-**	**—-**
4860	slag	3	3	—	—	—
Subtotal other non-metal. min.		**8**	**8**	**—-**	**—-**	**—-**
4900	non-metal. min. nec	8	8	—	—	—
Total primary manufactured goods		**120**	**116**	**4**	**—-**	**—-**
Subtotal lime, cement and glass		**4**	**—-**	**4**	**—-**	**—-**
5240	glass & glass prod.	4	—	4	—	—
Subtotal primary iron and steel products		**108**	**108**	**—-**	**—-**	**—-**
5312	pig iron	42	42	—	—	—
5315	ferro alloys	65	65	—	—	—
Subtotal primary non-ferrous metal products		**8**	**8**	**—-**	**—-**	**—-**
5429	smelted prod. nec	5	5	—	—	—
5480	fab. metal products	4	4	—	—	—
Total food and farm products		**3**	**3**	**—-**	**—-**	**—-**
Subtotal grain		**3**	**3**	**—-**	**—-**	**—-**
6443	barley & rye	2	2	—	—	—
6445	oats	2	2	—	—	—
Total all manufactured equipment, machinery and products		**2**	**2**	**—-**	**—-**	**—-**
7110	machinery (not elec)	2	2	—	—	—
Ton-miles (x1000)		**40,860**	**27,479**	**3,300**	**372**	**9,710**

Tons All Traffic (x1000)	**2,824**
Ton-miles All Traffic (x1000)	**40,860**
Total Trip-ton-miles Internal and Intraport (x1000)	**1,104,960**

OHIO RIVER

Section Included: Pittsburgh, PA to Mouth of River, 981 miles. Maintained Depth: 9 feet.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1993	227,235	1996	237,688	1999	240,789	**2002**	**243,147**
1994	236,655	1997	239,757	2000	236,304		
1995	234,064	1998	242,901*	2001	242,503		

*Revised after original year of publication

Freight Traffic, 2002 (thousand short tons)

Commodity	Total	Domestic Coastwise Through Upbound
Total, all commodities	**1**	**1**
Total primary manufactured goods	**1**	**1**
Subtotal primary iron and steel products	**1**	**1**
5360 i&s bars & shapes	1	1
Ton-miles (x1000)	**46**	**46**
Domestic		

Commodity	Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total, all commodities	**243,146**	**40,674**	**28,085**	**16,453**	**38,126**	**19,444**	**20,241**	**40,529**	**39,595**
Total coal	**131,039**	**17,065**	**25,785**	**9,355**	**16,649**	**3,725**	**6,973**	**27,947**	**23,539**
1100 coal lignite	129,355	16,410	25,723	9,342	16,383	3,593	6,476	27,900	23,529
1200 coal coke	1,684	655	62	14	266	132	497	48	10
Total petroleum and petroleum products	**19,746**	**4,058**	**1,027**	**1,295**	**1,854**	**5,059**	**674**	**1,724**	**4,057**
Subtotal crude petroleum	**162**	**—-**	**—-**	**26**	**55**	**—-**	**14**	**67**	**—-**
2100 crude petroleum	162	—	—	26	55	—	14	67	—
Subtotal petroleum products	**19,585**	**4,058**	**1,027**	**1,269**	**1,799**	**5,059**	**660**	**1,657**	**4,057**
2211 gasoline	7,099	953	205	609	773	711	47	997	2,804
2221 kerosene	114	51	—	1	1	—	—	29	31
2330 distillate fuel oil	4,687	1,307	85	411	417	719	92	622	1,035
2340 residual fuel oil	844	287	3	41	109	103	240	—	59
2350 lube oil & greases	850	514	74	3	73	115	42	3	27
2410 petro. jelly & waxes	42	—	—	—	—	35	7	—	—
2429 naphtha & solvents	195	86	86	—	7	7	8	—	1
2430 asphalt, tar & pitch	2,495	503	568	174	48	877	222	5	98
2540 petroleum coke	3,119	357	—	24	311	2,424	1	1	—
2640 liquid natural gas	42	—	—	5	33	3	—	—	2
2990 petro. products nec	100	—	7	—	28	64	1	—	—
Total chemicals and related products	**9,740**	**5,246**	**340**	**31**	**762**	**2,608**	**471**	**208**	**73**
Subtotal fertilizers	**2,604**	**1,557**	**—-**	**17**	**311**	**450**	**39**	**172**	**59**
3110 nitrogenous fert.	1,546	1,134	—	—	60	262	36	42	11
3120 phosphatic fert.	53	49	—	—	—	3	—	—	—
3130 potassic fert.	699	147	—	17	250	104	3	130	48
3190 fert. & mixes nec	307	226	—	—	—	81	—	—	—
Subtotal other chemicals and related products	**7,136**	**3,690**	**340**	**14**	**451**	**2,159**	**432**	**36**	**14**
3211 acyclic hydrocarbons	90	83	—	—	—	—	7	—	—
3212 benzene & toluene	204	49	1	—	48	104	1	—	—
3219 other hydrocarbons	2,964	1,848	339	1	34	676	65	—	—
3220 alcohols	1,370	840	—	1	5	383	141	—	—
3230 carboxylic acids	319	70	—	—	—	249	—	—	—
3240 nitrogen func. comp.	428	60	—	—	23	340	—	4	—
3260 organic comp. nec	307	11	—	3	209	73	5	6	—
3273 ammonia	202	145	—	—	—	58	—	—	—
3274 sodium hydroxide	912	510	—	9	32	243	77	26	14
3275 inorg. elem., oxides, & halogen salts	206	26	—	—	70	4	106	—	—
3276 metallic salts	50	21	—	—	8	1	19	—	—
3279 inorganic chem. nec	37	20	—	—	1	15	—	—	—
3281 radioactive material	5	—	—	—	—	—	5	—	—
3297 chemical additives	13	—	—	—	—	13	—	—	—
3298 wood & resin chem.	2	—	—	—	2	—	—	—	—
3299 chem. products nec	28	5	—	—	18	—	5	—	—

OHIO RIVER
Freight Traffic, 2002 - continued
(thousand short tons)

Commodity	Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total crude materials, inedible except fuels	**52,216**	**8,955**	**871**	**5,342**	**5,236**	**2,803**	**10,049**	**8,266**	**10,695**
Subtotal forest products, wood and chips	**300**	**26**	**—-**	**—-**	**20**	**14**	**240**	**—-**	**—-**
4161 wood chips	295	21	—	—	20	14	240	—	—
4189 lumber	0	0	—	—	—	—	—	—	—
4190 forest products nec	4	4	—	—	—	—	—	—	—
Subtotal soil, sand, gravel, rock and stone	**39,279**	**541**	**765**	**5,328**	**4,410**	**220**	**9,231**	**8,156**	**10,630**
4310 building stone	13	—	—	—	3	—	9	—	—
4322 limestone	21,276	76	720	1,098	1,638	67	7,770	4,099	5,807
4323 gypsum	2,835	236	16	3	971	28	568	416	596
4331 sand & gravel	14,515	196	29	4,226	1,798	76	335	3,639	4,216
4335 waterway improv. mat	640	33	—	—	—	48	548	1	10
Subtotal iron ore and scrap	**6,041**	**4,139**	**102**	**4**	**660**	**498**	**521**	**74**	**42**
4410 iron ore	4,269	3,791	—	—	2	427	46	2	2
4420 iron & steel scrap	1,772	348	102	4	658	72	475	72	39
Subtotal non-ferrous ores and scrap	**3,442**	**2,709**	**4**	**1**	**59**	**661**	**3**	**—-**	**5**
4650 aluminum ore	2,641	2,198	—	—	—	443	—	—	—
4670 manganese ore	413	361	4	1	25	21	—	—	—
4690 non-ferrous ores nec	389	150	—	—	34	197	3	—	5
Subtotal sulphur, clay and salt	**237**	**154**	**—-**	**—-**	**3**	**43**	**37**	**—-**	**0**
4782 clay & refrac. mat.	237	154	—	—	3	43	37	—	0
Subtotal slag	**177**	**46**	**—-**	**3**	**78**	**5**	**7**	**24**	**14**
4860 slag	177	46	—	3	78	5	7	24	14
Subtotal other non-metal. min.	**2,740**	**1,340**	**—-**	**5**	**7**	**1,361**	**10**	**12**	**5**
4900 non-metal. min. nec	2,740	1,340	—	5	7	1,361	10	12	5
Total primary manufactured goods	**13,003**	**4,807**	**59**	**304**	**1,710**	**2,237**	**461**	**2,271**	**1,154**
Subtotal paper products	**21**	**—-**	**—-**	**—-**	**—-**	**21**	**—-**	**—-**	**—-**
5110 newsprint	21	—	—	—	—	21	—	—	—
Subtotal lime, cement and glass	**5,300**	**687**	**—-**	**298**	**559**	**769**	**100**	**2,069**	**818**
5210 lime	2,705	560	—	73	3	159	—	1,158	752
5220 cement & concrete	2,589	127	—	225	556	608	96	911	66
5240 glass & glass prod.	4	—	—	—	—	—	4	—	—
5290 misc. mineral prod.	2	1	—	—	—	1	—	—	—
Subtotal primary iron and steel products	**6,340**	**3,264**	**57**	**—-**	**969**	**1,207**	**315**	**196**	**332**
5312 pig iron	1,998	1,684	—	—	3	310	1	—	—
5315 ferro alloys	641	476	—	—	41	105	9	—	10
5320 i&s primary forms	522	232	—	—	28	41	1	—	220
5330 i&s plates & sheets	1,551	242	57	—	560	300	172	174	45
5360 i&s bars & shapes	890	525	—	—	2	343	19	—	1
5370 i&s pipe & tube	221	18	—	—	96	—	107	—	—
5390 primary i&s nec	518	87	—	—	241	108	4	22	55
Subtotal primary non-ferrous metal products	**1,342**	**856**	**2**	**6**	**182**	**241**	**46**	**5**	**4**
5421 copper	1	1	—	—	—	—	—	—	—
5422 aluminum	452	369	—	—	—	83	—	—	—
5429 smelted prod. nec	185	35	—	—	33	113	4	—	—
5480 fab. metal products	704	451	2	6	148	46	41	5	4
Total food and farm products	**17,334**	**525**	**4**	**125**	**11,902**	**3,006**	**1,592**	**113**	**67**
Subtotal grain	**8,030**	**97**	**2**	**13**	**5,217**	**2,153**	**549**	**—-**	**—-**
6241 wheat	817	19	—	—	392	291	116	—	—
6344 corn	7,067	14	2	13	4,776	1,830	433	—	—
6442 rice	10	2	—	—	2	7	—	—	—
6443 barley & rye	30	27	—	—	1	2	—	—	—
6445 oats	59	35	—	—	—	24	—	—	—
6447 sorghum grains	47	—	—	—	47	—	—	—	—
Subtotal oilseeds	**6,398**	**374**	**2**	**14**	**4,295**	**768**	**779**	**100**	**67**
6522 soybeans	3,653	374	2	—	1,965	763	382	100	67
6590 oilseeds nec	2,744	—	—	14	2,329	5	397	—	—
Subtotal vegetable products	**372**	**—-**	**—-**	**99**	**181**	**—-**	**80**	**13**	**—-**
6653 vegetable oils	368	—	—	99	177	—	80	13	—
6654 vegetables & prod.	4	—	—	—	4	—	—	—	—
Subtotal processed grain and animal feed	**2,486**	**10**	**—-**	**—-**	**2,205**	**86**	**185**	**—-**	**—-**
6747 grain mill products	171	—	—	—	116	—	55	—	—
6782 animal feed, prep.	2,315	10	—	—	2,089	86	130	—	—
Subtotal other agricultural products	**49**	**45**	**—-**	**—-**	**4**	**—-**	**—-**	**—-**	**—-**
6838 tallow, animal oils	4	—	—	—	4	—	—	—	—
6865 molasses	39	39	—	—	—	—	—	—	—
6885 alcoholic beverages	6	6	—	—	—	—	—	—	—

OHIO RIVER
Freight Traffic, 2002 - continued
(thousand short tons)

Commodity	Total	Internal								
		Inbound		Outbound		Through		Intra		
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total all manufactured equipment, machinery and products	**63**	**18**	**—-**	**—-**	**10**	**5**	**21**	**—-**	**8**
7110 machinery (not elec)	52	13	—-	—-	6	5	21	—-	8
7120 electrical machinery	0	0	—-	—-	—-	—-	—-	—-	—-
7230 ships & boats	1	1	—-	—-	—-	—-	—-	—-	—-
7500 textile products	4	4	—-	—-	—-	—-	—-	—-	—-
7600 rubber & plastic pr.	4	—-	—-	—-	4	—-	—-	—-	—-
Total waste and scrap nec	**4**	**—-**	**—-**	**—-**	**4**	**—-**	**—-**	**—-**	**—-**
8900 waste and scrap nec	4	—-	—-	—-	4	—-	—-	—-	—-
Ton-miles Internal (x1000)	**57,523,563**	**17,339,305**	**4,789,638**	**3,168,442**	**7,197,484**	**3,856,380**	**6,228,358**	**8,196,177**	**6,747,778**

Tons All Traffic (x1000) **243,147**
Ton-miles All Traffic (x1000) **57,523,608**
Total Trip-ton-miles Internal and Intraport (x1000) **128,289,391**

OHIO RIVER SYSTEM

Section Included: Main Channels and all navigable tributaries and embayments of the Ohio, Tennessee, and Cumberland Rivers.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1993	257,281	1996	270,932	1999	277,902	**2002**	**280,878**
1994	270,539	1997	274,859	2000	274,372		
1995	267,604	1998	278,811*	2001	281,801		

*Revised after original year of publication

Freight Traffic, 2002 (thousand short tons)

Commodity	Grand Total	Domestic							
		Coastwise	Internal						
		Receipts	Inbound		Outbound		Through	Intra	
			Upbound	Downbnd	Upbound	Downbnd	Upbound	Upbound	Downbnd
Total, all commodities	**280,878**	**1**	**44,894**	**141**	**1,837**	**43,715**	**40**	**114,197**	**76,053**
Total coal	**158,804**	**—-**	**5,283**	**—-**	**885**	**12,297**	**1**	**84,431**	**55,907**
1100 coal lignite	157,118	—	4,517	—	885	11,539	—	84,342	55,835
1200 coal coke	1,686	—	766	—	—	759	1	89	72
Total petroleum and petroleum products	**20,538**	**—-**	**9,348**	**15**	**—-**	**924**	**—-**	**5,166**	**5,084**
Subtotal crude petroleum	**459**	**—-**	**156**	**—-**	**—-**	**155**	**—-**	**148**	**—-**
2100 crude petroleum	459	—	156	—	—	155	—	148	—
Subtotal petroleum products	**20,079**	**—-**	**9,192**	**15**	**—-**	**770**	**—-**	**5,018**	**5,084**
2211 gasoline	7,298	—	1,843	—	—	19	—	2,428	3,009
2221 kerosene	114	—	49	—	—	—	—	34	31
2330 distillate fuel oil	4,772	—	2,067	—	—	8	—	1,578	1,120
2340 residual fuel oil	847	—	348	—	—	248	—	188	63
2350 lube oil & greases	850	—	568	—	—	114	—	67	101
2410 petro. jelly & waxes	42	—	9	—	—	7	—	26	—
2429 naphtha & solvents	198	—	55	—	—	18	—	38	88
2430 asphalt, tar & pitch	2,530	—	1,276	15	—	112	—	460	666
2540 petroleum coke	3,160	—	2,783	—	—	239	—	139	—
2640 liquid natural gas	42	—	3	—	—	—	—	37	2
2990 petro. products nec	227	—	192	—	—	5	—	24	7
Total chemicals and related products	**10,575**	**—-**	**8,244**	**3**	**—-**	**1,224**	**—-**	**640**	**464**
Subtotal fertilizers	**2,617**	**—-**	**2,013**	**3**	**—-**	**230**	**—-**	**304**	**66**
3110 nitrogenous fert.	1,547	—	1,395	—	—	41	—	100	11
3120 phosphatic fert.	57	—	57	—	—	—	—	—	—
3130 potassic fert.	701	—	250	3	—	188	—	204	55
3190 fert. & mixes nec	311	—	311	—	—	—	—	—	—
Subtotal other chemicals and related products	**7,959**	**—-**	**6,231**	**—-**	**—-**	**995**	**—-**	**336**	**398**
3211 acyclic hydrocarbons	90	—	83	—	—	7	—	—	—
3212 benzene & toluene	204	—	151	—	—	48	—	4	1
3219 other hydrocarbons	3,515	—	2,913	—	—	256	—	8	339
3220 alcohols	1,376	—	1,194	—	—	141	—	36	6
3230 carboxylic acids	319	—	319	—	—	—	—	—	—
3240 nitrogen func. comp.	526	—	429	—	—	93	—	4	—
3260 organic comp. nec	307	—	84	—	—	214	—	9	—
3273 ammonia	202	—	202	—	—	—	—	—	—
3274 sodium hydroxide	1,021	—	745	—	—	77	—	182	17
3275 inorg. elem., oxides, & halogen salts	264	—	35	—	—	109	—	84	35
3276 metallic salts	50	—	23	—	—	17	—	9	—
3279 inorganic chem. nec	37	—	35	—	—	1	—	—	—
3281 radioactive material	5	—	—	—	—	5	—	—	—
3297 chemical additives	13	—	13	—	—	—	—	—	—
3298 wood & resin chem.	2	—	—	—	—	2	—	—	—
3299 chem. products nec	28	—	5	—	—	23	—	—	—
Total crude materials, inedible except fuels	**59,932**	**—-**	**11,387**	**79**	**951**	**14,222**	**32**	**19,988**	**13,274**
Subtotal forest products, wood and chips	**1,530**	**—-**	**135**	**—-**	**189**	**1,123**	**28**	**47**	**9**
4161 wood chips	1,500	—	130	—	189	1,097	28	47	9
4170 wood in the rough	25	—	—	—	—	25	—	—	—
4189 lumber	0	—	0	—	—	—	—	—	—
4190 forest products nec	4	—	4	—	—	—	—	—	—
Subtotal soil, sand, gravel, rock and stone	**45,299**	**—-**	**376**	**77**	**760**	**11,675**	**—-**	**19,344**	**13,069**
4310 building stone	13	—	—	—	—	13	—	—	—
4322 limestone	23,602	—	81	—	532	9,192	—	7,134	6,663
4323 gypsum	2,887	—	58	—	—	800	—	1,413	615
4331 sand & gravel	18,027	—	203	77	227	1,125	—	10,619	5,775
4335 waterway improv. mat	772	—	33	—	—	545	—	178	16
Subtotal iron ore and scrap	**6,122**	**—-**	**4,432**	**—-**	**3**	**1,229**	**3**	**288**	**168**
4410 iron ore	4,269	—	4,218	—	—	46	—	4	2
4420 iron & steel scrap	1,853	—	214	—	3	1,183	3	285	166

OHIO RIVER SYSTEM
Freight Traffic, 2002 - continued
(thousand short tons)

Commodity	Grand Total	Domestic							
		Coastwise	Internal						
		Receipts	Inbound		Outbound		Through	Intra	
			Upbound	Downbnd	Upbound	Downbnd	Upbound	Upbound	Downbnd
Subtotal non-ferrous ores and scrap	**3,459**	**—-**	**3,379**	**2**	**—-**	**57**	**—-**	**13**	**9**
4650 aluminum ore	2,644	—	2,644	—	—	—	—	—	—
4670 manganese ore	413	—	380	—	—	20	—	8	4
4690 non-ferrous ores nec	403	—	355	2	—	37	—	5	5
Subtotal sulphur, clay and salt	**248**	**—-**	**196**	**—-**	**—-**	**48**	**—-**	**4**	**0**
4782 clay & refrac. mat.	248	—	196	—	—	48	—	4	0
Subtotal slag	**403**	**—-**	**39**	**—-**	**—-**	**79**	**1**	**270**	**14**
4860 slag	403	—	39	—	—	79	1	270	14
Subtotal other non-metal. min.	**2,870**	**—-**	**2,832**	**—-**	**—-**	**12**	**—-**	**22**	**5**
4900 non-metal. min. nec	2,870	—	2,832	—	—	12	—	22	5
Total primary manufactured goods	**13,422**	**1**	**7,094**	**44**	**1**	**1,852**	**6**	**3,191**	**1,235**
Subtotal paper products	**21**	**—-**	**21**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**
5110 newsprint	21	—	21	—	—	—	—	—	—
Subtotal lime, cement and glass	**5,660**	**—-**	**1,636**	**—-**	**—-**	**690**	**—-**	**2,516**	**818**
5210 lime	2,705	—	711	—	—	3	—	1,238	752
5220 cement & concrete	2,948	—	923	—	—	682	—	1,278	66
5240 glass & glass prod.	4	—	—	—	—	4	—	—	—
5290 misc. mineral prod.	2	—	2	—	—	—	—	—	—
Subtotal primary iron and steel products	**6,373**	**1**	**4,388**	**43**	**—-**	**973**	**6**	**552**	**411**
5312 pig iron	1,998	—	1,994	—	—	4	—	0	—
5315 ferro alloys	641	—	535	—	—	48	—	48	10
5320 i&s primary forms	522	—	273	—	—	5	—	24	220
5330 i&s plates & sheets	1,580	—	518	43	—	549	1	356	114
5360 i&s bars & shapes	891	1	864	—	—	21	—	4	1
5370 i&s pipe & tube	221	—	8	—	—	203	—	10	—
5390 primary i&s nec	520	—	198	—	—	143	4	109	66
Subtotal primary non-ferrous metal products	**1,369**	**—-**	**1,049**	**1**	**1**	**189**	**—-**	**123**	**6**
5421 copper	1	—	1	—	—	—	—	—	—
5422 aluminum	452	—	452	—	—	—	—	—	—
5429 smelted prod. nec	200	—	143	—	—	35	—	23	—
5480 fab. metal products	716	—	454	1	1	154	—	101	6
Total food and farm products	**17,529**	**—-**	**3,516**	**—-**	**—-**	**13,169**	**—-**	**766**	**78**
Subtotal grain	**8,166**	**—-**	**2,249**	**—-**	**—-**	**5,597**	**—-**	**310**	**9**
6241 wheat	869	—	309	—	—	497	—	58	6
6344 corn	7,150	—	1,844	—	—	5,050	—	253	3
6442 rice	10	—	8	—	—	2	—	—	—
6443 barley & rye	30	—	28	—	—	1	—	—	—
6445 oats	59	—	59	—	—	—	—	—	—
6447 sorghum grains	47	—	—	—	—	47	—	—	—
Subtotal oilseeds	**6,453**	**—-**	**1,123**	**—-**	**—-**	**4,920**	**—-**	**342**	**69**
6522 soybeans	3,709	—	1,118	—	—	2,194	—	328	69
6590 oilseeds nec	2,744	—	5	—	—	2,726	—	14	—
Subtotal vegetable products	**372**	**—-**	**—-**	**—-**	**—-**	**260**	**—-**	**112**	**—-**
6653 vegetable oils	368	—	—	—	—	257	—	112	—
6654 vegetables & prod.	4	—	—	—	—	4	—	—	—
Subtotal processed grain and animal feed	**2,490**	**—-**	**100**	**—-**	**—-**	**2,388**	**—-**	**2**	**—-**
6747 grain mill products	171	—	—	—	—	171	—	—	—
6782 animal feed, prep.	2,319	—	100	—	—	2,217	—	2	—
Subtotal other agricultural products	**49**	**—-**	**45**	**—-**	**—-**	**4**	**—-**	**—-**	**—-**
6838 tallow, animal oils	4	—	—	—	—	4	—	—	—
6865 molasses	39	—	39	—	—	—	—	—	—
6885 alcoholic beverages	6	—	6	—	—	—	—	—	—
Total all manufactured equipment, machinery and products	**73**	**—-**	**22**	**—-**	**—-**	**27**	**—-**	**12**	**12**
7110 machinery (not elec)	62	—	16	—	—	22	—	12	12
7120 electrical machinery	0	—	0	—	—	—	—	—	—
7230 ships & boats	1	—	1	—	—	—	—	—	—
7500 textile products	4	—	4	—	—	—	—	—	—
7600 rubber & plastic pr.	4	—	—	—	—	4	—	—	—
7900 manufac. prod. nec	0	—	0	—	—	—	—	0	0

OHIO RIVER SYSTEM
Freight Traffic, 2002 - continued
(thousand short tons)

Commodity	Grand Total	Domestic							
		Coastwise	Internal						
		Receipts	Inbound		Outbound		Through	Intra	
			Upbound	Downbnd	Upbound	Downbnd	Upbound	Upbound	Downbnd
Total waste and scrap nec	**4**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**	**4**	**—-**
8900 waste and scrap nec	4	—-	—-	—-	—-	—-	—-	4	—-
Ton-miles (x1000)	**71,583,167**	**192**	**21,718,267**	**50,764**	**675,980**	**10,797,912**	**19,489**	**25,465,947**	**12,854,617**

Tons All Traffic (x1000) **280,878**
Ton-miles All Traffic (x1000) **71,583,167**
Total Trip-ton-miles Internal and Intraport (x1000) **133,453,973**

MISSISSIPPI RIVER SYSTEM

Section Included: Main Channels and all Tributaries of the Mississippi, Illinois, Missouri, and Ohio Rivers.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1993	451,731	1996	482,791	1999	499,550	**2002**	**494,346**
1994	478,673	1997	488,876	2000	493,121		
1995	479,421	1998	491,640*	2001	496,259		

*Revised after original year of publication

Freight Traffic, 2002 (thousand short tons)

Commodity	Grand Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total, all commodities	**494,346**	**28,304**	**12,092**	**14,749**	**27,752**	**4,687**	**2,471**	**204,894**	**199,397**
Total coal	**177,644**	**209**	**52**	**1,714**	**4,762**	**11**	**1**	**97,756**	**73,139**
1100 coal lignite	173,605	—	19	897	4,669	1	—	96,017	72,003
1200 coal coke	4,039	209	33	818	93	9	1	1,739	1,136
Total petroleum and petroleum products	**72,480**	**13,306**	**2,541**	**4,554**	**7,344**	**1,660**	**1,134**	**25,731**	**16,210**
Subtotal crude petroleum	**8,955**	**4,070**	**576**	**153**	**551**	**320**	**259**	**2,236**	**790**
2100 crude petroleum	8,955	4,070	576	153	551	320	259	2,236	790
Subtotal petroleum products	**63,525**	**9,236**	**1,965**	**4,402**	**6,793**	**1,340**	**875**	**23,496**	**15,419**
2211 gasoline	14,202	1,996	786	448	1,059	338	169	6,238	3,167
2221 kerosene	519	—	2	67	225	—	—	143	82
2330 distillate fuel oil	16,372	2,393	430	1,164	2,048	290	232	6,842	2,973
2340 residual fuel oil	11,711	1,837	413	387	956	128	44	2,731	5,216
2350 lube oil & greases	2,817	1,138	46	42	353	213	3	439	583
2410 petro. jelly & waxes	67	30	3	—	7	—	—	26	—
2429 naphtha & solvents	2,820	402	91	356	1,100	164	43	242	423
2430 asphalt, tar & pitch	5,735	492	107	671	404	109	31	2,588	1,335
2540 petroleum coke	7,102	446	60	802	442	2	11	3,775	1,563
2640 liquid natural gas	863	322	4	—	81	85	324	38	9
2990 petro. products nec	1,317	180	23	465	118	10	19	433	69
Total chemicals and related products	**35,451**	**6,426**	**1,459**	**2,311**	**3,145**	**1,158**	**364**	**16,488**	**4,101**
Subtotal fertilizers	**10,596**	**469**	**37**	**732**	**455**	**44**	**11**	**8,135**	**714**
3110 nitrogenous fert.	6,193	44	16	581	405	8	—	4,911	229
3120 phosphatic fert.	344	117	5	18	2	7	1	193	—
3130 potassic fert.	1,576	32	13	16	31	—	—	1,028	455
3190 fert. & mixes nec	2,485	275	2	117	18	30	9	2,003	30
Subtotal other chemicals and related products	**24,855**	**5,956**	**1,422**	**1,580**	**2,690**	**1,114**	**353**	**8,353**	**3,387**
3211 acyclic hydrocarbons	1,130	402	85	67	261	—	32	210	73
3212 benzene & toluene	2,920	462	208	31	541	113	32	590	943
3219 other hydrocarbons	6,334	2,775	666	72	361	418	57	1,461	524
3220 alcohols	3,907	361	165	649	331	241	46	1,760	355
3230 carboxylic acids	368	325	—	11	8	—	—	24	—
3240 nitrogen func. comp.	662	433	4	16	102	43	59	5	—
3250 organo - inorg. comp.	10	—	—	10	—	—	—	—	—
3260 organic comp. nec	688	90	1	120	163	30	48	68	168
3271 sulphur (liquid)	325	239	78	—	—	3	3	3	—
3272 sulphuric acid	766	103	46	56	129	—	—	200	233
3273 ammonia	1,033	10	—	30	157	—	—	618	218
3274 sodium hydroxide	4,007	471	56	432	262	248	33	1,720	786
3275 inorg. elem., oxides, & halogen salts	1,576	58	61	21	88	15	37	1,249	47
3276 metallic salts	479	15	34	23	180	4	6	196	21
3279 inorganic chem. nec	155	—	—	14	3	—	—	135	3
3281 radioactive material	5	—	—	—	—	—	—	—	5
3286 plastics	2	—	—	2	—	—	—	—	—
3297 chemical additives	376	188	16	25	35	—	—	107	5
3298 wood & resin chem.	2	—	—	—	—	—	—	—	2
3299 chem. products nec	107	25	—	1	68	0	1	8	4
Total crude materials, inedible except fuels	**95,818**	**6,094**	**1,745**	**3,389**	**8,288**	**926**	**175**	**43,430**	**31,771**
Subtotal forest products, wood and chips	**2,062**	**178**	**3**	**105**	**1,151**	**16**	**—**	**597**	**14**
4161 wood chips	1,705	169	—	88	1,120	13	—	307	9
4170 wood in the rough	316	—	—	—	25	—	—	286	5
4189 lumber	21	—	3	16	2	—	—	0	—
4190 forest products nec	19	9	—	—	4	3	—	3	—
Subtotal pulp and waste paper	**5**	**0**	**—**	**—**	**—**	**—**	**—**	**4**	**1**
4225 pulp & waste paper	5	0	—	—	—	—	—	4	1
Subtotal soil, sand, gravel, rock and stone	**71,827**	**171**	**630**	**2,438**	**6,024**	**14**	**5**	**32,575**	**29,970**
4310 building stone	14	—	—	—	—	—	—	11	3
4322 limestone	25,101	3	8	1,021	3,277	—	—	8,011	12,779
4323 gypsum	2,921	20	—	—	472	—	—	1,491	939
4327 phosphate rock	1	1	—	—	—	—	—	—	—
4331 sand & gravel	37,720	147	621	1,406	1,593	14	5	20,931	13,003

MISSISSIPPI RIVER SYSTEM
Freight Traffic, 2002 - continued
(thousand short tons)

Commodity	Grand Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
4335 waterway improv. mat	6,069	—	—	11	682	—	—	2,131	3,245
Subtotal iron ore and scrap	**9,176**	**1,084**	**828**	**60**	**450**	**21**	**37**	**5,119**	**1,577**
4410 iron ore	4,472	11	48	24	159	2	5	4,220	5
4420 iron & steel scrap	4,704	1,073	781	37	291	19	32	899	1,572
Subtotal marine shells	**5**	**5**	**—**	**—**	**—**	**—**	**—**	**—**	**—**
4515 marine shells	5	5	—	—	—	—	—	—	—
Subtotal non-ferrous ores and scrap	**4,543**	**681**	**2**	**132**	**83**	**5**	**3**	**3,534**	**103**
4630 copper ore	1	—	—	1	—	—	—	—	—
4650 aluminum ore	3,379	635	—	31	12	5	2	2,692	4
4670 manganese ore	538	5	2	41	37	—	2	437	13
4680 non-ferrous scrap	2	—	—	1	—	—	—	1	—
4690 non-ferrous ores nec	623	40	—	58	34	—	—	404	86
Subtotal sulphur, clay and salt	**575**	**14**	**6**	**44**	**46**	**28**	**24**	**404**	**9**
4782 clay & refrac. mat.	575	14	6	44	46	28	24	404	9
Subtotal slag	**800**	**65**	**6**	**64**	**167**	**4**	**9**	**399**	**86**
4860 slag	800	65	6	64	167	4	9	399	86
Subtotal other non-metal. min.	**6,823**	**3,896**	**270**	**545**	**367**	**838**	**97**	**798**	**11**
4900 non-metal. min. nec	6,823	3,896	270	545	367	838	97	798	11
Total primary manufactured goods	**25,867**	**1,234**	**268**	**2,535**	**2,903**	**212**	**376**	**16,343**	**1,997**
Subtotal paper products	**46**	**—**	**—**	**2**	**—**	**0**	**0**	**21**	**23**
5110 newsprint	21	—	—	—	—	—	—	21	—
5120 paper & paperboard	14	—	—	1	—	—	—	—	13
5190 paper products nec	12	—	—	1	—	0	0	—	10
Subtotal lime, cement and glass	**11,255**	**614**	**21**	**538**	**1,499**	**43**	**125**	**7,069**	**1,347**
5210 lime	3,048	—	—	—	147	—	—	2,130	771
5220 cement & concrete	8,199	614	21	538	1,352	43	125	4,931	576
5240 glass & glass prod.	6	—	—	—	—	—	—	6	—
5290 misc. mineral prod.	2	—	—	—	—	—	—	2	—
Subtotal primary iron and steel products	**12,621**	**559**	**234**	**1,790**	**1,255**	**161**	**248**	**7,848**	**526**
5312 pig iron	4,402	6	2	582	164	—	—	3,647	1
5315 ferro alloys	937	4	4	171	48	—	—	670	39
5320 i&s primary forms	899	19	—	285	5	3	—	363	223
5330 i&s plates & sheets	3,153	260	191	349	581	53	221	1,328	170
5360 i&s bars & shapes	1,901	187	1	264	87	84	—	1,267	11
5370 i&s pipe & tube	422	15	2	41	257	9	10	86	2
5390 primary i&s nec	907	67	34	98	112	11	17	487	80
Subtotal primary non-ferrous metal products	**1,926**	**50**	**12**	**205**	**143**	**9**	**3**	**1,405**	**100**
5421 copper	50	2	—	5	—	—	—	43	—
5422 aluminum	488	13	1	7	2	1	—	461	2
5429 smelted prod. nec	308	—	—	63	44	—	—	195	6
5480 fab. metal products	1,080	35	11	130	97	8	3	705	92
Subtotal primary wood products	**18**	**11**	**0**	**—**	**6**	**—**	**—**	**—**	**1**
5540 primary wood prod.	18	11	0	—	6	—	—	—	1
Total food and farm products	**86,123**	**988**	**6,023**	**233**	**1,248**	**169**	**232**	**5,088**	**72,141**
Subtotal grain	**51,216**	**275**	**3,718**	**56**	**1,132**	**—**	**147**	**2,869**	**43,019**
6241 wheat	5,995	60	620	—	47	—	3	355	4,911
6344 corn	41,547	188	2,817	5	858	—	140	2,223	35,316
6442 rice	2,090	16	136	—	190	—	4	21	1,723
6443 barley & rye	80	—	—	18	—	—	—	61	1
6445 oats	246	3	—	33	27	—	—	176	6
6447 sorghum grains	1,258	8	145	—	11	—	—	34	1,061
Subtotal oilseeds	**25,825**	**216**	**1,554**	**—**	**50**	**10**	**—**	**1,498**	**22,497**
6522 soybeans	21,397	203	1,515	—	50	8	—	1,369	18,251
6590 oilseeds nec	4,428	13	39	—	—	2	—	129	4,246
Subtotal vegetable products	**995**	**1**	**53**	**4**	**—**	**0**	**—**	**188**	**750**
6653 vegetable oils	987	1	49	4	—	0	—	188	744
6654 vegetables & prod.	8	—	3	—	—	—	—	—	5
Subtotal processed grain and animal feed	**6,856**	**90**	**546**	**6**	**16**	**7**	**3**	**352**	**5,834**
6746 wheat flour	22	—	22	—	—	—	—	—	—
6747 grain mill products	402	—	1	—	3	—	—	3	395
6781 hay & fodder	1	—	1	—	—	—	—	—	—
6782 animal feed, prep.	6,431	90	522	6	13	7	3	350	5,439
Subtotal other agricultural products	**1,231**	**406**	**152**	**167**	**50**	**152**	**82**	**180**	**41**
6838 tallow, animal oils	4	—	—	—	1	—	—	—	3
6861 sugar	602	356	136	73	3	14	—	—	19
6865 molasses	316	46	—	70	17	12	—	170	1
6885 alcoholic beverages	21	—	—	—	8	—	—	6	6
6887 groceries	0	—	—	—	—	0	0	—	—
6888 water & ice	204	3	0	24	19	125	21	5	6
6889 food products nec	78	1	16	—	—	—	61	—	—

MISSISSIPPI RIVER SYSTEM
Freight Traffic, 2002 - continued
(thousand short tons)

Commodity	Grand Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
6899 farm products nec	6	—	—	—	—	—	—	—	6
Total all manufactured equipment, machinery and products	**819**	**48**	**4**	**12**	**62**	**414**	**186**	**54**	**39**
7110 machinery (not elec)	747	30	3	4	57	409	178	32	35
7120 electrical machinery	9	2	—	—	2	1	0	2	3
7210 vehicles & parts	0	0	—	—	—	—	—	—	—
7230 ships & boats	3	2	—	—	—	—	1	1	—
7400 manufac. wood prod.	2	—	—	—	1	0	1	—	—
7500 textile products	13	—	—	1	—	—	—	13	—
7600 rubber & plastic pr.	32	12	—	7	1	—	7	4	—
7900 manufac. prod. nec	10	2	1	—	1	3	—	2	1
Total waste and scrap nec	**144**	**—**	**—**	**—**	**—**	**137**	**2**	**4**	**0**
8900 waste and scrap nec	144	—	—	—	—	137	2	4	0
Ton-miles (x1000)	**261,858,650**	**17,724,777**	**9,257,690**	**7,888,708**	**13,505,520**	**2,904,157**	**662,018**	**90,619,976**	**119,295,804**

Tons All Traffic (x1000) **494,346**
Ton-miles All Traffic (x1000) **261,858,650**
Total Trip-ton-miles Internal and Intraport (x1000) **279,315,845**

Other Harbors and Waterways 2002

Harbor or Waterway	Commodity	Thousand Short Tons
Project		
ALLEGHENY RIVER, PA OPEN CHANNEL PORTION	No Commerce Reported	

Trips and Drafts of Vessels, 2002
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
PORT OF PITTSBURGH, PA												
	Inbound						Outbound					
Grand Total	**56,344**	**3,842**	**—-**	**12,845**	**38,164**	**1,493**	**56,071**	**3,839**	**—-**	**12,842**	**37,940**	**1,450**
DOMESTIC												
Total	**56,344**	**3,842**	**—-**	**12,845**	**38,164**	**1,493**	**56,071**	**3,839**	**—-**	**12,842**	**37,940**	**1,450**
13	3	—-	—-	—-	3	—-	—-	—-	—-	—-	—-	—-
12	19	—-	—-	—-	11	8	13	—-	—-	—-	13	—-
11	98	—-	—-	50	43	5	120	—-	—-	45	75	—-
10	1,799	—-	—-	88	1,691	20	953	—-	—-	89	863	1
9	16,587	—-	—-	695	15,251	641	12,982	—-	—-	672	12,182	128
8	5,409	—-	—-	1,827	3,350	232	5,411	—-	—-	1,830	3,508	73
7	6,116	2	—-	4,891	1,038	185	6,060	—-	—-	4,896	1,110	54
6	26,313	3,840	—-	5,294	16,777	402	30,532	3,839	—-	5,310	20,189	1,194
										Total trips:		**112,415**
MONONGAHELA RIVER, PA AND WV												
	Upbound						Downbound					
Grand Total	**40,511**	**3,195**	**—-**	**7,246**	**29,626**	**444**	**40,504**	**3,196**	**—-**	**7,247**	**29,626**	**435**
DOMESTIC												
Total	**40,511**	**3,195**	**—-**	**7,246**	**29,626**	**444**	**40,504**	**3,196**	**—-**	**7,247**	**29,626**	**435**
12	8	—-	—-	—-	3	5	13	—-	—-	—-	13	—-
11	19	—-	—-	—-	16	3	17	—-	—-	—-	17	—-
10	1,113	—-	—-	18	1,082	13	1,024	—-	—-	17	1,007	—-
9	12,694	—-	—-	224	12,250	220	13,664	—-	—-	220	13,438	6
8	4,377	—-	—-	1,601	2,730	46	4,702	—-	—-	1,618	3,035	49
7	4,009	—-	—-	3,440	537	32	3,696	—-	—-	3,391	284	21
6	3,795	2,304	—-	837	649	5	3,556	2,305	—-	806	442	3
5	1,842	889	—-	873	62	18	1,889	889	—-	931	69	—-
4	12	2	—-	—-	5	5	8	2	—-	—-	6	—-
3	190	—-	—-	163	18	9	191	—-	—-	171	8	12
2	10,717	—-	—-	90	10,539	88	11,568	—-	—-	93	11,144	331
1	1,735	—-	—-	—-	1,735	—-	176	—-	—-	—-	163	13
										Total trips:		**81,015**
ALLEGHENY RIVER, PA IMPROVED PORTION												
	Upbound						Downbound					
Grand Total	**7,995**	**2,548**	**—-**	**2,128**	**3,130**	**189**	**7,609**	**2,526**	**—-**	**1,933**	**2,968**	**182**
DOMESTIC												
Total	**7,995**	**2,548**	**—-**	**2,128**	**3,130**	**189**	**7,609**	**2,526**	**—-**	**1,933**	**2,968**	**182**
12	1	—-	—-	—-	—-	1	—-	—-	—-	—-	—-	—-
11	3	—-	—-	—-	3	—-	—-	—-	—-	—-	—-	—-
10	403	—-	—-	2	399	2	369	—-	—-	2	367	—-
9	1,084	—-	—-	43	911	130	158	—-	—-	43	114	1
8	304	—-	—-	90	170	44	144	—-	—-	88	51	5
7	510	—-	—-	252	252	6	463	—-	—-	248	211	4
6	2,629	1,763	—-	525	337	4	3,188	1,740	—-	510	934	4
5	1,983	784	—-	1,179	20	—-	1,818	785	—-	1,007	25	1
4	2	1	—-	—-	1	—-	2	1	—-	—-	1	—-
3	36	—-	—-	36	—-	—-	38	—-	—-	34	4	—-
2	1,040	—-	—-	1	1,037	2	1,302	—-	—-	1	1,134	167
1	—-	—-	—-	—-	—-	—-	127	—-	—-	—-	127	—-
										Total trips:		**15,604**
OHIO RIVER												
	Upbound						Downbound					
Grand Total	**191,287**	**5,028**	**—-**	**45,640**	**129,569**	**11,050**	**191,202**	**5,000**	**—-**	**45,885**	**129,926**	**10,391**
DOMESTIC												
Total	**191,287**	**5,028**	**—-**	**45,640**	**129,569**	**11,050**	**191,202**	**5,000**	**—-**	**45,885**	**129,926**	**10,391**
13	8	—-	—-	—-	8	—-	51	—-	—-	—-	51	—-

Trips and Drafts of Vessels, 2002
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
OHIO RIVER - continued												
			Upbound						Downbound			
DOMESTIC												
12	103	—	—	—	59	44	495	—	—	—	493	2
11	1,866	—	—	516	1,244	106	1,833	—	—	544	1,266	23
10	4,505	—	—	1,398	2,509	598	4,542	—	—	1,588	2,849	105
9	53,513	989	—	4,099	44,461	3,964	51,368	989	—	4,035	44,461	1,883
8	23,754	678	—	6,402	15,413	1,261	23,303	678	—	6,447	15,351	827
7	15,679	720	—	9,481	4,793	685	14,731	716	—	9,450	3,665	900
6	10,870	1,359	—	7,186	2,158	167	11,042	1,342	—	7,339	2,121	240
5	7,393	260	—	6,604	413	116	7,549	255	—	6,431	696	167
4	2,392	1,017	—	1,060	212	103	2,519	1,013	—	1,061	372	73
3	1,197	5	—	724	285	183	1,478	7	—	798	426	247
2	67,086	—	—	8,093	55,675	3,318	69,035	—	—	8,132	55,316	5,587
1	2,921	—	—	77	2,339	505	3,256	—	—	60	2,859	337
										Total trips:		**382,489**

OHIO RIVER SYSTEM

			Upbound						Downbound			
Grand Total	**245,299**	**7,680**	**—**	**60,711**	**165,474**	**11,434**	**245,300**	**7,627**	**—**	**61,168**	**165,474**	**11,031**
DOMESTIC												
Total	**245,299**	**7,680**	**—**	**60,711**	**165,474**	**11,434**	**245,300**	**7,627**	**—**	**61,168**	**165,474**	**11,031**
13	9	—	—	—	9	—	50	—	—	—	50	—
12	117	—	—	—	70	47	492	—	—	—	488	4
11	1,990	—	—	531	1,348	111	1,829	—	—	554	1,253	22
10	8,231	—	—	1,450	6,355	426	5,424	—	—	1,595	3,402	427
9	69,607	989	—	4,868	60,764	2,986	79,033	989	—	5,682	69,376	2,986
8	30,673	677	—	8,125	20,738	1,133	26,288	678	—	8,153	16,323	1,134
7	23,876	729	—	15,878	6,381	888	21,061	725	—	15,878	3,742	716
6	15,764	3,150	—	9,424	2,990	200	15,822	3,151	—	9,424	3,019	228
5	11,359	1,087	—	8,860	1,210	202	11,180	1,088	—	8,861	1,071	160
4	3,729	1,043	—	1,803	774	109	3,454	989	—	1,803	592	70
3	1,606	5	—	866	461	274	1,646	7	—	933	506	200
2	72,942	—	—	8,826	59,466	4,650	77,602	—	—	8,226	64,726	4,650
1	5,396	—	—	80	4,908	408	1,419	—	—	59	926	434
										Total trips:		**490,599**

MISSISSIPPI RIVER SYSTEM

			Upbound						Downbound			
Grand Total	**499,463**	**42,211**	**1,754**	**142,593**	**273,610**	**39,295**	**499,911**	**46,225**	**1,845**	**136,185**	**273,230**	**42,426**
FOREIGN												
Total	**5,449**	**3,900**	**1,438**	**75**	**35**	**1**	**5,897**	**4,164**	**1,474**	**211**	**40**	**8**
13	5,321	3,854	1,436	16	14	1	5,605	4,067	1,473	31	28	6
12	48	11	—	30	7	—	56	14	—	39	3	—
11	7	6	1	—	—	—	4	—	1	1	1	1
10	12	4	—	5	3	—	21	8	—	8	5	—
9	11	5	—	5	1	—	8	5	—	3	—	—
8	8	1	—	3	4	—	23	6	—	17	—	—
7	20	12	—	7	1	—	51	23	—	26	2	—
6	14	5	—	8	1	—	114	35	—	78	—	1
5	1	—	—	1	—	—	10	4	—	6	—	—
4	6	2	—	—	4	—	3	2	—	1	—	—
3	—	—	—	—	—	—	2	—	—	1	1	—
2	1	—	1	—	—	—	—	—	—	—	—	—
DOMESTIC												
Total	**494,014**	**38,311**	**316**	**142,518**	**273,575**	**39,294**	**494,014**	**42,061**	**371**	**135,974**	**273,190**	**42,418**
13	1,385	210	303	455	215	202	2,126	245	270	537	606	468
12	1,526	258	4	533	151	580	2,110	343	—	527	830	410
11	3,924	589	3	792	1,923	617	4,735	388	4	811	2,912	620
10	14,537	220	—	3,821	7,631	2,865	11,263	180	—	3,517	6,255	1,311
9	93,484	2,027	4	12,929	71,825	6,699	98,736	1,951	3	10,837	74,155	11,790
8	61,097	1,907	1	19,514	34,710	4,965	63,652	731	4	25,263	35,342	2,312
7	54,777	4,506	—	35,726	12,490	2,055	49,580	4,286	1	37,592	6,346	1,355
6	37,617	8,391	1	20,267	8,130	828	33,922	5,170	89	22,622	5,359	682
5	38,788	7,411	—	24,109	5,333	1,935	35,473	5,439	—	23,618	5,891	525

Trips and Drafts of Vessels, 2002
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
MISSISSIPPI RIVER SYSTEM - continued												
	Upbound						Downbound					
DOMESTIC												
4	12,366	2,542	—-	6,744	1,684	1,396	8,753	3,361	—-	3,122	1,345	925
3	10,729	5,091	—-	2,955	1,490	1,193	8,879	3,930	—-	2,329	1,458	1,162
2	149,358	5,159	—-	12,254	117,795	14,150	169,573	15,973	—-	5,099	130,751	17,750
1	14,426	—-	—-	2,419	10,198	1,809	5,212	64	—-	100	1,940	3,108
										Total trips:		**999,374**

ALLEGHENY RIVER, PA OPEN CHANNEL PORTION
No Vessel Trips Reported

FRIEGHT TRAFFIC INDEX

A

ALLEGHENY RIVER, PA IMPROVED PORTION 5
ALLEGHENY RIVER, PA OPEN CHANNEL PORTION 15

M

MISSISSIPPI RIVER SYSTEM. 12
MONONGAHELA RIVER, PA AND WV 3

O

OHIO RIVER. 6
OHIO RIVER SYSTEM 9

P

PITTSBURGH, PA (PORT OF PITTSBURGH, PA) 1
PITTSBURGH, PA DISTRICT 1
PORT OF PITTSBURGH, PA 1

TRIPS AND DRAFT INDEX

A

ALLEGHENY RIVER, PA IMPROVED PORTION 16
ALLEGHENY RIVER, PA OPEN CHANNEL PORTION 18

M

MISSISSIPPI RIVER SYSTEM. 17
MONONGAHELA RIVER, PA AND WV 16

O

OHIO RIVER 16
OHIO RIVER SYSTEM. 17

P

PITTSBURGH, PA (PORT OF PITTSBURGH, PA) 16
PITTSBURGH, PA DISTRICT 16
PORT OF PITTSBURGH, PA 16

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 1 PWD: 231
Name: **River Salvage Co., Allegheny River Dock.**
Port: Pittsburgh
Location: Mile 1.0, right bank, Allegheny River, Herrs Island, approximately 600 feet above Consolidated Rail Corp Datum: NPE
Operator: River Salvage Co., Inc.
Owner: River Salvage Co., Inc.
Address: 1231 River Avenue Phone: 412 323-0102
Town: Herrs Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring company-owned floating equipment; mooring barges for fleeting and repair.
Depth Alongside (feet): 8 | | Latitude (decimal): 40.450833
Total Berthing Space (feet): 330 | | Longitude (decimal): -79.99444
Remarks: Lower barge is used as an office; upper barge anchored by spuds is used as a work platform. Fleeting area located along bank above wharf has capacity for 20 barges arranged in tiers up to 3 barges wide.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43203 Pittsburgh District

---

Waterway: **Allegheny River** Mile: 13 PWD: 226
Name: **Harmar Coal Co. Slip.**
Port: Pittsburgh
Location: Mile 13.0, right bank, Allegheny River, Harmarville, off Back Channel at Twelve Mile Island, 0.2 mile ab Datum: NPE
Operator: Not operated.
Owner: Harmar Coal Co.
Address: State Highway 28 Phone:
Town: Harmarville State: PA County: Allegheny
Railway Connection: Three surface tracks at rear of lower side connect with Consolidated Rail Corp.
Purpose: Not used.
Depth Alongside (feet): 12 | 8 | 12 Latitude (decimal):
Total Berthing Space (feet): 550 | | 750 Longitude (decimal):
Remarks: Facility formerly was used for receipt of raw and shipment of processed coal. Slip is approximately 725 by 200 feet, with access channel for Allegheny River which narrows to 75 feet for 200 feet to pass under Co State Highway 28 Bridges. Allegheny Valley Expressway Bridges also span slip. Additional mooring for 9 barges is available along 4 cellular breasting dolphins located on upper side of entrance to slip.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43213 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 16 PWD: 224
Name: **Chevron U.S.A. Wharf.**
Port: Pittsburgh
Location: Mile 16.4, right bank, Allegheny River, Springdale. Datum: NPE
Operator: Chevron U.S.A., Inc.
Owner: Chevron U.S.A., Inc.
Address: Railroad Street Phone: 412 274-0885
Town: Springdale State: PA County: Allegheny
Railway Connection: None.
Purpose: Receipt of asphalt.
Depth Alongside (feet): 10 - 11 | | Latitude (decimal): 40.535
Total Berthing Space (feet): 401 | | Longitude (decimal): -79.78083
Remarks: Three 6-inch pipelines extend from wharf and one 6-inch pipeline extends from lower cell, to 35 steel storage tanks at rear, total capacity 154,000 barrels. Wharf is served by one 4-inch, and lower cell by one 2

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43216 Pittsburgh District

---

Waterway: **Allegheny River** Mile: 16 PWD: 225
Name: **Duquesne Light Co., Cheswick Power Station Wharf.**
Port: Pittsburgh
Location: Mile 15.7, right bank, Allegheny River, Cheswick. Datum: NPE
Operator: Duquesne Light Co.
Owner: Duquesne Light Co.
Address: Porter Street Phone: 412 274-8923
Town: Cheswick State: PA County: Allegheny
Railway Connection: One surface track serving plant at rear connects with Consolidated Rail Corp.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.536389
Total Berthing Space (feet): 2450 | | Longitude (decimal): -79.79167
Remarks: Open storage area has capacity for approximately 322,000 tons of coal, with an additional 28,000 tons stored in barges as required. Wharf has capacity for 29 loaded, and 29 empty barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43215 Pittsburgh District

---

Waterway: **Allegheny River** Mile: 17 PWD: 223
Name: **R. I. Lampus Co. Mooring.**
Port: Pittsburgh
Location: Mile 16.6, right bank, Allegheny River, Springdale. Datum: NPE
Operator: R. I. Lampus Co.
Owner: R. I. Lampus Co.
Address: 816 Railroad Street Phone: 412 274-5035
Town: Springdale State: PA County: Allegheny
Railway Connection: One surface track serving yard at rear connects with Consolidated Rail Corp.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 2 - 9 | | Latitude (decimal): 40.536111
Total Berthing Space (feet): 200 | | Longitude (decimal): -79.76944
Remarks: Open storage area located at rear has capacity for approximately 8,000 tons of sand and gravel.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43216 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 18 PWD: 203
Name: **Davison Sand and Gravel Co., Lower Burrell Dock.**
Port: Pittsburgh
Location: Mile 18.0, left bank, Allegheny River, Lower Burrell. Datum: NPE
Operator: Davison Sand and Gravel Co.
Owner: Davison Sand and Gravel Co.
Address: Third Avenue extended Phone: 412 362-4900
Town: Lower Burrell State: PA County: Allegheny
Railway Connection: One surface track at rear connects with Consolidated Rail Corp.
Purpose: Receipt of sand, stone, and slag.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.551667
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.76333
Remarks: Open storage area at rear has capacity for 80,000 tons of material.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43218 Pittsburgh District

---

Waterway: **Allegheny River** Mile: 18 PWD: 204
Name: **Davison Sand and Gravel Co., New Kensington Dock.**
Port: Pittsburgh
Location: Mile 18.4, left bank, Allegheny River, New Kensington, 0.6 mile below New Kensington Highway Bridge. Datum: NPE
Operator: Davison Sand and Gravel Co.
Owner: Davison Sand and Gravel Co.
Address: Third Avenue & 4th Street Phone: 412 362-4900
Town: New Kensington State: PA County: Allegheny
Railway Connection: One surface track at rear connects with Consolidated Rail Corp.
Purpose: Receipt and shipment of sand, gravel, and coal.
Depth Alongside (feet): 10 - 11 | 9 | Latitude (decimal): 40.554167
Total Berthing Space (feet): 700 | 195 | Longitude (decimal): -79.76556
Remarks: Company-owned, 6-cubic yard, clamshell dredge with 90-foot boom occasionally is available for unloading dry bulk commodities. Open storage area at rear has capacity for 300,000 tons of material.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43218 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 18 PWD: 202

Name: **Penn Glenn Oil Works Dock.**

Port: Pittsburgh

Location: Mile 17.7, left bank, Allegheny River, Logans Ferry. Datum: NPE

Operator: Penn Glenn Oil Works, Inc.

Owner: Penn Glenn Oil Works, Inc.

Address: 100 Logans Ferry Road, New Kensington Phone: 412 335-9837

Town: Logans Ferry State: PA County: Allegheny

Railway Connection: Two surface tracks serve tank-car loading rack at plant in rear, connect with Consolidated Rail Corp.

Purpose: Receipt of ethylene glycol.

Depth Alongside (feet): 10 | | Latitude (decimal): 40.545556

Total Berthing Space (feet): 200 | | Longitude (decimal): -79.76167

Remarks: Five 6-inch pipelines extend from wharf to 10 steel storage tanks at plant in rear, total capacity 7,000,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43217 Pittsburgh District

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 18 PWD: 222
Name: **West Penn Power Co., Springdale Power Station Oil Dock.**
Port: Pittsburgh
Location: Mile 17.6, right bank, Allegheny River, Springdale, 1.4 miles below New Kensington Highway (State Highwa Datum: NPE
Operator: West Penn Power Co.
Owner: West Penn Power Co.
Address: Butler Road Phone: 412 337-3571
Town: Springdale State: PA County: Allegheny
Railway Connection: Surface tracks serving plant at rear connect with Consolidated Rail Corp.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.5425
Total Berthing Space (feet): 455 | | Longitude (decimal): -79.76778

Waterway: **Allegheny River** Mile: 18 PWD: 222
Name: **West Penn Power Co., Springdale Power Station Oil Dock.**
Port: Pittsburgh
Location: Mile 17.6, right bank, Allegheny River, Springdale, 1.4 miles below New Kensington Highway (State Highwa Datum: NPE
Operator: West Penn Power Co.
Owner: West Penn Power Co.
Address: Butler Road Phone: 412 337-3571
Town: Springdale State: PA County: Allegheny
Railway Connection: Surface tracks serving plant at rear connect with Consolidated Rail Corp.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.5425
Total Berthing Space (feet): 455 | | Longitude (decimal): -79.76778

Remarks: One 10-inch pipeline extends from wharf to 3 steel storage tanks at plant in rear, total capacity 238,100 barrels. One 6-inch steam line serves wharf.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43217 Pittsburgh District

Remarks: One 10-inch pipeline extends from wharf to 3 steel storage tanks at plant in rear, total capacity 238,100 barrels. One 6-inch steam line serves wharf.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43217 Pittsburgh District

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 18 PWD: 222
Name: **West Penn Power Co., Springdale Power Station Oil Dock.**
Port: Pittsburgh
Location: Mile 17.6, right bank, Allegheny River, Springdale, 1.4 miles below New Kensington Highway (State Highwa Datum: NPE
Operator: West Penn Power Co.
Owner: West Penn Power Co.
Address: Butler Road Phone: 412 337-3571
Town: Springdale State: PA County: Allegheny
Railway Connection: Surface tracks serving plant at rear connect with Consolidated Rail Corp.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.5425
Total Berthing Space (feet): 455 | | Longitude (decimal): -79.76778

Waterway: **Allegheny River** Mile: 18 PWD: 222
Name: **West Penn Power Co., Springdale Power Station Oil Dock.**
Port: Pittsburgh
Location: Mile 17.6, right bank, Allegheny River, Springdale, 1.4 miles below New Kensington Highway (State Highwa Datum: NPE
Operator: West Penn Power Co.
Owner: West Penn Power Co.
Address: Butler Road Phone: 412 337-3571
Town: Springdale State: PA County: Allegheny
Railway Connection: Surface tracks serving plant at rear connect with Consolidated Rail Corp.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.5425
Total Berthing Space (feet): 455 | | Longitude (decimal): -79.76778

Remarks: One 10-inch pipeline extends from wharf to 3 steel storage tanks at plant in rear, total capacity 238,100 barrels. One 6-inch steam line serves wharf.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43217 Pittsburgh District

Remarks: One 10-inch pipeline extends from wharf to 3 steel storage tanks at plant in rear, total capacity 238,100 barrels. One 6-inch steam line serves wharf.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43217 Pittsburgh District

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 18 PWD: 221
Name: **West Penn Power Co., Springdale Power Station, Coal Wharf.**
Port: Pittsburgh
Location: Mile 17.7, right bank, Allegheny River, Springdale, 1.3 miles below New Kensington Highway (State Highwa Datum: NPE
Operator: West Penn Power Co.
Owner: West Penn Power Co.
Address: Butler Road Phone: 412 337-3571
Town: Springdale State: PA County: Allegheny
Railway Connection: Surface tracks serving plant at rear connect with Consolidated Rail Corp.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.544444
Total Berthing Space (feet): 745 | | Longitude (decimal): -79.76639

Waterway: **Allegheny River** Mile: 18 PWD: 221
Name: **West Penn Power Co., Springdale Power Station, Coal Wharf.**
Port: Pittsburgh
Location: Mile 17.7, right bank, Allegheny River, Springdale, 1.3 miles below New Kensington Highway (State Highwa Datum: NPE
Operator: West Penn Power Co.
Owner: West Penn Power Co.
Address: Butler Road Phone: 412 337-3571
Town: Springdale State: PA County: Allegheny
Railway Connection: Surface tracks serving plant at rear connect with Consolidated Rail Corp.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.544444
Total Berthing Space (feet): 745 | | Longitude (decimal): -79.76639

Remarks: Open storage area for 400,000 tons and 2 bunkers, total capacity 10,000 tons, are located at rear. Two steel sheet pile, cellular icebreakers are located on upper side. Wharf has capacity for mooring 8 loaded b empty barges on lower side.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43217 Pittsburgh District

Remarks: Open storage area for 400,000 tons and 2 bunkers, total capacity 10,000 tons, are located at rear. Two steel sheet pile, cellular icebreakers are located on upper side. Wharf has capacity for mooring 8 loaded b empty barges on lower side.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43217 Pittsburgh District

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 18 PWD: 221
Name: **West Penn Power Co., Springdale Power Station, Coal Wharf.**
Port: Pittsburgh
Location: Mile 17.7, right bank, Allegheny River, Springdale, 1.3 miles below New Kensington Highway (State Highwa Datum: NPE
Operator: West Penn Power Co.
Owner: West Penn Power Co.
Address: Butler Road Phone: 412 337-3571
Town: Springdale State: PA County: Allegheny
Railway Connection: Surface tracks serving plant at rear connect with Consolidated Rail Corp.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.544444
Total Berthing Space (feet): 745 | | Longitude (decimal): -79.76639

Waterway: **Allegheny River** Mile: 18 PWD: 221
Name: **West Penn Power Co., Springdale Power Station, Coal Wharf.**
Port: Pittsburgh
Location: Mile 17.7, right bank, Allegheny River, Springdale, 1.3 miles below New Kensington Highway (State Highwa Datum: NPE
Operator: West Penn Power Co.
Owner: West Penn Power Co.
Address: Butler Road Phone: 412 337-3571
Town: Springdale State: PA County: Allegheny
Railway Connection: Surface tracks serving plant at rear connect with Consolidated Rail Corp.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.544444
Total Berthing Space (feet): 745 | | Longitude (decimal): -79.76639

Remarks: Open storage area for 400,000 tons and 2 bunkers, total capacity 10,000 tons, are located at rear. Two steel sheet pile, cellular icebreakers are located on upper side. Wharf has capacity for mooring 8 loaded b empty barges on lower side.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43217 Pittsburgh District

Remarks: Open storage area for 400,000 tons and 2 bunkers, total capacity 10,000 tons, are located at rear. Two steel sheet pile, cellular icebreakers are located on upper side. Wharf has capacity for mooring 8 loaded b empty barges on lower side.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43217 Pittsburgh District

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 19 PWD: 205
Name: **Burrell Industries, New Kensington Dock.**
Port: Pittsburgh
Location: Mile 18.6, left bank, Allegheny River, New Kensington, 0.4 mile below New Kensington Highway Bridge. Datum: NPE
Operator: Burrell Industries, Inc.
Owner: Burrell Industries, Inc.
Address: One 5th Street Phone: 412 339-1011
Town: New Kensington State: PA County: Allegheny
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): - 12 | | Latitude (decimal): 40.551389
Total Berthing Space (feet): 870 | | Longitude (decimal): -79.76861
Remarks: An open storage area with capacity for 6,000 tons of material is located adjacent to each of the 3 stiff-leg derricks.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43218 Pittsburgh District

---

Waterway: **Allegheny River** Mile: 20 PWD: 206
Name: **Burrell Industries, Arnold Dock.**
Port: Pittsburgh
Location: Mile 20.4, left bank, Allegheny River, Arnold, 1.4 miles above New Kensington Highway Bridge. Datum: NPE
Operator: Burrell Industries, Inc.
Owner: Burrell Industries, Inc.
Address: 1900 Dr. Thomas Boulevard Phone: 412 339-1011
Town: Arnold State: PA County: Allegheny
Railway Connection: None.
Purpose: Receipt and shipment of miscellaneous dry bulk materials.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.581389
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.77111
Remarks: Facility is operated as public storage terminal having a 12 1/2-acre open storage area; 12 1/2-acres of storage area inside building; and 5 lime storage tanks, total capacity 5,000 tons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43220 Pittsburgh District

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 20 PWD: 220
Name: **Pittsburgh Penn Oil Co. Dock.**
Port: Pittsburgh
Location: Mile 19.7, right bank, Allegheny River, Glassmere, 0.7 mile above New Kensington Highway (State Highway Datum: NPE
Operator: Pittsburgh Penn Oil Co., Inc.
Owner: Pittsburgh Penn Oil Co., Inc.
Address: Old State Highway 28 Phone: 800 245-0680
Town: Glassmere State: PA County: Westmoreland
Railway Connection: One surface track at rear connects with Consolidated Rail Corp.
Purpose: Receipt of ethylene glycol.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.575833
Total Berthing Space (feet): 300 | | Longitude (decimal): -79.76722
Remarks: One 6-inch pipeline extends from wharf to one steel storage tank at plant in rear, total capacity 550,200 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43219 Pittsburgh District

---

Waterway: **Allegheny River** Mile: 22 PWD: 219
Name: **Weleski Dock.**
Port: Pittsburgh
Location: Mile 21.6, right bank, Allegheny River, Tarentum, 0.2 mile below Tarentum Highway (State Highway 336) Br Datum: NPE
Operator: Weleski, Inc.
Owner: Weleski, Inc.
Address: West Fourth Avenue Phone: 412 226-2950
Town: Tarentum State: PA County: Westmoreland
Railway Connection: None.
Purpose: Receipt and shipment of dry bulk materials, including receipt of sand, gravel, and magnesite; shipment of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.438611
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.00833
Remarks: Approximately 5 acres of open storage area are located at rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43221 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 25 PWD: 218
Name: **Allegheny Ludlum Steel Corp. Wharf.**
Port: Pittsburgh
Location: Mile 24.8, right bank, Allegheny River, Natrona, 0.6 mile above Lock and Dam No. 4. Datum: NPE
Operator: Allegheny Ludlum Steel Corp.
Owner: Allegheny Ludlum Steel Corp.
Address: River Road Phone: 412 362-2400
Town: Natrona State: PA County: Westmoreland
Railway Connection: Two surface tracks along rear of wharf join additional trackage serving plant at rear; connecting with Consolidated Rail Corp.
Purpose: Receipt of dry bulk materials including iron ore pellets, silica, sand, and scrap metal; shipment of steel coils and scrap metal.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.6225
Total Berthing Space (feet): 705 | | Longitude (decimal): -79.71111
Remarks: Approximately 45 acres of open storage area for bulk commodities are located at rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43244 Pittsburgh District

---

Waterway: **Allegheny River** Mile: 3 PWD: 199
Name: **43rd Street Concrete and Supply Mooring.**
Port: Pittsburgh
Location: Mile 3.4, left bank, Allegheny River, Pittsburgh, approximately 1,000 feet above Washington Crossing Hig Datum: NPE
Operator: 43rd Street Concrete and Supply, Inc.
Owner: Consolidated Rail Corp.
Address: Foot of 43rd Street Phone: 412 682-4090
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.475
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.96528
Remarks: Five concrete storage bins, total capacity 860 tons, and open storage area for 35,000 tons of material are located in rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43203 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 3 PWD: 198
Name: **Exxon Co., USA, Pittsburgh Dock.**
Port: Pittsburgh
Location: Mile 2.7, left bank, Allegheny River, above CSX Rail Transport Bridge. Datum: NPE
Operator: Exxon Co., USA.
Owner: Exxon Co., USA.
Address: Foot of 34th Street Phone: 412 622-6031
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: Surface tracks serving plant at rear connect with Consolidated Rail Corp. and CSX Rail Transport.
Purpose: Receipt of lubricating oils.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.465278
Total Berthing Space (feet): 340 | | Longitude (decimal): -79.97222
Remarks: Seven 6-inch pipelines, 2 from lower and 5 from adjacent cell, extend to 60 steel storage tanks at rear; total capacity 131,000 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43203 Pittsburgh District

---

Waterway: **Allegheny River** Mile: 3 PWD: 230
Name: **State Side Building Products Wharf.**
Port: Pittsburgh
Location: Mile 3.3, right bank, Allegheny River, Millvale, above Washington Crossing Highway Bridge. Datum: NPE
Operator: State Side Building Products, Inc.
Owner: CSX Transportation, Inc.
Address: 3 Bridge Street Phone: 412 821-8105
Town: Millvale State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 4 | | Latitude (decimal): 40.474167
Total Berthing Space (feet): 150 | | Longitude (decimal): -79.96944
Remarks: -

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43203 Pittsburgh District

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 30 PWD: 216
Name: **Freeport Terminals Petroleum Dock.**
Port: Pittsburgh
Location: Mile 29.6, right bank, Allegheny River, Freeport, 0.4 mile below Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Freeport Terminals, Inc.
Owner: Freeport Terminals, Inc.
Address: Market Street Phone: 412 295-5156
Town: Freeport State: PA County: Westmoreland
Railway Connection: See Ref. No. 215.
Purpose: Receipt and shipment of liquid bulk commodities including petroleum products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.673889
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.67611

Waterway: **Allegheny River** Mile: 30 PWD: 216
Name: **Freeport Terminals Petroleum Dock.**
Port: Pittsburgh
Location: Mile 29.6, right bank, Allegheny River, Freeport, 0.4 mile below Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Freeport Terminals, Inc.
Owner: Freeport Terminals, Inc.
Address: Market Street Phone: 412 295-5156
Town: Freeport State: PA County: Westmoreland
Railway Connection: See Ref. No. 215.
Purpose: Receipt and shipment of liquid bulk commodities including petroleum products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.673889
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.67611

Waterway: **Allegheny River** Mile: 30 PWD: 216
Name: **Freeport Terminals Petroleum Dock.**
Port: Pittsburgh
Location: Mile 29.6, right bank, Allegheny River, Freeport, 0.4 mile below Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Freeport Terminals, Inc.
Owner: Freeport Terminals, Inc.
Address: Market Street Phone: 412 295-5156
Town: Freeport State: PA County: Westmoreland
Railway Connection: See Ref. No. 215.
Purpose: Receipt and shipment of liquid bulk commodities including petroleum products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.673889
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.67611
Remarks: Seven 6-inch pipelines extend from wharf to 16 steel storage tanks at rear, total capacity 214,300 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43229 Pittsburgh District

Remarks: Seven 6-inch pipelines extend from wharf to 16 steel storage tanks at rear, total capacity 214,300 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43229 Pittsburgh District

Port Facilities by Waterway

Remarks: Seven 6-inch pipelines extend from wharf to 16 steel storage tanks at rear, total capacity 214,300 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43229 Pittsburgh District

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 30 PWD: 216
Name: **Freeport Terminals Petroleum Dock.**
Port: Pittsburgh
Location: Mile 29.6, right bank, Allegheny River, Freeport, 0.4 mile below Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Freeport Terminals, Inc.
Owner: Freeport Terminals, Inc.
Address: Market Street Phone: 412 295-5156
Town: Freeport State: PA County: Westmoreland
Railway Connection: See Ref. No. 215.
Purpose: Receipt and shipment of liquid bulk commodities including petroleum products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.673889
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.67611

Waterway: **Allegheny River** Mile: 30 PWD: 216
Name: **Freeport Terminals Petroleum Dock.**
Port: Pittsburgh
Location: Mile 29.6, right bank, Allegheny River, Freeport, 0.4 mile below Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Freeport Terminals, Inc.
Owner: Freeport Terminals, Inc.
Address: Market Street Phone: 412 295-5156
Town: Freeport State: PA County: Westmoreland
Railway Connection: See Ref. No. 215.
Purpose: Receipt and shipment of liquid bulk commodities including petroleum products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.673889
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.67611

Waterway: **Allegheny River** Mile: 30 PWD: 216
Name: **Freeport Terminals Petroleum Dock.**
Port: Pittsburgh
Location: Mile 29.6, right bank, Allegheny River, Freeport, 0.4 mile below Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Freeport Terminals, Inc.
Owner: Freeport Terminals, Inc.
Address: Market Street Phone: 412 295-5156
Town: Freeport State: PA County: Westmoreland
Railway Connection: See Ref. No. 215.
Purpose: Receipt and shipment of liquid bulk commodities including petroleum products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.673889
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.67611
Remarks: Seven 6-inch pipelines extend from wharf to 16 steel storage tanks at rear, total capacity 214,300 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43229 Pittsburgh District

Remarks: Seven 6-inch pipelines extend from wharf to 16 steel storage tanks at rear, total capacity 214,300 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43229 Pittsburgh District

Port Facilities by Waterway

Remarks: Seven 6-inch pipelines extend from wharf to 16 steel storage tanks at rear, total capacity 214,300 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43229 Pittsburgh District

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 30 PWD: 216
Name: **Freeport Terminals Petroleum Dock.**
Port: Pittsburgh
Location: Mile 29.6, right bank, Allegheny River, Freeport, 0.4 mile below Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Freeport Terminals, Inc.
Owner: Freeport Terminals, Inc.
Address: Market Street Phone: 412 295-5156
Town: Freeport State: PA County: Westmoreland
Railway Connection: See Ref. No. 215.
Purpose: Receipt and shipment of liquid bulk commodities including petroleum products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.673889
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.67611

Waterway: **Allegheny River** Mile: 30 PWD: 216
Name: **Freeport Terminals Petroleum Dock.**
Port: Pittsburgh
Location: Mile 29.6, right bank, Allegheny River, Freeport, 0.4 mile below Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Freeport Terminals, Inc.
Owner: Freeport Terminals, Inc.
Address: Market Street Phone: 412 295-5156
Town: Freeport State: PA County: Westmoreland
Railway Connection: See Ref. No. 215.
Purpose: Receipt and shipment of liquid bulk commodities including petroleum products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.673889
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.67611

Waterway: **Allegheny River** Mile: 30 PWD: 216
Name: **Freeport Terminals Petroleum Dock.**
Port: Pittsburgh
Location: Mile 29.6, right bank, Allegheny River, Freeport, 0.4 mile below Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Freeport Terminals, Inc.
Owner: Freeport Terminals, Inc.
Address: Market Street Phone: 412 295-5156
Town: Freeport State: PA County: Westmoreland
Railway Connection: See Ref. No. 215.
Purpose: Receipt and shipment of liquid bulk commodities including petroleum products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.673889
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.67611
Remarks: Seven 6-inch pipelines extend from wharf to 16 steel storage tanks at rear, total capacity 214,300 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43229 Pittsburgh District

Remarks: Seven 6-inch pipelines extend from wharf to 16 steel storage tanks at rear, total capacity 214,300 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43229 Pittsburgh District

Port Facilities by Waterway

Remarks: Seven 6-inch pipelines extend from wharf to 16 steel storage tanks at rear, total capacity 214,300 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43229 Pittsburgh District

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 30 PWD: 215
Name: **Freeport Terminals Slip.**
Port: Pittsburgh
Location: Mile 29.7, right bank, Allegheny River, Freeport, 0.3 mile below Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Freeport Terminals, Inc.
Owner: Freeport Terminals, Inc.
Address: Market Street Phone: 412 295-5156
Town: Freeport State: PA County: Westmoreland
Railway Connection: Planned surface tracks connecting with Consolidated Rail Corp.
Purpose: Receipt and shipment of steel and dry bulk commodities, including coal, coke, and crushed stone.
Depth Alongside (feet): 12 | - 12 | 12 Latitude (decimal): 40.675
Total Berthing Space (feet): 400 | | 400 Longitude (decimal): -79.675

Waterway: **Allegheny River** Mile: 30 PWD: 215
Name: **Freeport Terminals Slip.**
Port: Pittsburgh
Location: Mile 29.7, right bank, Allegheny River, Freeport, 0.3 mile below Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Freeport Terminals, Inc.
Owner: Freeport Terminals, Inc.
Address: Market Street Phone: 412 295-5156
Town: Freeport State: PA County: Westmoreland
Railway Connection: Planned surface tracks connecting with Consolidated Rail Corp.
Purpose: Receipt and shipment of steel and dry bulk commodities, including coal, coke, and crushed stone.
Depth Alongside (feet): 12 | - 12 | 12 Latitude (decimal): 40.675
Total Berthing Space (feet): 400 | | 400 Longitude (decimal): -79.675

Waterway: **Allegheny River** Mile: 30 PWD: 215
Name: **Freeport Terminals Slip.**
Port: Pittsburgh
Location: Mile 29.7, right bank, Allegheny River, Freeport, 0.3 mile below Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Freeport Terminals, Inc.
Owner: Freeport Terminals, Inc.
Address: Market Street Phone: 412 295-5156
Town: Freeport State: PA County: Westmoreland
Railway Connection: Planned surface tracks connecting with Consolidated Rail Corp.
Purpose: Receipt and shipment of steel and dry bulk commodities, including coal, coke, and crushed stone.
Depth Alongside (feet): 12 | - 12 | 12 Latitude (decimal): 40.675
Total Berthing Space (feet): 400 | | 400 Longitude (decimal): -79.675

Remarks: Open storage area at rear of upper side has capacity for 100,000 tons of material.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43229 Pittsburgh District

Remarks: Open storage area at rear of upper side has capacity for 100,000 tons of material.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43229 Pittsburgh District

Remarks: Open storage area at rear of upper side has capacity for 100,000 tons of material.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43229 Pittsburgh District

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 30 PWD: 215
Name: **Freeport Terminals Slip.**
Port: Pittsburgh
Location: Mile 29.7, right bank, Allegheny River, Freeport, 0.3 mile below Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Freeport Terminals, Inc.
Owner: Freeport Terminals, Inc.
Address: Market Street Phone: 412 295-5156
Town: Freeport State: PA County: Westmoreland
Railway Connection: Planned surface tracks connecting with Consolidated Rail Corp.
Purpose: Receipt and shipment of steel and dry bulk commodities, including coal, coke, and crushed stone.
Depth Alongside (feet): 12 | - 12 | 12 Latitude (decimal): 40.675
Total Berthing Space (feet): 400 | | 400 Longitude (decimal): -79.675

Waterway: **Allegheny River** Mile: 30 PWD: 215
Name: **Freeport Terminals Slip.**
Port: Pittsburgh
Location: Mile 29.7, right bank, Allegheny River, Freeport, 0.3 mile below Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Freeport Terminals, Inc.
Owner: Freeport Terminals, Inc.
Address: Market Street Phone: 412 295-5156
Town: Freeport State: PA County: Westmoreland
Railway Connection: Planned surface tracks connecting with Consolidated Rail Corp.
Purpose: Receipt and shipment of steel and dry bulk commodities, including coal, coke, and crushed stone.
Depth Alongside (feet): 12 | - 12 | 12 Latitude (decimal): 40.675
Total Berthing Space (feet): 400 | | 400 Longitude (decimal): -79.675

Waterway: **Allegheny River** Mile: 30 PWD: 215
Name: **Freeport Terminals Slip.**
Port: Pittsburgh
Location: Mile 29.7, right bank, Allegheny River, Freeport, 0.3 mile below Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Freeport Terminals, Inc.
Owner: Freeport Terminals, Inc.
Address: Market Street Phone: 412 295-5156
Town: Freeport State: PA County: Westmoreland
Railway Connection: Planned surface tracks connecting with Consolidated Rail Corp.
Purpose: Receipt and shipment of steel and dry bulk commodities, including coal, coke, and crushed stone.
Depth Alongside (feet): 12 | - 12 | 12 Latitude (decimal): 40.675
Total Berthing Space (feet): 400 | | 400 Longitude (decimal): -79.675
Remarks: Open storage area at rear of upper side has capacity for 100,000 tons of material.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43229 Pittsburgh District

Remarks: Open storage area at rear of upper side has capacity for 100,000 tons of material.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43229 Pittsburgh District

Remarks: Open storage area at rear of upper side has capacity for 100,000 tons of material.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43229 Pittsburgh District

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 30 PWD: 215
Name: **Freeport Terminals Slip.**
Port: Pittsburgh
Location: Mile 29.7, right bank, Allegheny River, Freeport, 0.3 mile below Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Freeport Terminals, Inc.
Owner: Freeport Terminals, Inc.
Address: Market Street Phone: 412 295-5156
Town: Freeport State: PA County: Westmoreland
Railway Connection: Planned surface tracks connecting with Consolidated Rail Corp.
Purpose: Receipt and shipment of steel and dry bulk commodities, including coal, coke, and crushed stone.
Depth Alongside (feet): 12 | - 12 | 12 Latitude (decimal): 40.675
Total Berthing Space (feet): 400 | | 400 Longitude (decimal): -79.675

Waterway: **Allegheny River** Mile: 30 PWD: 215
Name: **Freeport Terminals Slip.**
Port: Pittsburgh
Location: Mile 29.7, right bank, Allegheny River, Freeport, 0.3 mile below Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Freeport Terminals, Inc.
Owner: Freeport Terminals, Inc.
Address: Market Street Phone: 412 295-5156
Town: Freeport State: PA County: Westmoreland
Railway Connection: Planned surface tracks connecting with Consolidated Rail Corp.
Purpose: Receipt and shipment of steel and dry bulk commodities, including coal, coke, and crushed stone.
Depth Alongside (feet): 12 | - 12 | 12 Latitude (decimal): 40.675
Total Berthing Space (feet): 400 | | 400 Longitude (decimal): -79.675

Waterway: **Allegheny River** Mile: 30 PWD: 215
Name: **Freeport Terminals Slip.**
Port: Pittsburgh
Location: Mile 29.7, right bank, Allegheny River, Freeport, 0.3 mile below Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Freeport Terminals, Inc.
Owner: Freeport Terminals, Inc.
Address: Market Street Phone: 412 295-5156
Town: Freeport State: PA County: Westmoreland
Railway Connection: Planned surface tracks connecting with Consolidated Rail Corp.
Purpose: Receipt and shipment of steel and dry bulk commodities, including coal, coke, and crushed stone.
Depth Alongside (feet): 12 | - 12 | 12 Latitude (decimal): 40.675
Total Berthing Space (feet): 400 | | 400 Longitude (decimal): -79.675

Remarks: Open storage area at rear of upper side has capacity for 100,000 tons of material.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43229 Pittsburgh District

Remarks: Open storage area at rear of upper side has capacity for 100,000 tons of material.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43229 Pittsburgh District

Remarks: Open storage area at rear of upper side has capacity for 100,000 tons of material.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43229 Pittsburgh District

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 30 PWD: 217
Name: **Freeport Terminals, Coal Dock.**
Port: Pittsburgh
Location: Mile 29.5, right bank, Allegheny River, Freeport, 0.5 mile below Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Freeport Terminals, Inc.
Owner: Freeport Terminals, Inc.
Address: Market Street Phone: 412 295-5156
Town: Freeport State: PA County: Westmoreland
Railway Connection: See Remarks under Ref. No. 215.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.672778
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.67833

Waterway: **Allegheny River** Mile: 30 PWD: 217
Name: **Freeport Terminals, Coal Dock.**
Port: Pittsburgh
Location: Mile 29.5, right bank, Allegheny River, Freeport, 0.5 mile below Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Freeport Terminals, Inc.
Owner: Freeport Terminals, Inc.
Address: Market Street Phone: 412 295-5156
Town: Freeport State: PA County: Westmoreland
Railway Connection: See Remarks under Ref. No. 215.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.672778
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.67833

Waterway: **Allegheny River** Mile: 30 PWD: 217
Name: **Freeport Terminals, Coal Dock.**
Port: Pittsburgh
Location: Mile 29.5, right bank, Allegheny River, Freeport, 0.5 mile below Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Freeport Terminals, Inc.
Owner: Freeport Terminals, Inc.
Address: Market Street Phone: 412 295-5156
Town: Freeport State: PA County: Westmoreland
Railway Connection: See Remarks under Ref. No. 215.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.672778
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.67833

Remarks: Open storage area at rear has capacity for 150,000 tons of coal. Additional open storage area located at rear of Ref. No. 215.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43229 Pittsburgh District

Remarks: Open storage area at rear has capacity for 150,000 tons of coal. Additional open storage area located at rear of Ref. No. 215.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43229 Pittsburgh District

Port Facilities by Waterway

Remarks: Open storage area at rear has capacity for 150,000 tons of coal. Additional open storage area located at rear of Ref. No. 215.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43229 Pittsburgh District

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 30 PWD: 217
Name: **Freeport Terminals, Coal Dock.**
Port: Pittsburgh
Location: Mile 29.5, right bank, Allegheny River, Freeport, 0.5 mile below Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Freeport Terminals, Inc.
Owner: Freeport Terminals, Inc.
Address: Market Street Phone: 412 295-5156
Town: Freeport State: PA County: Westmoreland
Railway Connection: See Remarks under Ref. No. 215.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.672778
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.67833

Waterway: **Allegheny River** Mile: 30 PWD: 217
Name: **Freeport Terminals, Coal Dock.**
Port: Pittsburgh
Location: Mile 29.5, right bank, Allegheny River, Freeport, 0.5 mile below Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Freeport Terminals, Inc.
Owner: Freeport Terminals, Inc.
Address: Market Street Phone: 412 295-5156
Town: Freeport State: PA County: Westmoreland
Railway Connection: See Remarks under Ref. No. 215.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.672778
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.67833

Waterway: **Allegheny River** Mile: 30 PWD: 217
Name: **Freeport Terminals, Coal Dock.**
Port: Pittsburgh
Location: Mile 29.5, right bank, Allegheny River, Freeport, 0.5 mile below Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Freeport Terminals, Inc.
Owner: Freeport Terminals, Inc.
Address: Market Street Phone: 412 295-5156
Town: Freeport State: PA County: Westmoreland
Railway Connection: See Remarks under Ref. No. 215.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.672778
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.67833

Remarks: Open storage area at rear has capacity for 150,000 tons of coal. Additional open storage area located at rear of Ref. No. 215.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43229 Pittsburgh District

Remarks: Open storage area at rear has capacity for 150,000 tons of coal. Additional open storage area located at rear of Ref. No. 215.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43229 Pittsburgh District

Port Facilities by Waterway

Remarks: Open storage area at rear has capacity for 150,000 tons of coal. Additional open storage area located at rear of Ref. No. 215.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43229 Pittsburgh District

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 30 PWD: 217
Name: **Freeport Terminals, Coal Dock.**
Port: Pittsburgh
Location: Mile 29.5, right bank, Allegheny River, Freeport, 0.5 mile below Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Freeport Terminals, Inc.
Owner: Freeport Terminals, Inc.
Address: Market Street Phone: 412 295-5156
Town: Freeport State: PA County: Westmoreland
Railway Connection: See Remarks under Ref. No. 215.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.672778
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.67833

Waterway: **Allegheny River** Mile: 30 PWD: 217
Name: **Freeport Terminals, Coal Dock.**
Port: Pittsburgh
Location: Mile 29.5, right bank, Allegheny River, Freeport, 0.5 mile below Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Freeport Terminals, Inc.
Owner: Freeport Terminals, Inc.
Address: Market Street Phone: 412 295-5156
Town: Freeport State: PA County: Westmoreland
Railway Connection: See Remarks under Ref. No. 215.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.672778
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.67833

Waterway: **Allegheny River** Mile: 30 PWD: 217
Name: **Freeport Terminals, Coal Dock.**
Port: Pittsburgh
Location: Mile 29.5, right bank, Allegheny River, Freeport, 0.5 mile below Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Freeport Terminals, Inc.
Owner: Freeport Terminals, Inc.
Address: Market Street Phone: 412 295-5156
Town: Freeport State: PA County: Westmoreland
Railway Connection: See Remarks under Ref. No. 215.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.672778
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.67833

Remarks: Open storage area at rear has capacity for 150,000 tons of coal. Additional open storage area located at rear of Ref. No. 215.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43229 Pittsburgh District

Remarks: Open storage area at rear has capacity for 150,000 tons of coal. Additional open storage area located at rear of Ref. No. 215.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43229 Pittsburgh District

Port Facilities by Waterway

Remarks: Open storage area at rear has capacity for 150,000 tons of coal. Additional open storage area located at rear of Ref. No. 215.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43229 Pittsburgh District

Waterway: **Allegheny River** Mile: 33 PWD: 214
Name: **Davison Sand and Gravel Co., Murphys Bottom Dock.**
Port: Pittsburgh
Location: Mile 33.0, right bank, Allegheny River, Murphys Bottom. Datum: NPE
Operator: Davison Sand and Gravel Co.
Owner: Davison Sand and Gravel Co.
Address: State Highway 128 Phone: 412 548-5880
Town: Murphys Bottom State: PA County: Armstrong
Railway Connection: None.
Purpose: Shipment of sand and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal):
Total Berthing Space (feet): 175 | | Longitude (decimal):
Remarks: A quarry, crushing, and grading plant located at rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43232 Pittsburgh District

Waterway: **Allegheny River** Mile: 4 PWD: 200
Name: **Pennzoil Products Co., Allegheny River Dock.**
Port: Pittsburgh
Location: Mile 4.4, left bank, Allegheny River, approximately 1,000 feet above Washington Crossing Highway Bridge. Datum: NPE
Operator: Pennzoil Products Co., Inc.
Owner: Pennzoil Products Co., Inc.
Address: Foot of 54th Street Phone: 412 781-3084
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.485
Total Berthing Space (feet): 195 | | Longitude (decimal): -79.95472
Remarks: Three 6- and three 4-inch pipelines extend from lower cell, and two 6-inch pipelines from upper cell to 20 steel storage tanks at rear; total capacity 107,000 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43203 Pittsburgh District

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 44 PWD: 213
Name: **Asbury Graphite Mills Dock.**
Port: Pittsburgh
Location: Mile 44.1, right bank, Allegheny River, Applewold, above U.S. Highway 422 Bridge. Datum: NPE
Operator: Not operated.
Owner: Asbury Graphite Mills, Inc.
Address: U.S. Highway 422 Phone: 412 543-1343
Town: Applewold State: PA County: Armstrong
Railway Connection: Surface tracks serving plant at rear connect with Pittsburg and Shawmut Railroad.
Purpose: Not used.
Depth Alongside (feet): 8 | | Latitude (decimal): 40.8
Total Berthing Space (feet): 260 | | Longitude (decimal): -79.51806
Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43244 Pittsburgh District

---

Waterway: **Allegheny River** Mile: 45 PWD: 207
Name: **Kittanning Builders Supply Co. Wharf.**
Port: Pittsburgh
Location: Mile 44.7, left bank, Allegheny River, Kittanning, 0.8 mile above U.S. Highway 422 Bridge. Datum: NPE
Operator: Not operated.
Owner: Kittanning Builders Supply Co., Division of Davison Sand and Gravel Co.
Address: 503 South Water Street Phone: 412 543-2711
Town: Kittanning State: PA County: Armstrong
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 8 | | Latitude (decimal): 40.816111
Total Berthing Space (feet): 500 | | Longitude (decimal): -79.51694
Remarks: Concrete ready-mix plant and open storage area with capacity for 15,000 tons of sand and gravel are located at rear.□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43244 Pittsburgh District

---

Waterway: **Allegheny River** Mile: 49 PWD: 211
Name: **Davison Sand and Gravel Co., Tarrtown Dock.**
Port: Pittsburgh
Location: Mile 49.1, right bank, Allegheny River, Tarrtown. Datum: NPE
Operator: Davison Sand and Gravel Co.
Owner: Davison Sand and Gravel Co.
Address: State Road 03024 Phone: 412 548-5880
Town: Tarrtown State: PA County: Armstrong
Railway Connection: None.
Purpose: Receipt and shipment of gravel.
Depth Alongside (feet): 9 - 10 | | Latitude (decimal): 40.857222
Total Berthing Space (feet): 800 | | Longitude (decimal): -79.50083
Remarks: Open storage area in rear has capacity for approximately 120,000 tons of gravel.□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43249 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 5 PWD: 229
Name: **Davison Sand and Gravel Co., Etna Mooring.**
Port: Pittsburgh
Location: Mile 5.4, right bank, Allegheny River, Etna, below 62nd Street Highway Bridge. Datum: NPE
Operator: Davison Sand and Gravel Co.
Owner: Davison Sand and Gravel Co.
Address: State Highway 28 Phone: 412 362-4900
Town: Etna State: PA County: Allegheny
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 3 - 10 | | Latitude (decimal): 40.492222
Total Berthing Space (feet): 490 | | Longitude (decimal): -79.93972

Waterway: **Allegheny River** Mile: 5 PWD: 229
Name: **Davison Sand and Gravel Co., Etna Mooring.**
Port: Pittsburgh
Location: Mile 5.4, right bank, Allegheny River, Etna, below 62nd Street Highway Bridge. Datum: NPE
Operator: Davison Sand and Gravel Co.
Owner: Davison Sand and Gravel Co.
Address: State Highway 28 Phone: 412 362-4900
Town: Etna State: PA County: Allegheny
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 3 - 10 | | Latitude (decimal): 40.492222
Total Berthing Space (feet): 490 | | Longitude (decimal): -79.93972
Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43203 Pittsburgh District

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43203 Pittsburgh District

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 5 PWD: 229
Name: **Davison Sand and Gravel Co., Etna Mooring.**
Port: Pittsburgh
Location: Mile 5.4, right bank, Allegheny River, Etna, below 62nd Street Highway Bridge. Datum: NPE
Operator: Davison Sand and Gravel Co.
Owner: Davison Sand and Gravel Co.
Address: State Highway 28 Phone: 412 362-4900
Town: Etna State: PA County: Allegheny
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 3 - 10 | | Latitude (decimal): 40.492222
Total Berthing Space (feet): 490 | | Longitude (decimal): -79.93972

Waterway: **Allegheny River** Mile: 5 PWD: 229
Name: **Davison Sand and Gravel Co., Etna Mooring.**
Port: Pittsburgh
Location: Mile 5.4, right bank, Allegheny River, Etna, below 62nd Street Highway Bridge. Datum: NPE
Operator: Davison Sand and Gravel Co.
Owner: Davison Sand and Gravel Co.
Address: State Highway 28 Phone: 412 362-4900
Town: Etna State: PA County: Allegheny
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 3 - 10 | | Latitude (decimal): 40.492222
Total Berthing Space (feet): 490 | | Longitude (decimal): -79.93972
Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43203 Pittsburgh District

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43203 Pittsburgh District

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 50 PWD: 208
Name: **Glacial Sand and Gravel Co., Tarrtown Coal Dock.**
Port: Pittsburgh
Location: Mile 50.1, right bank, Allegheny River, Tarrtown, approximately 0.5 mile below CSX Rail Transport Bridge Datum: NPE
Operator: Glacial Sand and Gravel Co.
Owner: Glacial Sand and Gravel Co.
Address: State Highway 03024 Phone: 412 548-8101
Town: E.Franklin Twns State: PA County: Armstrong
Railway Connection: One surface track at rear connects with Pittsburg and Shawmut Railroad.
Purpose: Occasional shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.858611
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.48667

Waterway: **Allegheny River** Mile: 50 PWD: 208
Name: **Glacial Sand and Gravel Co., Tarrtown Coal Dock.**
Port: Pittsburgh
Location: Mile 50.1, right bank, Allegheny River, Tarrtown, approximately 0.5 mile below CSX Rail Transport Bridge Datum: NPE
Operator: Glacial Sand and Gravel Co.
Owner: Glacial Sand and Gravel Co.
Address: State Highway 03024 Phone: 412 548-8101
Town: E.Franklin Twns State: PA County: Armstrong
Railway Connection: One surface track at rear connects with Pittsburg and Shawmut Railroad.
Purpose: Occasional shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.858611
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.48667

Waterway: **Allegheny River** Mile: 50 PWD: 208
Name: **Glacial Sand and Gravel Co., Tarrtown Coal Dock.**
Port: Pittsburgh
Location: Mile 50.1, right bank, Allegheny River, Tarrtown, approximately 0.5 mile below CSX Rail Transport Bridge Datum: NPE
Operator: Glacial Sand and Gravel Co.
Owner: Glacial Sand and Gravel Co.
Address: State Highway 03024 Phone: 412 548-8101
Town: E.Franklin Twns State: PA County: Armstrong
Railway Connection: One surface track at rear connects with Pittsburg and Shawmut Railroad.
Purpose: Occasional shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.858611
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.48667

Remarks: Open storage area at rear has capacity for approximately 20,000 tons of coal.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43249 Pittsburgh District

Remarks: Open storage area at rear has capacity for approximately 20,000 tons of coal.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43249 Pittsburgh District

Remarks: Open storage area at rear has capacity for approximately 20,000 tons of coal.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43249 Pittsburgh District

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 50 PWD: 208
Name: **Glacial Sand and Gravel Co., Tarrtown Coal Dock.**
Port: Pittsburgh
Location: Mile 50.1, right bank, Allegheny River, Tarrtown, approximately 0.5 mile below CSX Rail Transport Bridge Datum: NPE
Operator: Glacial Sand and Gravel Co.
Owner: Glacial Sand and Gravel Co.
Address: State Highway 03024 Phone: 412 548-8101
Town: E.Franklin Twns State: PA County: Armstrong
Railway Connection: One surface track at rear connects with Pittsburg and Shawmut Railroad.
Purpose: Occasional shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.858611
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.48667

Waterway: **Allegheny River** Mile: 50 PWD: 208
Name: **Glacial Sand and Gravel Co., Tarrtown Coal Dock.**
Port: Pittsburgh
Location: Mile 50.1, right bank, Allegheny River, Tarrtown, approximately 0.5 mile below CSX Rail Transport Bridge Datum: NPE
Operator: Glacial Sand and Gravel Co.
Owner: Glacial Sand and Gravel Co.
Address: State Highway 03024 Phone: 412 548-8101
Town: E.Franklin Twns State: PA County: Armstrong
Railway Connection: One surface track at rear connects with Pittsburg and Shawmut Railroad.
Purpose: Occasional shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.858611
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.48667

Waterway: **Allegheny River** Mile: 50 PWD: 208
Name: **Glacial Sand and Gravel Co., Tarrtown Coal Dock.**
Port: Pittsburgh
Location: Mile 50.1, right bank, Allegheny River, Tarrtown, approximately 0.5 mile below CSX Rail Transport Bridge Datum: NPE
Operator: Glacial Sand and Gravel Co.
Owner: Glacial Sand and Gravel Co.
Address: State Highway 03024 Phone: 412 548-8101
Town: E.Franklin Twns State: PA County: Armstrong
Railway Connection: One surface track at rear connects with Pittsburg and Shawmut Railroad.
Purpose: Occasional shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.858611
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.48667

Remarks: Open storage area at rear has capacity for approximately 20,000 tons of coal.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43249 Pittsburgh District

Remarks: Open storage area at rear has capacity for approximately 20,000 tons of coal.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43249 Pittsburgh District

Remarks: Open storage area at rear has capacity for approximately 20,000 tons of coal.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43249 Pittsburgh District

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 50 PWD: 208
Name: **Glacial Sand and Gravel Co., Tarrtown Coal Dock.**
Port: Pittsburgh
Location: Mile 50.1, right bank, Allegheny River, Tarrtown, approximately 0.5 mile below CSX Rail Transport Bridge Datum: NPE
Operator: Glacial Sand and Gravel Co.
Owner: Glacial Sand and Gravel Co.
Address: State Highway 03024 Phone: 412 548-8101
Town: E.Franklin Twns State: PA County: Armstrong
Railway Connection: One surface track at rear connects with Pittsburg and Shawmut Railroad.
Purpose: Occasional shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.858611
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.48667

Waterway: **Allegheny River** Mile: 50 PWD: 208
Name: **Glacial Sand and Gravel Co., Tarrtown Coal Dock.**
Port: Pittsburgh
Location: Mile 50.1, right bank, Allegheny River, Tarrtown, approximately 0.5 mile below CSX Rail Transport Bridge Datum: NPE
Operator: Glacial Sand and Gravel Co.
Owner: Glacial Sand and Gravel Co.
Address: State Highway 03024 Phone: 412 548-8101
Town: E.Franklin Twns State: PA County: Armstrong
Railway Connection: One surface track at rear connects with Pittsburg and Shawmut Railroad.
Purpose: Occasional shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.858611
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.48667

Waterway: **Allegheny River** Mile: 50 PWD: 208
Name: **Glacial Sand and Gravel Co., Tarrtown Coal Dock.**
Port: Pittsburgh
Location: Mile 50.1, right bank, Allegheny River, Tarrtown, approximately 0.5 mile below CSX Rail Transport Bridge Datum: NPE
Operator: Glacial Sand and Gravel Co.
Owner: Glacial Sand and Gravel Co.
Address: State Highway 03024 Phone: 412 548-8101
Town: E.Franklin Twns State: PA County: Armstrong
Railway Connection: One surface track at rear connects with Pittsburg and Shawmut Railroad.
Purpose: Occasional shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.858611
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.48667

Remarks: Open storage area at rear has capacity for approximately 20,000 tons of coal.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43249 Pittsburgh District

Remarks: Open storage area at rear has capacity for approximately 20,000 tons of coal.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43249 Pittsburgh District

Remarks: Open storage area at rear has capacity for approximately 20,000 tons of coal.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43249 Pittsburgh District

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 50 PWD: 209
Name: **Glacial Sand and Gravel Co., Tarrtown Plant Slip.**
Port: Pittsburgh
Location: Mile 49.9, right bank, Allegheny River, Tarrtown, approximately 0.7 mile below CSX Rail Transport Bridge Datum: NPE
Operator: Glacial Sand and Gravel Co.
Owner: Glacial Sand and Gravel Co.
Address: State Highway 03024 Phone: 412 548-8101
Town: E.Franklin Twns State: PA County: Armstrong
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): - 10 | - 10 | 10 Latitude (decimal): 40.858333
Total Berthing Space (feet): 175 | | 175 Longitude (decimal): -79.4875

Waterway: **Allegheny River** Mile: 50 PWD: 209
Name: **Glacial Sand and Gravel Co., Tarrtown Plant Slip.**
Port: Pittsburgh
Location: Mile 49.9, right bank, Allegheny River, Tarrtown, approximately 0.7 mile below CSX Rail Transport Bridge Datum: NPE
Operator: Glacial Sand and Gravel Co.
Owner: Glacial Sand and Gravel Co.
Address: State Highway 03024 Phone: 412 548-8101
Town: E.Franklin Twns State: PA County: Armstrong
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): - 10 | - 10 | 10 Latitude (decimal): 40.858333
Total Berthing Space (feet): 175 | | 175 Longitude (decimal): -79.4875

Waterway: **Allegheny River** Mile: 50 PWD: 209
Name: **Glacial Sand and Gravel Co., Tarrtown Plant Slip.**
Port: Pittsburgh
Location: Mile 49.9, right bank, Allegheny River, Tarrtown, approximately 0.7 mile below CSX Rail Transport Bridge Datum: NPE
Operator: Glacial Sand and Gravel Co.
Owner: Glacial Sand and Gravel Co.
Address: State Highway 03024 Phone: 412 548-8101
Town: E.Franklin Twns State: PA County: Armstrong
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): - 10 | - 10 | 10 Latitude (decimal): 40.858333
Total Berthing Space (feet): 175 | | 175 Longitude (decimal): -79.4875
Remarks: Open storage area serving slip and wharf (Ref. No. 210) has capacity for approximately 200,000 tons of sand and gravel.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43249 Pittsburgh District

Remarks: Open storage area serving slip and wharf (Ref. No. 210) has capacity for approximately 200,000 tons of sand and gravel.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43249 Pittsburgh District

Port Facilities by Waterway

Remarks: Open storage area serving slip and wharf (Ref. No. 210) has capacity for approximately 200,000 tons of sand and gravel.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43249 Pittsburgh District

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 50 PWD: 209
Name: **Glacial Sand and Gravel Co., Tarrtown Plant Slip.**
Port: Pittsburgh
Location: Mile 49.9, right bank, Allegheny River, Tarrtown, approximately 0.7 mile below CSX Rail Transport Bridge Datum: NPE
Operator: Glacial Sand and Gravel Co.
Owner: Glacial Sand and Gravel Co.
Address: State Highway 03024 Phone: 412 548-8101
Town: E.Franklin Twns State: PA County: Armstrong
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): - 10 | - 10 | 10 Latitude (decimal): 40.858333
Total Berthing Space (feet): 175 | | 175 Longitude (decimal): -79.4875

Waterway: **Allegheny River** Mile: 50 PWD: 209
Name: **Glacial Sand and Gravel Co., Tarrtown Plant Slip.**
Port: Pittsburgh
Location: Mile 49.9, right bank, Allegheny River, Tarrtown, approximately 0.7 mile below CSX Rail Transport Bridge Datum: NPE
Operator: Glacial Sand and Gravel Co.
Owner: Glacial Sand and Gravel Co.
Address: State Highway 03024 Phone: 412 548-8101
Town: E.Franklin Twns State: PA County: Armstrong
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): - 10 | - 10 | 10 Latitude (decimal): 40.858333
Total Berthing Space (feet): 175 | | 175 Longitude (decimal): -79.4875

Waterway: **Allegheny River** Mile: 50 PWD: 209
Name: **Glacial Sand and Gravel Co., Tarrtown Plant Slip.**
Port: Pittsburgh
Location: Mile 49.9, right bank, Allegheny River, Tarrtown, approximately 0.7 mile below CSX Rail Transport Bridge Datum: NPE
Operator: Glacial Sand and Gravel Co.
Owner: Glacial Sand and Gravel Co.
Address: State Highway 03024 Phone: 412 548-8101
Town: E.Franklin Twns State: PA County: Armstrong
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): - 10 | - 10 | 10 Latitude (decimal): 40.858333
Total Berthing Space (feet): 175 | | 175 Longitude (decimal): -79.4875
Remarks: Open storage area serving slip and wharf (Ref. No. 210) has capacity for approximately 200,000 tons of sand and gravel.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43249 Pittsburgh District

Remarks: Open storage area serving slip and wharf (Ref. No. 210) has capacity for approximately 200,000 tons of sand and gravel.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43249 Pittsburgh District

Port Facilities by Waterway

Remarks: Open storage area serving slip and wharf (Ref. No. 210) has capacity for approximately 200,000 tons of sand and gravel.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43249 Pittsburgh District

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 50 PWD: 209
Name: **Glacial Sand and Gravel Co., Tarrtown Plant Slip.**
Port: Pittsburgh
Location: Mile 49.9, right bank, Allegheny River, Tarrtown, approximately 0.7 mile below CSX Rail Transport Bridge Datum: NPE
Operator: Glacial Sand and Gravel Co.
Owner: Glacial Sand and Gravel Co.
Address: State Highway 03024 Phone: 412 548-8101
Town: E.Franklin Twns State: PA County: Armstrong
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): - 10 | - 10 | 10 Latitude (decimal): 40.858333
Total Berthing Space (feet): 175 | | 175 Longitude (decimal): -79.4875

Waterway: **Allegheny River** Mile: 50 PWD: 209
Name: **Glacial Sand and Gravel Co., Tarrtown Plant Slip.**
Port: Pittsburgh
Location: Mile 49.9, right bank, Allegheny River, Tarrtown, approximately 0.7 mile below CSX Rail Transport Bridge Datum: NPE
Operator: Glacial Sand and Gravel Co.
Owner: Glacial Sand and Gravel Co.
Address: State Highway 03024 Phone: 412 548-8101
Town: E.Franklin Twns State: PA County: Armstrong
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): - 10 | - 10 | 10 Latitude (decimal): 40.858333
Total Berthing Space (feet): 175 | | 175 Longitude (decimal): -79.4875

Waterway: **Allegheny River** Mile: 50 PWD: 209
Name: **Glacial Sand and Gravel Co., Tarrtown Plant Slip.**
Port: Pittsburgh
Location: Mile 49.9, right bank, Allegheny River, Tarrtown, approximately 0.7 mile below CSX Rail Transport Bridge Datum: NPE
Operator: Glacial Sand and Gravel Co.
Owner: Glacial Sand and Gravel Co.
Address: State Highway 03024 Phone: 412 548-8101
Town: E.Franklin Twns State: PA County: Armstrong
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): - 10 | - 10 | 10 Latitude (decimal): 40.858333
Total Berthing Space (feet): 175 | | 175 Longitude (decimal): -79.4875
Remarks: Open storage area serving slip and wharf (Ref. No. 210) has capacity for approximately 200,000 tons of sand and gravel.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43249 Pittsburgh District

Remarks: Open storage area serving slip and wharf (Ref. No. 210) has capacity for approximately 200,000 tons of sand and gravel.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43249 Pittsburgh District

Port Facilities by Waterway

Remarks: Open storage area serving slip and wharf (Ref. No. 210) has capacity for approximately 200,000 tons of sand and gravel.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43249 Pittsburgh District

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 50 PWD: 210
Name: **Glacial Sand and Gravel Co., Tarrtown Plant, Lower Wharf.**
Port: Pittsburgh
Location: Mile 49.8, right bank, Allegheny River, Tarrtown, approximately 0.8 mile below CSX Rail Transport Bridge Datum: NPE
Operator: Glacial Sand and Gravel Co.
Owner: Glacial Sand and Gravel Co.
Address: State Highway 03024 Phone: 412 548-8101
Town: E.Franklin Twns State: PA County: Armstrong
Railway Connection: None.
Purpose: Receipt and shipment of sand and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.859444
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.49389

Waterway: **Allegheny River** Mile: 50 PWD: 210
Name: **Glacial Sand and Gravel Co., Tarrtown Plant, Lower Wharf.**
Port: Pittsburgh
Location: Mile 49.8, right bank, Allegheny River, Tarrtown, approximately 0.8 mile below CSX Rail Transport Bridge Datum: NPE
Operator: Glacial Sand and Gravel Co.
Owner: Glacial Sand and Gravel Co.
Address: State Highway 03024 Phone: 412 548-8101
Town: E.Franklin Twns State: PA County: Armstrong
Railway Connection: None.
Purpose: Receipt and shipment of sand and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.859444
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.49389

Waterway: **Allegheny River** Mile: 50 PWD: 210
Name: **Glacial Sand and Gravel Co., Tarrtown Plant, Lower Wharf.**
Port: Pittsburgh
Location: Mile 49.8, right bank, Allegheny River, Tarrtown, approximately 0.8 mile below CSX Rail Transport Bridge Datum: NPE
Operator: Glacial Sand and Gravel Co.
Owner: Glacial Sand and Gravel Co.
Address: State Highway 03024 Phone: 412 548-8101
Town: E.Franklin Twns State: PA County: Armstrong
Railway Connection: None.
Purpose: Receipt and shipment of sand and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.859444
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.49389

Remarks: A 300- by 140-foot dredged slip below wharf is used for storing company-owned floating equipment during winter.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43249 Pittsburgh District

Remarks: A 300- by 140-foot dredged slip below wharf is used for storing company-owned floating equipment during winter.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43249 Pittsburgh District

Port Facilities by Waterway

Remarks: A 300- by 140-foot dredged slip below wharf is used for storing company-owned floating equipment during winter.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43249 Pittsburgh District

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 50 PWD: 210
Name: **Glacial Sand and Gravel Co., Tarrtown Plant, Lower Wharf.**
Port: Pittsburgh
Location: Mile 49.8, right bank, Allegheny River, Tarrtown, approximately 0.8 mile below CSX Rail Transport Bridge Datum: NPE
Operator: Glacial Sand and Gravel Co.
Owner: Glacial Sand and Gravel Co.
Address: State Highway 03024 Phone: 412 548-8101
Town: E.Franklin Twns State: PA County: Armstrong
Railway Connection: None.
Purpose: Receipt and shipment of sand and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.859444
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.49389

Waterway: **Allegheny River** Mile: 50 PWD: 210
Name: **Glacial Sand and Gravel Co., Tarrtown Plant, Lower Wharf.**
Port: Pittsburgh
Location: Mile 49.8, right bank, Allegheny River, Tarrtown, approximately 0.8 mile below CSX Rail Transport Bridge Datum: NPE
Operator: Glacial Sand and Gravel Co.
Owner: Glacial Sand and Gravel Co.
Address: State Highway 03024 Phone: 412 548-8101
Town: E.Franklin Twns State: PA County: Armstrong
Railway Connection: None.
Purpose: Receipt and shipment of sand and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.859444
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.49389

Waterway: **Allegheny River** Mile: 50 PWD: 210
Name: **Glacial Sand and Gravel Co., Tarrtown Plant, Lower Wharf.**
Port: Pittsburgh
Location: Mile 49.8, right bank, Allegheny River, Tarrtown, approximately 0.8 mile below CSX Rail Transport Bridge Datum: NPE
Operator: Glacial Sand and Gravel Co.
Owner: Glacial Sand and Gravel Co.
Address: State Highway 03024 Phone: 412 548-8101
Town: E.Franklin Twns State: PA County: Armstrong
Railway Connection: None.
Purpose: Receipt and shipment of sand and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.859444
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.49389

Remarks: A 300- by 140-foot dredged slip below wharf is used for storing company-owned floating equipment during winter.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43249 Pittsburgh District

Remarks: A 300- by 140-foot dredged slip below wharf is used for storing company-owned floating equipment during winter.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43249 Pittsburgh District

Port Facilities by Waterway

Remarks: A 300- by 140-foot dredged slip below wharf is used for storing company-owned floating equipment during winter.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43249 Pittsburgh District

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 50 PWD: 210
Name: **Glacial Sand and Gravel Co., Tarrtown Plant, Lower Wharf.**
Port: Pittsburgh
Location: Mile 49.8, right bank, Allegheny River, Tarrtown, approximately 0.8 mile below CSX Rail Transport Bridge Datum: NPE
Operator: Glacial Sand and Gravel Co.
Owner: Glacial Sand and Gravel Co.
Address: State Highway 03024 Phone: 412 548-8101
Town: E.Franklin Twns State: PA County: Armstrong
Railway Connection: None.
Purpose: Receipt and shipment of sand and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.859444
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.49389

Waterway: **Allegheny River** Mile: 50 PWD: 210
Name: **Glacial Sand and Gravel Co., Tarrtown Plant, Lower Wharf.**
Port: Pittsburgh
Location: Mile 49.8, right bank, Allegheny River, Tarrtown, approximately 0.8 mile below CSX Rail Transport Bridge Datum: NPE
Operator: Glacial Sand and Gravel Co.
Owner: Glacial Sand and Gravel Co.
Address: State Highway 03024 Phone: 412 548-8101
Town: E.Franklin Twns State: PA County: Armstrong
Railway Connection: None.
Purpose: Receipt and shipment of sand and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.859444
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.49389

Waterway: **Allegheny River** Mile: 50 PWD: 210
Name: **Glacial Sand and Gravel Co., Tarrtown Plant, Lower Wharf.**
Port: Pittsburgh
Location: Mile 49.8, right bank, Allegheny River, Tarrtown, approximately 0.8 mile below CSX Rail Transport Bridge Datum: NPE
Operator: Glacial Sand and Gravel Co.
Owner: Glacial Sand and Gravel Co.
Address: State Highway 03024 Phone: 412 548-8101
Town: E.Franklin Twns State: PA County: Armstrong
Railway Connection: None.
Purpose: Receipt and shipment of sand and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.859444
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.49389

Remarks: A 300- by 140-foot dredged slip below wharf is used for storing company-owned floating equipment during winter.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43249 Pittsburgh District

Remarks: A 300- by 140-foot dredged slip below wharf is used for storing company-owned floating equipment during winter.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43249 Pittsburgh District

Port Facilities by Waterway

Remarks: A 300- by 140-foot dredged slip below wharf is used for storing company-owned floating equipment during winter.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43249 Pittsburgh District

Waterway: **Allegheny River** Mile: 7 PWD: 228

Name: **Azcon Scrap Corp. Dock.**

Port: Pittsburgh

Location: Mile 7.1, right bank, Allegheny River, Aspinwall, below Consolidated Rail Corp. Bridge. Datum: NPE

Operator: Not operated.

Owner: Azcon Scrap Corp.

Address: Waterworks Road Phone:

Town: Aspinwall State: PA County: Allegheny

Railway Connection: Three surface tracks serve facility in rear; connect with Consolidated Rail Corp.

Purpose: Not used.

Depth Alongside (feet): 10 | | Latitude (decimal): 40.488333

Total Berthing Space (feet): 200 | | Longitude (decimal): -79.90611

Remarks: Facility formerly was used for mooring barges for scrapping.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43207 Pittsburgh District

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 8 PWD: 201
Name: **Davison Sand and Gravel Co., Repair Yard Wharf.**
Port: Pittsburgh
Location: Mile 7.6, left bank, Allegheny River, approximately 2,600 feet above Consolidated Rail Corp. Bridge. Datum: NPE
Operator: G and S Towing, Inc.
Owner: Davison Sand and Gravel Co.
Address: Allegheny River Boulevard Phone: 412 362-4900
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for repair and maintenance. Mooring floating drydock.
Depth Alongside (feet): 12 - 15 | | Latitude (decimal): 40.483889
Total Berthing Space (feet): 500 | | Longitude (decimal): -79.89806

Waterway: **Allegheny River** Mile: 8 PWD: 201
Name: **Davison Sand and Gravel Co., Repair Yard Wharf.**
Port: Pittsburgh
Location: Mile 7.6, left bank, Allegheny River, approximately 2,600 feet above Consolidated Rail Corp. Bridge. Datum: NPE
Operator: G and S Towing, Inc.
Owner: Davison Sand and Gravel Co.
Address: Allegheny River Boulevard Phone: 412 362-4900
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for repair and maintenance. Mooring floating drydock.
Depth Alongside (feet): 12 - 15 | | Latitude (decimal): 40.483889
Total Berthing Space (feet): 500 | | Longitude (decimal): -79.89806

Remarks: Floating drydock moored at facility is 200 feet in length with 27-foot clear width between wing walls. Upper barge is used as shop and office.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43203 Pittsburgh District

Remarks: Floating drydock moored at facility is 200 feet in length with 27-foot clear width between wing walls. Upper barge is used as shop and office.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43203 Pittsburgh District

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 8 PWD: 201
Name: **Davison Sand and Gravel Co., Repair Yard Wharf.**
Port: Pittsburgh
Location: Mile 7.6, left bank, Allegheny River, approximately 2,600 feet above Consolidated Rail Corp. Bridge. Datum: NPE
Operator: G and S Towing, Inc.
Owner: Davison Sand and Gravel Co.
Address: Allegheny River Boulevard Phone: 412 362-4900
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for repair and maintenance. Mooring floating drydock.
Depth Alongside (feet): 12 - 15 | | Latitude (decimal): 40.483889
Total Berthing Space (feet): 500 | | Longitude (decimal): -79.89806

Waterway: **Allegheny River** Mile: 8 PWD: 201
Name: **Davison Sand and Gravel Co., Repair Yard Wharf.**
Port: Pittsburgh
Location: Mile 7.6, left bank, Allegheny River, approximately 2,600 feet above Consolidated Rail Corp. Bridge. Datum: NPE
Operator: G and S Towing, Inc.
Owner: Davison Sand and Gravel Co.
Address: Allegheny River Boulevard Phone: 412 362-4900
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for repair and maintenance. Mooring floating drydock.
Depth Alongside (feet): 12 - 15 | | Latitude (decimal): 40.483889
Total Berthing Space (feet): 500 | | Longitude (decimal): -79.89806

Remarks: Floating drydock moored at facility is 200 feet in length with 27-foot clear width between wing walls. Upper barge is used as shop and office.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43203 Pittsburgh District

Remarks: Floating drydock moored at facility is 200 feet in length with 27-foot clear width between wing walls. Upper barge is used as shop and office.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43203 Pittsburgh District

Port Facilities by Waterway

Waterway: **Allegheny River** Mile: 8 PWD: 227
Name: **John F. Casey Wharf.**
Port: Pittsburgh
Location: Mile 8.3, right bank, Allegheny River, Aspinwall, 1.1 miles above Consolidated Rail Corp. Bridge. Datum: NPE
Operator: John F. Casey Co.
Owner: John F. Casey Co.
Address: Freeport Road Phone: 412 782-1000
Town: Aspinwall State: PA County: Allegheny
Railway Connection: One surface track at rear connects with Consolidated Rail Corp.
Purpose: Mooring company-owned floating equipment; handling construction supplies and equipment.
Depth Alongside (feet): 8 | | Latitude (decimal): 40.485
Total Berthing Space (feet): 300 | | Longitude (decimal): -79.88417
Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43208 Pittsburgh District

---

Waterway: **Monongahela River** Mile: PWD: 60
Name: **Gateway Clipper, Station Square Dock.**
Port: Pittsburgh
Location: Mile 0.4, left bank, Monongahela River, approximately 1,400 feet below Smithfield Street Bridge. Datum: NPE
Operator: Gateway Clipper, Inc.
Owner: Gateway Clipper, Inc.
Address: 9 Station Square Phone: 412 355-7980
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: None.
Purpose: Landing for harbor excursion vessels.
Depth Alongside (feet): 11 | | Latitude (decimal):
Total Berthing Space (feet): 300 | | Longitude (decimal):
Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 1 PWD: 197
Name: **City of Pittsburgh, Point Mooring and Wharf.**
Port: Pittsburgh
Location: Mile 0.6-0.0, right bank, Monongahela River, between Smithfield Street Bridge and the Point. Datum: NPE
Operator: City of Pittsburgh.
Owner: City of Pittsburgh.
Address: Penn Lincoln Parkway Phone:
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring miscellaneous vessels and barges.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.597222
Total Berthing Space (feet): 3800 | | Longitude (decimal): -79.75889
Remarks: A parking lot is located at rear of upper end; Point State Park at rear of lower end.□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 1 PWD: 62
Name: **City of Pittsburgh, Police Boat Dock.**
Port: Pittsburgh
Location: Mile 1.1, left bank, Monongahela River, approximately 600 feet above Liberty Street Bridge. Datum: NPE
Operator: City of Pittsburgh, Department of Public Safety, Police Bureau, Special Operations Se
Owner: City of Pittsburgh.
Address: South Fourth Street Phone: 412 622-6930
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring river rescue and police patrol boats.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.423611
Total Berthing Space (feet): 65 | | Longitude (decimal): -79.98611
Remarks: Police Bureau, River Patrol Office is located on bank in rear.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 1 PWD: 63
Name: **Davison Sand & Gravel Co., 6th Street Plant Landing.**
Port: Pittsburgh
Location: Mile 1.3, left bank, Monongahela River, below Tenth Street Bridge. Datum: NPE
Operator: Davison Sand & Gravel Co.
Owner: Davison Sand & Gravel Co.
Address: 3 South Sixth Street Phone: 412 431-6000
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 18 | | Latitude (decimal): 40.423611
Total Berthing Space (feet): 950 | | Longitude (decimal): -79.98083
Remarks: Open storage area for 500 tons of material, including 200 tons in bins, and ready-mix concrete plant are located in rear.□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 1 PWD: 61
Name: **Dravo Corp., South Side Plant Dock.**
Port: Pittsburgh
Location: Mile 1.0, left bank, Monongahela River, above Liberty Street Bridge. Datum: NPE
Operator: Frank Bryan, Inc.
Owner: Dravo Corp.
Address: 100 South Third Street Phone: 412 331-8668
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.423333
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.9875
Remarks: Eight storage bins at rear have total capacity for 1,600 tons.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 10 PWD: 188
Name: **Josh Steel Co., Braddock Yard Dock.**
Port: Pittsburgh
Location: Mile 10.1, right bank, Monongahela River, Braddock, approximately 0.5 mile above Rankin Highway Bridge. Datum: NPE
Operator: Josh Steel Co.
Owner: Josh Steel Co.
Address: 46 Sixth Street Phone: 412 351-3500
Town: Braddock State: PA County: Allegheny
Railway Connection: Three surface tracks serve yard in rear; connect with Pittsburgh and Lake Erie Railroad.
Purpose: Receipt and occasional shipment of scrap metal.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.399722
Total Berthing Space (feet): 380 | | Longitude (decimal): -79.87306

Waterway: **Monongahela River** Mile: 10 PWD: 188
Name: **Josh Steel Co., Braddock Yard Dock.**
Port: Pittsburgh
Location: Mile 10.1, right bank, Monongahela River, Braddock, approximately 0.5 mile above Rankin Highway Bridge. Datum: NPE
Operator: Josh Steel Co.
Owner: Josh Steel Co.
Address: 46 Sixth Street Phone: 412 351-3500
Town: Braddock State: PA County: Allegheny
Railway Connection: Three surface tracks serve yard in rear; connect with Pittsburgh and Lake Erie Railroad.
Purpose: Receipt and occasional shipment of scrap metal.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.399722
Total Berthing Space (feet): 380 | | Longitude (decimal): -79.87306
Remarks: Scrap metal processing plant and open storage area for approximately 150,000 tons of scrap metal are located in rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Remarks: Scrap metal processing plant and open storage area for approximately 150,000 tons of scrap metal are located in rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 10 PWD: 188
Name: **Josh Steel Co., Braddock Yard Dock.**
Port: Pittsburgh
Location: Mile 10.1, right bank, Monongahela River, Braddock, approximately 0.5 mile above Rankin Highway Bridge. Datum: NPE
Operator: Josh Steel Co.
Owner: Josh Steel Co.
Address: 46 Sixth Street Phone: 412 351-3500
Town: Braddock State: PA County: Allegheny
Railway Connection: Three surface tracks serve yard in rear; connect with Pittsburgh and Lake Erie Railroad.
Purpose: Receipt and occasional shipment of scrap metal.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.399722
Total Berthing Space (feet): 380 | | Longitude (decimal): -79.87306

Waterway: **Monongahela River** Mile: 10 PWD: 188
Name: **Josh Steel Co., Braddock Yard Dock.**
Port: Pittsburgh
Location: Mile 10.1, right bank, Monongahela River, Braddock, approximately 0.5 mile above Rankin Highway Bridge. Datum: NPE
Operator: Josh Steel Co.
Owner: Josh Steel Co.
Address: 46 Sixth Street Phone: 412 351-3500
Town: Braddock State: PA County: Allegheny
Railway Connection: Three surface tracks serve yard in rear; connect with Pittsburgh and Lake Erie Railroad.
Purpose: Receipt and occasional shipment of scrap metal.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.399722
Total Berthing Space (feet): 380 | | Longitude (decimal): -79.87306
Remarks: Scrap metal processing plant and open storage area for approximately 150,000 tons of scrap metal are located in rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Remarks: Scrap metal processing plant and open storage area for approximately 150,000 tons of scrap metal are located in rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 10 PWD: 190
Name: **Josh Steel Co., Rankin Yard Dock.**
Port: Pittsburgh
Location: Mile 9.7, right bank, Monongahela River, Rankin, above Rankin Highway Bridge. Datum: NPE
Operator: Not operated.
Owner: Josh Steel Co.
Address: - Phone: 412 351-3500
Town: Braddock State: PA County: Allegheny
Railway Connection: One surface track in rear connects with Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 7 | | Latitude (decimal): 40.405833
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.87944

Waterway: **Monongahela River** Mile: 10 PWD: 190
Name: **Josh Steel Co., Rankin Yard Dock.**
Port: Pittsburgh
Location: Mile 9.7, right bank, Monongahela River, Rankin, above Rankin Highway Bridge. Datum: NPE
Operator: Not operated.
Owner: Josh Steel Co.
Address: - Phone: 412 351-3500
Town: Braddock State: PA County: Allegheny
Railway Connection: One surface track in rear connects with Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 7 | | Latitude (decimal): 40.405833
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.87944
Remarks: Open storage area at rear has capacity for approximately 150,000 tons of scrap metal.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Remarks: Open storage area at rear has capacity for approximately 150,000 tons of scrap metal.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 10 PWD: 190
Name: **Josh Steel Co., Rankin Yard Dock.**
Port: Pittsburgh
Location: Mile 9.7, right bank, Monongahela River, Rankin, above Rankin Highway Bridge. Datum: NPE
Operator: Not operated.
Owner: Josh Steel Co.
Address: - Phone: 412 351-3500
Town: Braddock State: PA County: Allegheny
Railway Connection: One surface track in rear connects with Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 7 | | Latitude (decimal): 40.405833
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.87944

Waterway: **Monongahela River** Mile: 10 PWD: 190
Name: **Josh Steel Co., Rankin Yard Dock.**
Port: Pittsburgh
Location: Mile 9.7, right bank, Monongahela River, Rankin, above Rankin Highway Bridge. Datum: NPE
Operator: Not operated.
Owner: Josh Steel Co.
Address: - Phone: 412 351-3500
Town: Braddock State: PA County: Allegheny
Railway Connection: One surface track in rear connects with Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 7 | | Latitude (decimal): 40.405833
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.87944
Remarks: Open storage area at rear has capacity for approximately 150,000 tons of scrap metal.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Remarks: Open storage area at rear has capacity for approximately 150,000 tons of scrap metal.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 10 PWD: 187
Name: **Rochez Brothers Dock.**
Port: Pittsburgh
Location: Mile 10.3, right bank, Monongahela River, Braddock, approximately 0.6 mile above Rankin Highway Bridge. Datum: NPE
Operator: Rochez Brothers, Inc.
Owner: Rochez Brothers, Inc.
Address: Seventh Street Phone: 412 271-1612
Town: Braddock State: PA County: Allegheny
Railway Connection: One surface track serves warehouse in rear; connects with Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sand, gravel, coal, and salt; shipment of fabricated steel products.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.398889
Total Berthing Space (feet): 575 | | Longitude (decimal): -79.87111
Remarks: Fifteen storage bins at rear have total capacity for 735 tons of sand and gravel, and 3 bins have total capacity for 225 tons of salt. Ready-mix concrete plant and 75,000-square foot steel products warehouse are rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 10 PWD: 189
Name: **S. H. Bell Co., Braddock Dock.**
Port: Pittsburgh
Location: Mile 9.9, right bank, Monongahela River, Braddock, approximately 0.3 mile above Rankin Highway Bridge. Datum: NPE
Operator: S. H. Bell Co.
Owner: S. H. Bell Co.
Address: Third Street Phone: 412 351-3500
Town: Braddock State: PA County: Allegheny
Railway Connection: Two marginal surface tracks at rear of face connect with Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of miscellaneous bulk materials including ferroalloys for steel industry.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.403611
Total Berthing Space (feet): 400 | | Longitude (decimal): -79.87667
Remarks: An additional 200 feet of berthing space is available by arrangement at slag bank on downstream side. One 30,000-square foot, steel frame, metal-covered, storage warehouse is located at rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 10 PWD: 68
Name: **USX Corp., Central Wharf.**
Port: Pittsburgh
Location: Mile 9.7, left bank, Monongahela River, Whitaker, above Rankin Bridge. Datum: NPE
Operator: Not operated.
Owner: USX Corp.
Address: Monongahela Blvd. Phone: 412 233-1690
Town: Whitaker State: PA County: Allegheny
Railway Connection: Union Railroad Co.: three marginal surface tracks along rear of face with capacity for fifteen 65-foot cars.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 9 | | Latitude (decimal): 40.403056
Total Berthing Space (feet): 625 | | Longitude (decimal): -79.87944

Waterway: **Monongahela River** Mile: 10 PWD: 68
Name: **USX Corp., Central Wharf.**
Port: Pittsburgh
Location: Mile 9.7, left bank, Monongahela River, Whitaker, above Rankin Bridge. Datum: NPE
Operator: Not operated.
Owner: USX Corp.
Address: Monongahela Blvd. Phone: 412 233-1690
Town: Whitaker State: PA County: Allegheny
Railway Connection: Union Railroad Co.: three marginal surface tracks along rear of face with capacity for fifteen 65-foot cars.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 9 | | Latitude (decimal): 40.403056
Total Berthing Space (feet): 625 | | Longitude (decimal): -79.87944
Remarks: Facility, formerly used for shipment of steel products, was not in use at time of survey (1990).

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Remarks: Facility, formerly used for shipment of steel products, was not in use at time of survey (1990).

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 10 PWD: 68
Name: **USX Corp., Central Wharf.**
Port: Pittsburgh
Location: Mile 9.7, left bank, Monongahela River, Whitaker, above Rankin Bridge. Datum: NPE
Operator: Not operated.
Owner: USX Corp.
Address: Monongahela Blvd. Phone: 412 233-1690
Town: Whitaker State: PA County: Allegheny
Railway Connection: Union Railroad Co.: three marginal surface tracks along rear of face with capacity for fifteen 65-foot cars.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 9 | | Latitude (decimal): 40.403056
Total Berthing Space (feet): 625 | | Longitude (decimal): -79.87944

Waterway: **Monongahela River** Mile: 10 PWD: 68
Name: **USX Corp., Central Wharf.**
Port: Pittsburgh
Location: Mile 9.7, left bank, Monongahela River, Whitaker, above Rankin Bridge. Datum: NPE
Operator: Not operated.
Owner: USX Corp.
Address: Monongahela Blvd. Phone: 412 233-1690
Town: Whitaker State: PA County: Allegheny
Railway Connection: Union Railroad Co.: three marginal surface tracks along rear of face with capacity for fifteen 65-foot cars.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 9 | | Latitude (decimal): 40.403056
Total Berthing Space (feet): 625 | | Longitude (decimal): -79.87944
Remarks: Facility, formerly used for shipment of steel products, was not in use at time of survey (1990).□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Remarks: Facility, formerly used for shipment of steel products, was not in use at time of survey (1990).□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Waterway: **Monongahela River** Mile: 100 PWD: 142
Name: **Consolidation Coal Co., Westover Mooring.**
Port: Pittsburgh
Location: Mile 100.4, left bank, Monongahela River, Westover, WV. Datum: NPE
Operator: Not operated.
Owner: Consolidation Coal Co.
Address: Monongahela Avenue Phone: 304 296-3461
Town: Westover State: WV County: Monongalia
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.637222
Total Berthing Space (feet): 1225 | | Longitude (decimal): -79.96111
Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43100 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 100 PWD: 140

Name: **Exxon Co., USA, Westover Terminal.**

Port: Pittsburgh

Location: Mile 99.6, left bank, Monongahela River, Riverside. Datum: NPE

Operator: Not operated.

Owner: Exxon Co., USA.

Address: Snyder Street Phone: 304 296-5515

Town: Riverside State: WV County: Monongalia

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 39.642222

Total Berthing Space (feet): 150 | | Longitude (decimal): -79.98111

Remarks: Wharf formerly was used for receipt of petroleum products. Pipelines and storage tanks have been removed.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43099 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 100 PWD: 155
Name: **Greer Limestone Co., Lower Dock.**
Port: Pittsburgh
Location: Mile 100.2, right bank, Monongahela River, Morgantown, approximately 0.9 miles below Morgantown Highway Datum: NPE
Operator: Not operated.
Owner: Greer Limestone Co.
Address: Sixth Street Phone: 304 296-2549
Town: Morgantown State: WV County: Monongalia
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.6425
Total Berthing Space (feet): 200 | | Longitude (decimal): -79.96583

Waterway: **Monongahela River** Mile: 100 PWD: 155
Name: **Greer Limestone Co., Lower Dock.**
Port: Pittsburgh
Location: Mile 100.2, right bank, Monongahela River, Morgantown, approximately 0.9 miles below Morgantown Highway Datum: NPE
Operator: Not operated.
Owner: Greer Limestone Co.
Address: Sixth Street Phone: 304 296-2549
Town: Morgantown State: WV County: Monongalia
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.6425
Total Berthing Space (feet): 200 | | Longitude (decimal): -79.96583

Remarks: Wharf formerly was used for shipment of crushed limestone and coal. At time of survey (1991), mechanical equipment was being maintained in operable condition.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43100 Pittsburgh District

Remarks: Wharf formerly was used for shipment of crushed limestone and coal. At time of survey (1991), mechanical equipment was being maintained in operable condition.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43100 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 100 PWD: 155
Name: **Greer Limestone Co., Lower Dock.**
Port: Pittsburgh
Location: Mile 100.2, right bank, Monongahela River, Morgantown, approximately 0.9 miles below Morgantown Highway Datum: NPE
Operator: Not operated.
Owner: Greer Limestone Co.
Address: Sixth Street Phone: 304 296-2549
Town: Morgantown State: WV County: Monongalia
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.6425
Total Berthing Space (feet): 200 | | Longitude (decimal): -79.96583

Waterway: **Monongahela River** Mile: 100 PWD: 155
Name: **Greer Limestone Co., Lower Dock.**
Port: Pittsburgh
Location: Mile 100.2, right bank, Monongahela River, Morgantown, approximately 0.9 miles below Morgantown Highway Datum: NPE
Operator: Not operated.
Owner: Greer Limestone Co.
Address: Sixth Street Phone: 304 296-2549
Town: Morgantown State: WV County: Monongalia
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.6425
Total Berthing Space (feet): 200 | | Longitude (decimal): -79.96583

Remarks: Wharf formerly was used for shipment of crushed limestone and coal. At time of survey (1991), mechanical equipment was being maintained in operable condition.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43100 Pittsburgh District

Remarks: Wharf formerly was used for shipment of crushed limestone and coal. At time of survey (1991), mechanical equipment was being maintained in operable condition.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43100 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 100 PWD: 154
Name: **Greer Limestone Co., Upper Dock.**
Port: Pittsburgh
Location: Mile 100.3, right bank, Monongahela River, Morgantown, approximately 0.8 miles below Morgantown Highway Datum: NPE
Operator: Not operated.
Owner: Greer Limestone Co.
Address: Sixth Street Phone: 304 296-2549
Town: Morgantown State: WV County: Monongalia
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.641111
Total Berthing Space (feet): 525 | | Longitude (decimal): -79.96444

Waterway: **Monongahela River** Mile: 100 PWD: 154
Name: **Greer Limestone Co., Upper Dock.**
Port: Pittsburgh
Location: Mile 100.3, right bank, Monongahela River, Morgantown, approximately 0.8 miles below Morgantown Highway Datum: NPE
Operator: Not operated.
Owner: Greer Limestone Co.
Address: Sixth Street Phone: 304 296-2549
Town: Morgantown State: WV County: Monongalia
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.641111
Total Berthing Space (feet): 525 | | Longitude (decimal): -79.96444

Remarks: Wharf formerly was used for shipment of crushed limestone and coal. At time of survey (1991), mechanical equipment was being maintained in operable condition.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43100 Pittsburgh District

Remarks: Wharf formerly was used for shipment of crushed limestone and coal. At time of survey (1991), mechanical equipment was being maintained in operable condition.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43100 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 100 PWD: 154
Name: **Greer Limestone Co., Upper Dock.**
Port: Pittsburgh
Location: Mile 100.3, right bank, Monongahela River, Morgantown, approximately 0.8 miles below Morgantown Highway Datum: NPE
Operator: Not operated.
Owner: Greer Limestone Co.
Address: Sixth Street Phone: 304 296-2549
Town: Morgantown State: WV County: Monongalia
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.641111
Total Berthing Space (feet): 525 | | Longitude (decimal): -79.96444

Waterway: **Monongahela River** Mile: 100 PWD: 154
Name: **Greer Limestone Co., Upper Dock.**
Port: Pittsburgh
Location: Mile 100.3, right bank, Monongahela River, Morgantown, approximately 0.8 miles below Morgantown Highway Datum: NPE
Operator: Not operated.
Owner: Greer Limestone Co.
Address: Sixth Street Phone: 304 296-2549
Town: Morgantown State: WV County: Monongalia
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 39.641111
Total Berthing Space (feet): 525 | | Longitude (decimal): -79.96444

Remarks: Wharf formerly was used for shipment of crushed limestone and coal. At time of survey (1991), mechanical equipment was being maintained in operable condition.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43100 Pittsburgh District

Remarks: Wharf formerly was used for shipment of crushed limestone and coal. At time of survey (1991), mechanical equipment was being maintained in operable condition.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43100 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 100 PWD: 141
Name: **Vance Coal Co. Dock.**
Port: Pittsburgh
Location: Mile 99.8, left bank, Monongahela River, Riverside. Datum: NPE
Operator: Vance Coal Co., Inc.
Owner: Darwin F. Johnson.
Address: Seneca Street Phone: 304 292-8428
Town: Riverside State: WV County: Monongalia
Railway Connection: One surface track at rear connects with Monongahela Railroad.
Purpose: Shipment of coal.
Depth Alongside (feet): 14 | | Latitude (decimal): 39.640833
Total Berthing Space (feet): 1000 | | Longitude (decimal): -79.97778
Remarks: Open storage area in rear has capacity for 40,000 tons of coal.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43099 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 103 PWD: 153
Name: **Kosmos Cement Co., Morgantown Dock.**
Port: Pittsburgh
Location: Mile 102.9, right bank, Monongahela River, Morgantown, approximately 0.9 miles above Morgantown Lock and Datum: NPE
Operator: Kosmos Cement Co.
Owner: Gulf + Western Industries, Inc.
Address: University Avenue Phone: 304 292-1238
Town: Morgantown State: WV County: Monongalia
Railway Connection: None.
Purpose: Shipment of crushed limestone.
Depth Alongside (feet): 12 - 15 | | Latitude (decimal): 39.607778
Total Berthing Space (feet): 625 | | Longitude (decimal): -79.97083
Remarks: Wharf has capacity for mooring 6 barges. Three concrete silos at rear have total capacity for 4,200 tons of crushed limestone.□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43102 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 103 PWD: 143
Name: **Morgantown Industrial Park, Wharf No. 1.**
Port: Pittsburgh
Location: Mile 103.2, left bank, Monongahela River, Morgantown, approximately 1.2 miles above Morgantown Lock and Datum: NPE
Operator: West Side River Terminal, Inc.
Owner: Morgantown Industrial Park Associates.
Address: Harmony Grove Road Phone: 304 292-2340
Town: Morgantown State: WV County: Monongalia
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.654722
Total Berthing Space (feet): 1000 | | Longitude (decimal): -79.97083

Waterway: **Monongahela River** Mile: 103 PWD: 143
Name: **Morgantown Industrial Park, Wharf No. 1.**
Port: Pittsburgh
Location: Mile 103.2, left bank, Monongahela River, Morgantown, approximately 1.2 miles above Morgantown Lock and Datum: NPE
Operator: West Side River Terminal, Inc.
Owner: Morgantown Industrial Park Associates.
Address: Harmony Grove Road Phone: 304 292-2340
Town: Morgantown State: WV County: Monongalia
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.654722
Total Berthing Space (feet): 1000 | | Longitude (decimal): -79.97083

Remarks: A 7.8-acre open storage area located at rear is served by 2 ground-level and 1 truck receiving hoppers. Two steel sheet pile, cellular icebreaker dolphins are located at upper end of berthing area. Wharf has ca barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43103 Pittsburgh District

Remarks: A 7.8-acre open storage area located at rear is served by 2 ground-level and 1 truck receiving hoppers. Two steel sheet pile, cellular icebreaker dolphins are located at upper end of berthing area. Wharf has ca barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43103 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 103 PWD: 143
Name: **Morgantown Industrial Park, Wharf No. 1.**
Port: Pittsburgh
Location: Mile 103.2, left bank, Monongahela River, Morgantown, approximately 1.2 miles above Morgantown Lock and Datum: NPE
Operator: West Side River Terminal, Inc.
Owner: Morgantown Industrial Park Associates.
Address: Harmony Grove Road Phone: 304 292-2340
Town: Morgantown State: WV County: Monongalia
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.654722
Total Berthing Space (feet): 1000 | | Longitude (decimal): -79.97083

Waterway: **Monongahela River** Mile: 103 PWD: 143
Name: **Morgantown Industrial Park, Wharf No. 1.**
Port: Pittsburgh
Location: Mile 103.2, left bank, Monongahela River, Morgantown, approximately 1.2 miles above Morgantown Lock and Datum: NPE
Operator: West Side River Terminal, Inc.
Owner: Morgantown Industrial Park Associates.
Address: Harmony Grove Road Phone: 304 292-2340
Town: Morgantown State: WV County: Monongalia
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.654722
Total Berthing Space (feet): 1000 | | Longitude (decimal): -79.97083

Remarks: A 7.8-acre open storage area located at rear is served by 2 ground-level and 1 truck receiving hoppers. Two steel sheet pile, cellular icebreaker dolphins are located at upper end of berthing area. Wharf has ca barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43103 Pittsburgh District

Remarks: A 7.8-acre open storage area located at rear is served by 2 ground-level and 1 truck receiving hoppers. Two steel sheet pile, cellular icebreaker dolphins are located at upper end of berthing area. Wharf has ca barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43103 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 103 PWD: 144
Name: **Morgantown Industrial Park, Wharf No. 2.**
Port: Pittsburgh
Location: Mile 103.4, left bank, Monongahela River, Morgantown, approximately 1.4 miles above Morgantown Lock and Datum: NPE
Operator: Thor Energy, Inc.
Owner: Morgantown Industrial Park Associates.
Address: Harmony Grove Road Phone: 304 291-1405
Town: Morgantown State: WV County: Monongalia
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.652222
Total Berthing Space (feet): 710 | | Longitude (decimal): -79.96833

Waterway: **Monongahela River** Mile: 103 PWD: 144
Name: **Morgantown Industrial Park, Wharf No. 2.**
Port: Pittsburgh
Location: Mile 103.4, left bank, Monongahela River, Morgantown, approximately 1.4 miles above Morgantown Lock and Datum: NPE
Operator: Thor Energy, Inc.
Owner: Morgantown Industrial Park Associates.
Address: Harmony Grove Road Phone: 304 291-1405
Town: Morgantown State: WV County: Monongalia
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.652222
Total Berthing Space (feet): 710 | | Longitude (decimal): -79.96833

Remarks: An 8.4-acre open storage area is located at rear. Wharf has capacity for holding 15 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43103 Pittsburgh District

Remarks: An 8.4-acre open storage area is located at rear. Wharf has capacity for holding 15 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43103 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 103 PWD: 144
Name: **Morgantown Industrial Park, Wharf No. 2.**
Port: Pittsburgh
Location: Mile 103.4, left bank, Monongahela River, Morgantown, approximately 1.4 miles above Morgantown Lock and Datum: NPE
Operator: Thor Energy, Inc.
Owner: Morgantown Industrial Park Associates.
Address: Harmony Grove Road Phone: 304 291-1405
Town: Morgantown State: WV County: Monongalia
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.652222
Total Berthing Space (feet): 710 | | Longitude (decimal): -79.96833

Waterway: **Monongahela River** Mile: 103 PWD: 144
Name: **Morgantown Industrial Park, Wharf No. 2.**
Port: Pittsburgh
Location: Mile 103.4, left bank, Monongahela River, Morgantown, approximately 1.4 miles above Morgantown Lock and Datum: NPE
Operator: Thor Energy, Inc.
Owner: Morgantown Industrial Park Associates.
Address: Harmony Grove Road Phone: 304 291-1405
Town: Morgantown State: WV County: Monongalia
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.652222
Total Berthing Space (feet): 710 | | Longitude (decimal): -79.96833
Remarks: An 8.4-acre open storage area is located at rear. Wharf has capacity for holding 15 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43103 Pittsburgh District

Remarks: An 8.4-acre open storage area is located at rear. Wharf has capacity for holding 15 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43103 Pittsburgh District

Waterway: **Monongahela River** Mile: 111 PWD: 152
Name: **Consolidation Coal Co., Weirton Mine Dock.**
Port: Pittsburgh
Location: Mile 110.5, right bank, Monongahela River, Little Falls. Datum: NPE
Operator: Not operated.
Owner: Consolidation Coal Co.
Address: State Highway 73 Phone: 304 296-3461
Town: Little Falls State: WV County: Monongalia
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 39.555278
Total Berthing Space (feet): 1420 | | Longitude (decimal): -80.0075
Remarks: Wharf has capacity for mooring 14 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43110 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 114 PWD: 146
Name: **Consolidation Coal Co., Booth Mine Dock.**
Port: Pittsburgh
Location: Mile 114.2, left bank, Monongahela River, Edna, approximately 1.2 miles below Opekiski Lock and Dam. Datum: NPE
Operator: Consolidation Coal Co.
Owner: Consolidation Coal Co.
Address: State Highway 47 Phone: 304 296-3461
Town: Edna State: WV County: Monongalia
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 39.579167
Total Berthing Space (feet): 1152 | | Longitude (decimal): -80.05417
Remarks: Wharf has capacity for mooring approximately 12 barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43114 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 114 PWD: 147
Name: **Mohigan Mining Co., Dock.**
Port: Pittsburgh
Location: Mile 114.2, left bank, Monongahela River, Edna, approximately 1.2 miles below Opekiski Lock and Dam. Datum: NPE
Operator: Mohigan Mining Co.
Owner: Mohigan Mining Co.
Address: State Highway 47 Phone: 304 278-7142
Town: Edna State: WV County: Monongalia
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 39.576111
Total Berthing Space (feet): 1175 | | Longitude (decimal): -80.05306
Remarks: Wharf has capacity for mooring approximately 12 barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43114 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 114 PWD: 145
Name: **Pittswick Coal Co. Dock.**
Port: Pittsburgh
Location: Mile 113.7, left bank, Monongahela River, National, approximately 1.7 miles below Opekiski Lock and Dam. Datum: NPE
Operator: Not operated.
Owner: Pittswick Coal Co., Inc.
Address: State Highway 47 Phone:
Town: National State: WV County: Monongalia
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.582778
Total Berthing Space (feet): 360 | | Longitude (decimal): -80.04861
Remarks: At time of survey, mine was not in operation. Equipment was being maintained in operable condition.□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43113 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 118 PWD: 148

Name: **Consolidation Coal Co., Mountaineer Mine Dock.**

Port: Pittsburgh

Location: Mile 117.8, left bank, Monongahela River, Everettville, approximately 2.4 miles above Opekiski Lock and Datum: NPE

Operator: Not operated.

Owner: Consolidation Coal Co.

Address: State Highway 19 Phone: 304 296-3461

Town: Everettville State: WV County: Marion

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 10 | | Latitude (decimal): 39.55

Total Berthing Space (feet): 300 | 675 | Longitude (decimal): -80.08389

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43117 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 12 PWD: 69
Name: **Union Railroad Co., Fuel Oil Dock.**
Port: Pittsburgh
Location: Mile 11.7, left bank, Monongahela River, Duquesne, under Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Not operated.
Owner: Union Railroad Co.
Address: State Highway 837 Phone: 412 273-4580
Town: Duquesne State: PA County: Allegheny
Railway Connection: Union Railroad Co.: three surface tracks in rear.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 10 | | Latitude (decimal): 40.386111
Total Berthing Space (feet): 150 | | Longitude (decimal): -79.85306

Waterway: **Monongahela River** Mile: 12 PWD: 69
Name: **Union Railroad Co., Fuel Oil Dock.**
Port: Pittsburgh
Location: Mile 11.7, left bank, Monongahela River, Duquesne, under Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Not operated.
Owner: Union Railroad Co.
Address: State Highway 837 Phone: 412 273-4580
Town: Duquesne State: PA County: Allegheny
Railway Connection: Union Railroad Co.: three surface tracks in rear.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 10 | | Latitude (decimal): 40.386111
Total Berthing Space (feet): 150 | | Longitude (decimal): -79.85306

Waterway: **Monongahela River** Mile: 12 PWD: 69
Name: **Union Railroad Co., Fuel Oil Dock.**
Port: Pittsburgh
Location: Mile 11.7, left bank, Monongahela River, Duquesne, under Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Not operated.
Owner: Union Railroad Co.
Address: State Highway 837 Phone: 412 273-4580
Town: Duquesne State: PA County: Allegheny
Railway Connection: Union Railroad Co.: three surface tracks in rear.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 10 | | Latitude (decimal): 40.386111
Total Berthing Space (feet): 150 | | Longitude (decimal): -79.85306

Remarks: Facility, formerly used for receipt of diesel fuel, was not in use at time of survey (1990). One 6-inch pipeline extends from platform to 4 steel storage tanks in rear, total capacity 47,600 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43011 Pittsburgh District

Remarks: Facility, formerly used for receipt of diesel fuel, was not in use at time of survey (1990). One 6-inch pipeline extends from platform to 4 steel storage tanks in rear, total capacity 47,600 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43011 Pittsburgh District

Port Facilities by Waterway

Remarks: Facility, formerly used for receipt of diesel fuel, was not in use at time of survey (1990). One 6-inch pipeline extends from platform to 4 steel storage tanks in rear, total capacity 47,600 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43011 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 12 PWD: 69
Name: **Union Railroad Co., Fuel Oil Dock.**
Port: Pittsburgh
Location: Mile 11.7, left bank, Monongahela River, Duquesne, under Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Not operated.
Owner: Union Railroad Co.
Address: State Highway 837 Phone: 412 273-4580
Town: Duquesne State: PA County: Allegheny
Railway Connection: Union Railroad Co.: three surface tracks in rear.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 10 | | Latitude (decimal): 40.386111
Total Berthing Space (feet): 150 | | Longitude (decimal): -79.85306

Waterway: **Monongahela River** Mile: 12 PWD: 69
Name: **Union Railroad Co., Fuel Oil Dock.**
Port: Pittsburgh
Location: Mile 11.7, left bank, Monongahela River, Duquesne, under Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Not operated.
Owner: Union Railroad Co.
Address: State Highway 837 Phone: 412 273-4580
Town: Duquesne State: PA County: Allegheny
Railway Connection: Union Railroad Co.: three surface tracks in rear.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 10 | | Latitude (decimal): 40.386111
Total Berthing Space (feet): 150 | | Longitude (decimal): -79.85306

Waterway: **Monongahela River** Mile: 12 PWD: 69
Name: **Union Railroad Co., Fuel Oil Dock.**
Port: Pittsburgh
Location: Mile 11.7, left bank, Monongahela River, Duquesne, under Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Not operated.
Owner: Union Railroad Co.
Address: State Highway 837 Phone: 412 273-4580
Town: Duquesne State: PA County: Allegheny
Railway Connection: Union Railroad Co.: three surface tracks in rear.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 10 | | Latitude (decimal): 40.386111
Total Berthing Space (feet): 150 | | Longitude (decimal): -79.85306

Remarks: Facility, formerly used for receipt of diesel fuel, was not in use at time of survey (1990). One 6-inch pipeline extends from platform to 4 steel storage tanks in rear, total capacity 47,600 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43011 Pittsburgh District

Remarks: Facility, formerly used for receipt of diesel fuel, was not in use at time of survey (1990). One 6-inch pipeline extends from platform to 4 steel storage tanks in rear, total capacity 47,600 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43011 Pittsburgh District

Port Facilities by Waterway

Remarks: Facility, formerly used for receipt of diesel fuel, was not in use at time of survey (1990). One 6-inch pipeline extends from platform to 4 steel storage tanks in rear, total capacity 47,600 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43011 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 12 PWD: 69
Name: **Union Railroad Co., Fuel Oil Dock.**
Port: Pittsburgh
Location: Mile 11.7, left bank, Monongahela River, Duquesne, under Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Not operated.
Owner: Union Railroad Co.
Address: State Highway 837 Phone: 412 273-4580
Town: Duquesne State: PA County: Allegheny
Railway Connection: Union Railroad Co.: three surface tracks in rear.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 10 | | Latitude (decimal): 40.386111
Total Berthing Space (feet): 150 | | Longitude (decimal): -79.85306

Waterway: **Monongahela River** Mile: 12 PWD: 69
Name: **Union Railroad Co., Fuel Oil Dock.**
Port: Pittsburgh
Location: Mile 11.7, left bank, Monongahela River, Duquesne, under Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Not operated.
Owner: Union Railroad Co.
Address: State Highway 837 Phone: 412 273-4580
Town: Duquesne State: PA County: Allegheny
Railway Connection: Union Railroad Co.: three surface tracks in rear.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 10 | | Latitude (decimal): 40.386111
Total Berthing Space (feet): 150 | | Longitude (decimal): -79.85306

Waterway: **Monongahela River** Mile: 12 PWD: 69
Name: **Union Railroad Co., Fuel Oil Dock.**
Port: Pittsburgh
Location: Mile 11.7, left bank, Monongahela River, Duquesne, under Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Not operated.
Owner: Union Railroad Co.
Address: State Highway 837 Phone: 412 273-4580
Town: Duquesne State: PA County: Allegheny
Railway Connection: Union Railroad Co.: three surface tracks in rear.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 10 | | Latitude (decimal): 40.386111
Total Berthing Space (feet): 150 | | Longitude (decimal): -79.85306

Remarks: Facility, formerly used for receipt of diesel fuel, was not in use at time of survey (1990). One 6-inch pipeline extends from platform to 4 steel storage tanks in rear, total capacity 47,600 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43011 Pittsburgh District

Remarks: Facility, formerly used for receipt of diesel fuel, was not in use at time of survey (1990). One 6-inch pipeline extends from platform to 4 steel storage tanks in rear, total capacity 47,600 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43011 Pittsburgh District

Port Facilities by Waterway

Remarks: Facility, formerly used for receipt of diesel fuel, was not in use at time of survey (1990). One 6-inch pipeline extends from platform to 4 steel storage tanks in rear, total capacity 47,600 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43011 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 12 PWD: 70
Name: **Union Railroad Co., Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 11.8, left bank, Monongahela River, Duquesne, above Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Union Railroad Co.
Owner: Union Railroad Co.
Address: State Highway 837 Phone: 412 273-4580
Town: Duquesne State: PA County: Allegheny
Railway Connection: Union Railroad Co.: one marginal surface track along rear of face.
Purpose: Receipt of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.384722
Total Berthing Space (feet): 1370 | | Longitude (decimal): -79.85139

Waterway: **Monongahela River** Mile: 12 PWD: 70
Name: **Union Railroad Co., Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 11.8, left bank, Monongahela River, Duquesne, above Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Union Railroad Co.
Owner: Union Railroad Co.
Address: State Highway 837 Phone: 412 273-4580
Town: Duquesne State: PA County: Allegheny
Railway Connection: Union Railroad Co.: one marginal surface track along rear of face.
Purpose: Receipt of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.384722
Total Berthing Space (feet): 1370 | | Longitude (decimal): -79.85139

Waterway: **Monongahela River** Mile: 12 PWD: 70
Name: **Union Railroad Co., Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 11.8, left bank, Monongahela River, Duquesne, above Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Union Railroad Co.
Owner: Union Railroad Co.
Address: State Highway 837 Phone: 412 273-4580
Town: Duquesne State: PA County: Allegheny
Railway Connection: Union Railroad Co.: one marginal surface track along rear of face.
Purpose: Receipt of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.384722
Total Berthing Space (feet): 1370 | | Longitude (decimal): -79.85139
Remarks: Facility has capacity for mooring 30 loaded and 30 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43011 Pittsburgh District

---

Remarks: Facility has capacity for mooring 30 loaded and 30 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43011 Pittsburgh District

---

Remarks: Facility has capacity for mooring 30 loaded and 30 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43011 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 12 PWD: 70
Name: **Union Railroad Co., Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 11.8, left bank, Monongahela River, Duquesne, above Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Union Railroad Co.
Owner: Union Railroad Co.
Address: State Highway 837 Phone: 412 273-4580
Town: Duquesne State: PA County: Allegheny
Railway Connection: Union Railroad Co.: one marginal surface track along rear of face.
Purpose: Receipt of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.384722
Total Berthing Space (feet): 1370 | | Longitude (decimal): -79.85139

Waterway: **Monongahela River** Mile: 12 PWD: 70
Name: **Union Railroad Co., Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 11.8, left bank, Monongahela River, Duquesne, above Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Union Railroad Co.
Owner: Union Railroad Co.
Address: State Highway 837 Phone: 412 273-4580
Town: Duquesne State: PA County: Allegheny
Railway Connection: Union Railroad Co.: one marginal surface track along rear of face.
Purpose: Receipt of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.384722
Total Berthing Space (feet): 1370 | | Longitude (decimal): -79.85139

Waterway: **Monongahela River** Mile: 12 PWD: 70
Name: **Union Railroad Co., Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 11.8, left bank, Monongahela River, Duquesne, above Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Union Railroad Co.
Owner: Union Railroad Co.
Address: State Highway 837 Phone: 412 273-4580
Town: Duquesne State: PA County: Allegheny
Railway Connection: Union Railroad Co.: one marginal surface track along rear of face.
Purpose: Receipt of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.384722
Total Berthing Space (feet): 1370 | | Longitude (decimal): -79.85139
Remarks: Facility has capacity for mooring 30 loaded and 30 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43011 Pittsburgh District

---

Remarks: Facility has capacity for mooring 30 loaded and 30 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43011 Pittsburgh District

---

Remarks: Facility has capacity for mooring 30 loaded and 30 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43011 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 12 PWD: 70
Name: **Union Railroad Co., Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 11.8, left bank, Monongahela River, Duquesne, above Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Union Railroad Co.
Owner: Union Railroad Co.
Address: State Highway 837 Phone: 412 273-4580
Town: Duquesne State: PA County: Allegheny
Railway Connection: Union Railroad Co.: one marginal surface track along rear of face.
Purpose: Receipt of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.384722
Total Berthing Space (feet): 1370 | | Longitude (decimal): -79.85139

Waterway: **Monongahela River** Mile: 12 PWD: 70
Name: **Union Railroad Co., Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 11.8, left bank, Monongahela River, Duquesne, above Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Union Railroad Co.
Owner: Union Railroad Co.
Address: State Highway 837 Phone: 412 273-4580
Town: Duquesne State: PA County: Allegheny
Railway Connection: Union Railroad Co.: one marginal surface track along rear of face.
Purpose: Receipt of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.384722
Total Berthing Space (feet): 1370 | | Longitude (decimal): -79.85139

Waterway: **Monongahela River** Mile: 12 PWD: 70
Name: **Union Railroad Co., Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 11.8, left bank, Monongahela River, Duquesne, above Consolidated Rail Corp. Bridge. Datum: NPE
Operator: Union Railroad Co.
Owner: Union Railroad Co.
Address: State Highway 837 Phone: 412 273-4580
Town: Duquesne State: PA County: Allegheny
Railway Connection: Union Railroad Co.: one marginal surface track along rear of face.
Purpose: Receipt of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.384722
Total Berthing Space (feet): 1370 | | Longitude (decimal): -79.85139
Remarks: Facility has capacity for mooring 30 loaded and 30 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43011 Pittsburgh District

---

Remarks: Facility has capacity for mooring 30 loaded and 30 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43011 Pittsburgh District

---

Remarks: Facility has capacity for mooring 30 loaded and 30 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43011 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 12 PWD: 71
Name: **Union Railroad Co., Upper Coal Dock.**
Port: Pittsburgh
Location: Mile 12.1, left bank, Monongahela River, Duquesne, approximately 0.5 mile above Consolidated Rail Corp. Datum: NPE
Operator: Union Railroad Co.
Owner: Union Railroad Co.
Address: State Highway 837 Phone: 412 273-4580
Town: Duquesne State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track under loading bin connects with storage yard having capacity for 105 loaded and 88 empty cars.
Purpose: Receipt of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.380556
Total Berthing Space (feet): 1540 | | Longitude (decimal): -79.84528

Waterway: **Monongahela River** Mile: 12 PWD: 71
Name: **Union Railroad Co., Upper Coal Dock.**
Port: Pittsburgh
Location: Mile 12.1, left bank, Monongahela River, Duquesne, approximately 0.5 mile above Consolidated Rail Corp. Datum: NPE
Operator: Union Railroad Co.
Owner: Union Railroad Co.
Address: State Highway 837 Phone: 412 273-4580
Town: Duquesne State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track under loading bin connects with storage yard having capacity for 105 loaded and 88 empty cars.
Purpose: Receipt of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.380556
Total Berthing Space (feet): 1540 | | Longitude (decimal): -79.84528

Waterway: **Monongahela River** Mile: 12 PWD: 71
Name: **Union Railroad Co., Upper Coal Dock.**
Port: Pittsburgh
Location: Mile 12.1, left bank, Monongahela River, Duquesne, approximately 0.5 mile above Consolidated Rail Corp. Datum: NPE
Operator: Union Railroad Co.
Owner: Union Railroad Co.
Address: State Highway 837 Phone: 412 273-4580
Town: Duquesne State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track under loading bin connects with storage yard having capacity for 105 loaded and 88 empty cars.
Purpose: Receipt of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.380556
Total Berthing Space (feet): 1540 | | Longitude (decimal): -79.84528
Remarks: Wharf has holding capacity for 30 loaded barges at upper end.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43011 Pittsburgh District

Remarks: Wharf has holding capacity for 30 loaded barges at upper end.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43011 Pittsburgh District

Port Facilities by Waterway

Remarks: Wharf has holding capacity for 30 loaded barges at upper end.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43011 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 12 PWD: 71
Name: **Union Railroad Co., Upper Coal Dock.**
Port: Pittsburgh
Location: Mile 12.1, left bank, Monongahela River, Duquesne, approximately 0.5 mile above Consolidated Rail Corp. Datum: NPE
Operator: Union Railroad Co.
Owner: Union Railroad Co.
Address: State Highway 837 Phone: 412 273-4580
Town: Duquesne State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track under loading bin connects with storage yard having capacity for 105 loaded and 88 empty cars.
Purpose: Receipt of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.380556
Total Berthing Space (feet): 1540 | | Longitude (decimal): -79.84528

Waterway: **Monongahela River** Mile: 12 PWD: 71
Name: **Union Railroad Co., Upper Coal Dock.**
Port: Pittsburgh
Location: Mile 12.1, left bank, Monongahela River, Duquesne, approximately 0.5 mile above Consolidated Rail Corp. Datum: NPE
Operator: Union Railroad Co.
Owner: Union Railroad Co.
Address: State Highway 837 Phone: 412 273-4580
Town: Duquesne State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track under loading bin connects with storage yard having capacity for 105 loaded and 88 empty cars.
Purpose: Receipt of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.380556
Total Berthing Space (feet): 1540 | | Longitude (decimal): -79.84528

Waterway: **Monongahela River** Mile: 12 PWD: 71
Name: **Union Railroad Co., Upper Coal Dock.**
Port: Pittsburgh
Location: Mile 12.1, left bank, Monongahela River, Duquesne, approximately 0.5 mile above Consolidated Rail Corp. Datum: NPE
Operator: Union Railroad Co.
Owner: Union Railroad Co.
Address: State Highway 837 Phone: 412 273-4580
Town: Duquesne State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track under loading bin connects with storage yard having capacity for 105 loaded and 88 empty cars.
Purpose: Receipt of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.380556
Total Berthing Space (feet): 1540 | | Longitude (decimal): -79.84528
Remarks: Wharf has holding capacity for 30 loaded barges at upper end.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43011 Pittsburgh District

Remarks: Wharf has holding capacity for 30 loaded barges at upper end.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43011 Pittsburgh District

Port Facilities by Waterway

Remarks: Wharf has holding capacity for 30 loaded barges at upper end.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43011 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 12 PWD: 71
Name: **Union Railroad Co., Upper Coal Dock.**
Port: Pittsburgh
Location: Mile 12.1, left bank, Monongahela River, Duquesne, approximately 0.5 mile above Consolidated Rail Corp. Datum: NPE
Operator: Union Railroad Co.
Owner: Union Railroad Co.
Address: State Highway 837 Phone: 412 273-4580
Town: Duquesne State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track under loading bin connects with storage yard having capacity for 105 loaded and 88 empty cars.
Purpose: Receipt of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.380556
Total Berthing Space (feet): 1540 | | Longitude (decimal): -79.84528

Waterway: **Monongahela River** Mile: 12 PWD: 71
Name: **Union Railroad Co., Upper Coal Dock.**
Port: Pittsburgh
Location: Mile 12.1, left bank, Monongahela River, Duquesne, approximately 0.5 mile above Consolidated Rail Corp. Datum: NPE
Operator: Union Railroad Co.
Owner: Union Railroad Co.
Address: State Highway 837 Phone: 412 273-4580
Town: Duquesne State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track under loading bin connects with storage yard having capacity for 105 loaded and 88 empty cars.
Purpose: Receipt of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.380556
Total Berthing Space (feet): 1540 | | Longitude (decimal): -79.84528

Waterway: **Monongahela River** Mile: 12 PWD: 71
Name: **Union Railroad Co., Upper Coal Dock.**
Port: Pittsburgh
Location: Mile 12.1, left bank, Monongahela River, Duquesne, approximately 0.5 mile above Consolidated Rail Corp. Datum: NPE
Operator: Union Railroad Co.
Owner: Union Railroad Co.
Address: State Highway 837 Phone: 412 273-4580
Town: Duquesne State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track under loading bin connects with storage yard having capacity for 105 loaded and 88 empty cars.
Purpose: Receipt of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.380556
Total Berthing Space (feet): 1540 | | Longitude (decimal): -79.84528

Remarks: Wharf has holding capacity for 30 loaded barges at upper end.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43011 Pittsburgh District

Remarks: Wharf has holding capacity for 30 loaded barges at upper end.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43011 Pittsburgh District

Port Facilities by Waterway

Remarks: Wharf has holding capacity for 30 loaded barges at upper end.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43011 Pittsburgh District

Waterway: **Monongahela River** Mile: 120 PWD: 151
Name: **Marine Terminal Co. Wharf.**
Port: Pittsburgh
Location: Mile 120.0, right bank, Monongahela River, Catawba. Datum: NPE
Operator: Marine Terminal Co., Inc.
Owner: Marine Terminal Co., Inc.
Address: Catawba Road Phone:
Town: Catawba State: WV County: Marion
Railway Connection: None.
Purpose: Receipt and shipment of dry bulk commodities, including salt and gravel; shipment of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 39.526389
Total Berthing Space (feet): 175 | | Longitude (decimal): -80.08194
Remarks: Approximately 1.7 acres of open storage area are located at rear. Commodities are covered with weatherproof fabric as necessary.□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43120 Pittsburgh District

Waterway: **Monongahela River** Mile: 122 PWD: 149
Name: **Monongahela Power Co., Rivesville Power Station Dock.**
Port: Pittsburgh
Location: Mile 122.1, left bank, Monongahela River, Rivesville. Datum: NPE
Operator: Not operated.
Owner: Monongahela Power Co.
Address: State Highway 19 Phone:
Town: Rivesville State: WV County: Marion
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 39.530833
Total Berthing Space (feet): 350 | | Longitude (decimal): -80.11194
Remarks: At time of survey (1991), power plant was being operated only on a stand-by basis. Wharf has capacity for mooring 10 barges. Open storage area at rear has capacity for 50,000 tons of coal.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43122 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 127 PWD: 150
Name: **Marquette Co., Fairmont Dock.**
Port: Pittsburgh
Location: Mile 127.4, right bank, Monongahela River, Fairmont, approximately 0.2 mile above Old Fairmont Highway B Datum: NPE
Operator: Not operated.
Owner: Gulf + Western Industries, Inc.
Address: Water Street Phone:
Town: Fairmont State: WV County: Marion
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 8 | | Latitude (decimal): 39.48
Total Berthing Space (feet): 225 | | Longitude (decimal): -80.1425
Remarks: Wharf formerly was used for receipt of cement. Three concrete storage silos at rear have total capacity for 5,850 tons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43127 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 13 PWD: 72
Name: **Regional Industrial Development Corp., Duquesne Dock.**
Port: Pittsburgh
Location: Mile 12.7, left bank, Monongahela River, Duquesne. Datum: NPE
Operator: Not operated.
Owner: Regional Industrial Development Corp.
Address: Grant Avenue Phone: 412 471-3939
Town: Duquesne State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.375278
Total Berthing Space (feet): 450 | | Longitude (decimal): -79.84028
Remarks: Facility formerly used for receipt of fuel oil was not in use at time of survey (1990). One 8-inch pipeline (blanked at time of survey) extends from wharf to two steel storage tanks at rear, total capacity 19,00

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43012 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 14 PWD: 186
Name: **Dravo Basic Materials Co., Riverton Dock.**
Port: Pittsburgh
Location: Mile 14.0, right bank, Monongahela River, McKeesport, below McKeesport-Duquesne Highway Bridge. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Seventh Street Phone: 412 573-9518
Town: McKeesport State: PA County: Allegheny
Railway Connection: One marginal surface track along apron connects with Monongahela Connecting Railroad.
Purpose: Receipt and shipment of sand, gravel, ferromanganese, coal, and miscellaneous bulk materials for steel mill use.
Depth Alongside (feet): 12 | | Latitude (decimal):
Total Berthing Space (feet): 250 | | Longitude (decimal):
Remarks: Concrete storage bins at rear of apron have total storage capacity for 25,000 tons of sand and gravel. Miscellaneous steel mill bulk materials are handled by direct transfer between barge and truck.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43014 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 15 PWD: 185
Name: **Regional Industrial Development Dock.**
Port: Pittsburgh
Location: Mile 14.8, right bank, Monongahela River, McKeesport, approximately 3,000 feet below the mouth of the Yo Datum: NPE
Operator: Not operated.
Owner: Regional Industrial Development Corp.
Address: Locust Street Phone: 412 471-3939
Town: McKeesport State: PA County: Allegheny
Railway Connection: Two to four marginal surface tracks along rear of face with capacity for 150 cars connects with Monongahela Connecting Railroad.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal):
Total Berthing Space (feet): 2100 | | Longitude (decimal):
Remarks: Facility formerly used for the shipment of steel products was inactive at time of survey (1991).

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43015 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 16 PWD: 73
Name: **Boswell Oil Co. Dock.**
Port: Pittsburgh
Location: Mile 16.0, left bank, Monongahela River, Dravosburg, approximately 0.6 mile below Mansfield Bridge. Datum: NPE
Operator: Boswell Oil Co.
Owner: Boswell Oil Co.
Address: 702 Washington Avenue Phone: 412 466-4100
Town: Dravosburg State: PA County: Allegheny
Railway Connection: One surface track serves 8-car-capacity loading rack in rear; connects with Consolidated Rail Corp.
Purpose: Receipt and occasional shipment of asphalt and petroleum products.
Depth Alongside (feet): 12 - 12 | 5 | Latitude (decimal): 40.354444
Total Berthing Space (feet): 525 | | Longitude (decimal): -79.87833

Waterway: **Monongahela River** Mile: 16 PWD: 73
Name: **Boswell Oil Co. Dock.**
Port: Pittsburgh
Location: Mile 16.0, left bank, Monongahela River, Dravosburg, approximately 0.6 mile below Mansfield Bridge. Datum: NPE
Operator: Boswell Oil Co.
Owner: Boswell Oil Co.
Address: 702 Washington Avenue Phone: 412 466-4100
Town: Dravosburg State: PA County: Allegheny
Railway Connection: One surface track serves 8-car-capacity loading rack in rear; connects with Consolidated Rail Corp.
Purpose: Receipt and occasional shipment of asphalt and petroleum products.
Depth Alongside (feet): 12 - 12 | 5 | Latitude (decimal): 40.354444
Total Berthing Space (feet): 525 | | Longitude (decimal): -79.87833

Remarks: Six 6-inch pipelines extend from wharf to 27 petroleum products storage tanks, total capacity 119,000 barrels, and to 12 asphalt storage tanks, total capacity 71,400 barrels. One 3-inch steam line serves wharf.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Six 6-inch pipelines extend from wharf to 27 petroleum products storage tanks, total capacity 119,000 barrels, and to 12 asphalt storage tanks, total capacity 71,400 barrels. One 3-inch steam line serves wharf.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 16 PWD: 73
Name: **Boswell Oil Co. Dock.**
Port: Pittsburgh
Location: Mile 16.0, left bank, Monongahela River, Dravosburg, approximately 0.6 mile below Mansfield Bridge. Datum: NPE
Operator: Boswell Oil Co.
Owner: Boswell Oil Co.
Address: 702 Washington Avenue Phone: 412 466-4100
Town: Dravosburg State: PA County: Allegheny
Railway Connection: One surface track serves 8-car-capacity loading rack in rear; connects with Consolidated Rail Corp.
Purpose: Receipt and occasional shipment of asphalt and petroleum products.
Depth Alongside (feet): 12 - 12 | 5 | Latitude (decimal): 40.354444
Total Berthing Space (feet): 525 | | Longitude (decimal): -79.87833

Waterway: **Monongahela River** Mile: 16 PWD: 73
Name: **Boswell Oil Co. Dock.**
Port: Pittsburgh
Location: Mile 16.0, left bank, Monongahela River, Dravosburg, approximately 0.6 mile below Mansfield Bridge. Datum: NPE
Operator: Boswell Oil Co.
Owner: Boswell Oil Co.
Address: 702 Washington Avenue Phone: 412 466-4100
Town: Dravosburg State: PA County: Allegheny
Railway Connection: One surface track serves 8-car-capacity loading rack in rear; connects with Consolidated Rail Corp.
Purpose: Receipt and occasional shipment of asphalt and petroleum products.
Depth Alongside (feet): 12 - 12 | 5 | Latitude (decimal): 40.354444
Total Berthing Space (feet): 525 | | Longitude (decimal): -79.87833

Remarks: Six 6-inch pipelines extend from wharf to 27 petroleum products storage tanks, total capacity 119,000 barrels, and to 12 asphalt storage tanks, total capacity 71,400 barrels. One 3-inch steam line serves wharf.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Six 6-inch pipelines extend from wharf to 27 petroleum products storage tanks, total capacity 119,000 barrels, and to 12 asphalt storage tanks, total capacity 71,400 barrels. One 3-inch steam line serves wharf.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 16 PWD: 74
Name: **Davison Sand and Gravel Co., Dravosburg Dock.**
Port: Pittsburgh
Location: Mile 16.1, left bank, Monongahela River, Dravosburg, approximately 0.5 mile below Mansfield Bridge. Datum: NPE
Operator: Davison Sand & Gravel Co.
Owner: Boswell-Davison Joint Venture.
Address: 600 Washington Avenue Phone: 412 362-4900
Town: Dravosburg State: PA County: Allegheny
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.353611
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.88056

Waterway: **Monongahela River** Mile: 16 PWD: 74
Name: **Davison Sand and Gravel Co., Dravosburg Dock.**
Port: Pittsburgh
Location: Mile 16.1, left bank, Monongahela River, Dravosburg, approximately 0.5 mile below Mansfield Bridge. Datum: NPE
Operator: Davison Sand & Gravel Co.
Owner: Boswell-Davison Joint Venture.
Address: 600 Washington Avenue Phone: 412 362-4900
Town: Dravosburg State: PA County: Allegheny
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.353611
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.88056

Remarks: Six storage bins in rear have capacity for 4,000 cubic yards of material; adjacent open storage area has capacity for 10,000 cubic yards. Two 6- and one 4-inch pipelines extend from wharf to 3 steel storage tank capacity 47,600 barrels, not in use at time of survey. Tankage is connected to that described under Ref. No. 73. Ready-mix asphalt and concrete plants are located in rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Six storage bins in rear have capacity for 4,000 cubic yards of material; adjacent open storage area has capacity for 10,000 cubic yards. Two 6- and one 4-inch pipelines extend from wharf to 3 steel storage tank capacity 47,600 barrels, not in use at time of survey. Tankage is connected to that described under Ref. No. 73. Ready-mix asphalt and concrete plants are located in rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 16 PWD: 74
Name: **Davison Sand and Gravel Co., Dravosburg Dock.**
Port: Pittsburgh
Location: Mile 16.1, left bank, Monongahela River, Dravosburg, approximately 0.5 mile below Mansfield Bridge. Datum: NPE
Operator: Davison Sand & Gravel Co.
Owner: Boswell-Davison Joint Venture.
Address: 600 Washington Avenue Phone: 412 362-4900
Town: Dravosburg State: PA County: Allegheny
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.353611
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.88056

Waterway: **Monongahela River** Mile: 16 PWD: 74
Name: **Davison Sand and Gravel Co., Dravosburg Dock.**
Port: Pittsburgh
Location: Mile 16.1, left bank, Monongahela River, Dravosburg, approximately 0.5 mile below Mansfield Bridge. Datum: NPE
Operator: Davison Sand & Gravel Co.
Owner: Boswell-Davison Joint Venture.
Address: 600 Washington Avenue Phone: 412 362-4900
Town: Dravosburg State: PA County: Allegheny
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.353611
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.88056

Remarks: Six storage bins in rear have capacity for 4,000 cubic yards of material; adjacent open storage area has capacity for 10,000 cubic yards. Two 6- and one 4-inch pipelines extend from wharf to 3 steel storage tank capacity 47,600 barrels, not in use at time of survey. Tankage is connected to that described under Ref. No. 73. Ready-mix asphalt and concrete plants are located in rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Six storage bins in rear have capacity for 4,000 cubic yards of material; adjacent open storage area has capacity for 10,000 cubic yards. Two 6- and one 4-inch pipelines extend from wharf to 3 steel storage tank capacity 47,600 barrels, not in use at time of survey. Tankage is connected to that described under Ref. No. 73. Ready-mix asphalt and concrete plants are located in rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 17 PWD: 75
Name: **Ingram Barge Co., Fleet Mooring.**
Port: Pittsburgh
Location: Mile 16.5-17.3, left bank, Monongahela River, Dravosburg, below and above Mansfield Bridge. Datum: NPE
Operator: Ingram Barge Co.
Owner: Ingram Barge Co.
Address: 200 Washington Avenue Phone: 412 469-8707
Town: Dravosburg State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring company-owned barges for fleeting, repairing, cleaning, and maintenance.
Depth Alongside (feet): 10 - 12 | | 10 - 12 Latitude (decimal): 40.344444
Total Berthing Space (feet): 1560 | | 1225 Longitude (decimal): -79.8875
Remarks: Fleeting area has capacity for 141 barges consisting of 31 tiers, each 4 and 5 barges wide.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 17 PWD: 184
Name: **St. Clair Supply Co. Dock.**
Port: Pittsburgh
Location: Mile 17.2, right bank, Monongahela River, Glassport, approximately 0.5 mile above Mansfield Bridge. Datum: NPE
Operator: St. Clair Supply Co., Inc.
Owner: St. Clair Supply Co., Inc.
Address: Harrison Street Phone: 412 678-0100
Town: Glassport State: PA County: Allegheny
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.337778
Total Berthing Space (feet): 425 | | Longitude (decimal): -79.89111
Remarks: Ready-mix concrete plant, 3 storage bins, total capacity 300 tons; and 2 open storage areas with total capacity for approximately 1,300 tons are located in rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056
Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056
Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056
Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056
Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056
Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056

Waterway: **Monongahela River** Mile: 19 PWD: 78
Name: **Aristech Chemical Corp., Tarben Plant, Barge Dock.**
Port: Pittsburgh
Location: Mile 19.3, left bank, Monongahela River, Clairton, below and above Glassport Bridge. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 778-3300
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One marginal track on trestle at rear serves chemical loading/unloading lines and continues on to serve Ref. No. 77.
Purpose: Receipt and shipment of miscellaneous chemicals, including mill by- products, feed stocks, and coal tar derivatives.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -79.89056
Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: One 10-, two 6-, and one 4-inch pipelines extend from platform to 11 steel storage tanks at benzene plant, total capacity 3,700,000 gallons, and 40 storage tanks at coal tar plant, total capacity 15,960,000 gallo

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667
Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667
Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667
Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 | Year of Last Survey: 1991 | Corps of Engnrs Waterway Code: 43020 | Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 | Year of Last Survey: 1991 | Corps of Engnrs Waterway Code: 43020 | Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 | Year of Last Survey: 1991 | Corps of Engnrs Waterway Code: 43020 | Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 | Year of Last Survey: 1991 | Corps of Engnrs Waterway Code: 43020 | Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667
Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667
Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 | Year of Last Survey: 1991 | Corps of Engnrs Waterway Code: 43020 | Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 | Year of Last Survey: 1991 | Corps of Engnrs Waterway Code: 43020 | Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 | Year of Last Survey: 1991 | Corps of Engnrs Waterway Code: 43020 | Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 | Year of Last Survey: 1991 | Corps of Engnrs Waterway Code: 43020 | Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667

Waterway: **Monongahela River** Mile: 19 PWD: 76
Name: **C & C Marine Ways, Wharf and Mooring.**
Port: Pittsburgh
Location: Mile 18.6-18.8, left bank, Monongahela River, Clairton, approximately 0.5 mile below Glassport Bridge. Datum: NPE
Operator: C & C Marine Ways, Inc.
Owner: USX Corp.
Address: 1500 North State Street Phone: 412 233-4124
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track in rear connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railway, and Consolidated Rail Corp.
Purpose: Mooring barges for repair.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.3175
Total Berthing Space (feet): 175 | 700 | Longitude (decimal): -79.89667
Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Waterway: **Monongahela River** Mile: 19 PWD: 183

Name: **Commercial Steel Corp. Dock.**

Port: Pittsburgh

Location: Mile 18.5, right bank, Monongahela River, Glassport, approximately 0.8 mile below Glassport Highway Brid Datum: NPE

Operator: Commercial Steel Corp.

Owner: Commercial Steel Corp.

Address: Seventh Street Phone: 412 664-1220

Town: Glassport State: PA County: Allegheny

Railway Connection: One marginal surface track in rear of fabrication building connects with Pittsburgh and Lake Erie Railroad.

Purpose: Shipment of steel reinforcing rods.

Depth Alongside (feet): 10 | | Latitude (decimal): 40.320833

Total Berthing Space (feet): 15 | | Longitude (decimal): -79.89583

Remarks: Steel reinforcing rod manufacturing facility is located in rear.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 182
Name: **Glassport Transportation, Fleet Mooring.**
Port: Pittsburgh
Location: Mile 19.1, right bank, Monongahela River, Glassport, below Glassport Highway Bridge. Datum: NPE
Operator: Glassport Transportation, Inc. and Mobile Marine Services.
Owner: Glassport Transportation, Inc.
Address: 1060 Ohio Avenue Phone: 412 672-1411
Town: Glassport State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges for fleeting and cleaning.
Depth Alongside (feet): 10 | | 10 Latitude (decimal): 40.316111
Total Berthing Space (feet): 350 | | 1650 Longitude (decimal): -79.89083

Waterway: **Monongahela River** Mile: 19 PWD: 182
Name: **Glassport Transportation, Fleet Mooring.**
Port: Pittsburgh
Location: Mile 19.1, right bank, Monongahela River, Glassport, below Glassport Highway Bridge. Datum: NPE
Operator: Glassport Transportation, Inc. and Mobile Marine Services.
Owner: Glassport Transportation, Inc.
Address: 1060 Ohio Avenue Phone: 412 672-1411
Town: Glassport State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges for fleeting and cleaning.
Depth Alongside (feet): 10 | | 10 Latitude (decimal): 40.316111
Total Berthing Space (feet): 350 | | 1650 Longitude (decimal): -79.89083

Remarks: Glassport Transportation, Inc.: Fleet has capacity for 44 barges arranged in 11 tiers, each 4 barges wide.□Mobile Marine Services leased the grounded barge portion for cleaning tank barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Glassport Transportation, Inc.: Fleet has capacity for 44 barges arranged in 11 tiers, each 4 barges wide.□Mobile Marine Services leased the grounded barge portion for cleaning tank barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 182
Name: **Glassport Transportation, Fleet Mooring.**
Port: Pittsburgh
Location: Mile 19.1, right bank, Monongahela River, Glassport, below Glassport Highway Bridge. Datum: NPE
Operator: Glassport Transportation, Inc. and Mobile Marine Services.
Owner: Glassport Transportation, Inc.
Address: 1060 Ohio Avenue Phone: 412 672-1411
Town: Glassport State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges for fleeting and cleaning.
Depth Alongside (feet): 10 | | 10 Latitude (decimal): 40.316111
Total Berthing Space (feet): 350 | | 1650 Longitude (decimal): -79.89083

Waterway: **Monongahela River** Mile: 19 PWD: 182
Name: **Glassport Transportation, Fleet Mooring.**
Port: Pittsburgh
Location: Mile 19.1, right bank, Monongahela River, Glassport, below Glassport Highway Bridge. Datum: NPE
Operator: Glassport Transportation, Inc. and Mobile Marine Services.
Owner: Glassport Transportation, Inc.
Address: 1060 Ohio Avenue Phone: 412 672-1411
Town: Glassport State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges for fleeting and cleaning.
Depth Alongside (feet): 10 | | 10 Latitude (decimal): 40.316111
Total Berthing Space (feet): 350 | | 1650 Longitude (decimal): -79.89083

Remarks: Glassport Transportation, Inc.: Fleet has capacity for 44 barges arranged in 11 tiers, each 4 barges wide.□Mobile Marine Services leased the grounded barge portion for cleaning tank barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Glassport Transportation, Inc.: Fleet has capacity for 44 barges arranged in 11 tiers, each 4 barges wide.□Mobile Marine Services leased the grounded barge portion for cleaning tank barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333

Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333
Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333
Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333
Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333
Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333

Waterway: **Monongahela River** Mile: 19 PWD: 79
Name: **USX Corp., Clairton Works, Jumbo Barge Coal Dock.**
Port: Pittsburgh
Location: Mile 19.4-20.0, left bank, Monongahela River, Clairton, approximately 0.5 mile above Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1691
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal): 40.31
Total Berthing Space (feet): 2500 | 975 | Longitude (decimal): -79.88333
Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Mooring area has holding capacity for 35 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444
Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444
Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444
Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444
Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444
Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444

Waterway: **Monongahela River** Mile: 19 PWD: 77
Name: **USX Corp., Clairton Works, Lower Coal Dock.**
Port: Pittsburgh
Location: Mile 18.9-19.1, left bank, Monongahela River, Clairton, approximately 1,500 feet below Glassport Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: - Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co.: One surface track serving car shaker and undertrack receiving pits joins additional plant trackage, connects with carriers listed under Ref. No. 76.
Purpose: Shipment of coal, coke, and pelletized pitch; mooring barges.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.301944
Total Berthing Space (feet): 1290 | | Longitude (decimal): -79.89444
Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Open storage area in rear, served by truck and rail, has capacity for 1,000,000 tons of coal. Mooring area has holding capacity for 30 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Waterway: **Monongahela River** Mile: 2 PWD: 196

Name: **The Standard Slag Co., Brady Street Yard Dock.**

Port: Pittsburgh

Location: Mile 2.2, right bank, Monongahela River, Pittsburgh, below Brady Street Bridge. Datum: NPE

Operator: The Standard Slag Co.

Owner: The Standard Slag Co.

Address: 2220 Second Avenue Phone: 412 471-0378

Town: Pittsburgh State: PA County: Allegheny

Railway Connection: One marginal surface track connects with Monongahela Connecting Railroad.

Purpose: Receipt and shipment of sand, gravel, coal, and miscellaneous dry bulk materials for the steel industry.

Depth Alongside (feet): 15 | | Latitude (decimal): 40.434167

Total Berthing Space (feet): 1350 | | Longitude (decimal): -79.975

Remarks: Open storage area for 90,000 tons of sand and gravel at rear; other bulk materials handled for steel industry are transferred directly between barge andtruck. Beaver Valley Builders Supply, Inc. and Allegheny As each operate ready-mix asphalt plants, and J. A. Petty, Inc. operates a scrap metal processing plant in rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 20 PWD: 181
Name: **Glassport Transportation, Coal Loading Dock.**
Port: Pittsburgh
Location: Mile 19.5, right bank, Monongahela River, Glassport, above Glassport Highway Bridge. Datum: NPE
Operator: Glassport Transportation, Inc.
Owner: Glassport Transportation, Inc.
Address: 1060 Ohio Avenue Phone: 412 672-1411
Town: Glassport State: PA County: Allegheny
Railway Connection: One surface track serves open storage area; connects with Pittsburgh and Lake Erie Railroad.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1000 | | Longitude (decimal): -79.88556

Waterway: **Monongahela River** Mile: 20 PWD: 181
Name: **Glassport Transportation, Coal Loading Dock.**
Port: Pittsburgh
Location: Mile 19.5, right bank, Monongahela River, Glassport, above Glassport Highway Bridge. Datum: NPE
Operator: Glassport Transportation, Inc.
Owner: Glassport Transportation, Inc.
Address: 1060 Ohio Avenue Phone: 412 672-1411
Town: Glassport State: PA County: Allegheny
Railway Connection: One surface track serves open storage area; connects with Pittsburgh and Lake Erie Railroad.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1000 | | Longitude (decimal): -79.88556
Remarks: Open storage area at rear has capacity for 100,000 tons of coal.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Open storage area at rear has capacity for 100,000 tons of coal.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 20 PWD: 181
Name: **Glassport Transportation, Coal Loading Dock.**
Port: Pittsburgh
Location: Mile 19.5, right bank, Monongahela River, Glassport, above Glassport Highway Bridge. Datum: NPE
Operator: Glassport Transportation, Inc.
Owner: Glassport Transportation, Inc.
Address: 1060 Ohio Avenue Phone: 412 672-1411
Town: Glassport State: PA County: Allegheny
Railway Connection: One surface track serves open storage area; connects with Pittsburgh and Lake Erie Railroad.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1000 | | Longitude (decimal): -79.88556

Waterway: **Monongahela River** Mile: 20 PWD: 181
Name: **Glassport Transportation, Coal Loading Dock.**
Port: Pittsburgh
Location: Mile 19.5, right bank, Monongahela River, Glassport, above Glassport Highway Bridge. Datum: NPE
Operator: Glassport Transportation, Inc.
Owner: Glassport Transportation, Inc.
Address: 1060 Ohio Avenue Phone: 412 672-1411
Town: Glassport State: PA County: Allegheny
Railway Connection: One surface track serves open storage area; connects with Pittsburgh and Lake Erie Railroad.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.313056
Total Berthing Space (feet): 1000 | | Longitude (decimal): -79.88556
Remarks: Open storage area at rear has capacity for 100,000 tons of coal.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Open storage area at rear has capacity for 100,000 tons of coal.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):

Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):

Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):

Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):

Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):
Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):

Waterway: **Monongahela River** Mile: 20 PWD: 80
Name: **USX Corp., Clairton Works, No. 1 Coal Dock.**
Port: Pittsburgh
Location: Mile 20.1-20.8, left bank, Monongahela River, Clairton, approximately 0.6 mile below Union Railroad Brid Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Receipt of coal; mooring barges.
Depth Alongside (feet): 11 - 12 | 11 - 12 | Latitude (decimal):
Total Berthing Space (feet): 2400 | 900 | Longitude (decimal):

Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

---

Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

---

Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

---

Remarks: Bucket unloader is supported on 2 outboard steel sheet pile cells forming a 35-foot-wide barge berth. Mooring area at upper end has capacity for approximately 36 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 21 PWD: 180

Name: **Ashland Petroleum Co., Wylie Mooring.**

Port: Pittsburgh

Location: Mile 20.8, right bank, Monongahela River, Lincoln, approximately 1.5 miles above Glassport Highway Bridg Datum: NPE

Operator: Ashland Petroleum Co., Division of Ashland Oil, Inc.

Owner: Ashland Petroleum Co., Division of Ashland Oil, Inc.

Address: Glassport Road, Glassport Phone: 412 452-8870

Town: Lincoln Borough State: PA County: Allegheny

Railway Connection: None.

Purpose: Mooring barges for fleeting.

Depth Alongside (feet): 7 - 11 | | Latitude (decimal):

Total Berthing Space (feet): 650 | | Longitude (decimal):

Remarks: Facility has capacity for 5 barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):
Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):
Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):
Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):
Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):
Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):

Waterway: **Monongahela River** Mile: 21 PWD: 81
Name: **USX Corp., Clairton Works, Ammonia Dock.**
Port: Pittsburgh
Location: Mile 21.0, left bank, Monongahela River, below Union Railroad Bridge. Datum: NPE
Operator: USX Corp.
Owner: USX Corp.
Address: State Highway 837 Phone: 412 233-1690
Town: Clairton State: PA County: Allegheny
Railway Connection: Union Railroad Co. trackage serves steel mill in rear, connects with Pittsburgh and Lake Erie Railroad, Norfolk and Southern Railroad, and Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 700 | | Longitude (decimal):
Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Wharf formerly was used for shipment of ammonia. Two 6-inch pipelines extending to wharf from 3 steel storage tanks at rear, total capacity 840,000 gallons, were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 22 PWD: 82
Name: **Consolidation Coal Co., West Elizabeth Empty Fleet Mooring.**
Port: Pittsburgh
Location: Mile 22.2-22.6, left bank, Monongahela River, West Elizabeth, approximately 0.3 mile below Elizabeth (St Datum: NPE
Operator: Consolidation Coal Co.
Owner: Consolidation Coal Co.
Address: Border Street Phone: 412 831-4558
Town: West Elizabeth State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring empty barges for fleeting.
Depth Alongside (feet): 8 | 8 | 8 Latitude (decimal): 40.279722
Total Berthing Space (feet): 1225 | 525 | 525 Longitude (decimal): -79.88389

Waterway: **Monongahela River** Mile: 22 PWD: 82
Name: **Consolidation Coal Co., West Elizabeth Empty Fleet Mooring.**
Port: Pittsburgh
Location: Mile 22.2-22.6, left bank, Monongahela River, West Elizabeth, approximately 0.3 mile below Elizabeth (St Datum: NPE
Operator: Consolidation Coal Co.
Owner: Consolidation Coal Co.
Address: Border Street Phone: 412 831-4558
Town: West Elizabeth State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring empty barges for fleeting.
Depth Alongside (feet): 8 | 8 | 8 Latitude (decimal): 40.279722
Total Berthing Space (feet): 1225 | 525 | 525 Longitude (decimal): -79.88389

Waterway: **Monongahela River** Mile: 22 PWD: 82
Name: **Consolidation Coal Co., West Elizabeth Empty Fleet Mooring.**
Port: Pittsburgh
Location: Mile 22.2-22.6, left bank, Monongahela River, West Elizabeth, approximately 0.3 mile below Elizabeth (St Datum: NPE
Operator: Consolidation Coal Co.
Owner: Consolidation Coal Co.
Address: Border Street Phone: 412 831-4558
Town: West Elizabeth State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring empty barges for fleeting.
Depth Alongside (feet): 8 | 8 | 8 Latitude (decimal): 40.279722
Total Berthing Space (feet): 1225 | 525 | 525 Longitude (decimal): -79.88389

Remarks: Fleeting area has capacity for 70 barges consisting of 11 tiers, 5 to 7 barges wide.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Fleeting area has capacity for 70 barges consisting of 11 tiers, 5 to 7 barges wide.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Fleeting area has capacity for 70 barges consisting of 11 tiers, 5 to 7 barges wide.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 22 PWD: 82
Name: **Consolidation Coal Co., West Elizabeth Empty Fleet Mooring.**
Port: Pittsburgh
Location: Mile 22.2-22.6, left bank, Monongahela River, West Elizabeth, approximately 0.3 mile below Elizabeth (St Datum: NPE
Operator: Consolidation Coal Co.
Owner: Consolidation Coal Co.
Address: Border Street Phone: 412 831-4558
Town: West Elizabeth State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring empty barges for fleeting.
Depth Alongside (feet): 8 | 8 | 8 Latitude (decimal): 40.279722
Total Berthing Space (feet): 1225 | 525 | 525 Longitude (decimal): -79.88389

Waterway: **Monongahela River** Mile: 22 PWD: 82
Name: **Consolidation Coal Co., West Elizabeth Empty Fleet Mooring.**
Port: Pittsburgh
Location: Mile 22.2-22.6, left bank, Monongahela River, West Elizabeth, approximately 0.3 mile below Elizabeth (St Datum: NPE
Operator: Consolidation Coal Co.
Owner: Consolidation Coal Co.
Address: Border Street Phone: 412 831-4558
Town: West Elizabeth State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring empty barges for fleeting.
Depth Alongside (feet): 8 | 8 | 8 Latitude (decimal): 40.279722
Total Berthing Space (feet): 1225 | 525 | 525 Longitude (decimal): -79.88389

Waterway: **Monongahela River** Mile: 22 PWD: 82
Name: **Consolidation Coal Co., West Elizabeth Empty Fleet Mooring.**
Port: Pittsburgh
Location: Mile 22.2-22.6, left bank, Monongahela River, West Elizabeth, approximately 0.3 mile below Elizabeth (St Datum: NPE
Operator: Consolidation Coal Co.
Owner: Consolidation Coal Co.
Address: Border Street Phone: 412 831-4558
Town: West Elizabeth State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring empty barges for fleeting.
Depth Alongside (feet): 8 | 8 | 8 Latitude (decimal): 40.279722
Total Berthing Space (feet): 1225 | 525 | 525 Longitude (decimal): -79.88389
Remarks: Fleeting area has capacity for 70 barges consisting of 11 tiers, 5 to 7 barges wide.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Fleeting area has capacity for 70 barges consisting of 11 tiers, 5 to 7 barges wide.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Fleeting area has capacity for 70 barges consisting of 11 tiers, 5 to 7 barges wide.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 22 PWD: 82
Name: **Consolidation Coal Co., West Elizabeth Empty Fleet Mooring.**
Port: Pittsburgh
Location: Mile 22.2-22.6, left bank, Monongahela River, West Elizabeth, approximately 0.3 mile below Elizabeth (St Datum: NPE
Operator: Consolidation Coal Co.
Owner: Consolidation Coal Co.
Address: Border Street Phone: 412 831-4558
Town: West Elizabeth State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring empty barges for fleeting.
Depth Alongside (feet): 8 | 8 | 8 Latitude (decimal): 40.279722
Total Berthing Space (feet): 1225 | 525 | 525 Longitude (decimal): -79.88389

Waterway: **Monongahela River** Mile: 22 PWD: 82
Name: **Consolidation Coal Co., West Elizabeth Empty Fleet Mooring.**
Port: Pittsburgh
Location: Mile 22.2-22.6, left bank, Monongahela River, West Elizabeth, approximately 0.3 mile below Elizabeth (St Datum: NPE
Operator: Consolidation Coal Co.
Owner: Consolidation Coal Co.
Address: Border Street Phone: 412 831-4558
Town: West Elizabeth State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring empty barges for fleeting.
Depth Alongside (feet): 8 | 8 | 8 Latitude (decimal): 40.279722
Total Berthing Space (feet): 1225 | 525 | 525 Longitude (decimal): -79.88389

Waterway: **Monongahela River** Mile: 22 PWD: 82
Name: **Consolidation Coal Co., West Elizabeth Empty Fleet Mooring.**
Port: Pittsburgh
Location: Mile 22.2-22.6, left bank, Monongahela River, West Elizabeth, approximately 0.3 mile below Elizabeth (St Datum: NPE
Operator: Consolidation Coal Co.
Owner: Consolidation Coal Co.
Address: Border Street Phone: 412 831-4558
Town: West Elizabeth State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring empty barges for fleeting.
Depth Alongside (feet): 8 | 8 | 8 Latitude (decimal): 40.279722
Total Berthing Space (feet): 1225 | 525 | 525 Longitude (decimal): -79.88389

Remarks: Fleeting area has capacity for 70 barges consisting of 11 tiers, 5 to 7 barges wide.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Fleeting area has capacity for 70 barges consisting of 11 tiers, 5 to 7 barges wide.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Fleeting area has capacity for 70 barges consisting of 11 tiers, 5 to 7 barges wide.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 22 PWD: 179
Name: **Mon-River Towing, Lincoln Borough Fleet Mooring.**
Port: Pittsburgh
Location: Mile 21.8, right bank, Monongahela River, Lincoln, approximately 0.7 mile above Union Railroad Bridge. Datum: NPE
Operator: Mon-River Towing, Inc.
Owner: Mon-River Towing, Inc.
Address: Phone: 412 483-8051
Town: Lincoln Borough State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 9 | | 9 Latitude (decimal):
Total Berthing Space (feet): 525 | | 525 Longitude (decimal):
Remarks: Each mooring has capacity for 12 barges arranged in 3 rows, each 2 barges wide.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43028 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 23 PWD: 178
Name: **Blank Welding Co. Dock.**
Port: Pittsburgh
Location: Mile 22.5, right bank, Monongahela River, Elizabeth, approximately 0.5 mile below Elizabeth Highway Brid Datum: NPE
Operator: Blank Welding Co. and Crounse Corp. (See Remarks.)
Owner: Howell Bros., Inc.
Address: 101 Atlantic Avenue Phone: 412 384-6711
Town: Elizabeth State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges for repair and fleeting.
Depth Alongside (feet): 9 - 10 | 9 | Latitude (decimal): 40.280278
Total Berthing Space (feet): 350 | 600 | Longitude (decimal): -79.88
Remarks: Crounse Corp. leases approximately 600 feet of natural bank with shore moorings on lower side for fleeting up to 6 barges. Fabrication shop with welding equipment is located in rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 23 PWD: 177
Name: **Consolidation Coal Co., Marine Ways Dock.**
Port: Pittsburgh
Location: Mile 22.5, right bank, Monongahela River, Elizabeth, approximately 0.3 mile below Elizabeth Highway Brid Datum: NPE
Operator: Not operated.
Owner: Consolidation Coal Co.
Address: Church Street Phone: 412 831-4558
Town: Elizabeth State: PA County: Allegheny
Railway Connection: None.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 10 | | Latitude (decimal): 40.276667
Total Berthing Space (feet): 500 | | Longitude (decimal): -79.88472

Waterway: **Monongahela River** Mile: 23 PWD: 177
Name: **Consolidation Coal Co., Marine Ways Dock.**
Port: Pittsburgh
Location: Mile 22.5, right bank, Monongahela River, Elizabeth, approximately 0.3 mile below Elizabeth Highway Brid Datum: NPE
Operator: Not operated.
Owner: Consolidation Coal Co.
Address: Church Street Phone: 412 831-4558
Town: Elizabeth State: PA County: Allegheny
Railway Connection: None.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 10 | | Latitude (decimal): 40.276667
Total Berthing Space (feet): 500 | | Longitude (decimal): -79.88472

Waterway: **Monongahela River** Mile: 23 PWD: 177
Name: **Consolidation Coal Co., Marine Ways Dock.**
Port: Pittsburgh
Location: Mile 22.5, right bank, Monongahela River, Elizabeth, approximately 0.3 mile below Elizabeth Highway Brid Datum: NPE
Operator: Not operated.
Owner: Consolidation Coal Co.
Address: Church Street Phone: 412 831-4558
Town: Elizabeth State: PA County: Allegheny
Railway Connection: None.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 10 | | Latitude (decimal): 40.276667
Total Berthing Space (feet): 500 | | Longitude (decimal): -79.88472
Remarks: Subsequent to field survey, marine repair plant was closed. One 980-ton floating drydock is moored at upper end. One 400-ton sidehaul marine railway is located at lower end.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Subsequent to field survey, marine repair plant was closed. One 980-ton floating drydock is moored at upper end. One 400-ton sidehaul marine railway is located at lower end.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: Subsequent to field survey, marine repair plant was closed. One 980-ton floating drydock is moored at upper end. One 400-ton sidehaul marine railway is located at lower end.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 23 PWD: 177
Name: **Consolidation Coal Co., Marine Ways Dock.**
Port: Pittsburgh
Location: Mile 22.5, right bank, Monongahela River, Elizabeth, approximately 0.3 mile below Elizabeth Highway Brid Datum: NPE
Operator: Not operated.
Owner: Consolidation Coal Co.
Address: Church Street Phone: 412 831-4558
Town: Elizabeth State: PA County: Allegheny
Railway Connection: None.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 10 | | Latitude (decimal): 40.276667
Total Berthing Space (feet): 500 | | Longitude (decimal): -79.88472

Waterway: **Monongahela River** Mile: 23 PWD: 177
Name: **Consolidation Coal Co., Marine Ways Dock.**
Port: Pittsburgh
Location: Mile 22.5, right bank, Monongahela River, Elizabeth, approximately 0.3 mile below Elizabeth Highway Brid Datum: NPE
Operator: Not operated.
Owner: Consolidation Coal Co.
Address: Church Street Phone: 412 831-4558
Town: Elizabeth State: PA County: Allegheny
Railway Connection: None.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 10 | | Latitude (decimal): 40.276667
Total Berthing Space (feet): 500 | | Longitude (decimal): -79.88472

Waterway: **Monongahela River** Mile: 23 PWD: 177
Name: **Consolidation Coal Co., Marine Ways Dock.**
Port: Pittsburgh
Location: Mile 22.5, right bank, Monongahela River, Elizabeth, approximately 0.3 mile below Elizabeth Highway Brid Datum: NPE
Operator: Not operated.
Owner: Consolidation Coal Co.
Address: Church Street Phone: 412 831-4558
Town: Elizabeth State: PA County: Allegheny
Railway Connection: None.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 10 | | Latitude (decimal): 40.276667
Total Berthing Space (feet): 500 | | Longitude (decimal): -79.88472
Remarks: Subsequent to field survey, marine repair plant was closed. One 980-ton floating drydock is moored at upper end. One 400-ton sidehaul marine railway is located at lower end.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Subsequent to field survey, marine repair plant was closed. One 980-ton floating drydock is moored at upper end. One 400-ton sidehaul marine railway is located at lower end.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: Subsequent to field survey, marine repair plant was closed. One 980-ton floating drydock is moored at upper end. One 400-ton sidehaul marine railway is located at lower end.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 23 PWD: 177
Name: **Consolidation Coal Co., Marine Ways Dock.**
Port: Pittsburgh
Location: Mile 22.5, right bank, Monongahela River, Elizabeth, approximately 0.3 mile below Elizabeth Highway Brid Datum: NPE
Operator: Not operated.
Owner: Consolidation Coal Co.
Address: Church Street Phone: 412 831-4558
Town: Elizabeth State: PA County: Allegheny
Railway Connection: None.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 10 | | Latitude (decimal): 40.276667
Total Berthing Space (feet): 500 | | Longitude (decimal): -79.88472

Waterway: **Monongahela River** Mile: 23 PWD: 177
Name: **Consolidation Coal Co., Marine Ways Dock.**
Port: Pittsburgh
Location: Mile 22.5, right bank, Monongahela River, Elizabeth, approximately 0.3 mile below Elizabeth Highway Brid Datum: NPE
Operator: Not operated.
Owner: Consolidation Coal Co.
Address: Church Street Phone: 412 831-4558
Town: Elizabeth State: PA County: Allegheny
Railway Connection: None.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 10 | | Latitude (decimal): 40.276667
Total Berthing Space (feet): 500 | | Longitude (decimal): -79.88472

Waterway: **Monongahela River** Mile: 23 PWD: 177
Name: **Consolidation Coal Co., Marine Ways Dock.**
Port: Pittsburgh
Location: Mile 22.5, right bank, Monongahela River, Elizabeth, approximately 0.3 mile below Elizabeth Highway Brid Datum: NPE
Operator: Not operated.
Owner: Consolidation Coal Co.
Address: Church Street Phone: 412 831-4558
Town: Elizabeth State: PA County: Allegheny
Railway Connection: None.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 10 | | Latitude (decimal): 40.276667
Total Berthing Space (feet): 500 | | Longitude (decimal): -79.88472
Remarks: Subsequent to field survey, marine repair plant was closed. One 980-ton floating drydock is moored at upper end. One 400-ton sidehaul marine railway is located at lower end.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Subsequent to field survey, marine repair plant was closed. One 980-ton floating drydock is moored at upper end. One 400-ton sidehaul marine railway is located at lower end.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Remarks: Subsequent to field survey, marine repair plant was closed. One 980-ton floating drydock is moored at upper end. One 400-ton sidehaul marine railway is located at lower end.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 23 PWD: 83
Name: **Consolidation Coal Co., West Elizabeth Loaded Fleet Mooring.**
Port: Pittsburgh
Location: Mile 22.9-23.4, left bank, Monongahela River, West Elizabeth, above Elizabeth (State Highway 51) Bridge. Datum: NPE
Operator: Consolidation Coal Co.
Owner: Consolidation Coal Co.
Address: Border Street Phone: 412 831-4558
Town: West Elizabeth State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring loaded barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.2725
Total Berthing Space (feet): 2450 | | Longitude (decimal): -79.8925

Waterway: **Monongahela River** Mile: 23 PWD: 83
Name: **Consolidation Coal Co., West Elizabeth Loaded Fleet Mooring.**
Port: Pittsburgh
Location: Mile 22.9-23.4, left bank, Monongahela River, West Elizabeth, above Elizabeth (State Highway 51) Bridge. Datum: NPE
Operator: Consolidation Coal Co.
Owner: Consolidation Coal Co.
Address: Border Street Phone: 412 831-4558
Town: West Elizabeth State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring loaded barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.2725
Total Berthing Space (feet): 2450 | | Longitude (decimal): -79.8925

Waterway: **Monongahela River** Mile: 23 PWD: 83
Name: **Consolidation Coal Co., West Elizabeth Loaded Fleet Mooring.**
Port: Pittsburgh
Location: Mile 22.9-23.4, left bank, Monongahela River, West Elizabeth, above Elizabeth (State Highway 51) Bridge. Datum: NPE
Operator: Consolidation Coal Co.
Owner: Consolidation Coal Co.
Address: Border Street Phone: 412 831-4558
Town: West Elizabeth State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring loaded barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.2725
Total Berthing Space (feet): 2450 | | Longitude (decimal): -79.8925
Remarks: Fleeting area has capacity for 62 barges consisting of 13 tiers, each 4 or 5 barges wide.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Fleeting area has capacity for 62 barges consisting of 13 tiers, each 4 or 5 barges wide.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Fleeting area has capacity for 62 barges consisting of 13 tiers, each 4 or 5 barges wide.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 23 PWD: 83
Name: **Consolidation Coal Co., West Elizabeth Loaded Fleet Mooring.**
Port: Pittsburgh
Location: Mile 22.9-23.4, left bank, Monongahela River, West Elizabeth, above Elizabeth (State Highway 51) Bridge. Datum: NPE
Operator: Consolidation Coal Co.
Owner: Consolidation Coal Co.
Address: Border Street Phone: 412 831-4558
Town: West Elizabeth State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring loaded barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.2725
Total Berthing Space (feet): 2450 | | Longitude (decimal): -79.8925

Waterway: **Monongahela River** Mile: 23 PWD: 83
Name: **Consolidation Coal Co., West Elizabeth Loaded Fleet Mooring.**
Port: Pittsburgh
Location: Mile 22.9-23.4, left bank, Monongahela River, West Elizabeth, above Elizabeth (State Highway 51) Bridge. Datum: NPE
Operator: Consolidation Coal Co.
Owner: Consolidation Coal Co.
Address: Border Street Phone: 412 831-4558
Town: West Elizabeth State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring loaded barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.2725
Total Berthing Space (feet): 2450 | | Longitude (decimal): -79.8925

Waterway: **Monongahela River** Mile: 23 PWD: 83
Name: **Consolidation Coal Co., West Elizabeth Loaded Fleet Mooring.**
Port: Pittsburgh
Location: Mile 22.9-23.4, left bank, Monongahela River, West Elizabeth, above Elizabeth (State Highway 51) Bridge. Datum: NPE
Operator: Consolidation Coal Co.
Owner: Consolidation Coal Co.
Address: Border Street Phone: 412 831-4558
Town: West Elizabeth State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring loaded barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.2725
Total Berthing Space (feet): 2450 | | Longitude (decimal): -79.8925
Remarks: Fleeting area has capacity for 62 barges consisting of 13 tiers, each 4 or 5 barges wide.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Fleeting area has capacity for 62 barges consisting of 13 tiers, each 4 or 5 barges wide.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Fleeting area has capacity for 62 barges consisting of 13 tiers, each 4 or 5 barges wide.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 23 PWD: 83
Name: **Consolidation Coal Co., West Elizabeth Loaded Fleet Mooring.**
Port: Pittsburgh
Location: Mile 22.9-23.4, left bank, Monongahela River, West Elizabeth, above Elizabeth (State Highway 51) Bridge. Datum: NPE
Operator: Consolidation Coal Co.
Owner: Consolidation Coal Co.
Address: Border Street Phone: 412 831-4558
Town: West Elizabeth State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring loaded barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.2725
Total Berthing Space (feet): 2450 | | Longitude (decimal): -79.8925

Waterway: **Monongahela River** Mile: 23 PWD: 83
Name: **Consolidation Coal Co., West Elizabeth Loaded Fleet Mooring.**
Port: Pittsburgh
Location: Mile 22.9-23.4, left bank, Monongahela River, West Elizabeth, above Elizabeth (State Highway 51) Bridge. Datum: NPE
Operator: Consolidation Coal Co.
Owner: Consolidation Coal Co.
Address: Border Street Phone: 412 831-4558
Town: West Elizabeth State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring loaded barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.2725
Total Berthing Space (feet): 2450 | | Longitude (decimal): -79.8925

Waterway: **Monongahela River** Mile: 23 PWD: 83
Name: **Consolidation Coal Co., West Elizabeth Loaded Fleet Mooring.**
Port: Pittsburgh
Location: Mile 22.9-23.4, left bank, Monongahela River, West Elizabeth, above Elizabeth (State Highway 51) Bridge. Datum: NPE
Operator: Consolidation Coal Co.
Owner: Consolidation Coal Co.
Address: Border Street Phone: 412 831-4558
Town: West Elizabeth State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring loaded barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.2725
Total Berthing Space (feet): 2450 | | Longitude (decimal): -79.8925
Remarks: Fleeting area has capacity for 62 barges consisting of 13 tiers, each 4 or 5 barges wide.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Fleeting area has capacity for 62 barges consisting of 13 tiers, each 4 or 5 barges wide.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Remarks: Fleeting area has capacity for 62 barges consisting of 13 tiers, each 4 or 5 barges wide.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43020 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 24 PWD: 84
Name: **Clairton Slag Co. Dock.**
Port: Pittsburgh
Location: Mile 23.6, left bank, Monongahela River, West Elizabeth, approximately 0.8 mile above Elizabeth (State H Datum: NPE
Operator: Clairton Slag Co., Inc.
Owner: Clairton Slag Co., Inc.
Address: State Highway 837 Phone: 412 462-8111
Town: West Elizabeth State: PA County: Allegheny
Railway Connection: None.
Purpose: Receipt of sand, salt, and gravel; receipt and shipment of coal, ferromanganese, vermiculite, and other miscellaneous bulk materials.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.268889
Total Berthing Space (feet): 525 | | Longitude (decimal): -79.89694
Remarks: Ready-mix asphalt plant and approximately 20 acres of open storage area are located in rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43023 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 24 PWD: 86
Name: **Dillner Storage Co. Docks.**
Port: Pittsburgh
Location: Mile 24.2, left bank, Monongahela River, West Elizabeth, approximately 0.5 mile above Locks and Dam 3. Datum: NPE
Operator: Dillner Storage Co. (P)
Owner: Dillner Storage Co.
Address: Jones Street Phone: 412 462-6500
Town: West Elizabeth State: PA County: Allegheny
Railway Connection: Two surface tracks at rear of lower and center docks, one inside building at rear of upper dock and one platform-level track between warehouse buildings connect with Consolidated Rail Corp.
Purpose: Receipt and shipment of steel products, coal, sand, and miscellaneous bulk materials.
Depth Alongside (feet): 9 | 9 | 9 Latitude (decimal): 40.262222
Total Berthing Space (feet): 235 | 140 | 170 Longitude (decimal): -79.90639
Remarks: Four steel warehouse buildings in rear, total capacity 150,000 square feet. Approximately 60,000 square feet of open storage area at rear and approximately 370,000 square feet available on opposite side of railr

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43024 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 24 PWD: 85
Name: **Hercules-Picco Resins Dock.**
Port: Pittsburgh
Location: Mile 23.6, left bank, Monongahela River, West Elizabeth, approximately 0.9 mile above Elizabeth (State H Datum: NPE
Operator: Hercules, Inc.
Owner: Hercules, Inc.
Address: State Highway 837 Phone: 412 384-2520
Town: West Elizabeth State: PA County: Allegheny
Railway Connection: One surface track serves plant in rear; connects with Consolidated Rail Corp.
Purpose: Receipt and shipment of petrochemicals (petroleum distillates).
Depth Alongside (feet): 8 - 9 | | Latitude (decimal): 40.267222
Total Berthing Space (feet): 175 | | Longitude (decimal): -79.89944
Remarks: Two 10-, two 8-, and one 6-inch pipelines extend from wharf to 10 steel storage tanks at plant in rear, total capacity 7 million gallons. Plant in rear manufactures hydrocarbon resins.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43023 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 25 PWD: 88
Name: **Ashland Petroleum Co., Floreffe Terminal Dock.**
Port: Pittsburgh
Location: Mile 24.7, left bank, Monongahela River, Floreffe, approximately 0.9 mile above Locks and Dam 3. Datum: NPE
Operator: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Address: 204 Glasshouse Road Phone: 412 384-5511
Town: Floreffe State: PA County: Allegheny
Railway Connection: None.
Purpose: Receipt of asphalt and petroleum products; fueling company-owned vessels.
Depth Alongside (feet): 9 - 5 | | Latitude (decimal): 40.256944
Total Berthing Space (feet): 320 | | Longitude (decimal): -79.91333
Remarks: Two 8- and one 6-inch pipelines extend from wharf to 9 steel petroleum products storage tanks, total capacity 351,000 barrels. One 6-inch steam-traced pipeline extends from steel float to 32 steel asphalt storage 245,000 barrels. One 4-inch steam and one 2-inch compressed air pipelines also serve wharf.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43024 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 25 PWD: 87
Name: **Centofanti Marine Service, Landing.**
Port: Pittsburgh
Location: Mile 24.5, left bank, Monongahela River, Floreffe, approximately 0.8 mile above Locks and Dam 3. Datum: NPE
Operator: Centofanti Marine Service, Inc.
Owner: Centofanti Marine Service, Inc.
Address: State Highway 837 Phone: 412 384-8118
Town: Floreffe State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring towboats and barges for repair.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.258889
Total Berthing Space (feet): 175 | | Longitude (decimal): -79.91139
Remarks: One 250-ton sidehaul marine railway with 5 cradles located at lower end. Facility has capacity for mooring approximately 11 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43024 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 25 PWD: 89
Name: **Duquesne Light Co., Elrama Power Station Coal Dock.**
Port: Pittsburgh
Location: Mile 25.1, left bank, Monongahela River, Elrama, approximately 1.5 miles above Locks and Dam 3. Datum: NPE
Operator: Duquesne Light Co.
Owner: Duquesne Light Co.
Address: State Highway 837 Phone: 412 384-8739
Town: Elrama State: PA County: Washington
Railway Connection: One unused surface track at open storage area connects with Consolidated Rail Corp.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 11 - 16 | | Latitude (decimal): 40.251667
Total Berthing Space (feet): 1420 | | Longitude (decimal): -79.91722
Remarks: Open storage area at rear has capacity for approximately 270,000 tons and an additional storage area on opposite side of highway has capacity for 30,000 tons. Berthing area has capacity for 19 loaded and 10 empt

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43025 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 25 PWD: 176
Name: **Lock 3 Coal Co., Dock.**
Port: Pittsburgh
Location: Mile 24.8, right bank, Monongahela River, Forward Township. Datum: NPE
Operator: Lock 3 Coal Co.
Owner: Lock 3 Coal Co.
Address: Elizabeth Road Phone: 412 384-3300
Town: Forward Twnship State: PA County: Allegheny
Railway Connection: None.
Purpose: Receipt and shipment of coal and miscellaneous bulk materials.
Depth Alongside (feet): 12 - 15 | | Latitude (decimal): 40.254444
Total Berthing Space (feet): 910 | | Longitude (decimal): -79.91167
Remarks: Approximately 5 acres of open storage area are located at rear. Wharf has capacity for mooring 15 barges arranged in 5 tiers, each 3 wide. Material also can be transferred directly from truck to barge via a ste the lower end of the lock wall.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43024 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 28 PWD: 175
Name: **Chemply Corp. Wharf.**
Port: Pittsburgh
Location: Mile 27.8, right bank, Monongahela River, Bunola. Datum: NPE
Operator: Chemply Corp.
Owner: Chemply Corp.
Address: Elizabeth Road Phone: 412 384-5353
Town: Bunola State: PA County: Allegheny
Railway Connection: Two car floor-level tracks serve warehouse in rear; connect with Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of liquid caustic soda.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.237222
Total Berthing Space (feet): 150 | | Longitude (decimal): -79.96222
Remarks: Chemical distribution and packaging plant is located in rear. One 6-inch, steam-traced pipeline extends from wharf to 3 steel storage tanks at rear, total capacity 450,000 gallons. One 1-inch steam line serves 6-inch pipelines were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43027 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 29 PWD: 174

Name: **Monongahela River Terminals Corp. Dock.**

Port: Pittsburgh

Location: Mile 28.6-28.8, right bank, Monongahela River, Elkhorn. Datum: NPE

Operator: Monongahela River Terminals Corp.

Owner: Monongahela River Terminals Corp.

Address: Elizabeth Road Phone: 412 384-7650

Town: Elkhorn State: PA County: Allegheny

Railway Connection: Eight surface storage tracks in rear, total capacity 300 cars, connect with Pittsburgh and Lake Erie Railroad.

Purpose: Occasional receipt and shipment of scrap metal and steel products.

Depth Alongside (feet): 11 | | Latitude (decimal): 40.228333

Total Berthing Space (feet): 1050 | | Longitude (decimal): -79.96944

Remarks: A 28-acre open storage area in rear has capacity for approximately 1,500,000 tons of material.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43028 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 29 PWD: 90
Name: **West Penn Power Co., Mitchell Power Station, Fuel Oil Dock.**
Port: Pittsburgh
Location: Mile 29.0, left bank, Monongahela River, Courtney. Datum: NPE
Operator: Not operated.
Owner: West Penn Power Company.
Address: State Highway 837 Phone: 412 258-9000
Town: Courtney State: PA County: Washington
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.223611
Total Berthing Space (feet): 450 | | Longitude (decimal): -79.97056

Waterway: **Monongahela River** Mile: 29 PWD: 90
Name: **West Penn Power Co., Mitchell Power Station, Fuel Oil Dock.**
Port: Pittsburgh
Location: Mile 29.0, left bank, Monongahela River, Courtney. Datum: NPE
Operator: Not operated.
Owner: West Penn Power Company.
Address: State Highway 837 Phone: 412 258-9000
Town: Courtney State: PA County: Washington
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.223611
Total Berthing Space (feet): 450 | | Longitude (decimal): -79.97056

Remarks: Facility formerly was used for the receipt of No. 6 fuel oil for plant consumption. At time of survey (1990), power station was on stand-by status. One 12-inch pipeline extends from wharf to 2 steel storage tank rear, total capacity 156,200 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43029 Pittsburgh District

Remarks: Facility formerly was used for the receipt of No. 6 fuel oil for plant consumption. At time of survey (1990), power station was on stand-by status. One 12-inch pipeline extends from wharf to 2 steel storage tank rear, total capacity 156,200 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43029 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 29 PWD: 90
Name: **West Penn Power Co., Mitchell Power Station, Fuel Oil Dock.**
Port: Pittsburgh
Location: Mile 29.0, left bank, Monongahela River, Courtney. Datum: NPE
Operator: Not operated.
Owner: West Penn Power Company.
Address: State Highway 837 Phone: 412 258-9000
Town: Courtney State: PA County: Washington
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.223611
Total Berthing Space (feet): 450 | | Longitude (decimal): -79.97056

Waterway: **Monongahela River** Mile: 29 PWD: 90
Name: **West Penn Power Co., Mitchell Power Station, Fuel Oil Dock.**
Port: Pittsburgh
Location: Mile 29.0, left bank, Monongahela River, Courtney. Datum: NPE
Operator: Not operated.
Owner: West Penn Power Company.
Address: State Highway 837 Phone: 412 258-9000
Town: Courtney State: PA County: Washington
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.223611
Total Berthing Space (feet): 450 | | Longitude (decimal): -79.97056

Remarks: Facility formerly was used for the receipt of No. 6 fuel oil for plant consumption. At time of survey (1990), power station was on stand-by status. One 12-inch pipeline extends from wharf to 2 steel storage tank rear, total capacity 156,200 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43029 Pittsburgh District

Remarks: Facility formerly was used for the receipt of No. 6 fuel oil for plant consumption. At time of survey (1990), power station was on stand-by status. One 12-inch pipeline extends from wharf to 2 steel storage tank rear, total capacity 156,200 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43029 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 29 PWD: 91

Name: **West Penn Power Co., Mitchell Power Station, Lime Unloading Dock.**

Port: Pittsburgh

Location: Mile 29.2, left bank, Monongahela River, Courtney. Datum: NPE

Operator: Not operated.

Owner: West Penn Power Co.

Address: State Highway 837 Phone: 412 258-9000

Town: Courtney State: PA County: Washington

Railway Connection: None.

Purpose: Not used. (See Remarks.)

Depth Alongside (feet): 12 | | Latitude (decimal): 40.221389

Total Berthing Space (feet): 425 | | Longitude (decimal): -79.9675

Remarks: Facility formerly was used for the receipt of bulk pelletized lime for plant consumption. At time of survey (1990), power station was on stand-by status. Three storage silos at rear have total capacity for 5,10

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43025 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 3 PWD: 195
Name: **LTV Steel Corp., Hazelwood Lower Wharf.**
Port: Pittsburgh
Location: Mile 3.0, right bank, Monongahela River, below Monongahela Connecting Railroad Bridge. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Second Avenue Phone: 412 227-5489
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: None.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 40.420833
Total Berthing Space (feet): 175 | | Longitude (decimal): -79.95194

Waterway: **Monongahela River** Mile: 3 PWD: 195
Name: **LTV Steel Corp., Hazelwood Lower Wharf.**
Port: Pittsburgh
Location: Mile 3.0, right bank, Monongahela River, below Monongahela Connecting Railroad Bridge. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Second Avenue Phone: 412 227-5489
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: None.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 40.420833
Total Berthing Space (feet): 175 | | Longitude (decimal): -79.95194

Waterway: **Monongahela River** Mile: 3 PWD: 195
Name: **LTV Steel Corp., Hazelwood Lower Wharf.**
Port: Pittsburgh
Location: Mile 3.0, right bank, Monongahela River, below Monongahela Connecting Railroad Bridge. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Second Avenue Phone: 412 227-5489
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: None.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 40.420833
Total Berthing Space (feet): 175 | | Longitude (decimal): -79.95194
Remarks: At time of survey (1990), plans called for industrial development of property; however, future plans for wharf usage were uncertain.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Remarks: At time of survey (1990), plans called for industrial development of property; however, future plans for wharf usage were uncertain.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Port Facilities by Waterway

Remarks: At time of survey (1990), plans called for industrial development of property; however, future plans for wharf usage were uncertain.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 3 PWD: 195
Name: **LTV Steel Corp., Hazelwood Lower Wharf.**
Port: Pittsburgh
Location: Mile 3.0, right bank, Monongahela River, below Monongahela Connecting Railroad Bridge. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Second Avenue Phone: 412 227-5489
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: None.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 40.420833
Total Berthing Space (feet): 175 | | Longitude (decimal): -79.95194

Waterway: **Monongahela River** Mile: 3 PWD: 195
Name: **LTV Steel Corp., Hazelwood Lower Wharf.**
Port: Pittsburgh
Location: Mile 3.0, right bank, Monongahela River, below Monongahela Connecting Railroad Bridge. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Second Avenue Phone: 412 227-5489
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: None.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 40.420833
Total Berthing Space (feet): 175 | | Longitude (decimal): -79.95194

Waterway: **Monongahela River** Mile: 3 PWD: 195
Name: **LTV Steel Corp., Hazelwood Lower Wharf.**
Port: Pittsburgh
Location: Mile 3.0, right bank, Monongahela River, below Monongahela Connecting Railroad Bridge. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Second Avenue Phone: 412 227-5489
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: None.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 40.420833
Total Berthing Space (feet): 175 | | Longitude (decimal): -79.95194
Remarks: At time of survey (1990), plans called for industrial development of property; however, future plans for wharf usage were uncertain.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Remarks: At time of survey (1990), plans called for industrial development of property; however, future plans for wharf usage were uncertain.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Port Facilities by Waterway

Remarks: At time of survey (1990), plans called for industrial development of property; however, future plans for wharf usage were uncertain.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 3 PWD: 195
Name: **LTV Steel Corp., Hazelwood Lower Wharf.**
Port: Pittsburgh
Location: Mile 3.0, right bank, Monongahela River, below Monongahela Connecting Railroad Bridge. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Second Avenue Phone: 412 227-5489
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: None.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 40.420833
Total Berthing Space (feet): 175 | | Longitude (decimal): -79.95194

Waterway: **Monongahela River** Mile: 3 PWD: 195
Name: **LTV Steel Corp., Hazelwood Lower Wharf.**
Port: Pittsburgh
Location: Mile 3.0, right bank, Monongahela River, below Monongahela Connecting Railroad Bridge. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Second Avenue Phone: 412 227-5489
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: None.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 40.420833
Total Berthing Space (feet): 175 | | Longitude (decimal): -79.95194

Waterway: **Monongahela River** Mile: 3 PWD: 195
Name: **LTV Steel Corp., Hazelwood Lower Wharf.**
Port: Pittsburgh
Location: Mile 3.0, right bank, Monongahela River, below Monongahela Connecting Railroad Bridge. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Second Avenue Phone: 412 227-5489
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: None.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 40.420833
Total Berthing Space (feet): 175 | | Longitude (decimal): -79.95194
Remarks: At time of survey (1990), plans called for industrial development of property; however, future plans for wharf usage were uncertain.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Remarks: At time of survey (1990), plans called for industrial development of property; however, future plans for wharf usage were uncertain.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Port Facilities by Waterway

Remarks: At time of survey (1990), plans called for industrial development of property; however, future plans for wharf usage were uncertain.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Waterway: **Monongahela River** Mile: 3 PWD: 64

Name: **LTV Steel Corp., Pittsburgh Works, O'Rourke Park Dock and Mooring.**

Port: Pittsburgh

Location: Mile 3.0 and 3.3, left bank, Monongahela River, below and above Monongahela Connecting Railroad Bridge. Datum: NPE

Operator: LTV Steel Corp.

Owner: LTV Steel Corp.

Address: 2901 East Carson Street Phone: 412 227-5489

Town: Pittsburgh State: PA County: Allegheny

Railway Connection: Plant trackage connects with Monongahela Connecting Railroad.

Purpose: Occasional mooring of barges for fleeting.

Depth Alongside (feet): 8 | 8 | Latitude (decimal): 40.418333

Total Berthing Space (feet): 500 | 175 | Longitude (decimal): -79.98667

Waterway: **Monongahela River** Mile: 3 PWD: 64

Name: **LTV Steel Corp., Pittsburgh Works, O'Rourke Park Dock and Mooring.**

Port: Pittsburgh

Location: Mile 3.0 and 3.3, left bank, Monongahela River, below and above Monongahela Connecting Railroad Bridge. Datum: NPE

Operator: LTV Steel Corp.

Owner: LTV Steel Corp.

Address: 2901 East Carson Street Phone: 412 227-5489

Town: Pittsburgh State: PA County: Allegheny

Railway Connection: Plant trackage connects with Monongahela Connecting Railroad.

Purpose: Occasional mooring of barges for fleeting.

Depth Alongside (feet): 8 | 8 | Latitude (decimal): 40.418333

Total Berthing Space (feet): 500 | 175 | Longitude (decimal): -79.98667

Remarks: Fleeting area has capacity for 12 to 15 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Remarks: Fleeting area has capacity for 12 to 15 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 3 PWD: 64
Name: **LTV Steel Corp., Pittsburgh Works, O'Rourke Park Dock and Mooring.**
Port: Pittsburgh
Location: Mile 3.0 and 3.3, left bank, Monongahela River, below and above Monongahela Connecting Railroad Bridge. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: 2901 East Carson Street Phone: 412 227-5489
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: Plant trackage connects with Monongahela Connecting Railroad.
Purpose: Occasional mooring of barges for fleeting.
Depth Alongside (feet): 8 | 8 | Latitude (decimal): 40.418333
Total Berthing Space (feet): 500 | 175 | Longitude (decimal): -79.98667

Waterway: **Monongahela River** Mile: 3 PWD: 64
Name: **LTV Steel Corp., Pittsburgh Works, O'Rourke Park Dock and Mooring.**
Port: Pittsburgh
Location: Mile 3.0 and 3.3, left bank, Monongahela River, below and above Monongahela Connecting Railroad Bridge. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: 2901 East Carson Street Phone: 412 227-5489
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: Plant trackage connects with Monongahela Connecting Railroad.
Purpose: Occasional mooring of barges for fleeting.
Depth Alongside (feet): 8 | 8 | Latitude (decimal): 40.418333
Total Berthing Space (feet): 500 | 175 | Longitude (decimal): -79.98667
Remarks: Fleeting area has capacity for 12 to 15 barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Remarks: Fleeting area has capacity for 12 to 15 barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Waterway: **Monongahela River** Mile: 30 PWD: 93
Name: **National Mines Corp., Mathies Mine Dock.**
Port: Pittsburgh
Location: Mile 29.5, left bank, Monongahela River, Courtney. Datum: NPE
Operator: Mathies Coal Co.
Owner: National Mines Corp.
Address: State Highway 837, Courtney Phone: 412 258-6128
Town: Courtney State: KY County: Washington
Railway Connection: One surface track serves coal loading spout in rear; connects with Consolidated Rail Corp.
Purpose: Shipment of coal.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.218056
Total Berthing Space (feet): 1400 | | Longitude (decimal): -79.96444
Remarks: Bin storage, total capacity 2,000 tons, and coal cleaning and processing plant located in rear.□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43029 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 30 PWD: 94

Name: **United States Steel Mining Co., Maple Creek Dock.**

Port: Pittsburgh

Location: Mile 30.3, left bank, Monongahela River, Courtney. Datum: NPE

Operator: United States Steel Mining Co., Subsidiary of USX Corp.

Owner: United States Steel Mining Co., Subsidiary of USX Corp.

Address: State Highway 837 Phone: 412 223-5484

Town: New Eagle State: PA County: Washington

Railway Connection: Three surface tracks at rear connect with Consolidated Rail Corp.

Purpose: Receipt of raw coal; shipment of processed coal.

Depth Alongside (feet): 12 | | Latitude (decimal): 40.210278

Total Berthing Space (feet): 2400 | | Longitude (decimal): -79.95083

Remarks: An open storage area for approximately 30,000 tons of coal is located at processing plant in rear. Wharf has capacity for storing approximately 60 loaded and 40 unloaded barges consisting of 12 tiers, 6 barges w

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43030 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 30 PWD: 92
Name: **West Penn Power Co., Mitchell Power Station, Coal Dock.**
Port: Pittsburgh
Location: Mile 29.5, left bank, Monongahela River, Courtney. Datum: NPE
Operator: West Penn Power Co.
Owner: West Penn Power Co. and Consolidation Coal Co.
Address: State Highway 837 Phone: 412 258-9000
Town: Courtney State: PA County: Washington
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 40.218333
Total Berthing Space (feet): 500 | 1400 | 700 Longitude (decimal): -79.96472

Waterway: **Monongahela River** Mile: 30 PWD: 92
Name: **West Penn Power Co., Mitchell Power Station, Coal Dock.**
Port: Pittsburgh
Location: Mile 29.5, left bank, Monongahela River, Courtney. Datum: NPE
Operator: West Penn Power Co.
Owner: West Penn Power Co. and Consolidation Coal Co.
Address: State Highway 837 Phone: 412 258-9000
Town: Courtney State: PA County: Washington
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 40.218333
Total Berthing Space (feet): 500 | 1400 | 700 Longitude (decimal): -79.96472

Remarks: Open storage area for 110,000 tons of coal is located at power plant in rear. Loaded barges are berthed at upper dolphins, empty barges at lower dolphins.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43029 Pittsburgh District

Remarks: Open storage area for 110,000 tons of coal is located at power plant in rear. Loaded barges are berthed at upper dolphins, empty barges at lower dolphins.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43029 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 30 PWD: 92
Name: **West Penn Power Co., Mitchell Power Station, Coal Dock.**
Port: Pittsburgh
Location: Mile 29.5, left bank, Monongahela River, Courtney. Datum: NPE
Operator: West Penn Power Co.
Owner: West Penn Power Co. and Consolidation Coal Co.
Address: State Highway 837 Phone: 412 258-9000
Town: Courtney State: PA County: Washington
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 40.218333
Total Berthing Space (feet): 500 | 1400 | 700 Longitude (decimal): -79.96472

Waterway: **Monongahela River** Mile: 30 PWD: 92
Name: **West Penn Power Co., Mitchell Power Station, Coal Dock.**
Port: Pittsburgh
Location: Mile 29.5, left bank, Monongahela River, Courtney. Datum: NPE
Operator: West Penn Power Co.
Owner: West Penn Power Co. and Consolidation Coal Co.
Address: State Highway 837 Phone: 412 258-9000
Town: Courtney State: PA County: Washington
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 40.218333
Total Berthing Space (feet): 500 | 1400 | 700 Longitude (decimal): -79.96472

Remarks: Open storage area for 110,000 tons of coal is located at power plant in rear. Loaded barges are berthed at upper dolphins, empty barges at lower dolphins.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43029 Pittsburgh District

Remarks: Open storage area for 110,000 tons of coal is located at power plant in rear. Loaded barges are berthed at upper dolphins, empty barges at lower dolphins.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43029 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 31 PWD: 95
Name: **Patterson Supply Co. Landing.**
Port: Pittsburgh
Location: Mile 31.3, left bank, Monongahela River, Monongahela, approximately 1.2 mile below New Monongahela City Datum: NPE
Operator: Patterson Supply Co.
Owner: Patterson Supply Co.
Address: 11th Street Phone: 412 258-6900
Town: Monongahela State: PA County: Washington
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 40.206944
Total Berthing Space (feet): 180 | | Longitude (decimal): -79.93417
Remarks: Four storage bins, total capacity 2,280 tons; three storage silos, total capacity 150,000 tons; and ready-mix concrete plant located in rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43031 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 33 PWD: 96
Name: **Monongahela Iron & Metal Co. Dock.**
Port: Pittsburgh
Location: Mile 32.8, left bank, Monongahela River, Monongahela, approximately 0.3 mile below New Monongahela City Datum: NPE
Operator: Monongahela Iron & Metal Co., Inc.
Owner: Monongahela Iron & Metal Co., Inc.
Address: State Route 837 Phone: 412 258-7400
Town: Monongahela State: PA County: Washington
Railway Connection: Four surface tracks along bank at rear; connects with Consolidated Rail Corp.
Purpose: Occasional receipt and shipment of scrap metal.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.211944
Total Berthing Space (feet): 370 | | Longitude (decimal): -79.91
Remarks: Scrap metal processing plant and approximately 16 acres of open storage area are located in rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43031 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 33 PWD: 97
Name: **Riverside Iron & Steel Corp. Dock.**
Port: Pittsburgh
Location: Mile 33.1, left bank, Monongahela River, Monongahela, approximately 0.7 mile above New Monongahela City Datum: NPE
Operator: Riverside Iron & Steel Corp.
Owner: Riverside Iron & Steel Corp.
Address: Sarah and Railroad Streets Phone: 412 258-9200
Town: Monongahela State: PA County: Washington
Railway Connection: One surface track serves plant in rear; connects with Consolidated Rail Corp.
Purpose: Receipt and shipment of scrap metal.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.210833
Total Berthing Space (feet): 300 | | Longitude (decimal): -79.90444
Remarks: Scrap metal processing plant and approximately 3 1/2 acres of open storage area are located in rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43033 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 34 PWD: 98
Name: **Donora Dock Co., Donora Dock.**
Port: Pittsburgh
Location: Mile 34.3, left bank, Monongahela River, Donora, approximately 2.0 miles above New Monongahela City Brid Datum: NPE
Operator: Donora Dock Co.
Owner: The Standard Slag Co.
Address: State Route 837 Phone: 412 379-5524
Town: Donora State: PA County: Washington
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 9 - 5 | | Latitude (decimal): 40.211667
Total Berthing Space (feet): 570 | | Longitude (decimal): -79.88278
Remarks: Approximately 12 acres of open storage area are located at rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43034 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 35 PWD: 99
Name: **Burrell Industries, Donora Dock.**
Port: Pittsburgh
Location: Mile 34.7, left bank, Monongahela River, Donora, approximately 2.1 miles above New Monongahela City Brid Datum: NPE
Operator: Not operated.
Owner: Burrell Industries, Inc.
Address: State Route 837 Phone: 412 362-4000
Town: Donora State: PA County: Washington
Railway Connection: One surface track serves area in rear; connects with Consolidated Rail Corp.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.195833
Total Berthing Space (feet): 390 | | Longitude (decimal): -79.875
Remarks: Facility formerly was used for the receipt of miscellaneous bulk materials; however, was inactive at time of survey (1990). Open storage area at rear has capacity for approximately 5,000 tons of material. An add open storage area are located 500 feet in rear.□Burrell Industries, Inc. operates a ready-mix concrete plant in rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43034 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 36 PWD: 101
Name: **Ireco, Donora Plant Barge Dock.**
Port: Pittsburgh
Location: Mile 35.9, left bank, Monongahela River, Donora, approximately 0.4 mile below Donora-Webster Bridge. Datum: NPE
Operator: Ireco, Inc.
Owner: Ireco, Inc.
Address: State Route 837 Phone: 412 379-8100
Town: Donora State: PA County: Washington
Railway Connection: Two surface tracks serve plant in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of anhydrous ammonia.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.189722
Total Berthing Space (feet): 295 | | Longitude (decimal): -79.85556
Remarks: One 6-inch pipeline extends from wharf to 7 steel storage tanks at plant in rear, total capacity 3,966,000 gallons.□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43036 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 36 PWD: 100
Name: **Nat Industries Dock.**
Port: Pittsburgh
Location: Mile 35.5, left bank, Monongahela River, Donora, approximately 0.9 mile below Donora-Webster Bridge. Datum: NPE
Operator: Nat Industries, Inc.
Owner: Nat Industries, Inc.
Address: State Route 837 Phone: 412 379-7117
Town: Donora State: PA County: Washington
Railway Connection: One surface track serves yard in rear; connects with Consolidated Rail Corp.
Purpose: Receipt and shipment of coal and other miscellaneous bulk materials.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.195
Total Berthing Space (feet): 726 | | Longitude (decimal): -79.86417
Remarks: Facility was under construction at time of survey (1990). Approximately 17 1/2 acres of open storage area are located in rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43035 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 37 PWD: 102
Name: **Babcock & Wilcox Construction Co., Donora Plant Dock.**
Port: Pittsburgh
Location: Mile 37.3, left bank, Monongahela River, Donora, approximately 0.9 mile above Donora-Webster Bridge. Datum: NPE
Operator: Not operated.
Owner: Babcock & Wilcox Construction Co.
Address: Donora Industrial Park Road Phone: 412 846-0100
Town: Donora State: PA County: Washington
Railway Connection: One surface track serves yard in rear; connects with Consolidated Rail Corp.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.171944
Total Berthing Space (feet): 195 | | Longitude (decimal): -79.85278
Remarks: Facility formerly was used for shipment of fabricated steel products. At time of survey (1990) plant at rear, formerly used to fabricate steel duct work for power plants and other industrial facilities, was inact

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43037 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 38 PWD: 103
Name: **McGrew Welding & Fabricating Co. Dock.**
Port: Pittsburgh
Location: Mile 38.4, left bank, Monongahela River, Donora, approximately 0.3 mile above Donora-Monessen Bridge. Datum: NPE
Operator: McGrew Welding & Fabricating Co.
Owner: McGrew Welding & Fabricating Co.
Address: Donora Industrial Park Road Phone: 412 929-6469
Town: Donora State: PA County: Washington
Railway Connection: None.
Purpose: Receipt of ductile cast-iron pipe.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.162778
Total Berthing Space (feet): 155 | | Longitude (decimal): -79.865
Remarks: Facility at rear serves as distribution depot for cast-iron pipe and fittings.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43038 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 39 PWD: 104
Name: **Canastrale Contracting, Sanitary Landfill Dock.**
Port: Pittsburgh
Location: Mile 38.9, left bank, Monongahela River, Donora, approximately 0.8 mile above Donora-Webster Bridge. Datum: NPE
Operator: Canastrale Contracting, Inc.
Owner: Canastrale Contracting, Inc.
Address: Donora Industrial Park Road Phone: 412 684-5550
Town: Donora State: PA County: Washington
Railway Connection: One surface track in rear connects with Consolidated Rail Corp.
Purpose: Receipt and shipment of miscellaneous bulk materials; receipt of dredged material.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.164167
Total Berthing Space (feet): 600 | | Longitude (decimal): -79.86861
Remarks: Approximately 300 acres of disposal area for dredged material is located in mountainous area in rear.□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43038 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 39 PWD: 172
Name: **Monessen, Inc., Coal Dock.**
Port: Pittsburgh
Location: Mile 39.2, right bank, Monongahela River, Monessen, aproximately one mile above Donora-Monessen Highway Datum: NPE
Operator: Monessen, Inc., Subsidary of Sharon Steel.
Owner: Monessen, Inc., Subsidary of Sharon Steel.
Address: East Donner Avenue Phone: 412 684-1000
Town: Monessen State: PA County: Westmoreland
Railway Connection: Monessen Southwestern Railway: marginal surface track along shore inrear.
Purpose: Receipt of coal, shipment of coal tar.
Depth Alongside (feet): 11 | | 11 Latitude (decimal): 40.163333
Total Berthing Space (feet): 140 | | 1425 Longitude (decimal): -79.88194

Waterway: **Monongahela River** Mile: 39 PWD: 172
Name: **Monessen, Inc., Coal Dock.**
Port: Pittsburgh
Location: Mile 39.2, right bank, Monongahela River, Monessen, aproximately one mile above Donora-Monessen Highway Datum: NPE
Operator: Monessen, Inc., Subsidary of Sharon Steel.
Owner: Monessen, Inc., Subsidary of Sharon Steel.
Address: East Donner Avenue Phone: 412 684-1000
Town: Monessen State: PA County: Westmoreland
Railway Connection: Monessen Southwestern Railway: marginal surface track along shore inrear.
Purpose: Receipt of coal, shipment of coal tar.
Depth Alongside (feet): 11 | | 11 Latitude (decimal): 40.163333
Total Berthing Space (feet): 140 | | 1425 Longitude (decimal): -79.88194
Remarks: Four coal storage bins in rear have total capacity for 600 tons. One 4-inch pipeline extends to upper dolphins from 3 steel coal tar storage tanks in rear, total capacity 749,700 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43039 Pittsburgh District

Remarks: Four coal storage bins in rear have total capacity for 600 tons. One 4-inch pipeline extends to upper dolphins from 3 steel coal tar storage tanks in rear, total capacity 749,700 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43039 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 39 PWD: 172
Name: **Monessen, Inc., Coal Dock.**
Port: Pittsburgh
Location: Mile 39.2, right bank, Monongahela River, Monessen, aproximately one mile above Donora-Monessen Highway Datum: NPE
Operator: Monessen, Inc., Subsidary of Sharon Steel.
Owner: Monessen, Inc., Subsidary of Sharon Steel.
Address: East Donner Avenue Phone: 412 684-1000
Town: Monessen State: PA County: Westmoreland
Railway Connection: Monessen Southwestern Railway: marginal surface track along shore inrear.
Purpose: Receipt of coal, shipment of coal tar.
Depth Alongside (feet): 11 | | 11 Latitude (decimal): 40.163333
Total Berthing Space (feet): 140 | | 1425 Longitude (decimal): -79.88194

Waterway: **Monongahela River** Mile: 39 PWD: 172
Name: **Monessen, Inc., Coal Dock.**
Port: Pittsburgh
Location: Mile 39.2, right bank, Monongahela River, Monessen, aproximately one mile above Donora-Monessen Highway Datum: NPE
Operator: Monessen, Inc., Subsidary of Sharon Steel.
Owner: Monessen, Inc., Subsidary of Sharon Steel.
Address: East Donner Avenue Phone: 412 684-1000
Town: Monessen State: PA County: Westmoreland
Railway Connection: Monessen Southwestern Railway: marginal surface track along shore inrear.
Purpose: Receipt of coal, shipment of coal tar.
Depth Alongside (feet): 11 | | 11 Latitude (decimal): 40.163333
Total Berthing Space (feet): 140 | | 1425 Longitude (decimal): -79.88194
Remarks: Four coal storage bins in rear have total capacity for 600 tons. One 4-inch pipeline extends to upper dolphins from 3 steel coal tar storage tanks in rear, total capacity 749,700 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43039 Pittsburgh District

Remarks: Four coal storage bins in rear have total capacity for 600 tons. One 4-inch pipeline extends to upper dolphins from 3 steel coal tar storage tanks in rear, total capacity 749,700 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43039 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 39 PWD: 173

Name: **Monessen, Inc., East Dock.**

Port: Pittsburgh

Location: Mile 38.9, right bank, Monongahela River, Monessen, approximately 0.8 mile above Donora-Monessen Highway Datum: NPE

Operator: Not operated.

Owner: Monessen, Inc., Subsidary of Sharon Steel.

Address: East Donner Avenue Phone: 412 684-1000

Town: Monessen State: PA County: Westmoreland

Railway Connection: Monessen Southwestern Railway: one marginal surface track along rear of face.

Purpose: Not used.

Depth Alongside (feet): 9 | | Latitude (decimal): 40.160833

Total Berthing Space (feet): 376 | | Longitude (decimal): -79.87056

Remarks: Wharf was formerly used for the receipt and shipment of steel products. At time of survey (1991), facility was inactive. One 175,000-square foot storage building and approximately 4 acres of open storage area a

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43038 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 4 PWD: 193
Name: **LTV Steel Corp., Hazelwood Coal Dock.**
Port: Pittsburgh
Location: Mile 4.0, right bank, Monongahela River, Pittsburgh, approximately one mile above Monongahela Connecting Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Rutherglen Street Phone: 412 227-5489
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: Plant trackage in rear connects with Monongahela Connecting Railroad.
Purpose: Receipt and occasional shipment of coal; occasional receipt of sulfuric acid; shipment of coal tar, fuel oil, and light oil.
Depth Alongside (feet): 12 | 10 | 10 Latitude (decimal): 40.416667
Total Berthing Space (feet): 26 | 1800 | 1200 Longitude (decimal): -79.95194

Waterway: **Monongahela River** Mile: 4 PWD: 193
Name: **LTV Steel Corp., Hazelwood Coal Dock.**
Port: Pittsburgh
Location: Mile 4.0, right bank, Monongahela River, Pittsburgh, approximately one mile above Monongahela Connecting Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Rutherglen Street Phone: 412 227-5489
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: Plant trackage in rear connects with Monongahela Connecting Railroad.
Purpose: Receipt and occasional shipment of coal; occasional receipt of sulfuric acid; shipment of coal tar, fuel oil, and light oil.
Depth Alongside (feet): 12 | 10 | 10 Latitude (decimal): 40.416667
Total Berthing Space (feet): 26 | 1800 | 1200 Longitude (decimal): -79.95194

Waterway: **Monongahela River** Mile: 4 PWD: 193
Name: **LTV Steel Corp., Hazelwood Coal Dock.**
Port: Pittsburgh
Location: Mile 4.0, right bank, Monongahela River, Pittsburgh, approximately one mile above Monongahela Connecting Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Rutherglen Street Phone: 412 227-5489
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: Plant trackage in rear connects with Monongahela Connecting Railroad.
Purpose: Receipt and occasional shipment of coal; occasional receipt of sulfuric acid; shipment of coal tar, fuel oil, and light oil.
Depth Alongside (feet): 12 | 10 | 10 Latitude (decimal): 40.416667
Total Berthing Space (feet): 26 | 1800 | 1200 Longitude (decimal): -79.95194

Remarks: Eight storage bins at coke ovens have total capacity for 6,400 tons; six storage bins along conveyor system have total capacity for 3,500 tons. One 6- and one 4-inch steam lines serve wharves. One 6-inch pipeli Landing No. 2 to one 23,800-barrel fuel oil tank and 7 coal tar storage tanks, total capacity 4,300,800 gallons, and one 4-inch pipeline extends to 12 light oil storage tanks, total capacity 6,000 barrels. One 3-inchfrom icebreaker pier to 6 steel sulfuric acid tanks, total capacity 120,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Port Facilities by Waterway

Remarks: Eight storage bins at coke ovens have total capacity for 6,400 tons; six storage bins along conveyor system have total capacity for 3,500 tons. One 6- and one 4-inch steam lines serve wharves. One 6-inch pipeli Landing No. 2 to one 23,800-barrel fuel oil tank and 7 coal tar storage tanks, total capacity 4,300,800 gallons, and one 4-inch pipeline extends to 12 light oil storage tanks, total capacity 6,000 barrels. One 3-inchfrom icebreaker pier to 6 steel sulfuric acid tanks, total capacity 120,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Remarks: Eight storage bins at coke ovens have total capacity for 6,400 tons; six storage bins along conveyor system have total capacity for 3,500 tons. One 6- and one 4-inch steam lines serve wharves. One 6-inch pipeli Landing No. 2 to one 23,800-barrel fuel oil tank and 7 coal tar storage tanks, total capacity 4,300,800 gallons, and one 4-inch pipeline extends to 12 light oil storage tanks, total capacity 6,000 barrels. One 3-inchfrom icebreaker pier to 6 steel sulfuric acid tanks, total capacity 120,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 4 PWD: 193
Name: **LTV Steel Corp., Hazelwood Coal Dock.**
Port: Pittsburgh
Location: Mile 4.0, right bank, Monongahela River, Pittsburgh, approximately one mile above Monongahela Connecting Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Rutherglen Street Phone: 412 227-5489
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: Plant trackage in rear connects with Monongahela Connecting Railroad.
Purpose: Receipt and occasional shipment of coal; occasional receipt of sulfuric acid; shipment of coal tar, fuel oil, and light oil.
Depth Alongside (feet): 12 | 10 | 10 Latitude (decimal): 40.416667
Total Berthing Space (feet): 26 | 1800 | 1200 Longitude (decimal): -79.95194

Waterway: **Monongahela River** Mile: 4 PWD: 193
Name: **LTV Steel Corp., Hazelwood Coal Dock.**
Port: Pittsburgh
Location: Mile 4.0, right bank, Monongahela River, Pittsburgh, approximately one mile above Monongahela Connecting Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Rutherglen Street Phone: 412 227-5489
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: Plant trackage in rear connects with Monongahela Connecting Railroad.
Purpose: Receipt and occasional shipment of coal; occasional receipt of sulfuric acid; shipment of coal tar, fuel oil, and light oil.
Depth Alongside (feet): 12 | 10 | 10 Latitude (decimal): 40.416667
Total Berthing Space (feet): 26 | 1800 | 1200 Longitude (decimal): -79.95194

Waterway: **Monongahela River** Mile: 4 PWD: 193
Name: **LTV Steel Corp., Hazelwood Coal Dock.**
Port: Pittsburgh
Location: Mile 4.0, right bank, Monongahela River, Pittsburgh, approximately one mile above Monongahela Connecting Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Rutherglen Street Phone: 412 227-5489
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: Plant trackage in rear connects with Monongahela Connecting Railroad.
Purpose: Receipt and occasional shipment of coal; occasional receipt of sulfuric acid; shipment of coal tar, fuel oil, and light oil.
Depth Alongside (feet): 12 | 10 | 10 Latitude (decimal): 40.416667
Total Berthing Space (feet): 26 | 1800 | 1200 Longitude (decimal): -79.95194

Remarks: Eight storage bins at coke ovens have total capacity for 6,400 tons; six storage bins along conveyor system have total capacity for 3,500 tons. One 6- and one 4-inch steam lines serve wharves. One 6-inch pipeli Landing No. 2 to one 23,800-barrel fuel oil tank and 7 coal tar storage tanks, total capacity 4,300,800 gallons, and one 4-inch pipeline extends to 12 light oil storage tanks, total capacity 6,000 barrels. One 3-inchfrom icebreaker pier to 6 steel sulfuric acid tanks, total capacity 120,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Port Facilities by Waterway

Remarks: Eight storage bins at coke ovens have total capacity for 6,400 tons; six storage bins along conveyor system have total capacity for 3,500 tons. One 6- and one 4-inch steam lines serve wharves. One 6-inch pipeli Landing No. 2 to one 23,800-barrel fuel oil tank and 7 coal tar storage tanks, total capacity 4,300,800 gallons, and one 4-inch pipeline extends to 12 light oil storage tanks, total capacity 6,000 barrels. One 3-inchfrom icebreaker pier to 6 steel sulfuric acid tanks, total capacity 120,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Remarks: Eight storage bins at coke ovens have total capacity for 6,400 tons; six storage bins along conveyor system have total capacity for 3,500 tons. One 6- and one 4-inch steam lines serve wharves. One 6-inch pipeli Landing No. 2 to one 23,800-barrel fuel oil tank and 7 coal tar storage tanks, total capacity 4,300,800 gallons, and one 4-inch pipeline extends to 12 light oil storage tanks, total capacity 6,000 barrels. One 3-inchfrom icebreaker pier to 6 steel sulfuric acid tanks, total capacity 120,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 4 PWD: 193
Name: **LTV Steel Corp., Hazelwood Coal Dock.**
Port: Pittsburgh
Location: Mile 4.0, right bank, Monongahela River, Pittsburgh, approximately one mile above Monongahela Connecting Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Rutherglen Street Phone: 412 227-5489
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: Plant trackage in rear connects with Monongahela Connecting Railroad.
Purpose: Receipt and occasional shipment of coal; occasional receipt of sulfuric acid; shipment of coal tar, fuel oil, and light oil.
Depth Alongside (feet): 12 | 10 | 10 Latitude (decimal): 40.416667
Total Berthing Space (feet): 26 | 1800 | 1200 Longitude (decimal): -79.95194

Waterway: **Monongahela River** Mile: 4 PWD: 193
Name: **LTV Steel Corp., Hazelwood Coal Dock.**
Port: Pittsburgh
Location: Mile 4.0, right bank, Monongahela River, Pittsburgh, approximately one mile above Monongahela Connecting Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Rutherglen Street Phone: 412 227-5489
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: Plant trackage in rear connects with Monongahela Connecting Railroad.
Purpose: Receipt and occasional shipment of coal; occasional receipt of sulfuric acid; shipment of coal tar, fuel oil, and light oil.
Depth Alongside (feet): 12 | 10 | 10 Latitude (decimal): 40.416667
Total Berthing Space (feet): 26 | 1800 | 1200 Longitude (decimal): -79.95194

Waterway: **Monongahela River** Mile: 4 PWD: 193
Name: **LTV Steel Corp., Hazelwood Coal Dock.**
Port: Pittsburgh
Location: Mile 4.0, right bank, Monongahela River, Pittsburgh, approximately one mile above Monongahela Connecting Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Rutherglen Street Phone: 412 227-5489
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: Plant trackage in rear connects with Monongahela Connecting Railroad.
Purpose: Receipt and occasional shipment of coal; occasional receipt of sulfuric acid; shipment of coal tar, fuel oil, and light oil.
Depth Alongside (feet): 12 | 10 | 10 Latitude (decimal): 40.416667
Total Berthing Space (feet): 26 | 1800 | 1200 Longitude (decimal): -79.95194

Remarks: Eight storage bins at coke ovens have total capacity for 6,400 tons; six storage bins along conveyor system have total capacity for 3,500 tons. One 6- and one 4-inch steam lines serve wharves. One 6-inch pipeli Landing No. 2 to one 23,800-barrel fuel oil tank and 7 coal tar storage tanks, total capacity 4,300,800 gallons, and one 4-inch pipeline extends to 12 light oil storage tanks, total capacity 6,000 barrels. One 3-inchfrom icebreaker pier to 6 steel sulfuric acid tanks, total capacity 120,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Port Facilities by Waterway

Remarks: Eight storage bins at coke ovens have total capacity for 6,400 tons; six storage bins along conveyor system have total capacity for 3,500 tons. One 6- and one 4-inch steam lines serve wharves. One 6-inch pipeli Landing No. 2 to one 23,800-barrel fuel oil tank and 7 coal tar storage tanks, total capacity 4,300,800 gallons, and one 4-inch pipeline extends to 12 light oil storage tanks, total capacity 6,000 barrels. One 3-inchfrom icebreaker pier to 6 steel sulfuric acid tanks, total capacity 120,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Remarks: Eight storage bins at coke ovens have total capacity for 6,400 tons; six storage bins along conveyor system have total capacity for 3,500 tons. One 6- and one 4-inch steam lines serve wharves. One 6-inch pipeli Landing No. 2 to one 23,800-barrel fuel oil tank and 7 coal tar storage tanks, total capacity 4,300,800 gallons, and one 4-inch pipeline extends to 12 light oil storage tanks, total capacity 6,000 barrels. One 3-inchfrom icebreaker pier to 6 steel sulfuric acid tanks, total capacity 120,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 4 PWD: 194
Name: **LTV Steel Corp., Hazelwood Scrap Metal Dock.**
Port: Pittsburgh
Location: Mile 3.7, right bank, Monongahela River, approximately 0.5 mile above Monongahela Connecting Railroad Br Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Rutherglen Street Phone: 412 227-5489
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: Three marginal tracks at rear of face join additional plant trackage; connects with Monongahela Connecting Railroad.
Purpose: Receipt of scrap metal.
Depth Alongside (feet): 9 | | 9 Latitude (decimal): 40.423333
Total Berthing Space (feet): 450 | | 1100 Longitude (decimal): -79.95417

Waterway: **Monongahela River** Mile: 4 PWD: 194
Name: **LTV Steel Corp., Hazelwood Scrap Metal Dock.**
Port: Pittsburgh
Location: Mile 3.7, right bank, Monongahela River, approximately 0.5 mile above Monongahela Connecting Railroad Br Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Rutherglen Street Phone: 412 227-5489
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: Three marginal tracks at rear of face join additional plant trackage; connects with Monongahela Connecting Railroad.
Purpose: Receipt of scrap metal.
Depth Alongside (feet): 9 | | 9 Latitude (decimal): 40.423333
Total Berthing Space (feet): 450 | | 1100 Longitude (decimal): -79.95417

Waterway: **Monongahela River** Mile: 4 PWD: 194
Name: **LTV Steel Corp., Hazelwood Scrap Metal Dock.**
Port: Pittsburgh
Location: Mile 3.7, right bank, Monongahela River, approximately 0.5 mile above Monongahela Connecting Railroad Br Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Rutherglen Street Phone: 412 227-5489
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: Three marginal tracks at rear of face join additional plant trackage; connects with Monongahela Connecting Railroad.
Purpose: Receipt of scrap metal.
Depth Alongside (feet): 9 | | 9 Latitude (decimal): 40.423333
Total Berthing Space (feet): 450 | | 1100 Longitude (decimal): -79.95417

Remarks: Approximately 6 acres of open storage area at rear has capacity for 150,000 tons of scrap metal.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Remarks: Approximately 6 acres of open storage area at rear has capacity for 150,000 tons of scrap metal.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Port Facilities by Waterway

Remarks: Approximately 6 acres of open storage area at rear has capacity for 150,000 tons of scrap metal.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 4 PWD: 194
Name: **LTV Steel Corp., Hazelwood Scrap Metal Dock.**
Port: Pittsburgh
Location: Mile 3.7, right bank, Monongahela River, approximately 0.5 mile above Monongahela Connecting Railroad Br Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Rutherglen Street Phone: 412 227-5489
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: Three marginal tracks at rear of face join additional plant trackage; connects with Monongahela Connecting Railroad.
Purpose: Receipt of scrap metal.
Depth Alongside (feet): 9 | | 9 Latitude (decimal): 40.423333
Total Berthing Space (feet): 450 | | 1100 Longitude (decimal): -79.95417

Waterway: **Monongahela River** Mile: 4 PWD: 194
Name: **LTV Steel Corp., Hazelwood Scrap Metal Dock.**
Port: Pittsburgh
Location: Mile 3.7, right bank, Monongahela River, approximately 0.5 mile above Monongahela Connecting Railroad Br Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Rutherglen Street Phone: 412 227-5489
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: Three marginal tracks at rear of face join additional plant trackage; connects with Monongahela Connecting Railroad.
Purpose: Receipt of scrap metal.
Depth Alongside (feet): 9 | | 9 Latitude (decimal): 40.423333
Total Berthing Space (feet): 450 | | 1100 Longitude (decimal): -79.95417

Waterway: **Monongahela River** Mile: 4 PWD: 194
Name: **LTV Steel Corp., Hazelwood Scrap Metal Dock.**
Port: Pittsburgh
Location: Mile 3.7, right bank, Monongahela River, approximately 0.5 mile above Monongahela Connecting Railroad Br Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Rutherglen Street Phone: 412 227-5489
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: Three marginal tracks at rear of face join additional plant trackage; connects with Monongahela Connecting Railroad.
Purpose: Receipt of scrap metal.
Depth Alongside (feet): 9 | | 9 Latitude (decimal): 40.423333
Total Berthing Space (feet): 450 | | 1100 Longitude (decimal): -79.95417

Remarks: Approximately 6 acres of open storage area at rear has capacity for 150,000 tons of scrap metal.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Remarks: Approximately 6 acres of open storage area at rear has capacity for 150,000 tons of scrap metal.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Port Facilities by Waterway

Remarks: Approximately 6 acres of open storage area at rear has capacity for 150,000 tons of scrap metal.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 4 PWD: 194
Name: **LTV Steel Corp., Hazelwood Scrap Metal Dock.**
Port: Pittsburgh
Location: Mile 3.7, right bank, Monongahela River, approximately 0.5 mile above Monongahela Connecting Railroad Br Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Rutherglen Street Phone: 412 227-5489
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: Three marginal tracks at rear of face join additional plant trackage; connects with Monongahela Connecting Railroad.
Purpose: Receipt of scrap metal.
Depth Alongside (feet): 9 | | 9 Latitude (decimal): 40.423333
Total Berthing Space (feet): 450 | | 1100 Longitude (decimal): -79.95417

Waterway: **Monongahela River** Mile: 4 PWD: 194
Name: **LTV Steel Corp., Hazelwood Scrap Metal Dock.**
Port: Pittsburgh
Location: Mile 3.7, right bank, Monongahela River, approximately 0.5 mile above Monongahela Connecting Railroad Br Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Rutherglen Street Phone: 412 227-5489
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: Three marginal tracks at rear of face join additional plant trackage; connects with Monongahela Connecting Railroad.
Purpose: Receipt of scrap metal.
Depth Alongside (feet): 9 | | 9 Latitude (decimal): 40.423333
Total Berthing Space (feet): 450 | | 1100 Longitude (decimal): -79.95417

Waterway: **Monongahela River** Mile: 4 PWD: 194
Name: **LTV Steel Corp., Hazelwood Scrap Metal Dock.**
Port: Pittsburgh
Location: Mile 3.7, right bank, Monongahela River, approximately 0.5 mile above Monongahela Connecting Railroad Br Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Rutherglen Street Phone: 412 227-5489
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: Three marginal tracks at rear of face join additional plant trackage; connects with Monongahela Connecting Railroad.
Purpose: Receipt of scrap metal.
Depth Alongside (feet): 9 | | 9 Latitude (decimal): 40.423333
Total Berthing Space (feet): 450 | | 1100 Longitude (decimal): -79.95417

Remarks: Approximately 6 acres of open storage area at rear has capacity for 150,000 tons of scrap metal.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Remarks: Approximately 6 acres of open storage area at rear has capacity for 150,000 tons of scrap metal.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Port Facilities by Waterway

Remarks: Approximately 6 acres of open storage area at rear has capacity for 150,000 tons of scrap metal.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Waterway: **Monongahela River** Mile: 4 PWD: 65
Name: **LTV Steel Corp., Pittsburgh Works, 36th Street Dock.**
Port: Pittsburgh
Location: Mile 3.9, left bank, Monongahela River, approximately one mile above Monongahela Connecting Railroad Bri Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: 2901 East Carson Street Phone: 412 227-5489
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: Plant trackage connects with Monongahela Connecting Railroad.
Purpose: Occasional mooring of barges for fleeting.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.417778
Total Berthing Space (feet): 150 | | Longitude (decimal): -79.95556

Waterway: **Monongahela River** Mile: 4 PWD: 65
Name: **LTV Steel Corp., Pittsburgh Works, 36th Street Dock.**
Port: Pittsburgh
Location: Mile 3.9, left bank, Monongahela River, approximately one mile above Monongahela Connecting Railroad Bri Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: 2901 East Carson Street Phone: 412 227-5489
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: Plant trackage connects with Monongahela Connecting Railroad.
Purpose: Occasional mooring of barges for fleeting.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.417778
Total Berthing Space (feet): 150 | | Longitude (decimal): -79.95556
Remarks: -

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Remarks: -

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 4 PWD: 65
Name: **LTV Steel Corp., Pittsburgh Works, 36th Street Dock.**
Port: Pittsburgh
Location: Mile 3.9, left bank, Monongahela River, approximately one mile above Monongahela Connecting Railroad Bri Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: 2901 East Carson Street Phone: 412 227-5489
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: Plant trackage connects with Monongahela Connecting Railroad.
Purpose: Occasional mooring of barges for fleeting.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.417778
Total Berthing Space (feet): 150 | | Longitude (decimal): -79.95556

Waterway: **Monongahela River** Mile: 4 PWD: 65
Name: **LTV Steel Corp., Pittsburgh Works, 36th Street Dock.**
Port: Pittsburgh
Location: Mile 3.9, left bank, Monongahela River, approximately one mile above Monongahela Connecting Railroad Bri Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: 2901 East Carson Street Phone: 412 227-5489
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: Plant trackage connects with Monongahela Connecting Railroad.
Purpose: Occasional mooring of barges for fleeting.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.417778
Total Berthing Space (feet): 150 | | Longitude (decimal): -79.95556
Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 40 PWD: 171
Name: **Monessen, Inc., Fuel Oil Dock.**
Port: Pittsburgh
Location: Mile 39.8, right bank, Monongahela River, Monessen, approximately 1.7 miles above Donora-Monessen Highwa Datum: NPE
Operator: Not operated.
Owner: Monessen, Inc., Subsidary of Sharon Steel.
Address: East Donner Avenue. Phone: 412 684-1000
Town: Monessen State: PA County: Westmoreland
Railway Connection: Monessen Southwestern Railway: Trackage serves steel mill in rear.
Purpose: Not used.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.164167
Total Berthing Space (feet): 386 | | Longitude (decimal): -79.89306

Waterway: **Monongahela River** Mile: 40 PWD: 171
Name: **Monessen, Inc., Fuel Oil Dock.**
Port: Pittsburgh
Location: Mile 39.8, right bank, Monongahela River, Monessen, approximately 1.7 miles above Donora-Monessen Highwa Datum: NPE
Operator: Not operated.
Owner: Monessen, Inc., Subsidary of Sharon Steel.
Address: East Donner Avenue. Phone: 412 684-1000
Town: Monessen State: PA County: Westmoreland
Railway Connection: Monessen Southwestern Railway: Trackage serves steel mill in rear.
Purpose: Not used.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.164167
Total Berthing Space (feet): 386 | | Longitude (decimal): -79.89306

Remarks: Wharf formerly was used for the receipt of fuel oil for plant consumption, however at time of survey (1991), was inactive. One 8-inch, steam-traced pipeline extends from wharf to 2 steel storage tanks in rear, t 28,500 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43039 Pittsburgh District

Remarks: Wharf formerly was used for the receipt of fuel oil for plant consumption, however at time of survey (1991), was inactive. One 8-inch, steam-traced pipeline extends from wharf to 2 steel storage tanks in rear, t 28,500 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43039 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 40 PWD: 171
Name: **Monessen, Inc., Fuel Oil Dock.**
Port: Pittsburgh
Location: Mile 39.8, right bank, Monongahela River, Monessen, approximately 1.7 miles above Donora-Monessen Highwa Datum: NPE
Operator: Not operated.
Owner: Monessen, Inc., Subsidary of Sharon Steel.
Address: East Donner Avenue. Phone: 412 684-1000
Town: Monessen State: PA County: Westmoreland
Railway Connection: Monessen Southwestern Railway: Trackage serves steel mill in rear.
Purpose: Not used.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.164167
Total Berthing Space (feet): 386 | | Longitude (decimal): -79.89306

Waterway: **Monongahela River** Mile: 40 PWD: 171
Name: **Monessen, Inc., Fuel Oil Dock.**
Port: Pittsburgh
Location: Mile 39.8, right bank, Monongahela River, Monessen, approximately 1.7 miles above Donora-Monessen Highwa Datum: NPE
Operator: Not operated.
Owner: Monessen, Inc., Subsidary of Sharon Steel.
Address: East Donner Avenue. Phone: 412 684-1000
Town: Monessen State: PA County: Westmoreland
Railway Connection: Monessen Southwestern Railway: Trackage serves steel mill in rear.
Purpose: Not used.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.164167
Total Berthing Space (feet): 386 | | Longitude (decimal): -79.89306

Remarks: Wharf formerly was used for the receipt of fuel oil for plant consumption, however at time of survey (1991), was inactive. One 8-inch, steam-traced pipeline extends from wharf to 2 steel storage tanks in rear, t 28,500 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43039 Pittsburgh District

Remarks: Wharf formerly was used for the receipt of fuel oil for plant consumption, however at time of survey (1991), was inactive. One 8-inch, steam-traced pipeline extends from wharf to 2 steel storage tanks in rear, t 28,500 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43039 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 41 PWD: 105
Name: **Reserve Petroleum Co. Dock.**
Port: Pittsburgh
Location: Mile 40.9, left bank, Monongahela River, North Charleroi, below North Charleroi Bridge. Datum: NPE
Operator: Reserve Petroleum Co.
Owner: Reserve Petroleum Co.
Address: Lock Street Phone: 412 483-2008
Town: North Charleroi State: PA County: Washington
Railway Connection: None.
Purpose: Receipt and shipment of No. 6 fuel oil and asphalt.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.153333
Total Berthing Space (feet): 490 | | Longitude (decimal): -79.90639
Remarks: Outboard wall of former lock chamber restricts berthing width to 56 feet. One 6-inch pipeline extends from face to 12 steel fuel oil storage tanks, total capacity 54,700 barrels and one 8-inch pipeline extends t tanks, total capacity 25,200 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43040 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 42 PWD: 106
Name: **Dravo Basic Materials Co., Charleroi Plant Dock.**
Port: Pittsburgh
Location: Mile 42.4, left bank, Monongahela River, Charleroi, approximately 1.4 miles above Locks and Dam 4. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Second Avenue Phone: 412 262-8000
Town: Charleroi State: PA County: Washington
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 18 | 10 | Latitude (decimal): 40.135
Total Berthing Space (feet): 200 | 300 | Longitude (decimal): -79.89167
Remarks: Six truck-loading storage bins at rear have total capacity for 600 tons of materials. Concrete block and ready-mix concrete plants are located at rear. Mooring facility has capacity for 14 loaded and 8 empty ba tiers up to 4 wide.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43042 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 43 PWD: 107
Name: **Campbell Transportation Co., Charleroi Dock.**
Port: Pittsburgh
Location: Mile 43.0, left bank, Monongahela River, Charleroi, approximately 1,300 feet below Norfolk and Southern Datum: NPE
Operator: Not operated.
Owner: Campbell Transportation Co.
Address: Speers Avenue Phone: 412 483-6556
Town: Charleroi State: PA County: Washington
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.119444
Total Berthing Space (feet): 875 | | Longitude (decimal): -79.885
Remarks: Facility formerly was used for the shipment of coal, however at time of survey (1990) was inactive. Open storage area at rear has capacity for approximately 4,500 tons of coal.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43042 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 43 PWD: 108
Name: **Mon-River Towing, Charleroi Fleet Mooring.**
Port: Pittsburgh
Location: Mile 43.2, left bank, Monongahela River, Charleroi, below Norfolk and Southern Railway Bridge. Datum: NPE
Operator: Mon-River Towing, Inc.
Owner: Mon-River Towing, Inc.
Address: Speers Avenue Phone: 412 483-8051
Town: Charleroi State: PA County: Washington
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 9 - 10 | | Latitude (decimal): 40.118056
Total Berthing Space (feet): 880 | | Longitude (decimal): -79.88111
Remarks: Fleeting area has capacity for 20 barges consisting of 5 tiers, each 4 barges wide.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43043 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 43 PWD: 169
Name: **The Standard Slag Co., Monessen Dock.**
Port: Pittsburgh
Location: Mile 43.3, right bank, Monongahela River, Belle Vernon, under Speers Highway (Interstate Highway 70) Bri Datum: NPE
Operator: The Standard Slag Co.
Owner: The Standard Slag Co.
Address: State Highway 906 Phone: 216 743-3151
Town: Belle Vernon State: OH County: Westmoreland
Railway Connection: Monessen Southwestern Railway: One surface track serves slag processing plant in rear.
Purpose: Shipment of coal and slag; occasional receipt of sand.
Depth Alongside (feet): 9 - 15 | | Latitude (decimal): 40.119167
Total Berthing Space (feet): 175 | | Longitude (decimal): -79.87722
Remarks: Slag crushing and screening plant and approximately 10 acres of open storage area are located in rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43043 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 43 PWD: 170
Name: **Wheeling-Pittsburgh Steel Corp., Gibsonton Dock.**
Port: Pittsburgh
Location: Mile 42.6, right bank, Monongahela River, Belle Vernon, approximately one mile above Locks and Dam 4. Datum: NPE
Operator: Not operated.
Owner: Wheeling-Pittsburgh Steel Corp.
Address: State Highway 906 Phone: 412 684-4360
Town: Belle Vernon State: PA County: Westmoreland
Railway Connection: Monessen Southwestern Railway: One marginal surface track at rear of face.
Purpose: Not used.
Depth Alongside (feet): 11 - 13 | | Latitude (decimal): 40.132778
Total Berthing Space (feet): 860 | | Longitude (decimal): -79.8875
Remarks: Wharf formerly was used for the receipt of scrap metal and shipment of miscellaneous steel products, however at time of survey (1991), was inactive. A total of approximately 3 acres of open storage area is locat

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43042 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 44 PWD: 112
Name: **Campbell Transportation Co., Speers Landing Dock.**
Port: Pittsburgh
Location: Mile 44.3, left bank, Monongahela River, Speers Borough, approximately one mile above Interstate Highway Datum: NPE
Operator: Campbell Transportation Co.
Owner: Campbell Transportation Co.
Address: Wharf Street Phone: 412 483-6556
Town: Speers Borough State: PA County: Washington
Railway Connection: None.
Purpose: Mooring vessels and barges for repair; mooring floating drydock.
Depth Alongside (feet): 10 - 13 | | Latitude (decimal):
Total Berthing Space (feet): 450 | | Longitude (decimal):
Remarks: One 200-ton floating drydock is moored at face. One 200- by 25-foot concrete ramp on opposite side of Wharf Street is used for hauling out equipment. Marine repair plant located at rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43044 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 44 PWD: 111
Name: **Campbell Transportation Co., Speers Landing, Lower Fleet Mooring.**
Port: Pittsburgh
Location: Mile 43.9-44.2, left bank, Monongahela River, Speers Borough, approximately 0.6 mile above Interstate Hi Datum: NPE
Operator: Campbell Transportation Co.
Owner: Campbell Transportation Co.
Address: Wharf Street Phone: 412 483-6556
Town: Speers Borough State: PA County: Washington
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 1225 | | Longitude (decimal):
Remarks: Mooring facility has capacity for 9 empty and 9 loaded barges consisting of 6 tiers, each 3 barges wide.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43044 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 44 PWD: 113
Name: **Campbell Transportation Co., Speers Landing, Upper Fleet Mooring.**
Port: Pittsburgh
Location: Mile 44.4-45.2, left bank, Monongahela River, Speers Borough, approximately, one mile above Interstate H Datum: NPE
Operator: Campbell Transportation Co.
Owner: Campbell Transportation Co.
Address: State Highway 88 Phone: 412 483-6556
Town: Speers Borough State: PA County: Washington
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 2 - 10 | 2 - 10 | 8 - 10 Latitude (decimal):
Total Berthing Space (feet): 875 | 900 | 1400 Longitude (decimal):
Remarks: Fleeting area has capacity for 100 barges consisting of 25 tiers, each 4 barges wide.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43044 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 44 PWD: 110
Name: **Mon River Towing, Dock.**
Port: Pittsburgh
Location: Mile 43.7, left bank, Monongahela River, Speers Borough, approximately 0.4 mile above Interstate Highway Datum: NPE
Operator: Mon River Towing, Inc.
Owner: Mon River Towing, Inc.
Address: River Avenue Phone: 412 483-8051
Town: Speers Borough State: PA County: Washington
Railway Connection: None.
Purpose: Mooring and repairing company-owned equipment; fueling tugs.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 460 | | Longitude (decimal):
Remarks: Operating base and dispatch office are located at rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43043 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 44 PWD: 109
Name: **Mon River Towing, Oil Dock.**
Port: Pittsburgh
Location: Mile 43.6, left bank, Monongahela River, Speers Borough, approximately 0.3 mile above Interstate Highway Datum: NPE
Operator: Mon River Towing, Inc.
Owner: Mon River Towing, Inc.
Address: River Avenue Phone: 412 483-8051
Town: Speers Borough State: PA County: Washington
Railway Connection: One platform-level track serves warehouse in rear; connects with Consolidated Rail Corp.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 12 | | Latitude (decimal):
Total Berthing Space (feet): 465 | | Longitude (decimal):
Remarks: Two 6-inch pipelines extend from wharf to 11 steel storage tanks in rear, total capacity 156,000 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43043 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 45 PWD: 168
Name: **Westmont Coal Co. Dock.**
Port: Pittsburgh
Location: Mile 45.1, right bank, Monongahela River, Naomi, approximately 1.9 miles above Speers Highway Bridge. Datum: NPE
Operator: Westmont Coal Co., Inc.
Owner: Luzerne Coal Co.
Address: State Highway 906 Phone:
Town: Naomi State: PA County: Fayette
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 18 | | Latitude (decimal):
Total Berthing Space (feet): 1225 | | Longitude (decimal):
Remarks: Terminal handles direct transfer from truck to barge only.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43045 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 46 PWD: 114
Name: **G. M. Bradish Riverport Dock.**
Port: Pittsburgh
Location: Mile 45.9, left bank, Monongahela River, Allenport, approximately 2.5 miles above Interstate Highway 70 Datum: NPE
Operator: G. M. Bradish Riverport, Inc.
Owner: G. M. Bradish.
Address: State Highway 88 Phone:
Town: Allenport State: PA County: Washington
Railway Connection: One surface track at rear connects with Consolidated Rail Corp.
Purpose: Receipt and shipment of miscellaneous dry bulk materials.
Depth Alongside (feet): 12 | | Latitude (decimal):
Total Berthing Space (feet): 350 | | Longitude (decimal):
Remarks: Approximately one acre of open storage area is located at rear and an additional 5 acres on adjacent property.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43045 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 47 PWD: 115
Name: **Wheeling Pittsburgh Steel Corp., Allenport Works Dock.**
Port: Pittsburgh
Location: Mile 47.1, left bank, Monongahela River, Allenport, approximately 3 miles above Interstate Highway 70 Br Datum: NPE
Operator: Wheeling Pittsburgh Steel Corp.
Owner: Wheeling Pittsburgh Steel Corp.
Address: State Highway 88 Phone: 412 684-4360
Town: Allenport State: PA County: Washington
Railway Connection: One marginal surface track at rear of face joins additional plant trackage; connects with Consolidated Rail Corp.
Purpose: Receipt and shipment of steel coils and finished and semi-finished steel mill products.
Depth Alongside (feet): 10 | | Latitude (decimal):
Total Berthing Space (feet): 400 | | Longitude (decimal):
Remarks: Barges are berthed up to 3-wide. Steel mill is located at rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43047 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 48 PWD: 167
Name: **Mon-River Towing Colonial Landing.**
Port: Pittsburgh
Location: Mile 48.0-48.3, right bank, Monongahela River, Jefferson Township. Datum: NPE
Operator: Mon-River Towing, Inc.
Owner: Hillman Manufacturing Co.
Address: State Highway 166 Phone: 412 483-8051
Town: Jefferson Twnsh State: PA County: Fayette
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal):
Total Berthing Space (feet): 1300 | | Longitude (decimal):
Remarks: Wharf has capacity for mooring approximately 30 barges arranged in 5 tiers, each 6 barges wide.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43048 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 5 PWD: 66
Name: **Campbell Transportation Co., Birds Run Fleet Mooring.**
Port: Pittsburgh
Location: Mile 4.8, left bank, Monongahela River, approximately 2,000 feet above Becks Run. Datum: NPE
Operator: Campbell Transportation Co.
Owner: Campbell Transportation Co.
Address: Foot of Lighthill Street Phone: 412 367-8990
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: None.
Purpose: Occasional mooring of barges for fleeting.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.402222
Total Berthing Space (feet): 350 | | Longitude (decimal): -79.95417
Remarks: Fleeting area has capacity for 12 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 50 PWD: 166
Name: **Welland Chemical Dock.**
Port: Pittsburgh
Location: Mile 50.1, right bank, Monongahela River, Newell Borough. Datum: NPE
Operator: Welland Chemical, Inc.
Owner: Welland Chemical, Inc.
Address: Third Street Phone: 412 938-2237
Town: Newell Borough State: PA County: Fayette
Railway Connection: Five surface tracks serve plant in rear, connect with Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of anhydrous ammonia; occasional receipt of liquid sulphur; shipment of ammonium sulphate and sulfuric acid.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.070556
Total Berthing Space (feet): 390 | | Longitude (decimal): -79.8875
Remarks: One 8- and one 6-inch pipelines extend from wharf to 2 anhydrous ammonia storage tanks, total capacity 7,000,000 gallons. One 6-inch pipeline extends to wharf from 4 sulfuric acid storage tanks, total capacity 5 and one 3-inch pipeline extends to wharf from one 20,000-gallon ammonium sulphate storage tank.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43050 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 52 PWD: 116
Name: **Baker Coal Co., California Loading Dock.**
Port: Pittsburgh
Location: Mile 51.5, left bank, Monongahela River, California. Datum: NPE
Operator: Baker Coal Co.
Owner: LTV Steel Corp.
Address: State Highway 88 Phone: 412 725-3352
Town: California State: PA County: Washington
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 9 - 11 | | Latitude (decimal): 40.069167
Total Berthing Space (feet): 175 | | Longitude (decimal): -79.89472
Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43051 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 56 PWD: 165
Name: **Sager Coal Co. Dock.**
Port: Pittsburgh
Location: Mile 55.7, right bank, Monongahela River, Brownsville, approximately 1,000 feet below Brownsville Hi-Lev Datum: NPE
Operator: Not operated.
Owner: Sager Coal Co.
Address: State Highway 88 Phone: 412 929-8200
Town: Brownsville State: PA County: Fayette
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 9 - 10 | | Latitude (decimal):
Total Berthing Space (feet): 90 | | Longitude (decimal):
Remarks: Facility formerly was used for the shipment of coke breeze, however at time of survey (1991), was inactive.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43055 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 58 PWD: 164
Name: **H.B.C. Barge, Outfitting Dock.**
Port: Pittsburgh
Location: Mile 57.6, right bank, Monongahela River, Brownsville, approximately 1.4 miles above Brownsville Bridge. Datum: NPE
Operator: H.B.C. Barge, Trinity Industries, Inc.
Owner: H.B.C. Barge, Trinity Industries, Inc.
Address: 17th Street Phone: 412 785-6100
Town: Brownsville State: PA County: Fayette
Railway Connection: Plant trackage in rear connects with Monongahela Railway.
Purpose: Mooring barges for outfitting and repair.
Depth Alongside (feet): 9 - 11 | | 9 - 11 Latitude (decimal):
Total Berthing Space (feet): 2100 | | 2800 Longitude (decimal):
Remarks: Plant in rear is primarily engaged in new barge construction and barge repair. One 300-foot-wide building and launchways are located adjacent to upper end and an 1,800-ton sidehaul marine railway is located appro upstream from wharf.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43057 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 58 PWD: 163
Name: **H.B.C. Barge, Upper Dock.**
Port: Pittsburgh
Location: Mile 57.8, right bank, Monongahela River, Brownsville, approximately 1.6 miles above Brownsville Bridge. Datum: NPE
Operator: H.B.C. Barge, Trinity Industries, Inc.
Owner: H.B.C. Barge, Trinity Industries, Inc.
Address: 17th Street Phone: 412 785-6100
Town: Brownsville State: PA County: Fayette
Railway Connection: One surface track along rear of face joins additional plant trackage; connects with Monongahela Railway.
Purpose: Mooring barges for repair, outfitting, and painting.
Depth Alongside (feet): 9 - 11 | | 9 - 11 Latitude (decimal):
Total Berthing Space (feet): 870 | | 525 Longitude (decimal):
Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43057 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 59 PWD: 117
Name: **Marcus-Paulson Dock.**
Port: Pittsburgh
Location: Mile 58.5, left bank, Monongahela River, Denbo. Datum: NPE
Operator: The New Marcus-Paulson, Inc.
Owner: The New Marcus-Paulson, Inc.
Address: State Highway 88 Phone: 412 785-4200
Town: Denbo State: PA County: Washington
Railway Connection: None.
Purpose: Receipt of sand and gravel; occasional shipment of coal.
Depth Alongside (feet): 12 | 12 | Latitude (decimal): 40.011389
Total Berthing Space (feet): 400 | 175 | Longitude (decimal): -79.93167
Remarks: Ready-mix concrete plant, concrete block manufacturing facility, and open storage area for approximately 4,000 tons of sand and gravel at 3 concrete bins with overflow are located at rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43058 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 6 PWD: 67
Name: **Amoco Corp., Pittsburgh Terminal Dock.**
Port: Pittsburgh
Location: Mile 5.7, left bank, Monongahela River, below Glenwood Bridge. Datum: NPE
Operator: Amoco Corp.
Owner: Amoco Corp.
Address: East Carson Street extension Phone: 412 462-3400
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 7 - 8 | | Latitude (decimal): 40.3875
Total Berthing Space (feet): 312 | | Longitude (decimal): -79.92361
Remarks: Two 8- and two 6-inch pipelines extend from wharf to 11 steel storage tanks at terminal in rear, total capacity 203,400 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 63 PWD: 118
Name: **B.L.F. Corp., Coal Dock.**
Port: Pittsburgh
Location: Mile 62.6, left bank, Monongahela River, Vestaburg, approximately 1.3 miles above Maxwell Locks and Dam. Datum: NPE
Operator: B.L.F. Corp.
Owner: USX Corp.
Address: State Highway 88 Phone: 412 592-6501
Town: Vestagurg State: PA County: Washington
Railway Connection: One unused surface track at open storage area connects with the Monongahela Railway.
Purpose: Shipment of coal.
Depth Alongside (feet): 25 | | Latitude (decimal): 40.011944
Total Berthing Space (feet): 1320 | | Longitude (decimal): -79.97917
Remarks: Center cell with loading tower is square. Facility has capacity for 9 loaded and 9 empty barges arranged in tiers 3 barges wide. Open storage area has capacity for 15,000 tons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43062 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 64 PWD: 119
Name: **Char-Coal Energies, Dock.**
Port: Pittsburgh
Location: Mile 64.3, left bank, Monongahela River, Fredericktown. Datum: NPE
Operator: Char-Coal Energies, Inc.
Owner: Char-Coal Energies, Inc.
Address: State Highway 88 Phone:
Town: Fredericktown State: PA County: Washington
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 - 20 | 15 - 20 | 15 - 20 Latitude (decimal):
Total Berthing Space (feet): 300 | 520 | 700 Longitude (decimal):
Remarks: Four storage bins at rear have total capacity for 8,000 tons and adjacent open storage area has capacity for approximately 60,000 tons. Lower and upper dolphins have capacities for 8 empty and 8 full barges, res Fredericktown cable ferry is located approximately 1,300 feet above wharf (see Ref. No. 162).

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43064 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 64 PWD: 162
Name: **LaBelle Processing Co., LaBelle Preparation Plant Coal Dock.**
Port: Pittsburgh
Location: Mile 63.5-62.6, right bank, Monongahela River, LaBelle. Datum: NPE
Operator: Not operated.
Owner: LaBelle Processing Co.
Address: Luzerne Township Rd. 26001 Phone: 412 941-3400
Town: LaBelle State: PA County: Fayette
Railway Connection: One unused surface track at plant in rear connects with Monongahela Railway.
Purpose: Not used.
Depth Alongside (feet): 10 - 11 | | Latitude (decimal): 40.014444
Total Berthing Space (feet): 2250 | | Longitude (decimal): -79.98639
Remarks: Facility was inactive at time of survey (1991). Three open storage areas are located at coal processing plant in rear; raw coal from barge unloader - 5,600 tons; raw coal delivered via 54-inch conveyor across br mine on opposite side - 9,200 tons; and processed metallurgical coal from plant - 7,200 tons.□Cable ferry located approximately 0.5 mile above upper end is operated byFayette County Commissioners between Luzerne Township Road 26001 and Ferry Street in Fredericktown on opposite bank.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43063 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 67 PWD: 120
Name: **Diamond Shamrock Gateway Mine, Barge-Loading Slip.**
Port: Pittsburgh
Location: Mile 67.0, left bank, Monongahela River, Millsboro, approximately 1.5 miles above entrance to Tenmile Cr Datum: NPE
Operator: Diamond Shamrock Corp.
Owner: Wheeling-Pittsburgh Steel Corp. and Diamond Shamrock Corp.
Address: State Highway 88 Phone:
Town: Millsboro State: PA County: Greene
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 11 | | Latitude (decimal): 39.968889
Total Berthing Space (feet): 1320 | | Longitude (decimal): -80.00889
Remarks: Barge-loading structure on upper piers has covered conveyor and walkway approach from coal processing plant at rear. Facility has capacity for holding 9 empty barges above, and 9 loaded barges below slip; and 2 Two icebreaker dolphins are located at upper end of berthing area. At time of survey, processing plant was not in operational use. Coal was being cleaned and crushed at mine.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43067 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 67 PWD: 161
Name: **Luzerne Coal Corp. Dock.**
Port: Pittsburgh
Location: Mile 66.5, right bank, Monongahela River, East Millsboro. Datum: NPE
Operator: Luzerne Coal Corp.
Owner: Luzerne Coal Corp.
Address: East Millsboro Road. Phone:
Town: East Millsboro State: PA County: Fayette
Railway Connection: None.
Purpose: Occasional shipment of coal.
Depth Alongside (feet): 11 | | Latitude (decimal): 39.974444
Total Berthing Space (feet): 1050 | | Longitude (decimal): -80.01167
Remarks: Wharf has capacity for mooring approximately 24 barges; open storage area in rear has capacity for approximately 10,000 tons of coal.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43066 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 69 PWD: 121
Name: **Consolidation Coal Co., Dilworth Mine, Coal Dock.**
Port: Pittsburgh
Location: Mile 69.2, left bank, Monongahela River, Rices Landing. Datum: NPE
Operator: Consolidation Coal Co.
Owner: Consolidation Coal Co.
Address: Rices Landing Road Phone: 412 746-3400
Town: Rices Landing State: PA County: Greene
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 6 - 11 | | Latitude (decimal): 39.951667
Total Berthing Space (feet): 2619 | | Longitude (decimal): -79.98278
Remarks: Upper 1,000 feet has depth of 6 feet, lower 1,619 feet has depth of 11 feet. Facility has capacity for mooring approximately 30 empty barges above, and 30 loaded barges below loading chute. Five icebreaker cell end of berthing area.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43069 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 7 PWD: 192
Name: **The Buncher Co., Glenwood Coal Dock.**
Port: Pittsburgh
Location: Mile 6.5, right bank, Monongahela River, Glenwood, approximately 0.4 mile above CSX Rail Transport Bridg Datum: NPE
Operator: Not operated.
Owner: The Buncher Co.
Address: - Phone: 412 422-9900
Town: Glenwood State: PA County: Allegheny
Railway Connection: Two marginal surface tracks serve undertrack receiving pits, connect with CSX Rail Transport.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.4025
Total Berthing Space (feet): 1050 | | Longitude (decimal): -79.9275
Remarks: Facility formerly used for shipment of coal was inactive at time of survey (1991).

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 72 PWD: 160
Name: **National Mines Corp., Isabella Mine Dock.**
Port: Pittsburgh
Location: Mile 71.8, right bank, Monongahela River, Isabella. Datum: NPE
Operator: Not operated.
Owner: National Mines Corp.
Address: Isabella Mine Road Phone: 412 785-5200
Town: Isabella State: PA County: Fayette
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 7 - 14 | | Latitude (decimal): 39.943056
Total Berthing Space (feet): 600 | | Longitude (decimal): -79.93333
Remarks: Wharf has capacity for mooring 7 empty barges above, and 14 loaded barges below.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43071 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 77 PWD: 122
Name: **LTV Steel Corp., Nemacolin Dock.**
Port: Pittsburgh
Location: Mile 76.5, left bank, Monongahela River, Nemacolin. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Nemacolin Road Phone: 412 378-5124
Town: Nemacolin State: PA County: Greene
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 39.881389
Total Berthing Space (feet): 901 | | Longitude (decimal): -79.91694
Remarks: Facility formerly was used for shipment of coal, however, at time of survey (1990) was inactive. Facility has capacity for mooring 30 empty barges above, and 30 loaded barges below the barge-loading chute. Two located at upper end of the berthing area.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43076 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 79 PWD: 159
Name: **Gallatin Fuels, Masontown Dock.**
Port: Pittsburgh
Location: Mile 79.0, right bank, Monongahela River, Masontown, below Masontown Highway Bridge (State Highway 21). Datum: NPE
Operator: Not operated.
Owner: Gallatin Fuels, Inc.
Address: State Highway 21 Phone: 412 437-9090
Town: Masontown State: PA County: Fayette
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.854167
Total Berthing Space (feet): 983 | | Longitude (decimal): -79.92417
Remarks: Wharf formerly used for the shipment of coal has capacity for mooring 6 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43079 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 79 PWD: 123
Name: **West Penn Power Company, Hatfield Power Station Dock.**
Port: Pittsburgh
Location: Mile 78.5-79.5, left bank, Monongahela River, Nemacolin, below Masontown Highway (State Highway 21) brid Datum: NPE
Operator: West Penn Power Co.
Owner: Allegheny Power Service Corp.
Address: State Highway 21 Phone:
Town: Nemacolin State: PA County: Greene
Railway Connection: None.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.860556
Total Berthing Space (feet): 4300 | | Longitude (decimal): -79.92722
Remarks: Facility has capacity for holding approximately 48 loaded barges above, and 40 empty barges below barge unloader. Open storage area at power plant in rear has capacity for approximately 1,000,000 tons of coal.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43079 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 81 PWD: 124
Name: **Consolidation Coal Co., Robena Preparation Plant Dock.**
Port: Pittsburgh
Location: Mile 80.5, left bank, Monongahela River, Alicia, approximately 1.3 miles above Masontown Highway bridge Datum: NPE
Operator: Consolidation Coal Co.
Owner: Consolidation Coal Co.
Address: State Highway 88 Phone: 412 746-3400
Town: Alicia State: PA County: Greene
Railway Connection: None.
Purpose: Receipt and shipment of coal.
Depth Alongside (feet): 11 | | Latitude (decimal): 39.839444
Total Berthing Space (feet): 2354 | | Longitude (decimal): -79.93333
Remarks: Wharf has holding capacity for approximately 44 barges. Open storage area located in rear has capacity for 2,000 tons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43080 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 82 PWD: 126
Name: **L & J Equipment Co., Filiaggi Dock.**
Port: Pittsburgh
Location: Mile 82.2, left bank, Monongahela River, Alicia. Datum: NPE
Operator: L & J Equipment Co.
Owner: James Filiaggi.
Address: State Highway 88 Phone: 412 437-5405
Town: Alicia State: PA County: Greene
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 39.820556
Total Berthing Space (feet): 1050 | | Longitude (decimal): -79.92306
Remarks: Facility has capacity for approximately 8 barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43082 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 82 PWD: 125
Name: **U.S. Steel Mining Co., Cumberland Mine Dock.**
Port: Pittsburgh
Location: Mile 81.5, left bank, Monongahela River, Alicia. Datum: NPE
Operator: U.S. Steel Mining Co., Subsidiary of USX Corp.
Owner: U.S. Steel Mining Co., Subsidiary of USX Corp.
Address: State Highway 88 Phone: 412 852-5734
Town: Alicia State: PA County: Greene
Railway Connection: Union Railroad Co.: One surface track serves undertrack pit at rear.
Purpose: Shipment of coal.
Depth Alongside (feet): 6 - 11 | | Latitude (decimal): 39.830833
Total Berthing Space (feet): 2145 | | Longitude (decimal): -79.92333
Remarks: One 8,000-ton capacity storage silo is located at rear. Upper 1,385-foot portion of berthing area has a depth of 6 feet for empty barges, lower 1,365 feet has depth of 11 feet for loaded barges. Five icebreaker located on upper end of berthing area. Wharf is designed to handle 195- by 26-foot barges, with approximate capacity for 30 loaded barges below, and 35 empty barges above.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43081 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 83 PWD: 127
Name: **Duquesne Light Co., Warwick Cleaning Plant Dock.**
Port: Pittsburgh
Location: Mile 83.0, left bank, Monongahela River, Glassworks. Datum: NPE
Operator: Duquesne Light Co.
Owner: Duquesne Light Co.
Address: State Highway 88 Phone: 412 943-3705
Town: Glassworks State: PA County: Greene
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 11 | | Latitude (decimal): 39.8075
Total Berthing Space (feet): 1285 | | Longitude (decimal): -79.91889
Remarks: Preparation plant at rear receives coal from nearby mine via an elevated conveyor belt. Open storage areas at mine and at plant have capacity for approximately 3,000 tons of raw coal each. Wharf has capacity fo approximately 9 empty barges above, and 12 loaded barges below loading chute.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43083 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 86 PWD: 129
Name: **Chess Coal Co. Dock.**
Port: Pittsburgh
Location: Mile 86.3, left bank, Monongahela River, Mable Hill, approximately 1,300 feet above Monongahela Railway Datum: NPE
Operator: Chess Coal Co.
Owner: Chess Coal Co.
Address: State Highway 88 Dam No. 7 Phone: 412 943-3279
Town: Mable Hill State: PA County: Greene
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 7 - 18 | | Latitude (decimal): 39.777222
Total Berthing Space (feet): 700 | | Longitude (decimal): -79.93611
Remarks: Wharf has capacity for mooring 2 empty and 4 loaded barges. Open storage area in rear has capacity for 2,000 tons of coal.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43086 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 86 PWD: 128
Name: **Dunkard Mining Co. Dock.**
Port: Pittsburgh
Location: Mile 86.0, left bank, Monongahela River, Glassworks, below Monongahela Railway bridge, 1.0 mile above Lo Datum: NPE
Operator: Dunkard Mining Co., Inc.
Owner: Dunkard Mining Co., Inc.
Address: State Highway 88 Phone: 412 943-3221
Town: Glassworks State: PA County: Greene
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 11 | | Latitude (decimal): 39.782222
Total Berthing Space (feet): 725 | | Longitude (decimal): -79.93556
Remarks: Wharf has capacity for mooring approximately 9 barges. Open storage area has capacity for 4,000 tons of cleaned coal and 5,000 tons of raw coal.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43086 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 87 PWD: 158
Name: **Gallatin Fuels, Winstead Lower Dock.**
Port: Pittsburgh
Location: Mile 87.2, right bank, Monongahela River, Winstead. Datum: NPE
Operator: Gallatin Fuels, Inc.
Owner: Gallatin Fuels, Inc.
Address: State Highway 166 Phone: 412 437-9090
Town: Winstead State: PA County: Fayette
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.764444
Total Berthing Space (feet): 490 | | Longitude (decimal): -79.93333
Remarks: Open storage area at rear has capacity for 20,000 tons of coal. Wharf has capacity for mooring 8 empty and 8 loaded barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43087 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 87 PWD: 130
Name: **Shannopin Mining Co. Dock.**
Port: Pittsburgh
Location: Mile 86.5, left bank, Monongahela River, Bobtown, 1.5 miles above Lock and Dam No. 7. Datum: NPE
Operator: Shannopin Mining Co., Inc.
Owner: Shannopin Mining Co., Inc.
Address: State Highway 88 Phone: 412 725-9166
Town: Bobtown State: PA County: Greene
Railway Connection: Unused siding at rear connects with Monongahela Railway.
Purpose: Receipt and shipment of mining equipment, coal, and other dry bulk commodities, including sand and gravel.
Depth Alongside (feet): 10 - 5 | | 10 Latitude (decimal): 39.772222
Total Berthing Space (feet): 1265 | | 175 Longitude (decimal): -79.93472
Remarks: Thirteen ground-level pits serve open storage area at rear, which has capacity for 20,000 tons of coal. Facility has holding capacity for 12 loaded and 12 empty barges. Row of 3 icebreaker dolphins extend at an upper side of Upper Dock.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43086 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 88 PWD: 157
Name: **Gallatin Fuels, Winstead Upper Dock.**
Port: Pittsburgh
Location: Mile 87.5, right bank, Monongahela River, Winstead. Datum: NPE
Operator: Gallatin Fuels, Inc.
Owner: Gallatin Fuels, Inc.
Address: State Highway 166 Phone: 412 437-9090
Town: Winstead State: PA County: Fayette
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 39.760833
Total Berthing Space (feet): 585 | | Longitude (decimal): -79.93194
Remarks: Open storage area at rear has capacity for approximately 10,000 tons of coal. Wharf has capacity for mooring 10 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43087 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 89 PWD: 131

Name: **Danri Corp. Dock.**

Port: Pittsburgh

Location: Mile 88.6, left bank, Monongahela River, Dilliner, approximately 1.0 mile below Point Marion. Datum: NPE

Operator: Danri Corp.

Owner: Danri Corp.

Address: State Highway 88 Phone:

Town: Dilliner State: PA County: Greene

Railway Connection: None.

Purpose: Shipment of coal.

Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 39.751389

Total Berthing Space (feet): 875 | | Longitude (decimal): -79.91667

Remarks: Facility has holding capacity for 6 loaded and 6 empty barges. Open storage area at rear has capacity for 10,000 tons of coal.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43088 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 9 PWD: 191
Name: **Park Corp. Dock.**
Port: Pittsburgh
Location: Mile 9.4, right bank, Monongahela River, Rankin, above Union Railroad Bridge. Datum: NPE
Operator: Not operated.
Owner: Park Corp.
Address: Braddock Field Road Phone: 412 469-4870
Town: Rankin Borough State: PA County: Allegheny
Railway Connection: Union Railroad: Two surface tracks serve rack with one loading and 10 receiving stations in rear.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.425
Total Berthing Space (feet): 1000 | | Longitude (decimal): -79.88333

Waterway: **Monongahela River** Mile: 9 PWD: 191
Name: **Park Corp. Dock.**
Port: Pittsburgh
Location: Mile 9.4, right bank, Monongahela River, Rankin, above Union Railroad Bridge. Datum: NPE
Operator: Not operated.
Owner: Park Corp.
Address: Braddock Field Road Phone: 412 469-4870
Town: Rankin Borough State: PA County: Allegheny
Railway Connection: Union Railroad: Two surface tracks serve rack with one loading and 10 receiving stations in rear.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.425
Total Berthing Space (feet): 1000 | | Longitude (decimal): -79.88333

Remarks: Facility formerly used for receipt of fuel oil was inactive at time of survey (1991). One 6-inch steam line serves wharf. One 12-inch pipeline extends from float to 2 steel storage tanks in rear, total capacity

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Remarks: Facility formerly used for receipt of fuel oil was inactive at time of survey (1991). One 6-inch steam line serves wharf. One 12-inch pipeline extends from float to 2 steel storage tanks in rear, total capacity

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 9 PWD: 191
Name: **Park Corp. Dock.**
Port: Pittsburgh
Location: Mile 9.4, right bank, Monongahela River, Rankin, above Union Railroad Bridge. Datum: NPE
Operator: Not operated.
Owner: Park Corp.
Address: Braddock Field Road Phone: 412 469-4870
Town: Rankin Borough State: PA County: Allegheny
Railway Connection: Union Railroad: Two surface tracks serve rack with one loading and 10 receiving stations in rear.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.425
Total Berthing Space (feet): 1000 | | Longitude (decimal): -79.88333

Waterway: **Monongahela River** Mile: 9 PWD: 191
Name: **Park Corp. Dock.**
Port: Pittsburgh
Location: Mile 9.4, right bank, Monongahela River, Rankin, above Union Railroad Bridge. Datum: NPE
Operator: Not operated.
Owner: Park Corp.
Address: Braddock Field Road Phone: 412 469-4870
Town: Rankin Borough State: PA County: Allegheny
Railway Connection: Union Railroad: Two surface tracks serve rack with one loading and 10 receiving stations in rear.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.425
Total Berthing Space (feet): 1000 | | Longitude (decimal): -79.88333

Remarks: Facility formerly used for receipt of fuel oil was inactive at time of survey (1991). One 6-inch steam line serves wharf. One 12-inch pipeline extends from float to 2 steel storage tanks in rear, total capacity

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Remarks: Facility formerly used for receipt of fuel oil was inactive at time of survey (1991). One 6-inch steam line serves wharf. One 12-inch pipeline extends from float to 2 steel storage tanks in rear, total capacity

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43005 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 92 PWD: 132
Name: **Monongahela Power Co., Fort Martin Power Station Dock.**
Port: Pittsburgh
Location: Mile 92.0, left bank, Monongahela River, Point Marion, WV, approximately 1.2 miles above Lock and Dam No Datum: NPE
Operator: Monongahela Power Co.
Owner: Allegheny Power Systems, Inc., and Duquesne Light Co.
Address: State Highway 53 Phone: 304 599-5010
Town: Point Marion State: WV County: Monongalia
Railway Connection: One surface track serving plant at rear connects with Monongahela Railway.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 9 - 10 | | Latitude (decimal): 39.701389
Total Berthing Space (feet): 1925 | | Longitude (decimal): -79.92694
Remarks: Open storage area has capacity for 700,000 tons of coal. Wharf has mooring capacity for 32 loaded barges above and 20 empty barges below. One cellular icebreaker dolphin is located on upper side. Reclaim conve storage area is served by 7 ground-level pits.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43092 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 95 PWD: 133
Name: **Laurita Energy Dock.**
Port: Pittsburgh
Location: Mile 94.8, left bank, Monongahela River, West Van Voorhis, WV. Datum: NPE
Operator: Laurita Energy.
Owner: Laurita Energy.
Address: State Highway 53 Phone: 304 328-5825
Town: West VanVoorhis State: WV County: Monongalia
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 11 | | Latitude (decimal): 39.684722
Total Berthing Space (feet): 1000 | | Longitude (decimal): -79.94917
Remarks: Facility has capacity for holding 4 loaded and 4 empty barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43094 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 96 PWD: 135
Name: **Anker Energy River and Rail Terminal Dock.**
Port: Pittsburgh
Location: Mile 96.3, left bank, Monongahela River, Maidsville, below Robinson Run. Datum: NPE
Operator: Anker Energy Corp.
Owner: Anker Energy Corp.
Address: State Highway 53 Phone: 304 296-1616
Town: Maidsville State: WV County: Monongalia
Railway Connection: One surface track at rear serving rail car loading chute at rear connects with Monongahela Railroad.
Purpose: Shipment of coal.
Depth Alongside (feet): 11 | | Latitude (decimal): 39.679167
Total Berthing Space (feet): 700 | | Longitude (decimal): -79.97583
Remarks: Facility has capacity for holding approximately 12 barges, including mooring along natural bank on upper side. Structure above loading platform was formerly used as coal-loading tipple. Open storage area at rea for 30,000 tons of coal.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43096 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 96 PWD: 134
Name: **Rosedale Coal Co., Dock No. 2.**
Port: Pittsburgh
Location: Mile 96.1, left bank, Monongahela River, Rosedale. Datum: NPE
Operator: Mon-Valley Mining Co.
Owner: Rosedale Coal Co., Inc.
Address: State Highway 53 Phone: 304 599-5170/29
Town: Rosedale State: WV County: Monongalia
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.681667
Total Berthing Space (feet): 700 | | Longitude (decimal): -79.97389
Remarks: Facility has capacity for holding approximately 12 barges. Open storage area at rear has capacity for approximately 20,000 tons of coal.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43096 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 97 PWD: 136
Name: **Consolidation Coal Co., Humphrey No. 7 Dock.**
Port: Pittsburgh
Location: Mile 96.6, left bank, Monongahela River, Maidsville, WV. Datum: NPE
Operator: Consolidation Coal Co.
Owner: Consolidation Coal Co.
Address: State Highway 100 Phone: 304 296-3461
Town: Maidsville State: WV County: Monongalia
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | 12 | Latitude (decimal): 39.672222
Total Berthing Space (feet): 200 | 1575 | Longitude (decimal): -79.98194
Remarks: Coal is received at preparation plant by conveyor from mines. Wharf has capacity for holding approximately 50 empty barges above and 60 loaded barges below.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43096 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 98 PWD: 137
Name: **Anker Energy Corp., Scotts Run Dock.**
Port: Pittsburgh
Location: Mile 97.3, left bank, Monongahela River, Scott's Run, approximately 3,000 feet below Star City Highway B Datum: NPE
Operator: Anker Energy Corp.
Owner: Anker Energy Corp.
Address: State Highway 100 Phone: 304 296-1616
Town: Scotts Run State: WV County: Monongalia
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.666667
Total Berthing Space (feet): 1113 | | Longitude (decimal): -79.99361
Remarks: Wharf has capacity for holding 9 barges. Open storage area at rear has capacity for 3,000 tons of coal.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43097 Pittsburgh District

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 98 PWD: 138
Name: **Consolidation Coal Co., Granville Dock.**
Port: Pittsburgh
Location: Mile 98.4, left bank, Monongahela River, Granville, approximately 0.4 mile above Star City Highway Bridg Datum: NPE
Operator: Not operated.
Owner: Consolidation Coal Co.
Address: State Highway 100 Phone: 304 296-3461
Town: Granville State: WV County: Monongalia
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 39.651389
Total Berthing Space (feet): 200 | | Longitude (decimal): -79.99361
Remarks: Coal barge mooring area on lower side serves adjacent Consolidation Coal Co. Arkwright Dock (Ref. No. 139).

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43098 Pittsburgh District

---

Waterway: **Monongahela River** Mile: 98 PWD: 156
Name: **Guttman Oil Co. Dock.**
Port: Pittsburgh
Location: Mile 97.8, right bank, Monongahela River, Star City, approximately 0.3 mile below Star City Highway Brid Datum: NPE
Operator: Guttman Oil Co.
Owner: Guttman Oil Co.
Address: 437 Industrial Avenue Phone: 304 599-1110
Town: Star City State: WV County: Monongalia
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.647778
Total Berthing Space (feet): 134 | | Longitude (decimal): -79.98667
Remarks: Two 6-inch pipelines extend from wharf to 5 steel storage tanks at terminal in rear, total capacity 40,000 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43097 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Monongahela River** Mile: 99 PWD: 139
Name: **Consolidation Coal Co., Arkwright Dock.**
Port: Pittsburgh
Location: Mile 98.7, left bank, Monongahela River, Granville, approximately 0.6 mile above Star City Highway Bridg Datum: NPE
Operator: Consolidation Coal Co.
Owner: Consolidation Coal Co.
Address: State Highway 100 Phone: 304 296-3461
Town: Granville State: WV County: Monongalia
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 39.649167
Total Berthing Space (feet): 143 | 1307 | Longitude (decimal): -79.99028
Remarks: Additional berthing space is located along row of 11 concrete-filled, steel pipe pile breasting dolphins located below adjacent Consolidation Coal Co. Dock (Ref. No. 138).

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43098 Pittsburgh District

---

Waterway: **Ohio River** Mile: 1 PWD: 59
Name: **Tri-River Marine, Dock and Fleet Mooring.**
Port: Pittsburgh
Location: Mile 0.7, left bank, Ohio River, Pittsburgh, approximately 0.1 mile above West End Bridge. Datum: NPE
Operator: Tri-River Marine, Inc.
Owner: City of Pittsburgh and Crucible, Inc.
Address: 1800 West Carson Street Phone: 412 281-6301
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.442778
Total Berthing Space (feet): 1500 | | Longitude (decimal): -80.02444
Remarks: One 65- by 18-foot workboat moored at downstream cells is also used as an office. Fleeting area has capacity for approximately 16 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 10 PWD: 36
Name: **Allegheny Marine Industries Mooring.**
Port: Pittsburgh
Location: Mile 10.4, left bank, Ohio River, Coraopolis. Datum: NPE
Operator: Allegheny Marine Industries, Inc., Allegheny Marine Salvage, Inc., and Allegheny Towi
Owner: Allegheny Marine Industries, Inc.
Address: 819 Pennsylvania Avenue Phone: 412 771-9200
Town: Coraopolis State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges and towboats for repair; mooring floating drydock and contractor's floating equipment.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.523333
Total Berthing Space (feet): 585 | | Longitude (decimal): -80.16611

Waterway: **Ohio River** Mile: 10 PWD: 36
Name: **Allegheny Marine Industries Mooring.**
Port: Pittsburgh
Location: Mile 10.4, left bank, Ohio River, Coraopolis. Datum: NPE
Operator: Allegheny Marine Industries, Inc., Allegheny Marine Salvage, Inc., and Allegheny Towi
Owner: Allegheny Marine Industries, Inc.
Address: 819 Pennsylvania Avenue Phone: 412 771-9200
Town: Coraopolis State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges and towboats for repair; mooring floating drydock and contractor's floating equipment.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.523333
Total Berthing Space (feet): 585 | | Longitude (decimal): -80.16611

Remarks: Allegheny Marine Industries, Inc. operates repair plant. Allegheny Marine Salvage, Inc. provides complete marine salvage. Allegheny Towing, Co. provides general towing and fleeting service. One 1,200-ton float to bulkhead. Wharf is equipped with outlets for supplying fresh water, compressed air, electricity, oxygen, and welding gas.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43970 Pittsburgh District

Remarks: Allegheny Marine Industries, Inc. operates repair plant. Allegheny Marine Salvage, Inc. provides complete marine salvage. Allegheny Towing, Co. provides general towing and fleeting service. One 1,200-ton float to bulkhead. Wharf is equipped with outlets for supplying fresh water, compressed air, electricity, oxygen, and welding gas.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43970 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 10 PWD: 36
Name: **Allegheny Marine Industries Mooring.**
Port: Pittsburgh
Location: Mile 10.4, left bank, Ohio River, Coraopolis. Datum: NPE
Operator: Allegheny Marine Industries, Inc., Allegheny Marine Salvage, Inc., and Allegheny Towi
Owner: Allegheny Marine Industries, Inc.
Address: 819 Pennsylvania Avenue Phone: 412 771-9200
Town: Coraopolis State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges and towboats for repair; mooring floating drydock and contractor's floating equipment.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.523333
Total Berthing Space (feet): 585 | | Longitude (decimal): -80.16611

Waterway: **Ohio River** Mile: 10 PWD: 36
Name: **Allegheny Marine Industries Mooring.**
Port: Pittsburgh
Location: Mile 10.4, left bank, Ohio River, Coraopolis. Datum: NPE
Operator: Allegheny Marine Industries, Inc., Allegheny Marine Salvage, Inc., and Allegheny Towi
Owner: Allegheny Marine Industries, Inc.
Address: 819 Pennsylvania Avenue Phone: 412 771-9200
Town: Coraopolis State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges and towboats for repair; mooring floating drydock and contractor's floating equipment.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.523333
Total Berthing Space (feet): 585 | | Longitude (decimal): -80.16611

Remarks: Allegheny Marine Industries, Inc. operates repair plant. Allegheny Marine Salvage, Inc. provides complete marine salvage. Allegheny Towing, Co. provides general towing and fleeting service. One 1,200-ton float to bulkhead. Wharf is equipped with outlets for supplying fresh water, compressed air, electricity, oxygen, and welding gas.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43970 Pittsburgh District

Remarks: Allegheny Marine Industries, Inc. operates repair plant. Allegheny Marine Salvage, Inc. provides complete marine salvage. Allegheny Towing, Co. provides general towing and fleeting service. One 1,200-ton float to bulkhead. Wharf is equipped with outlets for supplying fresh water, compressed air, electricity, oxygen, and welding gas.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43970 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 10 PWD: 37
Name: **Riverside Builders Supply Co. Dock.**
Port: Pittsburgh
Location: Mile 10.3, left bank, Ohio River, Coraopolis. Datum: NPE
Operator: Riverside Builders Supply Co.
Owner: Joseph Homitsky.
Address: Main Street and Pennsylvania Avenue Phone: 412 264-8835
Town: Coraopolis State: PA County: Allegheny
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.522222
Total Berthing Space (feet): 350 | | Longitude (decimal): -80.16306
Remarks: A ready-mix concrete plant and open storage area for approximately 3,000 tons of sand and gravel are located at rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43970 Pittsburgh District

---

Waterway: **Ohio River** Mile: 11 PWD: 35
Name: **Allegheny Towing Co., Fleet Mooring.**
Port: Pittsburgh
Location: Mile 10.5, left bank, Ohio River, Coraopolis. Datum: NPE
Operator: Allegheny Towing Co. and Pittsburg Sand and Gravel, Inc.
Owner: Allegheny Marine Industries, Inc.
Address: 819 Pennsylvania Avenue Phone: 412 771-9200
Town: Coraopolis State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges for fleeting; occasional receipt and shipment of sand and gravel.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.524444
Total Berthing Space (feet): 1100 | | Longitude (decimal): -80.16917

Waterway: **Ohio River** Mile: 11 PWD: 35
Name: **Allegheny Towing Co., Fleet Mooring.**
Port: Pittsburgh
Location: Mile 10.5, left bank, Ohio River, Coraopolis. Datum: NPE
Operator: Allegheny Towing Co. and Pittsburg Sand and Gravel, Inc.
Owner: Allegheny Marine Industries, Inc.
Address: 819 Pennsylvania Avenue Phone: 412 771-9200
Town: Coraopolis State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges for fleeting; occasional receipt and shipment of sand and gravel.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.524444
Total Berthing Space (feet): 1100 | | Longitude (decimal): -80.16917
Remarks: Fleeting area has capacity for approximately 42 barges consisting of 7 tiers, each 6 barges wide.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43970 Pittsburgh District

---

Remarks: Fleeting area has capacity for approximately 42 barges consisting of 7 tiers, each 6 barges wide.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43970 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 11 PWD: 35
Name: **Allegheny Towing Co., Fleet Mooring.**
Port: Pittsburgh
Location: Mile 10.5, left bank, Ohio River, Coraopolis. Datum: NPE
Operator: Allegheny Towing Co. and Pittsburg Sand and Gravel, Inc.
Owner: Allegheny Marine Industries, Inc.
Address: 819 Pennsylvania Avenue Phone: 412 771-9200
Town: Coraopolis State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges for fleeting; occasional receipt and shipment of sand and gravel.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.524444
Total Berthing Space (feet): 1100 | | Longitude (decimal): -80.16917

Waterway: **Ohio River** Mile: 11 PWD: 35
Name: **Allegheny Towing Co., Fleet Mooring.**
Port: Pittsburgh
Location: Mile 10.5, left bank, Ohio River, Coraopolis. Datum: NPE
Operator: Allegheny Towing Co. and Pittsburg Sand and Gravel, Inc.
Owner: Allegheny Marine Industries, Inc.
Address: 819 Pennsylvania Avenue Phone: 412 771-9200
Town: Coraopolis State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges for fleeting; occasional receipt and shipment of sand and gravel.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.524444
Total Berthing Space (feet): 1100 | | Longitude (decimal): -80.16917
Remarks: Fleeting area has capacity for approximately 42 barges consisting of 7 tiers, each 6 barges wide.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43970 Pittsburgh District

Remarks: Fleeting area has capacity for approximately 42 barges consisting of 7 tiers, each 6 barges wide.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43970 Pittsburgh District

Waterway: **Ohio River** Mile: 11 PWD: 32
Name: **Burrell Construction and Supply Co. Dock.**
Port: Pittsburgh
Location: Mile 11.2, left bank, Ohio River, Coraopolis. Datum: NPE
Operator: Burrell Construction and Supply Co., and Buckeye Pipe Line Co.
Owner: Burrell Industries, Inc.
Address: State Highway 51 Phone: 412 264-5570
Town: Coraopolis State: PA County: Allegheny
Railway Connection: None.
Purpose: Receipt of sand and gravel and receipt and shipment of petroleum products.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.528333
Total Berthing Space (feet): 825 | | Longitude (decimal): -80.17917
Remarks: Burrell Construction and Supply Co.: One 8-inch pipeline extends from wharf to 3 steel storage tanks, total capacity 35,000 barrels; 5 acres of covered and 2 acres of paved open storage area are located in rear. One 10-inch pipeline extends from wharf to 5 steel storage tanks in rear, total capacity 350,000 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43969 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 11 PWD: 33
Name: **Star Enterprise, Coraopolis Terminal Lower Dock.**
Port: Pittsburgh
Location: Mile 10.9, left bank, Ohio River, Coraopolis. Datum: NPE
Operator: Star Enterprise, Inc.
Owner: Star Enterprise, Inc.
Address: 9 Thorn Street Phone: 412 331-3400
Town: Coraopolis State: PA County: Allegheny
Railway Connection: Plant trackage connects with Pittsburgh and Lake Erie Railroad.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.526667
Total Berthing Space (feet): 280 | | Longitude (decimal): -80.17444

Waterway: **Ohio River** Mile: 11 PWD: 33
Name: **Star Enterprise, Coraopolis Terminal Lower Dock.**
Port: Pittsburgh
Location: Mile 10.9, left bank, Ohio River, Coraopolis. Datum: NPE
Operator: Star Enterprise, Inc.
Owner: Star Enterprise, Inc.
Address: 9 Thorn Street Phone: 412 331-3400
Town: Coraopolis State: PA County: Allegheny
Railway Connection: Plant trackage connects with Pittsburgh and Lake Erie Railroad.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.526667
Total Berthing Space (feet): 280 | | Longitude (decimal): -80.17444
Remarks: Six 8-inch pipelines extend from wharf to 8 steel storage tanks at terminal in rear, total capacity 450,000 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43970 Pittsburgh District

Remarks: Six 8-inch pipelines extend from wharf to 8 steel storage tanks at terminal in rear, total capacity 450,000 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43970 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 11 PWD: 33
Name: **Star Enterprise, Coraopolis Terminal Lower Dock.**
Port: Pittsburgh
Location: Mile 10.9, left bank, Ohio River, Coraopolis. Datum: NPE
Operator: Star Enterprise, Inc.
Owner: Star Enterprise, Inc.
Address: 9 Thorn Street Phone: 412 331-3400
Town: Coraopolis State: PA County: Allegheny
Railway Connection: Plant trackage connects with Pittsburgh and Lake Erie Railroad.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.526667
Total Berthing Space (feet): 280 | | Longitude (decimal): -80.17444

Waterway: **Ohio River** Mile: 11 PWD: 33
Name: **Star Enterprise, Coraopolis Terminal Lower Dock.**
Port: Pittsburgh
Location: Mile 10.9, left bank, Ohio River, Coraopolis. Datum: NPE
Operator: Star Enterprise, Inc.
Owner: Star Enterprise, Inc.
Address: 9 Thorn Street Phone: 412 331-3400
Town: Coraopolis State: PA County: Allegheny
Railway Connection: Plant trackage connects with Pittsburgh and Lake Erie Railroad.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.526667
Total Berthing Space (feet): 280 | | Longitude (decimal): -80.17444
Remarks: Six 8-inch pipelines extend from wharf to 8 steel storage tanks at terminal in rear, total capacity 450,000 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43970 Pittsburgh District

Remarks: Six 8-inch pipelines extend from wharf to 8 steel storage tanks at terminal in rear, total capacity 450,000 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43970 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 11 PWD: 34
Name: **Star Enterprise, Coraopolis Terminal Upper Dock.**
Port: Pittsburgh
Location: Mile 10.8, left bank, Ohio River, Coraopolis. Datum: NPE
Operator: Stat Enterprise, Inc.
Owner: Star Enterprise, Inc.
Address: 9 Thorn Street Phone: 412 331-3400
Town: Coraopolis State: PA County: Allegheny
Railway Connection: Terminal trackage connects with Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of petroleum products; fueling towboats.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.526389
Total Berthing Space (feet): 243 | | Longitude (decimal): -80.17278

Waterway: **Ohio River** Mile: 11 PWD: 34
Name: **Star Enterprise, Coraopolis Terminal Upper Dock.**
Port: Pittsburgh
Location: Mile 10.8, left bank, Ohio River, Coraopolis. Datum: NPE
Operator: Stat Enterprise, Inc.
Owner: Star Enterprise, Inc.
Address: 9 Thorn Street Phone: 412 331-3400
Town: Coraopolis State: PA County: Allegheny
Railway Connection: Terminal trackage connects with Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of petroleum products; fueling towboats.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.526389
Total Berthing Space (feet): 243 | | Longitude (decimal): -80.17278
Remarks: Five 6-inch pipelines extend from wharf to 3 lubricating oil storage tanks in rear, total capacity 65,000 barrels. One 6-inch pipeline is used for fueling towboats.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43970 Pittsburgh District

Remarks: Five 6-inch pipelines extend from wharf to 3 lubricating oil storage tanks in rear, total capacity 65,000 barrels. One 6-inch pipeline is used for fueling towboats.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43970 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 11 PWD: 34
Name: **Star Enterprise, Coraopolis Terminal Upper Dock.**
Port: Pittsburgh
Location: Mile 10.8, left bank, Ohio River, Coraopolis. Datum: NPE
Operator: Stat Enterprise, Inc.
Owner: Star Enterprise, Inc.
Address: 9 Thorn Street Phone: 412 331-3400
Town: Coraopolis State: PA County: Allegheny
Railway Connection: Terminal trackage connects with Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of petroleum products; fueling towboats.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.526389
Total Berthing Space (feet): 243 | | Longitude (decimal): -80.17278

Waterway: **Ohio River** Mile: 11 PWD: 34
Name: **Star Enterprise, Coraopolis Terminal Upper Dock.**
Port: Pittsburgh
Location: Mile 10.8, left bank, Ohio River, Coraopolis. Datum: NPE
Operator: Stat Enterprise, Inc.
Owner: Star Enterprise, Inc.
Address: 9 Thorn Street Phone: 412 331-3400
Town: Coraopolis State: PA County: Allegheny
Railway Connection: Terminal trackage connects with Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of petroleum products; fueling towboats.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.526389
Total Berthing Space (feet): 243 | | Longitude (decimal): -80.17278
Remarks: Five 6-inch pipelines extend from wharf to 3 lubricating oil storage tanks in rear, total capacity 65,000 barrels. One 6-inch pipeline is used for fueling towboats.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43970 Pittsburgh District

Remarks: Five 6-inch pipelines extend from wharf to 3 lubricating oil storage tanks in rear, total capacity 65,000 barrels. One 6-inch pipeline is used for fueling towboats.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43970 Pittsburgh District

Waterway: **Ohio River** Mile: 11 PWD: 241
Name: **U. S. Coast Guard, ANFAC Sewickley Dock.**
Port: Pittsburgh
Location: Mile 11.1, right bank, Ohio River, Sewickley, approximately 0.8 mile above Sewickley Highway Bridge. Datum: NPE
Operator: U. S. Coast Guard.
Owner: U. S. Government.
Address: McKown Lane Phone: 412 741-1180
Town: Sewickley State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring U. S. Coast Guard vessels.
Depth Alongside (feet): 25 | | Latitude (decimal): 40.53
Total Berthing Space (feet): 750 | | Longitude (decimal): -80.17444
Remarks: U. S. Coast Guard Depot located in rear.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43970 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 12 PWD: 31
Name: **Gordon Terminal Service Co., Tioga Pipeline Division Dock.**
Port: Pittsburgh
Location: Mile 12.1, left bank, Ohio River, Stoops Ferry. Datum: NPE
Operator: Gordon Terminal Service Co., Inc.
Owner: Gordon Terminal Service Co., Inc.
Address: State Highway 51 Phone: 412 331-9410
Town: Stoops Ferry State: PA County: Allegheny
Railway Connection: None.
Purpose: Receipt of aviation fuel.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.535556
Total Berthing Space (feet): 155 | | Longitude (decimal): -80.19389
Remarks: One 8-inch pipeline extends from wharf to 5 steel storage tanks in rear, total capacity 250,000 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43968 Pittsburgh District

---

Waterway: **Ohio River** Mile: 14 PWD: 30
Name: **Gavlik Construction Co. Dock.**
Port: Pittsburgh
Location: Mile 14.4, left bank, Ohio River, Glenwillard. Datum: NPE
Operator: Gavlik Construction Co.
Owner: S. Gavlik.
Address: Main Street Phone: 412 457-8900
Town: Glenwillard State: PA County: Allegheny
Railway Connection: None.
Purpose: Receipt of coal, lime, ammonium sulfate, and dry bulk commodities; shipment of steel products.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.560556
Total Berthing Space (feet): 700 | | Longitude (decimal): -80.22917
Remarks: Approximately 8 acres of open storage area are located in rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43966 Pittsburgh District

---

Waterway: **Ohio River** Mile: 14 PWD: 242
Name: **The Buncher Co., Rail-River Truck Terminal Dock.**
Port: Pittsburgh
Location: Mile 14.0, right bank, Ohio River, Leetsdale. Datum: NPE
Operator: The Buncher Co.
Owner: The Buncher Co.
Address: Ferry Street Phone: 412 741-1500
Town: Leetsdale State: PA County: Allegheny
Railway Connection: Four platform-level tracks along rear of wharf connect with Consolidated Rail Corp.
Purpose: Receipt and shipment of miscellaneous general cargo, including steel products and dry bulk commodities.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.557222
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.21278
Remarks: Approximately 20 acres of open and 250,000 square feet of covered storage area are located at rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43967 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 15 PWD: 243
Name: **Bethlehem Steel Corp., Leetsdale Works, Shop Number 2 Dock.**
Port: Pittsburgh
Location: Mile 14.5, right bank, Ohio River, Leetsdale. Datum: NPE
Operator: Not operated.
Owner: Bethlehem Steel Corp.
Address: Ohio River Boulevard Phone: 412 281-5900
Town: Leetsdale State: PA County: Allegheny
Railway Connection: Plant trackage in rear connects with Consolidated Rail Corp.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.563889
Total Berthing Space (feet): 505 | | Longitude (decimal): -80.22778
Remarks: Two launching ways located 1,200 feet downstream of Number 2 Dock were not in use at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43966 Pittsburgh District

---

Waterway: **Ohio River** Mile: 15 PWD: 28
Name: **Duquesne Light Co., Frank R. Phillips Power Station Dock.**
Port: Pittsburgh
Location: Mile 15.2, left bank, Ohio River, Glenwillard. Datum: NPE
Operator: Barge Maintenance, Inc.
Owner: Duquesne Light Co.
Address: State Highway 51 Phone: 412 393-2503
Town: Glenwillard State: PA County: Allegheny
Railway Connection: Plant trackage at rear connects with Pittsburgh and Lake Erie Railroad.
Purpose: Occasional barge mooring.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.569444
Total Berthing Space (feet): 1384 | | Longitude (decimal): -80.22833
Remarks: At time of survey, power plant was not in operation. Open storage area at rear has capacity for 250,000 tons of coal. Mooring area has capacity for 15 loaded barges above, and 9 empty barges below unloading are

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43965 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 15 PWD: 29
Name: **River Salvage Co., Glenwillard Dock.**
Port: Pittsburgh
Location: Mile 14.9, left bank, Ohio River, Glenwillard. Datum: NPE
Operator: River Salvage Co., Inc.
Owner: River Salvage Co., Inc.
Address: 1 Maple Street Phone: 412 771-1554
Town: Glenwillard State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring small vessels and barges for repair; mooring floating drydock; mooring barges for fleeting.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.563333
Total Berthing Space (feet): 2300 | | Longitude (decimal): -80.23222
Remarks: One 500-ton floating drydock is moored to grounded barges. Wharf is equipped with outlets for supplying compressed air, electricity, and welding gas.□Fleeting area located on each side of wharf has capacity for in tiers up to 3-wide.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43966 Pittsburgh District

---

Waterway: **Ohio River** Mile: 16 PWD: 26
Name: **Barge Maintenance Dock.**
Port: Pittsburgh
Location: Mile 15.9, left bank, Ohio River, South Heights. Datum: NPE
Operator: Barge Maintenance, Inc.
Owner: North Star Coal Co., North Star Transfer Division.
Address: State Highway 51 Phone: 412 281-0666
Town: South Heights State: PA County: Beaver
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.58
Total Berthing Space (feet): 180 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 16 PWD: 26
Name: **Barge Maintenance Dock.**
Port: Pittsburgh
Location: Mile 15.9, left bank, Ohio River, South Heights. Datum: NPE
Operator: Barge Maintenance, Inc.
Owner: North Star Coal Co., North Star Transfer Division.
Address: State Highway 51 Phone: 412 281-0666
Town: South Heights State: PA County: Beaver
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.58
Total Berthing Space (feet): 180 | | Longitude (decimal): -80.23556
Remarks: One 100-ton floating drydock is moored at wharf.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43965 Pittsburgh District

---

Remarks: One 100-ton floating drydock is moored at wharf.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43965 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 16 PWD: 26
Name: **Barge Maintenance Dock.**
Port: Pittsburgh
Location: Mile 15.9, left bank, Ohio River, South Heights. Datum: NPE
Operator: Barge Maintenance, Inc.
Owner: North Star Coal Co., North Star Transfer Division.
Address: State Highway 51 Phone: 412 281-0666
Town: South Heights State: PA County: Beaver
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.58
Total Berthing Space (feet): 180 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 16 PWD: 26
Name: **Barge Maintenance Dock.**
Port: Pittsburgh
Location: Mile 15.9, left bank, Ohio River, South Heights. Datum: NPE
Operator: Barge Maintenance, Inc.
Owner: North Star Coal Co., North Star Transfer Division.
Address: State Highway 51 Phone: 412 281-0666
Town: South Heights State: PA County: Beaver
Railway Connection: None.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.58
Total Berthing Space (feet): 180 | | Longitude (decimal): -80.23556
Remarks: One 100-ton floating drydock is moored at wharf.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43965 Pittsburgh District

Remarks: One 100-ton floating drydock is moored at wharf.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43965 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 16 PWD: 27
Name: **North Star Coal Co., Upper Dock.**
Port: Pittsburgh
Location: Mile 15.7, left bank, Ohio River, South Heights. Datum: NPE
Operator: North Star Coal Co., North Star Transfer Division.
Owner: North Star Coal Co., North Star Transfer Division.
Address: State Highway 51 Phone: 412 281-0666
Town: South Heights State: PA County: Beaver
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.578333
Total Berthing Space (feet): 690 | | Longitude (decimal): -80.23472

Waterway: **Ohio River** Mile: 16 PWD: 27
Name: **North Star Coal Co., Upper Dock.**
Port: Pittsburgh
Location: Mile 15.7, left bank, Ohio River, South Heights. Datum: NPE
Operator: North Star Coal Co., North Star Transfer Division.
Owner: North Star Coal Co., North Star Transfer Division.
Address: State Highway 51 Phone: 412 281-0666
Town: South Heights State: PA County: Beaver
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.578333
Total Berthing Space (feet): 690 | | Longitude (decimal): -80.23472
Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43965 Pittsburgh District

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43965 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 16 PWD: 27
Name: **North Star Coal Co., Upper Dock.**
Port: Pittsburgh
Location: Mile 15.7, left bank, Ohio River, South Heights. Datum: NPE
Operator: North Star Coal Co., North Star Transfer Division.
Owner: North Star Coal Co., North Star Transfer Division.
Address: State Highway 51 Phone: 412 281-0666
Town: South Heights State: PA County: Beaver
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.578333
Total Berthing Space (feet): 690 | | Longitude (decimal): -80.23472

Waterway: **Ohio River** Mile: 16 PWD: 27
Name: **North Star Coal Co., Upper Dock.**
Port: Pittsburgh
Location: Mile 15.7, left bank, Ohio River, South Heights. Datum: NPE
Operator: North Star Coal Co., North Star Transfer Division.
Owner: North Star Coal Co., North Star Transfer Division.
Address: State Highway 51 Phone: 412 281-0666
Town: South Heights State: PA County: Beaver
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.578333
Total Berthing Space (feet): 690 | | Longitude (decimal): -80.23472
Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43965 Pittsburgh District

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43965 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 16 PWD: 244
Name: **USX Corp., Ambridge Plant Launchways.**
Port: Pittsburgh
Location: Mile 15.8, right bank, Ohio River, Ambridge. Datum: NPE
Operator: Not operated.
Owner: USX Corp.
Address: Ohio River Boulevard Phone: 412 433-1121
Town: Ambridge State: PA County: Beaver
Railway Connection: Plant trackage connects with Consolidated Rail Corp.
Purpose: Not used.
Depth Alongside (feet): 3 | | Latitude (decimal): 40.579722
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23083

Waterway: **Ohio River** Mile: 16 PWD: 244
Name: **USX Corp., Ambridge Plant Launchways.**
Port: Pittsburgh
Location: Mile 15.8, right bank, Ohio River, Ambridge. Datum: NPE
Operator: Not operated.
Owner: USX Corp.
Address: Ohio River Boulevard Phone: 412 433-1121
Town: Ambridge State: PA County: Beaver
Railway Connection: Plant trackage connects with Consolidated Rail Corp.
Purpose: Not used.
Depth Alongside (feet): 3 | | Latitude (decimal): 40.579722
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23083
Remarks: Plant was not in operation at time of survey (1991).□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43965 Pittsburgh District

Remarks: Plant was not in operation at time of survey (1991).□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43965 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 16 PWD: 244
Name: **USX Corp., Ambridge Plant Launchways.**
Port: Pittsburgh
Location: Mile 15.8, right bank, Ohio River, Ambridge. Datum: NPE
Operator: Not operated.
Owner: USX Corp.
Address: Ohio River Boulevard Phone: 412 433-1121
Town: Ambridge State: PA County: Beaver
Railway Connection: Plant trackage connects with Consolidated Rail Corp.
Purpose: Not used.
Depth Alongside (feet): 3 | | Latitude (decimal): 40.579722
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23083

Waterway: **Ohio River** Mile: 16 PWD: 244
Name: **USX Corp., Ambridge Plant Launchways.**
Port: Pittsburgh
Location: Mile 15.8, right bank, Ohio River, Ambridge. Datum: NPE
Operator: Not operated.
Owner: USX Corp.
Address: Ohio River Boulevard Phone: 412 433-1121
Town: Ambridge State: PA County: Beaver
Railway Connection: Plant trackage connects with Consolidated Rail Corp.
Purpose: Not used.
Depth Alongside (feet): 3 | | Latitude (decimal): 40.579722
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23083
Remarks: Plant was not in operation at time of survey (1991).□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43965 Pittsburgh District

Remarks: Plant was not in operation at time of survey (1991).□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43965 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 160 PWD: 139
Name: **Monongahela Power Co., Pleasants Power Station Coal Unloading Dock**
Port: Huntington
Location: Mile 160.4, left bank, Ohio River, Willow Island. Datum: NPE
Operator: Monongahela Power Co., Part of the Allegheny Power System.
Owner: Monongahela Power Co., Part of the Allegheny Power System.
Address: #1 Power Station Blvd. Phone: 304/665-2931
Town: Willow Island State: WV County: Pleasants
Railway Connection: Eight surface tracks serve 2 rotary dumpers in rear; connect with CSX Rail Transport.
Purpose: Receipt of coal.
Depth Alongside (feet): 18 | | Latitude (decimal): 39.369444
Total Berthing Space (feet): 4500 | | Longitude (decimal): -81.29722

Waterway: **Ohio River** Mile: 160 PWD: 139
Name: **Monongahela Power Co., Pleasants Power Station Coal Unloading Dock**
Port: Huntington
Location: Mile 160.4, left bank, Ohio River, Willow Island. Datum: NPE
Operator: Monongahela Power Co., Part of the Allegheny Power System.
Owner: Monongahela Power Co., Part of the Allegheny Power System.
Address: #1 Power Station Blvd. Phone: 304/665-2931
Town: Willow Island State: WV County: Pleasants
Railway Connection: Eight surface tracks serve 2 rotary dumpers in rear; connect with CSX Rail Transport.
Purpose: Receipt of coal.
Depth Alongside (feet): 18 | | Latitude (decimal): 39.369444
Total Berthing Space (feet): 4500 | | Longitude (decimal): -81.29722

Remarks: Open storage area at rear has capacity for 1,000,000 tons of coal. Wharf has capacity for mooring 35 loaded barges above and 30 empty barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42820 Pittsburgh District

Remarks: Open storage area at rear has capacity for 1,000,000 tons of coal. Wharf has capacity for mooring 35 loaded barges above and 30 empty barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42820 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 160 PWD: 139
Name: **Monongahela Power Co., Pleasants Power Station Coal Unloading Dock**
Port: Huntington
Location: Mile 160.4, left bank, Ohio River, Willow Island. Datum: NPE
Operator: Monongahela Power Co., Part of the Allegheny Power System.
Owner: Monongahela Power Co., Part of the Allegheny Power System.
Address: #1 Power Station Blvd. Phone: 304/665-2931
Town: Willow Island State: WV County: Pleasants
Railway Connection: Eight surface tracks serve 2 rotary dumpers in rear; connect with CSX Rail Transport.
Purpose: Receipt of coal.
Depth Alongside (feet): 18 | | Latitude (decimal): 39.369444
Total Berthing Space (feet): 4500 | | Longitude (decimal): -81.29722

Waterway: **Ohio River** Mile: 160 PWD: 139
Name: **Monongahela Power Co., Pleasants Power Station Coal Unloading Dock**
Port: Huntington
Location: Mile 160.4, left bank, Ohio River, Willow Island. Datum: NPE
Operator: Monongahela Power Co., Part of the Allegheny Power System.
Owner: Monongahela Power Co., Part of the Allegheny Power System.
Address: #1 Power Station Blvd. Phone: 304/665-2931
Town: Willow Island State: WV County: Pleasants
Railway Connection: Eight surface tracks serve 2 rotary dumpers in rear; connect with CSX Rail Transport.
Purpose: Receipt of coal.
Depth Alongside (feet): 18 | | Latitude (decimal): 39.369444
Total Berthing Space (feet): 4500 | | Longitude (decimal): -81.29722

Remarks: Open storage area at rear has capacity for 1,000,000 tons of coal. Wharf has capacity for mooring 35 loaded barges above and 30 empty barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42820 Pittsburgh District

Remarks: Open storage area at rear has capacity for 1,000,000 tons of coal. Wharf has capacity for mooring 35 loaded barges above and 30 empty barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42820 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 161 PWD: 137
Name: **American Cyanamid Co., Willow Island Dock.**
Port: Huntington
Location: Mile 161.1, left bank, Ohio River, Willow Island. Datum: NPE
Operator: Not operated.
Owner: American Cyanamid Co.
Address: Phone: 304/665-2422
Town: Willow Island State: WV County: Pleasants
Railway Connection: One surface track serves plant in rear; connects with CSX Rail Transport.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.362778
Total Berthing Space (feet): | | Longitude (decimal): -81.30972
Remarks: Wharf formerly was used for receipt of fuel oil for plant consumption. One 8-inch pipeline extending from wharf to one 19,000-barrel fuel oil storage tank was not in use at time of survey. One steel sheet pile, cellular breasting dolphin, located 1,300 feet below wharf, is used for mooring barges.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42820 Pittsburgh District

---

Waterway: **Ohio River** Mile: 161 PWD: 138
Name: **Monongahela Power Co., Pleasants Power Station Lime Unloading Dock**
Port: Huntington
Location: Mile 160.9, left bank, Ohio River, Willow Island. Datum: NPE
Operator: Monongahela Power Co., Part of the Allegheny Power System.
Owner: Monongahela Power Co., Part of the Allegheny Power System.
Address: #1 Power Station Blvd. Phone: 304/665-2931
Town: Willow Island State: WV County: Pleasants
Railway Connection: Eight surface tracks serve 2 rotary dumpers in rear; connect with CSX Rail Transport.
Purpose: Receipt of lime.
Depth Alongside (feet): 18 | | Latitude (decimal): 39.365833
Total Berthing Space (feet): 1300 | | Longitude (decimal): -81.305

Waterway: **Ohio River** Mile: 161 PWD: 138
Name: **Monongahela Power Co., Pleasants Power Station Lime Unloading Dock**
Port: Huntington
Location: Mile 160.9, left bank, Ohio River, Willow Island. Datum: NPE
Operator: Monongahela Power Co., Part of the Allegheny Power System.
Owner: Monongahela Power Co., Part of the Allegheny Power System.
Address: #1 Power Station Blvd. Phone: 304/665-2931
Town: Willow Island State: WV County: Pleasants
Railway Connection: Eight surface tracks serve 2 rotary dumpers in rear; connect with CSX Rail Transport.
Purpose: Receipt of lime.
Depth Alongside (feet): 18 | | Latitude (decimal): 39.365833
Total Berthing Space (feet): 1300 | | Longitude (decimal): -81.305
Remarks: Three concrete silos located at rear have total capacity for 18,000 tons of lime.□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42820 Pittsburgh District

---

Remarks: Three concrete silos located at rear have total capacity for 18,000 tons of lime.□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42820 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 161 PWD: 138
Name: **Monongahela Power Co., Pleasants Power Station Lime Unloading Dock**
Port: Huntington
Location: Mile 160.9, left bank, Ohio River, Willow Island. Datum: NPE
Operator: Monongahela Power Co., Part of the Allegheny Power System.
Owner: Monongahela Power Co., Part of the Allegheny Power System.
Address: #1 Power Station Blvd. Phone: 304/665-2931
Town: Willow Island State: WV County: Pleasants
Railway Connection: Eight surface tracks serve 2 rotary dumpers in rear; connect with CSX Rail Transport.
Purpose: Receipt of lime.
Depth Alongside (feet): 18 | | Latitude (decimal): 39.365833
Total Berthing Space (feet): 1300 | | Longitude (decimal): -81.305

Waterway: **Ohio River** Mile: 161 PWD: 138
Name: **Monongahela Power Co., Pleasants Power Station Lime Unloading Dock**
Port: Huntington
Location: Mile 160.9, left bank, Ohio River, Willow Island. Datum: NPE
Operator: Monongahela Power Co., Part of the Allegheny Power System.
Owner: Monongahela Power Co., Part of the Allegheny Power System.
Address: #1 Power Station Blvd. Phone: 304/665-2931
Town: Willow Island State: WV County: Pleasants
Railway Connection: Eight surface tracks serve 2 rotary dumpers in rear; connect with CSX Rail Transport.
Purpose: Receipt of lime.
Depth Alongside (feet): 18 | | Latitude (decimal): 39.365833
Total Berthing Space (feet): 1300 | | Longitude (decimal): -81.305
Remarks: Three concrete silos located at rear have total capacity for 18,000 tons of lime.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42820 Pittsburgh District

Remarks: Three concrete silos located at rear have total capacity for 18,000 tons of lime.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42820 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 24

Name: **Dravo Basic Materials Co., Aliquippa Dock.**

Port: Pittsburgh

Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE

Operator: Dravo Basic Materials Co., Inc., a Dravo Co.

Owner: LTV Steel Corp.

Address: Franklin Avenue Phone: 412 378-3949

Town: Aliquippa State: PA County: Beaver

Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.

Purpose: Receipt of lime.

Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778

Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889
Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 24

Name: **Dravo Basic Materials Co., Aliquippa Dock.**

Port: Pittsburgh

Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE

Operator: Dravo Basic Materials Co., Inc., a Dravo Co.

Owner: LTV Steel Corp.

Address: Franklin Avenue Phone: 412 378-3949

Town: Aliquippa State: PA County: Beaver

Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.

Purpose: Receipt of lime.

Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778

Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889
Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889
Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889
Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 24
Name: **Dravo Basic Materials Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-3949
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of lime.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778
Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 24

Name: **Dravo Basic Materials Co., Aliquippa Dock.**

Port: Pittsburgh

Location: Mile 16.8, left bank, Ohio River, Aliquippa. Datum: NPE

Operator: Dravo Basic Materials Co., Inc., a Dravo Co.

Owner: LTV Steel Corp.

Address: Franklin Avenue Phone: 412 378-3949

Town: Aliquippa State: PA County: Beaver

Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.

Purpose: Receipt of lime.

Depth Alongside (feet): 13 | | Latitude (decimal): 40.592778

Total Berthing Space (feet): 195 | | Longitude (decimal): -80.23889

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Storage bin at rear has capacity for 1,100 tons of lime.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 25

Name: **J. & L. Structural, Loading Dock.**

Port: Pittsburgh

Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE

Operator: J. & L. Structural, Inc.

Owner: J. & L. Structural, Inc.

Address: State Highway 51 Phone: 412 378-6482

Town: Aliquippa State: PA County: Beaver

Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.

Purpose: Receipt of ferroalloys and ores; shipment of steel products.

Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056

Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 25

Name: **J. & L. Structural, Loading Dock.**

Port: Pittsburgh

Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE

Operator: J. & L. Structural, Inc.

Owner: J. & L. Structural, Inc.

Address: State Highway 51 Phone: 412 378-6482

Town: Aliquippa State: PA County: Beaver

Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.

Purpose: Receipt of ferroalloys and ores; shipment of steel products.

Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056

Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 25

Name: **J. & L. Structural, Loading Dock.**

Port: Pittsburgh

Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE

Operator: J. & L. Structural, Inc.

Owner: J. & L. Structural, Inc.

Address: State Highway 51 Phone: 412 378-6482

Town: Aliquippa State: PA County: Beaver

Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.

Purpose: Receipt of ferroalloys and ores; shipment of steel products.

Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056

Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 25

Name: **J. & L. Structural, Loading Dock.**

Port: Pittsburgh

Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE

Operator: J. & L. Structural, Inc.

Owner: J. & L. Structural, Inc.

Address: State Highway 51 Phone: 412 378-6482

Town: Aliquippa State: PA County: Beaver

Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.

Purpose: Receipt of ferroalloys and ores; shipment of steel products.

Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056

Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 25

Name: **J. & L. Structural, Loading Dock.**

Port: Pittsburgh

Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE

Operator: J. & L. Structural, Inc.

Owner: J. & L. Structural, Inc.

Address: State Highway 51 Phone: 412 378-6482

Town: Aliquippa State: PA County: Beaver

Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.

Purpose: Receipt of ferroalloys and ores; shipment of steel products.

Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056

Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 25

Name: **J. & L. Structural, Loading Dock.**

Port: Pittsburgh

Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE

Operator: J. & L. Structural, Inc.

Owner: J. & L. Structural, Inc.

Address: State Highway 51 Phone: 412 378-6482

Town: Aliquippa State: PA County: Beaver

Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.

Purpose: Receipt of ferroalloys and ores; shipment of steel products.

Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056

Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Waterway: **Ohio River** Mile: 17 PWD: 25
Name: **J. & L. Structural, Loading Dock.**
Port: Pittsburgh
Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: J. & L. Structural, Inc.
Owner: J. & L. Structural, Inc.
Address: State Highway 51 Phone: 412 378-6482
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of ferroalloys and ores; shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 25

Name: **J. & L. Structural, Loading Dock.**

Port: Pittsburgh

Location: Mile 16.5, left bank, Ohio River, Aliquippa. Datum: NPE

Operator: J. & L. Structural, Inc.

Owner: J. & L. Structural, Inc.

Address: State Highway 51 Phone: 412 378-6482

Town: Aliquippa State: PA County: Beaver

Railway Connection: Two platform-level tracks, total capacity 6 cars, serves rear of building; connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.

Purpose: Receipt of ferroalloys and ores; shipment of steel products.

Depth Alongside (feet): 15 | | Latitude (decimal): 40.588056

Total Berthing Space (feet): 1300 | | Longitude (decimal): -80.23833

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Slip provides straight through passage of barges which can be positioned by winch and cable or by towboat.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889
Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 22

Name: **LTV Steel Corp., Aliquippa Works, Dock.**

Port: Pittsburgh

Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE

Operator: Not operated.

Owner: LTV Steel Corp.

Address: Franklin Avenue Phone: 412 378-5124

Town: Aliquippa State: PA County: Beaver

Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.

Purpose: Not used.

Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611

Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889
Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 22

Name: **LTV Steel Corp., Aliquippa Works, Dock.**

Port: Pittsburgh

Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE

Operator: Not operated.

Owner: LTV Steel Corp.

Address: Franklin Avenue Phone: 412 378-5124

Town: Aliquippa State: PA County: Beaver

Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.

Purpose: Not used.

Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611

Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889
Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 22

Name: **LTV Steel Corp., Aliquippa Works, Dock.**

Port: Pittsburgh

Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE

Operator: Not operated.

Owner: LTV Steel Corp.

Address: Franklin Avenue Phone: 412 378-5124

Town: Aliquippa State: PA County: Beaver

Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.

Purpose: Not used.

Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611

Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 22
Name: **LTV Steel Corp., Aliquippa Works, Dock.**
Port: Pittsburgh
Location: Mile 17.2, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 1658 | | Longitude (decimal): -80.23889
Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 23

Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**

Port: Pittsburgh

Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE

Operator: Not operated.

Owner: LTV Steel Corp.

Address: Franklin Avenue Phone: 412 378-5124

Town: Aliquippa State: PA County: Beaver

Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.

Purpose: Not used.

Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889

Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 23

Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**

Port: Pittsburgh

Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE

Operator: Not operated.

Owner: LTV Steel Corp.

Address: Franklin Avenue Phone: 412 378-5124

Town: Aliquippa State: PA County: Beaver

Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.

Purpose: Not used.

Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889

Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 23

Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**

Port: Pittsburgh

Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE

Operator: Not operated.

Owner: LTV Steel Corp.

Address: Franklin Avenue Phone: 412 378-5124

Town: Aliquippa State: PA County: Beaver

Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.

Purpose: Not used.

Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889

Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 23

Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**

Port: Pittsburgh

Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE

Operator: Not operated.

Owner: LTV Steel Corp.

Address: Franklin Avenue Phone: 412 378-5124

Town: Aliquippa State: PA County: Beaver

Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.

Purpose: Not used.

Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889

Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 23

Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**

Port: Pittsburgh

Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE

Operator: Not operated.

Owner: LTV Steel Corp.

Address: Franklin Avenue Phone: 412 378-5124

Town: Aliquippa State: PA County: Beaver

Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.

Purpose: Not used.

Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889

Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 23

Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**

Port: Pittsburgh

Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE

Operator: Not operated.

Owner: LTV Steel Corp.

Address: Franklin Avenue Phone: 412 378-5124

Town: Aliquippa State: PA County: Beaver

Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.

Purpose: Not used.

Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889

Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Waterway: **Ohio River** Mile: 17 PWD: 23
Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**
Port: Pittsburgh
Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889
Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 23

Name: **LTV Steel Corp., Aliquippa Works, Old Dock.**

Port: Pittsburgh

Location: Mile 16.9, left bank, Ohio River, Aliquippa. Datum: NPE

Operator: Not operated.

Owner: LTV Steel Corp.

Address: Franklin Avenue Phone: 412 378-5124

Town: Aliquippa State: PA County: Beaver

Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.

Purpose: Not used.

Depth Alongside (feet): 13 | | Latitude (decimal): 40.593889

Total Berthing Space (feet): 223 | | Longitude (decimal): -80.23861

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 245
Name: **Pittsburg Intermodal Terminals, Ambridge Dock.**
Port: Pittsburgh
Location: Mile 16.5, right bank, Ohio River, Ambridge. Datum: NPE
Operator: Pittsburg Intermodal Terminals, Inc.
Owner: Pittsburg Intermodal Terminals, Inc.
Address: Ohio River Boulevard Phone: 412 266-2888
Town: Ambridge State: PA County: Beaver
Railway Connection: Plant trackage at rear connects with Consolidated Rail Corp.
Purpose: Receipt of structural steel; shipment of fabricated steel structures.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 710 | | Longitude (decimal): -80.23389

Waterway: **Ohio River** Mile: 17 PWD: 245
Name: **Pittsburg Intermodal Terminals, Ambridge Dock.**
Port: Pittsburgh
Location: Mile 16.5, right bank, Ohio River, Ambridge. Datum: NPE
Operator: Pittsburg Intermodal Terminals, Inc.
Owner: Pittsburg Intermodal Terminals, Inc.
Address: Ohio River Boulevard Phone: 412 266-2888
Town: Ambridge State: PA County: Beaver
Railway Connection: Plant trackage at rear connects with Consolidated Rail Corp.
Purpose: Receipt of structural steel; shipment of fabricated steel structures.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 710 | | Longitude (decimal): -80.23389
Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43965 Pittsburgh District

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43965 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 17 PWD: 245
Name: **Pittsburg Intermodal Terminals, Ambridge Dock.**
Port: Pittsburgh
Location: Mile 16.5, right bank, Ohio River, Ambridge. Datum: NPE
Operator: Pittsburg Intermodal Terminals, Inc.
Owner: Pittsburg Intermodal Terminals, Inc.
Address: Ohio River Boulevard Phone: 412 266-2888
Town: Ambridge State: PA County: Beaver
Railway Connection: Plant trackage at rear connects with Consolidated Rail Corp.
Purpose: Receipt of structural steel; shipment of fabricated steel structures.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 710 | | Longitude (decimal): -80.23389

Waterway: **Ohio River** Mile: 17 PWD: 245
Name: **Pittsburg Intermodal Terminals, Ambridge Dock.**
Port: Pittsburgh
Location: Mile 16.5, right bank, Ohio River, Ambridge. Datum: NPE
Operator: Pittsburg Intermodal Terminals, Inc.
Owner: Pittsburg Intermodal Terminals, Inc.
Address: Ohio River Boulevard Phone: 412 266-2888
Town: Ambridge State: PA County: Beaver
Railway Connection: Plant trackage at rear connects with Consolidated Rail Corp.
Purpose: Receipt of structural steel; shipment of fabricated steel structures.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 710 | | Longitude (decimal): -80.23389
Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43965 Pittsburgh District

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43965 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 18 PWD: 21

Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**

Port: Pittsburgh

Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE

Operator: LTV Steel Corp.

Owner: LTV Steel Corp.

Address: Franklin Avenue Phone: 412 378-5124

Town: Aliquippa State: PA County: Beaver

Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.

Purpose: Receipt of sulfuric acid.

Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833

Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 18 PWD: 21

Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**

Port: Pittsburgh

Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE

Operator: LTV Steel Corp.

Owner: LTV Steel Corp.

Address: Franklin Avenue Phone: 412 378-5124

Town: Aliquippa State: PA County: Beaver

Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.

Purpose: Receipt of sulfuric acid.

Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833

Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 18 PWD: 21

Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**

Port: Pittsburgh

Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE

Operator: LTV Steel Corp.

Owner: LTV Steel Corp.

Address: Franklin Avenue Phone: 412 378-5124

Town: Aliquippa State: PA County: Beaver

Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.

Purpose: Receipt of sulfuric acid.

Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833

Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 18 PWD: 21

Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**

Port: Pittsburgh

Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE

Operator: LTV Steel Corp.

Owner: LTV Steel Corp.

Address: Franklin Avenue Phone: 412 378-5124

Town: Aliquippa State: PA County: Beaver

Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.

Purpose: Receipt of sulfuric acid.

Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833

Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 18 PWD: 21

Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**

Port: Pittsburgh

Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE

Operator: LTV Steel Corp.

Owner: LTV Steel Corp.

Address: Franklin Avenue Phone: 412 378-5124

Town: Aliquippa State: PA County: Beaver

Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.

Purpose: Receipt of sulfuric acid.

Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833

Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 18 PWD: 21

Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**

Port: Pittsburgh

Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE

Operator: LTV Steel Corp.

Owner: LTV Steel Corp.

Address: Franklin Avenue Phone: 412 378-5124

Town: Aliquippa State: PA County: Beaver

Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.

Purpose: Receipt of sulfuric acid.

Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833

Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Waterway: **Ohio River** Mile: 18 PWD: 21
Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**
Port: Pittsburgh
Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: LTV Steel Corp.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of sulfuric acid.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833
Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 18 PWD: 21

Name: **LTV Steel Corp., Aliquippa Works, Tin Mill Acid Dock.**

Port: Pittsburgh

Location: Mile 17.7, left bank, Ohio River, Aliquippa. Datum: NPE

Operator: LTV Steel Corp.

Owner: LTV Steel Corp.

Address: Franklin Avenue Phone: 412 378-5124

Town: Aliquippa State: PA County: Beaver

Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.

Purpose: Receipt of sulfuric acid.

Depth Alongside (feet): 15 | | Latitude (decimal): 40.605833

Total Berthing Space (feet): 87 | | Longitude (decimal): -80.23778

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: Four 4-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 40,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 19 PWD: 20

Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**

Port: Pittsburgh

Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE

Operator: Not operated.

Owner: LTV Steel Corp.

Address: Franklin Avenue Phone: 412 378-5124

Town: Aliquippa State: PA County: Beaver

Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.

Purpose: Not used.

Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111

Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 19 PWD: 20

Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**

Port: Pittsburgh

Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE

Operator: Not operated.

Owner: LTV Steel Corp.

Address: Franklin Avenue Phone: 412 378-5124

Town: Aliquippa State: PA County: Beaver

Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.

Purpose: Not used.

Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111

Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 19 PWD: 20

Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**

Port: Pittsburgh

Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE

Operator: Not operated.

Owner: LTV Steel Corp.

Address: Franklin Avenue Phone: 412 378-5124

Town: Aliquippa State: PA County: Beaver

Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.

Purpose: Not used.

Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111

Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556
Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 19 PWD: 20

Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**

Port: Pittsburgh

Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE

Operator: Not operated.

Owner: LTV Steel Corp.

Address: Franklin Avenue Phone: 412 378-5124

Town: Aliquippa State: PA County: Beaver

Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.

Purpose: Not used.

Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111

Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556
Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 19 PWD: 20
Name: **LTV Steel Corp., Aliquippa Works, Upper Mooring.**
Port: Pittsburgh
Location: Mile 19.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.626111
Total Berthing Space (feet): 1591 | | Longitude (decimal): -80.23556
Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 2 PWD: 232

Name: **Duquesne Light Co., Brunot Island Power Station Dock.**

Port: Pittsburgh

Location: Mile 2.1, right bank, Ohio River, Brunot Island Back Channel. Datum: NPE

Operator: Duquesne Light Co.

Owner: Duquesne Light Co.

Address: Doerr Street Phone: 412 393-6000

Town: Brunot Island State: PA County: Allegheny

Railway Connection: None.

Purpose: Receipt of fuel oil for plant consumption.

Depth Alongside (feet): 12 | | Latitude (decimal): 40.459167

Total Berthing Space (feet): 1315 | | Longitude (decimal): -80.0425

Remarks: One 16-inch pipeline extends from wharf to 5 steel storage tanks at plant in rear, total capacity 230,000 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556
Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556
Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556
Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556
Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556
Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556
Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 20 PWD: 19
Name: **LTV Steel Corp., Aliquippa Works, Lower Mooring.**
Port: Pittsburgh
Location: Mile 19.5, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: Franklin Avenue Phone: 412 378-5124
Town: Aliquippa State: OH County: Beaver
Railway Connection: Plant trackage connects with Aliquippa and Southern Railroad and Pittsburgh and Lake Erie Railroad.
Purpose: Not used.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.632222
Total Berthing Space (feet): 140 | | Longitude (decimal): -80.23556
Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 21 PWD: 247
Name: **Consolidated Rail Corp., Conway Coal Dock.**
Port: Pittsburgh
Location: Mile 21.0, right bank, Ohio River, Conway. Datum: NPE
Operator: Not operated.
Owner: Not operated.
Address: State Highway 65 Phone: 412 928-7244
Town: Conway State: PA County: Beaver
Railway Connection: Consolidated Rail Corp.: one surface track under receiving hopper.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.652778
Total Berthing Space (feet): 1010 | | Longitude (decimal): -80.23917
Remarks: Facility was inactive at time of survey; formerly used to transfer coal from barges to railroad cars.□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Waterway: **Ohio River** Mile: 21 PWD: 246
Name: **General Materials Terminals Dock.**
Port: Pittsburgh
Location: Mile 20.7, right bank, Ohio River, Baden. Datum: NPE
Operator: General Materials Terminals, Inc.
Owner: General Materials Terminals, Inc.
Address: State Highway 65 Phone: 412 869-2177
Town: Baden State: PA County: Beaver
Railway Connection: Two surface tracks at rear connect with Consolidated Rail Corp.
Purpose: Receipt of coal and steel; shipment of steel products and bulk commodities.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.646667
Total Berthing Space (feet): 550 | | Longitude (decimal): -80.23639
Remarks: Approximately 6 acres of open storage area are located at rear.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Waterway: **Ohio River** Mile: 22 PWD: 18
Name: **The Standard Slag Co., Aliquippa Dock.**
Port: Pittsburgh
Location: Mile 22.1, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Not operated.
Owner: The Standard Slag Co.
Address: State Highway 51 Phone: 412 375-7023
Town: Aliquippa State: PA County: Beaver
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 5 | | Latitude (decimal): 40.665278
Total Berthing Space (feet): 520 | | Longitude (decimal): -80.25611
Remarks: Wharf was formerly used for shipment of slag. Slag processing plant in rear is served by truck only,□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 23 PWD: 248
Name: **Consolidated Rail Corp., Primary Fuel Station Dock.**
Port: Pittsburgh
Location: Mile 22.5, right bank, Ohio River, Conway. Datum: NPE
Operator: Consolidated Rail Corp.
Owner: Consolidated Rail Corp.
Address: State Highway 65 Phone: 412 928-7244
Town: Conway State: PA County: Beaver
Railway Connection: None.
Purpose: Receipt of diesel fuel.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.670556
Total Berthing Space (feet): 225 | | Longitude (decimal): -80.25333
Remarks: Two 8-inch pipelines extend from wharf to 4 steel storage tanks at yard in rear, total capacity 275,000 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Waterway: **Ohio River** Mile: 23 PWD: 17
Name: **North Star Coal Co., Stobo Terminal Dock.**
Port: Pittsburgh
Location: Mile 22.6, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: North Star Coal Co., North Star Transfer Division.
Owner: North Star Coal Co., North Star Transfer Division.
Address: State Highway 51 Phone: 412 281-0666
Town: Aliquippa State: PA County: Beaver
Railway Connection: Plant trackage connects with Pittsburgh and Lake Erie Railroad.
Purpose: Receipt and occasional shipment of petroleum products; receipt of asphalt.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.671111
Total Berthing Space (feet): 290 | | Longitude (decimal): -80.25833
Remarks: One 6-inch pipeline extends from wharf to 2 steel fuel oil storage tanks, total capacity 33,000 barrels, and one 8-inch pipeline extends to 5 steel asphalt storage tanks, total capacity 41,500 barrels. All tanks opposite side of State Highway 51 in rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 24 PWD: 16
Name: **Colona River Services Dock.**
Port: Pittsburgh
Location: Mile 23.6, left bank, Ohio River, Aliquippa. Datum: NPE
Operator: Colona River Services, Inc.
Owner: The Pittsburgh and Lake Erie Railroad Co.
Address: State Highway 51 Phone: 412 728-9119
Town: Aliquippa State: PA County: Beaver
Railway Connection: Two parallel surface tracks serving unloading hoppers connect with Pittsburgh and Lake Erie Railroad.
Purpose: Receipt and shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.681667
Total Berthing Space (feet): 1140 | | Longitude (decimal): -80.25833
Remarks: Open storage area in rear has capacity for 500,000 tons of coal.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Waterway: **Ohio River** Mile: 24 PWD: 14
Name: **North Star Coal Co., Monaca Chemical Dock.**
Port: Pittsburgh
Location: Mile 23.8, left bank, Ohio River, Monaca. Datum: NPE
Operator: North Star Coal Co., North Star Transfer Division.
Owner: North Star Coal Co., North Star Transfer Division.
Address: State Highway 51 Phone: 412 281-0666
Town: Monaca State: PA County: Beaver
Railway Connection: Two surface tracks serve yard in rear; connect with Pittsburgh and Lake Erie Railroad and Consolidated Rail Corp.
Purpose: Receipt of caustic soda and occasional receipt of miscellaneous liquid chemicals.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.670556
Total Berthing Space (feet): 525 | | Longitude (decimal): -80.26278
Remarks: One 30- by 20-foot work barge berths downstream of wharf. Two 6-inch pipelines extend from wharf to 2 steel storage tanks in rear, total capacity 2,520,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 24 PWD: 249

Name: **Valvoline Oil, Freedom Refinery Dock.**

Port: Pittsburgh

Location: Mile 24.1, right bank, Ohio River, Freedom. Datum: NPE

Operator: Valvoline, Inc., Division of Ashland Oil, Inc.

Owner: Valvoline, Inc., Division of Ashland Oil, Inc.

Address: Second Avenue Phone: 412 728-4757

Town: Freedom State: PA County: Beaver

Railway Connection: None.

Purpose: Receipt of lubricating oil.

Depth Alongside (feet): 12 | | Latitude (decimal): 40.675278

Total Berthing Space (feet): 305 | | Longitude (decimal): -80.26389

Remarks: One 8-inch pipeline with two 6-inch wharf connections extends to 4 steel storage tanks at plant in rear, total capacity 80,000 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43961 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 25 PWD: 252
Name: **Beaver Concrete and Gravel Co., Lower Dock.**
Port: Pittsburgh
Location: Mile 25.2, right bank, Ohio River, East Rochester, below Monaca-Rochester Bridge. Datum: NPE
Operator: Beaver Concrete and Gravel Co., Inc.
Owner: Beaver Concrete and Gravel Co., Inc.
Address: Railroad Street Phone: 412 774-5100
Town: East Rochester State: PA County: Beaver
Railway Connection: None.
Purpose: Receipt of sand and gravel; occasional receipt of coal and salt.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.681111
Total Berthing Space (feet): 300 | | Longitude (decimal): -80.28361

Waterway: **Ohio River** Mile: 25 PWD: 252
Name: **Beaver Concrete and Gravel Co., Lower Dock.**
Port: Pittsburgh
Location: Mile 25.2, right bank, Ohio River, East Rochester, below Monaca-Rochester Bridge. Datum: NPE
Operator: Beaver Concrete and Gravel Co., Inc.
Owner: Beaver Concrete and Gravel Co., Inc.
Address: Railroad Street Phone: 412 774-5100
Town: East Rochester State: PA County: Beaver
Railway Connection: None.
Purpose: Receipt of sand and gravel; occasional receipt of coal and salt.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.681111
Total Berthing Space (feet): 300 | | Longitude (decimal): -80.28361

Remarks: Ready-mix concrete plant and open storage area with capacity for 8,000 tons of material are located at rear. Electric, inclined, belt-conveyor system extending from wharf to plant in rear was not in operation at

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43955 Pittsburgh District

Remarks: Ready-mix concrete plant and open storage area with capacity for 8,000 tons of material are located at rear. Electric, inclined, belt-conveyor system extending from wharf to plant in rear was not in operation at

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43955 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 25 PWD: 252
Name: **Beaver Concrete and Gravel Co., Lower Dock.**
Port: Pittsburgh
Location: Mile 25.2, right bank, Ohio River, East Rochester, below Monaca-Rochester Bridge. Datum: NPE
Operator: Beaver Concrete and Gravel Co., Inc.
Owner: Beaver Concrete and Gravel Co., Inc.
Address: Railroad Street Phone: 412 774-5100
Town: East Rochester State: PA County: Beaver
Railway Connection: None.
Purpose: Receipt of sand and gravel; occasional receipt of coal and salt.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.681111
Total Berthing Space (feet): 300 | | Longitude (decimal): -80.28361

Waterway: **Ohio River** Mile: 25 PWD: 252
Name: **Beaver Concrete and Gravel Co., Lower Dock.**
Port: Pittsburgh
Location: Mile 25.2, right bank, Ohio River, East Rochester, below Monaca-Rochester Bridge. Datum: NPE
Operator: Beaver Concrete and Gravel Co., Inc.
Owner: Beaver Concrete and Gravel Co., Inc.
Address: Railroad Street Phone: 412 774-5100
Town: East Rochester State: PA County: Beaver
Railway Connection: None.
Purpose: Receipt of sand and gravel; occasional receipt of coal and salt.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.681111
Total Berthing Space (feet): 300 | | Longitude (decimal): -80.28361

Remarks: Ready-mix concrete plant and open storage area with capacity for 8,000 tons of material are located at rear. Electric, inclined, belt-conveyor system extending from wharf to plant in rear was not in operation at

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43955 Pittsburgh District

Remarks: Ready-mix concrete plant and open storage area with capacity for 8,000 tons of material are located at rear. Electric, inclined, belt-conveyor system extending from wharf to plant in rear was not in operation at

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43955 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 25 PWD: 251
Name: **Beaver Concrete and Gravel Co., Upper Dock.**
Port: Pittsburgh
Location: Mile 24.8, right bank, Ohio River, East Rochester. Datum: NPE
Operator: Beaver Concrete and Gravel Co., Inc.
Owner: Beaver Concrete and Gravel Co., Inc.
Address: Railroad Street. Phone: 412 774-5100
Town: East Rochester State: PA County: Beaver
Railway Connection: None.
Purpose: Receipt of sand, gravel, and occasional receipt of limestone.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.680556
Total Berthing Space (feet): 240 | | Longitude (decimal): -80.275

Waterway: **Ohio River** Mile: 25 PWD: 251
Name: **Beaver Concrete and Gravel Co., Upper Dock.**
Port: Pittsburgh
Location: Mile 24.8, right bank, Ohio River, East Rochester. Datum: NPE
Operator: Beaver Concrete and Gravel Co., Inc.
Owner: Beaver Concrete and Gravel Co., Inc.
Address: Railroad Street. Phone: 412 774-5100
Town: East Rochester State: PA County: Beaver
Railway Connection: None.
Purpose: Receipt of sand, gravel, and occasional receipt of limestone.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.680556
Total Berthing Space (feet): 240 | | Longitude (decimal): -80.275

Remarks: Ready-mix concrete plant and open storage area with capacity for 5,000 tons of material are located at rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43955 Pittsburgh District

Remarks: Ready-mix concrete plant and open storage area with capacity for 5,000 tons of material are located at rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43955 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 25 PWD: 251
Name: **Beaver Concrete and Gravel Co., Upper Dock.**
Port: Pittsburgh
Location: Mile 24.8, right bank, Ohio River, East Rochester. Datum: NPE
Operator: Beaver Concrete and Gravel Co., Inc.
Owner: Beaver Concrete and Gravel Co., Inc.
Address: Railroad Street. Phone: 412 774-5100
Town: East Rochester State: PA County: Beaver
Railway Connection: None.
Purpose: Receipt of sand, gravel, and occasional receipt of limestone.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.680556
Total Berthing Space (feet): 240 | | Longitude (decimal): -80.275

Waterway: **Ohio River** Mile: 25 PWD: 251
Name: **Beaver Concrete and Gravel Co., Upper Dock.**
Port: Pittsburgh
Location: Mile 24.8, right bank, Ohio River, East Rochester. Datum: NPE
Operator: Beaver Concrete and Gravel Co., Inc.
Owner: Beaver Concrete and Gravel Co., Inc.
Address: Railroad Street. Phone: 412 774-5100
Town: East Rochester State: PA County: Beaver
Railway Connection: None.
Purpose: Receipt of sand, gravel, and occasional receipt of limestone.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.680556
Total Berthing Space (feet): 240 | | Longitude (decimal): -80.275
Remarks: Ready-mix concrete plant and open storage area with capacity for 5,000 tons of material are located at rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43955 Pittsburgh District

Remarks: Ready-mix concrete plant and open storage area with capacity for 5,000 tons of material are located at rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43955 Pittsburgh District

Waterway: **Ohio River** Mile: 25 PWD: 250
Name: **W. I. Snyder Corp. Dock.**
Port: Pittsburgh
Location: Mile 24.8, right bank, Ohio River, East Rochester. Datum: NPE
Operator: Not operated.
Owner: W. I. Snyder Corp.
Address: Railroad Street Phone: 412 734-4554
Town: East Rochester State: PA County: Beaver
Railway Connection: Two surface tracks in yard at rear connect with Consolidated Rail Corp.
Purpose: Not used.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.680278
Total Berthing Space (feet): 387 | | Longitude (decimal): -80.27361
Remarks: Facility formerly used for receipt and shipment of miscellaneous dry bulk commodities was inactive at time of survey. Approximately 30,000 square feet of open storage area is located at rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43956 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 26 PWD: 253

Name: **Crain Bros., Bridgewater Landing.**

Port: Pittsburgh

Location: Mile 25.6, right bank, Ohio River, Bridgewater, below mouth of Beaver River. Datum: NPE

Operator: Crain Bros., Inc.

Owner: Crain Bros., Inc.

Address: Mulberry Street Phone: 412 766-5880

Town: Bridgewater State: PA County: Beaver

Railway Connection: None.

Purpose: Mooring barges and towboats for repair; mooring floating drydock and contractor's floating equipment.

Depth Alongside (feet): 8 | | Latitude (decimal): 40.480833

Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.04889

Remarks: One 600-ton floating drydock is moored to grounded barge. Marine ways extend approximately 875 feet adjacent to upper end of wharf. Wharf is equipped with outlets for supplying compressed air, oxygen, and weldi

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43955 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 28 PWD: 13
Name: **Hickman-Williams & Co. Dock.**
Port: Pittsburgh
Location: Mile 28.0, left bank, Ohio River, Monaca. Datum: NPE
Operator: Hickman-Williams & Co.
Owner: Zinc Corp. of America, Inc.
Address: State Highway 18 Phone: 412 728-8555
Town: Monaca State: PA County: Beaver
Railway Connection: Plant trackage at rear connects with Pittsburgh and Lake Erie Railroad.
Purpose: Occasional shipment of coke by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.677778
Total Berthing Space (feet): 275 | | Longitude (decimal): -80.32972

Waterway: **Ohio River** Mile: 28 PWD: 13
Name: **Hickman-Williams & Co. Dock.**
Port: Pittsburgh
Location: Mile 28.0, left bank, Ohio River, Monaca. Datum: NPE
Operator: Hickman-Williams & Co.
Owner: Zinc Corp. of America, Inc.
Address: State Highway 18 Phone: 412 728-8555
Town: Monaca State: PA County: Beaver
Railway Connection: Plant trackage at rear connects with Pittsburgh and Lake Erie Railroad.
Purpose: Occasional shipment of coke by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.677778
Total Berthing Space (feet): 275 | | Longitude (decimal): -80.32972

Remarks: Coke processing facility and approximately 7 acres of open storage area are located in rear. One 40-ton, fixed, electric, revolving crane located on wharf was not in operation at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43953 Pittsburgh District

Remarks: Coke processing facility and approximately 7 acres of open storage area are located in rear. One 40-ton, fixed, electric, revolving crane located on wharf was not in operation at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43953 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 28 PWD: 13
Name: **Hickman-Williams & Co. Dock.**
Port: Pittsburgh
Location: Mile 28.0, left bank, Ohio River, Monaca. Datum: NPE
Operator: Hickman-Williams & Co.
Owner: Zinc Corp. of America, Inc.
Address: State Highway 18 Phone: 412 728-8555
Town: Monaca State: PA County: Beaver
Railway Connection: Plant trackage at rear connects with Pittsburgh and Lake Erie Railroad.
Purpose: Occasional shipment of coke by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.677778
Total Berthing Space (feet): 275 | | Longitude (decimal): -80.32972

Waterway: **Ohio River** Mile: 28 PWD: 13
Name: **Hickman-Williams & Co. Dock.**
Port: Pittsburgh
Location: Mile 28.0, left bank, Ohio River, Monaca. Datum: NPE
Operator: Hickman-Williams & Co.
Owner: Zinc Corp. of America, Inc.
Address: State Highway 18 Phone: 412 728-8555
Town: Monaca State: PA County: Beaver
Railway Connection: Plant trackage at rear connects with Pittsburgh and Lake Erie Railroad.
Purpose: Occasional shipment of coke by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.677778
Total Berthing Space (feet): 275 | | Longitude (decimal): -80.32972
Remarks: Coke processing facility and approximately 7 acres of open storage area are located in rear. One 40-ton, fixed, electric, revolving crane located on wharf was not in operation at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43953 Pittsburgh District

Remarks: Coke processing facility and approximately 7 acres of open storage area are located in rear. One 40-ton, fixed, electric, revolving crane located on wharf was not in operation at time of survey.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43953 Pittsburgh District

Waterway: **Ohio River** Mile: 28 PWD: 254
Name: **Sun Refining and Marketing Co. Dock.**
Port: Pittsburgh
Location: Mile 28.3, right bank, Ohio River, Vanport. Datum: NPE
Operator: Sun Refining and Marketing Co.
Owner: Sun Refining and Marketing Co.
Address: State Highway 68 Phone: 412 774-9440
Town: Vanport State: PA County: Beaver
Railway Connection: None.
Purpose: Shipment of petrochemicals.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.6775
Total Berthing Space (feet): 270 | | Longitude (decimal): -80.33889
Remarks: One 6- and one 8-inch pipelines extend from wharf to 2 steel storage tanks at rear, total capacity 7,140,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43952 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 29 PWD: 256

Name: **Ashland Petroleum Co., Vanport Terminal Dock.**

Port: Pittsburgh

Location: Mile 28.7, right bank, Ohio River, Vanport. Datum: NPE

Operator: Not operated.

Owner: Ashland Petroleum Co., Division of Ashland Oil, Inc.

Address: State Highway 68 Phone: 412 922-4755

Town: Vanport State: PA County: Beaver

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 9 | 9 | Latitude (decimal): 40.674722

Total Berthing Space (feet): 300 | | Longitude (decimal): -80.34444

Remarks: Facility formerly was used for receipt of petrochemicals and petroleum products. One 8-, four 4-, and twelve 6-inch pipelines extend from wharves to 27 steel storage tanks at rear, total capacity 400,000 barrels

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43952 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 29 PWD: 12
Name: **Zinc Corp. of America, Acid Wharf.**
Port: Pittsburgh
Location: Mile 28.6, left bank, Ohio River, Monaca. Datum: NPE
Operator: Zinc Corp. of America, Inc.
Owner: Zinc Corp. of America, Inc.
Address: State Highway 18 Phone: 412 774-1020
Town: Monaca State: PA County: Beaver
Railway Connection: Plant trackage in rear connects with Pittsburgh and Lake Erie Railroad.
Purpose: Occasional shipment of sulfuric acid.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.673056
Total Berthing Space (feet): 440 | | Longitude (decimal): -80.33889

Waterway: **Ohio River** Mile: 29 PWD: 12
Name: **Zinc Corp. of America, Acid Wharf.**
Port: Pittsburgh
Location: Mile 28.6, left bank, Ohio River, Monaca. Datum: NPE
Operator: Zinc Corp. of America, Inc.
Owner: Zinc Corp. of America, Inc.
Address: State Highway 18 Phone: 412 774-1020
Town: Monaca State: PA County: Beaver
Railway Connection: Plant trackage in rear connects with Pittsburgh and Lake Erie Railroad.
Purpose: Occasional shipment of sulfuric acid.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.673056
Total Berthing Space (feet): 440 | | Longitude (decimal): -80.33889

Remarks: Two 6-inch pipelines extend from wharf to 5 steel storage tanks in rear, total capacity 500,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43953 Pittsburgh District

Remarks: Two 6-inch pipelines extend from wharf to 5 steel storage tanks in rear, total capacity 500,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43953 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 29 PWD: 12
Name: **Zinc Corp. of America, Acid Wharf.**
Port: Pittsburgh
Location: Mile 28.6, left bank, Ohio River, Monaca. Datum: NPE
Operator: Zinc Corp. of America, Inc.
Owner: Zinc Corp. of America, Inc.
Address: State Highway 18 Phone: 412 774-1020
Town: Monaca State: PA County: Beaver
Railway Connection: Plant trackage in rear connects with Pittsburgh and Lake Erie Railroad.
Purpose: Occasional shipment of sulfuric acid.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.673056
Total Berthing Space (feet): 440 | | Longitude (decimal): -80.33889

Waterway: **Ohio River** Mile: 29 PWD: 12
Name: **Zinc Corp. of America, Acid Wharf.**
Port: Pittsburgh
Location: Mile 28.6, left bank, Ohio River, Monaca. Datum: NPE
Operator: Zinc Corp. of America, Inc.
Owner: Zinc Corp. of America, Inc.
Address: State Highway 18 Phone: 412 774-1020
Town: Monaca State: PA County: Beaver
Railway Connection: Plant trackage in rear connects with Pittsburgh and Lake Erie Railroad.
Purpose: Occasional shipment of sulfuric acid.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.673056
Total Berthing Space (feet): 440 | | Longitude (decimal): -80.33889
Remarks: Two 6-inch pipelines extend from wharf to 5 steel storage tanks in rear, total capacity 500,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43953 Pittsburgh District

Remarks: Two 6-inch pipelines extend from wharf to 5 steel storage tanks in rear, total capacity 500,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43953 Pittsburgh District

Waterway: **Ohio River** Mile: 29 PWD: 11
Name: **Zinc Corp. of America, Ore Dock.**
Port: Pittsburgh
Location: Mile 29.2, left bank, Ohio River, Monaca. Datum: NPE
Operator: Zinc Corp. of America, Inc.
Owner: Zinc Corp. of America, Inc.
Address: State Highway 18 Phone: 412 774-1020
Town: Monaca State: PA County: Beaver
Railway Connection: Plant trackage in rear connects with Pittsburgh and Lake Erie Railroad.
Purpose: Receipt of coal and miscellaneous ores.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.667778
Total Berthing Space (feet): 1050 | | Longitude (decimal): -80.36361
Remarks: Approximately 3 acres of open storage area are located at rear. Fleeting area has capacity for 15 barges.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43951 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 3 PWD: 234
Name: **Allegheny County Sanitary Authority, Lower Dock.**
Port: Pittsburgh
Location: Mile 3.0, right bank, Ohio River, Pittsburgh, approximately 0.3 mile above McKees Rocks Bridge. Datum: NPE
Operator: Allegheny County Sanitary Authority.
Owner: Allegheny County Sanitary Authority.
Address: Tracy Street Phone: 412 766-4815
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: Plant trackage in rear connects with CSX Rail Transport.
Purpose: Mooring company-owned maintenance and repair barges.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.473333
Total Berthing Space (feet): 280 | | Longitude (decimal): -80.04472
Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

---

Waterway: **Ohio River** Mile: 3 PWD: 233
Name: **Allegheny County Sanitary Authority, Upper Dock.**
Port: Pittsburgh
Location: Mile 2.9, right bank, Ohio River, Pittsburgh, approximately 0.4 mile above McKees Rocks Bridge. Datum: NPE
Operator: Not operated.
Owner: Allegheny County Sanitary Authority.
Address: Tracy Street Phone: 412 766-4815
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 8 | | Latitude (decimal): 40.471944
Total Berthing Space (feet): 100 | | Longitude (decimal): -80.04444
Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

---

Waterway: **Ohio River** Mile: 3 PWD: 58
Name: **Frank Bryan Dock.**
Port: Pittsburgh
Location: Mile 2.9, left bank, Ohio River, Brunot Island Back Channel, McKees Rocks. Datum: NPE
Operator: Frank Bryan, Inc.
Owner: Frank Bryan, Inc.
Address: Foot of River Street Phone: 412 331-9956
Town: McKees Rocks State: PA County: Allegheny
Railway Connection: One surface track in yard connects with Pittsburgh, Chartiers, and Youghiogheny Railway.
Purpose: Receipt of sand and gravel by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.469722
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.05167
Remarks: Ready-mix concrete plant and three concrete storage bins, total capacity 750 tons, are located at rear.□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 3 PWD: 55

Name: **Gordon Terminal Service Co. Dock.**

Port: Pittsburgh

Location: Mile 3.1, left bank, Ohio River, approximately 0.2 mile above McKees Rocks Bridge, McKees Rocks. Datum: NPE

Operator: Gordon Terminal Service Co., Inc.

Owner: Gordon Terminal Service Co., Inc.

Address: 1000 Ella Street Phone: 412 331-9410

Town: McKees Rocks State: PA County: Allegheny

Railway Connection: Two surface tracks serve 40-car-capacity loading rack; connect with Pittsburgh, Chartiers, and Youghiogheny Railway.

Purpose: Receipt and shipment of petroleum products and chemicals.

Depth Alongside (feet): 12 | | Latitude (decimal): 40.473611

Total Berthing Space (feet): 540 | | Longitude (decimal): -80.04111

Remarks: Two 1-, two 2-, two 3-, twelve 4-, six 6-, and two 8-inch pipelines extend from wharf to 162 petroleum products storage tanks, total capacity 700,000 barrels and to 41 chemicals storage tanks, total capacity 14,7 liquid packaging facility at rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43974 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 3 PWD: 57
Name: **Mobil Oil Corp., McKees Rocks Dock.**
Port: Pittsburgh
Location: Mile 3.0, left bank, Ohio River, approximately 0.4 mile above McKees Rocks Bridge, McKees Rocks. Datum: NPE
Operator: Not operated.
Owner: Mobil Oil Corp.
Address: Robb Street Phone: 412 331-3641
Town: McKees Rocks State: PA County: Allegheny
Railway Connection: Terminal trackage connects with Pittsburgh, Chartiers, and Youghiogheny Railway.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.471111
Total Berthing Space (feet): 200 | | Longitude (decimal): -80.05

Waterway: **Ohio River** Mile: 3 PWD: 57
Name: **Mobil Oil Corp., McKees Rocks Dock.**
Port: Pittsburgh
Location: Mile 3.0, left bank, Ohio River, approximately 0.4 mile above McKees Rocks Bridge, McKees Rocks. Datum: NPE
Operator: Not operated.
Owner: Mobil Oil Corp.
Address: Robb Street Phone: 412 331-3641
Town: McKees Rocks State: PA County: Allegheny
Railway Connection: Terminal trackage connects with Pittsburgh, Chartiers, and Youghiogheny Railway.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.471111
Total Berthing Space (feet): 200 | | Longitude (decimal): -80.05

Remarks: Wharf formerly was used for receipt of petroleum products. Two 6-inch pipelines extending from wharf to 4 steel storage tanks in rear, total capacity 10,000 barrels, were blanked at time of survey (1990).

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43974 Pittsburgh District

Remarks: Wharf formerly was used for receipt of petroleum products. Two 6-inch pipelines extending from wharf to 4 steel storage tanks in rear, total capacity 10,000 barrels, were blanked at time of survey (1990).

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43974 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 3 PWD: 57
Name: **Mobil Oil Corp., McKees Rocks Dock.**
Port: Pittsburgh
Location: Mile 3.0, left bank, Ohio River, approximately 0.4 mile above McKees Rocks Bridge, McKees Rocks. Datum: NPE
Operator: Not operated.
Owner: Mobil Oil Corp.
Address: Robb Street Phone: 412 331-3641
Town: McKees Rocks State: PA County: Allegheny
Railway Connection: Terminal trackage connects with Pittsburgh, Chartiers, and Youghiogheny Railway.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.471111
Total Berthing Space (feet): 200 | | Longitude (decimal): -80.05

Waterway: **Ohio River** Mile: 3 PWD: 57
Name: **Mobil Oil Corp., McKees Rocks Dock.**
Port: Pittsburgh
Location: Mile 3.0, left bank, Ohio River, approximately 0.4 mile above McKees Rocks Bridge, McKees Rocks. Datum: NPE
Operator: Not operated.
Owner: Mobil Oil Corp.
Address: Robb Street Phone: 412 331-3641
Town: McKees Rocks State: PA County: Allegheny
Railway Connection: Terminal trackage connects with Pittsburgh, Chartiers, and Youghiogheny Railway.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.471111
Total Berthing Space (feet): 200 | | Longitude (decimal): -80.05

Remarks: Wharf formerly was used for receipt of petroleum products. Two 6-inch pipelines extending from wharf to 4 steel storage tanks in rear, total capacity 10,000 barrels, were blanked at time of survey (1990).

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43974 Pittsburgh District

Remarks: Wharf formerly was used for receipt of petroleum products. Two 6-inch pipelines extending from wharf to 4 steel storage tanks in rear, total capacity 10,000 barrels, were blanked at time of survey (1990).

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43974 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 3 PWD: 56
Name: **Russell Industries, McKees Rocks Plant Landing.**
Port: Pittsburgh
Location: Mile 3.0, left bank, Ohio River, approximately 0.3 mile above McKees Rocks Bridge, McKees Rocks. Datum: NPE
Operator: Russell Industries, Inc.
Owner: Russell Industries, Inc.
Address: Robb Street Phone: 412 771-1616
Town: McKees Rocks State: PA County: Allegheny
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.471944
Total Berthing Space (feet): 275 | | Longitude (decimal): -80.04028

Waterway: **Ohio River** Mile: 3 PWD: 56
Name: **Russell Industries, McKees Rocks Plant Landing.**
Port: Pittsburgh
Location: Mile 3.0, left bank, Ohio River, approximately 0.3 mile above McKees Rocks Bridge, McKees Rocks. Datum: NPE
Operator: Russell Industries, Inc.
Owner: Russell Industries, Inc.
Address: Robb Street Phone: 412 771-1616
Town: McKees Rocks State: PA County: Allegheny
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.471944
Total Berthing Space (feet): 275 | | Longitude (decimal): -80.04028

Remarks: Ready-mix asphalt plant and six steel storage bins with total capacity for 4,800 tons are located at rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43974 Pittsburgh District

Remarks: Ready-mix asphalt plant and six steel storage bins with total capacity for 4,800 tons are located at rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43974 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 3 PWD: 56
Name: **Russell Industries, McKees Rocks Plant Landing.**
Port: Pittsburgh
Location: Mile 3.0, left bank, Ohio River, approximately 0.3 mile above McKees Rocks Bridge, McKees Rocks. Datum: NPE
Operator: Russell Industries, Inc.
Owner: Russell Industries, Inc.
Address: Robb Street Phone: 412 771-1616
Town: McKees Rocks State: PA County: Allegheny
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.471944
Total Berthing Space (feet): 275 | | Longitude (decimal): -80.04028

Waterway: **Ohio River** Mile: 3 PWD: 56
Name: **Russell Industries, McKees Rocks Plant Landing.**
Port: Pittsburgh
Location: Mile 3.0, left bank, Ohio River, approximately 0.3 mile above McKees Rocks Bridge, McKees Rocks. Datum: NPE
Operator: Russell Industries, Inc.
Owner: Russell Industries, Inc.
Address: Robb Street Phone: 412 771-1616
Town: McKees Rocks State: PA County: Allegheny
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.471944
Total Berthing Space (feet): 275 | | Longitude (decimal): -80.04028

Remarks: Ready-mix asphalt plant and six steel storage bins with total capacity for 4,800 tons are located at rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43974 Pittsburgh District

Remarks: Ready-mix asphalt plant and six steel storage bins with total capacity for 4,800 tons are located at rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43974 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 30 PWD: 10
Name: **Applied Energy Services, Beaver Valley Cogeneration Plant, Coal Do**
Port: Pittsburgh
Location: Mile 29.8, left bank, Ohio River, Monaca. Datum: NPE
Operator: Applied Energy Services.
Owner: Applied Energy Services.
Address: State Highway 18 Phone: 412 773-2953
Town: Monaca State: PA County: Beaver
Railway Connection: Two surface tracks in rear connect with Pittsburgh and Lake Erie Railroad and Consolidated Rail Corp.
Purpose: Receipt of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.661111
Total Berthing Space (feet): 525 | | Longitude (decimal): -80.35611
Remarks: Fleeting area has capacity for 6 barges. Open storage area located in rear has capacity for 50,000 tons of coal.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43951 Pittsburgh District

---

Waterway: **Ohio River** Mile: 30 PWD: 9
Name: **Arco Chemical Co., Beaver Valley Plant Dock.**
Port: Pittsburgh
Location: Mile 29.9, left bank, Ohio River, Monaca. Datum: NPE
Operator: Arco Chemical Co., Division of Atlantic Richfield Co.
Owner: Arco Chemical Co., Division of Atlantic Richfield Co.
Address: State Highway 18 (Frankfort Road) Phone: 412 773-2331
Town: Monaca State: PA County: Beaver
Railway Connection: Two surface tracks in rear connect with Pittsburgh and Lake Erie Railroad and Consolidated Rail Corp.
Purpose: Receipt of chemicals, petrochemicals, and fuel oil.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.660278
Total Berthing Space (feet): 800 | | Longitude (decimal): -80.35417
Remarks: Two 10-inch pipelines extend from wharf to 8 steel chemical storage tanks, total capacity approximately 8,008,000 gallons, and 2 fuel oil storage tanks, total capacity 26,000 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43951 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 33 PWD: 258
Name: **Great Lakes Terminal & Transport Corp., Industry Dock.**
Port: Pittsburgh
Location: Mile 33.3, right bank, Ohio River, Industry. Datum: NPE
Operator: Great Lakes Terminal & Transport Corp.
Owner: Shell Chemical Corp.
Address: State Highway 68 Phone: 412 643-9450
Town: Industry State: PA County: Beaver
Railway Connection: One 900-foot surface track serves two tank car loading racks at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of liquid chemicals.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.641944
Total Berthing Space (feet): 440 | | Longitude (decimal): -80.41639
Remarks: Fourteen 6-inch pipelines extend from wharf to 22 steel storage tanks at rear, total capacity 4,620,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43947 Pittsburgh District

---

Waterway: **Ohio River** Mile: 33 PWD: 257
Name: **Industry Terminal and Salvage Co. Dock.**
Port: Pittsburgh
Location: Mile 33.2, right bank, Ohio River, Industry. Datum: NPE
Operator: Industry Terminal and Salvage Co.
Owner: Industry Terminal and Salvage Co.
Address: Canton Street Phone: 412 643-1871
Town: Industry State: PA County: Beaver
Railway Connection: None.
Purpose: Receipt and shipment of scrap metal; mooring barges for repair.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.643611
Total Berthing Space (feet): 525 | | Longitude (decimal): -80.41306
Remarks: Marine repair plant and approximately 5 acres of open storage area for scrap metal are located in rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43947 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 33 PWD: 8
Name: **Pennsylvania Power Co., Bruce Mansfield Plant, Coal Dock.**
Port: Pittsburgh
Location: Mile 33.3, left bank, Ohio River, Shippingport. Datum: NPE
Operator: Pennsylvania Power Co.
Owner: Pennsylvania Power Co.
Address: State Highway 18 Phone: 412 643-5000
Town: Shippingport State: PA County: Beaver
Railway Connection: Plant trackage at rear connects with Pittsburgh and Lake Erie Railroad and Consolidated Rail Corp.
Purpose: Receipt of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.640278
Total Berthing Space (feet): 3380 | | Longitude (decimal): -80.41306

Waterway: **Ohio River** Mile: 33 PWD: 8
Name: **Pennsylvania Power Co., Bruce Mansfield Plant, Coal Dock.**
Port: Pittsburgh
Location: Mile 33.3, left bank, Ohio River, Shippingport. Datum: NPE
Operator: Pennsylvania Power Co.
Owner: Pennsylvania Power Co.
Address: State Highway 18 Phone: 412 643-5000
Town: Shippingport State: PA County: Beaver
Railway Connection: Plant trackage at rear connects with Pittsburgh and Lake Erie Railroad and Consolidated Rail Corp.
Purpose: Receipt of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.640278
Total Berthing Space (feet): 3380 | | Longitude (decimal): -80.41306

Remarks: Open storage area at rear has capacity for 1,700,000 tons of coal. Wharf can accommodate 56 loaded barges at lower end and 35 empty barges at upper end.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43947 Pittsburgh District

Remarks: Open storage area at rear has capacity for 1,700,000 tons of coal. Wharf can accommodate 56 loaded barges at lower end and 35 empty barges at upper end.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43947 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 33 PWD: 8
Name: **Pennsylvania Power Co., Bruce Mansfield Plant, Coal Dock.**
Port: Pittsburgh
Location: Mile 33.3, left bank, Ohio River, Shippingport. Datum: NPE
Operator: Pennsylvania Power Co.
Owner: Pennsylvania Power Co.
Address: State Highway 18 Phone: 412 643-5000
Town: Shippingport State: PA County: Beaver
Railway Connection: Plant trackage at rear connects with Pittsburgh and Lake Erie Railroad and Consolidated Rail Corp.
Purpose: Receipt of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.640278
Total Berthing Space (feet): 3380 | | Longitude (decimal): -80.41306

Waterway: **Ohio River** Mile: 33 PWD: 8
Name: **Pennsylvania Power Co., Bruce Mansfield Plant, Coal Dock.**
Port: Pittsburgh
Location: Mile 33.3, left bank, Ohio River, Shippingport. Datum: NPE
Operator: Pennsylvania Power Co.
Owner: Pennsylvania Power Co.
Address: State Highway 18 Phone: 412 643-5000
Town: Shippingport State: PA County: Beaver
Railway Connection: Plant trackage at rear connects with Pittsburgh and Lake Erie Railroad and Consolidated Rail Corp.
Purpose: Receipt of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.640278
Total Berthing Space (feet): 3380 | | Longitude (decimal): -80.41306

Remarks: Open storage area at rear has capacity for 1,700,000 tons of coal. Wharf can accommodate 56 loaded barges at lower end and 35 empty barges at upper end.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43947 Pittsburgh District

Remarks: Open storage area at rear has capacity for 1,700,000 tons of coal. Wharf can accommodate 56 loaded barges at lower end and 35 empty barges at upper end.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43947 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 34 PWD: 259

Name: **Arrow Terminal Co., Upper Dock.**

Port: Pittsburgh

Location: Mile 33.5, right bank, Ohio River, Industry. Datum: NPE

Operator: Arrow Terminal Co.

Owner: Arrow Terminal Co.

Address: State Highway 68 Phone: 412 643-8850

Town: Industry State: PA County: Beaver

Railway Connection: One surface track at rear connects with Consolidated Rail Corp.

Purpose: Receipt and shipment of ferroalloys and ores.

Depth Alongside (feet): 12 | | Latitude (decimal): 40.639722

Total Berthing Space (feet): 250 | | Longitude (decimal): -80.42

Remarks: Approximately 10,000 square feet of open and 80,000 square feet of covered storage area is located at rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43947 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 34 PWD: 7
Name: **Pennsylvania Power Co., Bruce Mansfield Plant, Lime Dock.**
Port: Pittsburgh
Location: Mile 33.9, left bank, Ohio River, Shippingport. Datum: NPE
Operator: Pennsylvania Power Co.
Owner: Pennsylvania Power Co.
Address: State Highway 18 Phone: 412 643-5000
Town: Shippingport State: PA County: Beaver
Railway Connection: Plant trackage at rear connects with Pittsburgh and Lake Erie Railroad and Consolidated Rail Corp.
Purpose: Receipt of fuel oil and bulk and pelletized lime.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.634444
Total Berthing Space (feet): 1950 | | Longitude (decimal): -80.42139

Waterway: **Ohio River** Mile: 34 PWD: 7
Name: **Pennsylvania Power Co., Bruce Mansfield Plant, Lime Dock.**
Port: Pittsburgh
Location: Mile 33.9, left bank, Ohio River, Shippingport. Datum: NPE
Operator: Pennsylvania Power Co.
Owner: Pennsylvania Power Co.
Address: State Highway 18 Phone: 412 643-5000
Town: Shippingport State: PA County: Beaver
Railway Connection: Plant trackage at rear connects with Pittsburgh and Lake Erie Railroad and Consolidated Rail Corp.
Purpose: Receipt of fuel oil and bulk and pelletized lime.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.634444
Total Berthing Space (feet): 1950 | | Longitude (decimal): -80.42139

Remarks: Four concrete storage silos, located at rear, have total capacity for 19,000 tons of pelletized lime and nine storage silos have capacity for 61,500 tons of bulk lime. Three 6-inch pipelines extend from fuel oil steel storage tanks in rear, total capacity 71,500 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43947 Pittsburgh District

Remarks: Four concrete storage silos, located at rear, have total capacity for 19,000 tons of pelletized lime and nine storage silos have capacity for 61,500 tons of bulk lime. Three 6-inch pipelines extend from fuel oil steel storage tanks in rear, total capacity 71,500 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43947 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 34 PWD: 7
Name: **Pennsylvania Power Co., Bruce Mansfield Plant, Lime Dock.**
Port: Pittsburgh
Location: Mile 33.9, left bank, Ohio River, Shippingport. Datum: NPE
Operator: Pennsylvania Power Co.
Owner: Pennsylvania Power Co.
Address: State Highway 18 Phone: 412 643-5000
Town: Shippingport State: PA County: Beaver
Railway Connection: Plant trackage at rear connects with Pittsburgh and Lake Erie Railroad and Consolidated Rail Corp.
Purpose: Receipt of fuel oil and bulk and pelletized lime.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.634444
Total Berthing Space (feet): 1950 | | Longitude (decimal): -80.42139

Waterway: **Ohio River** Mile: 34 PWD: 7
Name: **Pennsylvania Power Co., Bruce Mansfield Plant, Lime Dock.**
Port: Pittsburgh
Location: Mile 33.9, left bank, Ohio River, Shippingport. Datum: NPE
Operator: Pennsylvania Power Co.
Owner: Pennsylvania Power Co.
Address: State Highway 18 Phone: 412 643-5000
Town: Shippingport State: PA County: Beaver
Railway Connection: Plant trackage at rear connects with Pittsburgh and Lake Erie Railroad and Consolidated Rail Corp.
Purpose: Receipt of fuel oil and bulk and pelletized lime.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.634444
Total Berthing Space (feet): 1950 | | Longitude (decimal): -80.42139

Remarks: Four concrete storage silos, located at rear, have total capacity for 19,000 tons of pelletized lime and nine storage silos have capacity for 61,500 tons of bulk lime. Three 6-inch pipelines extend from fuel oil steel storage tanks in rear, total capacity 71,500 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43947 Pittsburgh District

Remarks: Four concrete storage silos, located at rear, have total capacity for 19,000 tons of pelletized lime and nine storage silos have capacity for 61,500 tons of bulk lime. Three 6-inch pipelines extend from fuel oil steel storage tanks in rear, total capacity 71,500 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43947 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 35 PWD: 261
Name: **Ashland Petroleum Co., Midland Terminal Dock.**
Port: Pittsburgh
Location: Mile 34.8, right bank, Ohio River, Midland. Datum: NPE
Operator: Ashland Petroleum Co., Division of Ashland Oil Co., Inc.
Owner: Ashland Petroleum Co., Division of Ashland Oil Co., Inc.
Address: State Highway 68 Phone: 412 922-4755
Town: Midland State: PA County: Beaver
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.627222
Total Berthing Space (feet): 315 | | Longitude (decimal): -80.43528
Remarks: One 12- and three 8-inch pipelines extend from wharf to 14 steel storage tanks at rear, total capacity 293,000 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43946 Pittsburgh District

---

Waterway: **Ohio River** Mile: 35 PWD: 262
Name: **Mobil Oil Corp., Midland Terminal Dock.**
Port: Pittsburgh
Location: Mile 35.0, right bank, Ohio River, Midland. Datum: NPE
Operator: Not operated.
Owner: Mobil Oil Corp.
Address: State Highway 68 Phone: 412 331-3641
Town: Midland State: PA County: Beaver
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 5 | | Latitude (decimal): 40.627222
Total Berthing Space (feet): 300 | | Longitude (decimal): -80.43917
Remarks: Wharf formerly was used for receipt of petroleum products. Two 8-inch pipelines extend from wharf to 7 steel storage tanks at rear, total capacity approximately 300,000 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43946 Pittsburgh District

---

Waterway: **Ohio River** Mile: 36 PWD: 263
Name: **LTV Steel Co., Midland Docks.**
Port: Pittsburgh
Location: Mile 36.2, right bank, Ohio River, Midland. Datum: NPE
Operator: Not operated.
Owner: LTV Steel Corp.
Address: State Highway 68 Phone: 412 378-5124
Town: Midland State: PA County: Beaver
Railway Connection: Plant trackage connects with Consolidated Rail Corp.
Purpose: Not used.
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 40.62
Total Berthing Space (feet): 1200 | 450 | Longitude (decimal): -80.45889
Remarks: Lower dock was formerly used for receipt and shipment of petroleum products; upper dock used for receipt of coal. At time of survey (1990) terminal was inactive.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43944 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 37 PWD: 6
Name: **Pitmarine Corp. Wharf.**
Port: Pittsburgh
Location: Mile 36.5, left bank, Ohio River, Georgetown. Datum: NPE
Operator: Pitmarine Corp.
Owner: Pitmarine Corp.
Address: Phone: 412 776-2592
Town: Georgetown State: PA County: Beaver
Railway Connection: None.
Purpose: Mooring company-owned marine construction equipment.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.630278
Total Berthing Space (feet): 2110 | | Longitude (decimal): -80.46528
Remarks: Located at site of Old Lock and Dam No. 7.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43944 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 38 PWD: 4
Name: **Dravo Basic Materials Co., Georgetown Lower Dock.**
Port: Pittsburgh
Location: Mile 38.3, left bank, Ohio River, Georgetown. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Georgetown Road Phone: 412 573-9518
Town: Georgetown State: PA County: Beaver
Railway Connection: None.
Purpose: Shipment of sand and gravel by barge.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.643889
Total Berthing Space (feet): 1332 | | Longitude (decimal): -80.49028

Waterway: **Ohio River** Mile: 38 PWD: 4
Name: **Dravo Basic Materials Co., Georgetown Lower Dock.**
Port: Pittsburgh
Location: Mile 38.3, left bank, Ohio River, Georgetown. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Georgetown Road Phone: 412 573-9518
Town: Georgetown State: PA County: Beaver
Railway Connection: None.
Purpose: Shipment of sand and gravel by barge.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.643889
Total Berthing Space (feet): 1332 | | Longitude (decimal): -80.49028

Remarks: Sand and gravel processing plant and approximately 25 acres of open storage area are located in rear. Thirteen 350-ton hoppers located in storage area serve a 42-inch electric belt-conveyor system extending to r rear of wharf. Trucks also can be loaded directly from hoppers.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43942 Pittsburgh District

Remarks: Sand and gravel processing plant and approximately 25 acres of open storage area are located in rear. Thirteen 350-ton hoppers located in storage area serve a 42-inch electric belt-conveyor system extending to r rear of wharf. Trucks also can be loaded directly from hoppers.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43942 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 38 PWD: 4
Name: **Dravo Basic Materials Co., Georgetown Lower Dock.**
Port: Pittsburgh
Location: Mile 38.3, left bank, Ohio River, Georgetown. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Georgetown Road Phone: 412 573-9518
Town: Georgetown State: PA County: Beaver
Railway Connection: None.
Purpose: Shipment of sand and gravel by barge.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.643889
Total Berthing Space (feet): 1332 | | Longitude (decimal): -80.49028

Waterway: **Ohio River** Mile: 38 PWD: 4
Name: **Dravo Basic Materials Co., Georgetown Lower Dock.**
Port: Pittsburgh
Location: Mile 38.3, left bank, Ohio River, Georgetown. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Georgetown Road Phone: 412 573-9518
Town: Georgetown State: PA County: Beaver
Railway Connection: None.
Purpose: Shipment of sand and gravel by barge.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.643889
Total Berthing Space (feet): 1332 | | Longitude (decimal): -80.49028

Remarks: Sand and gravel processing plant and approximately 25 acres of open storage area are located in rear. Thirteen 350-ton hoppers located in storage area serve a 42-inch electric belt-conveyor system extending to r rear of wharf. Trucks also can be loaded directly from hoppers.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43942 Pittsburgh District

Remarks: Sand and gravel processing plant and approximately 25 acres of open storage area are located in rear. Thirteen 350-ton hoppers located in storage area serve a 42-inch electric belt-conveyor system extending to r rear of wharf. Trucks also can be loaded directly from hoppers.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43942 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 38 PWD: 5
Name: **Dravo Basic Materials Co., Georgetown Upper Dock.**
Port: Pittsburgh
Location: Mile 38.2, left bank, Ohio River, Georgetown. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Georgetown Road Phone: 412 573-9518
Town: Georgetown State: PA County: Beaver
Railway Connection: None.
Purpose: Receipt of sand and gravel by barge.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.643889
Total Berthing Space (feet): 300 | | Longitude (decimal): -80.4875

Waterway: **Ohio River** Mile: 38 PWD: 5
Name: **Dravo Basic Materials Co., Georgetown Upper Dock.**
Port: Pittsburgh
Location: Mile 38.2, left bank, Ohio River, Georgetown. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Georgetown Road Phone: 412 573-9518
Town: Georgetown State: PA County: Beaver
Railway Connection: None.
Purpose: Receipt of sand and gravel by barge.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.643889
Total Berthing Space (feet): 300 | | Longitude (decimal): -80.4875

Remarks: Open storage area extends to the rear of Lower Dock (Reference No. 4).□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43942 Pittsburgh District

Remarks: Open storage area extends to the rear of Lower Dock (Reference No. 4).□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43942 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 38 PWD: 5
Name: **Dravo Basic Materials Co., Georgetown Upper Dock.**
Port: Pittsburgh
Location: Mile 38.2, left bank, Ohio River, Georgetown. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Georgetown Road Phone: 412 573-9518
Town: Georgetown State: PA County: Beaver
Railway Connection: None.
Purpose: Receipt of sand and gravel by barge.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.643889
Total Berthing Space (feet): 300 | | Longitude (decimal): -80.4875

Waterway: **Ohio River** Mile: 38 PWD: 5
Name: **Dravo Basic Materials Co., Georgetown Upper Dock.**
Port: Pittsburgh
Location: Mile 38.2, left bank, Ohio River, Georgetown. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Georgetown Road Phone: 412 573-9518
Town: Georgetown State: PA County: Beaver
Railway Connection: None.
Purpose: Receipt of sand and gravel by barge.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.643889
Total Berthing Space (feet): 300 | | Longitude (decimal): -80.4875
Remarks: Open storage area extends to the rear of Lower Dock (Reference No. 4).□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43942 Pittsburgh District

Remarks: Open storage area extends to the rear of Lower Dock (Reference No. 4).□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43942 Pittsburgh District

Waterway: **Ohio River** Mile: 39 PWD: 3
Name: **C. & C. Marine Maintenance Co. Wharf.**
Port: Pittsburgh
Location: Mile 38.7, left bank, Ohio River, Georgetown. Datum: NPE
Operator: C. & C. Marine Maintenance Co.
Owner: Blue Danube Corp.
Address: First Street Phone: 412 573-9863
Town: Georgetown State: PA County: Beaver
Railway Connection: None.
Purpose: Mooring floating equipment for cleaning, maintenance, and repair; mooring floating drydock.
Depth Alongside (feet): 25 | 10 - 25 | Latitude (decimal): 40.643889
Total Berthing Space (feet): 650 | | Longitude (decimal): -80.51306
Remarks: Floating drydock is moored at guide dolphins. Lower barge with 70-foot steel walkway approach is used as an office. Wharf is equipped with outlets for supplying compressed air, electricity, and welding gas. Ad space is available at the two grounded steel barges, located above and one below wharf.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43942 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 39 PWD: 2
Name: **C. & C. Marine Maintenance Co., Georgetown Landing.**
Port: Pittsburgh
Location: Mile 39.1, left bank, Ohio River, Georgetown. Datum: NPE
Operator: C. & C. Marine Maintenance Co.
Owner: National Marine, Inc.
Address: First Street Phone: 412 573-9863
Town: Georgetown State: PA County: Beaver
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.643056
Total Berthing Space (feet): 1170 | | Longitude (decimal): -80.50139
Remarks: Fleeting area has capacity for 39 barges, consisting of 13 tiers, each 3 barges wide.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43941 Pittsburgh District

---

Waterway: **Ohio River** Mile: 39 PWD: 1
Name: **The Standard Slag Co., Georgetown Dock.**
Port: Pittsburgh
Location: Mile 39.4, left bank, Ohio River, Georgetown. Datum: NPE
Operator: Not operated.
Owner: The Standard Slag Co.
Address: Georgetown Road Phone: 412 573-9700
Town: Georgetown State: PA County: Beaver
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.640556
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.50833
Remarks: Facility formerly was used for shipment of sand and gravel. Sand and gravel pits and approximately 6 acres of open storage area are located in rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43941 Pittsburgh District

---

Waterway: **Ohio River** Mile: 4 PWD: 235
Name: **Consolidated Rail Corp., Verner Rail-to-River Coal Dock.**
Port: Pittsburgh
Location: Mile 3.6, right bank, Ohio River, Pittsburgh, approximately 0.3 mile below McKees Rocks Bridge. Datum: NPE
Operator: Not operated.
Owner: Consolidated Rail Corp.
Address: Preble Street Phone: 412 928-7244
Town: Pittsburgh State: PA County: Allegheny
Railway Connection: Consolidated Rail Corp.: Six surface tracks at rear.
Purpose: Not used.
Depth Alongside (feet): 14 | | Latitude (decimal):
Total Berthing Space (feet): 1325 | | Longitude (decimal):
Remarks: Facility inactive at time of survey; formerly used for shipment of coal. Total capacity of pit is 107 tons. Four receiving hoppers serve pit. Conveyor boom is capable of loading two barges abreast.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 4 PWD: 53
Name: **M and O Marine, Landing.**
Port: Pittsburgh
Location: Mile 4.1, left bank, Ohio River, McKees Rocks, at foot of Ohio Street extended. Datum: NPE
Operator: M and O Marine, Inc.
Owner: McKees Rocks Industrial Enterprises, Inc.
Address: Ohio Street Phone: 412 331-5657
Town: McKees Rocks State: PA County: Allegheny
Railway Connection: One surface track at rear connects with Pittsburgh, Chartiers, and Youghiogheny Railway.
Purpose: Mooring and repairing company-owned floating equipment; mooring floating drydocks.
Depth Alongside (feet): 6 | | Latitude (decimal): 40.484444
Total Berthing Space (feet): 1000 | | Longitude (decimal): -80.06111
Remarks: Two floating drydocks, each 24 by 48 feet, can be used in tandem. Approximately 15 hopper barges may be moored for repair simultaneously.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

---

Waterway: **Ohio River** Mile: 4 PWD: 54
Name: **McKees Rocks Industrial Enterprises Dock.**
Port: Pittsburgh
Location: Mile 4.0, left bank, Ohio River, McKees Rocks. Datum: NPE
Operator: McKees Rocks Industrial Enterprises, Inc.
Owner: McKees Rocks Industrial Enterprises, Inc.
Address: Ohio Street Phone: 412 331-3555
Town: McKees Rocks State: PA County: Allegheny
Railway Connection: Pittsburgh, Allegheny, and McKees Rocks Railroad Co.: One surface track in rear connects with Pittsburgh, Chartiers, and Youghiogheny Railway.
Purpose: Receipt and shipment of steel products by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.483611
Total Berthing Space (feet): 300 | | Longitude (decimal): -80.05889
Remarks: Approximately 15 acres of open storage area are located in rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 5 PWD: 236
Name: **Kosmos Cement Co., Neville Island Dock.**
Port: Pittsburgh
Location: Mile 5.1, right bank, Ohio River, Neville Island. Datum: NPE
Operator: Kosmos Cement Co.
Owner: Gulf + Western Industries, Inc.
Address: Grand Avenue Phone: 412 771-5500
Town: Neville Island State: PA County: Allegheny
Railway Connection: Three platform-level tracks serve warehouse and bulk cement loading spout at cement plant in rear; connect with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Receipt of crushed stone and gravel; shipment of bulk cement and pelletized lime.
Depth Alongside (feet): 14 | | 14 Latitude (decimal): 40.491667
Total Berthing Space (feet): 835 | | 260 Longitude (decimal): -80.07639

Waterway: **Ohio River** Mile: 5 PWD: 236
Name: **Kosmos Cement Co., Neville Island Dock.**
Port: Pittsburgh
Location: Mile 5.1, right bank, Ohio River, Neville Island. Datum: NPE
Operator: Kosmos Cement Co.
Owner: Gulf + Western Industries, Inc.
Address: Grand Avenue Phone: 412 771-5500
Town: Neville Island State: PA County: Allegheny
Railway Connection: Three platform-level tracks serve warehouse and bulk cement loading spout at cement plant in rear; connect with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Receipt of crushed stone and gravel; shipment of bulk cement and pelletized lime.
Depth Alongside (feet): 14 | | 14 Latitude (decimal): 40.491667
Total Berthing Space (feet): 835 | | 260 Longitude (decimal): -80.07639

Waterway: **Ohio River** Mile: 5 PWD: 236
Name: **Kosmos Cement Co., Neville Island Dock.**
Port: Pittsburgh
Location: Mile 5.1, right bank, Ohio River, Neville Island. Datum: NPE
Operator: Kosmos Cement Co.
Owner: Gulf + Western Industries, Inc.
Address: Grand Avenue Phone: 412 771-5500
Town: Neville Island State: PA County: Allegheny
Railway Connection: Three platform-level tracks serve warehouse and bulk cement loading spout at cement plant in rear; connect with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Receipt of crushed stone and gravel; shipment of bulk cement and pelletized lime.
Depth Alongside (feet): 14 | | 14 Latitude (decimal): 40.491667
Total Berthing Space (feet): 835 | | 260 Longitude (decimal): -80.07639

Waterway: **Ohio River** Mile: 5 PWD: 236
Name: **Kosmos Cement Co., Neville Island Dock.**
Port: Pittsburgh
Location: Mile 5.1, right bank, Ohio River, Neville Island. Datum: NPE
Operator: Kosmos Cement Co.
Owner: Gulf + Western Industries, Inc.
Address: Grand Avenue Phone: 412 771-5500
Town: Neville Island State: PA County: Allegheny
Railway Connection: Three platform-level tracks serve warehouse and bulk cement loading spout at cement plant in rear; connect with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Receipt of crushed stone and gravel; shipment of bulk cement and pelletized lime.
Depth Alongside (feet): 14 | | 14 Latitude (decimal): 40.491667
Total Berthing Space (feet): 835 | | 260 Longitude (decimal): -80.07639
Remarks: Covered storage area at rear of breasting dolphins has capacity for 100,000 tons of crushed stone and gravel. Eighteen concrete silos at rear of bulkhead have a total capacity for 53,000 tons of cement and 3 hav 9,000 tons of lime.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

Remarks: Covered storage area at rear of breasting dolphins has capacity for 100,000 tons of crushed stone and gravel. Eighteen concrete silos at rear of bulkhead have a total capacity for 53,000 tons of cement and 3 hav 9,000 tons of lime.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

Port Facilities by Waterway

Remarks: Covered storage area at rear of breasting dolphins has capacity for 100,000 tons of crushed stone and gravel. Eighteen concrete silos at rear of bulkhead have a total capacity for 53,000 tons of cement and 3 hav 9,000 tons of lime.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 5 PWD: 236
Name: **Kosmos Cement Co., Neville Island Dock.**
Port: Pittsburgh
Location: Mile 5.1, right bank, Ohio River, Neville Island. Datum: NPE
Operator: Kosmos Cement Co.
Owner: Gulf + Western Industries, Inc.
Address: Grand Avenue Phone: 412 771-5500
Town: Neville Island State: PA County: Allegheny
Railway Connection: Three platform-level tracks serve warehouse and bulk cement loading spout at cement plant in rear; connect with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Receipt of crushed stone and gravel; shipment of bulk cement and pelletized lime.
Depth Alongside (feet): 14 | | 14 Latitude (decimal): 40.491667
Total Berthing Space (feet): 835 | | 260 Longitude (decimal): -80.07639

Waterway: **Ohio River** Mile: 5 PWD: 236
Name: **Kosmos Cement Co., Neville Island Dock.**
Port: Pittsburgh
Location: Mile 5.1, right bank, Ohio River, Neville Island. Datum: NPE
Operator: Kosmos Cement Co.
Owner: Gulf + Western Industries, Inc.
Address: Grand Avenue Phone: 412 771-5500
Town: Neville Island State: PA County: Allegheny
Railway Connection: Three platform-level tracks serve warehouse and bulk cement loading spout at cement plant in rear; connect with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Receipt of crushed stone and gravel; shipment of bulk cement and pelletized lime.
Depth Alongside (feet): 14 | | 14 Latitude (decimal): 40.491667
Total Berthing Space (feet): 835 | | 260 Longitude (decimal): -80.07639

Waterway: **Ohio River** Mile: 5 PWD: 236
Name: **Kosmos Cement Co., Neville Island Dock.**
Port: Pittsburgh
Location: Mile 5.1, right bank, Ohio River, Neville Island. Datum: NPE
Operator: Kosmos Cement Co.
Owner: Gulf + Western Industries, Inc.
Address: Grand Avenue Phone: 412 771-5500
Town: Neville Island State: PA County: Allegheny
Railway Connection: Three platform-level tracks serve warehouse and bulk cement loading spout at cement plant in rear; connect with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Receipt of crushed stone and gravel; shipment of bulk cement and pelletized lime.
Depth Alongside (feet): 14 | | 14 Latitude (decimal): 40.491667
Total Berthing Space (feet): 835 | | 260 Longitude (decimal): -80.07639

Waterway: **Ohio River** Mile: 5 PWD: 236
Name: **Kosmos Cement Co., Neville Island Dock.**
Port: Pittsburgh
Location: Mile 5.1, right bank, Ohio River, Neville Island. Datum: NPE
Operator: Kosmos Cement Co.
Owner: Gulf + Western Industries, Inc.
Address: Grand Avenue Phone: 412 771-5500
Town: Neville Island State: PA County: Allegheny
Railway Connection: Three platform-level tracks serve warehouse and bulk cement loading spout at cement plant in rear; connect with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Receipt of crushed stone and gravel; shipment of bulk cement and pelletized lime.
Depth Alongside (feet): 14 | | 14 Latitude (decimal): 40.491667
Total Berthing Space (feet): 835 | | 260 Longitude (decimal): -80.07639
Remarks: Covered storage area at rear of breasting dolphins has capacity for 100,000 tons of crushed stone and gravel. Eighteen concrete silos at rear of bulkhead have a total capacity for 53,000 tons of cement and 3 hav 9,000 tons of lime.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

Remarks: Covered storage area at rear of breasting dolphins has capacity for 100,000 tons of crushed stone and gravel. Eighteen concrete silos at rear of bulkhead have a total capacity for 53,000 tons of cement and 3 hav 9,000 tons of lime.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

Port Facilities by Waterway

Remarks: Covered storage area at rear of breasting dolphins has capacity for 100,000 tons of crushed stone and gravel. Eighteen concrete silos at rear of bulkhead have a total capacity for 53,000 tons of cement and 3 hav 9,000 tons of lime.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 5 PWD: 236
Name: **Kosmos Cement Co., Neville Island Dock.**
Port: Pittsburgh
Location: Mile 5.1, right bank, Ohio River, Neville Island. Datum: NPE
Operator: Kosmos Cement Co.
Owner: Gulf + Western Industries, Inc.
Address: Grand Avenue Phone: 412 771-5500
Town: Neville Island State: PA County: Allegheny
Railway Connection: Three platform-level tracks serve warehouse and bulk cement loading spout at cement plant in rear; connect with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Receipt of crushed stone and gravel; shipment of bulk cement and pelletized lime.
Depth Alongside (feet): 14 | | 14 Latitude (decimal): 40.491667
Total Berthing Space (feet): 835 | | 260 Longitude (decimal): -80.07639

Waterway: **Ohio River** Mile: 5 PWD: 236
Name: **Kosmos Cement Co., Neville Island Dock.**
Port: Pittsburgh
Location: Mile 5.1, right bank, Ohio River, Neville Island. Datum: NPE
Operator: Kosmos Cement Co.
Owner: Gulf + Western Industries, Inc.
Address: Grand Avenue Phone: 412 771-5500
Town: Neville Island State: PA County: Allegheny
Railway Connection: Three platform-level tracks serve warehouse and bulk cement loading spout at cement plant in rear; connect with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Receipt of crushed stone and gravel; shipment of bulk cement and pelletized lime.
Depth Alongside (feet): 14 | | 14 Latitude (decimal): 40.491667
Total Berthing Space (feet): 835 | | 260 Longitude (decimal): -80.07639

Waterway: **Ohio River** Mile: 5 PWD: 236
Name: **Kosmos Cement Co., Neville Island Dock.**
Port: Pittsburgh
Location: Mile 5.1, right bank, Ohio River, Neville Island. Datum: NPE
Operator: Kosmos Cement Co.
Owner: Gulf + Western Industries, Inc.
Address: Grand Avenue Phone: 412 771-5500
Town: Neville Island State: PA County: Allegheny
Railway Connection: Three platform-level tracks serve warehouse and bulk cement loading spout at cement plant in rear; connect with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Receipt of crushed stone and gravel; shipment of bulk cement and pelletized lime.
Depth Alongside (feet): 14 | | 14 Latitude (decimal): 40.491667
Total Berthing Space (feet): 835 | | 260 Longitude (decimal): -80.07639

Waterway: **Ohio River** Mile: 5 PWD: 236
Name: **Kosmos Cement Co., Neville Island Dock.**
Port: Pittsburgh
Location: Mile 5.1, right bank, Ohio River, Neville Island. Datum: NPE
Operator: Kosmos Cement Co.
Owner: Gulf + Western Industries, Inc.
Address: Grand Avenue Phone: 412 771-5500
Town: Neville Island State: PA County: Allegheny
Railway Connection: Three platform-level tracks serve warehouse and bulk cement loading spout at cement plant in rear; connect with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Receipt of crushed stone and gravel; shipment of bulk cement and pelletized lime.
Depth Alongside (feet): 14 | | 14 Latitude (decimal): 40.491667
Total Berthing Space (feet): 835 | | 260 Longitude (decimal): -80.07639
Remarks: Covered storage area at rear of breasting dolphins has capacity for 100,000 tons of crushed stone and gravel. Eighteen concrete silos at rear of bulkhead have a total capacity for 53,000 tons of cement and 3 hav 9,000 tons of lime.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

Remarks: Covered storage area at rear of breasting dolphins has capacity for 100,000 tons of crushed stone and gravel. Eighteen concrete silos at rear of bulkhead have a total capacity for 53,000 tons of cement and 3 hav 9,000 tons of lime.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

Port Facilities by Waterway

Remarks: Covered storage area at rear of breasting dolphins has capacity for 100,000 tons of crushed stone and gravel. Eighteen concrete silos at rear of bulkhead have a total capacity for 53,000 tons of cement and 3 hav 9,000 tons of lime.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 5 PWD: 51
Name: **Shenango Coal Dock.**
Port: Pittsburgh
Location: Mile 5.4, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Shenango, Inc.
Owner: Shenango, Inc.
Address: 200 Neville Road Phone: 412 771-4400
Town: Neville Island State: PA County: Allegheny
Railway Connection: One marginal surface track at rear connects with Pittsburgh and Ohio Valley Railroad and Pittsburgh, Chartiers, and Youghiogheny Railway.
Purpose: Receipt of coal.
Depth Alongside (feet): 14 | | Latitude (decimal): 40.497778
Total Berthing Space (feet): 700 | | Longitude (decimal): -80.07694

Waterway: **Ohio River** Mile: 5 PWD: 51
Name: **Shenango Coal Dock.**
Port: Pittsburgh
Location: Mile 5.4, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Shenango, Inc.
Owner: Shenango, Inc.
Address: 200 Neville Road Phone: 412 771-4400
Town: Neville Island State: PA County: Allegheny
Railway Connection: One marginal surface track at rear connects with Pittsburgh and Ohio Valley Railroad and Pittsburgh, Chartiers, and Youghiogheny Railway.
Purpose: Receipt of coal.
Depth Alongside (feet): 14 | | Latitude (decimal): 40.497778
Total Berthing Space (feet): 700 | | Longitude (decimal): -80.07694

Waterway: **Ohio River** Mile: 5 PWD: 51
Name: **Shenango Coal Dock.**
Port: Pittsburgh
Location: Mile 5.4, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Shenango, Inc.
Owner: Shenango, Inc.
Address: 200 Neville Road Phone: 412 771-4400
Town: Neville Island State: PA County: Allegheny
Railway Connection: One marginal surface track at rear connects with Pittsburgh and Ohio Valley Railroad and Pittsburgh, Chartiers, and Youghiogheny Railway.
Purpose: Receipt of coal.
Depth Alongside (feet): 14 | | Latitude (decimal): 40.497778
Total Berthing Space (feet): 700 | | Longitude (decimal): -80.07694
Remarks: Open storage area at rear has capacity for 500,000 tons of coal.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

---

Remarks: Open storage area at rear has capacity for 500,000 tons of coal.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

---

Remarks: Open storage area at rear has capacity for 500,000 tons of coal.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 5 PWD: 51
Name: **Shenango Coal Dock.**
Port: Pittsburgh
Location: Mile 5.4, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Shenango, Inc.
Owner: Shenango, Inc.
Address: 200 Neville Road Phone: 412 771-4400
Town: Neville Island State: PA County: Allegheny
Railway Connection: One marginal surface track at rear connects with Pittsburgh and Ohio Valley Railroad and Pittsburgh, Chartiers, and Youghiogheny Railway.
Purpose: Receipt of coal.
Depth Alongside (feet): 14 | | Latitude (decimal): 40.497778
Total Berthing Space (feet): 700 | | Longitude (decimal): -80.07694

Waterway: **Ohio River** Mile: 5 PWD: 51
Name: **Shenango Coal Dock.**
Port: Pittsburgh
Location: Mile 5.4, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Shenango, Inc.
Owner: Shenango, Inc.
Address: 200 Neville Road Phone: 412 771-4400
Town: Neville Island State: PA County: Allegheny
Railway Connection: One marginal surface track at rear connects with Pittsburgh and Ohio Valley Railroad and Pittsburgh, Chartiers, and Youghiogheny Railway.
Purpose: Receipt of coal.
Depth Alongside (feet): 14 | | Latitude (decimal): 40.497778
Total Berthing Space (feet): 700 | | Longitude (decimal): -80.07694

Waterway: **Ohio River** Mile: 5 PWD: 51
Name: **Shenango Coal Dock.**
Port: Pittsburgh
Location: Mile 5.4, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Shenango, Inc.
Owner: Shenango, Inc.
Address: 200 Neville Road Phone: 412 771-4400
Town: Neville Island State: PA County: Allegheny
Railway Connection: One marginal surface track at rear connects with Pittsburgh and Ohio Valley Railroad and Pittsburgh, Chartiers, and Youghiogheny Railway.
Purpose: Receipt of coal.
Depth Alongside (feet): 14 | | Latitude (decimal): 40.497778
Total Berthing Space (feet): 700 | | Longitude (decimal): -80.07694
Remarks: Open storage area at rear has capacity for 500,000 tons of coal.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

---

Remarks: Open storage area at rear has capacity for 500,000 tons of coal.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

---

Remarks: Open storage area at rear has capacity for 500,000 tons of coal.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 5 PWD: 51
Name: **Shenango Coal Dock.**
Port: Pittsburgh
Location: Mile 5.4, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Shenango, Inc.
Owner: Shenango, Inc.
Address: 200 Neville Road Phone: 412 771-4400
Town: Neville Island State: PA County: Allegheny
Railway Connection: One marginal surface track at rear connects with Pittsburgh and Ohio Valley Railroad and Pittsburgh, Chartiers, and Youghiogheny Railway.
Purpose: Receipt of coal.
Depth Alongside (feet): 14 | | Latitude (decimal): 40.497778
Total Berthing Space (feet): 700 | | Longitude (decimal): -80.07694

Waterway: **Ohio River** Mile: 5 PWD: 51
Name: **Shenango Coal Dock.**
Port: Pittsburgh
Location: Mile 5.4, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Shenango, Inc.
Owner: Shenango, Inc.
Address: 200 Neville Road Phone: 412 771-4400
Town: Neville Island State: PA County: Allegheny
Railway Connection: One marginal surface track at rear connects with Pittsburgh and Ohio Valley Railroad and Pittsburgh, Chartiers, and Youghiogheny Railway.
Purpose: Receipt of coal.
Depth Alongside (feet): 14 | | Latitude (decimal): 40.497778
Total Berthing Space (feet): 700 | | Longitude (decimal): -80.07694

Waterway: **Ohio River** Mile: 5 PWD: 51
Name: **Shenango Coal Dock.**
Port: Pittsburgh
Location: Mile 5.4, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Shenango, Inc.
Owner: Shenango, Inc.
Address: 200 Neville Road Phone: 412 771-4400
Town: Neville Island State: PA County: Allegheny
Railway Connection: One marginal surface track at rear connects with Pittsburgh and Ohio Valley Railroad and Pittsburgh, Chartiers, and Youghiogheny Railway.
Purpose: Receipt of coal.
Depth Alongside (feet): 14 | | Latitude (decimal): 40.497778
Total Berthing Space (feet): 700 | | Longitude (decimal): -80.07694
Remarks: Open storage area at rear has capacity for 500,000 tons of coal.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

---

Remarks: Open storage area at rear has capacity for 500,000 tons of coal.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

---

Remarks: Open storage area at rear has capacity for 500,000 tons of coal.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 5 PWD: 52
Name: **Shenango, Pig Iron Dock.**
Port: Pittsburgh
Location: Mile 5.1, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Shenango, Inc.
Owner: Shenango, Inc.
Address: 200 Neville Road Phone: 412 771-4400
Town: Neville Island State: PA County: Allegheny
Railway Connection: One surface track at rear connects with Pittsburgh and Ohio Valley Railroad, and Pittsburgh, Chartiers, and Youghiogheny Railway.
Purpose: Shipment of pig iron by barge.
Depth Alongside (feet): 14 | | Latitude (decimal): 40.494167
Total Berthing Space (feet): 380 | | Longitude (decimal): -80.0725

Waterway: **Ohio River** Mile: 5 PWD: 52
Name: **Shenango, Pig Iron Dock.**
Port: Pittsburgh
Location: Mile 5.1, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Shenango, Inc.
Owner: Shenango, Inc.
Address: 200 Neville Road Phone: 412 771-4400
Town: Neville Island State: PA County: Allegheny
Railway Connection: One surface track at rear connects with Pittsburgh and Ohio Valley Railroad, and Pittsburgh, Chartiers, and Youghiogheny Railway.
Purpose: Shipment of pig iron by barge.
Depth Alongside (feet): 14 | | Latitude (decimal): 40.494167
Total Berthing Space (feet): 380 | | Longitude (decimal): -80.0725

Waterway: **Ohio River** Mile: 5 PWD: 52
Name: **Shenango, Pig Iron Dock.**
Port: Pittsburgh
Location: Mile 5.1, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Shenango, Inc.
Owner: Shenango, Inc.
Address: 200 Neville Road Phone: 412 771-4400
Town: Neville Island State: PA County: Allegheny
Railway Connection: One surface track at rear connects with Pittsburgh and Ohio Valley Railroad, and Pittsburgh, Chartiers, and Youghiogheny Railway.
Purpose: Shipment of pig iron by barge.
Depth Alongside (feet): 14 | | Latitude (decimal): 40.494167
Total Berthing Space (feet): 380 | | Longitude (decimal): -80.0725
Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 5 PWD: 52
Name: **Shenango, Pig Iron Dock.**
Port: Pittsburgh
Location: Mile 5.1, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Shenango, Inc.
Owner: Shenango, Inc.
Address: 200 Neville Road Phone: 412 771-4400
Town: Neville Island State: PA County: Allegheny
Railway Connection: One surface track at rear connects with Pittsburgh and Ohio Valley Railroad, and Pittsburgh, Chartiers, and Youghiogheny Railway.
Purpose: Shipment of pig iron by barge.
Depth Alongside (feet): 14 | | Latitude (decimal): 40.494167
Total Berthing Space (feet): 380 | | Longitude (decimal): -80.0725

Waterway: **Ohio River** Mile: 5 PWD: 52
Name: **Shenango, Pig Iron Dock.**
Port: Pittsburgh
Location: Mile 5.1, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Shenango, Inc.
Owner: Shenango, Inc.
Address: 200 Neville Road Phone: 412 771-4400
Town: Neville Island State: PA County: Allegheny
Railway Connection: One surface track at rear connects with Pittsburgh and Ohio Valley Railroad, and Pittsburgh, Chartiers, and Youghiogheny Railway.
Purpose: Shipment of pig iron by barge.
Depth Alongside (feet): 14 | | Latitude (decimal): 40.494167
Total Berthing Space (feet): 380 | | Longitude (decimal): -80.0725

Waterway: **Ohio River** Mile: 5 PWD: 52
Name: **Shenango, Pig Iron Dock.**
Port: Pittsburgh
Location: Mile 5.1, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Shenango, Inc.
Owner: Shenango, Inc.
Address: 200 Neville Road Phone: 412 771-4400
Town: Neville Island State: PA County: Allegheny
Railway Connection: One surface track at rear connects with Pittsburgh and Ohio Valley Railroad, and Pittsburgh, Chartiers, and Youghiogheny Railway.
Purpose: Shipment of pig iron by barge.
Depth Alongside (feet): 14 | | Latitude (decimal): 40.494167
Total Berthing Space (feet): 380 | | Longitude (decimal): -80.0725
Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 5 PWD: 52
Name: **Shenango, Pig Iron Dock.**
Port: Pittsburgh
Location: Mile 5.1, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Shenango, Inc.
Owner: Shenango, Inc.
Address: 200 Neville Road Phone: 412 771-4400
Town: Neville Island State: PA County: Allegheny
Railway Connection: One surface track at rear connects with Pittsburgh and Ohio Valley Railroad, and Pittsburgh, Chartiers, and Youghiogheny Railway.
Purpose: Shipment of pig iron by barge.
Depth Alongside (feet): 14 | | Latitude (decimal): 40.494167
Total Berthing Space (feet): 380 | | Longitude (decimal): -80.0725

Waterway: **Ohio River** Mile: 5 PWD: 52
Name: **Shenango, Pig Iron Dock.**
Port: Pittsburgh
Location: Mile 5.1, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Shenango, Inc.
Owner: Shenango, Inc.
Address: 200 Neville Road Phone: 412 771-4400
Town: Neville Island State: PA County: Allegheny
Railway Connection: One surface track at rear connects with Pittsburgh and Ohio Valley Railroad, and Pittsburgh, Chartiers, and Youghiogheny Railway.
Purpose: Shipment of pig iron by barge.
Depth Alongside (feet): 14 | | Latitude (decimal): 40.494167
Total Berthing Space (feet): 380 | | Longitude (decimal): -80.0725

Waterway: **Ohio River** Mile: 5 PWD: 52
Name: **Shenango, Pig Iron Dock.**
Port: Pittsburgh
Location: Mile 5.1, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Shenango, Inc.
Owner: Shenango, Inc.
Address: 200 Neville Road Phone: 412 771-4400
Town: Neville Island State: PA County: Allegheny
Railway Connection: One surface track at rear connects with Pittsburgh and Ohio Valley Railroad, and Pittsburgh, Chartiers, and Youghiogheny Railway.
Purpose: Shipment of pig iron by barge.
Depth Alongside (feet): 14 | | Latitude (decimal): 40.494167
Total Berthing Space (feet): 380 | | Longitude (decimal): -80.0725
Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 6 PWD: 50
Name: **Aristech Chemical Corp., Neville Island Plant, Dock No. 1.**
Port: Pittsburgh
Location: Mile 5.5, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Aristech Chemical Corp. and Shenango, Inc.
Owner: Aristech Chemical Corp.
Address: Grand Avenue Phone: 412 778-3320
Town: Neville Island State: PA County: Allegheny
Railway Connection: Plant trackage connects with Pittsburgh and Ohio Valley Railroad and Pittsburgh, Chartiers, and Youghiogheny Railway.
Purpose: Receipt and shipment of chemicals; shipment of light oil.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.498333
Total Berthing Space (feet): 129 | | Longitude (decimal): -80.07806

Waterway: **Ohio River** Mile: 6 PWD: 50
Name: **Aristech Chemical Corp., Neville Island Plant, Dock No. 1.**
Port: Pittsburgh
Location: Mile 5.5, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Aristech Chemical Corp. and Shenango, Inc.
Owner: Aristech Chemical Corp.
Address: Grand Avenue Phone: 412 778-3320
Town: Neville Island State: PA County: Allegheny
Railway Connection: Plant trackage connects with Pittsburgh and Ohio Valley Railroad and Pittsburgh, Chartiers, and Youghiogheny Railway.
Purpose: Receipt and shipment of chemicals; shipment of light oil.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.498333
Total Berthing Space (feet): 129 | | Longitude (decimal): -80.07806

Remarks: Aristech Chemical Corp.: One 4-inch and three 6-inch pipelines extend from wharf to same storage tanks described under Ref. No. 49.□Shenango, Inc.: One 6-inch pipeline extends to wharf from one 6,000-barrel, light-oil storage tank in rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

Remarks: Aristech Chemical Corp.: One 4-inch and three 6-inch pipelines extend from wharf to same storage tanks described under Ref. No. 49.□Shenango, Inc.: One 6-inch pipeline extends to wharf from one 6,000-barrel, light-oil storage tank in rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 6 PWD: 50
Name: **Aristech Chemical Corp., Neville Island Plant, Dock No. 1.**
Port: Pittsburgh
Location: Mile 5.5, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Aristech Chemical Corp. and Shenango, Inc.
Owner: Aristech Chemical Corp.
Address: Grand Avenue Phone: 412 778-3320
Town: Neville Island State: PA County: Allegheny
Railway Connection: Plant trackage connects with Pittsburgh and Ohio Valley Railroad and Pittsburgh, Chartiers, and Youghiogheny Railway.
Purpose: Receipt and shipment of chemicals; shipment of light oil.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.498333
Total Berthing Space (feet): 129 | | Longitude (decimal): -80.07806

Waterway: **Ohio River** Mile: 6 PWD: 50
Name: **Aristech Chemical Corp., Neville Island Plant, Dock No. 1.**
Port: Pittsburgh
Location: Mile 5.5, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Aristech Chemical Corp. and Shenango, Inc.
Owner: Aristech Chemical Corp.
Address: Grand Avenue Phone: 412 778-3320
Town: Neville Island State: PA County: Allegheny
Railway Connection: Plant trackage connects with Pittsburgh and Ohio Valley Railroad and Pittsburgh, Chartiers, and Youghiogheny Railway.
Purpose: Receipt and shipment of chemicals; shipment of light oil.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.498333
Total Berthing Space (feet): 129 | | Longitude (decimal): -80.07806

Remarks: Aristech Chemical Corp.: One 4-inch and three 6-inch pipelines extend from wharf to same storage tanks described under Ref. No. 49.□Shenango, Inc.: One 6-inch pipeline extends to wharf from one 6,000-barrel, light-oil storage tank in rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

Remarks: Aristech Chemical Corp.: One 4-inch and three 6-inch pipelines extend from wharf to same storage tanks described under Ref. No. 49.□Shenango, Inc.: One 6-inch pipeline extends to wharf from one 6,000-barrel, light-oil storage tank in rear.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 6 PWD: 49
Name: **Aristech Chemical Corp., Neville Island Plant, Dock No. 2.**
Port: Pittsburgh
Location: Mile 5.5, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: Aristech Chemical Corp.
Address: Grand Avenue Phone: 412 778-3320
Town: Neville Island State: PA County: Allegheny
Railway Connection: Plant trackage connects with Pittsburgh and Ohio Valley Railroad and Pittsburgh, Chartiers, and Youghiogheny Railway.
Purpose: Receipt of chemicals.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.498611
Total Berthing Space (feet): 134 | | Longitude (decimal): -80.08028

Waterway: **Ohio River** Mile: 6 PWD: 49
Name: **Aristech Chemical Corp., Neville Island Plant, Dock No. 2.**
Port: Pittsburgh
Location: Mile 5.5, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: Aristech Chemical Corp.
Address: Grand Avenue Phone: 412 778-3320
Town: Neville Island State: PA County: Allegheny
Railway Connection: Plant trackage connects with Pittsburgh and Ohio Valley Railroad and Pittsburgh, Chartiers, and Youghiogheny Railway.
Purpose: Receipt of chemicals.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.498611
Total Berthing Space (feet): 134 | | Longitude (decimal): -80.08028
Remarks: Four 6-inch pipelines extend from wharf to 27 steel storage tanks at plant in rear, total capacity 8,000,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

Remarks: Four 6-inch pipelines extend from wharf to 27 steel storage tanks at plant in rear, total capacity 8,000,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 6 PWD: 49
Name: **Aristech Chemical Corp., Neville Island Plant, Dock No. 2.**
Port: Pittsburgh
Location: Mile 5.5, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: Aristech Chemical Corp.
Address: Grand Avenue Phone: 412 778-3320
Town: Neville Island State: PA County: Allegheny
Railway Connection: Plant trackage connects with Pittsburgh and Ohio Valley Railroad and Pittsburgh, Chartiers, and Youghiogheny Railway.
Purpose: Receipt of chemicals.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.498611
Total Berthing Space (feet): 134 | | Longitude (decimal): -80.08028

Waterway: **Ohio River** Mile: 6 PWD: 49
Name: **Aristech Chemical Corp., Neville Island Plant, Dock No. 2.**
Port: Pittsburgh
Location: Mile 5.5, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Aristech Chemical Corp.
Owner: Aristech Chemical Corp.
Address: Grand Avenue Phone: 412 778-3320
Town: Neville Island State: PA County: Allegheny
Railway Connection: Plant trackage connects with Pittsburgh and Ohio Valley Railroad and Pittsburgh, Chartiers, and Youghiogheny Railway.
Purpose: Receipt of chemicals.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.498611
Total Berthing Space (feet): 134 | | Longitude (decimal): -80.08028
Remarks: Four 6-inch pipelines extend from wharf to 27 steel storage tanks at plant in rear, total capacity 8,000,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

Remarks: Four 6-inch pipelines extend from wharf to 27 steel storage tanks at plant in rear, total capacity 8,000,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 6 PWD: 48
Name: **Gulf Oil, Neville Island Terminal Dock.**
Port: Pittsburgh
Location: Mile 5.8, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Gulf Oil, Division of Cumberland Farms.
Owner: Gulf Oil, Division of Cumberland Farms.
Address: 400 Grand Avenue Phone: 412 331-4480
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 18 | | Latitude (decimal): 40.5
Total Berthing Space (feet): 817 | | Longitude (decimal): -80.08167
Remarks: Six 8-inch pipelines extend from wharves to 15 steel storage tanks in rear, total capacity 835,000 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43978 Pittsburgh District

---

Waterway: **Ohio River** Mile: 7 PWD: 47
Name: **Exxon Co., USA, Neville Island Terminal Dock.**
Port: Pittsburgh
Location: Mile 6.5, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Exxon Co., USA.
Owner: Exxon Co., USA.
Address: 2760 Neville Road Phone: 412 778-3581
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 18 | | Latitude (decimal): 40.503333
Total Berthing Space (feet): 441 | | Longitude (decimal): -80.09583
Remarks: One 10- and two 8-inch pipelines extend from wharf to 5 steel storage tanks in rear, total capacity 240,000 barrels.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43974 Pittsburgh District

---

Waterway: **Ohio River** Mile: 7 PWD: 46
Name: **Neville Chemical Co. Dock.**
Port: Pittsburgh
Location: Mile 6.8, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Neville Chemical Co.
Owner: Neville Chemical Co.
Address: 2800 Neville Road Phone: 412 331-4200
Town: Neville Island State: PA County: Allegheny
Railway Connection: Plant trackage at rear connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Receipt and shipment of chemicals and petrochemicals.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.506111
Total Berthing Space (feet): 290 | | Longitude (decimal): -80.1
Remarks: One 10-, four 8-, and three 6-inch pipelines extend from wharf to 7 steel storage tanks at plant in rear, total capacity 7,500,000 gallons.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43974 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 7 PWD: 237
Name: **Pittsburgh-Des Moines, Inc., Construction Department, Dock.**
Port: Pittsburgh
Location: Mile 7.0, right bank, Ohio River, Neville Island. Datum: NPE
Operator: Pittsburgh-Des Moines, Inc.
Owner: Pittsburgh-Des Moines, Inc.
Address: Grand Avenue Phone:
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Shipment of large steel fabrications.
Depth Alongside (feet): 25 | | Latitude (decimal): 40.503889
Total Berthing Space (feet): 350 | | Longitude (decimal): -80.11

Waterway: **Ohio River** Mile: 7 PWD: 237
Name: **Pittsburgh-Des Moines, Inc., Construction Department, Dock.**
Port: Pittsburgh
Location: Mile 7.0, right bank, Ohio River, Neville Island. Datum: NPE
Operator: Pittsburgh-Des Moines, Inc.
Owner: Pittsburgh-Des Moines, Inc.
Address: Grand Avenue Phone:
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Shipment of large steel fabrications.
Depth Alongside (feet): 25 | | Latitude (decimal): 40.503889
Total Berthing Space (feet): 350 | | Longitude (decimal): -80.11
Remarks: Fabrication facility is located at rear.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

Remarks: Fabrication facility is located at rear.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 7 PWD: 237
Name: **Pittsburgh-Des Moines, Inc., Construction Department, Dock.**
Port: Pittsburgh
Location: Mile 7.0, right bank, Ohio River, Neville Island. Datum: NPE
Operator: Pittsburgh-Des Moines, Inc.
Owner: Pittsburgh-Des Moines, Inc.
Address: Grand Avenue Phone:
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Shipment of large steel fabrications.
Depth Alongside (feet): 25 | | Latitude (decimal): 40.503889
Total Berthing Space (feet): 350 | | Longitude (decimal): -80.11

Waterway: **Ohio River** Mile: 7 PWD: 237
Name: **Pittsburgh-Des Moines, Inc., Construction Department, Dock.**
Port: Pittsburgh
Location: Mile 7.0, right bank, Ohio River, Neville Island. Datum: NPE
Operator: Pittsburgh-Des Moines, Inc.
Owner: Pittsburgh-Des Moines, Inc.
Address: Grand Avenue Phone:
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Shipment of large steel fabrications.
Depth Alongside (feet): 25 | | Latitude (decimal): 40.503889
Total Berthing Space (feet): 350 | | Longitude (decimal): -80.11
Remarks: Fabrication facility is located at rear.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

Remarks: Fabrication facility is located at rear.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 7 PWD: 44
Name: **Pittsburgh-Des Moines, Inc., Pittsburgh Shop Slip.**
Port: Pittsburgh
Location: Mile 7.3, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Pittsburgh-Des Moines, Inc.
Owner: Pittsburgh-Des Moines, Inc.
Address: 3400 Grand Avenue Phone: 412 331-3000
Town: Neville Island State: PA County: Allegheny
Railway Connection: Plant trackage connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Shipment of large steel fabrications.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.509444
Total Berthing Space (feet): 1 | | Longitude (decimal): -80.10972

Waterway: **Ohio River** Mile: 7 PWD: 44
Name: **Pittsburgh-Des Moines, Inc., Pittsburgh Shop Slip.**
Port: Pittsburgh
Location: Mile 7.3, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Pittsburgh-Des Moines, Inc.
Owner: Pittsburgh-Des Moines, Inc.
Address: 3400 Grand Avenue Phone: 412 331-3000
Town: Neville Island State: PA County: Allegheny
Railway Connection: Plant trackage connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Shipment of large steel fabrications.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.509444
Total Berthing Space (feet): 1 | | Longitude (decimal): -80.10972
Remarks: Outer end of a 750- by 100-foot steel frame, metal-covered fabrication building covers slip.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

Remarks: Outer end of a 750- by 100-foot steel frame, metal-covered fabrication building covers slip.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 7 PWD: 44
Name: **Pittsburgh-Des Moines, Inc., Pittsburgh Shop Slip.**
Port: Pittsburgh
Location: Mile 7.3, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Pittsburgh-Des Moines, Inc.
Owner: Pittsburgh-Des Moines, Inc.
Address: 3400 Grand Avenue Phone: 412 331-3000
Town: Neville Island State: PA County: Allegheny
Railway Connection: Plant trackage connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Shipment of large steel fabrications.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.509444
Total Berthing Space (feet): 1 | | Longitude (decimal): -80.10972

Waterway: **Ohio River** Mile: 7 PWD: 44
Name: **Pittsburgh-Des Moines, Inc., Pittsburgh Shop Slip.**
Port: Pittsburgh
Location: Mile 7.3, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Pittsburgh-Des Moines, Inc.
Owner: Pittsburgh-Des Moines, Inc.
Address: 3400 Grand Avenue Phone: 412 331-3000
Town: Neville Island State: PA County: Allegheny
Railway Connection: Plant trackage connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Shipment of large steel fabrications.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.509444
Total Berthing Space (feet): 1 | | Longitude (decimal): -80.10972
Remarks: Outer end of a 750- by 100-foot steel frame, metal-covered fabrication building covers slip.□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

Remarks: Outer end of a 750- by 100-foot steel frame, metal-covered fabrication building covers slip.□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

Waterway: **Ohio River** Mile: 7 PWD: 45
Name: **Shenango Ingot Mold Division Dock.**
Port: Pittsburgh
Location: Mile 7.1, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Shenango, Inc.
Owner: Shenango, Inc.
Address: Phone: 412 777-6650
Town: Neville Island State: PA County: Allegheny
Railway Connection: Plant trackage connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Shipment of steel ingots and ingot molds.
Depth Alongside (feet): 14 | | Latitude (decimal): 40.508888
Total Berthing Space (feet): 350 | | Longitude (decimal): -80.10778
Remarks: Foundry located at rear.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 7 PWD: 43
Name: **U. S. Army Corps of Engineers, Pittsburgh District, Warehouse and**
Port: Pittsburgh
Location: Mile 7.4, left bank, Ohio River, Neville Island. Datum: NPE
Operator: U.S. Army Corps of Engineers.
Owner: United States Government.
Address: 3500 Grand Avenue Phone: 412 644-6369
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Handling construction materials, machinery and equipment, including lock-and-dam apparatus.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.510278
Total Berthing Space (feet): 1050 | | Longitude (decimal): -80.11167
Remarks: Corps of Engineers repair shop for lock-and-dam apparatus is located in rear.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

---

Waterway: **Ohio River** Mile: 8 PWD: 239
Name: **Dravo Basic Materials Co., Back Channel Lower Dock.**
Port: Pittsburgh
Location: Mile 7.9, right bank, Ohio River, Neville Island Back Channel. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Receipt and occasional shipment of sand and gravel.
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 40.505
Total Berthing Space (feet): 330 | 650 | Longitude (decimal): -80.12472
Remarks: Two steel storage bins with total capacity for 80 tons and approximately 10 acres of open storage area are located at rear.□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 8 PWD: 238
Name: **Dravo Basic Materials Co., Back Channel Upper Dock.**
Port: Pittsburgh
Location: Mile 7.5, right bank, Ohio River, Neville Island Back Channel. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring construction equipment; handling construction materials, machinery, and supplies.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.505
Total Berthing Space (feet): 1357 | | Longitude (decimal): -80.11

Waterway: **Ohio River** Mile: 8 PWD: 238
Name: **Dravo Basic Materials Co., Back Channel Upper Dock.**
Port: Pittsburgh
Location: Mile 7.5, right bank, Ohio River, Neville Island Back Channel. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring construction equipment; handling construction materials, machinery, and supplies.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.505
Total Berthing Space (feet): 1357 | | Longitude (decimal): -80.11

Waterway: **Ohio River** Mile: 8 PWD: 238
Name: **Dravo Basic Materials Co., Back Channel Upper Dock.**
Port: Pittsburgh
Location: Mile 7.5, right bank, Ohio River, Neville Island Back Channel. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring construction equipment; handling construction materials, machinery, and supplies.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.505
Total Berthing Space (feet): 1357 | | Longitude (decimal): -80.11

Waterway: **Ohio River** Mile: 8 PWD: 238
Name: **Dravo Basic Materials Co., Back Channel Upper Dock.**
Port: Pittsburgh
Location: Mile 7.5, right bank, Ohio River, Neville Island Back Channel. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring construction equipment; handling construction materials, machinery, and supplies.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.505
Total Berthing Space (feet): 1357 | | Longitude (decimal): -80.11
Remarks: A storage yard for construction equipment is located at rear.□□

Port Facilities by Waterway

Port Series: 60	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 43973	Pittsburgh District

Remarks: A storage yard for construction equipment is located at rear.□□

Port Series: 60	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 43973	Pittsburgh District

Remarks: A storage yard for construction equipment is located at rear.□□

Port Series: 60	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 43973	Pittsburgh District

Remarks: A storage yard for construction equipment is located at rear.□□

Port Series: 60	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 43973	Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 8 PWD: 238
Name: **Dravo Basic Materials Co., Back Channel Upper Dock.**
Port: Pittsburgh
Location: Mile 7.5, right bank, Ohio River, Neville Island Back Channel. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring construction equipment; handling construction materials, machinery, and supplies.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.505
Total Berthing Space (feet): 1357 | | Longitude (decimal): -80.11

Waterway: **Ohio River** Mile: 8 PWD: 238
Name: **Dravo Basic Materials Co., Back Channel Upper Dock.**
Port: Pittsburgh
Location: Mile 7.5, right bank, Ohio River, Neville Island Back Channel. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring construction equipment; handling construction materials, machinery, and supplies.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.505
Total Berthing Space (feet): 1357 | | Longitude (decimal): -80.11

Waterway: **Ohio River** Mile: 8 PWD: 238
Name: **Dravo Basic Materials Co., Back Channel Upper Dock.**
Port: Pittsburgh
Location: Mile 7.5, right bank, Ohio River, Neville Island Back Channel. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring construction equipment; handling construction materials, machinery, and supplies.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.505
Total Berthing Space (feet): 1357 | | Longitude (decimal): -80.11

Waterway: **Ohio River** Mile: 8 PWD: 238
Name: **Dravo Basic Materials Co., Back Channel Upper Dock.**
Port: Pittsburgh
Location: Mile 7.5, right bank, Ohio River, Neville Island Back Channel. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring construction equipment; handling construction materials, machinery, and supplies.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.505
Total Berthing Space (feet): 1357 | | Longitude (decimal): -80.11
Remarks: A storage yard for construction equipment is located at rear.□□

Port Facilities by Waterway

Port Series: 60	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 43973	Pittsburgh District

Remarks: A storage yard for construction equipment is located at rear.□□

Port Series: 60	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 43973	Pittsburgh District

Remarks: A storage yard for construction equipment is located at rear.□□

Port Series: 60	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 43973	Pittsburgh District

Remarks: A storage yard for construction equipment is located at rear.□□

Port Series: 60	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 43973	Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 8 PWD: 238
Name: **Dravo Basic Materials Co., Back Channel Upper Dock.**
Port: Pittsburgh
Location: Mile 7.5, right bank, Ohio River, Neville Island Back Channel. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring construction equipment; handling construction materials, machinery, and supplies.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.505
Total Berthing Space (feet): 1357 | | Longitude (decimal): -80.11

Waterway: **Ohio River** Mile: 8 PWD: 238
Name: **Dravo Basic Materials Co., Back Channel Upper Dock.**
Port: Pittsburgh
Location: Mile 7.5, right bank, Ohio River, Neville Island Back Channel. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring construction equipment; handling construction materials, machinery, and supplies.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.505
Total Berthing Space (feet): 1357 | | Longitude (decimal): -80.11

Waterway: **Ohio River** Mile: 8 PWD: 238
Name: **Dravo Basic Materials Co., Back Channel Upper Dock.**
Port: Pittsburgh
Location: Mile 7.5, right bank, Ohio River, Neville Island Back Channel. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring construction equipment; handling construction materials, machinery, and supplies.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.505
Total Berthing Space (feet): 1357 | | Longitude (decimal): -80.11

Waterway: **Ohio River** Mile: 8 PWD: 238
Name: **Dravo Basic Materials Co., Back Channel Upper Dock.**
Port: Pittsburgh
Location: Mile 7.5, right bank, Ohio River, Neville Island Back Channel. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring construction equipment; handling construction materials, machinery, and supplies.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.505
Total Berthing Space (feet): 1357 | | Longitude (decimal): -80.11
Remarks: A storage yard for construction equipment is located at rear.□□

Port Facilities by Waterway

Port Series: 60	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 43973	Pittsburgh District

Remarks: A storage yard for construction equipment is located at rear.□□

Port Series: 60	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 43973	Pittsburgh District

Remarks: A storage yard for construction equipment is located at rear.□□

Port Series: 60	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 43973	Pittsburgh District

Remarks: A storage yard for construction equipment is located at rear.□□

Port Series: 60	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 43973	Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 8 PWD: 238
Name: **Dravo Basic Materials Co., Back Channel Upper Dock.**
Port: Pittsburgh
Location: Mile 7.5, right bank, Ohio River, Neville Island Back Channel. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring construction equipment; handling construction materials, machinery, and supplies.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.505
Total Berthing Space (feet): 1357 | | Longitude (decimal): -80.11

Waterway: **Ohio River** Mile: 8 PWD: 238
Name: **Dravo Basic Materials Co., Back Channel Upper Dock.**
Port: Pittsburgh
Location: Mile 7.5, right bank, Ohio River, Neville Island Back Channel. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring construction equipment; handling construction materials, machinery, and supplies.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.505
Total Berthing Space (feet): 1357 | | Longitude (decimal): -80.11

Waterway: **Ohio River** Mile: 8 PWD: 238
Name: **Dravo Basic Materials Co., Back Channel Upper Dock.**
Port: Pittsburgh
Location: Mile 7.5, right bank, Ohio River, Neville Island Back Channel. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring construction equipment; handling construction materials, machinery, and supplies.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.505
Total Berthing Space (feet): 1357 | | Longitude (decimal): -80.11

Waterway: **Ohio River** Mile: 8 PWD: 238
Name: **Dravo Basic Materials Co., Back Channel Upper Dock.**
Port: Pittsburgh
Location: Mile 7.5, right bank, Ohio River, Neville Island Back Channel. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring construction equipment; handling construction materials, machinery, and supplies.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.505
Total Berthing Space (feet): 1357 | | Longitude (decimal): -80.11
Remarks: A storage yard for construction equipment is located at rear.□□

Port Facilities by Waterway

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

Remarks: A storage yard for construction equipment is located at rear.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

Remarks: A storage yard for construction equipment is located at rear.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

Remarks: A storage yard for construction equipment is located at rear.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

Waterway: **Ohio River** Mile: 8 PWD: 39
Name: **Dravo Basic Materials Co., Neville Island Fleet Mooring.**
Port: Pittsburgh
Location: Mile 8.3, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.513056
Total Berthing Space (feet): 2100 | | Longitude (decimal): -80.12778

Waterway: **Ohio River** Mile: 8 PWD: 39
Name: **Dravo Basic Materials Co., Neville Island Fleet Mooring.**
Port: Pittsburgh
Location: Mile 8.3, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.513056
Total Berthing Space (feet): 2100 | | Longitude (decimal): -80.12778
Remarks: Fleeting area has capacity for approximately 50 barges, consisting of 9 tiers each, 4 to 6 barges wide.□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43972 Pittsburgh District

Remarks: Fleeting area has capacity for approximately 50 barges, consisting of 9 tiers each, 4 to 6 barges wide.□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43972 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 8 PWD: 39
Name: **Dravo Basic Materials Co., Neville Island Fleet Mooring.**
Port: Pittsburgh
Location: Mile 8.3, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.513056
Total Berthing Space (feet): 2100 | | Longitude (decimal): -80.12778

Waterway: **Ohio River** Mile: 8 PWD: 39
Name: **Dravo Basic Materials Co., Neville Island Fleet Mooring.**
Port: Pittsburgh
Location: Mile 8.3, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.513056
Total Berthing Space (feet): 2100 | | Longitude (decimal): -80.12778

Remarks: Fleeting area has capacity for approximately 50 barges, consisting of 9 tiers each, 4 to 6 barges wide.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43972 Pittsburgh District

Remarks: Fleeting area has capacity for approximately 50 barges, consisting of 9 tiers each, 4 to 6 barges wide.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43972 Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 8 PWD: 40
Name: **Dravo Basic Materials Co., Number 4 Dock.**
Port: Pittsburgh
Location: Mile 8.2, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.512778
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.12556

Waterway: **Ohio River** Mile: 8 PWD: 40
Name: **Dravo Basic Materials Co., Number 4 Dock.**
Port: Pittsburgh
Location: Mile 8.2, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.512778
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.12556

Waterway: **Ohio River** Mile: 8 PWD: 40
Name: **Dravo Basic Materials Co., Number 4 Dock.**
Port: Pittsburgh
Location: Mile 8.2, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.512778
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.12556

Waterway: **Ohio River** Mile: 8 PWD: 40
Name: **Dravo Basic Materials Co., Number 4 Dock.**
Port: Pittsburgh
Location: Mile 8.2, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.512778
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.12556
Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Facilities by Waterway

Port Series: 60	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 43973	Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 43973	Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 43973	Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 43973	Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 8 PWD: 40
Name: **Dravo Basic Materials Co., Number 4 Dock.**
Port: Pittsburgh
Location: Mile 8.2, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.512778
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.12556

Waterway: **Ohio River** Mile: 8 PWD: 40
Name: **Dravo Basic Materials Co., Number 4 Dock.**
Port: Pittsburgh
Location: Mile 8.2, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.512778
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.12556

Waterway: **Ohio River** Mile: 8 PWD: 40
Name: **Dravo Basic Materials Co., Number 4 Dock.**
Port: Pittsburgh
Location: Mile 8.2, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.512778
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.12556

Waterway: **Ohio River** Mile: 8 PWD: 40
Name: **Dravo Basic Materials Co., Number 4 Dock.**
Port: Pittsburgh
Location: Mile 8.2, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.512778
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.12556
Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Facilities by Waterway

Port Series: 60	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 43973	Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 43973	Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 43973	Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 43973	Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 8 PWD: 40
Name: **Dravo Basic Materials Co., Number 4 Dock.**
Port: Pittsburgh
Location: Mile 8.2, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.512778
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.12556

Waterway: **Ohio River** Mile: 8 PWD: 40
Name: **Dravo Basic Materials Co., Number 4 Dock.**
Port: Pittsburgh
Location: Mile 8.2, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.512778
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.12556

Waterway: **Ohio River** Mile: 8 PWD: 40
Name: **Dravo Basic Materials Co., Number 4 Dock.**
Port: Pittsburgh
Location: Mile 8.2, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.512778
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.12556

Waterway: **Ohio River** Mile: 8 PWD: 40
Name: **Dravo Basic Materials Co., Number 4 Dock.**
Port: Pittsburgh
Location: Mile 8.2, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.512778
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.12556
Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Facilities by Waterway

Port Series: 60	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 43973	Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 43973	Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 43973	Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 43973	Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 8 PWD: 40
Name: **Dravo Basic Materials Co., Number 4 Dock.**
Port: Pittsburgh
Location: Mile 8.2, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.512778
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.12556

Waterway: **Ohio River** Mile: 8 PWD: 40
Name: **Dravo Basic Materials Co., Number 4 Dock.**
Port: Pittsburgh
Location: Mile 8.2, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.512778
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.12556

Waterway: **Ohio River** Mile: 8 PWD: 40
Name: **Dravo Basic Materials Co., Number 4 Dock.**
Port: Pittsburgh
Location: Mile 8.2, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.512778
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.12556

Waterway: **Ohio River** Mile: 8 PWD: 40
Name: **Dravo Basic Materials Co., Number 4 Dock.**
Port: Pittsburgh
Location: Mile 8.2, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.512778
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.12556
Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Facilities by Waterway

Port Series: 60	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 43973	Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 43973	Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 43973	Pittsburgh District

Remarks: Mooring area has capacity for approximately 20 barges.□□

Port Series: 60	Year of Last Survey: 1991	Corps of Engnrs Waterway Code: 43973	Pittsburgh District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 8 PWD: 42
Name: **Marine Ways of Pittsburg, Short Dock.**
Port: Pittsburgh
Location: Mile 7.9, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Marine Ways of Pittsburg, Inc.
Owner: G. & S. Towing Co.
Address: 4800 Grand Avenue Phone: 412 262-4300
Town: Neville Island State: PA County: Allegheny
Railway Connection: One marginal surface track at rear connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Mooring barges for repair and outfitting; mooring towboats.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.511111
Total Berthing Space (feet): 900 | | Longitude (decimal): -80.11611

Waterway: **Ohio River** Mile: 8 PWD: 42
Name: **Marine Ways of Pittsburg, Short Dock.**
Port: Pittsburgh
Location: Mile 7.9, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Marine Ways of Pittsburg, Inc.
Owner: G. & S. Towing Co.
Address: 4800 Grand Avenue Phone: 412 262-4300
Town: Neville Island State: PA County: Allegheny
Railway Connection: One marginal surface track at rear connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Mooring barges for repair and outfitting; mooring towboats.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.511111
Total Berthing Space (feet): 900 | | Longitude (decimal): -80.11611

Waterway: **Ohio River** Mile: 8 PWD: 42
Name: **Marine Ways of Pittsburg, Short Dock.**
Port: Pittsburgh
Location: Mile 7.9, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Marine Ways of Pittsburg, Inc.
Owner: G. & S. Towing Co.
Address: 4800 Grand Avenue Phone: 412 262-4300
Town: Neville Island State: PA County: Allegheny
Railway Connection: One marginal surface track at rear connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Mooring barges for repair and outfitting; mooring towboats.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.511111
Total Berthing Space (feet): 900 | | Longitude (decimal): -80.11611

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 8 PWD: 42

Name: **Marine Ways of Pittsburg, Short Dock.**

Port: Pittsburgh

Location: Mile 7.9, left bank, Ohio River, Neville Island. Datum: NPE

Operator: Marine Ways of Pittsburg, Inc.

Owner: G. & S. Towing Co.

Address: 4800 Grand Avenue Phone: 412 262-4300

Town: Neville Island State: PA County: Allegheny

Railway Connection: One marginal surface track at rear connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.

Purpose: Mooring barges for repair and outfitting; mooring towboats.

Depth Alongside (feet): 12 | | Latitude (decimal): 40.511111

Total Berthing Space (feet): 900 | | Longitude (decimal): -80.11611

Remarks: One 2,700-ton side-haul marine railway adjacent to lower side. Wharf is equipped with outlets for supplying compressed air, oxygen, natural gas, and electricity.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

---

Remarks: One 2,700-ton side-haul marine railway adjacent to lower side. Wharf is equipped with outlets for supplying compressed air, oxygen, natural gas, and electricity.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

---

Remarks: One 2,700-ton side-haul marine railway adjacent to lower side. Wharf is equipped with outlets for supplying compressed air, oxygen, natural gas, and electricity.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

---

Remarks: One 2,700-ton side-haul marine railway adjacent to lower side. Wharf is equipped with outlets for supplying compressed air, oxygen, natural gas, and electricity.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 8 PWD: 42
Name: **Marine Ways of Pittsburg, Short Dock.**
Port: Pittsburgh
Location: Mile 7.9, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Marine Ways of Pittsburg, Inc.
Owner: G. & S. Towing Co.
Address: 4800 Grand Avenue Phone: 412 262-4300
Town: Neville Island State: PA County: Allegheny
Railway Connection: One marginal surface track at rear connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Mooring barges for repair and outfitting; mooring towboats.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.511111
Total Berthing Space (feet): 900 | | Longitude (decimal): -80.11611

Waterway: **Ohio River** Mile: 8 PWD: 42
Name: **Marine Ways of Pittsburg, Short Dock.**
Port: Pittsburgh
Location: Mile 7.9, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Marine Ways of Pittsburg, Inc.
Owner: G. & S. Towing Co.
Address: 4800 Grand Avenue Phone: 412 262-4300
Town: Neville Island State: PA County: Allegheny
Railway Connection: One marginal surface track at rear connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Mooring barges for repair and outfitting; mooring towboats.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.511111
Total Berthing Space (feet): 900 | | Longitude (decimal): -80.11611

Waterway: **Ohio River** Mile: 8 PWD: 42
Name: **Marine Ways of Pittsburg, Short Dock.**
Port: Pittsburgh
Location: Mile 7.9, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Marine Ways of Pittsburg, Inc.
Owner: G. & S. Towing Co.
Address: 4800 Grand Avenue Phone: 412 262-4300
Town: Neville Island State: PA County: Allegheny
Railway Connection: One marginal surface track at rear connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Mooring barges for repair and outfitting; mooring towboats.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.511111
Total Berthing Space (feet): 900 | | Longitude (decimal): -80.11611

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 8 PWD: 42

Name: **Marine Ways of Pittsburg, Short Dock.**

Port: Pittsburgh

Location: Mile 7.9, left bank, Ohio River, Neville Island. Datum: NPE

Operator: Marine Ways of Pittsburg, Inc.

Owner: G. & S. Towing Co.

Address: 4800 Grand Avenue Phone: 412 262-4300

Town: Neville Island State: PA County: Allegheny

Railway Connection: One marginal surface track at rear connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.

Purpose: Mooring barges for repair and outfitting; mooring towboats.

Depth Alongside (feet): 12 | | Latitude (decimal): 40.511111

Total Berthing Space (feet): 900 | | Longitude (decimal): -80.11611

Remarks: One 2,700-ton side-haul marine railway adjacent to lower side. Wharf is equipped with outlets for supplying compressed air, oxygen, natural gas, and electricity.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

---

Remarks: One 2,700-ton side-haul marine railway adjacent to lower side. Wharf is equipped with outlets for supplying compressed air, oxygen, natural gas, and electricity.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

---

Remarks: One 2,700-ton side-haul marine railway adjacent to lower side. Wharf is equipped with outlets for supplying compressed air, oxygen, natural gas, and electricity.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

---

Remarks: One 2,700-ton side-haul marine railway adjacent to lower side. Wharf is equipped with outlets for supplying compressed air, oxygen, natural gas, and electricity.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 8 PWD: 42
Name: **Marine Ways of Pittsburg, Short Dock.**
Port: Pittsburgh
Location: Mile 7.9, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Marine Ways of Pittsburg, Inc.
Owner: G. & S. Towing Co.
Address: 4800 Grand Avenue Phone: 412 262-4300
Town: Neville Island State: PA County: Allegheny
Railway Connection: One marginal surface track at rear connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Mooring barges for repair and outfitting; mooring towboats.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.511111
Total Berthing Space (feet): 900 | | Longitude (decimal): -80.11611

Waterway: **Ohio River** Mile: 8 PWD: 42
Name: **Marine Ways of Pittsburg, Short Dock.**
Port: Pittsburgh
Location: Mile 7.9, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Marine Ways of Pittsburg, Inc.
Owner: G. & S. Towing Co.
Address: 4800 Grand Avenue Phone: 412 262-4300
Town: Neville Island State: PA County: Allegheny
Railway Connection: One marginal surface track at rear connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Mooring barges for repair and outfitting; mooring towboats.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.511111
Total Berthing Space (feet): 900 | | Longitude (decimal): -80.11611

Waterway: **Ohio River** Mile: 8 PWD: 42
Name: **Marine Ways of Pittsburg, Short Dock.**
Port: Pittsburgh
Location: Mile 7.9, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Marine Ways of Pittsburg, Inc.
Owner: G. & S. Towing Co.
Address: 4800 Grand Avenue Phone: 412 262-4300
Town: Neville Island State: PA County: Allegheny
Railway Connection: One marginal surface track at rear connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Mooring barges for repair and outfitting; mooring towboats.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.511111
Total Berthing Space (feet): 900 | | Longitude (decimal): -80.11611

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 8 PWD: 42

Name: **Marine Ways of Pittsburg, Short Dock.**

Port: Pittsburgh

Location: Mile 7.9, left bank, Ohio River, Neville Island. Datum: NPE

Operator: Marine Ways of Pittsburg, Inc.

Owner: G. & S. Towing Co.

Address: 4800 Grand Avenue Phone: 412 262-4300

Town: Neville Island State: PA County: Allegheny

Railway Connection: One marginal surface track at rear connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.

Purpose: Mooring barges for repair and outfitting; mooring towboats.

Depth Alongside (feet): 12 | | Latitude (decimal): 40.511111

Total Berthing Space (feet): 900 | | Longitude (decimal): -80.11611

Remarks: One 2,700-ton side-haul marine railway adjacent to lower side. Wharf is equipped with outlets for supplying compressed air, oxygen, natural gas, and electricity.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

---

Remarks: One 2,700-ton side-haul marine railway adjacent to lower side. Wharf is equipped with outlets for supplying compressed air, oxygen, natural gas, and electricity.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

---

Remarks: One 2,700-ton side-haul marine railway adjacent to lower side. Wharf is equipped with outlets for supplying compressed air, oxygen, natural gas, and electricity.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

---

Remarks: One 2,700-ton side-haul marine railway adjacent to lower side. Wharf is equipped with outlets for supplying compressed air, oxygen, natural gas, and electricity.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 8 PWD: 42
Name: **Marine Ways of Pittsburg, Short Dock.**
Port: Pittsburgh
Location: Mile 7.9, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Marine Ways of Pittsburg, Inc.
Owner: G. & S. Towing Co.
Address: 4800 Grand Avenue Phone: 412 262-4300
Town: Neville Island State: PA County: Allegheny
Railway Connection: One marginal surface track at rear connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Mooring barges for repair and outfitting; mooring towboats.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.511111
Total Berthing Space (feet): 900 | | Longitude (decimal): -80.11611

Waterway: **Ohio River** Mile: 8 PWD: 42
Name: **Marine Ways of Pittsburg, Short Dock.**
Port: Pittsburgh
Location: Mile 7.9, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Marine Ways of Pittsburg, Inc.
Owner: G. & S. Towing Co.
Address: 4800 Grand Avenue Phone: 412 262-4300
Town: Neville Island State: PA County: Allegheny
Railway Connection: One marginal surface track at rear connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Mooring barges for repair and outfitting; mooring towboats.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.511111
Total Berthing Space (feet): 900 | | Longitude (decimal): -80.11611

Waterway: **Ohio River** Mile: 8 PWD: 42
Name: **Marine Ways of Pittsburg, Short Dock.**
Port: Pittsburgh
Location: Mile 7.9, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Marine Ways of Pittsburg, Inc.
Owner: G. & S. Towing Co.
Address: 4800 Grand Avenue Phone: 412 262-4300
Town: Neville Island State: PA County: Allegheny
Railway Connection: One marginal surface track at rear connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Mooring barges for repair and outfitting; mooring towboats.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.511111
Total Berthing Space (feet): 900 | | Longitude (decimal): -80.11611

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 8 PWD: 42

Name: **Marine Ways of Pittsburg, Short Dock.**

Port: Pittsburgh

Location: Mile 7.9, left bank, Ohio River, Neville Island. Datum: NPE

Operator: Marine Ways of Pittsburg, Inc.

Owner: G. & S. Towing Co.

Address: 4800 Grand Avenue Phone: 412 262-4300

Town: Neville Island State: PA County: Allegheny

Railway Connection: One marginal surface track at rear connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.

Purpose: Mooring barges for repair and outfitting; mooring towboats.

Depth Alongside (feet): 12 | | Latitude (decimal): 40.511111

Total Berthing Space (feet): 900 | | Longitude (decimal): -80.11611

Remarks: One 2,700-ton side-haul marine railway adjacent to lower side. Wharf is equipped with outlets for supplying compressed air, oxygen, natural gas, and electricity.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

---

Remarks: One 2,700-ton side-haul marine railway adjacent to lower side. Wharf is equipped with outlets for supplying compressed air, oxygen, natural gas, and electricity.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

---

Remarks: One 2,700-ton side-haul marine railway adjacent to lower side. Wharf is equipped with outlets for supplying compressed air, oxygen, natural gas, and electricity.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

---

Remarks: One 2,700-ton side-haul marine railway adjacent to lower side. Wharf is equipped with outlets for supplying compressed air, oxygen, natural gas, and electricity.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 8 PWD: 41
Name: **Neville Development Co., Engineering Works Division, Outfitting Do**
Port: Pittsburgh
Location: Mile 8.0, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Not operated.
Owner: Neville Development Co.
Address: 4800 Grand Avenue Phone: 412 263-6705
Town: Neville Island State: PA County: Allegheny
Railway Connection: One marginal surface track at rear connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.511667
Total Berthing Space (feet): 420 | | Longitude (decimal): -80.11806

Waterway: **Ohio River** Mile: 8 PWD: 41
Name: **Neville Development Co., Engineering Works Division, Outfitting Do**
Port: Pittsburgh
Location: Mile 8.0, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Not operated.
Owner: Neville Development Co.
Address: 4800 Grand Avenue Phone: 412 263-6705
Town: Neville Island State: PA County: Allegheny
Railway Connection: One marginal surface track at rear connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.511667
Total Berthing Space (feet): 420 | | Longitude (decimal): -80.11806

Waterway: **Ohio River** Mile: 8 PWD: 41
Name: **Neville Development Co., Engineering Works Division, Outfitting Do**
Port: Pittsburgh
Location: Mile 8.0, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Not operated.
Owner: Neville Development Co.
Address: 4800 Grand Avenue Phone: 412 263-6705
Town: Neville Island State: PA County: Allegheny
Railway Connection: One marginal surface track at rear connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.511667
Total Berthing Space (feet): 420 | | Longitude (decimal): -80.11806

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 8 PWD: 41

Name: **Neville Development Co., Engineering Works Division, Outfitting Do**

Port: Pittsburgh

Location: Mile 8.0, left bank, Ohio River, Neville Island. Datum: NPE

Operator: Not operated.

Owner: Neville Development Co.

Address: 4800 Grand Avenue Phone: 412 263-6705

Town: Neville Island State: PA County: Allegheny

Railway Connection: One marginal surface track at rear connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.

Purpose: Not used.

Depth Alongside (feet): 12 | | Latitude (decimal): 40.511667

Total Berthing Space (feet): 420 | | Longitude (decimal): -80.11806

Remarks: At time of survey, facility was not in operation. Three electric, traveling, full-portal gantry cranes serve launchways: one 30-ton with 80-foot boom, one 65-ton at 125-foot radius, and one 50-ton at 110-foot ra with capacities up to 65 tons serve yard. Wharf equipped with outlets for supplying compressed air, oxygen, natural gas, and electricity.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

---

Remarks: At time of survey, facility was not in operation. Three electric, traveling, full-portal gantry cranes serve launchways: one 30-ton with 80-foot boom, one 65-ton at 125-foot radius, and one 50-ton at 110-foot ra with capacities up to 65 tons serve yard. Wharf equipped with outlets for supplying compressed air, oxygen, natural gas, and electricity.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

---

Remarks: At time of survey, facility was not in operation. Three electric, traveling, full-portal gantry cranes serve launchways: one 30-ton with 80-foot boom, one 65-ton at 125-foot radius, and one 50-ton at 110-foot ra with capacities up to 65 tons serve yard. Wharf equipped with outlets for supplying compressed air, oxygen, natural gas, and electricity.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

---

Remarks: At time of survey, facility was not in operation. Three electric, traveling, full-portal gantry cranes serve launchways: one 30-ton with 80-foot boom, one 65-ton at 125-foot radius, and one 50-ton at 110-foot ra with capacities up to 65 tons serve yard. Wharf equipped with outlets for supplying compressed air, oxygen, natural gas, and electricity.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 8 PWD: 41
Name: **Neville Development Co., Engineering Works Division, Outfitting Do**
Port: Pittsburgh
Location: Mile 8.0, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Not operated.
Owner: Neville Development Co.
Address: 4800 Grand Avenue Phone: 412 263-6705
Town: Neville Island State: PA County: Allegheny
Railway Connection: One marginal surface track at rear connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.511667
Total Berthing Space (feet): 420 | | Longitude (decimal): -80.11806

Waterway: **Ohio River** Mile: 8 PWD: 41
Name: **Neville Development Co., Engineering Works Division, Outfitting Do**
Port: Pittsburgh
Location: Mile 8.0, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Not operated.
Owner: Neville Development Co.
Address: 4800 Grand Avenue Phone: 412 263-6705
Town: Neville Island State: PA County: Allegheny
Railway Connection: One marginal surface track at rear connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.511667
Total Berthing Space (feet): 420 | | Longitude (decimal): -80.11806

Waterway: **Ohio River** Mile: 8 PWD: 41
Name: **Neville Development Co., Engineering Works Division, Outfitting Do**
Port: Pittsburgh
Location: Mile 8.0, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Not operated.
Owner: Neville Development Co.
Address: 4800 Grand Avenue Phone: 412 263-6705
Town: Neville Island State: PA County: Allegheny
Railway Connection: One marginal surface track at rear connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.511667
Total Berthing Space (feet): 420 | | Longitude (decimal): -80.11806

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 8 PWD: 41

Name: **Neville Development Co., Engineering Works Division, Outfitting Do**

Port: Pittsburgh

Location: Mile 8.0, left bank, Ohio River, Neville Island. Datum: NPE

Operator: Not operated.

Owner: Neville Development Co.

Address: 4800 Grand Avenue Phone: 412 263-6705

Town: Neville Island State: PA County: Allegheny

Railway Connection: One marginal surface track at rear connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.

Purpose: Not used.

Depth Alongside (feet): 12 | | Latitude (decimal): 40.511667

Total Berthing Space (feet): 420 | | Longitude (decimal): -80.11806

Remarks: At time of survey, facility was not in operation. Three electric, traveling, full-portal gantry cranes serve launchways: one 30-ton with 80-foot boom, one 65-ton at 125-foot radius, and one 50-ton at 110-foot ra with capacities up to 65 tons serve yard. Wharf equipped with outlets for supplying compressed air, oxygen, natural gas, and electricity.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

---

Remarks: At time of survey, facility was not in operation. Three electric, traveling, full-portal gantry cranes serve launchways: one 30-ton with 80-foot boom, one 65-ton at 125-foot radius, and one 50-ton at 110-foot ra with capacities up to 65 tons serve yard. Wharf equipped with outlets for supplying compressed air, oxygen, natural gas, and electricity.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

---

Remarks: At time of survey, facility was not in operation. Three electric, traveling, full-portal gantry cranes serve launchways: one 30-ton with 80-foot boom, one 65-ton at 125-foot radius, and one 50-ton at 110-foot ra with capacities up to 65 tons serve yard. Wharf equipped with outlets for supplying compressed air, oxygen, natural gas, and electricity.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

---

Remarks: At time of survey, facility was not in operation. Three electric, traveling, full-portal gantry cranes serve launchways: one 30-ton with 80-foot boom, one 65-ton at 125-foot radius, and one 50-ton at 110-foot ra with capacities up to 65 tons serve yard. Wharf equipped with outlets for supplying compressed air, oxygen, natural gas, and electricity.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 8 PWD: 41
Name: **Neville Development Co., Engineering Works Division, Outfitting Do**
Port: Pittsburgh
Location: Mile 8.0, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Not operated.
Owner: Neville Development Co.
Address: 4800 Grand Avenue Phone: 412 263-6705
Town: Neville Island State: PA County: Allegheny
Railway Connection: One marginal surface track at rear connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.511667
Total Berthing Space (feet): 420 | | Longitude (decimal): -80.11806

Waterway: **Ohio River** Mile: 8 PWD: 41
Name: **Neville Development Co., Engineering Works Division, Outfitting Do**
Port: Pittsburgh
Location: Mile 8.0, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Not operated.
Owner: Neville Development Co.
Address: 4800 Grand Avenue Phone: 412 263-6705
Town: Neville Island State: PA County: Allegheny
Railway Connection: One marginal surface track at rear connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.511667
Total Berthing Space (feet): 420 | | Longitude (decimal): -80.11806

Waterway: **Ohio River** Mile: 8 PWD: 41
Name: **Neville Development Co., Engineering Works Division, Outfitting Do**
Port: Pittsburgh
Location: Mile 8.0, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Not operated.
Owner: Neville Development Co.
Address: 4800 Grand Avenue Phone: 412 263-6705
Town: Neville Island State: PA County: Allegheny
Railway Connection: One marginal surface track at rear connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.511667
Total Berthing Space (feet): 420 | | Longitude (decimal): -80.11806

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 8 PWD: 41

Name: **Neville Development Co., Engineering Works Division, Outfitting Do**

Port: Pittsburgh

Location: Mile 8.0, left bank, Ohio River, Neville Island. Datum: NPE

Operator: Not operated.

Owner: Neville Development Co.

Address: 4800 Grand Avenue Phone: 412 263-6705

Town: Neville Island State: PA County: Allegheny

Railway Connection: One marginal surface track at rear connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.

Purpose: Not used.

Depth Alongside (feet): 12 | | Latitude (decimal): 40.511667

Total Berthing Space (feet): 420 | | Longitude (decimal): -80.11806

Remarks: At time of survey, facility was not in operation. Three electric, traveling, full-portal gantry cranes serve launchways: one 30-ton with 80-foot boom, one 65-ton at 125-foot radius, and one 50-ton at 110-foot ra with capacities up to 65 tons serve yard. Wharf equipped with outlets for supplying compressed air, oxygen, natural gas, and electricity.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

---

Remarks: At time of survey, facility was not in operation. Three electric, traveling, full-portal gantry cranes serve launchways: one 30-ton with 80-foot boom, one 65-ton at 125-foot radius, and one 50-ton at 110-foot ra with capacities up to 65 tons serve yard. Wharf equipped with outlets for supplying compressed air, oxygen, natural gas, and electricity.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

---

Remarks: At time of survey, facility was not in operation. Three electric, traveling, full-portal gantry cranes serve launchways: one 30-ton with 80-foot boom, one 65-ton at 125-foot radius, and one 50-ton at 110-foot ra with capacities up to 65 tons serve yard. Wharf equipped with outlets for supplying compressed air, oxygen, natural gas, and electricity.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

---

Remarks: At time of survey, facility was not in operation. Three electric, traveling, full-portal gantry cranes serve launchways: one 30-ton with 80-foot boom, one 65-ton at 125-foot radius, and one 50-ton at 110-foot ra with capacities up to 65 tons serve yard. Wharf equipped with outlets for supplying compressed air, oxygen, natural gas, and electricity.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 8 PWD: 41
Name: **Neville Development Co., Engineering Works Division, Outfitting Do**
Port: Pittsburgh
Location: Mile 8.0, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Not operated.
Owner: Neville Development Co.
Address: 4800 Grand Avenue Phone: 412 263-6705
Town: Neville Island State: PA County: Allegheny
Railway Connection: One marginal surface track at rear connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.511667
Total Berthing Space (feet): 420 | | Longitude (decimal): -80.11806

Waterway: **Ohio River** Mile: 8 PWD: 41
Name: **Neville Development Co., Engineering Works Division, Outfitting Do**
Port: Pittsburgh
Location: Mile 8.0, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Not operated.
Owner: Neville Development Co.
Address: 4800 Grand Avenue Phone: 412 263-6705
Town: Neville Island State: PA County: Allegheny
Railway Connection: One marginal surface track at rear connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.511667
Total Berthing Space (feet): 420 | | Longitude (decimal): -80.11806

Waterway: **Ohio River** Mile: 8 PWD: 41
Name: **Neville Development Co., Engineering Works Division, Outfitting Do**
Port: Pittsburgh
Location: Mile 8.0, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Not operated.
Owner: Neville Development Co.
Address: 4800 Grand Avenue Phone: 412 263-6705
Town: Neville Island State: PA County: Allegheny
Railway Connection: One marginal surface track at rear connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.511667
Total Berthing Space (feet): 420 | | Longitude (decimal): -80.11806

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 8 PWD: 41

Name: **Neville Development Co., Engineering Works Division, Outfitting Do**

Port: Pittsburgh

Location: Mile 8.0, left bank, Ohio River, Neville Island. Datum: NPE

Operator: Not operated.

Owner: Neville Development Co.

Address: 4800 Grand Avenue Phone: 412 263-6705

Town: Neville Island State: PA County: Allegheny

Railway Connection: One marginal surface track at rear connects with Pittsburgh, Chartiers, and Youghiogheny Railroad.

Purpose: Not used.

Depth Alongside (feet): 12 | | Latitude (decimal): 40.511667

Total Berthing Space (feet): 420 | | Longitude (decimal): -80.11806

Remarks: At time of survey, facility was not in operation. Three electric, traveling, full-portal gantry cranes serve launchways: one 30-ton with 80-foot boom, one 65-ton at 125-foot radius, and one 50-ton at 110-foot ra with capacities up to 65 tons serve yard. Wharf equipped with outlets for supplying compressed air, oxygen, natural gas, and electricity.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

---

Remarks: At time of survey, facility was not in operation. Three electric, traveling, full-portal gantry cranes serve launchways: one 30-ton with 80-foot boom, one 65-ton at 125-foot radius, and one 50-ton at 110-foot ra with capacities up to 65 tons serve yard. Wharf equipped with outlets for supplying compressed air, oxygen, natural gas, and electricity.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

---

Remarks: At time of survey, facility was not in operation. Three electric, traveling, full-portal gantry cranes serve launchways: one 30-ton with 80-foot boom, one 65-ton at 125-foot radius, and one 50-ton at 110-foot ra with capacities up to 65 tons serve yard. Wharf equipped with outlets for supplying compressed air, oxygen, natural gas, and electricity.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

---

Remarks: At time of survey, facility was not in operation. Three electric, traveling, full-portal gantry cranes serve launchways: one 30-ton with 80-foot boom, one 65-ton at 125-foot radius, and one 50-ton at 110-foot ra with capacities up to 65 tons serve yard. Wharf equipped with outlets for supplying compressed air, oxygen, natural gas, and electricity.

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43973 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 9 PWD: 240
Name: **Crain Bros., Glenfield Landing.**
Port: Pittsburgh
Location: Mile 8.5, right bank, Ohio River, Glenfield. Datum: NPE
Operator: Crain Bros., Inc.
Owner: Crain Bros., Inc.
Address: Mulberry Street Extension Phone: 412 766-5880
Town: Glenfield State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring company-owned barges for repair; mooring contractor's floating equipment.
Depth Alongside (feet): 9 - 12 | | Latitude (decimal): 40.516111
Total Berthing Space (feet): 1000 | | Longitude (decimal): -80.13
Remarks: -□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43972 Pittsburgh District

---

Waterway: **Ohio River** Mile: 9 PWD: 38
Name: **Dravo Basic Materials Co., Lower Landing.**
Port: Pittsburgh
Location: Mile 8.8, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.514444
Total Berthing Space (feet): 350 | | Longitude (decimal): -80.1375

Waterway: **Ohio River** Mile: 9 PWD: 38
Name: **Dravo Basic Materials Co., Lower Landing.**
Port: Pittsburgh
Location: Mile 8.8, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.514444
Total Berthing Space (feet): 350 | | Longitude (decimal): -80.1375
Remarks: Fleeting area has capacity for six barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43972 Pittsburgh District

---

Remarks: Fleeting area has capacity for six barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43972 Pittsburgh District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 9 PWD: 38
Name: **Dravo Basic Materials Co., Lower Landing.**
Port: Pittsburgh
Location: Mile 8.8, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.514444
Total Berthing Space (feet): 350 | | Longitude (decimal): -80.1375

Waterway: **Ohio River** Mile: 9 PWD: 38
Name: **Dravo Basic Materials Co., Lower Landing.**
Port: Pittsburgh
Location: Mile 8.8, left bank, Ohio River, Neville Island. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Grand Avenue Phone: 412 262-8005
Town: Neville Island State: PA County: Allegheny
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.514444
Total Berthing Space (feet): 350 | | Longitude (decimal): -80.1375
Remarks: Fleeting area has capacity for six barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43972 Pittsburgh District

Remarks: Fleeting area has capacity for six barges.□□

Port Series: 60 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 43972 Pittsburgh District

US Army Corps of Engineers
Dredging Contracts Awarded

District Pittsburgh

Job Name	Dredge Type	Bid Open Date	Quantity Cubic Yds	Givernment Estimate	Winning Bid	Winning Bidder	Status of Business	Number of Bids
FY 1995 Awards								
EMRG DRDG POOL3 MI40.8 MON R	B	12/2/94	13,150	$134,500	$112,846	RIVER SALVAGE CO., INC.	S	1
FY 1998 Awards								
CONEMAUGH DREDGING	B		187,764	N/A	N/A	HARVE CODY	S	1
FY 1999 Awards								
OHIO RIVER OPEN CHNL DRDGING	B	2/5/99	2,400	$42,500	$32,000	RIVER SALVAGE CO., INC.	S	1

Dredge Type (DT)
B Bucket
D Dustpan
H Hopper
N Nonconventional
P Pipeline
S Sidecaster
W Combination - All types
X Pipeline & Bucket
Y Pipeline & Hopper
Z Hopper & Bucket
u undefined

Status of Business (SB)
E Emerging Small
L Large
S Small

LPMS Summary by Division/District

January - December 1998 and 1999

2 **Main** **Great Lakes And Ohio River Division**
Allegheny **River Mile: 6.7** **Pittsburgh District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	4,247	3,316	911	20	2,364	1,467	897	6,611	1,750
Downbound	4,295	3,369	911	16	2,340	851	1,489	6,635	723
Total	8,542	6,685	1,822	36	4,704	2,318	2,386	13,246	2,473
1999									
Upbound	5,375	4,427	935	13	2,352	1,516	836	7,727	1,788
Downbound	5,409	4,465	935	14	2,403	866	1,537	7,812	824
Total	10,784	8,892	1,870	27	4,755	2,382	2,373	15,539	2,612
Percent Change	26%	33%	3%	-25%	1%	3%	-1%	17%	6%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	2,316	1,392	904	20	770	205	0.14	0.54	110.23
Downbound	2,241	1,321	904	16	746	209	0.15	0.54	111.98
Total	4,557	2,713	1,808	36	1,516	414	0.15	0.54	222.21
1999									
Upbound	2,536	1,596	927	13	761	239	0.24	0.78	186.35
Downbound	2,464	1,532	918	14	787	271	0.18	0.53	143.32
Total	5,000	3,128	1,845	27	1,548	510	0.21	0.65	329.67
Percent Change	10%	15%	2%	-25%	2%	23%	40%	20%	48%

3 **Main** **Great Lakes And Ohio River Division**
Allegheny **River Mile: 14.5** **Pittsburgh District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	2,651	1,755	877	19	2,400	1,528	872	5,051	1,832
Downbound	2,589	1,684	877	21	2,428	864	1,564	5,017	708
Total	5,240	3,439	1,754	40	4,828	2,392	2,436	10,068	2,540
1999									
Upbound	2,632	1,735	884	13	2,351	1,558	793	4,983	1,825
Downbound	2,648	1,760	884	12	2,345	803	1,542	4,993	742
Total	5,280	3,495	1,768	25	4,696	2,361	2,335	9,976	2,567
Percent Change	1%	2%	1%	-38%	-3%	-1%	-4%	-1%	1%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	1,854	965	870	19	763	162	0.13	0.60	96.90
Downbound	1,775	881	873	21	760	168	0.13	0.57	96.07
Total	3,629	1,846	1,743	40	1,523	330	0.13	0.58	192.97
1999									
Upbound	1,910	1,021	876	13	749	200	0.16	0.60	119.17
Downbound	1,883	1,000	871	12	769	201	0.15	0.57	114.28
Total	3,793	2,021	1,747	25	1,518	401	0.15	0.58	233.45
Percent Change	5%	9%	0%	-38%	0%	22%	15%	0%	21%

LPMS Summary by Division/District

January - December 1998 and 1999

4 **Main** **Great Lakes And Ohio River Division**
Allegheny **River Mile: 24.2** **Pittsburgh District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	**Total**	**Rec**	**Comrcl**	**Other**	**Total**	**Loaded**	**Empty**	**Total**	**ktons**
Upbound	2,850	1,934	901	15	1,779	341	1,438	4,629	491
Downbound	2,759	1,841	901	18	1,778	1,442	336	4,537	1,283
Total	5,609	3,775	1,802	33	3,557	1,783	1,774	9,166	1,774
1999									
Upbound	2,648	1,788	848	12	1,569	318	1,251	4,217	435
Downbound	2,618	1,770	848	11	1,568	1,280	288	4,186	1,177
Total	5,266	3,558	1,696	23	3,137	1,598	1,539	8,403	1,612
Percent Change	-6%	-6%	-6%	-30%	-12%	-10%	-13%	-8%	-9%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	**Total**	**Rec**	**Comrcl**	**Other**	**All**	**Delayed**	**(hrs)**	**(hrs)**	**(hrs)**
Upbound	1,820	907	898	15	775	156	0.13	0.66	102.72
Downbound	1,757	840	899	18	765	199	0.15	0.56	111.70
Total	3,577	1,747	1,797	33	1,540	355	0.14	0.60	214.42
1999									
Upbound	1,792	935	845	12	716	155	0.14	0.63	97.53
Downbound	1,747	903	833	11	722	182	0.13	0.53	96.00
Total	3,539	1,838	1,678	23	1,438	337	0.13	0.57	193.53
Percent Change	-1%	5%	-7%	-30%	-7%	-5%	-7%	-5%	-10%

5 **Main** **Great Lakes And Ohio River Division**
Allegheny **River Mile: 30.4** **Pittsburgh District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	**Total**	**Rec**	**Comrcl**	**Other**	**Total**	**Loaded**	**Empty**	**Total**	**ktons**
Upbound	1,521	1,183	324	14	990	79	911	2,511	108
Downbound	1,525	1,184	324	14	983	846	137	2,508	645
Total	3,046	2,367	648	28	1,973	925	1,048	5,019	753
1999									
Upbound	1,524	1,206	304	14	887	113	774	2,411	145
Downbound	1,544	1,232	304	14	862	745	117	2,406	621
Total	3,068	2,438	608	28	1,749	858	891	4,817	766
Percent Change	1%	3%	-6%	0%	-11%	-7%	-15%	-4%	2%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	**Total**	**Rec**	**Comrcl**	**Other**	**All**	**Delayed**	**(hrs)**	**(hrs)**	**(hrs)**
Upbound	981	646	321	14	261	25	0.05	0.50	12.57
Downbound	970	630	326	14	259	19	0.02	0.31	5.80
Total	1,951	1,276	647	28	520	44	0.04	0.42	18.37
1999									
Upbound	1,021	704	303	14	246	23	0.06	0.69	15.93
Downbound	1,013	704	295	14	235	13	0.02	0.29	3.73
Total	2,034	1,408	598	28	481	36	0.04	0.55	19.66
Percent Change	4%	10%	-8%	0%	-8%	-18%	0%	31%	7%

LPMS Summary by Division/District

January - December 1998 and 1999

6 **Main** **Great Lakes And Ohio River Division**
Allegheny **River Mile: 36.3** **Pittsburgh District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	941	774	157	10	192	65	127	1,133	97
Downbound	935	767	157	9	190	81	109	1,125	73
Total	1,876	1,541	314	19	382	146	236	2,258	170
1999									
Upbound	881	735	136	10	159	77	82	1,040	100
Downbound	890	748	136	11	160	75	85	1,050	61
Total	1,771	1,483	272	21	319	152	167	2,090	161
Percent Change	-6%	-4%	-13%	11%	-16%	4%	-29%	-7%	-5%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	680	514	156	10	116	7	0.01	0.14	0.95
Downbound	652	485	158	9	109	5	0.01	0.24	1.20
Total	1,332	999	314	19	225	12	0.01	0.18	2.15
1999									
Upbound	639	494	135	10	98	5	0.10	1.93	9.67
Downbound	644	502	131	11	93	7	0.02	0.31	2.18
Total	1,283	996	266	21	191	12	0.06	0.99	11.85
Percent Change	-4%	0%	-15%	11%	-15%	0%	500%	450%	451%

7 **Main** **Great Lakes And Ohio River Division**
Allegheny **River Mile: 45.7** **Pittsburgh District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	1,326	973	346	7	366	270	96	1,692	392
Downbound	1,317	963	346	7	374	84	290	1,691	72
Total	2,643	1,936	692	14	740	354	386	3,383	464
1999									
Upbound	1,065	954	104	7	127	61	66	1,192	80
Downbound	1,046	942	104	7	115	59	56	1,161	54
Total	2,111	1,896	208	14	242	120	122	2,353	134
Percent Change	-20%	-2%	-70%	0%	-67%	-66%	-68%	-30%	-71%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	764	414	343	7	298	16	0.04	0.66	10.63
Downbound	799	446	346	7	302	22	0.01	0.12	2.68
Total	1,563	860	689	14	600	38	0.02	0.35	13.31
1999									
Upbound	529	419	103	7	75	11	0.04	0.29	3.22
Downbound	520	416	97	7	67	3	0.02	0.39	1.18
Total	1,049	835	200	14	142	14	0.03	0.31	4.40
Percent Change	-33%	-3%	-71%	0%	-76%	-63%	50%	-11%	-67%

LPMS Summary by Division/District

January - December 1998 and 1999

8 **Main** **Great Lakes And Ohio River Division**
Allegheny **River Mile: 52.6** **Pittsburgh District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	1,158	848	306	4	298	4	294	1,456	6
Downbound	1,143	839	306	4	291	287	4	1,434	455
Total	2,301	1,687	612	8	589	291	298	2,890	461
1999									
Upbound	1,416	968	444	4	445	14	431	1,861	10
Downbound	1,405	958	444	4	444	428	16	1,849	663
Total	2,821	1,926	888	8	889	442	447	3,710	673
Percent Change	23%	14%	45%	0%	51%	52%	50%	28%	46%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	695	386	305	4	291	18	0.01	0.21	3.72
Downbound	678	375	299	4	284	14	0.01	0.15	2.07
Total	1,373	761	604	8	575	32	0.01	0.18	5.79
1999									
Upbound	810	362	444	4	430	38	0.02	0.27	10.27
Downbound	801	355	442	4	429	29	0.01	0.15	4.42
Total	1,611	717	886	8	859	67	0.02	0.22	14.69
Percent Change	17%	-6%	47%	0%	49%	109%	100%	22%	154%

9 **Main** **Great Lakes And Ohio River Division**
Allegheny **River Mile: 62.2** **Pittsburgh District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	660	644	13	3	0	0	0	660	0
Downbound	737	721	13	3	0	0	0	737	0
Total	1,397	1,365	26	6	0	0	0	1,397	0
1999									
Upbound	896	884	9	3	0	0	0	896	0
Downbound	887	875	9	3	0	0	0	887	0
Total	1,783	1,759	18	6	0	0	0	1,783	0
Percent Change	28%	29%	-31%	0%	N/A	N/A	N/A	28%	N/A

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	328	312	13	3	0	0	0.00	0.00	0.00
Downbound	319	303	13	3	0	0	0.00	0.00	0.00
Total	647	615	26	6	0	0	0.00	0.00	0.00
1999									
Upbound	331	319	9	3	0	0	0.00	0.00	0.00
Downbound	317	305	9	3	0	0	0.00	0.00	0.00
Total	648	624	18	6	0	0	0.00	0.00	0.00
Percent Change	0%	1%	-31%	0%	N/A	N/A	N/A	N/A	N/A

LPMS Summary by Division/District

January - December 1998 and 1999

2 Monongahela — **Aux 1, River Mile: 11.2** — **Great Lakes And Ohio River Division, Pittsburgh District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	2,007	1,308	675	24	456	174	282	2,463	219
Downbound	2,009	1,333	675	20	375	156	219	2,384	207
Total	4,016	2,641	1,350	44	831	330	501	4,847	426
1999									
Upbound	2,479	1,382	1,081	16	912	495	417	3,391	248
Downbound	2,636	1,547	1,081	17	855	117	738	3,491	152
Total	5,115	2,929	2,162	33	1,767	612	1,155	6,882	400
Percent Change	27%	11%	60%	-25%	113%	85%	131%	42%	-6%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	1,207	513	670	24	374	28	0.02	0.27	7.45
Downbound	1,170	501	649	20	326	23	0.03	0.39	9.08
Total	2,377	1,014	1,319	44	700	51	0.02	0.32	16.53
1999									
Upbound	1,641	554	1,071	16	818	48	0.01	0.17	8.20
Downbound	1,600	522	1,061	17	788	50	0.02	0.24	11.85
Total	3,241	1,076	2,132	33	1,606	98	0.01	0.20	20.05
Percent Change	36%	6%	62%	-25%	129%	92%	-50%	-38%	21%

2 Monongahela — **Main, River Mile: 11.2** — **Great Lakes And Ohio River Division, Pittsburgh District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	1,844	45	1,797	2	12,629	6,861	5,768	14,473	9,582
Downbound	1,833	0	1,797	4	12,510	8,574	3,936	14,343	10,518
Total	3,677	45	3,594	6	25,139	15,435	9,704	28,816	20,100
1999									
Upbound	1,960	215	1,739	6	12,289	6,204	6,085	14,249	8,701
Downbound	1,748	0	1,739	5	12,374	9,490	2,884	14,122	12,024
Total	3,708	215	3,478	11	24,663	15,694	8,969	28,371	20,725
Percent Change	1%	378%	-3%	83%	-2%	2%	-8%	-2%	3%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	1,770	3	1,765	2	1,759	590	0.37	1.10	648.07
Downbound	1,809	0	1,805	4	1,798	660	0.40	1.09	717.30
Total	3,579	3	3,570	6	3,557	1,250	0.38	1.09	1,365.37
1999									
Upbound	1,726	6	1,714	6	1,716	607	0.46	1.30	788.07
Downbound	1,734	0	1,729	5	1,720	611	0.42	1.19	724.90
Total	3,460	6	3,443	11	3,436	1,218	0.44	1.24	1,512.97
Percent Change	-3%	100%	-4%	83%	-3%	-3%	16%	14%	11%

LPMS Summary by Division/District

January - December 1998 and 1999

3 Monongahela — **Aux 1 River Mile: 23.8** — **Great Lakes And Ohio River Division Pittsburgh District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	1,812	714	1,078	20	647	195	452	2,459	248
Downbound	1,835	777	1,078	19	601	331	270	2,436	400
Total	3,647	1,491	2,156	39	1,248	526	722	4,895	648
1999									
Upbound	2,548	909	1,624	15	1,838	449	1,389	4,386	591
Downbound	2,525	910	1,624	19	1,697	1,284	413	4,222	1,589
Total	5,073	1,819	3,248	34	3,535	1,733	1,802	8,608	2,180
Percent Change	39%	22%	51%	-13%	183%	229%	150%	76%	236%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	1,445	376	1,049	20	469	65	0.05	0.33	21.77
Downbound	1,463	438	1,006	19	430	45	0.03	0.33	14.75
Total	2,908	814	2,055	39	899	110	0.04	0.33	36.52
1999									
Upbound	2,010	431	1,564	15	765	325	0.74	1.75	567.33
Downbound	1,986	442	1,526	18	731	319	0.60	1.38	441.60
Total	3,996	873	3,090	33	1,496	644	0.67	1.57	1,008.93
Percent Change	37%	7%	50%	-15%	66%	485%	1575%	376%	2663%

3 Monongahela — **Main River Mile: 23.8** — **Great Lakes And Ohio River Division Pittsburgh District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	3,093	117	2,946	30	11,778	2,181	9,597	14,871	2,918
Downbound	3,178	144	2,946	30	11,819	10,490	1,329	14,997	12,518
Total	6,271	261	5,892	60	23,597	12,671	10,926	29,868	15,436
1999									
Upbound	2,843	3	2,835	5	11,377	2,090	9,287	14,220	2,894
Downbound	2,893	18	2,835	3	11,547	10,544	1,003	14,440	12,917
Total	5,736	21	5,670	8	22,924	12,634	10,290	28,660	15,811
Percent Change	-9%	-92%	-4%	-87%	-3%	0%	-6%	-4%	2%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	2,965	38	2,897	30	2,845	1,289	0.32	0.72	922.15
Downbound	3,042	59	2,953	30	2,906	1,265	0.34	0.78	987.97
Total	6,007	97	5,850	60	5,751	2,554	0.33	0.75	1,910.12
1999									
Upbound	2,809	1	2,803	5	2,795	1,338	0.32	0.68	906.80
Downbound	2,860	3	2,854	3	2,851	1,369	0.37	0.77	1,056.13
Total	5,669	4	5,657	8	5,646	2,707	0.35	0.73	1,962.93
Percent Change	-6%	-96%	-3%	-87%	-2%	6%	6%	-3%	3%

LPMS Summary by Division/District

January - December 1998 and 1999

4 Monongahela — **Aux 1 River Mile: 41.5** — **Great Lakes And Ohio River Division Pittsburgh District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	1,494	806	674	14	669	161	508	2,163	195
Downbound	1,323	752	674	15	444	238	206	1,767	282
Total	2,817	1,558	1,348	29	1,113	399	714	3,930	477
1999									
Upbound	1,672	958	705	9	447	140	307	2,119	165
Downbound	1,670	1,018	705	13	370	193	177	2,040	222
Total	3,342	1,976	1,410	22	817	333	484	4,159	387
Percent Change	19%	27%	5%	-24%	-27%	-17%	-32%	6%	-19%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	1,135	451	670	14	369	40	0.15	1.39	55.40
Downbound	1,011	445	551	15	264	30	0.19	1.65	49.47
Total	2,146	896	1,221	29	633	70	0.17	1.50	104.87
1999									
Upbound	1,215	510	696	9	285	38	0.12	0.87	33.02
Downbound	1,159	520	626	13	244	28	0.17	1.44	40.27
Total	2,374	1,030	1,322	22	529	66	0.14	1.11	73.29
Percent Change	11%	15%	8%	-24%	-16%	-6%	-18%	-26%	-30%

4 Monongahela — **Main River Mile: 41.5** — **Great Lakes And Ohio River Division Pittsburgh District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	1,842	0	1,841	1	8,666	612	8,054	10,508	747
Downbound	1,933	1	1,841	1	8,795	8,225	570	10,728	9,647
Total	3,775	1	3,682	2	17,461	8,837	8,624	21,236	10,394
1999									
Upbound	2,195	0	2,193	2	10,153	987	9,166	12,348	1,251
Downbound	2,237	1	2,193	1	10,256	9,604	652	12,493	11,574
Total	4,432	1	4,386	3	20,409	10,591	9,818	24,841	12,825
Percent Change	17%	0%	19%	50%	17%	20%	14%	17%	23%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	1,825	0	1,824	1	1,818	560	0.19	0.61	342.38
Downbound	1,923	1	1,921	1	1,917	590	0.23	0.75	443.25
Total	3,748	1	3,745	2	3,735	1,150	0.21	0.68	785.63
1999									
Upbound	2,166	0	2,164	2	2,160	808	0.26	0.71	571.28
Downbound	2,215	0	2,214	1	2,212	785	0.30	0.85	666.12
Total	4,381	0	4,378	3	4,372	1,593	0.28	0.78	1,237.40
Percent Change	17%	-100%	17%	50%	17%	39%	33%	15%	58%

LPMS Summary by Division/District

January - December 1998 and 1999

Maxwell — **Aux 1** — **Great Lakes And Ohio River Division**
Monongahela — **River Mile: 61.2** — **Pittsburgh District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	**Total**	**Rec**	**Comrcl**	**Other**	**Total**	**Loaded**	**Empty**	**Total**	**ktons**
Upbound	837	591	239	7	950	150	800	1,787	170
Downbound	2,190	630	239	8	7,638	6,601	1,037	9,828	7,641
Total	3,027	1,221	478	15	8,588	6,751	1,837	11,615	7,811
1999									
Upbound	982	583	398	1	1,784	380	1,404	2,766	419
Downbound	2,405	629	398	5	9,098	7,398	1,700	11,503	8,847
Total	3,387	1,212	796	6	10,882	7,778	3,104	14,269	9,266
Percent Change	12%	-1%	67%	-60%	27%	15%	69%	23%	19%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	**Total**	**Rec**	**Comrcl**	**Other**	**All**	**Delayed**	**(hrs)**	**(hrs)**	**(hrs)**
Upbound	553	308	238	7	220	31	0.04	0.27	8.38
Downbound	1,895	347	1,540	8	1,474	45	0.02	0.52	23.28
Total	2,448	655	1,778	15	1,694	76	0.02	0.42	31.66
1999									
Upbound	693	297	395	1	369	71	0.07	0.35	24.90
Downbound	2,112	347	1,760	5	1,681	91	0.02	0.42	38.28
Total	2,805	644	2,155	6	2,050	162	0.03	0.39	63.18
Percent Change	15%	-2%	21%	-60%	21%	113%	50%	-7%	100%

Maxwell — **Main** — **Great Lakes And Ohio River Division**
Monongahela — **River Mile: 61.2** — **Pittsburgh District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	**Total**	**Rec**	**Comrcl**	**Other**	**Total**	**Loaded**	**Empty**	**Total**	**ktons**
Upbound	2,358	624	1,728	6	8,314	1,342	6,972	10,672	1,511
Downbound	1,031	612	1,728	7	1,601	1,316	285	2,632	1,558
Total	3,389	1,236	3,456	13	9,915	2,658	7,257	13,304	3,069
1999									
Upbound	2,508	703	1,796	9	8,957	2,370	6,587	11,465	2,601
Downbound	1,074	648	1,796	4	1,675	1,275	400	2,749	1,513
Total	3,582	1,351	3,592	13	10,632	3,645	6,987	14,214	4,114
Percent Change	6%	9%	4%	0%	7%	37%	-4%	7%	34%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	**Total**	**Rec**	**Comrcl**	**Other**	**All**	**Delayed**	**(hrs)**	**(hrs)**	**(hrs)**
Upbound	2,082	360	1,716	6	1,637	65	0.02	0.39	25.38
Downbound	772	358	407	7	346	64	0.05	0.25	16.20
Total	2,854	718	2,123	13	1,983	129	0.02	0.32	41.58
1999									
Upbound	2,206	413	1,784	9	1,680	49	0.01	0.37	17.95
Downbound	776	353	419	4	344	67	0.06	0.32	21.27
Total	2,982	766	2,203	13	2,024	116	0.02	0.34	39.22
Percent Change	4%	7%	4%	0%	2%	-10%	0%	6%	-6%

LPMS Summary by Division/District

January - December 1998 and 1999

Grays Landing — **Main** — **Great Lakes And Ohio River Division**
Monongahela — **River Mile: 82.0** — **Pittsburgh District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	1,795	631	1,150	14	4,733	2,424	2,309	6,528	2,509
Downbound	1,776	619	1,150	16	4,696	3,025	1,671	6,472	3,144
Total	3,571	1,250	2,300	30	9,429	5,449	3,980	13,000	5,653
1999									
Upbound	1,970	901	1,060	9	4,427	2,873	1,554	6,397	3,053
Downbound	1,949	880	1,060	10	4,501	2,400	2,101	6,450	2,720
Total	3,919	1,781	2,120	19	8,928	5,273	3,655	12,847	5,773
Percent Change	10%	42%	-8%	-37%	-5%	-3%	-8%	-1%	2%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	1,534	384	1,136	14	977	135	0.05	0.38	50.83
Downbound	1,517	369	1,132	16	972	143	0.05	0.36	51.42
Total	3,051	753	2,268	30	1,949	278	0.05	0.37	102.25
1999									
Upbound	1,561	499	1,053	9	918	117	0.05	0.36	42.63
Downbound	1,555	501	1,044	10	950	149	0.06	0.38	56.85
Total	3,116	1,000	2,097	19	1,868	266	0.05	0.37	99.48
Percent Change	2%	33%	-8%	-37%	-4%	-4%	0%	0%	-3%

Pt. Marion — **Main** — **Great Lakes And Ohio River Division**
Monongahela — **River Mile: 90.8** — **Pittsburgh District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	1,267	270	981	16	4,219	2,410	1,809	5,486	2,526
Downbound	1,229	243	981	15	4,130	2,481	1,649	5,359	2,663
Total	2,496	513	1,962	31	8,349	4,891	3,458	10,845	5,189
1999									
Upbound	1,261	344	906	11	3,970	2,734	1,236	5,231	2,943
Downbound	1,257	344	906	13	3,992	1,948	2,044	5,249	2,269
Total	2,518	688	1,812	24	7,962	4,682	3,280	10,480	5,212
Percent Change	1%	34%	-8%	-23%	-5%	-4%	-5%	-3%	0%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	1,186	192	978	16	841	80	0.04	0.41	32.68
Downbound	1,153	173	965	15	849	71	0.05	0.65	45.90
Total	2,339	365	1,943	31	1,690	151	0.05	0.52	78.58
1999									
Upbound	1,199	286	902	11	807	77	0.04	0.44	33.67
Downbound	1,192	281	898	13	826	63	0.03	0.45	28.63
Total	2,391	567	1,800	24	1,633	140	0.04	0.45	62.30
Percent Change	2%	55%	-7%	-23%	-3%	-7%	-20%	-13%	-21%

LPMS Summary by Division/District

January - December 1998 and 1999

Morgantown — **Main** — **Great Lakes And Ohio River Division**
Monongahela — **River Mile: 102.0** — **Pittsburgh District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	396	282	99	15	213	62	151	609	95
Downbound	414	302	99	15	204	141	63	618	150
Total	810	584	198	30	417	203	214	1,227	245
1999									
Upbound	502	381	111	10	373	46	327	875	67
Downbound	493	373	111	9	372	324	48	865	317
Total	995	754	222	19	745	370	375	1,740	384
Percent Change	23%	29%	12%	-37%	79%	82%	75%	42%	57%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	367	253	99	15	73	1	0.00	0.33	0.33
Downbound	381	270	96	15	74	1	0.00	0.15	0.15
Total	748	523	195	30	147	2	0.00	0.24	0.48
1999									
Upbound	432	311	111	10	94	3	0.02	0.75	2.25
Downbound	444	324	111	9	92	2	0.01	0.32	0.63
Total	876	635	222	19	186	5	0.02	0.58	2.88
Percent Change	17%	21%	14%	-37%	27%	150%	N/A	142%	500%

Hildebrand — **Main** — **Great Lakes And Ohio River Division**
Monongahela — **River Mile: 108.0** — **Pittsburgh District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	246	173	63	10	137	54	83	383	80
Downbound	257	181	63	11	144	84	60	401	96
Total	503	354	126	21	281	138	143	784	176
1999									
Upbound	194	169	17	8	36	11	25	230	17
Downbound	190	167	17	6	30	17	13	220	10
Total	384	336	34	14	66	28	38	450	27
Percent Change	-24%	-5%	-73%	-33%	-77%	-80%	-73%	-43%	-85%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	224	151	63	10	48	1	0.14	6.58	6.58
Downbound	228	153	64	11	58	1	0.01	0.50	0.50
Total	452	304	127	21	106	2	0.07	3.54	7.08
1999									
Upbound	153	128	17	8	12	0	0.00	0.00	0.00
Downbound	151	128	17	6	12	0	0.00	0.00	0.00
Total	304	256	34	14	24	0	0.00	0.00	0.00
Percent Change	-33%	-16%	-73%	-33%	-77%	-100%	-100%	-100%	-100%

1999 data unavailable for the following month(s):Jan

LPMS Summary by Division/District

January - December 1998 and 1999

Opekiska — **Main** — **Great Lakes And Ohio River Division**
Monongahela — **River Mile: 115.4** — **Pittsburgh District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	281	209	64	8	139	56	83	420	84
Downbound	291	219	64	9	143	83	60	434	94
Total	572	428	128	17	282	139	143	854	178
1999									
Upbound	313	295	13	5	23	13	10	336	19
Downbound	317	297	13	5	24	9	15	341	9
Total	630	592	26	10	47	22	25	677	28
Percent Change	10%	38%	-80%	-41%	-83%	-84%	-83%	-21%	-84%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	258	186	64	8	50	2	0.21	5.18	10.35
Downbound	257	185	63	9	57	3	0.02	0.34	1.02
Total	515	371	127	17	107	5	0.11	2.27	11.37
1999									
Upbound	217	199	13	5	9	0	0.00	0.00	0.00
Downbound	214	194	15	5	10	0	0.00	0.00	0.00
Total	431	393	28	10	19	0	0.00	0.00	0.00
Percent Change	-16%	6%	-78%	-41%	-82%	-100%	-100%	-100%	-100%

1999 data unavailable for the following month(s:Jan

Emsworth — **Aux 1** — **Great Lakes And Ohio River Division**
Ohio — **River Mile: 6.2** — **Pittsburgh District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	2,650	1,405	1,177	68	908	561	347	3,558	701
Downbound	2,780	1,509	1,177	62	839	317	522	3,619	368
Total	5,430	2,914	2,354	130	1,747	878	869	7,177	1,069
1999									
Upbound	3,040	1,741	1,232	67	793	530	263	3,833	674
Downbound	3,275	1,888	1,232	59	942	283	659	4,217	348
Total	6,315	3,629	2,464	126	1,735	813	922	8,050	1,022
Percent Change	16%	25%	5%	-3%	-1%	-7%	6%	12%	-4%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	1,845	611	1,167	67	552	101	1.70	9.28	937.00
Downbound	1,927	673	1,192	62	562	92	0.94	5.73	526.75
Total	3,772	1,284	2,359	129	1,114	193	1.31	7.58	1,463.75
1999									
Upbound	2,020	726	1,227	67	578	104	0.48	2.65	276.07
Downbound	2,209	830	1,320	59	602	117	0.49	2.50	292.98
Total	4,229	1,556	2,547	126	1,180	221	0.48	2.57	569.05
Percent Change	12%	21%	8%	-2%	6%	15%	-63%	-66%	-61%

LPMS Summary by Division/District

January - December 1998 and 1999

Emsworth — **Main** — **Great Lakes And Ohio River Division**
Ohio — **River Mile: 6.2** — **Pittsburgh District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	2,219	125	2,084	10	13,962	9,091	4,871	16,181	12,145
Downbound	2,171	86	2,084	8	13,990	7,965	6,025	16,161	9,928
Total	4,390	211	4,168	18	27,952	17,056	10,896	32,342	22,073
1999									
Upbound	2,217	169	2,039	9	13,603	8,311	5,292	15,820	11,183
Downbound	2,157	141	2,039	12	13,455	8,857	4,598	15,612	11,347
Total	4,374	310	4,078	21	27,058	17,168	9,890	31,432	22,530
Percent Change	0%	47%	-2%	17%	-3%	1%	-9%	-3%	2%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	2,076	14	2,052	10	2,018	1,033	0.79	1.55	1,597.23
Downbound	2,080	9	2,063	8	2,033	1,082	0.92	1.73	1,873.00
Total	4,156	23	4,115	18	4,051	2,115	0.86	1.64	3,470.23
1999									
Upbound	2,054	13	2,032	9	1,984	1,096	0.99	1.79	1,959.42
Downbound	2,017	8	1,997	12	1,951	1,000	0.93	1.82	1,817.98
Total	4,071	21	4,029	21	3,935	2,096	0.96	1.80	3,777.40
Percent Change	-2%	-9%	-2%	17%	-3%	-1%	12%	10%	9%

Dashields — **Aux 1** — **Great Lakes And Ohio River Division**
Ohio — **River Mile: 13.3** — **Pittsburgh District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	2,204	1,197	975	32	490	285	205	2,694	376
Downbound	2,309	1,255	975	33	626	168	458	2,935	192
Total	4,513	2,452	1,950	65	1,116	453	663	5,629	568
1999									
Upbound	2,177	1,299	849	29	445	244	201	2,622	309
Downbound	2,311	1,366	849	26	577	140	437	2,888	185
Total	4,488	2,665	1,698	55	1,022	384	638	5,510	494
Percent Change	-1%	9%	-13%	-15%	-8%	-15%	-4%	-2%	-13%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	1,593	597	964	32	416	67	0.05	0.30	20.12
Downbound	1,654	610	1,011	33	509	74	0.05	0.33	24.28
Total	3,247	1,207	1,975	65	925	141	0.05	0.31	44.40
1999									
Upbound	1,576	707	840	29	358	61	0.05	0.30	18.10
Downbound	1,678	744	908	26	441	69	0.06	0.35	24.33
Total	3,254	1,451	1,748	55	799	130	0.05	0.33	42.43
Percent Change	0%	20%	-11%	-15%	-14%	-8%	0%	6%	-4%

LPMS Summary by Division/District

January - December 1998 and 1999

Dashields — **Main** — **Great Lakes And Ohio River Division**
Ohio — **River Mile: 13.3** — **Pittsburgh District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	2,139	12	2,124	3	15,718	10,908	4,810	17,857	14,041
Downbound	2,130	4	2,124	2	15,594	7,994	7,600	17,724	9,943
Total	4,269	16	4,248	5	31,312	18,902	12,410	35,581	23,984
1999									
Upbound	2,035	51	1,978	6	14,727	9,682	5,045	16,762	12,679
Downbound	1,996	1	1,978	5	14,785	8,788	5,997	16,781	11,340
Total	4,031	52	3,956	11	29,512	18,470	11,042	33,543	24,019
Percent Change	-6%	225%	-7%	120%	-6%	-2%	-11%	-6%	0%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	2,094	1	2,090	3	2,077	1,100	0.73	1.38	1,519.90
Downbound	2,114	0	2,112	2	2,106	1,152	0.73	1.34	1,547.03
Total	4,208	1	4,202	5	4,183	2,252	0.73	1.36	3,066.93
1999									
Upbound	1,961	1	1,954	6	1,939	1,020	0.73	1.40	1,423.45
Downbound	1,982	0	1,977	5	1,962	983	0.66	1.32	1,295.88
Total	3,943	1	3,931	11	3,901	2,003	0.70	1.36	2,719.33
Percent Change	-6%	0%	-6%	120%	-7%	-11%	-4%	0%	-11%

Montgomery — **Aux 1** — **Great Lakes And Ohio River Division**
Ohio — **River Mile: 31.7** — **Pittsburgh District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	1,859	1,024	816	19	426	257	169	2,285	327
Downbound	1,961	1,073	816	12	502	111	391	2,463	141
Total	3,820	2,097	1,632	31	928	368	560	4,748	468
1999									
Upbound	1,839	1,150	680	9	545	350	195	2,384	395
Downbound	1,937	1,182	680	10	599	138	461	2,536	174
Total	3,776	2,332	1,360	19	1,144	488	656	4,920	569
Percent Change	-1%	11%	-17%	-39%	23%	33%	17%	4%	22%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	1,353	531	803	19	354	58	0.05	0.28	15.95
Downbound	1,413	538	863	12	382	57	0.04	0.27	15.27
Total	2,766	1,069	1,666	31	736	115	0.04	0.27	31.22
1999									
Upbound	1,257	571	677	9	366	79	0.49	2.26	178.70
Downbound	1,322	581	731	10	353	64	0.72	3.95	252.55
Total	2,579	1,152	1,408	19	719	143	0.60	3.02	431.25
Percent Change	-7%	8%	-15%	-39%	-2%	24%	1400%	1019%	1281%

LPMS Summary by Division/District

January - December 1998 and 1999

Montgomery — **Main** — **Great Lakes And Ohio River Division**
Ohio — **River Mile: 31.7** — **Pittsburgh District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	**Total**	**Rec**	**Comrcl**	**Other**	**Total**	**Loaded**	**Empty**	**Total**	**ktons**
Upbound	2,147	20	2,124	3	16,300	12,020	4,280	18,447	16,136
Downbound	2,102	3	2,124	7	16,185	8,043	8,142	18,287	10,254
Total	4,249	23	4,248	10	32,485	20,063	12,422	36,734	26,390
1999									
Upbound	2,195	108	2,077	10	14,956	10,812	4,144	17,151	14,552
Downbound	2,090	15	2,077	5	15,144	8,628	6,516	17,234	11,424
Total	4,285	123	4,154	15	30,100	19,440	10,660	34,385	25,976
Percent Change	1%	435%	-2%	50%	-7%	-3%	-14%	-6%	-2%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	**Total**	**Rec**	**Comrcl**	**Other**	**All**	**Delayed**	**(hrs)**	**(hrs)**	**(hrs)**
Upbound	2,094	5	2,086	3	2,078	1,254	1.08	1.79	2,247.47
Downbound	2,078	0	2,072	6	2,054	1,241	1.05	1.74	2,153.60
Total	4,172	5	4,158	9	4,132	2,495	1.07	1.76	4,401.07
1999									
Upbound	2,047	7	2,030	10	2,001	1,166	1.04	1.78	2,080.18
Downbound	2,019	7	2,007	5	1,965	1,128	1.00	1.74	1,967.48
Total	4,066	14	4,037	15	3,966	2,294	1.02	1.76	4,047.66
Percent Change	-3%	180%	-3%	67%	-4%	-8%	-5%	0%	-8%

New Cumberland — **Aux 1** — **Great Lakes And Ohio River Division**
Ohio — **River Mile: 54.4** — **Pittsburgh District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	**Total**	**Rec**	**Comrcl**	**Other**	**Total**	**Loaded**	**Empty**	**Total**	**ktons**
Upbound	1,775	1,191	570	14	1,068	720	348	2,843	1,092
Downbound	1,920	1,214	570	13	1,612	434	1,178	3,532	599
Total	3,695	2,405	1,140	27	2,680	1,154	1,526	6,375	1,691
1999									
Upbound	2,174	1,511	651	12	1,276	873	403	3,450	1,334
Downbound	2,296	1,544	651	12	1,642	479	1,163	3,938	717
Total	4,470	3,055	1,302	24	2,918	1,352	1,566	7,388	2,051
Percent Change	21%	27%	14%	-11%	9%	17%	3%	16%	21%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	**Total**	**Rec**	**Comrcl**	**Other**	**All**	**Delayed**	**(hrs)**	**(hrs)**	**(hrs)**
Upbound	1,156	579	563	14	458	54	0.05	0.42	22.93
Downbound	1,267	565	689	13	581	64	0.06	0.50	32.28
Total	2,423	1,144	1,252	27	1,039	118	0.05	0.47	55.21
1999									
Upbound	1,326	671	643	12	520	84	0.07	0.43	36.08
Downbound	1,408	664	732	12	630	88	0.07	0.48	41.97
Total	2,734	1,335	1,375	24	1,150	172	0.07	0.45	78.05
Percent Change	13%	17%	10%	-11%	11%	46%	40%	-4%	41%

LPMS Summary by Division/District

January - December 1998 and 1999

New Cumberland — **Main** — **Great Lakes And Ohio River Division**
Ohio — **River Mile: 54.4** — **Pittsburgh District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	**Total**	**Rec**	**Comrcl**	**Other**	**Total**	**Loaded**	**Empty**	**Total**	**ktons**
Upbound	1,846	5	1,841	0	19,777	18,053	1,724	21,623	26,308
Downbound	1,734	10	1,841	1	18,998	5,553	13,445	20,732	7,416
Total	3,580	15	3,682	1	38,775	23,606	15,169	42,355	33,724
1999									
Upbound	1,715	15	1,699	1	17,412	15,789	1,623	19,127	23,097
Downbound	1,617	6	1,699	2	17,095	6,240	10,855	18,712	8,750
Total	3,332	21	3,398	3	34,507	22,029	12,478	37,839	31,847
Percent Change	-7%	40%	-8%	200%	-11%	-7%	-18%	-11%	-6%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	**Total**	**Rec**	**Comrcl**	**Other**	**All**	**Delayed**	**(hrs)**	**(hrs)**	**(hrs)**
Upbound	1,827	2	1,825	0	1,822	725	0.37	0.93	671.93
Downbound	1,716	1	1,714	1	1,711	672	0.33	0.84	561.45
Total	3,543	3	3,539	1	3,533	1,397	0.35	0.88	1,233.38
1999									
Upbound	1,675	3	1,671	1	1,667	638	0.36	0.94	601.42
Downbound	1,586	1	1,583	2	1,584	569	0.27	0.75	425.78
Total	3,261	4	3,254	3	3,251	1,207	0.32	0.85	1,027.20
Percent Change	-8%	33%	-8%	200%	-8%	-14%	-9%	-3%	-17%

Pike Island — **Aux 1** — **Great Lakes And Ohio River Division**
Ohio — **River Mile: 84.2** — **Pittsburgh District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	**Total**	**Rec**	**Comrcl**	**Other**	**Total**	**Loaded**	**Empty**	**Total**	**ktons**
Upbound	1,103	552	543	8	813	595	218	1,916	894
Downbound	1,239	565	543	8	1,531	302	1,229	2,770	461
Total	2,342	1,117	1,086	16	2,344	897	1,447	4,686	1,355
1999									
Upbound	1,619	874	732	13	1,083	789	294	2,702	1,192
Downbound	1,687	865	732	14	1,675	422	1,253	3,362	674
Total	3,306	1,739	1,464	27	2,758	1,211	1,547	6,064	1,866
Percent Change	41%	56%	35%	69%	18%	35%	7%	29%	38%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	**Total**	**Rec**	**Comrcl**	**Other**	**All**	**Delayed**	**(hrs)**	**(hrs)**	**(hrs)**
Upbound	854	311	535	8	335	29	0.09	1.05	30.55
Downbound	987	317	662	8	554	54	0.07	0.67	36.10
Total	1,841	628	1,197	16	889	83	0.07	0.80	66.65
1999									
Upbound	1,191	463	716	12	498	51	0.04	0.42	21.53
Downbound	1,306	499	793	14	642	76	0.05	0.38	29.03
Total	2,497	962	1,509	26	1,140	127	0.04	0.40	50.56
Percent Change	36%	53%	26%	63%	28%	53%	-43%	-50%	-24%

LPMS Summary by Division/District

January - December 1998 and 1999

Pike Island — **Main** — **Great Lakes And Ohio River Division**
Ohio — **River Mile: 84.2** — **Pittsburgh District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	2,408	141	2,260	7	23,598	22,515	1,083	26,006	32,500
Downbound	2,279	148	2,260	10	22,457	6,706	15,751	24,736	9,167
Total	4,687	289	4,520	17	46,055	29,221	16,834	50,742	41,667
1999									
Upbound	1,982	5	1,976	1	21,313	19,936	1,377	23,295	29,136
Downbound	1,898	8	1,976	0	20,712	7,238	13,474	22,610	10,269
Total	3,880	13	3,952	1	42,025	27,174	14,851	45,905	39,405
Percent Change	-17%	-96%	-13%	-94%	-9%	-7%	-12%	-10%	-5%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	2,286	64	2,216	6	2,177	935	0.39	0.90	845.90
Downbound	2,163	60	2,093	10	2,067	914	0.39	0.87	799.55
Total	4,449	124	4,309	16	4,244	1,849	0.39	0.89	1,645.45
1999									
Upbound	1,942	3	1,938	1	1,934	739	0.31	0.82	607.27
Downbound	1,872	4	1,868	0	1,862	681	0.31	0.84	568.82
Total	3,814	7	3,806	1	3,796	1,420	0.31	0.83	1,176.09
Percent Change	-14%	-94%	-12%	-94%	-11%	-23%	-21%	-7%	-29%

Hannibal — **Aux 1** — **Great Lakes And Ohio River Division**
Ohio — **River Mile: 126.4** — **Pittsburgh District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	869	519	338	12	712	435	277	1,581	669
Downbound	956	532	338	13	891	301	590	1,847	409
Total	1,825	1,051	676	25	1,603	736	867	3,428	1,078
1999									
Upbound	1,027	720	298	9	684	388	296	1,711	577
Downbound	1,090	731	298	8	772	307	465	1,862	424
Total	2,117	1,451	596	17	1,456	695	761	3,573	1,001
Percent Change	16%	38%	-12%	-32%	-9%	-6%	-12%	4%	-7%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	551	202	337	12	287	17	0.02	0.37	6.23
Downbound	653	229	411	13	340	20	0.03	0.43	8.50
Total	1,204	431	748	25	627	37	0.02	0.40	14.73
1999									
Upbound	560	253	298	9	268	12	0.02	0.41	4.95
Downbound	637	278	351	8	308	14	0.02	0.40	5.58
Total	1,197	531	649	17	576	26	0.02	0.41	10.53
Percent Change	-1%	23%	-13%	-32%	-8%	-30%	0%	3%	-29%

LPMS Summary by Division/District

January - December 1998 and 1999

Hannibal — **Main** — **Great Lakes And Ohio River Division**
Ohio — **River Mile: 126.4** — **Pittsburgh District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	2,006	27	1,979	0	22,990	19,549	3,441	24,996	28,445
Downbound	1,919	21	1,979	1	22,596	12,649	9,947	24,515	18,097
Total	3,925	48	3,958	1	45,586	32,198	13,388	49,511	46,542
1999									
Upbound	2,005	40	1,965	0	22,826	18,063	4,763	24,831	26,633
Downbound	1,946	43	1,965	1	22,658	13,609	9,049	24,604	19,616
Total	3,951	83	3,930	1	45,484	31,672	13,812	49,435	46,249
Percent Change	1%	73%	-1%	0%	0%	-2%	3%	0%	-1%

Jan - Dec	Lockages				Tows		Average Delay		Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	All Tows (hrs)	Delayed Tows (hrs)	(hrs)
Upbound	1,985	8	1,977	0	1,971	683	0.28	0.81	555.35
Downbound	1,902	6	1,895	1	1,889	694	0.29	0.80	555.08
Total	3,887	14	3,872	1	3,860	1,377	0.29	0.81	1,110.43
1999									
Upbound	1,961	10	1,951	0	1,944	677	0.32	0.91	614.15
Downbound	1,900	12	1,887	1	1,877	662	0.28	0.78	517.22
Total	3,861	22	3,838	1	3,821	1,339	0.30	0.84	1,131.37
Percent Change	-1%	57%	-1%	0%	-1%	-3%	3%	4%	2%