TABLE 1-TON-MILEAGE OF UNITED STATES FREIGHT CARRIED ON THE GREAT LAKES BY AREA, CALENDAR YEAR 2002
(thousand ton-miles)

Area	Area Totals	Foreign				Domestic						
		Overseas		Canadian		Coastwise		Lakewise		Internal		Intraport
		In/Out	Through	In/Out	Through	In/Out	Through	In/Out	Through	In/Out	Through	In/Out
DETROIT RIVER, MI	2,099,535	13,199	135,329	53,157	826,120	—-	—-	253,411	816,158	2,003	158	—-
*LAKE ERIE	12,461,002	220,099	1,326,573	3,190,631	3,894,634	—-	—-	3,205,712	623,026	215	—-	112
LAKE HURON	25,607,844	122	1,184,317	757,060	6,457,134	—-	—-	5,491,565	11,713,940	—-	3,707	—-
**LAKE MICHIGAN	21,044,973	893,270	—-	3,241,192	—-	—-	—-	14,742,138	2,095,755	17,806	—-	54,812
***LAKE ONTARIO	5,700,766	—-	2,365,994	46,779	3,287,992	—-	—-	—-	—-	—-	—-	—-
LAKE SUPERIOR	25,866,652	938,670	—-	5,030,975	471,167	—-	—-	19,425,780	59	1	—-	0
ST. CLAIR RIVER, MI	2,873,847	—-	170,252	4,961	1,102,813	—-	—-	158,482	1,436,835	—-	504	—-
****ST. LAWRENCE RIVER	1,479,992	602	675,129	23,614	780,646	—-	—-	—-	—-	—-	—-	—-
ST. MARYS RIVER, MI	4,855,771	—-	156,445	8,349	1,175,053	—-	—-	32,905	3,483,019	—-	—-	—-
WELLAND CANAL, CANADA	580,271	—-	164,221	—-	416,050	—-	—-	—-	—-	—-	—-	—-
NET UNITED STATES TRAFFIC ON THE GREAT LAKES	102,570,651	8,244,221		30,768,328		—-		63,478,785		8,889		70,428

* Including Upper Niagara River
** Including the Port of Chicago (Chicago Harbor, North Branch, South Branch, Sanitary Ship Canal, Calumet-Sag Channel, Lake Calumet and Calumet Harbor and River)
*** Including Lower Niagara River
**** Between International boundary line and Lake Ontario

TABLE 2-FREIGHT TONS OF UNITED STATES TRAFFIC CARRIED ON THE GREAT LAKES BY AREA, CALENDAR YEAR 2002
(thousand short tons)

Area	Area Totals	Foreign				Domestic						
		Overseas		Canadian		Coastwise		Lakewise		Internal		Intraport
		In/Out	Through	In/Out	Through	In/Out	Through	In/Out	Through	In/Out	Through	In/Out
DETROIT RIVER, MI	74,653	679	4,365	3,730	26,649	—-	—-	12,720	26,328	177	5	—-
*LAKE ERIE	80,901	1,038	5,044	22,429	16,637	—-	—-	28,450	7,187	5	—-	112
LAKE HURON	114,050	0	4,365	3,827	26,179	—-	—-	21,839	57,827	—-	13	—-
**LAKE MICHIGAN	57,770	1,921	—-	7,703	—-	—-	—-	35,746	7,021	2,786	—-	2,593
***LAKE ONTARIO	22,267	—-	6,082	474	15,710	—-	—-	—-	0	—-	—-	0
LAKE SUPERIOR	76,575	2,444	—-	14,259	2,662	—-	—-	57,195	12	1	—-	1
ST. CLAIR RIVER, MI	79,341	—-	4,365	658	28,277	—-	—-	9,185	36,842	—-	13	—-
****ST. LAWRENCE RIVER	13,091	12	6,082	106	6,891	—-	—-	—-	—-	—-	—-	—-
ST. MARYS RIVER, MI	80,330	—-	2,444	333	22,146	—-	—-	984	54,422	—-	—-	—-
WELLAND CANAL, CANADA	21,774	—-	6,082	—-	15,692	—-	—-	—-	—-	—-	—-	—-
NET UNITED STATES TRAFFIC ON THE GREAT LAKES	167,226	6,094		53,888		—-		101,569		2,487		3,189

* Including Upper Niagara River
** Including the Port of Chicago (Chicago Harbor, North Branch, South Branch, Sanitary Ship Canal, Calumet-Sag Channel, Lake Calumet and Calumet Harbor and River)
*** Including Lower Niagara River
**** Between International boundary line and Lake Ontario

TABLE 3 - NET SUMMARY OF FOREIGN AND DOMESTIC FREIGHT CARRIED ON THE GREAT LAKES BY TYPE OF TRAFFIC AND COMMODITY

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1993	159,628	1996	181,773	1999	182,862	**2002**	**167,226**
1994	175,275	1997	188,579	2000	187,489		
1995	177,750	1998	192,235	2001	171,359		

Freight Traffic, 2002 (thousand short tons)

Commodity	Grand Total	Foreign				Domestic		
		Inbound		Outbound		Lakewise	Internal	Intraport
		Canadian	Overseas*	Canadian	Overseas			
Total, all commodities	**167,226**	**18,196**	**3,353**	**35,692**	**2,742**	**101,569**	**2,487**	**3,189**
Total coal	**41,357**	**607**	**—-**	**20,529**	**55**	**19,408**	**740**	**19**
1100 coal lignite	40,165	541	—	20,438	—	19,176	—	10
1200 coal coke	1,192	67	—	90	55	231	740	8
Total petroleum and petroleum products	**4,290**	**723**	**—-**	**743**	**45**	**1,944**	**212**	**622**
Subtotal crude petroleum	**16**	**—-**	**—-**	**16**	**—-**	**—-**	**—-**	**—-**
2100 crude petroleum	16	—	—	16	—	—	—	—
Subtotal petroleum products	**4,274**	**723**	**—-**	**727**	**45**	**1,944**	**212**	**622**
2211 gasoline	533	94	—	35	—	402	0	2
2330 distillate fuel oil	734	269	—	36	—	197	18	214
2340 residual fuel oil	362	105	—	22	—	127	19	89
2350 lube oil & greases	49	—	—	23	—	3	4	19
2429 naphtha & solvents	20	4	—	3	—	—	—	14
2430 asphalt, tar & pitch	1,345	23	—	5	—	1,068	153	96
2540 petroleum coke	1,196	228	—	604	45	119	15	184
2640 liquid natural gas	1	—	—	—	—	1	0	0
2990 petro. products nec	35	—	—	—	—	28	3	4
Total chemicals and related products	**2,154**	**601**	**23**	**1,174**	**8**	**154**	**45**	**149**
Subtotal fertilizers	**355**	**278**	**—-**	**20**	**—-**	**—-**	**43**	**14**
3110 nitrogenous fert.	69	18	—	—	—	—	37	14
3120 phosphatic fert.	5	—	—	—	—	—	5	—
3130 potassic fert.	261	260	—	—	—	—	1	—
3190 fert. & mixes nec	20	—	—	20	—	—	—	—
Subtotal other chemicals and related products	**1,798**	**323**	**23**	**1,154**	**8**	**154**	**1**	**135**
3212 benzene & toluene	30	15	—	15	—	—	—	—
3219 other hydrocarbons	50	7	23	6	—	—	—	14
3220 alcohols	48	—	—	—	—	—	—	48
3230 carboxylic acids	5	—	—	5	—	—	—	—
3274 sodium hydroxide	57	—	—	57	—	—	—	—
3275 inorg. elem., oxides, & halogen salts	421	39	—	382	—	—	—	—
3276 metallic salts	909	61	—	612	8	154	1	73
3282 pigments & paints	42	42	0	—	—	—	—	—
3285 perfumes & cleansers	0	—	—	0	—	—	—	—
3286 plastics	0	—	—	0	—	—	—	—
3292 starches, gluten, glue	46	36	—	10	—	—	—	—
3299 chem. products nec	190	123	—	67	—	—	—	—
Total crude materials, inedible except fuels	**102,081**	**12,390**	**432**	**10,253**	**114**	**76,142**	**473**	**2,276**
Subtotal forest products, wood and chips	**164**	**114**	**49**	**—-**	**—-**	**1**	**0**	**0**
4170 wood in the rough	11	—	11	—	—	1	0	—
4189 lumber	152	114	38	—	—	—	0	0
Subtotal pulp and waste paper	**161**	**6**	**156**	**—-**	**—-**	**—-**	**—-**	**—-**
4225 pulp & waste paper	161	6	156	—	—	—	—	—
Subtotal soil, sand, gravel, rock and stone	**36,575**	**2,377**	**—-**	**3,342**	**5**	**28,536**	**174**	**2,141**
4310 building stone	25	25	—	—	—	—	—	—
4322 limestone	30,409	151	—	2,695	5	27,530	27	—
4323 gypsum	770	—	—	185	—	439	147	—
4331 sand & gravel	5,267	2,201	—	462	—	463	0	2,141
4335 waterway improv. mat	103	—	—	—	—	103	—	0
4338 soil & fill dirt	0	—	—	—	—	0	—	—
Subtotal iron ore and scrap	**56,268**	**3,314**	**3**	**5,998**	**—-**	**46,815**	**125**	**11**
4410 iron ore	56,075	3,271	3	5,929	—	46,811	61	—
4420 iron & steel scrap	192	44	—	70	—	4	63	11
Subtotal non-ferrous ores and scrap	**355**	**30**	**134**	**113**	**—-**	**51**	**27**	**—-**
4650 aluminum ore	135	—	59	—	—	51	25	—
4670 manganese ore	2	—	—	—	—	—	2	—
4690 non-ferrous ores nec	218	30	75	113	—	—	—	—
Subtotal sulphur, clay and salt	**2,503**	**2,134**	**56**	**145**	**110**	**45**	**14**	**—-**
4741 sulphur, (dry)	63	63	—	—	—	—	—	—
4782 clay & refrac. mat.	2,440	2,071	56	145	110	45	14	—
Subtotal slag	**1,202**	**810**	**—-**	**—-**	**—-**	**275**	**102**	**14**
4860 slag	1,202	810	—	—	—	275	102	14
Subtotal other non-metal. min.	**4,854**	**3,605**	**34**	**655**	**—-**	**419**	**31**	**110**
4900 non-metal. min. nec	4,854	3,605	34	655	—	419	31	110

TABLE 3 - NET SUMMARY OF FOREIGN AND DOMESTIC FREIGHT CARRIED ON THE GREAT LAKES
BY TYPE OF TRAFFIC AND COMMODITY
Freight Traffic, 2002 - continued
(thousand short tons)

Commodity	Grand Total	Foreign				Domestic		
		Inbound		Outbound		Lakewise	Internal	Intraport
		Canadian	Overseas*	Canadian	Overseas			
Total primary manufactured goods	**11,131**	**3,602**	**2,777**	**265**	**—-**	**3,536**	**827**	**123**
Subtotal paper products	**0**	**—-**	**—-**	**0**	**—-**	**—-**	**—-**	**—-**
5190 paper products nec	0	—	—	0	—	—	—	—
Subtotal lime, cement and glass	**6,927**	**3,080**	**83**	**225**	**—-**	**3,529**	**3**	**8**
5220 cement & concrete	6,874	3,027	83	225	—	3,529	3	8
5240 glass & glass prod.	0	—	0	—	—	—	—	—
5290 misc. mineral prod.	52	52	0	—	—	—	0	0
Subtotal primary iron and steel products	**3,486**	**376**	**2,157**	**11**	**—-**	**8**	**819**	**115**
5312 pig iron	310	142	122	—	—	5	41	—
5315 ferro alloys	16	—	14	—	—	—	2	—
5320 i&s primary forms	898	7	634	8	—	—	248	—
5330 i&s plates & sheets	1,618	105	969	—	—	2	435	108
5360 i&s bars & shapes	445	38	400	3	—	—	3	—
5370 i&s pipe & tube	19	3	14	—	—	—	1	—
5390 primary i&s nec	180	80	3	—	—	—	89	7
Subtotal primary non-ferrous metal products	**675**	**143**	**499**	**29**	**—-**	**—-**	**5**	**0**
5422 aluminum	23	18	3	—	—	—	1	—
5429 smelted prod. nec	30	—	20	10	—	—	—	—
5480 fab. metal products	622	125	475	19	—	—	3	0
Subtotal primary wood products	**42**	**4**	**38**	**—-**	**—-**	**—-**	**—-**	**—-**
5540 primary wood prod.	42	4	38	—	—	—	—	—
Total food and farm products	**6,010**	**149**	**89**	**2,724**	**2,519**	**343**	**186**	**—-**
Subtotal fish	**0**	**—-**	**—-**	**—-**	**—-**	**0**	**—-**	**—-**
6134 fish (not shellfish)	0	—	—	—	—	0	—	—
Subtotal grain	**4,028**	**72**	**84**	**1,584**	**1,804**	**343**	**141**	**—-**
6241 wheat	2,453	42	—	469	1,545	343	54	—
6344 corn	1,439	—	—	1,112	240	—	87	—
6443 barley & rye	37	18	—	—	19	—	—	—
6445 oats	99	12	84	3	—	—	—	—
Subtotal oilseeds	**1,711**	**11**	**—-**	**1,099**	**556**	**—-**	**45**	**—-**
6522 soybeans	1,634	11	—	1,099	479	—	45	—
6534 flaxseed	77	—	—	—	77	—	—	—
Subtotal vegetable products	**17**	**—-**	**—-**	**15**	**2**	**—-**	**—-**	**—-**
6654 vegetables & prod.	17	—	—	15	2	—	—	—
Subtotal processed grain and animal feed	**206**	**66**	**—-**	**20**	**120**	**0**	**—-**	**—-**
6747 grain mill products	76	36	—	18	22	0	—	—
6782 animal feed, prep.	130	30	—	2	98	—	—	—
Subtotal other agricultural products	**48**	**—-**	**5**	**7**	**37**	**—-**	**—-**	**—-**
6835 fish, prepared	0	—	—	0	—	—	—	—
6838 tallow, animal oils	4	—	—	—	4	—	—	—
6856 bananas & plantains	0	—	—	0	—	—	—	—
6857 fruit & nuts nec	0	—	—	0	—	—	—	—
6858 fruit juices	0	—	—	0	—	—	—	—
6861 sugar	4	—	4	—	—	—	—	—
6872 cocoa beans	0	—	—	0	—	—	—	—
6885 alcoholic beverages	6	—	—	6	—	—	—	—
6889 food products nec	1	—	0	0	0	—	—	—
6899 farm products nec	32	—	—	—	32	—	—	—
Total all manufactured equipment, machinery and products	**171**	**122**	**20**	**4**	**0**	**22**	**3**	**0**
7110 machinery (not elec)	124	108	13	1	0	0	2	0
7120 electrical machinery	18	14	3	0	—	—	1	—
7210 vehicles & parts	4	—	4	0	—	—	—	0
7230 ships & boats	0	—	0	0	—	—	—	—
7400 manufac. wood prod.	0	—	—	—	—	—	0	0
7500 textile products	0	—	—	0	—	—	—	—
7600 rubber & plastic pr.	0	—	—	0	—	—	—	—
7900 manufac. prod. nec	24	—	0	2	—	22	0	—
Total unknown or not elsewhere classified	**33**	**0**	**11**	**0**	**—-**	**21**	**—-**	**—-**
9900 unknown or nec	33	0	11	0	—	21	—	—

***Includes 10,868 tons of foreign inbound in-transits**.

ILLINOIS RIVER, IL (INCLUDED IN THE ILLINOIS WATERWAY CONSOLIDATED)

Section Included: Mouth of Illinois River, Grafton, IL to Lockport, IL, 291.9 miles. Maintained Depth: 9 feet.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1993	42,600	1996	39,679	1999	40,685	**2002**	**40,204**
1994	45,265	1997	38,619	2000	41,491		
1995	41,734	1998	38,641*	2001	40,333		

*Revised after original year of publication

Freight Traffic, 2002 (thousand short tons)

Commodity	Grand Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total, all commodities	**40,204**	**5,760**	**878**	**2,057**	**20,087**	**8,058**	**3,247**	**45**	**72**
Total coal	**1,426**	**426**	**—-**	**35**	**32**	**867**	**66**	**—-**	**—-**
1100 coal lignite	468	408	—	—	13	28	19	—	—
1200 coal coke	958	17	—	35	19	840	47	—	—
Total petroleum and petroleum products	**4,645**	**980**	**61**	**568**	**1,001**	**1,445**	**531**	**14**	**44**
Subtotal crude petroleum	**27**	**—-**	**—-**	**—-**	**—-**	**—-**	**27**	**—-**	**—-**
2100 crude petroleum	27	—	—	—	—	—	27	—	—
Subtotal petroleum products	**4,617**	**980**	**61**	**568**	**1,001**	**1,445**	**504**	**14**	**44**
2211 gasoline	462	266	—	—	—	193	3	—	—
2330 distillate fuel oil	843	62	5	22	246	324	184	—	—
2340 residual fuel oil	408	29	5	61	120	88	105	—	—
2350 lube oil & greases	305	44	1	2	1	231	26	—	—
2429 naphtha & solvents	386	165	—	—	4	211	7	—	—
2430 asphalt, tar & pitch	1,019	212	20	211	268	237	27	14	31
2540 petroleum coke	964	5	31	272	361	140	142	—	13
2990 petro. products nec	230	197	—	—	—	22	11	—	—
Total chemicals and related products	**4,365**	**2,183**	**61**	**276**	**504**	**1,117**	**164**	**30**	**29**
Subtotal fertilizers	**1,177**	**874**	**—-**	**14**	**144**	**71**	**15**	**30**	**29**
3110 nitrogenous fert.	521	416	—	14	24	68	—	—	—
3120 phosphatic fert.	32	15	—	—	—	1	15	—	—
3130 potassic fert.	305	124	—	—	120	1	—	30	29
3190 fert. & mixes nec	319	319	—	—	—	—	—	—	—
Subtotal other chemicals and related products	**3,188**	**1,309**	**61**	**263**	**360**	**1,046**	**149**	**—-**	**—-**
3211 acyclic hydrocarbons	34	34	—	—	—	—	—	—	—
3212 benzene & toluene	43	—	—	—	—	6	37	—	—
3219 other hydrocarbons	832	714	24	—	1	63	29	—	—
3220 alcohols	1,189	78	37	263	344	388	79	—	—
3230 carboxylic acids	14	14	—	—	—	—	—	—	—
3260 organic comp. nec	39	20	—	—	—	19	—	—	—
3273 ammonia	295	295	—	—	—	—	—	—	—
3274 sodium hydroxide	533	—	—	—	—	532	1	—	—
3275 inorg. elem., oxides, & halogen salts	76	42	—	—	10	24	—	—	—
3276 metallic salts	7	—	—	—	3	2	3	—	—
3279 inorganic chem. nec	98	85	—	—	1	11	—	—	—
3299 chem. products nec	27	27	—	—	—	—	—	—	—
Total crude materials, inedible except fuels	**5,072**	**885**	**641**	**1,177**	**12**	**1,531**	**825**	**—-**	**—-**
Subtotal forest products, wood and chips	**340**	**154**	**—-**	**—-**	**—-**	**183**	**3**	**—-**	**—-**
4161 wood chips	328	151	—	—	—	177	—	—	—
4189 lumber	3	—	—	—	—	—	3	—	—
4190 forest products nec	9	3	—	—	—	6	—	—	—
Subtotal pulp and waste paper	**4**	**4**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**
4225 pulp & waste paper	4	4	—	—	—	—	—	—	—
Subtotal soil, sand, gravel, rock and stone	**2,198**	**246**	**542**	**1,164**	**9**	**238**	**—-**	**—-**	**—-**
4310 building stone	1	1	—	—	—	—	—	—	—
4322 limestone	141	92	—	2	—	48	—	—	—
4323 gypsum	158	—	—	—	—	158	—	—	—
4331 sand & gravel	1,769	24	542	1,162	9	32	—	—	—
4335 waterway improv. mat	129	129	—	—	—	—	—	—	—
Subtotal iron ore and scrap	**1,124**	**134**	**99**	**—-**	**3**	**127**	**761**	**—-**	**—-**
4410 iron ore	113	2	—	—	2	50	60	—	—
4420 iron & steel scrap	1,012	132	99	—	1	77	701	—	—
Subtotal non-ferrous ores and scrap	**112**	**25**	**—-**	**—-**	**—-**	**82**	**5**	**—-**	**—-**
4650 aluminum ore	42	12	—	—	—	30	—	—	—
4670 manganese ore	47	11	—	—	—	31	5	—	—
4680 non-ferrous scrap	1	—	—	—	—	1	—	—	—
4690 non-ferrous ores nec	21	2	—	—	—	20	—	—	—

ILLINOIS RIVER, IL (INCLUDED IN THE ILLINOIS WATERWAY CONSOLIDATED)
Freight Traffic, 2002 - continued
(thousand short tons)

Commodity	Grand Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Subtotal sulphur, clay and salt	**61**	**15**	**—-**	**—-**	**—-**	**41**	**6**	**—-**	**—-**
4782 clay & refrac. mat.	61	15	—	—	—	41	6	—	—
Subtotal slag	**140**	**—-**	**—-**	**14**	**—-**	**75**	**51**	**—-**	**—-**
4860 slag	140	—	—	14	—	75	51	—	—
Subtotal other non-metal. min.	**1,093**	**307**	**—-**	**—-**	**—-**	**786**	**—-**	**—-**	**—-**
4900 non-metal. min. nec	1,093	307	—	—	—	786	—	—	—
Total primary manufactured goods	**4,948**	**1,164**	**114**	**—-**	**52**	**2,955**	**663**	**—-**	**—-**
Subtotal paper products	**1**	**—-**	**—-**	**—-**	**—-**	**1**	**—-**	**—-**	**—-**
5120 paper & paperboard	1	—	—	—	—	1	—	—	—
Subtotal lime, cement and glass	**1,445**	**284**	**—-**	**—-**	**5**	**1,043**	**114**	**—-**	**—-**
5220 cement & concrete	1,445	284	—	—	5	1,043	114	—	—
Subtotal primary iron and steel products	**3,306**	**862**	**114**	**—-**	**45**	**1,747**	**537**	**—-**	**—-**
5312 pig iron	1,238	712	2	—	—	518	6	—	—
5315 ferro alloys	174	11	—	—	—	160	3	—	—
5320 i&s primary forms	307	16	—	—	—	286	4	—	—
5330 i&s plates & sheets	975	59	105	—	3	369	440	—	—
5360 i&s bars & shapes	369	48	—	—	42	271	8	—	—
5370 i&s pipe & tube	7	—	—	—	—	5	2	—	—
5390 primary i&s nec	236	16	7	—	—	138	75	—	—
Subtotal primary non-ferrous metal products	**196**	**18**	**—-**	**—-**	**2**	**164**	**12**	**—-**	**—-**
5422 aluminum	7	—	—	—	—	7	—	—	—
5429 smelted prod. nec	42	—	—	—	—	42	—	—	—
5480 fab. metal products	147	18	—	—	2	115	12	—	—
Total food and farm products	**19,720**	**120**	**—-**	**—-**	**18,483**	**141**	**976**	**—-**	**—-**
Subtotal grain	**13,277**	**9**	**—-**	**—-**	**12,639**	**28**	**600**	**—-**	**—-**
6241 wheat	372	—	—	—	145	2	225	—	—
6344 corn	12,873	5	—	—	12,493	—	375	—	—
6442 rice	5	5	—	—	—	—	—	—	—
6443 barley & rye	18	—	—	—	—	18	—	—	—
6445 oats	8	—	—	—	—	8	—	—	—
6447 sorghum grains	2	—	—	—	2	—	—	—	—
Subtotal oilseeds	**4,776**	**42**	**—-**	**—-**	**4,438**	**2**	**294**	**—-**	**—-**
6522 soybeans	4,706	—	—	—	4,430	—	276	—	—
6590 oilseeds nec	70	42	—	—	8	2	18	—	—
Subtotal vegetable products	**166**	**—-**	**—-**	**—-**	**163**	**1**	**1**	**—-**	**—-**
6653 vegetable oils	166	—	—	—	163	1	1	—	—
Subtotal processed grain and animal feed	**1,333**	**22**	**—-**	**—-**	**1,230**	**—-**	**81**	**—-**	**—-**
6747 grain mill products	35	—	—	—	35	—	—	—	—
6782 animal feed, prep.	1,299	22	—	—	1,196	—	81	—	—
Subtotal other agricultural products	**169**	**46**	**—-**	**—-**	**13**	**110**	**—-**	**—-**	**—-**
6861 sugar	87	—	—	—	—	87	—	—	—
6865 molasses	69	46	—	—	—	23	—	—	—
6885 alcoholic beverages	13	—	—	—	13	—	—	—	—
Total all manufactured equipment, machinery and products	**27**	**2**	**—-**	**—-**	**3**	**2**	**21**	**—-**	**—-**
7110 machinery (not elec)	3	0	—	—	—	1	1	—	—
7120 electrical machinery	1	—	—	—	—	1	—	—	—
7500 textile products	2	2	—	—	—	—	—	—	—
7600 rubber & plastic pr.	21	—	—	—	1	—	19	—	—
7900 manufac. prod. nec	1	—	—	—	1	—	—	—	—
Ton-miles (x1000)	**8,232,969**	**1,125,502**	**96,710**	**99,148**	**3,611,664**	**2,344,921**	**944,758**	**2,765**	**7,500**

Tons All Traffic (x1000)	**40,204**
Ton-miles All Traffic (x1000)	**8,232,969**
Total Trip-ton-miles Internal and Intraport (x1000)	**43,593,234**

CHICAGO SANITARY AND SHIP CANAL, IL (INCLUDED IN PORT OF CHICAGO, ALSO INCLUDED IN STATISTICS FOR ILLINOIS WATERWAY)

Section Included: Chicago Sanitary and Ship Canal. Damen Avenue, Chicago to Lockport, IL. Maintained Depth: 9 feet at low water stages.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1993	18,813	1996	20,493	1999	17,500	**2002**	**17,059**
1994	24,591	1997	18,900	2000	17,983		
1995	19,704	1998	18,185*	2001	16,905		

*Revised after original year of publication

Freight Traffic, 2002 (thousand short tons)

Commodity	Grand Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total, all commodities	**17,059**	**5,787**	**137**	**1,668**	**1,915**	**4,557**	**2,278**	**595**	**122**
Total coal	**978**	**20**	**8**	**1**	**53**	**883**	**13**	**—-**	**—-**
1100 coal lignite	48	6	—	1	14	22	4	—	—
1200 coal coke	931	14	8	—	39	861	8	—	—
Total petroleum and petroleum products	**3,138**	**1,578**	**59**	**45**	**589**	**641**	**68**	**69**	**89**
Subtotal crude petroleum	**27**	**—-**	**—-**	**—-**	**—-**	**—-**	**27**	**—-**	**—-**
2100 crude petroleum	27	—	—	—	—	—	27	—	—
Subtotal petroleum products	**3,110**	**1,578**	**59**	**45**	**589**	**641**	**41**	**69**	**89**
2211 gasoline	198	26	—	—	1	167	1	2	—
2330 distillate fuel oil	694	270	19	24	188	137	12	42	2
2340 residual fuel oil	333	148	15	2	144	4	1	4	16
2350 lube oil & greases	278	233	—	3	36	—	6	—	—
2429 naphtha & solvents	231	211	—	4	7	—	—	9	—
2430 asphalt, tar & pitch	571	468	—	8	27	6	20	10	32
2540 petroleum coke	769	203	25	3	171	324	2	2	38
2990 petro. products nec	37	19	—	—	15	3	—	—	—
Total chemicals and related products	**1,745**	**1,098**	**67**	**—-**	**201**	**311**	**27**	**7**	**34**
Subtotal fertilizers	**100**	**1**	**—-**	**—-**	**6**	**83**	**9**	**—-**	**—-**
3110 nitrogenous fert.	82	—	—	—	—	82	—	—	—
3120 phosphatic fert.	17	1	—	—	6	—	9	—	—
3130 potassic fert.	1	—	—	—	—	1	—	—	—
Subtotal other chemicals and related products	**1,645**	**1,096**	**67**	**—-**	**195**	**227**	**18**	**7**	**34**
3212 benzene & toluene	43	6	—	—	37	—	—	—	—
3219 other hydrocarbons	131	59	—	—	54	4	—	—	14
3220 alcohols	806	453	—	—	103	208	15	7	20
3260 organic comp. nec	19	19	—	—	—	—	—	—	—
3274 sodium hydroxide	533	529	—	—	1	3	—	—	—
3275 inorg. elem., oxides, & halogen salts	24	24	—	—	—	—	—	—	—
3276 metallic salts	78	6	67	—	—	2	3	—	—
3279 inorganic chem. nec	11	—	—	—	—	11	—	—	—
Total crude materials, inedible except fuels	**6,316**	**1,904**	**—-**	**1,622**	**662**	**805**	**805**	**519**	**—-**
Subtotal forest products, wood and chips	**185**	**173**	**—-**	**—-**	**3**	**10**	**—-**	**—-**	**—-**
4161 wood chips	177	173	—	—	—	4	—	—	—
4189 lumber	3	—	—	—	3	—	—	—	—
4190 forest products nec	6	—	—	—	—	6	—	—	—
Subtotal soil, sand, gravel, rock and stone	**4,084**	**1,178**	**—-**	**1,622**	**542**	**224**	**—-**	**519**	**—-**
4322 limestone	50	2	—	—	—	48	—	—	—
4323 gypsum	158	—	—	—	—	158	—	—	—
4331 sand & gravel	3,876	1,176	—	1,622	542	18	—	519	—
Subtotal iron ore and scrap	**989**	**3**	**—-**	**—-**	**118**	**124**	**744**	**—-**	**—-**
4410 iron ore	110	—	—	—	5	50	55	—	—
4420 iron & steel scrap	879	3	—	—	114	74	688	—	—
Subtotal non-ferrous ores and scrap	**86**	**2**	**—-**	**—-**	**—-**	**80**	**5**	**—-**	**—-**
4650 aluminum ore	30	2	—	—	—	28	—	—	—
4670 manganese ore	36	—	—	—	—	31	5	—	—
4680 non-ferrous scrap	1	—	—	—	—	1	—	—	—
4690 non-ferrous ores nec	20	—	—	—	—	20	—	—	—
Subtotal sulphur, clay and salt	**46**	**—-**	**—-**	**—-**	**—-**	**41**	**6**	**—-**	**—-**
4782 clay & refrac. mat.	46	—	—	—	—	41	6	—	—
Subtotal slag	**140**	**4**	**—-**	**—-**	**—-**	**85**	**51**	**—-**	**—-**
4860 slag	140	4	—	—	—	85	51	—	—
Subtotal other non-metal. min.	**786**	**544**	**—-**	**—-**	**—-**	**242**	**—-**	**—-**	**—-**
4900 non-metal. min. nec	786	544	—	—	—	242	—	—	—

CHICAGO SANITARY AND SHIP CANAL, IL (INCLUDED IN PORT OF CHICAGO, ALSO INCLUDED IN STATISTICS FOR ILLINOIS WATERWAY)
Freight Traffic, 2002 - continued
(thousand short tons)

Commodity	Grand Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total primary manufactured goods	**3,743**	**1,142**	**2**	**—-**	**6**	**1,821**	**771**	**—-**	**—-**
Subtotal paper products	**1**	**—-**	**—-**	**—-**	**—-**	**1**	**—-**	**—-**	**—-**
5120 paper & paperboard	1	—	—	—	—	1	—	—	—
Subtotal lime, cement and glass	**1,165**	**850**	**—-**	**—-**	**—-**	**201**	**114**	**—-**	**—-**
5220 cement & concrete	1,165	850	—	—	—	201	114	—	—
Subtotal primary iron and steel products	**2,401**	**245**	**2**	**—-**	**2**	**1,501**	**650**	**—-**	**—-**
5312 pig iron	526	—	—	—	—	518	8	—	—
5315 ferro alloys	163	—	—	—	—	160	3	—	—
5320 i&s primary forms	290	3	—	—	—	283	4	—	—
5330 i&s plates & sheets	916	78	2	—	—	291	545	—	—
5360 i&s bars & shapes	278	134	—	—	1	137	6	—	—
5370 i&s pipe & tube	7	5	—	—	0	—	1	—	—
5390 primary i&s nec	220	26	—	—	—	112	82	—	—
Subtotal primary non-ferrous metal products	**176**	**47**	**—-**	**—-**	**5**	**118**	**7**	**—-**	**—-**
5422 aluminum	7	1	—	—	—	6	—	—	—
5429 smelted prod. nec	42	19	—	—	—	24	—	—	—
5480 fab. metal products	127	27	—	—	5	88	7	—	—
Total food and farm products	**1,117**	**46**	**—-**	**—-**	**398**	**95**	**578**	**—-**	**—-**
Subtotal grain	**628**	**—-**	**—-**	**—-**	**214**	**28**	**386**	**—-**	**—-**
6241 wheat	227	—	—	—	44	2	181	—	—
6344 corn	375	—	—	—	170	—	205	—	—
6443 barley & rye	18	—	—	—	—	18	—	—	—
6445 oats	8	—	—	—	—	8	—	—	—
Subtotal oilseeds	**295**	**—-**	**—-**	**—-**	**111**	**2**	**182**	**—-**	**—-**
6522 soybeans	276	—	—	—	100	—	175	—	—
6590 oilseeds nec	20	—	—	—	11	2	7	—	—
Subtotal vegetable products	**3**	**—-**	**—-**	**—-**	**—-**	**1**	**1**	**—-**	**—-**
6653 vegetable oils	3	—	—	—	—	1	1	—	—
Subtotal processed grain and animal feed	**81**	**—-**	**—-**	**—-**	**72**	**—-**	**8**	**—-**	**—-**
6782 animal feed, prep.	81	—	—	—	72	—	8	—	—
Subtotal other agricultural products	**110**	**46**	**—-**	**—-**	**—-**	**64**	**—-**	**—-**	**—-**
6861 sugar	87	46	—	—	—	42	—	—	—
6865 molasses	23	—	—	—	—	23	—	—	—
Total all manufactured equipment, machinery and products	**22**	**0**	**—-**	**—-**	**5**	**2**	**16**	**—-**	**—-**
7110 machinery (not elec)	2	0	—	—	—	1	1	—	—
7120 electrical machinery	1	—	—	—	—	1	—	—	—
7600 rubber & plastic pr.	19	—	—	—	5	—	14	—	—
Ton-miles (x1000)	**215,837**	**63,118**	**1,625**	**43,978**	**15,387**	**46,215**	**31,395**	**13,144**	**975**

Tons All Traffic (x1000)	**17,059**
Ton-miles All Traffic (x1000)	**215,837**
Total Trip-ton-miles Internal and Intraport (x1000)	**14,054,225**

CHICAGO RIVER, SOUTH BRANCH, IL (INCLUDED IN PORT OF CHICAGO, ALSO INCLUDED IN STATISTICS FOR ILLINOIS WATERWAY)

Section Included: Damen Avenue to Lake Street. Maintained Depth: 9 feet at low water stages.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1993	2,368	1996	1,088	1999	1,680	**2002**	**2,197**
1994	2,844	1997	1,247	2000	1,598		
1995	1,226	1998	1,500	2001	2,286		

Freight Traffic, 2002 (thousand short tons)

Commodity	Grand Total	Internal			
		Inbound	Outbound	Through	
		Upbound	Downbnd	Upbound	Downbnd
Total, all commodities	**2,197**	**644**	**286**	**1,018**	**250**
Total petroleum and petroleum products	**27**	**—-**	**—-**	**12**	**15**
Subtotal petroleum products	**27**	**—-**	**—-**	**12**	**15**
2330 distillate fuel oil	8	—-	—-	—-	8
2340 residual fuel oil	2	—-	—-	2	—-
2350 lube oil & greases	3	—-	—-	3	—-
2430 asphalt, tar & pitch	6	—-	—-	6	—-
2540 petroleum coke	8	—-	—-	—-	8
Total chemicals and related products	**69**	**—-**	**—-**	**—-**	**69**
Subtotal other chemicals and related products	**69**	**—-**	**—-**	**—-**	**69**
3276 metallic salts	69	—-	—-	—-	69
Total crude materials, inedible except fuels	**2,063**	**644**	**286**	**998**	**136**
Subtotal soil, sand, gravel, rock and stone	**1,623**	**642**	**—-**	**981**	**—-**
4331 sand & gravel	1,623	642	—-	981	—-
Subtotal iron ore and scrap	**422**	**—-**	**284**	**2**	**136**
4410 iron ore	2	—-	—-	2	—-
4420 iron & steel scrap	420	—-	284	—-	136
Subtotal slag	**3**	**2**	**2**	**—-**	**—-**
4860 slag	3	2	2	—-	—-
Subtotal other non-metal. min.	**15**	**—-**	**—-**	**15**	**—-**
4900 non-metal. min. nec	15	—-	—-	15	—-
Total primary manufactured goods	**16**	**—-**	**—-**	**—-**	**16**
Subtotal primary iron and steel products	**16**	**—-**	**—-**	**—-**	**16**
5330 i&s plates & sheets	16	—-	—-	—-	16
Total food and farm products	**21**	**—-**	**—-**	**7**	**14**
Subtotal grain	**14**	**—-**	**—-**	**7**	**6**
6241 wheat	3	—-	—-	—-	3
6344 corn	3	—-	—-	—-	3
6443 barley & rye	7	—-	—-	7	—-
Subtotal oilseeds	**8**	**—-**	**—-**	**—-**	**8**
6522 soybeans	8	—-	—-	—-	8
Total all manufactured equipment, machinery and products	**1**	**—-**	**—-**	**1**	**—-**
7120 electrical machinery	1	—-	—-	1	—-
Ton-miles (x1000)	**6,938**	**597**	**3**	**5,088**	**1,250**

Tons All Traffic (x1000)	**2,197**
Ton-miles All Traffic (x1000)	**6,938**
Total Trip-ton-miles Internal and Intraport (x1000)	**411,812**

CALUMET-SAG CHANNEL, IL (INCLUDED IN PORT OF CHICAGO, ALSO INCLUDED IN STATISTICS FOR ILLINOIS WATERWAY)

Section Included: Calumet-Sag Channel from its junction with Chicago Sanitary and Ship Canal to Blue Island, Little Calumet and Calumet Rivers to Turning Basin No. 5 (130th Street Bridge). Maintained Depth: 9 feet.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1993	7,430	1996	12,636	1999	7,449	**2002**	**6,749**
1994	12,874	1997	10,041	2000	8,007		
1995	12,077	1998	8,808*	2001	6,022		

*Revised after original year of publication

Freight Traffic, 2002 (thousand short tons)

Commodity		Grand Total	Internal				
			Inbound		Outbound	Through	
			Upbound	Downbnd	Downbnd	Upbound	Downbnd
Total, all commodities		**6,749**	**661**	**9**	**38**	**3,971**	**2,070**
Total coal		**905**	**—-**	**—-**	**—-**	**884**	**21**
1100	coal lignite	27	—	—	—	23	4
1200	coal coke	878	—	—	—	861	17
Total petroleum and petroleum products		**1,055**	**315**	**—-**	**38**	**423**	**279**
	Subtotal crude petroleum	**27**	**—-**	**—-**	**27**	**—-**	**—-**
2100	crude petroleum	27	—	—	27	—	—
	Subtotal petroleum products	**1,028**	**315**	**—-**	**11**	**423**	**279**
2211	gasoline	168	167	—	1	—	—
2330	distillate fuel oil	256	148	—	10	25	74
2340	residual fuel oil	56	—	—	—	38	18
2350	lube oil & greases	20	—	—	—	14	6
2429	naphtha & solvents	4	—	—	—	4	—
2430	asphalt, tar & pitch	55	—	—	—	8	47
2540	petroleum coke	461	—	—	—	327	134
2990	petro. products nec	6	—	—	—	6	—
Total chemicals and related products		**363**	**201**	**9**	**—-**	**112**	**42**
	Subtotal fertilizers	**93**	**—-**	**—-**	**—-**	**83**	**9**
3110	nitrogenous fert.	82	—	—	—	82	—
3120	phosphatic fert.	9	—	—	—	—	9
3130	potassic fert.	1	—	—	—	1	—
	Subtotal other chemicals and related products	**271**	**201**	**9**	**—-**	**29**	**32**
3219	other hydrocarbons	4	1	—	—	3	—
3220	alcohols	244	196	9	—	14	25
3274	sodium hydroxide	3	3	—	—	—	—
3276	metallic salts	9	—	—	—	2	7
3279	inorganic chem. nec	11	—	—	—	11	—
Total crude materials, inedible except fuels		**1,169**	**11**	**—-**	**—-**	**775**	**383**
	Subtotal forest products, wood and chips	**10**	**—-**	**—-**	**—-**	**10**	**—-**
4161	wood chips	4	—	—	—	4	—
4190	forest products nec	6	—	—	—	6	—
	Subtotal soil, sand, gravel, rock and stone	**223**	**10**	**—-**	**—-**	**213**	**—-**
4322	limestone	48	2	—	—	46	—
4323	gypsum	158	—	—	—	158	—
4331	sand & gravel	16	8	—	—	8	—
	Subtotal iron ore and scrap	**447**	**2**	**—-**	**—-**	**122**	**323**
4410	iron ore	103	—	—	—	48	55
4420	iron & steel scrap	344	2	—	—	74	268
	Subtotal non-ferrous ores and scrap	**85**	**—-**	**—-**	**—-**	**80**	**5**
4650	aluminum ore	28	—	—	—	28	—
4670	manganese ore	36	—	—	—	31	5
4680	non-ferrous scrap	1	—	—	—	1	—
4690	non-ferrous ores nec	20	—	—	—	20	—
	Subtotal sulphur, clay and salt	**46**	**—-**	**—-**	**—-**	**41**	**6**
4782	clay & refrac. mat.	46	—	—	—	41	6
	Subtotal slag	**132**	**—-**	**—-**	**—-**	**83**	**49**
4860	slag	132	—	—	—	83	49
	Subtotal other non-metal. min.	**227**	**—-**	**—-**	**—-**	**227**	**—-**
4900	non-metal. min. nec	227	—	—	—	227	—
Total primary manufactured goods		**2,587**	**118**	**—-**	**—-**	**1,703**	**766**
	Subtotal paper products	**1**	**—-**	**—-**	**—-**	**1**	**—-**
5120	paper & paperboard	1	—	—	—	1	—
	Subtotal lime, cement and glass	**322**	**118**	**—-**	**—-**	**83**	**122**
5220	cement & concrete	322	118	—	—	83	122
	Subtotal primary iron and steel products	**2,138**	**—-**	**—-**	**—-**	**1,501**	**637**
5312	pig iron	526	—	—	—	518	8
5315	ferro alloys	163	—	—	—	160	3
5320	i&s primary forms	287	—	—	—	283	4
5330	i&s plates & sheets	822	—	—	—	291	532
5360	i&s bars & shapes	144	—	—	—	137	6
5370	i&s pipe & tube	1	—	—	—	—	1
5390	primary i&s nec	194	—	—	—	112	82
	Subtotal primary non-ferrous metal products	**125**	**—-**	**—-**	**—-**	**118**	**7**
5422	aluminum	6	—	—	—	6	—
5429	smelted prod. nec	24	—	—	—	24	—

CALUMET-SAG CHANNEL, IL (INCLUDED IN PORT OF CHICAGO, ALSO INCLUDED IN STATISTICS FOR ILLINOIS WATERWAY)
Freight Traffic, 2002 - continued
(thousand short tons)

Commodity	Grand Total	Internal				
		Inbound		Outbound	Through	
		Upbound	Downbnd	Downbnd	Upbound	Downbnd
5480 fab. metal products	96	—	—	—	88	7
Total food and farm products	**652**	**16**	**—**	**—**	**72**	**565**
Subtotal grain	**400**	**—**	**—**	**—**	**20**	**380**
6241 wheat	179	—	—	—	2	178
6344 corn	202	—	—	—	—	202
6443 barley & rye	11	—	—	—	11	—
6445 oats	8	—	—	—	8	—
Subtotal oilseeds	**176**	**—**	**—**	**—**	**2**	**175**
6522 soybeans	168	—	—	—	—	168
6590 oilseeds nec	9	—	—	—	2	7
Subtotal vegetable products	**3**	**—**	**—**	**—**	**1**	**1**
6653 vegetable oils	3	—	—	—	1	1
Subtotal processed grain and animal feed	**8**	**—**	**—**	**—**	**—**	**8**
6782 animal feed, prep.	8	—	—	—	—	8
Subtotal other agricultural products	**64**	**16**	**—**	**—**	**49**	**—**
6861 sugar	42	—	—	—	42	—
6865 molasses	23	16	—	—	7	—
Total all manufactured equipment, machinery and products	**17**	**—**	**—**	**—**	**1**	**16**
7110 machinery (not elec)	2	—	—	—	1	1
7120 electrical machinery	1	—	—	—	1	—
7600 rubber & plastic pr.	14	—	—	—	—	14
Ton-miles (x1000)	**154,320**	**8,733**	**104**	**497**	**95,301**	**49,685**

Tons All Traffic (x1000)	**6,749**
Ton-miles All Traffic (x1000)	**154,320**
Total Trip-ton-miles Internal and Intraport (x1000)	**7,226,979**

ILLINOIS WATERWAY, IL (CONSOLIDATED REPORT FOR ENTIRE WATERWAY)

Section Included: Illinois River, Grafton, IL to confluence of Desplaines and Kankakee Rivers thence Desplaines River to Lockport, IL; Chicago Sanitary and Ship Canal, Lockport, IL to Damen Avenue in Chicago; Chicago River (South Branch), Damen Avenue to Lake Street; Calumet-Sag Channel from its junction with the Chicago Sanitary and Ship Canal to Blue Island; and the Little Calumet River and Calumet River to Turning Basin No. 5 (130th Street Bridge). See reports for Illinois River, Chicago Sanitary and Ship Canal, Calumet-Sag Channel, and Chicago River, South Branch. Maintained Depth: 9 feet at low water stages.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1993	45,636	1996	46,236	1999	43,724	**2002**	**43,032**
1994	50,882	1997	42,994	2000	44,231		
1995	47,435	1998	41,795*	2001	43,490		

*Revised after original year of publication

Freight Traffic, 2002 (thousand short tons)

Commodity	Grand Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total, all commodities	**43,032**	**10,467**	**348**	**1,343**	**21,648**	**3,583**	**1,748**	**3,024**	**870**
Total coal	**1,436**	**446**	**8**	**37**	**85**	**847**	**13**	**—-**	**—-**
1100 coal lignite	469	414	—	1	28	22	4	—	—
1200 coal coke	967	31	8	35	58	826	8	—	—
Total petroleum and petroleum products	**5,176**	**2,555**	**72**	**295**	**1,580**	**78**	**14**	**401**	**181**
Subtotal crude petroleum	**27**	**—-**	**—-**	**—-**	**27**	**—-**	**—-**	**—-**	**—-**
2100 crude petroleum	27	—	—	—	27	—	—	—	—
Subtotal petroleum products	**5,149**	**2,555**	**72**	**295**	**1,552**	**78**	**14**	**401**	**181**
2211 gasoline	464	459	—	—	3	—	—	2	—
2330 distillate fuel oil	1,003	447	9	13	429	3	9	75	17
2340 residual fuel oil	482	117	15	5	259	1	1	63	21
2350 lube oil & greases	323	275	1	3	37	—	4	2	—
2429 naphtha & solvents	400	376	—	4	10	—	—	9	—
2430 asphalt, tar & pitch	1,096	470	20	8	295	6	—	234	62
2540 petroleum coke	1,148	195	27	263	504	65	—	14	81
2990 petro. products nec	234	216	—	—	15	3	—	—	—
Total chemicals and related products	**4,500**	**3,221**	**76**	**18**	**641**	**94**	**27**	**298**	**124**
Subtotal fertilizers	**1,177**	**875**	**—-**	**14**	**151**	**70**	**9**	**30**	**29**
3110 nitrogenous fert.	521	416	—	14	24	68	—	—	—
3120 phosphatic fert.	32	16	—	—	6	—	9	—	—
3130 potassic fert.	305	124	—	—	120	1	—	30	29
3190 fert. & mixes nec	319	319	—	—	—	—	—	—	—
Subtotal other chemicals and related products	**3,323**	**2,346**	**76**	**4**	**491**	**25**	**18**	**268**	**95**
3211 acyclic hydrocarbons	34	34	—	—	—	—	—	—	—
3212 benzene & toluene	43	6	—	—	37	—	—	—	—
3219 other hydrocarbons	846	774	—	—	30	3	—	—	38
3220 alcohols	1,237	467	9	4	408	9	15	268	57
3230 carboxylic acids	14	14	—	—	—	—	—	—	—
3260 organic comp. nec	39	39	—	—	—	—	—	—	—
3273 ammonia	295	295	—	—	—	—	—	—	—
3274 sodium hydroxide	533	532	—	—	1	—	—	—	—
3275 inorg. elem., oxides, & halogen salts	76	66	—	—	10	—	—	—	—
3276 metallic salts	80	6	67	—	3	2	3	—	—
3279 inorganic chem. nec	98	85	—	—	1	11	—	—	—
3299 chem. products nec	27	27	—	—	—	—	—	—	—
Total crude materials, inedible except fuels	**7,214**	**1,638**	**75**	**993**	**395**	**780**	**442**	**2,325**	**565**
Subtotal forest products, wood and chips	**340**	**328**	**—-**	**—-**	**3**	**10**	**—-**	**—-**	**—-**
4161 wood chips	328	324	—	—	—	4	—	—	—
4189 lumber	3	—	—	—	3	—	—	—	—
4190 forest products nec	9	3	—	—	—	6	—	—	—
Subtotal pulp and waste paper	**4**	**4**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**
4225 pulp & waste paper	4	4	—	—	—	—	—	—	—
Subtotal soil, sand, gravel, rock and stone	**4,339**	**270**	**—-**	**980**	**9**	**214**	**—-**	**2,325**	**542**
4310 building stone	1	1	—	—	—	—	—	—	—
4322 limestone	141	93	—	—	—	46	—	2	—
4323 gypsum	158	—	—	—	—	158	—	—	—
4331 sand & gravel	3,909	46	—	980	9	9	—	2,323	542
4335 waterway improv. mat	129	129	—	—	—	—	—	—	—
Subtotal iron ore and scrap	**1,126**	**138**	**75**	**—-**	**381**	**124**	**383**	**—-**	**24**
4410 iron ore	113	2	—	—	6	50	55	—	—
4420 iron & steel scrap	1,013	137	75	—	375	74	328	—	24
Subtotal non-ferrous ores and scrap	**112**	**27**	**—-**	**—-**	**—-**	**80**	**5**	**—-**	**—-**
4650 aluminum ore	42	14	—	—	—	28	—	—	—
4670 manganese ore	47	11	—	—	—	31	5	—	—

ILLINOIS WATERWAY, IL (CONSOLIDATED REPORT FOR ENTIRE WATERWAY)
Freight Traffic, 2002 - continued
(thousand short tons)

Commodity	Grand Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
4680 non-ferrous scrap	1	—	—	—	—	1	—	—	—
4690 non-ferrous ores nec	21	2	—	—	—	20	—	—	—
Subtotal sulphur, clay and salt	**61**	**15**	**—**	**—**	**—**	**41**	**6**	**—**	**—**
4782 clay & refrac. mat.	61	15	—	—	—	41	6	—	—
Subtotal slag	**140**	**6**	**—**	**14**	**2**	**69**	**49**	**—**	**—**
4860 slag	140	6	—	14	2	69	49	—	—
Subtotal other non-metal. min.	**1,093**	**851**	**—**	**—**	**—**	**242**	**—**	**—**	**—**
4900 non-metal. min. nec	1,093	851	—	—	—	242	—	—	—
Total primary manufactured goods	**4,958**	**2,424**	**117**	**—**	**58**	**1,703**	**657**	**—**	**—**
Subtotal paper products	**1**	**—**	**—**	**—**	**—**	**1**	**—**	**—**	**—**
5120 paper & paperboard	1	—	—	—	—	1	—	—	—
Subtotal lime, cement and glass	**1,453**	**1,251**	**—**	**—**	**5**	**83**	**114**	**—**	**—**
5220 cement & concrete	1,453	1,251	—	—	5	83	114	—	—
Subtotal primary iron and steel products	**3,308**	**1,107**	**117**	**—**	**47**	**1,501**	**536**	**—**	**—**
5312 pig iron	1,238	712	2	—	—	518	6	—	—
5315 ferro alloys	174	11	—	—	—	160	3	—	—
5320 i&s primary forms	307	19	—	—	—	283	4	—	—
5330 i&s plates & sheets	978	137	108	—	3	291	440	—	—
5360 i&s bars & shapes	369	182	—	—	44	137	6	—	—
5370 i&s pipe & tube	7	5	—	—	0	—	1	—	—
5390 primary i&s nec	236	42	7	—	—	112	75	—	—
Subtotal primary non-ferrous metal products	**196**	**65**	**—**	**—**	**6**	**118**	**7**	**—**	**—**
5422 aluminum	7	1	—	—	—	6	—	—	—
5429 smelted prod. nec	42	19	—	—	—	24	—	—	—
5480 fab. metal products	147	45	—	—	6	88	7	—	—
Total food and farm products	**19,720**	**181**	**—**	**—**	**18,881**	**79**	**578**	**—**	**—**
Subtotal grain	**13,277**	**9**	**—**	**—**	**12,854**	**28**	**386**	**—**	**—**
6241 wheat	372	—	—	—	189	2	181	—	—
6344 corn	12,873	5	—	—	12,662	—	205	—	—
6442 rice	5	5	—	—	—	—	—	—	—
6443 barley & rye	18	—	—	—	—	18	—	—	—
6445 oats	8	—	—	—	—	8	—	—	—
6447 sorghum grains	2	—	—	—	2	—	—	—	—
Subtotal oilseeds	**4,776**	**42**	**—**	**—**	**4,550**	**2**	**182**	**—**	**—**
6522 soybeans	4,706	—	—	—	4,530	—	175	—	—
6590 oilseeds nec	70	42	—	—	19	2	7	—	—
Subtotal vegetable products	**166**	**—**	**—**	**—**	**163**	**1**	**1**	**—**	**—**
6653 vegetable oils	166	—	—	—	163	1	1	—	—
Subtotal processed grain and animal feed	**1,333**	**22**	**—**	**—**	**1,303**	**—**	**8**	**—**	**—**
6747 grain mill products	35	—	—	—	35	—	—	—	—
6782 animal feed, prep.	1,299	22	—	—	1,268	—	8	—	—
Subtotal other agricultural products	**169**	**108**	**—**	**—**	**13**	**49**	**—**	**—**	**—**
6861 sugar	87	46	—	—	—	42	—	—	—
6865 molasses	69	62	—	—	—	7	—	—	—
6885 alcoholic beverages	13	—	—	—	13	—	—	—	—
Total all manufactured equipment, machinery and products	**27**	**3**	**—**	**—**	**8**	**2**	**16**	**—**	**—**
7110 machinery (not elec)	3	1	—	—	—	1	1	—	—
7120 electrical machinery	1	—	—	—	—	1	—	—	—
7500 textile products	2	2	—	—	—	—	—	—	—
7600 rubber & plastic pr.	21	—	—	—	6	—	14	—	—
7900 manufac. prod. nec	1	—	—	—	1	—	—	—	—
Ton-miles (x1000)	**8,610,063**	**2,497,762**	**28,266**	**50,818**	**4,070,359**	**1,163,351**	**567,967**	**140,704**	**90,835**

Tons All Traffic (x1000) **43,032**
Ton-miles All Traffic (x1000) **8,610,063**
Total Trip-ton-miles Internal and Intraport (x1000) **43,671,974**

PORT OF CHICAGO, IL

Section Included: Chicago Harbor, Chicago River, Main and North Branch, Chicago River, South Branch, Chicago Sanitary and Ship Canal, Calumet-Sag Channel and Lake Calumet, IL, Calumet Harbor and River, IL and IN. Project Depth: See Chicago Harbor, Chicago River, Main and North Branch, Chicago River, South Branch, Chicago Sanitary and Ship Canal, Calumet-Sag Channel and Lake Calumet, IL, Calumet Harbor and River, IL and IN.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1993	25,048	1996	27,886	1999	26,602	**2002**	**20,403**
1994	29,422	1997	24,868	2000	23,929		
1995	25,329	1998	25,979	2001	21,976		

Freight Traffic, 2002 (thousand short tons)

	Commodity	Total	Foreign		Canadian	
			Inbound	Outbound	Inbound	Outbound
	Total, all commodities	**1,625**	**256**	**53**	**803**	**514**
	Total coal	**32**	**—-**	**—-**	**—-**	**32**
1200	coal coke	32	—-	—-	—-	32
	Total petroleum and petroleum products	**375**	**—-**	**—-**	**41**	**334**
	Subtotal petroleum products	**375**	**—-**	**—-**	**41**	**334**
2330	distillate fuel oil	7	—-	—-	—-	7
2340	residual fuel oil	7	—-	—-	7	—-
2430	asphalt, tar & pitch	10	—-	—-	10	—-
2540	petroleum coke	351	—-	—-	25	327
	Total chemicals and related products	**116**	**7**	**—-**	**62**	**47**
	Subtotal fertilizers	**36**	**—-**	**—-**	**36**	**—-**
3130	potassic fert.	36	—-	—-	36	—-
	Subtotal other chemicals and related products	**80**	**7**	**—-**	**26**	**47**
3219	other hydrocarbons	7	7	—-	—-	—-
3275	inorg. elem., oxides, & halogen salts	73	—-	—-	26	47
	Total crude materials, inedible except fuels	**615**	**—-**	**—-**	**610**	**5**
	Subtotal soil, sand, gravel, rock and stone	**77**	**—-**	**—-**	**77**	**—-**
4310	building stone	25	—-	—-	25	—-
4322	limestone	36	—-	—-	36	—-
4331	sand & gravel	16	—-	—-	16	—-
	Subtotal iron ore and scrap	**46**	**—-**	**—-**	**41**	**5**
4410	iron ore	32	—-	—-	32	—-
4420	iron & steel scrap	14	—-	—-	9	5
	Subtotal sulphur, clay and salt	**17**	**—-**	**—-**	**17**	**—-**
4782	clay & refrac. mat.	17	—-	—-	17	—-
	Subtotal slag	**22**	**—-**	**—-**	**22**	**—-**
4860	slag	22	—-	—-	22	—-
	Subtotal other non-metal. min.	**453**	**—-**	**—-**	**453**	**—-**
4900	non-metal. min. nec	453	—-	—-	453	—-
	Total primary manufactured goods	**309**	**249**	**—-**	**59**	**—-**
	Subtotal primary iron and steel products	**305**	**245**	**—-**	**59**	**—-**
5312	pig iron	6	—-	—-	6	—-
5315	ferro alloys	14	14	—-	—-	—-
5320	i&s primary forms	38	31	—-	7	—-
5330	i&s plates & sheets	166	139	—-	28	—-
5360	i&s bars & shapes	61	61	—-	—-	—-
5390	primary i&s nec	19	0	—-	19	—-
	Subtotal primary non-ferrous metal products	**4**	**4**	**—-**	**—-**	**—-**
5422	aluminum	0	0	—-	—-	—-
5480	fab. metal products	4	4	—-	—-	—-
	Total food and farm products	**178**	**—-**	**53**	**30**	**95**
	Subtotal grain	**102**	**—-**	**53**	**—-**	**50**
6344	corn	102	—-	53	—-	50
	Subtotal oilseeds	**46**	**—-**	**—-**	**—-**	**46**
6522	soybeans	46	—-	—-	—-	46
	Subtotal processed grain and animal feed	**30**	**—-**	**—-**	**30**	**—-**
6782	animal feed, prep.	30	—-	—-	30	—-
	Total all manufactured equipment, machinery and products	**0**	**0**	**—-**	**—-**	**—-**
7110	machinery (not elec)	0	0	—-	—-	—-

	Commodity	Total	Domestic				
			Lakewise		Internal		
			Receipts	Shipments	Receipts	Shipments	Intraport
	Total, all commodities	**18,777**	**1,484**	**2,701**	**8,838**	**3,232**	**2,522**
	Total coal	**2,670**	**—-**	**2,424**	**163**	**66**	**17**
1100	coal lignite	2,304	—-	2,249	28	19	8
1200	coal coke	366	—-	175	135	47	8

PORT OF CHICAGO, IL
Freight Traffic, 2002 - continued
(thousand short tons)

Commodity	Total	Domestic				
		Lakewise		Internal		
		Receipts	Shipments	Receipts	Shipments	Intraport
Total petroleum and petroleum products	**3,188**	**42**	**70**	**2,184**	**604**	**288**
Subtotal crude petroleum	**27**	**—-**	**—-**	**—-**	**27**	**—-**
2100 crude petroleum	27	—	—	—	27	—
Subtotal petroleum products	**3,161**	**42**	**70**	**2,184**	**577**	**288**
2211 gasoline	198	—	—	193	3	2
2330 distillate fuel oil	698	13	—	410	179	96
2340 residual fuel oil	335	3	—	164	135	32
2350 lube oil & greases	275	—	3	233	39	—
2429 naphtha & solvents	231	—	—	211	7	14
2430 asphalt, tar & pitch	545	—	—	463	27	55
2540 petroleum coke	846	26	67	491	173	89
2990 petro. products nec	34	—	—	19	15	—
Total chemicals and related products	**1,696**	**2**	**—-**	**1,408**	**220**	**68**
Subtotal fertilizers	**43**	**—-**	**—-**	**32**	**11**	**—-**
3110 nitrogenous fert.	31	—	—	31	—	—
3120 phosphatic fert.	12	—	—	1	11	—
Subtotal other chemicals and related products	**1,654**	**2**	**—-**	**1,376**	**209**	**68**
3212 benzene & toluene	43	—	—	6	37	—
3219 other hydrocarbons	131	—	—	63	54	14
3220 alcohols	815	—	—	651	116	48
3260 organic comp. nec	19	—	—	19	—	—
3274 sodium hydroxide	533	—	—	532	1	—
3275 inorg. elem., oxides, & halogen salts	24	—	—	24	—	—
3276 metallic salts	78	2	—	69	2	6
3279 inorganic chem. nec	11	—	—	11	—	—
Total crude materials, inedible except fuels	**7,010**	**997**	**190**	**2,295**	**1,386**	**2,142**
Subtotal forest products, wood and chips	**185**	**—-**	**—-**	**183**	**3**	**—-**
4161 wood chips	177	—	—	177	—	—
4189 lumber	3	—	—	—	3	—
4190 forest products nec	6	—	—	6	—	—
Subtotal soil, sand, gravel, rock and stone	**4,907**	**997**	**—-**	**1,228**	**542**	**2,141**
4322 limestone	996	973	—	23	—	—
4323 gypsum	12	—	—	12	—	—
4331 sand & gravel	3,876	—	—	1,194	542	2,141
4335 waterway improv. mat	24	24	—	—	—	—
Subtotal iron ore and scrap	**1,040**	**—-**	**183**	**27**	**829**	**1**
4410 iron ore	231	—	183	5	43	—
4420 iron & steel scrap	809	—	—	22	786	1
Subtotal non-ferrous ores and scrap	**60**	**—-**	**—-**	**55**	**5**	**—-**
4650 aluminum ore	5	—	—	5	—	—
4670 manganese ore	35	—	—	30	5	—
4680 non-ferrous scrap	1	—	—	1	—	—
4690 non-ferrous ores nec	20	—	—	20	—	—
Subtotal sulphur, clay and salt	**32**	**—-**	**—-**	**27**	**6**	**—-**
4782 clay & refrac. mat.	32	—	—	27	6	—
Subtotal slag	**31**	**—-**	**7**	**20**	**3**	**—-**
4860 slag	31	—	7	20	3	—
Subtotal other non-metal. min.	**755**	**—-**	**—-**	**755**	**—-**	**—-**
4900 non-metal. min. nec	755	—	—	755	—	—
Total primary manufactured goods	**3,263**	**443**	**17**	**2,648**	**148**	**8**
Subtotal paper products	**1**	**—-**	**—-**	**1**	**—-**	**—-**
5120 paper & paperboard	1	—	—	1	—	—
Subtotal lime, cement and glass	**1,614**	**441**	**11**	**1,043**	**111**	**8**
5220 cement & concrete	1,614	441	11	1,043	111	8
Subtotal primary iron and steel products	**1,477**	**2**	**5**	**1,443**	**27**	**—-**
5312 pig iron	491	—	5	477	8	—
5315 ferro alloys	162	—	—	159	3	—
5320 i&s primary forms	42	—	—	41	1	—
5330 i&s plates & sheets	378	2	—	369	7	—
5360 i&s bars & shapes	275	—	—	271	5	—
5370 i&s pipe & tube	5	—	—	5	0	—
5390 primary i&s nec	124	—	—	122	2	—
Subtotal primary non-ferrous metal products	**171**	**—-**	**—-**	**161**	**10**	**—-**
5422 aluminum	5	—	—	5	—	—
5429 smelted prod. nec	42	—	—	42	—	—
5480 fab. metal products	124	—	—	113	10	—
Total food and farm products	**930**	**—-**	**—-**	**141**	**790**	**—-**
Subtotal grain	**487**	**—-**	**—-**	**28**	**459**	**—-**
6241 wheat	172	—	—	2	170	—
6344 corn	289	—	—	—	289	—
6443 barley & rye	18	—	—	18	—	—
6445 oats	8	—	—	8	—	—
Subtotal oilseeds	**250**	**—-**	**—-**	**2**	**248**	**—-**
6522 soybeans	230	—	—	—	230	—
6590 oilseeds nec	20	—	—	2	18	—
Subtotal vegetable products	**3**	**—-**	**—-**	**1**	**1**	**—-**
6653 vegetable oils	3	—	—	1	1	—
Subtotal processed grain and animal feed	**81**	**—-**	**—-**	**—-**	**81**	**—-**
6782 animal feed, prep.	81	—	—	—	81	—

PORT OF CHICAGO, IL
Freight Traffic, 2002 - continued
(thousand short tons)

Commodity		Total	Domestic				
			Lakewise		Internal		
			Receipts	Shipments	Receipts	Shipments	Intraport
Subtotal other agricultural products		**110**	**—-**	**—-**	**110**	**—-**	**—-**
6861	sugar	87	—-	—-	87	—-	—-
6865	molasses	23	—-	—-	23	—-	—-
Total all manufactured equipment, machinery and products		**19**	**—-**	**—-**	**0**	**19**	**—-**
7110	machinery (not elec)	0	—-	—-	0	—-	—-
7600	rubber & plastic pr.	19	—-	—-	—-	19	—-

MISSISSIPPI RIVER SYSTEM

Section Included: Main Channels and all Tributaries of the Mississippi, Illinois, Missouri, and Ohio Rivers.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1993	451,731	1996	482,791	1999	499,550	**2002**	**494,346**
1994	478,673	1997	488,876	2000	493,121		
1995	479,421	1998	491,640*	2001	496,259		

*Revised after original year of publication

Freight Traffic, 2002 (thousand short tons)

Commodity	Grand Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total, all commodities	**494,346**	**28,304**	**12,092**	**14,749**	**27,752**	**4,687**	**2,471**	**204,894**	**199,397**
Total coal	**177,644**	**209**	**52**	**1,714**	**4,762**	**11**	**1**	**97,756**	**73,139**
1100 coal lignite	173,605	—	19	897	4,669	1	—	96,017	72,003
1200 coal coke	4,039	209	33	818	93	9	1	1,739	1,136
Total petroleum and petroleum products	**72,480**	**13,306**	**2,541**	**4,554**	**7,344**	**1,660**	**1,134**	**25,731**	**16,210**
Subtotal crude petroleum	**8,955**	**4,070**	**576**	**153**	**551**	**320**	**259**	**2,236**	**790**
2100 crude petroleum	8,955	4,070	576	153	551	320	259	2,236	790
Subtotal petroleum products	**63,525**	**9,236**	**1,965**	**4,402**	**6,793**	**1,340**	**875**	**23,496**	**15,419**
2211 gasoline	14,202	1,996	786	448	1,059	338	169	6,238	3,167
2221 kerosene	519	—	2	67	225	—	—	143	82
2330 distillate fuel oil	16,372	2,393	430	1,164	2,048	290	232	6,842	2,973
2340 residual fuel oil	11,711	1,837	413	387	956	128	44	2,731	5,216
2350 lube oil & greases	2,817	1,138	46	42	353	213	3	439	583
2410 petro. jelly & waxes	67	30	3	—	7	—	—	26	—
2429 naphtha & solvents	2,820	402	91	356	1,100	164	43	242	423
2430 asphalt, tar & pitch	5,735	492	107	671	404	109	31	2,588	1,335
2540 petroleum coke	7,102	446	60	802	442	2	11	3,775	1,563
2640 liquid natural gas	863	322	4	—	81	85	324	38	9
2990 petro. products nec	1,317	180	23	465	118	10	19	433	69
Total chemicals and related products	**35,451**	**6,426**	**1,459**	**2,311**	**3,145**	**1,158**	**364**	**16,488**	**4,101**
Subtotal fertilizers	**10,596**	**469**	**37**	**732**	**455**	**44**	**11**	**8,135**	**714**
3110 nitrogenous fert.	6,193	44	16	581	405	8	—	4,911	229
3120 phosphatic fert.	344	117	5	18	2	7	1	193	—
3130 potassic fert.	1,576	32	13	16	31	—	—	1,028	455
3190 fert. & mixes nec	2,485	275	2	117	18	30	9	2,003	30
Subtotal other chemicals and related products	**24,855**	**5,956**	**1,422**	**1,580**	**2,690**	**1,114**	**353**	**8,353**	**3,387**
3211 acyclic hydrocarbons	1,130	402	85	67	261	—	32	210	73
3212 benzene & toluene	2,920	462	208	31	541	113	32	590	943
3219 other hydrocarbons	6,334	2,775	666	72	361	418	57	1,461	524
3220 alcohols	3,907	361	165	649	331	241	46	1,760	355
3230 carboxylic acids	368	325	—	11	8	—	—	24	—
3240 nitrogen func. comp.	662	433	4	16	102	43	59	5	—
3250 organo - inorg. comp.	10	—	—	10	—	—	—	—	—
3260 organic comp. nec	688	90	1	120	163	30	48	68	168
3271 sulphur (liquid)	325	239	78	—	—	3	3	3	—
3272 sulphuric acid	766	103	46	56	129	—	—	200	233
3273 ammonia	1,033	10	—	30	157	—	—	618	218
3274 sodium hydroxide	4,007	471	56	432	262	248	33	1,720	786
3275 inorg. elem., oxides, & halogen salts	1,576	58	61	21	88	15	37	1,249	47
3276 metallic salts	479	15	34	23	180	4	6	196	21
3279 inorganic chem. nec	155	—	—	14	3	—	—	135	3
3281 radioactive material	5	—	—	—	—	—	—	—	5
3286 plastics	2	—	—	2	—	—	—	—	—
3297 chemical additives	376	188	16	25	35	—	—	107	5
3298 wood & resin chem.	2	—	—	—	—	—	—	—	2
3299 chem. products nec	107	25	—	1	68	0	1	8	4
Total crude materials, inedible except fuels	**95,818**	**6,094**	**1,745**	**3,389**	**8,288**	**926**	**175**	**43,430**	**31,771**
Subtotal forest products, wood and chips	**2,062**	**178**	**3**	**105**	**1,151**	**16**	**—**	**597**	**14**
4161 wood chips	1,705	169	—	88	1,120	13	—	307	9
4170 wood in the rough	316	—	—	—	25	—	—	286	5
4189 lumber	21	—	3	16	2	—	—	0	—
4190 forest products nec	19	9	—	—	4	3	—	3	—
Subtotal pulp and waste paper	**5**	**0**	**—**	**—**	**—**	**—**	**—**	**4**	**1**
4225 pulp & waste paper	5	0	—	—	—	—	—	4	1
Subtotal soil, sand, gravel, rock and stone	**71,827**	**171**	**630**	**2,438**	**6,024**	**14**	**5**	**32,575**	**29,970**
4310 building stone	14	—	—	—	—	—	—	11	3
4322 limestone	25,101	3	8	1,021	3,277	—	—	8,011	12,779
4323 gypsum	2,921	20	—	—	472	—	—	1,491	939
4327 phosphate rock	1	1	—	—	—	—	—	—	—
4331 sand & gravel	37,720	147	621	1,406	1,593	14	5	20,931	13,003

MISSISSIPPI RIVER SYSTEM
Freight Traffic, 2002 - continued
(thousand short tons)

Commodity	Grand Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
4335 waterway improv. mat	6,069	—	—	11	682	—	—	2,131	3,245
Subtotal iron ore and scrap	**9,176**	**1,084**	**828**	**60**	**450**	**21**	**37**	**5,119**	**1,577**
4410 iron ore	4,472	11	48	24	159	2	5	4,220	5
4420 iron & steel scrap	4,704	1,073	781	37	291	19	32	899	1,572
Subtotal marine shells	**5**	**5**	**—**	**—**	**—**	**—**	**—**	**—**	**—**
4515 marine shells	5	5	—	—	—	—	—	—	—
Subtotal non-ferrous ores and scrap	**4,543**	**681**	**2**	**132**	**83**	**5**	**3**	**3,534**	**103**
4630 copper ore	1	—	—	1	—	—	—	—	—
4650 aluminum ore	3,379	635	—	31	12	5	2	2,692	4
4670 manganese ore	538	5	2	41	37	—	2	437	13
4680 non-ferrous scrap	2	—	—	1	—	—	—	1	—
4690 non-ferrous ores nec	623	40	—	58	34	—	—	404	86
Subtotal sulphur, clay and salt	**575**	**14**	**6**	**44**	**46**	**28**	**24**	**404**	**9**
4782 clay & refrac. mat.	575	14	6	44	46	28	24	404	9
Subtotal slag	**800**	**65**	**6**	**64**	**167**	**4**	**9**	**399**	**86**
4860 slag	800	65	6	64	167	4	9	399	86
Subtotal other non-metal. min.	**6,823**	**3,896**	**270**	**545**	**367**	**838**	**97**	**798**	**11**
4900 non-metal. min. nec	6,823	3,896	270	545	367	838	97	798	11
Total primary manufactured goods	**25,867**	**1,234**	**268**	**2,535**	**2,903**	**212**	**376**	**16,343**	**1,997**
Subtotal paper products	**46**	**—**	**—**	**2**	**—**	**0**	**0**	**21**	**23**
5110 newsprint	21	—	—	—	—	—	—	21	—
5120 paper & paperboard	14	—	—	1	—	—	—	—	13
5190 paper products nec	12	—	—	1	—	0	0	—	10
Subtotal lime, cement and glass	**11,255**	**614**	**21**	**538**	**1,499**	**43**	**125**	**7,069**	**1,347**
5210 lime	3,048	—	—	—	147	—	—	2,130	771
5220 cement & concrete	8,199	614	21	538	1,352	43	125	4,931	576
5240 glass & glass prod.	6	—	—	—	—	—	—	6	—
5290 misc. mineral prod.	2	—	—	—	—	—	—	2	—
Subtotal primary iron and steel products	**12,621**	**559**	**234**	**1,790**	**1,255**	**161**	**248**	**7,848**	**526**
5312 pig iron	4,402	6	2	582	164	—	—	3,647	1
5315 ferro alloys	937	4	4	171	48	—	—	670	39
5320 i&s primary forms	899	19	—	285	5	3	—	363	223
5330 i&s plates & sheets	3,153	260	191	349	581	53	221	1,328	170
5360 i&s bars & shapes	1,901	187	1	264	87	84	—	1,267	11
5370 i&s pipe & tube	422	15	2	41	257	9	10	86	2
5390 primary i&s nec	907	67	34	98	112	11	17	487	80
Subtotal primary non-ferrous metal products	**1,926**	**50**	**12**	**205**	**143**	**9**	**3**	**1,405**	**100**
5421 copper	50	2	—	5	—	—	—	43	—
5422 aluminum	488	13	1	7	2	1	—	461	2
5429 smelted prod. nec	308	—	—	63	44	—	—	195	6
5480 fab. metal products	1,080	35	11	130	97	8	3	705	92
Subtotal primary wood products	**18**	**11**	**0**	**—**	**6**	**—**	**—**	**—**	**1**
5540 primary wood prod.	18	11	0	—	6	—	—	—	1
Total food and farm products	**86,123**	**988**	**6,023**	**233**	**1,248**	**169**	**232**	**5,088**	**72,141**
Subtotal grain	**51,216**	**275**	**3,718**	**56**	**1,132**	**—**	**147**	**2,869**	**43,019**
6241 wheat	5,995	60	620	—	47	—	3	355	4,911
6344 corn	41,547	188	2,817	5	858	—	140	2,223	35,316
6442 rice	2,090	16	136	—	190	—	4	21	1,723
6443 barley & rye	80	—	—	18	—	—	—	61	1
6445 oats	246	3	—	33	27	—	—	176	6
6447 sorghum grains	1,258	8	145	—	11	—	—	34	1,061
Subtotal oilseeds	**25,825**	**216**	**1,554**	**—**	**50**	**10**	**—**	**1,498**	**22,497**
6522 soybeans	21,397	203	1,515	—	50	8	—	1,369	18,251
6590 oilseeds nec	4,428	13	39	—	—	2	—	129	4,246
Subtotal vegetable products	**995**	**1**	**53**	**4**	**—**	**0**	**—**	**188**	**750**
6653 vegetable oils	987	1	49	4	—	0	—	188	744
6654 vegetables & prod.	8	—	3	—	—	—	—	—	5
Subtotal processed grain and animal feed	**6,856**	**90**	**546**	**6**	**16**	**7**	**3**	**352**	**5,834**
6746 wheat flour	22	—	22	—	—	—	—	—	—
6747 grain mill products	402	—	1	—	3	—	—	3	395
6781 hay & fodder	1	—	1	—	—	—	—	—	—
6782 animal feed, prep.	6,431	90	522	6	13	7	3	350	5,439
Subtotal other agricultural products	**1,231**	**406**	**152**	**167**	**50**	**152**	**82**	**180**	**41**
6838 tallow, animal oils	4	—	—	—	1	—	—	—	3
6861 sugar	602	356	136	73	3	14	—	—	19
6865 molasses	316	46	—	70	17	12	—	170	1
6885 alcoholic beverages	21	—	—	—	8	—	—	6	6
6887 groceries	0	—	—	—	—	0	0	—	—
6888 water & ice	204	3	0	24	19	125	21	5	6
6889 food products nec	78	1	16	—	—	—	61	—	—

MISSISSIPPI RIVER SYSTEM
Freight Traffic, 2002 - continued
(thousand short tons)

Commodity	Grand Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
6899 farm products nec	6	—	—	—	—	—	—	—	6
Total all manufactured equipment, machinery and products	**819**	**48**	**4**	**12**	**62**	**414**	**186**	**54**	**39**
7110 machinery (not elec)	747	30	3	4	57	409	178	32	35
7120 electrical machinery	9	2	—	—	2	1	0	2	3
7210 vehicles & parts	0	0	—	—	—	—	—	—	—
7230 ships & boats	3	2	—	—	—	—	1	1	—
7400 manufac. wood prod.	2	—	—	—	1	0	1	—	—
7500 textile products	13	—	—	1	—	—	—	13	—
7600 rubber & plastic pr.	32	12	—	7	1	—	7	4	—
7900 manufac. prod. nec	10	2	1	—	1	3	—	2	1
Total waste and scrap nec	**144**	**—-**	**—-**	**—-**	**—-**	**137**	**2**	**4**	**0**
8900 waste and scrap nec	144	—	—	—	—	137	2	4	0
Ton-miles (x1000)	**261,858,650**	**17,724,777**	**9,257,690**	**7,888,708**	**13,505,520**	**2,904,157**	**662,018**	**90,619,976**	**119,295,804**

Tons All Traffic (x1000) **494,346**
Ton-miles All Traffic (x1000) **261,858,650**
Total Trip-ton-miles Internal and Intraport (x1000) **279,315,845**

Trips and Drafts of Vessels, 2002
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
ILLINOIS RIVER, IL												
			Upbound						Downbound			
Grand Total	**24,538**	**—-**	**—-**	**4,722**	**16,674**	**3,142**	**25,490**	**—-**	**—-**	**4,176**	**18,345**	**2,969**
DOMESTIC												
Total	**24,538**	**—-**	**—-**	**4,722**	**16,674**	**3,142**	**25,490**	**—-**	**—-**	**4,176**	**18,345**	**2,969**
12	27	—-	—-	—-	6	21	27	—-	—-	—-	23	4
11	88	—-	—-	1	61	26	220	—-	—-	3	191	26
10	228	—-	—-	23	120	85	200	—-	—-	24	136	40
9	4,337	—-	—-	588	2,322	1,427	7,610	—-	—-	584	6,742	284
8	5,768	—-	—-	1,203	3,765	800	8,028	—-	—-	1,194	6,486	348
7	1,746	—-	—-	1,185	443	118	1,466	—-	—-	1,068	370	28
6	908	—-	—-	740	114	54	1,214	—-	—-	1,031	109	74
5	1,043	—-	—-	937	59	47	273	—-	—-	251	16	6
4	100	—-	—-	41	27	32	62	—-	—-	16	4	42
3	115	—-	—-	—-	82	33	135	—-	—-	—-	55	80
2	10,100	—-	—-	4	9,601	495	6,166	—-	—-	5	4,194	1,967
1	78	—-	—-	—-	74	4	89	—-	—-	—-	19	70
										Total trips:		**50,028**
CHICAGO SANITARY AND SHIP CANAL, IL												
			Upbound						Downbound			
Grand Total	**12,180**	**—-**	**—-**	**3,000**	**7,143**	**2,037**	**12,097**	**—-**	**—-**	**3,018**	**7,141**	**1,938**
DOMESTIC												
Total	**12,180**	**—-**	**—-**	**3,000**	**7,143**	**2,037**	**12,097**	**—-**	**—-**	**3,018**	**7,141**	**1,938**
12	12,180	—-	—-	3,000	7,143	2,037	12,097	—-	—-	3,018	7,141	1,938
										Total trips:		**24,277**
CHICAGO RIVER, SOUTH BRANCH, IL												
			Upbound						Downbound			
Grand Total	**2,090**	**—-**	**—-**	**676**	**1,407**	**7**	**2,088**	**—-**	**—-**	**674**	**1,394**	**20**
DOMESTIC												
Total	**2,090**	**—-**	**—-**	**676**	**1,407**	**7**	**2,088**	**—-**	**—-**	**674**	**1,394**	**20**
12	2,090	—-	—-	676	1,407	7	2,088	—-	—-	674	1,394	20
										Total trips:		**4,178**
CALUMET-SAG CHANNEL, IL												
			Upbound						Downbound			
Grand Total	**4,270**	**—-**	**—-**	**928**	**2,794**	**548**	**4,199**	**—-**	**—-**	**926**	**2,794**	**479**
DOMESTIC												
Total	**4,270**	**—-**	**—-**	**928**	**2,794**	**548**	**4,199**	**—-**	**—-**	**926**	**2,794**	**479**
12	2	—-	—-	1	1	—-	4	—-	—-	2	—-	2
11	17	—-	—-	—-	17	—-	9	—-	—-	2	7	—-
10	47	—-	—-	1	29	17	48	—-	—-	1	10	37
9	984	—-	—-	9	801	174	599	—-	—-	8	512	79
8	1,656	—-	—-	155	1,359	142	732	—-	—-	145	566	21
7	933	—-	—-	750	147	36	923	—-	—-	753	157	13
6	70	—-	—-	8	49	13	48	—-	—-	8	29	11
5	32	—-	—-	4	25	3	16	—-	—-	7	7	2
4	12	—-	—-	—-	11	1	4	—-	—-	—-	3	1
3	11	—-	—-	—-	10	1	7	—-	—-	—-	6	1
2	505	—-	—-	—-	344	161	1,799	—-	—-	—-	1,493	306
1	1	—-	—-	—-	1	—-	10	—-	—-	—-	4	6
										Total trips:		**8,469**

Trips and Drafts of Vessels, 2002
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
ILLINOIS WATERWAY, IL			Upbound						Downbound			
Grand Total	**28,969**	**—-**	**—-**	**6,685**	**18,586**	**3,698**	**28,766**	**—-**	**—-**	**5,832**	**19,691**	**3,243**
DOMESTIC												
Total	**28,969**	**—-**	**—-**	**6,685**	**18,586**	**3,698**	**28,766**	**—-**	**—-**	**5,832**	**19,691**	**3,243**
12	28,969	—-	—-	6,685	18,586	3,698	28,766	—-	—-	5,832	19,691	3,243
										Total trips:		**57,735**
PORT OF CHICAGO, IL			Inbound						Outbound			
Grand Total	**19,232**	**6,354**	**39**	**4,368**	**6,346**	**2,125**	**19,121**	**6,359**	**39**	**4,357**	**6,370**	**1,996**
FOREIGN												
Total	**134**	**94**	**3**	**18**	**13**	**6**	**143**	**99**	**3**	**20**	**12**	**9**
26	18	18	—-	—-	—-	—-	11	11	—-	—-	—-	—-
25	16	16	—-	—-	—-	—-	1	1	—-	—-	—-	—-
24	10	10	—-	—-	—-	—-	8	7	—-	—-	1	—-
23	10	3	—-	2	5	—-	9	6	—-	2	1	—-
22	9	9	—-	—-	—-	—-	26	26	—-	—-	—-	—-
21	13	10	1	—-	2	—-	7	6	—-	—-	1	—-
20	10	5	—-	4	—-	1	9	3	—-	4	2	—-
19	9	6	1	—-	2	—-	12	9	1	—-	1	1
18	11	5	1	3	2	—-	18	8	1	3	4	2
17	2	1	—-	—-	—-	1	9	8	—-	—-	—-	1
16	3	1	—-	1	1	—-	7	2	—-	4	1	—-
15	4	—-	—-	4	—-	—-	5	2	—-	3	—-	—-
14	3	2	—-	1	—-	—-	5	2	—-	2	—-	1
13	2	1	—-	1	—-	—-	2	—-	—-	1	1	—-
12	14	7	—-	2	1	4	14	8	1	1	—-	4
DOMESTIC												
Total	**19,098**	**6,260**	**36**	**4,350**	**6,333**	**2,119**	**18,978**	**6,260**	**36**	**4,337**	**6,358**	**1,987**
27	1	1	—-	—-	—-	—-	3	3	—-	—-	—-	—-
26	4	4	—-	—-	—-	—-	3	3	—-	—-	—-	—-
25	19	16	—-	—-	3	—-	1	—-	—-	—-	1	—-
24	39	35	—-	—-	4	—-	34	34	—-	—-	—-	—-
23	14	12	—-	—-	2	—-	59	58	—-	—-	1	—-
22	11	11	—-	—-	—-	—-	16	16	—-	—-	—-	—-
21	15	4	—-	—-	11	—-	9	8	—-	—-	1	—-
20	8	7	—-	—-	1	—-	23	20	—-	—-	3	—-
19	22	2	—-	20	—-	—-	42	21	—-	20	1	—-
18	82	76	—-	—-	4	2	38	34	—-	1	3	—-
17	21	12	—-	5	3	1	9	1	—-	5	2	1
16	17	7	—-	6	4	—-	10	5	—-	4	1	—-
15	16	13	—-	—-	3	—-	1	—-	—-	—-	1	—-
14	18	3	—-	14	1	—-	15	—-	—-	14	1	—-
13	35	25	—-	8	2	—-	44	1	23	8	12	—-
12	18,776	6,032	36	4,297	6,295	2,116	18,671	6,056	13	4,285	6,331	1,986
										Total trips:		**38,353**
MISSISSIPPI RIVER SYSTEM			Upbound						Downbound			
Grand Total	**499,463**	**42,211**	**1,754**	**142,593**	**273,610**	**39,295**	**499,911**	**46,225**	**1,845**	**136,185**	**273,230**	**42,426**
FOREIGN												
Total	**5,449**	**3,900**	**1,438**	**75**	**35**	**1**	**5,897**	**4,164**	**1,474**	**211**	**40**	**8**
13	5,321	3,854	1,436	16	14	1	5,605	4,067	1,473	31	28	6
12	48	11	—-	30	7	—-	56	14	—-	39	3	—-
11	7	6	1	—-	—-	—-	4	—-	1	1	1	1
10	12	4	—-	5	3	—-	21	8	—-	8	5	—-
9	11	5	—-	5	1	—-	8	5	—-	3	—-	—-
8	8	1	—-	3	4	—-	23	6	—-	17	—-	—-
7	20	12	—-	7	1	—-	51	23	—-	26	2	—-
6	14	5	—-	8	1	—-	114	35	—-	78	—-	1
5	1	—-	—-	1	—-	—-	10	4	—-	6	—-	—-
4	6	2	—-	—-	4	—-	3	2	—-	1	—-	—-

Trips and Drafts of Vessels, 2002
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
MISSISSIPPI RIVER SYSTEM - continued												
	Upbound						Downbound					
FOREIGN												
3	—	—	—	—	—	—	2	—	—	1	1	—
2	1	—	1	—	—	—	—	—	—	—	—	—
DOMESTIC												
Total	**494,014**	**38,311**	**316**	**142,518**	**273,575**	**39,294**	**494,014**	**42,061**	**371**	**135,974**	**273,190**	**42,418**
13	1,385	210	303	455	215	202	2,126	245	270	537	606	468
12	1,526	258	4	533	151	580	2,110	343	—	527	830	410
11	3,924	589	3	792	1,923	617	4,735	388	4	811	2,912	620
10	14,537	220	—	3,821	7,631	2,865	11,263	180	—	3,517	6,255	1,311
9	93,484	2,027	4	12,929	71,825	6,699	98,736	1,951	3	10,837	74,155	11,790
8	61,097	1,907	1	19,514	34,710	4,965	63,652	731	4	25,263	35,342	2,312
7	54,777	4,506	—	35,726	12,490	2,055	49,580	4,286	1	37,592	6,346	1,355
6	37,617	8,391	1	20,267	8,130	828	33,922	5,170	89	22,622	5,359	682
5	38,788	7,411	—	24,109	5,333	1,935	35,473	5,439	—	23,618	5,891	525
4	12,366	2,542	—	6,744	1,684	1,396	8,753	3,361	—	3,122	1,345	925
3	10,729	5,091	—	2,955	1,490	1,193	8,879	3,930	—	2,329	1,458	1,162
2	149,358	5,159	—	12,254	117,795	14,150	169,573	15,973	—	5,099	130,751	17,750
1	14,426	—	—	2,419	10,198	1,809	5,212	64	—	100	1,940	3,108
										Total trips:		**999,374**

FREIGHT TRAFFIC INDEX

C

CALUMET-SAG CHANNEL, IL . . . 11
CHICAGO RIVER, (SOUTH BRANCH), IL . . . 10
CHICAGO SANITARY AND SHIP CANAL, IL . . . 8
CHICAGO, IL, PORT OF . . . 15
    CALUMET-SAG CHANNEL, IL . . . 11
    CHICAGO RIVER, (SOUTH BRANCH), IL . . . 10
    CHICAGO SANITARY AND SHIP CANAL, IL . . . 8

F

FREIGHT TONS CARRIED ON GREAT LAKES BY AREA . . . xi
FREIGHT TONS CARRIED ON GREAT LAKES BY TYPE OF TRAFFIC AND COMMODITY . . . xii

I

ILLINOIS RIVER, IL . . . 6
ILLINOIS WATERWAY, IL (CONSOLIDATED REPORT) . . . 13
    CALUMET-SAG CHANNEL, IL . . . 11
    CHICAGO RIVER, (SOUTH BRANCH), IL . . . 10
    CHICAGO SANITARY AND SHIP CANAL, IL . . . 8
    ILLINOIS RIVER, IL . . . 6

M

MISSISSIPPI RIVER SYSTEM . . . 18

P

PORT OF CHICAGO, IL . . . 15

R

ROCK ISLAND, IL DISTRICT . . . 6

S

SUMMARY OF GREAT LAKES TRAFFIC:
    FREIGHT TONS CARRIED ON GREAT LAKES BY AREA . . . xi
    FREIGHT TONS CARRIED ON GREAT LAKES BY TYPE OF TRAFFIC AND COMMODITY . . . xii
    TON-MILEAGE OF FREIGHT CARRIED ON GREAT LAKES BY AREA . . . x

T

TON-MILEAGE OF FREIGHT CARRIED ON GREAT LAKES BY AREA . . . x

TRIPS AND DRAFTS INDEX

C

CALUMET-SAG CHANNEL, IL 21
CHICAGO RIVER, (SOUTH BRANCH), IL 21
CHICAGO SANITARY AND SHIP CANAL, IL 21
CHICAGO, IL, PORT OF 22
    CALUMET-SAG CHANNEL, IL 21
    CHICAGO RIVER, (SOUTH BRANCH), IL 21
    CHICAGO SANITARY AND SHIP CANAL, IL 21

I

ILLINOIS RIVER, IL 21
ILLINOIS WATERWAY, IL (CONSOLIDATED REPORT) 22
    CALUMET-SAG CHANNEL, IL 21
    CHICAGO RIVER, (SOUTH BRANCH), IL 21
    CHICAGO SANITARY AND SHIP CANAL, IL 21
    ILLINOIS RIVER, IL 21

M

MISSISSIPPI RIVER SYSTEM 22

P

PORT OF CHICAGO, IL 22

R

ROCK ISLAND, IL DISTRICT 21

Port Facilities by Waterway

Waterway: **Calumet-Sag Channel** Mile: 315.8 PWD: 187
Name: **First Brands Corporation, Chicago Dock**
Port: Chicago
Location: Mile 315.8, north side, Calumet-Sag Channel, between South Crawford Avenue (Pulaski Road) and Tri-State Datum: NPE
Operator: First Brands Corporation.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 13160 South Crawford Avenue Phone: 708-371-3000 ex
Town: Alsip State: IL County: Cook
Railway Connection: One platform-level and one surface track serve building in rear; connect with CSX Transportation.
Purpose: Receipt of ethylene glycol by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.651667
Total Berthing Space (feet): 220 | | Longitude (decimal): -87.72139
Remarks: One 8-inch pipeline extends from east cell to one 1,895,500-gallon steel storage tank at rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77643 Rock Island District

---

Waterway: **Calumet-Sag Channel** Mile: 316.5 PWD: 186
Name: **Martin Oil Marketing, Chicago Wharf.**
Port: Chicago
Location: Mile 316.5, north side, Calumet-Sag Channel, approximately 0.4 mile west of South Kedzie Avenue Bridge, Datum: NPE
Operator: Martin Oil Marketing, Ltd.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 3210 West 131st Street Phone: 708-385-6500 ex
Town: Alsip State: IL County: Cook
Railway Connection: None.
Purpose: Receipt and occasional shipment of petroleum products by barge.
Depth Alongside (feet): 9 - 13 | | Latitude (decimal): 41.651667
Total Berthing Space (feet): 350 | | Longitude (decimal): -87.70778
Remarks: Three 8- becoming 10-inch and one 10- becoming 8-inch pipelines extend from wharf to 4 steel storage tanks in rear and to 15 steel storage tanks located at 131st Street and South Kedzie Avenue, total capacity 735 tanks connect with pipeline system of Texas Eastern Transmission Corp. via 14-inch line. A pipeline bridge spans channel at east end of wharf.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77643 Rock Island District

---

Port Facilities by Waterway

Waterway: **Calumet-Sag Channel** Mile: 316.8 PWD: 185

Name: **Clark Refining and Marketing, Blue Island Wharf.**

Port: Chicago

Location: Mile 316.8, north side, Calumet-Sag Channel, west of South Kedzie Avenue Bridge, Blue Island. Datum: NPE

Operator: Clark Refining and Marketing, Inc.

Owner: The Metropolitan Water Reclamation District of Greater Chicago.

Address: West 131st Street and South Kedzie Av Phone: 708-385-5000 e

Town: Blue Island State: IL County: Cook

Railway Connection: Two surface tracks serving tank-car-loading racks at oil refinery and in plant at rear; connect with CSX Transportation.

Purpose: Receipt and shipment of petroleum products, receipt of asphalt, occasional receipt of acetone, and occasional shipment of crude oil; all by barge.

Depth Alongside (feet): 9 - 13 | | Latitude (decimal): 41.651944

Total Berthing Space (feet): 376 | | Longitude (decimal): -87.70056

Remarks: Pipelines Product Tanks □No. Size (inches) No. Capacity Units□1 12 Petroleum) 1 10 Petroleum) 20 945,000 bbl.□2 8 Petroleum) □1 10 (Petroleum 2 152,000 bbl. (Asphalt 3 167,000 bbl.□1 10 Crude oil 3 320,700 bbl.□1 6 Unused 1 25,000 bbl.1 6 Acetone 2 711,000 gal.□Acetone pipeline extends to tanks of BTL, Inc., at West 131st Street and Homan Avenue. One 4-inch steam, one 3-inch compressed air, andserve wharf. Crude oil is received at refinery via a cross-country pipeline. A pipeline bridge spans channel at east end of wharf.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77643 Rock Island District

---

Waterway: **Calumet-Sag Channel** Mile: 317.0 PWD: 184

Name: **Ozinga Bros., Kedzie Avenue Reload Yard Wharf.**

Port: Chicago

Location: Mile 317.0, north side, Calumet-Sag Channel, east of South Kedzie Avenue Bridge, Blue Island. Datum: NPE

Operator: Ozinga Bros., Inc.

Owner: The Metropolitan Water Reclamation District of Greater Chicago.

Address: South Kedzie Avenue Phone: 708-388-6200 Ex

Town: Blue Island State: IL County: Cook

Railway Connection: None.

Purpose: Receipt of sand by barge.

Depth Alongside (feet): 15 - 20 | | Latitude (decimal): 41.651944

Total Berthing Space (feet): 400 | | Longitude (decimal): -87.6975

Remarks: Open storage area at rear has capacity for 12,000 tons of sand.□□

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77643 Rock Island District

---

Port Facilities by Waterway

Waterway: **Calumet-Sag Channel** Mile: 319.1 PWD: 183

Name: **Wood, Inc., Yard No. 5 Wharf.**

Port: Chicago

Location: Mile 319.1, north side, Calumet-Sag Channel, east of South Ashland Avenue Bridge, Calumet Park. Datum: NPE

Operator: Not operated.

Owner: The Metropolitan Water Reclamation District of Greater Chicago.

Address: 1600 West 131st Place. Phone: 312-536-3699

Town: Calumet Park State: IL County: Cook

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 10 | | Latitude (decimal): 41.655556

Total Berthing Space (feet): 1,500 | | Longitude (decimal): -87.65667

Remarks: In 1996, Wood, Inc. leased property, planned to remove crane, and planned to sublease property to an operator for receiving dry bulk materials by barge. Approximately 7 acres of open storage area are located at r

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77643 Rock Island District

---

Waterway: **Chicago River, South Branch** Mile: 321.3 PWD: 40

Name: **Barge Terminal Trucking, Damen Avenue Yard, Santa Fe Slip Wharf.**

Port: Chicago

Location: Mile 321.3, south side, West Fork, South Branch, Chicago River, 1,200 ft E of South Damen Avenue Bridge, Datum: NPE

Operator: Barge Terminal Trucking, Inc.

Owner: State of Illinois.

Address: 2700 South Robinson Street Phone: 312-376-7788

Town: Chicago State: IL County: Cook

Railway Connection: Two platform-level tracks in rear of transit shed continue as one surface track along apron, total length 1,150 feet; connect with Consolidated Rail Corp.

Purpose: Receipt of salt by barge.

Depth Alongside (feet): 6 - 9 | | Latitude (decimal): 41.841667

Total Berthing Space (feet): 730 | | Longitude (decimal): -87.67167

Remarks: *Outer 400 feet of wharf has 9 feet of water depth. Main portion of slip is 120 feet wide narrowing to 80 feet at head.□Approximately 7 acres of open storage area are located at rear of Slip Wharf and of Tri-River Docks', Inc., Damen Avenue Terminal Wharf (Ref. No. 41).

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77645 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago River, South Branch** Mile: 321.4 PWD: 39

Name: **Cozzi Iron & Metal, Chicago River Wharf.**

Port: Chicago

Location: Mile 321.4, north side, West Fork, South Branch, Chicago River, approximately 625 feet west of South Ash Datum: NPE

Operator: Cozzi Iron & Metal, Inc.

Owner: Cozzi Iron & Metal, Inc.

Address: 2500 South Paulina Street Phone: 312-254-1200

Town: Chicago State: IL County: Cook

Railway Connection: Two surface tracks on apron and 3 serving yard in rear; connect with Burlington Northern Railroad.

Purpose: Shipment of scrap metal by barge.

Depth Alongside (feet): 12 - 20 | | Latitude (decimal): 41.844167

Total Berthing Space (feet): 1,089 | | Longitude (decimal): -87.67

Remarks: Approximately 5 acres of open storage area for scrap metal are located on apron, and an additional 15 acres are located along South Paulina Street at rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77645 Rock Island District

---

Waterway: **Chicago River, South Branch** Mile: 321.8 PWD: 37

Name: **E. A. Cox Construction Co. Wharf.**

Port: Chicago

Location: Mile 321.8, northwest side, South Branch, Chicago River, 400 feet W. of S. Loomis St. Bridge, outer west Datum: NPE

Operator: E. A. Cox Construction Co.

Owner: Tom Alberto.

Address: 2515 South Laflin Street Phone: 312-738-1333

Town: Chicago State: IL County: Cook

Railway Connection: None.

Purpose: Receipt of sand, stone, and lightweight aggregate by barge.

Depth Alongside (feet): 15 | | Latitude (decimal): 41.846111

Total Berthing Space (feet): 300 | | Longitude (decimal): -87.6625

Remarks: One receiving hopper in yard serves a radial stacker serving 3 storage bins. Asphalt and concrete batch plants are located at rear.□Open storage area has capacity for approximately 10,000 tons of material.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77645 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago River, South Branch** Mile: 322.1 PWD: 36

Name: **Commonwealth Edison Co., Loomis Street Coal Storage Terminal Slip.**

Port: Chicago

Location: Mile 322.1, northwest side, South Branch, Chicago River, approx. 400 feet east of South Loomis Street Br Datum: NPE

Operator: Commonwealth Edison Co.

Owner: Commonwealth Edison Co.

Address: 1111 West Cermak Road Phone: 312-738-4122ext

Town: Chicago State: IL County: Cook

Railway Connection: None.

Purpose: Mooring coal barges.

Depth Alongside (feet): 10 - 12 | 10 - 12 | 10 - 12 Latitude (decimal): 41.848333

Total Berthing Space (feet): | 1,075 | 705 Longitude (decimal): -87.66

Remarks: Facility formerly was used for receipt and shipment of coal. A fixed loading boom located at outer portion of slip's west side is equipped with an elevated receiving hopper, 41-inch belt conveyor, and chute prov outboard reach. Up to six barges can be stored in slip for unloading at Fisk Station Wharf (Ref. No. 35).□Approximately 9 acres of open storage area with capacity for 250,000 tons ofcoal are located in rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77645 Rock Island District

---

Waterway: **Chicago River, South Branch** Mile: 322.3 PWD: 38

Name: **Prairie Material Sales, Plant No. 2 Wharf.**

Port: Chicago

Location: Mile 322.3, east side, South Fork, South Branch, Chicago River, approx. 800 feet southeast of South Arch Datum: NPE

Operator: Prairie Material Sales, Inc.

Owner: Prairie Material Sales, Inc.

Address: 1400 West 32d Street. Phone: 708-563-5883

Town: Chicago State: IL County: Cook

Railway Connection: None.

Purpose: Receipt of sand and lightweight aggregate by barge.

Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 41.836111

Total Berthing Space (feet): 872 | | Longitude (decimal): -87.66194

Remarks: Hopper in yard serves a 48-inch, electric belt conveyor extending to plant. Open storage area has capacity for approximately 100,000 tons of material.□

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77645 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago River, South Branch** Mile: 322.5 PWD: 35
Name: **Commonwealth Edison Co., Fisk Station Coal Wharf.**
Port: Chicago
Location: Mile 322.5, north side, South Branch, Chicago River, approx. 1,500 ft W of South Halsted Street Bridge, Datum: NPE
Operator: Commonwealth Edison Co.
Owner: Commonwealth Edison Co.
Address: 1111 West Cermak Road Phone: 312-738-4122ext
Town: Chicago State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of coal by barge for plant consumption.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 41.849167
Total Berthing Space (feet): 813 | | Longitude (decimal): -87.6525
Remarks: Head of slip is approximately 90 feet wide. Fisk Station power plant is located at rear of wharf.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77645 Rock Island District

---

Waterway: **Chicago River, South Branch** Mile: 322.5 PWD: 34
Name: **Crowley's Yacht Yard Wharf.**
Port: Chicago
Location: Mile 322.5, south side, South Branch, Chicago River, approximately 850 feet west of South Halsted Street Datum: NPE
Operator: Crowley's Yacht Yard, Inc.
Owner: Crowley's Yacht Yard, Inc.
Address: 2500 South Corbett Street Phone: 312-225-2170
Town: Chicago State: IL County: Cook
Railway Connection: None.
Purpose: Seasonal mooring of idle excursion vessels; mooring small city-owned vessels, recreational craft, and other types of small vessels for repair.
Depth Alongside (feet): 10 - 21 | 10 - 21 | 10 - 21 Latitude (decimal): 41.847778
Total Berthing Space (feet): 315 | 235 | 273 Longitude (decimal): -87.65111
Remarks: Excursion vessels moor at center portion. Slip in east portion, for mobile vertical boat lift, is approximately 25 feet wide at entrance. Five buildings used for covered storage, offices, sales room, stock room and 10.5 acres of open storage area for small vessels are located at rear of wharf.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77645 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago River, South Branch** Mile: 322.7 PWD: 33

Name: **2420 South Halsted Partnership Wharf.**

Port: Chicago

Location: Mile 322.7, south side, South Branch, Chicago River, west of South Halsted Street Bridge, Chicago. Datum: NPE

Operator: 2420 South Halsted Partnership.

Owner: Jay-Bee Warehouse Co., Inc.

Address: 2420 South Halsted Street Phone: 312-225-8600

Town: Chicago State: IL County: Cook

Railway Connection: One 578-foot, platform-level track inside warehouse at rear; connects with Illinois Central Railroad.

Purpose: Receipt of paper commodities by barge.

Depth Alongside (feet): 11 - 17 | | Latitude (decimal): 41.848333

Total Berthing Space (feet): 788 | | Longitude (decimal): -87.64833

Remarks: World Paper Storage & Distribution Ltd. operates a 145,000-square foot, storage warehouse located at rear (S.W. Ref. No. 15).□David's Moving and Storage, Inc. operates a 110,000-square foot, storage warehouse located on the opposite side of South Halsted Street (S.W. Ref. No. 5).

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77645 Rock Island District

---

Waterway: **Chicago River, South Branch** Mile: 323.0 PWD: 32

Name: **Ozinga Bros., Chicago Plant Wharf.**

Port: Chicago

Location: Mile 323.0, northwest side, South Branch, Chicago River, approximately 360 feet southwest of West Cermak Datum: NPE

Operator: Ozinga Bros., Inc.

Owner: Ozinga Bros., Inc.

Address: 2255 South Lumber Street Phone: 312-243-6236

Town: Chicago State: IL County: Cook

Railway Connection: None.

Purpose: Receipt of sand and occasional receipt of stone by barge.

Depth Alongside (feet): 11 - 13 | | Latitude (decimal): 41.850833

Total Berthing Space (feet): 278 | | Longitude (decimal): -87.64167

Remarks: *Timber bulkhead was in deteriorated condition at time of survey (1993). Plans called for replacing timber with steel sheet piling to provide an additional 219 feet of berthing space. Front-end loader serves 4 elevated hoppers and 60-inch belt conveyors extending to a wet and dry mix, concrete batch plant located at rear. Plans also called for construction of a new conveyor system with ground-levecapacity for 12,000 tons of sand, and adjacent open storage area has capacity for 1,500 tons of stone in bins.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77645 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago River, South Branch** Mile: 323.3 PWD: 31
Name: **Lawrence's Fisheries Wharf.**
Port: Chicago
Location: Mile 323.3, southeast side, South Branch, Chicago River, southwest of South Canal Street Bridge, Chicago Datum: NPE
Operator: Lawrence's Fisheries, Inc.
Owner: Lawrence's Fisheries, Inc.
Address: 2120 South Canal Street Phone: 312-225-2113
Town: Chicago State: IL County: Cook
Railway Connection: None.
Purpose: Occasional mooring of miscellaneous vessels.
Depth Alongside (feet): 6 - 15 | | Latitude (decimal): 41.853611
Total Berthing Space (feet): 175 | | Longitude (decimal): -87.63917
Remarks: Lawrence's Fisheries: Operates a retail fish market in a second building at rear of wharf.□Wharf formerly was used for receipt of fish. A fish-processing building adjacent to wharf, and a 20-inch, electric belt conveyor extending to it from the wharf, were planned for removal at time of survey (1994).

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77645 Rock Island District

---

Waterway: **Chicago River, South Branch** Mile: 325.3 PWD: 30
Name: **Riverside Plaza Building Wharf.**
Port: Chicago
Location: Mile 325.3, west side, South Branch, Chicago River, between Washington Boulevard and Madison Street Brid Datum: NPE
Operator: Wendella Sightseeing Boats.
Owner: Riverside Plaza Corp.
Address: 400 West Madison Street Phone: 312-337-1446
Town: Chicago State: IL County: Cook
Railway Connection: None.
Purpose: Landing for passenger commuter vessels operating to Michigan Avenue Wharf (Ref. No. 7).
Depth Alongside (feet): 10 - 16 | | Latitude (decimal): 41.881944
Total Berthing Space (feet): 141 | | Longitude (decimal): -87.63833
Remarks: Riverside Plaza Building is located at rear of bulkhead. Steps extend to wharf through building from pedestrian esplanade on West Madison Street.□

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77645 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 292.6 PWD: 114
Name: **Cargill, Lockport Grain Elevator Dock.**
Port: Chicago
Location: Mile 292.6, west side, Chicago Sanitary and Ship Canal, approximately 600 feet south of 9th Street Bridg Datum: NPE
Operator: Cargill, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 9th Street and Channel. Phone: 815/838-1153
Town: Lockport State: IL County: Will
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 14 | | Latitude (decimal): 41.589722
Total Berthing Space (feet): 485 | | Longitude (decimal): -88.0675
Remarks: Grain is received at elevator by truck. Grain elevator at rear consisting of 4 concrete silos with 5 interstices and 3 steel tanks has total capacity for 530,000 bushels.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Waterway: **Chicago Sanitary & Ship Canal** Mile: 292.8 PWD: 113
Name: **Continental Grain Co., Lockport Grain Elevator Dock.**
Port: Chicago
Location: Mile 292.8, west side, Chicago Sanitary and Ship Canal, approximately 650 feet north of 9th Street Bridg Datum: NPE
Operator: Continental Grain Co.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 9th Street and Channel. Phone: 815/838-1801
Town: Lockport State: IL County: Will
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.593056
Total Berthing Space (feet): 310 | | Longitude (decimal): -88.06694
Remarks: Grain is received at elevator by truck. Grain elevator at rear consisting of 4 concrete silos and 6 interstices has total capacity for 198,900 bushels.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 293.1 PWD: 112
Name: **Material Service Corp., Lockport Mooring.**
Port: Chicago
Location: Mile 293.1, west side, Chicago Sanitary and Ship Canal, approximately 1,600 feet north of 9th Street Bri Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 9th Street and Channel. Phone: 815/838-6200
Town: Lockport State: IL County: Will
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 14 - 20 | | Latitude (decimal): 41.596944
Total Berthing Space (feet): 310 | | Longitude (decimal): -88.06639

Waterway: **Chicago Sanitary & Ship Canal** Mile: 293.1 PWD: 112
Name: **Material Service Corp., Lockport Mooring.**
Port: Chicago
Location: Mile 293.1, west side, Chicago Sanitary and Ship Canal, approximately 1,600 feet north of 9th Street Bri Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 9th Street and Channel. Phone: 815/838-6200
Town: Lockport State: IL County: Will
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 14 - 20 | | Latitude (decimal): 41.596944
Total Berthing Space (feet): 310 | | Longitude (decimal): -88.06639

Waterway: **Chicago Sanitary & Ship Canal** Mile: 293.1 PWD: 112
Name: **Material Service Corp., Lockport Mooring.**
Port: Chicago
Location: Mile 293.1, west side, Chicago Sanitary and Ship Canal, approximately 1,600 feet north of 9th Street Bri Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 9th Street and Channel. Phone: 815/838-6200
Town: Lockport State: IL County: Will
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 14 - 20 | | Latitude (decimal): 41.596944
Total Berthing Space (feet): 310 | | Longitude (decimal): -88.06639

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 293.1 PWD: 112

Name: **Material Service Corp., Lockport Mooring.**

Port: Chicago

Location: Mile 293.1, west side, Chicago Sanitary and Ship Canal, approximately 1,600 feet north of 9th Street Bri Datum: NPE

Operator: Material Service Corp., a subsidiary of General Dynamics Corp.

Owner: The Metropolitan Water Reclamation District of Greater Chicago.

Address: 9th Street and Channel. Phone: 815/838-6200

Town: Lockport State: IL County: Will

Railway Connection: None.

Purpose: Mooring barges for fleeting.

Depth Alongside (feet): 14 - 20 | | Latitude (decimal): 41.596944

Total Berthing Space (feet): 310 | | Longitude (decimal): -88.06639

Remarks: -□□

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: -□□

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: -□□

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: -□□

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 293.1 PWD: 112
Name: **Material Service Corp., Lockport Mooring.**
Port: Chicago
Location: Mile 293.1, west side, Chicago Sanitary and Ship Canal, approximately 1,600 feet north of 9th Street Bri Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 9th Street and Channel. Phone: 815/838-6200
Town: Lockport State: IL County: Will
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 14 - 20 | | Latitude (decimal): 41.596944
Total Berthing Space (feet): 310 | | Longitude (decimal): -88.06639

Waterway: **Chicago Sanitary & Ship Canal** Mile: 293.1 PWD: 112
Name: **Material Service Corp., Lockport Mooring.**
Port: Chicago
Location: Mile 293.1, west side, Chicago Sanitary and Ship Canal, approximately 1,600 feet north of 9th Street Bri Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 9th Street and Channel. Phone: 815/838-6200
Town: Lockport State: IL County: Will
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 14 - 20 | | Latitude (decimal): 41.596944
Total Berthing Space (feet): 310 | | Longitude (decimal): -88.06639

Waterway: **Chicago Sanitary & Ship Canal** Mile: 293.1 PWD: 112
Name: **Material Service Corp., Lockport Mooring.**
Port: Chicago
Location: Mile 293.1, west side, Chicago Sanitary and Ship Canal, approximately 1,600 feet north of 9th Street Bri Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 9th Street and Channel. Phone: 815/838-6200
Town: Lockport State: IL County: Will
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 14 - 20 | | Latitude (decimal): 41.596944
Total Berthing Space (feet): 310 | | Longitude (decimal): -88.06639

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 293.1 PWD: 112

Name: **Material Service Corp., Lockport Mooring.**

Port: Chicago

Location: Mile 293.1, west side, Chicago Sanitary and Ship Canal, approximately 1,600 feet north of 9th Street Bri Datum: NPE

Operator: Material Service Corp., a subsidiary of General Dynamics Corp.

Owner: The Metropolitan Water Reclamation District of Greater Chicago.

Address: 9th Street and Channel. Phone: 815/838-6200

Town: Lockport State: IL County: Will

Railway Connection: None.

Purpose: Mooring barges for fleeting.

Depth Alongside (feet): 14 - 20 | | Latitude (decimal): 41.596944

Total Berthing Space (feet): 310 | | Longitude (decimal): -88.06639

Remarks: -□□

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: -□□

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: -□□

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: -□□

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 293.1 PWD: 112
Name: **Material Service Corp., Lockport Mooring.**
Port: Chicago
Location: Mile 293.1, west side, Chicago Sanitary and Ship Canal, approximately 1,600 feet north of 9th Street Bri Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 9th Street and Channel. Phone: 815/838-6200
Town: Lockport State: IL County: Will
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 14 - 20 | | Latitude (decimal): 41.596944
Total Berthing Space (feet): 310 | | Longitude (decimal): -88.06639

Waterway: **Chicago Sanitary & Ship Canal** Mile: 293.1 PWD: 112
Name: **Material Service Corp., Lockport Mooring.**
Port: Chicago
Location: Mile 293.1, west side, Chicago Sanitary and Ship Canal, approximately 1,600 feet north of 9th Street Bri Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 9th Street and Channel. Phone: 815/838-6200
Town: Lockport State: IL County: Will
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 14 - 20 | | Latitude (decimal): 41.596944
Total Berthing Space (feet): 310 | | Longitude (decimal): -88.06639

Waterway: **Chicago Sanitary & Ship Canal** Mile: 293.1 PWD: 112
Name: **Material Service Corp., Lockport Mooring.**
Port: Chicago
Location: Mile 293.1, west side, Chicago Sanitary and Ship Canal, approximately 1,600 feet north of 9th Street Bri Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 9th Street and Channel. Phone: 815/838-6200
Town: Lockport State: IL County: Will
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 14 - 20 | | Latitude (decimal): 41.596944
Total Berthing Space (feet): 310 | | Longitude (decimal): -88.06639

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 293.1 PWD: 112

Name: **Material Service Corp., Lockport Mooring.**

Port: Chicago

Location: Mile 293.1, west side, Chicago Sanitary and Ship Canal, approximately 1,600 feet north of 9th Street Bri Datum: NPE

Operator: Material Service Corp., a subsidiary of General Dynamics Corp.

Owner: The Metropolitan Water Reclamation District of Greater Chicago.

Address: 9th Street and Channel. Phone: 815/838-6200

Town: Lockport State: IL County: Will

Railway Connection: None.

Purpose: Mooring barges for fleeting.

Depth Alongside (feet): 14 - 20 | | Latitude (decimal): 41.596944

Total Berthing Space (feet): 310 | | Longitude (decimal): -88.06639

Remarks: -□□

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: -□□

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: -□□

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: -□□

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 293.1 PWD: 112
Name: **Material Service Corp., Lockport Mooring.**
Port: Chicago
Location: Mile 293.1, west side, Chicago Sanitary and Ship Canal, approximately 1,600 feet north of 9th Street Bri Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 9th Street and Channel. Phone: 815/838-6200
Town: Lockport State: IL County: Will
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 14 - 20 | | Latitude (decimal): 41.596944
Total Berthing Space (feet): 310 | | Longitude (decimal): -88.06639

Waterway: **Chicago Sanitary & Ship Canal** Mile: 293.1 PWD: 112
Name: **Material Service Corp., Lockport Mooring.**
Port: Chicago
Location: Mile 293.1, west side, Chicago Sanitary and Ship Canal, approximately 1,600 feet north of 9th Street Bri Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 9th Street and Channel. Phone: 815/838-6200
Town: Lockport State: IL County: Will
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 14 - 20 | | Latitude (decimal): 41.596944
Total Berthing Space (feet): 310 | | Longitude (decimal): -88.06639

Waterway: **Chicago Sanitary & Ship Canal** Mile: 293.1 PWD: 112
Name: **Material Service Corp., Lockport Mooring.**
Port: Chicago
Location: Mile 293.1, west side, Chicago Sanitary and Ship Canal, approximately 1,600 feet north of 9th Street Bri Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 9th Street and Channel. Phone: 815/838-6200
Town: Lockport State: IL County: Will
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 14 - 20 | | Latitude (decimal): 41.596944
Total Berthing Space (feet): 310 | | Longitude (decimal): -88.06639

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 293.1 PWD: 112
Name: **Material Service Corp., Lockport Mooring.**
Port: Chicago
Location: Mile 293.1, west side, Chicago Sanitary and Ship Canal, approximately 1,600 feet north of 9th Street Bri Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 9th Street and Channel. Phone: 815/838-6200
Town: Lockport State: IL County: Will
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 14 - 20 | | Latitude (decimal): 41.596944
Total Berthing Space (feet): 310 | | Longitude (decimal): -88.06639
Remarks: -□□

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: -□□

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: -□□

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: -□□

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Waterway: **Chicago Sanitary & Ship Canal** Mile: 293.3 PWD: 111
Name: **Texaco Refining and Marketing, Lockport Plant Wharf.**
Port: Chicago
Location: Mile 293.3, east side, Chicago Sanitary and Ship Canal, approximately 0.4 mile north of 9th Street Bridg Datum: NPE
Operator: Not operated.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 301 West Second Street. Phone: 815/838-0770
Town: Lockport State: IL County: Will
Railway Connection: Plant trackage in rear connects with Atchison, Topeka and Santa Fe Railway and Illinois Central Railroad.
Purpose: Not used.
Depth Alongside (feet): 20 - 25 | | Latitude (decimal): 41.601944
Total Berthing Space (feet): 2,661 | | Longitude (decimal): -88.06472
Remarks: Six 6-inch hose connections serving 6 berths along wharf, connecting with four 12- and one 4-inch pipelines which extend to approximately 50 steel storage tanks in rear, total capacity approximately 400,000 barre time of survey (1993). Plant connects with cross-country pipeline systems of the Badger Pipe Line Co., West Shore Pipe Line Co., and the Wolverine Pipe Line Co.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.0 PWD: 110
Name: **Material Service Corp., Lockport Sand and Stone Wharf.**
Port: Chicago
Location: Miles 293.3 - 295.2, west side, Chicago Sanitary and Ship Canal, approximately 1 mile north of 9th Stree Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: State Highway 53. Phone: 815/838-6200
Town: Lockport State: IL County: Will
Railway Connection: Two surface tracks at north end serve marine repair plant, Ref. No. 119, and open storage area; connect with 4 surface tracks at south end and with Elgin, Joliet and Eastern Railway.
Purpose: Receipt and shipment of crushed stone, sand, and gravel; mooring towboats and barges for fleeting. (See Remarks.)
Depth Alongside (feet): 20 - 25 | | Latitude (decimal): 41.607222
Total Berthing Space (feet): | | Longitude (decimal): -88.06472

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.0 PWD: 110
Name: **Material Service Corp., Lockport Sand and Stone Wharf.**
Port: Chicago
Location: Miles 293.3 - 295.2, west side, Chicago Sanitary and Ship Canal, approximately 1 mile north of 9th Stree Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: State Highway 53. Phone: 815/838-6200
Town: Lockport State: IL County: Will
Railway Connection: Two surface tracks at north end serve marine repair plant, Ref. No. 119, and open storage area; connect with 4 surface tracks at south end and with Elgin, Joliet and Eastern Railway.
Purpose: Receipt and shipment of crushed stone, sand, and gravel; mooring towboats and barges for fleeting. (See Remarks.)
Depth Alongside (feet): 20 - 25 | | Latitude (decimal): 41.607222
Total Berthing Space (feet): | | Longitude (decimal): -88.06472

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.0 PWD: 110
Name: **Material Service Corp., Lockport Sand and Stone Wharf.**
Port: Chicago
Location: Miles 293.3 - 295.2, west side, Chicago Sanitary and Ship Canal, approximately 1 mile north of 9th Stree Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: State Highway 53. Phone: 815/838-6200
Town: Lockport State: IL County: Will
Railway Connection: Two surface tracks at north end serve marine repair plant, Ref. No. 119, and open storage area; connect with 4 surface tracks at south end and with Elgin, Joliet and Eastern Railway.
Purpose: Receipt and shipment of crushed stone, sand, and gravel; mooring towboats and barges for fleeting. (See Remarks.)
Depth Alongside (feet): 20 - 25 | | Latitude (decimal): 41.607222
Total Berthing Space (feet): | | Longitude (decimal): -88.06472

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.0 PWD: 110

Name: **Material Service Corp., Lockport Sand and Stone Wharf.**

Port: Chicago

Location: Miles 293.3 - 295.2, west side, Chicago Sanitary and Ship Canal, approximately 1 mile north of 9th Stree Datum: NPE

Operator: Material Service Corp., a subsidiary of General Dynamics Corp.

Owner: Material Service Corp., a subsidiary of General Dynamics Corp.

Address: State Highway 53. Phone: 815/838-6200

Town: Lockport State: IL County: Will

Railway Connection: Two surface tracks at north end serve marine repair plant, Ref. No. 119, and open storage area; connect with 4 surface tracks at south end and with Elgin, Joliet and Eastern Railway.

Purpose: Receipt and shipment of crushed stone, sand, and gravel; mooring towboats and barges for fleeting. (See Remarks.)

Depth Alongside (feet): 20 - 25 | | Latitude (decimal): 41.607222

Total Berthing Space (feet): | | Longitude (decimal): -88.06472

Remarks: Loading and unloading occur at north portion, adjacent to Yards 61 and 62. South portion, adjacent to Yard 15, is used only for mooring and fleeting. Quarry and rock-crushing plant are located in rear of north 47 acres of open storage area are located in rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: Loading and unloading occur at north portion, adjacent to Yards 61 and 62. South portion, adjacent to Yard 15, is used only for mooring and fleeting. Quarry and rock-crushing plant are located in rear of north 47 acres of open storage area are located in rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: Loading and unloading occur at north portion, adjacent to Yards 61 and 62. South portion, adjacent to Yard 15, is used only for mooring and fleeting. Quarry and rock-crushing plant are located in rear of north 47 acres of open storage area are located in rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: Loading and unloading occur at north portion, adjacent to Yards 61 and 62. South portion, adjacent to Yard 15, is used only for mooring and fleeting. Quarry and rock-crushing plant are located in rear of north 47 acres of open storage area are located in rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.0 PWD: 110
Name: **Material Service Corp., Lockport Sand and Stone Wharf.**
Port: Chicago
Location: Miles 293.3 - 295.2, west side, Chicago Sanitary and Ship Canal, approximately 1 mile north of 9th Stree Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: State Highway 53. Phone: 815/838-6200
Town: Lockport State: IL County: Will
Railway Connection: Two surface tracks at north end serve marine repair plant, Ref. No. 119, and open storage area; connect with 4 surface tracks at south end and with Elgin, Joliet and Eastern Railway.
Purpose: Receipt and shipment of crushed stone, sand, and gravel; mooring towboats and barges for fleeting. (See Remarks.)
Depth Alongside (feet): 20 - 25 | | Latitude (decimal): 41.607222
Total Berthing Space (feet): | | Longitude (decimal): -88.06472

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.0 PWD: 110
Name: **Material Service Corp., Lockport Sand and Stone Wharf.**
Port: Chicago
Location: Miles 293.3 - 295.2, west side, Chicago Sanitary and Ship Canal, approximately 1 mile north of 9th Stree Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: State Highway 53. Phone: 815/838-6200
Town: Lockport State: IL County: Will
Railway Connection: Two surface tracks at north end serve marine repair plant, Ref. No. 119, and open storage area; connect with 4 surface tracks at south end and with Elgin, Joliet and Eastern Railway.
Purpose: Receipt and shipment of crushed stone, sand, and gravel; mooring towboats and barges for fleeting. (See Remarks.)
Depth Alongside (feet): 20 - 25 | | Latitude (decimal): 41.607222
Total Berthing Space (feet): | | Longitude (decimal): -88.06472

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.0 PWD: 110
Name: **Material Service Corp., Lockport Sand and Stone Wharf.**
Port: Chicago
Location: Miles 293.3 - 295.2, west side, Chicago Sanitary and Ship Canal, approximately 1 mile north of 9th Stree Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: State Highway 53. Phone: 815/838-6200
Town: Lockport State: IL County: Will
Railway Connection: Two surface tracks at north end serve marine repair plant, Ref. No. 119, and open storage area; connect with 4 surface tracks at south end and with Elgin, Joliet and Eastern Railway.
Purpose: Receipt and shipment of crushed stone, sand, and gravel; mooring towboats and barges for fleeting. (See Remarks.)
Depth Alongside (feet): 20 - 25 | | Latitude (decimal): 41.607222
Total Berthing Space (feet): | | Longitude (decimal): -88.06472

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.0 PWD: 110

Name: **Material Service Corp., Lockport Sand and Stone Wharf.**

Port: Chicago

Location: Miles 293.3 - 295.2, west side, Chicago Sanitary and Ship Canal, approximately 1 mile north of 9th Stree Datum: NPE

Operator: Material Service Corp., a subsidiary of General Dynamics Corp.

Owner: Material Service Corp., a subsidiary of General Dynamics Corp.

Address: State Highway 53. Phone: 815/838-6200

Town: Lockport State: IL County: Will

Railway Connection: Two surface tracks at north end serve marine repair plant, Ref. No. 119, and open storage area; connect with 4 surface tracks at south end and with Elgin, Joliet and Eastern Railway.

Purpose: Receipt and shipment of crushed stone, sand, and gravel; mooring towboats and barges for fleeting. (See Remarks.)

Depth Alongside (feet): 20 - 25 | | Latitude (decimal): 41.607222

Total Berthing Space (feet): | | Longitude (decimal): -88.06472

Remarks: Loading and unloading occur at north portion, adjacent to Yards 61 and 62. South portion, adjacent to Yard 15, is used only for mooring and fleeting. Quarry and rock-crushing plant are located in rear of north 47 acres of open storage area are located in rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: Loading and unloading occur at north portion, adjacent to Yards 61 and 62. South portion, adjacent to Yard 15, is used only for mooring and fleeting. Quarry and rock-crushing plant are located in rear of north 47 acres of open storage area are located in rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: Loading and unloading occur at north portion, adjacent to Yards 61 and 62. South portion, adjacent to Yard 15, is used only for mooring and fleeting. Quarry and rock-crushing plant are located in rear of north 47 acres of open storage area are located in rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: Loading and unloading occur at north portion, adjacent to Yards 61 and 62. South portion, adjacent to Yard 15, is used only for mooring and fleeting. Quarry and rock-crushing plant are located in rear of north 47 acres of open storage area are located in rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.0 PWD: 110
Name: **Material Service Corp., Lockport Sand and Stone Wharf.**
Port: Chicago
Location: Miles 293.3 - 295.2, west side, Chicago Sanitary and Ship Canal, approximately 1 mile north of 9th Stree Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: State Highway 53. Phone: 815/838-6200
Town: Lockport State: IL County: Will
Railway Connection: Two surface tracks at north end serve marine repair plant, Ref. No. 119, and open storage area; connect with 4 surface tracks at south end and with Elgin, Joliet and Eastern Railway.
Purpose: Receipt and shipment of crushed stone, sand, and gravel; mooring towboats and barges for fleeting. (See Remarks.)
Depth Alongside (feet): 20 - 25 | | Latitude (decimal): 41.607222
Total Berthing Space (feet): | | Longitude (decimal): -88.06472

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.0 PWD: 110
Name: **Material Service Corp., Lockport Sand and Stone Wharf.**
Port: Chicago
Location: Miles 293.3 - 295.2, west side, Chicago Sanitary and Ship Canal, approximately 1 mile north of 9th Stree Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: State Highway 53. Phone: 815/838-6200
Town: Lockport State: IL County: Will
Railway Connection: Two surface tracks at north end serve marine repair plant, Ref. No. 119, and open storage area; connect with 4 surface tracks at south end and with Elgin, Joliet and Eastern Railway.
Purpose: Receipt and shipment of crushed stone, sand, and gravel; mooring towboats and barges for fleeting. (See Remarks.)
Depth Alongside (feet): 20 - 25 | | Latitude (decimal): 41.607222
Total Berthing Space (feet): | | Longitude (decimal): -88.06472

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.0 PWD: 110
Name: **Material Service Corp., Lockport Sand and Stone Wharf.**
Port: Chicago
Location: Miles 293.3 - 295.2, west side, Chicago Sanitary and Ship Canal, approximately 1 mile north of 9th Stree Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: State Highway 53. Phone: 815/838-6200
Town: Lockport State: IL County: Will
Railway Connection: Two surface tracks at north end serve marine repair plant, Ref. No. 119, and open storage area; connect with 4 surface tracks at south end and with Elgin, Joliet and Eastern Railway.
Purpose: Receipt and shipment of crushed stone, sand, and gravel; mooring towboats and barges for fleeting. (See Remarks.)
Depth Alongside (feet): 20 - 25 | | Latitude (decimal): 41.607222
Total Berthing Space (feet): | | Longitude (decimal): -88.06472

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.0 PWD: 110

Name: **Material Service Corp., Lockport Sand and Stone Wharf.**

Port: Chicago

Location: Miles 293.3 - 295.2, west side, Chicago Sanitary and Ship Canal, approximately 1 mile north of 9th Stree Datum: NPE

Operator: Material Service Corp., a subsidiary of General Dynamics Corp.

Owner: Material Service Corp., a subsidiary of General Dynamics Corp.

Address: State Highway 53. Phone: 815/838-6200

Town: Lockport State: IL County: Will

Railway Connection: Two surface tracks at north end serve marine repair plant, Ref. No. 119, and open storage area; connect with 4 surface tracks at south end and with Elgin, Joliet and Eastern Railway.

Purpose: Receipt and shipment of crushed stone, sand, and gravel; mooring towboats and barges for fleeting. (See Remarks.)

Depth Alongside (feet): 20 - 25 | | Latitude (decimal): 41.607222

Total Berthing Space (feet): | | Longitude (decimal): -88.06472

Remarks: Loading and unloading occur at north portion, adjacent to Yards 61 and 62. South portion, adjacent to Yard 15, is used only for mooring and fleeting. Quarry and rock-crushing plant are located in rear of north 47 acres of open storage area are located in rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: Loading and unloading occur at north portion, adjacent to Yards 61 and 62. South portion, adjacent to Yard 15, is used only for mooring and fleeting. Quarry and rock-crushing plant are located in rear of north 47 acres of open storage area are located in rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: Loading and unloading occur at north portion, adjacent to Yards 61 and 62. South portion, adjacent to Yard 15, is used only for mooring and fleeting. Quarry and rock-crushing plant are located in rear of north 47 acres of open storage area are located in rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: Loading and unloading occur at north portion, adjacent to Yards 61 and 62. South portion, adjacent to Yard 15, is used only for mooring and fleeting. Quarry and rock-crushing plant are located in rear of north 47 acres of open storage area are located in rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.0 PWD: 110
Name: **Material Service Corp., Lockport Sand and Stone Wharf.**
Port: Chicago
Location: Miles 293.3 - 295.2, west side, Chicago Sanitary and Ship Canal, approximately 1 mile north of 9th Stree Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: State Highway 53. Phone: 815/838-6200
Town: Lockport State: IL County: Will
Railway Connection: Two surface tracks at north end serve marine repair plant, Ref. No. 119, and open storage area; connect with 4 surface tracks at south end and with Elgin, Joliet and Eastern Railway.
Purpose: Receipt and shipment of crushed stone, sand, and gravel; mooring towboats and barges for fleeting. (See Remarks.)
Depth Alongside (feet): 20 - 25 | | Latitude (decimal): 41.607222
Total Berthing Space (feet): | | Longitude (decimal): -88.06472

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.0 PWD: 110
Name: **Material Service Corp., Lockport Sand and Stone Wharf.**
Port: Chicago
Location: Miles 293.3 - 295.2, west side, Chicago Sanitary and Ship Canal, approximately 1 mile north of 9th Stree Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: State Highway 53. Phone: 815/838-6200
Town: Lockport State: IL County: Will
Railway Connection: Two surface tracks at north end serve marine repair plant, Ref. No. 119, and open storage area; connect with 4 surface tracks at south end and with Elgin, Joliet and Eastern Railway.
Purpose: Receipt and shipment of crushed stone, sand, and gravel; mooring towboats and barges for fleeting. (See Remarks.)
Depth Alongside (feet): 20 - 25 | | Latitude (decimal): 41.607222
Total Berthing Space (feet): | | Longitude (decimal): -88.06472

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.0 PWD: 110
Name: **Material Service Corp., Lockport Sand and Stone Wharf.**
Port: Chicago
Location: Miles 293.3 - 295.2, west side, Chicago Sanitary and Ship Canal, approximately 1 mile north of 9th Stree Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: State Highway 53. Phone: 815/838-6200
Town: Lockport State: IL County: Will
Railway Connection: Two surface tracks at north end serve marine repair plant, Ref. No. 119, and open storage area; connect with 4 surface tracks at south end and with Elgin, Joliet and Eastern Railway.
Purpose: Receipt and shipment of crushed stone, sand, and gravel; mooring towboats and barges for fleeting. (See Remarks.)
Depth Alongside (feet): 20 - 25 | | Latitude (decimal): 41.607222
Total Berthing Space (feet): | | Longitude (decimal): -88.06472

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.0 PWD: 110

Name: **Material Service Corp., Lockport Sand and Stone Wharf.**

Port: Chicago

Location: Miles 293.3 - 295.2, west side, Chicago Sanitary and Ship Canal, approximately 1 mile north of 9th Stree Datum: NPE

Operator: Material Service Corp., a subsidiary of General Dynamics Corp.

Owner: Material Service Corp., a subsidiary of General Dynamics Corp.

Address: State Highway 53. Phone: 815/838-6200

Town: Lockport State: IL County: Will

Railway Connection: Two surface tracks at north end serve marine repair plant, Ref. No. 119, and open storage area; connect with 4 surface tracks at south end and with Elgin, Joliet and Eastern Railway.

Purpose: Receipt and shipment of crushed stone, sand, and gravel; mooring towboats and barges for fleeting. (See Remarks.)

Depth Alongside (feet): 20 - 25 | | Latitude (decimal): 41.607222

Total Berthing Space (feet): | | Longitude (decimal): -88.06472

Remarks: Loading and unloading occur at north portion, adjacent to Yards 61 and 62. South portion, adjacent to Yard 15, is used only for mooring and fleeting. Quarry and rock-crushing plant are located in rear of north 47 acres of open storage area are located in rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: Loading and unloading occur at north portion, adjacent to Yards 61 and 62. South portion, adjacent to Yard 15, is used only for mooring and fleeting. Quarry and rock-crushing plant are located in rear of north 47 acres of open storage area are located in rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: Loading and unloading occur at north portion, adjacent to Yards 61 and 62. South portion, adjacent to Yard 15, is used only for mooring and fleeting. Quarry and rock-crushing plant are located in rear of north 47 acres of open storage area are located in rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: Loading and unloading occur at north portion, adjacent to Yards 61 and 62. South portion, adjacent to Yard 15, is used only for mooring and fleeting. Quarry and rock-crushing plant are located in rear of north 47 acres of open storage area are located in rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.2 PWD: 109
Name: **Material Service Corp., Lockport Marine Repair Slip.**
Port: Chicago
Location: Mile 295.2, west side, Chicago Sanitary and Ship Canal, approximately 0.9 mile south of Romeo Highway Br Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: 9th Street and Channel. Phone: 815/838-3420
Town: Lockport State: IL County: Will
Railway Connection: One surface track at rear connects with Elgin, Joliet and Eastern Railway.
Purpose: Mooring towboats, barges, and other craft for repair, conversion, and outfitting; shipment of crushed stone, sand, and gravel.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 41.627778
Total Berthing Space (feet): 70 | 665 | 660 Longitude (decimal): -88.07167

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.2 PWD: 109
Name: **Material Service Corp., Lockport Marine Repair Slip.**
Port: Chicago
Location: Mile 295.2, west side, Chicago Sanitary and Ship Canal, approximately 0.9 mile south of Romeo Highway Br Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: 9th Street and Channel. Phone: 815/838-3420
Town: Lockport State: IL County: Will
Railway Connection: One surface track at rear connects with Elgin, Joliet and Eastern Railway.
Purpose: Mooring towboats, barges, and other craft for repair, conversion, and outfitting; shipment of crushed stone, sand, and gravel.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 41.627778
Total Berthing Space (feet): 70 | 665 | 660 Longitude (decimal): -88.07167

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.2 PWD: 109
Name: **Material Service Corp., Lockport Marine Repair Slip.**
Port: Chicago
Location: Mile 295.2, west side, Chicago Sanitary and Ship Canal, approximately 0.9 mile south of Romeo Highway Br Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: 9th Street and Channel. Phone: 815/838-3420
Town: Lockport State: IL County: Will
Railway Connection: One surface track at rear connects with Elgin, Joliet and Eastern Railway.
Purpose: Mooring towboats, barges, and other craft for repair, conversion, and outfitting; shipment of crushed stone, sand, and gravel.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 41.627778
Total Berthing Space (feet): 70 | 665 | 660 Longitude (decimal): -88.07167

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.2 PWD: 109

Name: **Material Service Corp., Lockport Marine Repair Slip.**

Port: Chicago

Location: Mile 295.2, west side, Chicago Sanitary and Ship Canal, approximately 0.9 mile south of Romeo Highway Br Datum: NPE

Operator: Material Service Corp., a subsidiary of General Dynamics Corp.

Owner: Material Service Corp., a subsidiary of General Dynamics Corp.

Address: 9th Street and Channel. Phone: 815/838-3420

Town: Lockport State: IL County: Will

Railway Connection: One surface track at rear connects with Elgin, Joliet and Eastern Railway.

Purpose: Mooring towboats, barges, and other craft for repair, conversion, and outfitting; shipment of crushed stone, sand, and gravel.

Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 41.627778

Total Berthing Space (feet): 70 | 665 | 660 Longitude (decimal): -88.07167

Remarks: North side of slip is used for barge outfitting and repair. One 110- by 35-foot storage warehouse is located at rear of slip. Head of slip has been constructed to accommodate 2 barges. Slip is 150 feet wide th 465-foot portion.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: North side of slip is used for barge outfitting and repair. One 110- by 35-foot storage warehouse is located at rear of slip. Head of slip has been constructed to accommodate 2 barges. Slip is 150 feet wide th 465-foot portion.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: North side of slip is used for barge outfitting and repair. One 110- by 35-foot storage warehouse is located at rear of slip. Head of slip has been constructed to accommodate 2 barges. Slip is 150 feet wide th 465-foot portion.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: North side of slip is used for barge outfitting and repair. One 110- by 35-foot storage warehouse is located at rear of slip. Head of slip has been constructed to accommodate 2 barges. Slip is 150 feet wide th 465-foot portion.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.2 PWD: 109
Name: **Material Service Corp., Lockport Marine Repair Slip.**
Port: Chicago
Location: Mile 295.2, west side, Chicago Sanitary and Ship Canal, approximately 0.9 mile south of Romeo Highway Br Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: 9th Street and Channel. Phone: 815/838-3420
Town: Lockport State: IL County: Will
Railway Connection: One surface track at rear connects with Elgin, Joliet and Eastern Railway.
Purpose: Mooring towboats, barges, and other craft for repair, conversion, and outfitting; shipment of crushed stone, sand, and gravel.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 41.627778
Total Berthing Space (feet): 70 | 665 | 660 Longitude (decimal): -88.07167

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.2 PWD: 109
Name: **Material Service Corp., Lockport Marine Repair Slip.**
Port: Chicago
Location: Mile 295.2, west side, Chicago Sanitary and Ship Canal, approximately 0.9 mile south of Romeo Highway Br Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: 9th Street and Channel. Phone: 815/838-3420
Town: Lockport State: IL County: Will
Railway Connection: One surface track at rear connects with Elgin, Joliet and Eastern Railway.
Purpose: Mooring towboats, barges, and other craft for repair, conversion, and outfitting; shipment of crushed stone, sand, and gravel.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 41.627778
Total Berthing Space (feet): 70 | 665 | 660 Longitude (decimal): -88.07167

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.2 PWD: 109
Name: **Material Service Corp., Lockport Marine Repair Slip.**
Port: Chicago
Location: Mile 295.2, west side, Chicago Sanitary and Ship Canal, approximately 0.9 mile south of Romeo Highway Br Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: 9th Street and Channel. Phone: 815/838-3420
Town: Lockport State: IL County: Will
Railway Connection: One surface track at rear connects with Elgin, Joliet and Eastern Railway.
Purpose: Mooring towboats, barges, and other craft for repair, conversion, and outfitting; shipment of crushed stone, sand, and gravel.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 41.627778
Total Berthing Space (feet): 70 | 665 | 660 Longitude (decimal): -88.07167

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.2 PWD: 109

Name: **Material Service Corp., Lockport Marine Repair Slip.**

Port: Chicago

Location: Mile 295.2, west side, Chicago Sanitary and Ship Canal, approximately 0.9 mile south of Romeo Highway Br Datum: NPE

Operator: Material Service Corp., a subsidiary of General Dynamics Corp.

Owner: Material Service Corp., a subsidiary of General Dynamics Corp.

Address: 9th Street and Channel. Phone: 815/838-3420

Town: Lockport State: IL County: Will

Railway Connection: One surface track at rear connects with Elgin, Joliet and Eastern Railway.

Purpose: Mooring towboats, barges, and other craft for repair, conversion, and outfitting; shipment of crushed stone, sand, and gravel.

Depth Alongside (feet):	10	10	10	Latitude (decimal):	41.627778
Total Berthing Space (feet):	70	665	660	Longitude (decimal):	-88.07167

Remarks: North side of slip is used for barge outfitting and repair. One 110- by 35-foot storage warehouse is located at rear of slip. Head of slip has been constructed to accommodate 2 barges. Slip is 150 feet wide th 465-foot portion.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: North side of slip is used for barge outfitting and repair. One 110- by 35-foot storage warehouse is located at rear of slip. Head of slip has been constructed to accommodate 2 barges. Slip is 150 feet wide th 465-foot portion.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: North side of slip is used for barge outfitting and repair. One 110- by 35-foot storage warehouse is located at rear of slip. Head of slip has been constructed to accommodate 2 barges. Slip is 150 feet wide th 465-foot portion.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: North side of slip is used for barge outfitting and repair. One 110- by 35-foot storage warehouse is located at rear of slip. Head of slip has been constructed to accommodate 2 barges. Slip is 150 feet wide th 465-foot portion.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.2 PWD: 109
Name: **Material Service Corp., Lockport Marine Repair Slip.**
Port: Chicago
Location: Mile 295.2, west side, Chicago Sanitary and Ship Canal, approximately 0.9 mile south of Romeo Highway Br Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: 9th Street and Channel. Phone: 815/838-3420
Town: Lockport State: IL County: Will
Railway Connection: One surface track at rear connects with Elgin, Joliet and Eastern Railway.
Purpose: Mooring towboats, barges, and other craft for repair, conversion, and outfitting; shipment of crushed stone, sand, and gravel.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 41.627778
Total Berthing Space (feet): 70 | 665 | 660 Longitude (decimal): -88.07167

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.2 PWD: 109
Name: **Material Service Corp., Lockport Marine Repair Slip.**
Port: Chicago
Location: Mile 295.2, west side, Chicago Sanitary and Ship Canal, approximately 0.9 mile south of Romeo Highway Br Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: 9th Street and Channel. Phone: 815/838-3420
Town: Lockport State: IL County: Will
Railway Connection: One surface track at rear connects with Elgin, Joliet and Eastern Railway.
Purpose: Mooring towboats, barges, and other craft for repair, conversion, and outfitting; shipment of crushed stone, sand, and gravel.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 41.627778
Total Berthing Space (feet): 70 | 665 | 660 Longitude (decimal): -88.07167

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.2 PWD: 109
Name: **Material Service Corp., Lockport Marine Repair Slip.**
Port: Chicago
Location: Mile 295.2, west side, Chicago Sanitary and Ship Canal, approximately 0.9 mile south of Romeo Highway Br Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: 9th Street and Channel. Phone: 815/838-3420
Town: Lockport State: IL County: Will
Railway Connection: One surface track at rear connects with Elgin, Joliet and Eastern Railway.
Purpose: Mooring towboats, barges, and other craft for repair, conversion, and outfitting; shipment of crushed stone, sand, and gravel.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 41.627778
Total Berthing Space (feet): 70 | 665 | 660 Longitude (decimal): -88.07167

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.2 PWD: 109

Name: **Material Service Corp., Lockport Marine Repair Slip.**

Port: Chicago

Location: Mile 295.2, west side, Chicago Sanitary and Ship Canal, approximately 0.9 mile south of Romeo Highway Br Datum: NPE

Operator: Material Service Corp., a subsidiary of General Dynamics Corp.

Owner: Material Service Corp., a subsidiary of General Dynamics Corp.

Address: 9th Street and Channel. Phone: 815/838-3420

Town: Lockport State: IL County: Will

Railway Connection: One surface track at rear connects with Elgin, Joliet and Eastern Railway.

Purpose: Mooring towboats, barges, and other craft for repair, conversion, and outfitting; shipment of crushed stone, sand, and gravel.

Depth Alongside (feet):	10	10	10	Latitude (decimal):	41.627778
Total Berthing Space (feet):	70	665	660	Longitude (decimal):	-88.07167

Remarks: North side of slip is used for barge outfitting and repair. One 110- by 35-foot storage warehouse is located at rear of slip. Head of slip has been constructed to accommodate 2 barges. Slip is 150 feet wide th 465-foot portion.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: North side of slip is used for barge outfitting and repair. One 110- by 35-foot storage warehouse is located at rear of slip. Head of slip has been constructed to accommodate 2 barges. Slip is 150 feet wide th 465-foot portion.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: North side of slip is used for barge outfitting and repair. One 110- by 35-foot storage warehouse is located at rear of slip. Head of slip has been constructed to accommodate 2 barges. Slip is 150 feet wide th 465-foot portion.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: North side of slip is used for barge outfitting and repair. One 110- by 35-foot storage warehouse is located at rear of slip. Head of slip has been constructed to accommodate 2 barges. Slip is 150 feet wide th 465-foot portion.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.2 PWD: 109
Name: **Material Service Corp., Lockport Marine Repair Slip.**
Port: Chicago
Location: Mile 295.2, west side, Chicago Sanitary and Ship Canal, approximately 0.9 mile south of Romeo Highway Br Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: 9th Street and Channel. Phone: 815/838-3420
Town: Lockport State: IL County: Will
Railway Connection: One surface track at rear connects with Elgin, Joliet and Eastern Railway.
Purpose: Mooring towboats, barges, and other craft for repair, conversion, and outfitting; shipment of crushed stone, sand, and gravel.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 41.627778
Total Berthing Space (feet): 70 | 665 | 660 Longitude (decimal): -88.07167

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.2 PWD: 109
Name: **Material Service Corp., Lockport Marine Repair Slip.**
Port: Chicago
Location: Mile 295.2, west side, Chicago Sanitary and Ship Canal, approximately 0.9 mile south of Romeo Highway Br Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: 9th Street and Channel. Phone: 815/838-3420
Town: Lockport State: IL County: Will
Railway Connection: One surface track at rear connects with Elgin, Joliet and Eastern Railway.
Purpose: Mooring towboats, barges, and other craft for repair, conversion, and outfitting; shipment of crushed stone, sand, and gravel.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 41.627778
Total Berthing Space (feet): 70 | 665 | 660 Longitude (decimal): -88.07167

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.2 PWD: 109
Name: **Material Service Corp., Lockport Marine Repair Slip.**
Port: Chicago
Location: Mile 295.2, west side, Chicago Sanitary and Ship Canal, approximately 0.9 mile south of Romeo Highway Br Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: 9th Street and Channel. Phone: 815/838-3420
Town: Lockport State: IL County: Will
Railway Connection: One surface track at rear connects with Elgin, Joliet and Eastern Railway.
Purpose: Mooring towboats, barges, and other craft for repair, conversion, and outfitting; shipment of crushed stone, sand, and gravel.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 41.627778
Total Berthing Space (feet): 70 | 665 | 660 Longitude (decimal): -88.07167

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.2 PWD: 109

Name: **Material Service Corp., Lockport Marine Repair Slip.**

Port: Chicago

Location: Mile 295.2, west side, Chicago Sanitary and Ship Canal, approximately 0.9 mile south of Romeo Highway Br Datum: NPE

Operator: Material Service Corp., a subsidiary of General Dynamics Corp.

Owner: Material Service Corp., a subsidiary of General Dynamics Corp.

Address: 9th Street and Channel. Phone: 815/838-3420

Town: Lockport State: IL County: Will

Railway Connection: One surface track at rear connects with Elgin, Joliet and Eastern Railway.

Purpose: Mooring towboats, barges, and other craft for repair, conversion, and outfitting; shipment of crushed stone, sand, and gravel.

Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 41.627778

Total Berthing Space (feet): 70 | 665 | 660 Longitude (decimal): -88.07167

Remarks: North side of slip is used for barge outfitting and repair. One 110- by 35-foot storage warehouse is located at rear of slip. Head of slip has been constructed to accommodate 2 barges. Slip is 150 feet wide th 465-foot portion.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: North side of slip is used for barge outfitting and repair. One 110- by 35-foot storage warehouse is located at rear of slip. Head of slip has been constructed to accommodate 2 barges. Slip is 150 feet wide th 465-foot portion.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: North side of slip is used for barge outfitting and repair. One 110- by 35-foot storage warehouse is located at rear of slip. Head of slip has been constructed to accommodate 2 barges. Slip is 150 feet wide th 465-foot portion.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: North side of slip is used for barge outfitting and repair. One 110- by 35-foot storage warehouse is located at rear of slip. Head of slip has been constructed to accommodate 2 barges. Slip is 150 feet wide th 465-foot portion.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.3 PWD: 108
Name: **Material Service Corp., Lockport Marine Repair Basin.**
Port: Chicago
Location: Mile 295.3, west side, Chicago Sanitary and Ship Canal, approximately 0.8 mile south of Romeo Highway Br Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: 9th Street and Channel. Phone: 815/838-3420
Town: Lockport State: IL County: Will
Railway Connection: None.
Purpose: Mooring towboats, barges, and other types of inland waterway craft for repair, conversion, and outfitting.
Depth Alongside (feet): 19 | 0 - 19 | 0 - 19 Latitude (decimal): 41.630278
Total Berthing Space (feet): 430 | 480 | 410 Longitude (decimal): -88.07139

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.3 PWD: 108
Name: **Material Service Corp., Lockport Marine Repair Basin.**
Port: Chicago
Location: Mile 295.3, west side, Chicago Sanitary and Ship Canal, approximately 0.8 mile south of Romeo Highway Br Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: 9th Street and Channel. Phone: 815/838-3420
Town: Lockport State: IL County: Will
Railway Connection: None.
Purpose: Mooring towboats, barges, and other types of inland waterway craft for repair, conversion, and outfitting.
Depth Alongside (feet): 19 | 0 - 19 | 0 - 19 Latitude (decimal): 41.630278
Total Berthing Space (feet): 430 | 480 | 410 Longitude (decimal): -88.07139

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.3 PWD: 108
Name: **Material Service Corp., Lockport Marine Repair Basin.**
Port: Chicago
Location: Mile 295.3, west side, Chicago Sanitary and Ship Canal, approximately 0.8 mile south of Romeo Highway Br Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: 9th Street and Channel. Phone: 815/838-3420
Town: Lockport State: IL County: Will
Railway Connection: None.
Purpose: Mooring towboats, barges, and other types of inland waterway craft for repair, conversion, and outfitting.
Depth Alongside (feet): 19 | 0 - 19 | 0 - 19 Latitude (decimal): 41.630278
Total Berthing Space (feet): 430 | 480 | 410 Longitude (decimal): -88.07139

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.3 PWD: 108

Name: **Material Service Corp., Lockport Marine Repair Basin.**

Port: Chicago

Location: Mile 295.3, west side, Chicago Sanitary and Ship Canal, approximately 0.8 mile south of Romeo Highway Br Datum: NPE

Operator: Material Service Corp., a subsidiary of General Dynamics Corp.

Owner: Material Service Corp., a subsidiary of General Dynamics Corp.

Address: 9th Street and Channel. Phone: 815/838-3420

Town: Lockport State: IL County: Will

Railway Connection: None.

Purpose: Mooring towboats, barges, and other types of inland waterway craft for repair, conversion, and outfitting.

Depth Alongside (feet): 19 | 0 - 19 | 0 - 19 Latitude (decimal): 41.630278

Total Berthing Space (feet): 430 | 480 | 410 Longitude (decimal): -88.07139

Remarks: One 1,800-ton, side-haul marine railway is located along center portion of west side of basin with 6 ways, total width 220 feet. One 20-ton, diesel, traveling, revolving, full-portal gantry crane with 90-foot bo inoperable. Gantry tracks located along west and south sides of basin were not in use at time of survey (1993). Additional mooring is available for marine repair activities along opposite side of canal and at Ref. NOne 130- by 80-foot office and shop building is located at rear of northwest corner. North side of basin has small sewage treatment plant. Basin is approximately 250 feet wide at entrance.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: One 1,800-ton, side-haul marine railway is located along center portion of west side of basin with 6 ways, total width 220 feet. One 20-ton, diesel, traveling, revolving, full-portal gantry crane with 90-foot bo inoperable. Gantry tracks located along west and south sides of basin were not in use at time of survey (1993). Additional mooring is available for marine repair activities along opposite side of canal and at Ref. NOne 130- by 80-foot office and shop building is located at rear of northwest corner. North side of basin has small sewage treatment plant. Basin is approximately 250 feet wide at entrance.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: One 1,800-ton, side-haul marine railway is located along center portion of west side of basin with 6 ways, total width 220 feet. One 20-ton, diesel, traveling, revolving, full-portal gantry crane with 90-foot bo inoperable. Gantry tracks located along west and south sides of basin were not in use at time of survey (1993). Additional mooring is available for marine repair activities along opposite side of canal and at Ref. NOne 130- by 80-foot office and shop building is located at rear of northwest corner. North side of basin has small sewage treatment plant. Basin is approximately 250 feet wide at entrance.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: One 1,800-ton, side-haul marine railway is located along center portion of west side of basin with 6 ways, total width 220 feet. One 20-ton, diesel, traveling, revolving, full-portal gantry crane with 90-foot bo inoperable. Gantry tracks located along west and south sides of basin were not in use at time of survey (1993). Additional mooring is available for marine repair activities along opposite side of canal and at Ref. NOne 130- by 80-foot office and shop building is located at rear of northwest corner. North side of basin has small sewage treatment plant. Basin is approximately 250 feet wide at entrance.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.3 PWD: 108
Name: **Material Service Corp., Lockport Marine Repair Basin.**
Port: Chicago
Location: Mile 295.3, west side, Chicago Sanitary and Ship Canal, approximately 0.8 mile south of Romeo Highway Br Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: 9th Street and Channel. Phone: 815/838-3420
Town: Lockport State: IL County: Will
Railway Connection: None.
Purpose: Mooring towboats, barges, and other types of inland waterway craft for repair, conversion, and outfitting.
Depth Alongside (feet): 19 | 0 - 19 | 0 - 19 Latitude (decimal): 41.630278
Total Berthing Space (feet): 430 | 480 | 410 Longitude (decimal): -88.07139

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.3 PWD: 108
Name: **Material Service Corp., Lockport Marine Repair Basin.**
Port: Chicago
Location: Mile 295.3, west side, Chicago Sanitary and Ship Canal, approximately 0.8 mile south of Romeo Highway Br Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: 9th Street and Channel. Phone: 815/838-3420
Town: Lockport State: IL County: Will
Railway Connection: None.
Purpose: Mooring towboats, barges, and other types of inland waterway craft for repair, conversion, and outfitting.
Depth Alongside (feet): 19 | 0 - 19 | 0 - 19 Latitude (decimal): 41.630278
Total Berthing Space (feet): 430 | 480 | 410 Longitude (decimal): -88.07139

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.3 PWD: 108
Name: **Material Service Corp., Lockport Marine Repair Basin.**
Port: Chicago
Location: Mile 295.3, west side, Chicago Sanitary and Ship Canal, approximately 0.8 mile south of Romeo Highway Br Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: 9th Street and Channel. Phone: 815/838-3420
Town: Lockport State: IL County: Will
Railway Connection: None.
Purpose: Mooring towboats, barges, and other types of inland waterway craft for repair, conversion, and outfitting.
Depth Alongside (feet): 19 | 0 - 19 | 0 - 19 Latitude (decimal): 41.630278
Total Berthing Space (feet): 430 | 480 | 410 Longitude (decimal): -88.07139

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.3 PWD: 108

Name: **Material Service Corp., Lockport Marine Repair Basin.**

Port: Chicago

Location: Mile 295.3, west side, Chicago Sanitary and Ship Canal, approximately 0.8 mile south of Romeo Highway Br Datum: NPE

Operator: Material Service Corp., a subsidiary of General Dynamics Corp.

Owner: Material Service Corp., a subsidiary of General Dynamics Corp.

Address: 9th Street and Channel. Phone: 815/838-3420

Town: Lockport State: IL County: Will

Railway Connection: None.

Purpose: Mooring towboats, barges, and other types of inland waterway craft for repair, conversion, and outfitting.

Depth Alongside (feet): 19 | 0 - 19 | 0 - 19 Latitude (decimal): 41.630278

Total Berthing Space (feet): 430 | 480 | 410 Longitude (decimal): -88.07139

Remarks: One 1,800-ton, side-haul marine railway is located along center portion of west side of basin with 6 ways, total width 220 feet. One 20-ton, diesel, traveling, revolving, full-portal gantry crane with 90-foot bo inoperable. Gantry tracks located along west and south sides of basin were not in use at time of survey (1993). Additional mooring is available for marine repair activities along opposite side of canal and at Ref. NOne 130- by 80-foot office and shop building is located at rear of northwest corner. North side of basin has small sewage treatment plant. Basin is approximately 250 feet wide at entrance.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: One 1,800-ton, side-haul marine railway is located along center portion of west side of basin with 6 ways, total width 220 feet. One 20-ton, diesel, traveling, revolving, full-portal gantry crane with 90-foot bo inoperable. Gantry tracks located along west and south sides of basin were not in use at time of survey (1993). Additional mooring is available for marine repair activities along opposite side of canal and at Ref. NOne 130- by 80-foot office and shop building is located at rear of northwest corner. North side of basin has small sewage treatment plant. Basin is approximately 250 feet wide at entrance.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: One 1,800-ton, side-haul marine railway is located along center portion of west side of basin with 6 ways, total width 220 feet. One 20-ton, diesel, traveling, revolving, full-portal gantry crane with 90-foot bo inoperable. Gantry tracks located along west and south sides of basin were not in use at time of survey (1993). Additional mooring is available for marine repair activities along opposite side of canal and at Ref. NOne 130- by 80-foot office and shop building is located at rear of northwest corner. North side of basin has small sewage treatment plant. Basin is approximately 250 feet wide at entrance.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: One 1,800-ton, side-haul marine railway is located along center portion of west side of basin with 6 ways, total width 220 feet. One 20-ton, diesel, traveling, revolving, full-portal gantry crane with 90-foot bo inoperable. Gantry tracks located along west and south sides of basin were not in use at time of survey (1993). Additional mooring is available for marine repair activities along opposite side of canal and at Ref. NOne 130- by 80-foot office and shop building is located at rear of northwest corner. North side of basin has small sewage treatment plant. Basin is approximately 250 feet wide at entrance.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.3 PWD: 108
Name: **Material Service Corp., Lockport Marine Repair Basin.**
Port: Chicago
Location: Mile 295.3, west side, Chicago Sanitary and Ship Canal, approximately 0.8 mile south of Romeo Highway Br Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: 9th Street and Channel. Phone: 815/838-3420
Town: Lockport State: IL County: Will
Railway Connection: None.
Purpose: Mooring towboats, barges, and other types of inland waterway craft for repair, conversion, and outfitting.
Depth Alongside (feet): 19 | 0 - 19 | 0 - 19 Latitude (decimal): 41.630278
Total Berthing Space (feet): 430 | 480 | 410 Longitude (decimal): -88.07139

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.3 PWD: 108
Name: **Material Service Corp., Lockport Marine Repair Basin.**
Port: Chicago
Location: Mile 295.3, west side, Chicago Sanitary and Ship Canal, approximately 0.8 mile south of Romeo Highway Br Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: 9th Street and Channel. Phone: 815/838-3420
Town: Lockport State: IL County: Will
Railway Connection: None.
Purpose: Mooring towboats, barges, and other types of inland waterway craft for repair, conversion, and outfitting.
Depth Alongside (feet): 19 | 0 - 19 | 0 - 19 Latitude (decimal): 41.630278
Total Berthing Space (feet): 430 | 480 | 410 Longitude (decimal): -88.07139

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.3 PWD: 108
Name: **Material Service Corp., Lockport Marine Repair Basin.**
Port: Chicago
Location: Mile 295.3, west side, Chicago Sanitary and Ship Canal, approximately 0.8 mile south of Romeo Highway Br Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: 9th Street and Channel. Phone: 815/838-3420
Town: Lockport State: IL County: Will
Railway Connection: None.
Purpose: Mooring towboats, barges, and other types of inland waterway craft for repair, conversion, and outfitting.
Depth Alongside (feet): 19 | 0 - 19 | 0 - 19 Latitude (decimal): 41.630278
Total Berthing Space (feet): 430 | 480 | 410 Longitude (decimal): -88.07139

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.3 PWD: 108

Name: **Material Service Corp., Lockport Marine Repair Basin.**

Port: Chicago

Location: Mile 295.3, west side, Chicago Sanitary and Ship Canal, approximately 0.8 mile south of Romeo Highway Br Datum: NPE

Operator: Material Service Corp., a subsidiary of General Dynamics Corp.

Owner: Material Service Corp., a subsidiary of General Dynamics Corp.

Address: 9th Street and Channel. Phone: 815/838-3420

Town: Lockport State: IL County: Will

Railway Connection: None.

Purpose: Mooring towboats, barges, and other types of inland waterway craft for repair, conversion, and outfitting.

Depth Alongside (feet): 19 | 0 - 19 | 0 - 19 Latitude (decimal): 41.630278

Total Berthing Space (feet): 430 | 480 | 410 Longitude (decimal): -88.07139

Remarks: One 1,800-ton, side-haul marine railway is located along center portion of west side of basin with 6 ways, total width 220 feet. One 20-ton, diesel, traveling, revolving, full-portal gantry crane with 90-foot bo inoperable. Gantry tracks located along west and south sides of basin were not in use at time of survey (1993). Additional mooring is available for marine repair activities along opposite side of canal and at Ref. NOne 130- by 80-foot office and shop building is located at rear of northwest corner. North side of basin has small sewage treatment plant. Basin is approximately 250 feet wide at entrance.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: One 1,800-ton, side-haul marine railway is located along center portion of west side of basin with 6 ways, total width 220 feet. One 20-ton, diesel, traveling, revolving, full-portal gantry crane with 90-foot bo inoperable. Gantry tracks located along west and south sides of basin were not in use at time of survey (1993). Additional mooring is available for marine repair activities along opposite side of canal and at Ref. NOne 130- by 80-foot office and shop building is located at rear of northwest corner. North side of basin has small sewage treatment plant. Basin is approximately 250 feet wide at entrance.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: One 1,800-ton, side-haul marine railway is located along center portion of west side of basin with 6 ways, total width 220 feet. One 20-ton, diesel, traveling, revolving, full-portal gantry crane with 90-foot bo inoperable. Gantry tracks located along west and south sides of basin were not in use at time of survey (1993). Additional mooring is available for marine repair activities along opposite side of canal and at Ref. NOne 130- by 80-foot office and shop building is located at rear of northwest corner. North side of basin has small sewage treatment plant. Basin is approximately 250 feet wide at entrance.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Remarks: One 1,800-ton, side-haul marine railway is located along center portion of west side of basin with 6 ways, total width 220 feet. One 20-ton, diesel, traveling, revolving, full-portal gantry crane with 90-foot bo inoperable. Gantry tracks located along west and south sides of basin were not in use at time of survey (1993). Additional mooring is available for marine repair activities along opposite side of canal and at Ref. NOne 130- by 80-foot office and shop building is located at rear of northwest corner. North side of basin has small sewage treatment plant. Basin is approximately 250 feet wide at entrance.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.3 PWD: 108
Name: **Material Service Corp., Lockport Marine Repair Basin.**
Port: Chicago
Location: Mile 295.3, west side, Chicago Sanitary and Ship Canal, approximately 0.8 mile south of Romeo Highway Br Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: 9th Street and Channel. Phone: 815/838-3420
Town: Lockport State: IL County: Will
Railway Connection: None.
Purpose: Mooring towboats, barges, and other types of inland waterway craft for repair, conversion, and outfitting.
Depth Alongside (feet): 19 | 0 - 19 | 0 - 19 Latitude (decimal): 41.630278
Total Berthing Space (feet): 430 | 480 | 410 Longitude (decimal): -88.07139

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.3 PWD: 108
Name: **Material Service Corp., Lockport Marine Repair Basin.**
Port: Chicago
Location: Mile 295.3, west side, Chicago Sanitary and Ship Canal, approximately 0.8 mile south of Romeo Highway Br Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: 9th Street and Channel. Phone: 815/838-3420
Town: Lockport State: IL County: Will
Railway Connection: None.
Purpose: Mooring towboats, barges, and other types of inland waterway craft for repair, conversion, and outfitting.
Depth Alongside (feet): 19 | 0 - 19 | 0 - 19 Latitude (decimal): 41.630278
Total Berthing Space (feet): 430 | 480 | 410 Longitude (decimal): -88.07139

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.3 PWD: 108
Name: **Material Service Corp., Lockport Marine Repair Basin.**
Port: Chicago
Location: Mile 295.3, west side, Chicago Sanitary and Ship Canal, approximately 0.8 mile south of Romeo Highway Br Datum: NPE
Operator: Material Service Corp., a subsidiary of General Dynamics Corp.
Owner: Material Service Corp., a subsidiary of General Dynamics Corp.
Address: 9th Street and Channel. Phone: 815/838-3420
Town: Lockport State: IL County: Will
Railway Connection: None.
Purpose: Mooring towboats, barges, and other types of inland waterway craft for repair, conversion, and outfitting.
Depth Alongside (feet): 19 | 0 - 19 | 0 - 19 Latitude (decimal): 41.630278
Total Berthing Space (feet): 430 | 480 | 410 Longitude (decimal): -88.07139

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 295.3 PWD: 108

Name: **Material Service Corp., Lockport Marine Repair Basin.**

Port: Chicago

Location: Mile 295.3, west side, Chicago Sanitary and Ship Canal, approximately 0.8 mile south of Romeo Highway Br Datum: NPE

Operator: Material Service Corp., a subsidiary of General Dynamics Corp.

Owner: Material Service Corp., a subsidiary of General Dynamics Corp.

Address: 9th Street and Channel. Phone: 815/838-3420

Town: Lockport State: IL County: Will

Railway Connection: None.

Purpose: Mooring towboats, barges, and other types of inland waterway craft for repair, conversion, and outfitting.

Depth Alongside (feet): 19 | 0 - 19 | 0 - 19 Latitude (decimal): 41.630278

Total Berthing Space (feet): 430 | 480 | 410 Longitude (decimal): -88.07139

Remarks: One 1,800-ton, side-haul marine railway is located along center portion of west side of basin with 6 ways, total width 220 feet. One 20-ton, diesel, traveling, revolving, full-portal gantry crane with 90-foot bo inoperable. Gantry tracks located along west and south sides of basin were not in use at time of survey (1993). Additional mooring is available for marine repair activities along opposite side of canal and at Ref. NOne 130- by 80-foot office and shop building is located at rear of northwest corner. North side of basin has small sewage treatment plant. Basin is approximately 250 feet wide at entrance.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: One 1,800-ton, side-haul marine railway is located along center portion of west side of basin with 6 ways, total width 220 feet. One 20-ton, diesel, traveling, revolving, full-portal gantry crane with 90-foot bo inoperable. Gantry tracks located along west and south sides of basin were not in use at time of survey (1993). Additional mooring is available for marine repair activities along opposite side of canal and at Ref. NOne 130- by 80-foot office and shop building is located at rear of northwest corner. North side of basin has small sewage treatment plant. Basin is approximately 250 feet wide at entrance.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: One 1,800-ton, side-haul marine railway is located along center portion of west side of basin with 6 ways, total width 220 feet. One 20-ton, diesel, traveling, revolving, full-portal gantry crane with 90-foot bo inoperable. Gantry tracks located along west and south sides of basin were not in use at time of survey (1993). Additional mooring is available for marine repair activities along opposite side of canal and at Ref. NOne 130- by 80-foot office and shop building is located at rear of northwest corner. North side of basin has small sewage treatment plant. Basin is approximately 250 feet wide at entrance.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: One 1,800-ton, side-haul marine railway is located along center portion of west side of basin with 6 ways, total width 220 feet. One 20-ton, diesel, traveling, revolving, full-portal gantry crane with 90-foot bo inoperable. Gantry tracks located along west and south sides of basin were not in use at time of survey (1993). Additional mooring is available for marine repair activities along opposite side of canal and at Ref. NOne 130- by 80-foot office and shop building is located at rear of northwest corner. North side of basin has small sewage treatment plant. Basin is approximately 250 feet wide at entrance.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 296.0 PWD: 107
Name: **Commonwealth Edison Co., Will County Generating Station, Coal Whar**
Port: Chicago
Location: Mile 296.0, west side, Chicago Sanitary and Ship Canal, south of Romeo Highway Bridge, Romeoville. Datum: NPE
Operator: Commonwealth Edison Co.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 529 East Romeo Road. Phone: 815/886-1010/22
Town: Romeoville State: IL County: Will
Railway Connection: None.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 16 | | Latitude (decimal): 41.6425
Total Berthing Space (feet): 2,840 | | Longitude (decimal): -88.06944
Remarks: Open storage area at rear of wharf has capacity for 1,000,000 tons of coal.□□

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Waterway: **Chicago Sanitary & Ship Canal** Mile: 296.7 PWD: 106
Name: **Unocal Corp., Chicago Carbon Plant Wharf.**
Port: Chicago
Location: Mile 296.7, east side, Chicago Sanitary and Ship Canal, approximately 0.2 mile northeast of Romeo Highwa Datum: NPE
Operator: Unocal Corp., Unocal Petroleum Products & Chemicals Division.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 317 West New Avenue. Phone: 708/257-7751
Town: Lemont State: IL County: Will
Railway Connection: Trackage serving plant at rear connects with Atchison, Topeka and Santa Fe Railway and Illinois Central Railroad.
Purpose: Shipment of petroleum coke.
Depth Alongside (feet): 18 - 20 | | Latitude (decimal): 41.648056
Total Berthing Space (feet): 1,225 | | Longitude (decimal): -88.06722
Remarks: Two storage buildings at plant in rear have capacity for 40,000 tons of coke. In addition, two bins and eight storage silos have capacity for 4,600 tons of coke. At the south end of wharf the pipeline bridge of spans the canal.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 297.5 PWD: 105
Name: **The UNO-VEN Co., Chicago Refinery Wharf.**
Port: Chicago
Location: Mile 297.5, east side, Chicago Sanitary and Ship Canal, approximately 1.3 miles northeast of Romeo Highw Datum: NPE
Operator: The UNO-VEN Co.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 135th Street and New Avenue. Phone: 708/257-7761/42
Town: Lemont State: IL County: Will
Railway Connection: Trackage serving refinery at rear connects with Atchison, Topeka and Santa Fe Railway and Illinois Central Railroad.
Purpose: Receipt and shipment of petroleum products and petrochemicals; fueling towboats and supplying lubricating oils.
Depth Alongside (feet): 18 - 20 | | Latitude (decimal): 41.659444
Total Berthing Space (feet): 2,050 | | Longitude (decimal): -88.05139
Remarks: One 12-, one 10-, two 8-, three 6-, and one 4-inch pipelines extend from wharf to approximately 125 steel tanks at oil refinery in rear, total capacity approximately 8,000,000 barrels. Crude oil is received at r cross-country pipeline. Refinery also connects with petroleum products pipelines of West Shore Pipe Line Co., Badger Pipe Line Co., and Wolverine Pipe Line Co. Towboats are fueled through a metered 3-inch hose at agallons per minute. Overhead pipe rack and columns are located at rear of wharf.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Waterway: **Chicago Sanitary & Ship Canal** Mile: 297.7 PWD: 104
Name: **Korall Corp., Lemont Asphalt Dock.**
Port: Chicago
Location: Mile 297.7, east side, Chicago Sanitary and Ship Canal, approximately 1.5 miles northeast of Romeo Highw Datum: NPE
Operator: Korall Corp.
Owner: Korall Corp.
Address: 219 New Avenue. Phone: 708/257-2268
Town: Lemont State: IL County: Will
Railway Connection: Trackage serving plant at rear connects with Atchison, Topeka and Santa Fe Railway and Illinois Central Railroad.
Purpose: Receipt and shipment of asphalt.
Depth Alongside (feet): 18 | | Latitude (decimal): 41.660833
Total Berthing Space (feet): 250 | | Longitude (decimal): -88.05056
Remarks: One 8-inch pipeline extends from wharf to one 100,000-barrel asphalt storage tank.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 298.1 PWD: 103
Name: **Noramco Terminals Corp., Lemont Wharf.**
Port: Chicago
Location: Mile 298.1, south side, Chicago Sanitary and Ship Canal, approximately 2.4 miles west of Lemont Road Bri Datum: NPE
Operator: Noramco Terminals Corp. and National Marine, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 12300 New Avenue. Phone: 630-257-0066
Town: Lemont State: IL County: Will
Railway Connection: One floor-level track through transit shed at rear; connects with Atchison, Topeka and Santa Fe Railway.
Purpose: Receipt of steel products by barge; mooring company-owned and transient barges for fleeting.
Depth Alongside (feet): 13 - 20 | | Latitude (decimal): 41.664444
Total Berthing Space (feet): 1,270 | | Longitude (decimal): -88.04361
Remarks: Noramco Terminals Corp. unloads barges at 200 feet of waterfront fronting transit shed, and operates approximately 200,000 square feet of transit shed and 9 acres of open storage area located at rear. Shed has t doors. National Marine, Inc. fleets barges along approximately 2 miles of contiguous wharves including Ref. Nos. 101, 102, and 103.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Waterway: **Chicago Sanitary & Ship Canal** Mile: 298.8 PWD: 102
Name: **Austeel Lemont Co. Wharf.**
Port: Chicago
Location: Mile 298.8, south side, Chicago Sanitary and Ship Canal, approximately 1.8 miles west of Lemont Road Bri Datum: NPE
Operator: Austeel Lemont Co., Inc.; and National Marine, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: New Avenue and Ceco Road Phone: 708-243-0012
Town: Lemont State: IL County: Will
Railway Connection: One surface track along rear of face joins additional trackage serving plant in rear; connects with Atchison, Topeka and Santa Fe Railway.
Purpose: Occasional shipment of semi-finished steel products; occasional receipt of scrap metal; and mooring company-owned and transient barges for fleeting.
Depth Alongside (feet): 13 - 20 | | Latitude (decimal): 41.668056
Total Berthing Space (feet): 4,877 | | Longitude (decimal): -88.03278
Remarks: Austeel Lemont Co., Inc.: operates steel mill located at rear of wharf.National Marine, Inc. fleets barges along the entire length of contiguous wharves including Ref. Nos. 101, 102, and 103.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.1 PWD: 100
Name: **Garvey Marine, Lemont Slip No. 1.**
Port: Chicago
Location: Mile 299.1, north side, Chicago Sanitary and Ship Canal, approximately 1.3 miles west of Lemont Road Bri Datum: NPE
Operator: Garvey Marine, Inc.; and Burrow Barge Cleaning & Repair, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16700 Des Plaines River Drive Phone: 708-739-2161
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Mooring company-owned towboats for maintenance and repair; mooring barges for fleeting, cleaning, and repair.
Depth Alongside (feet): 33 | 33 | 33 Latitude (decimal): 41.671667
Total Berthing Space (feet): 720 | 500 | 730 Longitude (decimal): -88.02694

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.1 PWD: 100
Name: **Garvey Marine, Lemont Slip No. 1.**
Port: Chicago
Location: Mile 299.1, north side, Chicago Sanitary and Ship Canal, approximately 1.3 miles west of Lemont Road Bri Datum: NPE
Operator: Garvey Marine, Inc.; and Burrow Barge Cleaning & Repair, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16700 Des Plaines River Drive Phone: 708-739-2161
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Mooring company-owned towboats for maintenance and repair; mooring barges for fleeting, cleaning, and repair.
Depth Alongside (feet): 33 | 33 | 33 Latitude (decimal): 41.671667
Total Berthing Space (feet): 720 | 500 | 730 Longitude (decimal): -88.02694
Remarks: Dispatch office and shop are located at rear of northwest corner of slip. Slip has capacity for 40 barges. Burrow Barge Cleaning & Repair, Inc. cleans and performs above-waterline repairs to barges in fleet.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: Dispatch office and shop are located at rear of northwest corner of slip. Slip has capacity for 40 barges. Burrow Barge Cleaning & Repair, Inc. cleans and performs above-waterline repairs to barges in fleet.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.1 PWD: 100
Name: **Garvey Marine, Lemont Slip No. 1.**
Port: Chicago
Location: Mile 299.1, north side, Chicago Sanitary and Ship Canal, approximately 1.3 miles west of Lemont Road Bri Datum: NPE
Operator: Garvey Marine, Inc.; and Burrow Barge Cleaning & Repair, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16700 Des Plaines River Drive Phone: 708-739-2161
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Mooring company-owned towboats for maintenance and repair; mooring barges for fleeting, cleaning, and repair.
Depth Alongside (feet): 33 | 33 | 33 Latitude (decimal): 41.671667
Total Berthing Space (feet): 720 | 500 | 730 Longitude (decimal): -88.02694

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.1 PWD: 100
Name: **Garvey Marine, Lemont Slip No. 1.**
Port: Chicago
Location: Mile 299.1, north side, Chicago Sanitary and Ship Canal, approximately 1.3 miles west of Lemont Road Bri Datum: NPE
Operator: Garvey Marine, Inc.; and Burrow Barge Cleaning & Repair, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16700 Des Plaines River Drive Phone: 708-739-2161
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Mooring company-owned towboats for maintenance and repair; mooring barges for fleeting, cleaning, and repair.
Depth Alongside (feet): 33 | 33 | 33 Latitude (decimal): 41.671667
Total Berthing Space (feet): 720 | 500 | 730 Longitude (decimal): -88.02694
Remarks: Dispatch office and shop are located at rear of northwest corner of slip. Slip has capacity for 40 barges. Burrow Barge Cleaning & Repair, Inc. cleans and performs above-waterline repairs to barges in fleet.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: Dispatch office and shop are located at rear of northwest corner of slip. Slip has capacity for 40 barges. Burrow Barge Cleaning & Repair, Inc. cleans and performs above-waterline repairs to barges in fleet.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.4 PWD: 98
Name: **Marine Handling and Fleeting Co., Lemont Slip No. 2 Mooring.**
Port: Chicago
Location: Mile 299.4, north side, Chicago Sanitary and Ship Canal, approx 1.1 mile west of Lemont Road Bridge, eas Datum: NPE
Operator: Marine Handling and Fleeting Co., a division of Material Service Corp., a subsidiary
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16600 Des Plaines River Drive Phone: 708-739-5000
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Mooring barges and towboats for fleeting; lifting-out vessels and barges for repair.
Depth Alongside (feet): 45 | 45 | 45 Latitude (decimal): 41.674167
Total Berthing Space (feet): 250 | 510 | 550 Longitude (decimal): -88.02083

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.4 PWD: 98
Name: **Marine Handling and Fleeting Co., Lemont Slip No. 2 Mooring.**
Port: Chicago
Location: Mile 299.4, north side, Chicago Sanitary and Ship Canal, approx 1.1 mile west of Lemont Road Bridge, eas Datum: NPE
Operator: Marine Handling and Fleeting Co., a division of Material Service Corp., a subsidiary
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16600 Des Plaines River Drive Phone: 708-739-5000
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Mooring barges and towboats for fleeting; lifting-out vessels and barges for repair.
Depth Alongside (feet): 45 | 45 | 45 Latitude (decimal): 41.674167
Total Berthing Space (feet): 250 | 510 | 550 Longitude (decimal): -88.02083

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.4 PWD: 98
Name: **Marine Handling and Fleeting Co., Lemont Slip No. 2 Mooring.**
Port: Chicago
Location: Mile 299.4, north side, Chicago Sanitary and Ship Canal, approx 1.1 mile west of Lemont Road Bridge, eas Datum: NPE
Operator: Marine Handling and Fleeting Co., a division of Material Service Corp., a subsidiary
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16600 Des Plaines River Drive Phone: 708-739-5000
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Mooring barges and towboats for fleeting; lifting-out vessels and barges for repair.
Depth Alongside (feet): 45 | 45 | 45 Latitude (decimal): 41.674167
Total Berthing Space (feet): 250 | 510 | 550 Longitude (decimal): -88.02083
Remarks: Entrance to slip is 250 feet wide. One 2,760-ton, vertical boat lift is located at the northwest corner of the slip. Transfer tracks at rear of vertical boat lift serve 18 pairs of storage tracks. Boat lift is slip's operator, but is available for use by vessel owners making their own repairs. Transit shed and a one-story, 100- by 50-foot building used as an office are located adjacent to vertical boat lift. Slip, includi(Ref. No. 99), has capacity for 25 barges.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Remarks: Entrance to slip is 250 feet wide. One 2,760-ton, vertical boat lift is located at the northwest corner of the slip. Transfer tracks at rear of vertical boat lift serve 18 pairs of storage tracks. Boat lift is slip's operator, but is available for use by vessel owners making their own repairs. Transit shed and a one-story, 100- by 50-foot building used as an office are located adjacent to vertical boat lift. Slip, includi(Ref. No. 99), has capacity for 25 barges.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: Entrance to slip is 250 feet wide. One 2,760-ton, vertical boat lift is located at the northwest corner of the slip. Transfer tracks at rear of vertical boat lift serve 18 pairs of storage tracks. Boat lift is slip's operator, but is available for use by vessel owners making their own repairs. Transit shed and a one-story, 100- by 50-foot building used as an office are located adjacent to vertical boat lift. Slip, includi(Ref. No. 99), has capacity for 25 barges.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.4 PWD: 98
Name: **Marine Handling and Fleeting Co., Lemont Slip No. 2 Mooring.**
Port: Chicago
Location: Mile 299.4, north side, Chicago Sanitary and Ship Canal, approx 1.1 mile west of Lemont Road Bridge, eas Datum: NPE
Operator: Marine Handling and Fleeting Co., a division of Material Service Corp., a subsidiary
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16600 Des Plaines River Drive Phone: 708-739-5000
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Mooring barges and towboats for fleeting; lifting-out vessels and barges for repair.
Depth Alongside (feet): 45 | 45 | 45 Latitude (decimal): 41.674167
Total Berthing Space (feet): 250 | 510 | 550 Longitude (decimal): -88.02083

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.4 PWD: 98
Name: **Marine Handling and Fleeting Co., Lemont Slip No. 2 Mooring.**
Port: Chicago
Location: Mile 299.4, north side, Chicago Sanitary and Ship Canal, approx 1.1 mile west of Lemont Road Bridge, eas Datum: NPE
Operator: Marine Handling and Fleeting Co., a division of Material Service Corp., a subsidiary
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16600 Des Plaines River Drive Phone: 708-739-5000
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Mooring barges and towboats for fleeting; lifting-out vessels and barges for repair.
Depth Alongside (feet): 45 | 45 | 45 Latitude (decimal): 41.674167
Total Berthing Space (feet): 250 | 510 | 550 Longitude (decimal): -88.02083

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.4 PWD: 98
Name: **Marine Handling and Fleeting Co., Lemont Slip No. 2 Mooring.**
Port: Chicago
Location: Mile 299.4, north side, Chicago Sanitary and Ship Canal, approx 1.1 mile west of Lemont Road Bridge, eas Datum: NPE
Operator: Marine Handling and Fleeting Co., a division of Material Service Corp., a subsidiary
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16600 Des Plaines River Drive Phone: 708-739-5000
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Mooring barges and towboats for fleeting; lifting-out vessels and barges for repair.
Depth Alongside (feet): 45 | 45 | 45 Latitude (decimal): 41.674167
Total Berthing Space (feet): 250 | 510 | 550 Longitude (decimal): -88.02083
Remarks: Entrance to slip is 250 feet wide. One 2,760-ton, vertical boat lift is located at the northwest corner of the slip. Transfer tracks at rear of vertical boat lift serve 18 pairs of storage tracks. Boat lift is slip's operator, but is available for use by vessel owners making their own repairs. Transit shed and a one-story, 100- by 50-foot building used as an office are located adjacent to vertical boat lift. Slip, includi(Ref. No. 99), has capacity for 25 barges.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Remarks: Entrance to slip is 250 feet wide. One 2,760-ton, vertical boat lift is located at the northwest corner of the slip. Transfer tracks at rear of vertical boat lift serve 18 pairs of storage tracks. Boat lift is slip's operator, but is available for use by vessel owners making their own repairs. Transit shed and a one-story, 100- by 50-foot building used as an office are located adjacent to vertical boat lift. Slip, includi(Ref. No. 99), has capacity for 25 barges.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: Entrance to slip is 250 feet wide. One 2,760-ton, vertical boat lift is located at the northwest corner of the slip. Transfer tracks at rear of vertical boat lift serve 18 pairs of storage tracks. Boat lift is slip's operator, but is available for use by vessel owners making their own repairs. Transit shed and a one-story, 100- by 50-foot building used as an office are located adjacent to vertical boat lift. Slip, includi(Ref. No. 99), has capacity for 25 barges.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.4 PWD: 98
Name: **Marine Handling and Fleeting Co., Lemont Slip No. 2 Mooring.**
Port: Chicago
Location: Mile 299.4, north side, Chicago Sanitary and Ship Canal, approx 1.1 mile west of Lemont Road Bridge, eas Datum: NPE
Operator: Marine Handling and Fleeting Co., a division of Material Service Corp., a subsidiary
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16600 Des Plaines River Drive Phone: 708-739-5000
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Mooring barges and towboats for fleeting; lifting-out vessels and barges for repair.
Depth Alongside (feet): 45 | 45 | 45 Latitude (decimal): 41.674167
Total Berthing Space (feet): 250 | 510 | 550 Longitude (decimal): -88.02083

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.4 PWD: 98
Name: **Marine Handling and Fleeting Co., Lemont Slip No. 2 Mooring.**
Port: Chicago
Location: Mile 299.4, north side, Chicago Sanitary and Ship Canal, approx 1.1 mile west of Lemont Road Bridge, eas Datum: NPE
Operator: Marine Handling and Fleeting Co., a division of Material Service Corp., a subsidiary
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16600 Des Plaines River Drive Phone: 708-739-5000
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Mooring barges and towboats for fleeting; lifting-out vessels and barges for repair.
Depth Alongside (feet): 45 | 45 | 45 Latitude (decimal): 41.674167
Total Berthing Space (feet): 250 | 510 | 550 Longitude (decimal): -88.02083

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.4 PWD: 98
Name: **Marine Handling and Fleeting Co., Lemont Slip No. 2 Mooring.**
Port: Chicago
Location: Mile 299.4, north side, Chicago Sanitary and Ship Canal, approx 1.1 mile west of Lemont Road Bridge, eas Datum: NPE
Operator: Marine Handling and Fleeting Co., a division of Material Service Corp., a subsidiary
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16600 Des Plaines River Drive Phone: 708-739-5000
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Mooring barges and towboats for fleeting; lifting-out vessels and barges for repair.
Depth Alongside (feet): 45 | 45 | 45 Latitude (decimal): 41.674167
Total Berthing Space (feet): 250 | 510 | 550 Longitude (decimal): -88.02083
Remarks: Entrance to slip is 250 feet wide. One 2,760-ton, vertical boat lift is located at the northwest corner of the slip. Transfer tracks at rear of vertical boat lift serve 18 pairs of storage tracks. Boat lift is slip's operator, but is available for use by vessel owners making their own repairs. Transit shed and a one-story, 100- by 50-foot building used as an office are located adjacent to vertical boat lift. Slip, includi(Ref. No. 99), has capacity for 25 barges.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Remarks: Entrance to slip is 250 feet wide. One 2,760-ton, vertical boat lift is located at the northwest corner of the slip. Transfer tracks at rear of vertical boat lift serve 18 pairs of storage tracks. Boat lift is slip's operator, but is available for use by vessel owners making their own repairs. Transit shed and a one-story, 100- by 50-foot building used as an office are located adjacent to vertical boat lift. Slip, includi(Ref. No. 99), has capacity for 25 barges.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: Entrance to slip is 250 feet wide. One 2,760-ton, vertical boat lift is located at the northwest corner of the slip. Transfer tracks at rear of vertical boat lift serve 18 pairs of storage tracks. Boat lift is slip's operator, but is available for use by vessel owners making their own repairs. Transit shed and a one-story, 100- by 50-foot building used as an office are located adjacent to vertical boat lift. Slip, includi(Ref. No. 99), has capacity for 25 barges.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.4 PWD: 99
Name: **Marine Handling and Fleeting Co., Lemont Slip No. 2, Steel Unloadi**
Port: Chicago
Location: Mile 299.4, north side, Chicago Sanitary and Ship Canal, approx 1.1 mile west of Lemont Road Bridge, wes Datum: NPE
Operator: Marine Handling and Fleeting Co., a division of Material Service Corp., a subsidiary
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16600 Des Plaines River Drive Phone: 708-739-5000
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of steel pipe, coiled steel strip, and other steel products by barge; mooring barges and towboats for fleeting.
Depth Alongside (feet): 45 | 25 - 28 | Latitude (decimal): 41.672778
Total Berthing Space (feet): 370 | 900 | Longitude (decimal): -88.02194

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.4 PWD: 99
Name: **Marine Handling and Fleeting Co., Lemont Slip No. 2, Steel Unloadi**
Port: Chicago
Location: Mile 299.4, north side, Chicago Sanitary and Ship Canal, approx 1.1 mile west of Lemont Road Bridge, wes Datum: NPE
Operator: Marine Handling and Fleeting Co., a division of Material Service Corp., a subsidiary
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16600 Des Plaines River Drive Phone: 708-739-5000
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of steel pipe, coiled steel strip, and other steel products by barge; mooring barges and towboats for fleeting.
Depth Alongside (feet): 45 | 25 - 28 | Latitude (decimal): 41.672778
Total Berthing Space (feet): 370 | 900 | Longitude (decimal): -88.02194

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.4 PWD: 99
Name: **Marine Handling and Fleeting Co., Lemont Slip No. 2, Steel Unloadi**
Port: Chicago
Location: Mile 299.4, north side, Chicago Sanitary and Ship Canal, approx 1.1 mile west of Lemont Road Bridge, wes Datum: NPE
Operator: Marine Handling and Fleeting Co., a division of Material Service Corp., a subsidiary
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16600 Des Plaines River Drive Phone: 708-739-5000
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of steel pipe, coiled steel strip, and other steel products by barge; mooring barges and towboats for fleeting.
Depth Alongside (feet): 45 | 25 - 28 | Latitude (decimal): 41.672778
Total Berthing Space (feet): 370 | 900 | Longitude (decimal): -88.02194

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.4 PWD: 99
Name: **Marine Handling and Fleeting Co., Lemont Slip No. 2, Steel Unloadi**
Port: Chicago
Location: Mile 299.4, north side, Chicago Sanitary and Ship Canal, approx 1.1 mile west of Lemont Road Bridge, wes Datum: NPE
Operator: Marine Handling and Fleeting Co., a division of Material Service Corp., a subsidiary
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16600 Des Plaines River Drive Phone: 708-739-5000
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of steel pipe, coiled steel strip, and other steel products by barge; mooring barges and towboats for fleeting.
Depth Alongside (feet): 45 | 25 - 28 | Latitude (decimal): 41.672778
Total Berthing Space (feet): 370 | 900 | Longitude (decimal): -88.02194
Remarks: Transit sheds are located at rear of slip side.□□

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: Transit sheds are located at rear of slip side.□□

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Remarks: Transit sheds are located at rear of slip side.□□

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.4 PWD: 99
Name: **Marine Handling and Fleeting Co., Lemont Slip No. 2, Steel Unloadi**
Port: Chicago
Location: Mile 299.4, north side, Chicago Sanitary and Ship Canal, approx 1.1 mile west of Lemont Road Bridge, wes Datum: NPE
Operator: Marine Handling and Fleeting Co., a division of Material Service Corp., a subsidiary
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16600 Des Plaines River Drive Phone: 708-739-5000
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of steel pipe, coiled steel strip, and other steel products by barge; mooring barges and towboats for fleeting.
Depth Alongside (feet): 45 | 25 - 28 | Latitude (decimal): 41.672778
Total Berthing Space (feet): 370 | 900 | Longitude (decimal): -88.02194

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.4 PWD: 99
Name: **Marine Handling and Fleeting Co., Lemont Slip No. 2, Steel Unloadi**
Port: Chicago
Location: Mile 299.4, north side, Chicago Sanitary and Ship Canal, approx 1.1 mile west of Lemont Road Bridge, wes Datum: NPE
Operator: Marine Handling and Fleeting Co., a division of Material Service Corp., a subsidiary
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16600 Des Plaines River Drive Phone: 708-739-5000
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of steel pipe, coiled steel strip, and other steel products by barge; mooring barges and towboats for fleeting.
Depth Alongside (feet): 45 | 25 - 28 | Latitude (decimal): 41.672778
Total Berthing Space (feet): 370 | 900 | Longitude (decimal): -88.02194

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.4 PWD: 99
Name: **Marine Handling and Fleeting Co., Lemont Slip No. 2, Steel Unloadi**
Port: Chicago
Location: Mile 299.4, north side, Chicago Sanitary and Ship Canal, approx 1.1 mile west of Lemont Road Bridge, wes Datum: NPE
Operator: Marine Handling and Fleeting Co., a division of Material Service Corp., a subsidiary
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16600 Des Plaines River Drive Phone: 708-739-5000
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of steel pipe, coiled steel strip, and other steel products by barge; mooring barges and towboats for fleeting.
Depth Alongside (feet): 45 | 25 - 28 | Latitude (decimal): 41.672778
Total Berthing Space (feet): 370 | 900 | Longitude (decimal): -88.02194

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.4 PWD: 99
Name: **Marine Handling and Fleeting Co., Lemont Slip No. 2, Steel Unloadi**
Port: Chicago
Location: Mile 299.4, north side, Chicago Sanitary and Ship Canal, approx 1.1 mile west of Lemont Road Bridge, wes Datum: NPE
Operator: Marine Handling and Fleeting Co., a division of Material Service Corp., a subsidiary
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16600 Des Plaines River Drive Phone: 708-739-5000
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of steel pipe, coiled steel strip, and other steel products by barge; mooring barges and towboats for fleeting.
Depth Alongside (feet): 45 | 25 - 28 | Latitude (decimal): 41.672778
Total Berthing Space (feet): 370 | 900 | Longitude (decimal): -88.02194
Remarks: Transit sheds are located at rear of slip side.□□

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: Transit sheds are located at rear of slip side.□□

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Remarks: Transit sheds are located at rear of slip side.□□

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.4 PWD: 99
Name: **Marine Handling and Fleeting Co., Lemont Slip No. 2, Steel Unloadi**
Port: Chicago
Location: Mile 299.4, north side, Chicago Sanitary and Ship Canal, approx 1.1 mile west of Lemont Road Bridge, wes Datum: NPE
Operator: Marine Handling and Fleeting Co., a division of Material Service Corp., a subsidiary
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16600 Des Plaines River Drive Phone: 708-739-5000
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of steel pipe, coiled steel strip, and other steel products by barge; mooring barges and towboats for fleeting.
Depth Alongside (feet): 45 | 25 - 28 | Latitude (decimal): 41.672778
Total Berthing Space (feet): 370 | 900 | Longitude (decimal): -88.02194

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.4 PWD: 99
Name: **Marine Handling and Fleeting Co., Lemont Slip No. 2, Steel Unloadi**
Port: Chicago
Location: Mile 299.4, north side, Chicago Sanitary and Ship Canal, approx 1.1 mile west of Lemont Road Bridge, wes Datum: NPE
Operator: Marine Handling and Fleeting Co., a division of Material Service Corp., a subsidiary
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16600 Des Plaines River Drive Phone: 708-739-5000
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of steel pipe, coiled steel strip, and other steel products by barge; mooring barges and towboats for fleeting.
Depth Alongside (feet): 45 | 25 - 28 | Latitude (decimal): 41.672778
Total Berthing Space (feet): 370 | 900 | Longitude (decimal): -88.02194

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.4 PWD: 99
Name: **Marine Handling and Fleeting Co., Lemont Slip No. 2, Steel Unloadi**
Port: Chicago
Location: Mile 299.4, north side, Chicago Sanitary and Ship Canal, approx 1.1 mile west of Lemont Road Bridge, wes Datum: NPE
Operator: Marine Handling and Fleeting Co., a division of Material Service Corp., a subsidiary
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16600 Des Plaines River Drive Phone: 708-739-5000
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of steel pipe, coiled steel strip, and other steel products by barge; mooring barges and towboats for fleeting.
Depth Alongside (feet): 45 | 25 - 28 | Latitude (decimal): 41.672778
Total Berthing Space (feet): 370 | 900 | Longitude (decimal): -88.02194

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.4 PWD: 99
Name: **Marine Handling and Fleeting Co., Lemont Slip No. 2, Steel Unloadi**
Port: Chicago
Location: Mile 299.4, north side, Chicago Sanitary and Ship Canal, approx 1.1 mile west of Lemont Road Bridge, wes Datum: NPE
Operator: Marine Handling and Fleeting Co., a division of Material Service Corp., a subsidiary
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16600 Des Plaines River Drive Phone: 708-739-5000
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of steel pipe, coiled steel strip, and other steel products by barge; mooring barges and towboats for fleeting.
Depth Alongside (feet): 45 | 25 - 28 | Latitude (decimal): 41.672778
Total Berthing Space (feet): 370 | 900 | Longitude (decimal): -88.02194
Remarks: Transit sheds are located at rear of slip side.□□

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: Transit sheds are located at rear of slip side.□□

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Remarks: Transit sheds are located at rear of slip side.□□

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.7 PWD: 97
Name: **Marine Handling and Fleeting Co., Lemont Slip No. 3.**
Port: Chicago
Location: Mile 299.7, north side, Chicago Sanitary and Ship Canal, approximately 0.8 mile west of Lemont Road Brid Datum: NPE
Operator: Marine Handling and Fleeting Co., a division of Material Service Corp., a subsidiary
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16600 Des Plaines River Drive Phone: 708-739-5000
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Mooring barges and towboats for fleeting.
Depth Alongside (feet): 33 | 33 | 33 Latitude (decimal): 41.675278
Total Berthing Space (feet): 510 | 1,300 | 800 Longitude (decimal): -88.01722

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.7 PWD: 97
Name: **Marine Handling and Fleeting Co., Lemont Slip No. 3.**
Port: Chicago
Location: Mile 299.7, north side, Chicago Sanitary and Ship Canal, approximately 0.8 mile west of Lemont Road Brid Datum: NPE
Operator: Marine Handling and Fleeting Co., a division of Material Service Corp., a subsidiary
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16600 Des Plaines River Drive Phone: 708-739-5000
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Mooring barges and towboats for fleeting.
Depth Alongside (feet): 33 | 33 | 33 Latitude (decimal): 41.675278
Total Berthing Space (feet): 510 | 1,300 | 800 Longitude (decimal): -88.01722

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.7 PWD: 97
Name: **Marine Handling and Fleeting Co., Lemont Slip No. 3.**
Port: Chicago
Location: Mile 299.7, north side, Chicago Sanitary and Ship Canal, approximately 0.8 mile west of Lemont Road Brid Datum: NPE
Operator: Marine Handling and Fleeting Co., a division of Material Service Corp., a subsidiary
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16600 Des Plaines River Drive Phone: 708-739-5000
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Mooring barges and towboats for fleeting.
Depth Alongside (feet): 33 | 33 | 33 Latitude (decimal): 41.675278
Total Berthing Space (feet): 510 | 1,300 | 800 Longitude (decimal): -88.01722
Remarks: The northwest portion of the slip forms an interior slip 800 feet long by 200 feet wide, with approximately 7 acres of open storage area located at the rear of the south side. Canal side adjacent to Slip No. 3 p feet of additional berthing space to east and west of slip, respectively, in 25 to 28 feet of water depth. Slip has capacity for 36 barges.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Remarks: The northwest portion of the slip forms an interior slip 800 feet long by 200 feet wide, with approximately 7 acres of open storage area located at the rear of the south side. Canal side adjacent to Slip No. 3 p feet of additional berthing space to east and west of slip, respectively, in 25 to 28 feet of water depth. Slip has capacity for 36 barges.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: The northwest portion of the slip forms an interior slip 800 feet long by 200 feet wide, with approximately 7 acres of open storage area located at the rear of the south side. Canal side adjacent to Slip No. 3 p feet of additional berthing space to east and west of slip, respectively, in 25 to 28 feet of water depth. Slip has capacity for 36 barges.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.7 PWD: 97
Name: **Marine Handling and Fleeting Co., Lemont Slip No. 3.**
Port: Chicago
Location: Mile 299.7, north side, Chicago Sanitary and Ship Canal, approximately 0.8 mile west of Lemont Road Brid Datum: NPE
Operator: Marine Handling and Fleeting Co., a division of Material Service Corp., a subsidiary
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16600 Des Plaines River Drive Phone: 708-739-5000
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Mooring barges and towboats for fleeting.
Depth Alongside (feet): 33 | 33 | 33 Latitude (decimal): 41.675278
Total Berthing Space (feet): 510 | 1,300 | 800 Longitude (decimal): -88.01722

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.7 PWD: 97
Name: **Marine Handling and Fleeting Co., Lemont Slip No. 3.**
Port: Chicago
Location: Mile 299.7, north side, Chicago Sanitary and Ship Canal, approximately 0.8 mile west of Lemont Road Brid Datum: NPE
Operator: Marine Handling and Fleeting Co., a division of Material Service Corp., a subsidiary
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16600 Des Plaines River Drive Phone: 708-739-5000
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Mooring barges and towboats for fleeting.
Depth Alongside (feet): 33 | 33 | 33 Latitude (decimal): 41.675278
Total Berthing Space (feet): 510 | 1,300 | 800 Longitude (decimal): -88.01722

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.7 PWD: 97
Name: **Marine Handling and Fleeting Co., Lemont Slip No. 3.**
Port: Chicago
Location: Mile 299.7, north side, Chicago Sanitary and Ship Canal, approximately 0.8 mile west of Lemont Road Brid Datum: NPE
Operator: Marine Handling and Fleeting Co., a division of Material Service Corp., a subsidiary
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16600 Des Plaines River Drive Phone: 708-739-5000
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Mooring barges and towboats for fleeting.
Depth Alongside (feet): 33 | 33 | 33 Latitude (decimal): 41.675278
Total Berthing Space (feet): 510 | 1,300 | 800 Longitude (decimal): -88.01722
Remarks: The northwest portion of the slip forms an interior slip 800 feet long by 200 feet wide, with approximately 7 acres of open storage area located at the rear of the south side. Canal side adjacent to Slip No. 3 p feet of additional berthing space to east and west of slip, respectively, in 25 to 28 feet of water depth. Slip has capacity for 36 barges.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Remarks: The northwest portion of the slip forms an interior slip 800 feet long by 200 feet wide, with approximately 7 acres of open storage area located at the rear of the south side. Canal side adjacent to Slip No. 3 p feet of additional berthing space to east and west of slip, respectively, in 25 to 28 feet of water depth. Slip has capacity for 36 barges.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: The northwest portion of the slip forms an interior slip 800 feet long by 200 feet wide, with approximately 7 acres of open storage area located at the rear of the south side. Canal side adjacent to Slip No. 3 p feet of additional berthing space to east and west of slip, respectively, in 25 to 28 feet of water depth. Slip has capacity for 36 barges.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.7 PWD: 97
Name: **Marine Handling and Fleeting Co., Lemont Slip No. 3.**
Port: Chicago
Location: Mile 299.7, north side, Chicago Sanitary and Ship Canal, approximately 0.8 mile west of Lemont Road Brid Datum: NPE
Operator: Marine Handling and Fleeting Co., a division of Material Service Corp., a subsidiary
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16600 Des Plaines River Drive Phone: 708-739-5000
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Mooring barges and towboats for fleeting.
Depth Alongside (feet): 33 | 33 | 33 Latitude (decimal): 41.675278
Total Berthing Space (feet): 510 | 1,300 | 800 Longitude (decimal): -88.01722

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.7 PWD: 97
Name: **Marine Handling and Fleeting Co., Lemont Slip No. 3.**
Port: Chicago
Location: Mile 299.7, north side, Chicago Sanitary and Ship Canal, approximately 0.8 mile west of Lemont Road Brid Datum: NPE
Operator: Marine Handling and Fleeting Co., a division of Material Service Corp., a subsidiary
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16600 Des Plaines River Drive Phone: 708-739-5000
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Mooring barges and towboats for fleeting.
Depth Alongside (feet): 33 | 33 | 33 Latitude (decimal): 41.675278
Total Berthing Space (feet): 510 | 1,300 | 800 Longitude (decimal): -88.01722

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.7 PWD: 97
Name: **Marine Handling and Fleeting Co., Lemont Slip No. 3.**
Port: Chicago
Location: Mile 299.7, north side, Chicago Sanitary and Ship Canal, approximately 0.8 mile west of Lemont Road Brid Datum: NPE
Operator: Marine Handling and Fleeting Co., a division of Material Service Corp., a subsidiary
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16600 Des Plaines River Drive Phone: 708-739-5000
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Mooring barges and towboats for fleeting.
Depth Alongside (feet): 33 | 33 | 33 Latitude (decimal): 41.675278
Total Berthing Space (feet): 510 | 1,300 | 800 Longitude (decimal): -88.01722
Remarks: The northwest portion of the slip forms an interior slip 800 feet long by 200 feet wide, with approximately 7 acres of open storage area located at the rear of the south side. Canal side adjacent to Slip No. 3 p feet of additional berthing space to east and west of slip, respectively, in 25 to 28 feet of water depth. Slip has capacity for 36 barges.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Remarks: The northwest portion of the slip forms an interior slip 800 feet long by 200 feet wide, with approximately 7 acres of open storage area located at the rear of the south side. Canal side adjacent to Slip No. 3 p feet of additional berthing space to east and west of slip, respectively, in 25 to 28 feet of water depth. Slip has capacity for 36 barges.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: The northwest portion of the slip forms an interior slip 800 feet long by 200 feet wide, with approximately 7 acres of open storage area located at the rear of the south side. Canal side adjacent to Slip No. 3 p feet of additional berthing space to east and west of slip, respectively, in 25 to 28 feet of water depth. Slip has capacity for 36 barges.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.8 PWD: 96

Name: **Garvey Marine, Lemont Slip No. 4 Mooring.**

Port: Chicago

Location: Mile 299.8, north side, Chicago Sanitary and Ship Canal, 0.7 mile west of Lemont Road Bridge, north & we Datum: NPE

Operator: Garvey Marine, Inc.; and Burrow Barge Cleaning & Repair, Inc.

Owner: The Metropolitan Water Reclamation District of Greater Chicago.

Address: 16200 Donohoe Road Phone: 708-739-2161

Town: Lemont State: IL County: Cook

Railway Connection: None.

Purpose: Mooring barges for fleeting, cleaning, and repair.

Depth Alongside (feet): 12 - 56 | 12 - 56 | 12 - 56 Latitude (decimal): 41.676389

Total Berthing Space (feet): 1,270 | 440 | 230 Longitude (decimal): -88.01444

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.8 PWD: 96

Name: **Garvey Marine, Lemont Slip No. 4 Mooring.**

Port: Chicago

Location: Mile 299.8, north side, Chicago Sanitary and Ship Canal, 0.7 mile west of Lemont Road Bridge, north & we Datum: NPE

Operator: Garvey Marine, Inc.; and Burrow Barge Cleaning & Repair, Inc.

Owner: The Metropolitan Water Reclamation District of Greater Chicago.

Address: 16200 Donohoe Road Phone: 708-739-2161

Town: Lemont State: IL County: Cook

Railway Connection: None.

Purpose: Mooring barges for fleeting, cleaning, and repair.

Depth Alongside (feet): 12 - 56 | 12 - 56 | 12 - 56 Latitude (decimal): 41.676389

Total Berthing Space (feet): 1,270 | 440 | 230 Longitude (decimal): -88.01444

Remarks: North side is in line and contiguous with north side of interior slip (Ref. No. 95), providing 1,470 feet of continuous berthing space. Slip No. 4, including interior slip and east side (Ref. No. 94), has capaci Barge Cleaning & Repair, Inc. cleans and performs above-waterline repairs to barges in fleet. Company's office is located in trailer at rear of slip's northwest corner.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: North side is in line and contiguous with north side of interior slip (Ref. No. 95), providing 1,470 feet of continuous berthing space. Slip No. 4, including interior slip and east side (Ref. No. 94), has capaci Barge Cleaning & Repair, Inc. cleans and performs above-waterline repairs to barges in fleet. Company's office is located in trailer at rear of slip's northwest corner.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.8 PWD: 96
Name: **Garvey Marine, Lemont Slip No. 4 Mooring.**
Port: Chicago
Location: Mile 299.8, north side, Chicago Sanitary and Ship Canal, 0.7 mile west of Lemont Road Bridge, north & we Datum: NPE
Operator: Garvey Marine, Inc.; and Burrow Barge Cleaning & Repair, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16200 Donohoe Road Phone: 708-739-2161
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Mooring barges for fleeting, cleaning, and repair.
Depth Alongside (feet): 12 - 56 | 12 - 56 | 12 - 56 Latitude (decimal): 41.676389
Total Berthing Space (feet): 1,270 | 440 | 230 Longitude (decimal): -88.01444

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.8 PWD: 96
Name: **Garvey Marine, Lemont Slip No. 4 Mooring.**
Port: Chicago
Location: Mile 299.8, north side, Chicago Sanitary and Ship Canal, 0.7 mile west of Lemont Road Bridge, north & we Datum: NPE
Operator: Garvey Marine, Inc.; and Burrow Barge Cleaning & Repair, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16200 Donohoe Road Phone: 708-739-2161
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Mooring barges for fleeting, cleaning, and repair.
Depth Alongside (feet): 12 - 56 | 12 - 56 | 12 - 56 Latitude (decimal): 41.676389
Total Berthing Space (feet): 1,270 | 440 | 230 Longitude (decimal): -88.01444

Remarks: North side is in line and contiguous with north side of interior slip (Ref. No. 95), providing 1,470 feet of continuous berthing space. Slip No. 4, including interior slip and east side (Ref. No. 94), has capaci Barge Cleaning & Repair, Inc. cleans and performs above-waterline repairs to barges in fleet. Company's office is located in trailer at rear of slip's northwest corner.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: North side is in line and contiguous with north side of interior slip (Ref. No. 95), providing 1,470 feet of continuous berthing space. Slip No. 4, including interior slip and east side (Ref. No. 94), has capaci Barge Cleaning & Repair, Inc. cleans and performs above-waterline repairs to barges in fleet. Company's office is located in trailer at rear of slip's northwest corner.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.8 PWD: 101

Name: **National Marine, Lemont Slip and Wharf.**

Port: Chicago

Location: Mile 299.8, south side, Chicago Sanitary and Ship Canal, approximately 0.6 mile west of Lemont Road Brid Datum: NPE

Operator: National Marine, Inc.

Owner: The Metropolitan Water Reclamation District of Greater Chicago.

Address: 224 Industrial Park Drive Phone: 708-257-2317

Town: Lemont State: IL County: Cook

Railway Connection: Five surface tracks at rear of west portion of wharf extend to rear of Austeel Lemont Co. Wharf (Ref. No. 102); connect with Atchison, Topeka and Santa Fe Railway.

Purpose: Occasional handling of supplies to company-owned towboats; mooring company-owned and transient barges for fleeting, maintenance and repair; loading and unloading ballast from barges (See Remarks).

Depth Alongside (feet): 6 - 13 | 6 - 13 | 13 - 20 Latitude (decimal): 41.673056

Total Berthing Space (feet): 220 | 270 | 3,550 Longitude (decimal): -88.01722

Remarks: Operator ballasts barges to enable them to pass under fixed, low-level bridges; ballast is also removed as necessary. Operator performs minor above-waterline repairs to barges at wharf, and fleets up to 50 barge miles of contiguous wharves, including Ref. Nos. 101, 102, and 103.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.8 PWD: 94
Name: **R-A Industries Terminal, Lemont Slip No. 4 Aggregates Wharf.**
Port: Chicago
Location: Mile 299.8, north side, Chicago Sanitary and Ship Canal, approx. 0.7 mile west of Lemont Road Bridge, ea Datum: NPE
Operator: R-A Industries, Inc.; Garvey Marine, Inc.; and Burrow Barge Cleaning & Repair, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16000 Donohoe Road Phone: 708-739-1173
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of sand and stone by barge; mooring barges for fleeting, cleaning, and repair.
Depth Alongside (feet): 12 - 56 | 12 - 56 | 12 - 56 Latitude (decimal): 41.676389
Total Berthing Space (feet): 200 | 290 | 270 Longitude (decimal): -88.0125

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.8 PWD: 94
Name: **R-A Industries Terminal, Lemont Slip No. 4 Aggregates Wharf.**
Port: Chicago
Location: Mile 299.8, north side, Chicago Sanitary and Ship Canal, approx. 0.7 mile west of Lemont Road Bridge, ea Datum: NPE
Operator: R-A Industries, Inc.; Garvey Marine, Inc.; and Burrow Barge Cleaning & Repair, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16000 Donohoe Road Phone: 708-739-1173
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of sand and stone by barge; mooring barges for fleeting, cleaning, and repair.
Depth Alongside (feet): 12 - 56 | 12 - 56 | 12 - 56 Latitude (decimal): 41.676389
Total Berthing Space (feet): 200 | 290 | 270 Longitude (decimal): -88.0125

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.8 PWD: 94
Name: **R-A Industries Terminal, Lemont Slip No. 4 Aggregates Wharf.**
Port: Chicago
Location: Mile 299.8, north side, Chicago Sanitary and Ship Canal, approx. 0.7 mile west of Lemont Road Bridge, ea Datum: NPE
Operator: R-A Industries, Inc.; Garvey Marine, Inc.; and Burrow Barge Cleaning & Repair, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16000 Donohoe Road Phone: 708-739-1173
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of sand and stone by barge; mooring barges for fleeting, cleaning, and repair.
Depth Alongside (feet): 12 - 56 | 12 - 56 | 12 - 56 Latitude (decimal): 41.676389
Total Berthing Space (feet): 200 | 290 | 270 Longitude (decimal): -88.0125

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.8 PWD: 94
Name: **R-A Industries Terminal, Lemont Slip No. 4 Aggregates Wharf.**
Port: Chicago
Location: Mile 299.8, north side, Chicago Sanitary and Ship Canal, approx. 0.7 mile west of Lemont Road Bridge, ea Datum: NPE
Operator: R-A Industries, Inc.; Garvey Marine, Inc.; and Burrow Barge Cleaning & Repair, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16000 Donohoe Road Phone: 708-739-1173
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of sand and stone by barge; mooring barges for fleeting, cleaning, and repair.
Depth Alongside (feet): 12 - 56 | 12 - 56 | 12 - 56 Latitude (decimal): 41.676389
Total Berthing Space (feet): 200 | 290 | 270 Longitude (decimal): -88.0125
Remarks: R-A Industries, Inc. receives sand and stone at inner portion of east side. Transit shed described under Canal Wharf (Ref. No. 93) is located at rear of south side. Garvey Marine, Inc. fleets barges and Burrow Repair, Inc. cleans and performs above-waterline repairs at south side and outer portion.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: R-A Industries, Inc. receives sand and stone at inner portion of east side. Transit shed described under Canal Wharf (Ref. No. 93) is located at rear of south side. Garvey Marine, Inc. fleets barges and Burrow Repair, Inc. cleans and performs above-waterline repairs at south side and outer portion.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Remarks: R-A Industries, Inc. receives sand and stone at inner portion of east side. Transit shed described under Canal Wharf (Ref. No. 93) is located at rear of south side. Garvey Marine, Inc. fleets barges and Burrow Repair, Inc. cleans and performs above-waterline repairs at south side and outer portion.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.8 PWD: 94
Name: **R-A Industries Terminal, Lemont Slip No. 4 Aggregates Wharf.**
Port: Chicago
Location: Mile 299.8, north side, Chicago Sanitary and Ship Canal, approx. 0.7 mile west of Lemont Road Bridge, ea Datum: NPE
Operator: R-A Industries, Inc.; Garvey Marine, Inc.; and Burrow Barge Cleaning & Repair, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16000 Donohoe Road Phone: 708-739-1173
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of sand and stone by barge; mooring barges for fleeting, cleaning, and repair.
Depth Alongside (feet): 12 - 56 | 12 - 56 | 12 - 56 Latitude (decimal): 41.676389
Total Berthing Space (feet): 200 | 290 | 270 Longitude (decimal): -88.0125

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.8 PWD: 94
Name: **R-A Industries Terminal, Lemont Slip No. 4 Aggregates Wharf.**
Port: Chicago
Location: Mile 299.8, north side, Chicago Sanitary and Ship Canal, approx. 0.7 mile west of Lemont Road Bridge, ea Datum: NPE
Operator: R-A Industries, Inc.; Garvey Marine, Inc.; and Burrow Barge Cleaning & Repair, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16000 Donohoe Road Phone: 708-739-1173
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of sand and stone by barge; mooring barges for fleeting, cleaning, and repair.
Depth Alongside (feet): 12 - 56 | 12 - 56 | 12 - 56 Latitude (decimal): 41.676389
Total Berthing Space (feet): 200 | 290 | 270 Longitude (decimal): -88.0125

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.8 PWD: 94
Name: **R-A Industries Terminal, Lemont Slip No. 4 Aggregates Wharf.**
Port: Chicago
Location: Mile 299.8, north side, Chicago Sanitary and Ship Canal, approx. 0.7 mile west of Lemont Road Bridge, ea Datum: NPE
Operator: R-A Industries, Inc.; Garvey Marine, Inc.; and Burrow Barge Cleaning & Repair, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16000 Donohoe Road Phone: 708-739-1173
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of sand and stone by barge; mooring barges for fleeting, cleaning, and repair.
Depth Alongside (feet): 12 - 56 | 12 - 56 | 12 - 56 Latitude (decimal): 41.676389
Total Berthing Space (feet): 200 | 290 | 270 Longitude (decimal): -88.0125

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.8 PWD: 94
Name: **R-A Industries Terminal, Lemont Slip No. 4 Aggregates Wharf.**
Port: Chicago
Location: Mile 299.8, north side, Chicago Sanitary and Ship Canal, approx. 0.7 mile west of Lemont Road Bridge, ea Datum: NPE
Operator: R-A Industries, Inc.; Garvey Marine, Inc.; and Burrow Barge Cleaning & Repair, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16000 Donohoe Road Phone: 708-739-1173
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of sand and stone by barge; mooring barges for fleeting, cleaning, and repair.
Depth Alongside (feet): 12 - 56 | 12 - 56 | 12 - 56 Latitude (decimal): 41.676389
Total Berthing Space (feet): 200 | 290 | 270 Longitude (decimal): -88.0125
Remarks: R-A Industries, Inc. receives sand and stone at inner portion of east side. Transit shed described under Canal Wharf (Ref. No. 93) is located at rear of south side. Garvey Marine, Inc. fleets barges and Burrow Repair, Inc. cleans and performs above-waterline repairs at south side and outer portion.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: R-A Industries, Inc. receives sand and stone at inner portion of east side. Transit shed described under Canal Wharf (Ref. No. 93) is located at rear of south side. Garvey Marine, Inc. fleets barges and Burrow Repair, Inc. cleans and performs above-waterline repairs at south side and outer portion.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Remarks: R-A Industries, Inc. receives sand and stone at inner portion of east side. Transit shed described under Canal Wharf (Ref. No. 93) is located at rear of south side. Garvey Marine, Inc. fleets barges and Burrow Repair, Inc. cleans and performs above-waterline repairs at south side and outer portion.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.8 PWD: 94
Name: **R-A Industries Terminal, Lemont Slip No. 4 Aggregates Wharf.**
Port: Chicago
Location: Mile 299.8, north side, Chicago Sanitary and Ship Canal, approx. 0.7 mile west of Lemont Road Bridge, ea Datum: NPE
Operator: R-A Industries, Inc.; Garvey Marine, Inc.; and Burrow Barge Cleaning & Repair, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16000 Donohoe Road Phone: 708-739-1173
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of sand and stone by barge; mooring barges for fleeting, cleaning, and repair.
Depth Alongside (feet): 12 - 56 | 12 - 56 | 12 - 56 Latitude (decimal): 41.676389
Total Berthing Space (feet): 200 | 290 | 270 Longitude (decimal): -88.0125

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.8 PWD: 94
Name: **R-A Industries Terminal, Lemont Slip No. 4 Aggregates Wharf.**
Port: Chicago
Location: Mile 299.8, north side, Chicago Sanitary and Ship Canal, approx. 0.7 mile west of Lemont Road Bridge, ea Datum: NPE
Operator: R-A Industries, Inc.; Garvey Marine, Inc.; and Burrow Barge Cleaning & Repair, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16000 Donohoe Road Phone: 708-739-1173
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of sand and stone by barge; mooring barges for fleeting, cleaning, and repair.
Depth Alongside (feet): 12 - 56 | 12 - 56 | 12 - 56 Latitude (decimal): 41.676389
Total Berthing Space (feet): 200 | 290 | 270 Longitude (decimal): -88.0125

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.8 PWD: 94
Name: **R-A Industries Terminal, Lemont Slip No. 4 Aggregates Wharf.**
Port: Chicago
Location: Mile 299.8, north side, Chicago Sanitary and Ship Canal, approx. 0.7 mile west of Lemont Road Bridge, ea Datum: NPE
Operator: R-A Industries, Inc.; Garvey Marine, Inc.; and Burrow Barge Cleaning & Repair, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16000 Donohoe Road Phone: 708-739-1173
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of sand and stone by barge; mooring barges for fleeting, cleaning, and repair.
Depth Alongside (feet): 12 - 56 | 12 - 56 | 12 - 56 Latitude (decimal): 41.676389
Total Berthing Space (feet): 200 | 290 | 270 Longitude (decimal): -88.0125

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.8 PWD: 94
Name: **R-A Industries Terminal, Lemont Slip No. 4 Aggregates Wharf.**
Port: Chicago
Location: Mile 299.8, north side, Chicago Sanitary and Ship Canal, approx. 0.7 mile west of Lemont Road Bridge, ea Datum: NPE
Operator: R-A Industries, Inc.; Garvey Marine, Inc.; and Burrow Barge Cleaning & Repair, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16000 Donohoe Road Phone: 708-739-1173
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of sand and stone by barge; mooring barges for fleeting, cleaning, and repair.
Depth Alongside (feet): 12 - 56 | 12 - 56 | 12 - 56 Latitude (decimal): 41.676389
Total Berthing Space (feet): 200 | 290 | 270 Longitude (decimal): -88.0125
Remarks: R-A Industries, Inc. receives sand and stone at inner portion of east side. Transit shed described under Canal Wharf (Ref. No. 93) is located at rear of south side. Garvey Marine, Inc. fleets barges and Burrow Repair, Inc. cleans and performs above-waterline repairs at south side and outer portion.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: R-A Industries, Inc. receives sand and stone at inner portion of east side. Transit shed described under Canal Wharf (Ref. No. 93) is located at rear of south side. Garvey Marine, Inc. fleets barges and Burrow Repair, Inc. cleans and performs above-waterline repairs at south side and outer portion.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Remarks: R-A Industries, Inc. receives sand and stone at inner portion of east side. Transit shed described under Canal Wharf (Ref. No. 93) is located at rear of south side. Garvey Marine, Inc. fleets barges and Burrow Repair, Inc. cleans and performs above-waterline repairs at south side and outer portion.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.8 PWD: 95
Name: **R-A Industries Terminal, Lemont Slip No. 4, Steel Products Slip**
Port: Chicago
Location: Mile 299.8, north side, Chicago Sanitary and Ship Canal, 0.7 mile W of Lemont Road Datum: NPE Br, interior slip in
Operator: R-A Industries, Inc.; Garvey Marine, Inc.; and Burrow Barge Cleaning & Repair, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16000 Donohoe Road Phone: 708-739-1173
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of steel products by barge; mooring barges for fleeting, cleaning, and repair.
Depth Alongside (feet): 12 - 56 | 12 - 56 | 12 - 56 Latitude (decimal): 41.6775
Total Berthing Space (feet): 480 | 280 | 200 Longitude (decimal): -88.01083

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.8 PWD: 95
Name: **R-A Industries Terminal, Lemont Slip No. 4, Steel Products Slip**
Port: Chicago
Location: Mile 299.8, north side, Chicago Sanitary and Ship Canal, 0.7 mile W of Lemont Road Datum: NPE Br, interior slip in
Operator: R-A Industries, Inc.; Garvey Marine, Inc.; and Burrow Barge Cleaning & Repair, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16000 Donohoe Road Phone: 708-739-1173
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of steel products by barge; mooring barges for fleeting, cleaning, and repair.
Depth Alongside (feet): 12 - 56 | 12 - 56 | 12 - 56 Latitude (decimal): 41.6775
Total Berthing Space (feet): 480 | 280 | 200 Longitude (decimal): -88.01083

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.8 PWD: 95
Name: **R-A Industries Terminal, Lemont Slip No. 4, Steel Products Slip**
Port: Chicago
Location: Mile 299.8, north side, Chicago Sanitary and Ship Canal, 0.7 mile W of Lemont Road Datum: NPE Br, interior slip in
Operator: R-A Industries, Inc.; Garvey Marine, Inc.; and Burrow Barge Cleaning & Repair, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16000 Donohoe Road Phone: 708-739-1173
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of steel products by barge; mooring barges for fleeting, cleaning, and repair.
Depth Alongside (feet): 12 - 56 | 12 - 56 | 12 - 56 Latitude (decimal): 41.6775
Total Berthing Space (feet): 480 | 280 | 200 Longitude (decimal): -88.01083

Remarks: Outer portion of interior slip is 200 feet wide. North side of inner portion is in line and contiguous with north side of Slip No. 4 (Ref. No. 96), providing 1,470 feet of continuous berthing space. R-A Industr receives steel products at south and north sides of inner portion, and transit sheds are located at rear of south side. Garvey Marine, Inc. fleets barges and Burrow Barge Cleaning & Repair, Inc. cleans and performs arepairs at outer portion.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Remarks: Outer portion of interior slip is 200 feet wide. North side of inner portion is in line and contiguous with north side of Slip No. 4 (Ref. No. 96), providing 1,470 feet of continuous berthing space. R-A Industr receives steel products at south and north sides of inner portion, and transit sheds are located at rear of south side. Garvey Marine, Inc. fleets barges and Burrow Barge Cleaning & Repair, Inc. cleans and performs arepairs at outer portion.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: Outer portion of interior slip is 200 feet wide. North side of inner portion is in line and contiguous with north side of Slip No. 4 (Ref. No. 96), providing 1,470 feet of continuous berthing space. R-A Industr receives steel products at south and north sides of inner portion, and transit sheds are located at rear of south side. Garvey Marine, Inc. fleets barges and Burrow Barge Cleaning & Repair, Inc. cleans and performs arepairs at outer portion.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.8 PWD: 95
Name: **R-A Industries Terminal, Lemont Slip No. 4, Steel Products Slip**
Port: Chicago
Location: Mile 299.8, north side, Chicago Sanitary and Ship Canal, 0.7 mile W of Lemont Road Datum: NPE Br, interior slip in
Operator: R-A Industries, Inc.; Garvey Marine, Inc.; and Burrow Barge Cleaning & Repair, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16000 Donohoe Road Phone: 708-739-1173
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of steel products by barge; mooring barges for fleeting, cleaning, and repair.
Depth Alongside (feet): 12 - 56 | 12 - 56 | 12 - 56 Latitude (decimal): 41.6775
Total Berthing Space (feet): 480 | 280 | 200 Longitude (decimal): -88.01083

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.8 PWD: 95
Name: **R-A Industries Terminal, Lemont Slip No. 4, Steel Products Slip**
Port: Chicago
Location: Mile 299.8, north side, Chicago Sanitary and Ship Canal, 0.7 mile W of Lemont Road Datum: NPE Br, interior slip in
Operator: R-A Industries, Inc.; Garvey Marine, Inc.; and Burrow Barge Cleaning & Repair, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16000 Donohoe Road Phone: 708-739-1173
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of steel products by barge; mooring barges for fleeting, cleaning, and repair.
Depth Alongside (feet): 12 - 56 | 12 - 56 | 12 - 56 Latitude (decimal): 41.6775
Total Berthing Space (feet): 480 | 280 | 200 Longitude (decimal): -88.01083

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.8 PWD: 95
Name: **R-A Industries Terminal, Lemont Slip No. 4, Steel Products Slip**
Port: Chicago
Location: Mile 299.8, north side, Chicago Sanitary and Ship Canal, 0.7 mile W of Lemont Road Datum: NPE Br, interior slip in
Operator: R-A Industries, Inc.; Garvey Marine, Inc.; and Burrow Barge Cleaning & Repair, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16000 Donohoe Road Phone: 708-739-1173
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of steel products by barge; mooring barges for fleeting, cleaning, and repair.
Depth Alongside (feet): 12 - 56 | 12 - 56 | 12 - 56 Latitude (decimal): 41.6775
Total Berthing Space (feet): 480 | 280 | 200 Longitude (decimal): -88.01083

Remarks: Outer portion of interior slip is 200 feet wide. North side of inner portion is in line and contiguous with north side of Slip No. 4 (Ref. No. 96), providing 1,470 feet of continuous berthing space. R-A Industr receives steel products at south and north sides of inner portion, and transit sheds are located at rear of south side. Garvey Marine, Inc. fleets barges and Burrow Barge Cleaning & Repair, Inc. cleans and performs arepairs at outer portion.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Remarks: Outer portion of interior slip is 200 feet wide. North side of inner portion is in line and contiguous with north side of Slip No. 4 (Ref. No. 96), providing 1,470 feet of continuous berthing space. R-A Industr receives steel products at south and north sides of inner portion, and transit sheds are located at rear of south side. Garvey Marine, Inc. fleets barges and Burrow Barge Cleaning & Repair, Inc. cleans and performs arepairs at outer portion.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: Outer portion of interior slip is 200 feet wide. North side of inner portion is in line and contiguous with north side of Slip No. 4 (Ref. No. 96), providing 1,470 feet of continuous berthing space. R-A Industr receives steel products at south and north sides of inner portion, and transit sheds are located at rear of south side. Garvey Marine, Inc. fleets barges and Burrow Barge Cleaning & Repair, Inc. cleans and performs arepairs at outer portion.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.8 PWD: 95
Name: **R-A Industries Terminal, Lemont Slip No. 4, Steel Products Slip**
Port: Chicago
Location: Mile 299.8, north side, Chicago Sanitary and Ship Canal, 0.7 mile W of Lemont Road Datum: NPE Br, interior slip in
Operator: R-A Industries, Inc.; Garvey Marine, Inc.; and Burrow Barge Cleaning & Repair, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16000 Donohoe Road Phone: 708-739-1173
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of steel products by barge; mooring barges for fleeting, cleaning, and repair.
Depth Alongside (feet): 12 - 56 | 12 - 56 | 12 - 56 Latitude (decimal): 41.6775
Total Berthing Space (feet): 480 | 280 | 200 Longitude (decimal): -88.01083

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.8 PWD: 95
Name: **R-A Industries Terminal, Lemont Slip No. 4, Steel Products Slip**
Port: Chicago
Location: Mile 299.8, north side, Chicago Sanitary and Ship Canal, 0.7 mile W of Lemont Road Datum: NPE Br, interior slip in
Operator: R-A Industries, Inc.; Garvey Marine, Inc.; and Burrow Barge Cleaning & Repair, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16000 Donohoe Road Phone: 708-739-1173
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of steel products by barge; mooring barges for fleeting, cleaning, and repair.
Depth Alongside (feet): 12 - 56 | 12 - 56 | 12 - 56 Latitude (decimal): 41.6775
Total Berthing Space (feet): 480 | 280 | 200 Longitude (decimal): -88.01083

Waterway: **Chicago Sanitary & Ship Canal** Mile: 299.8 PWD: 95
Name: **R-A Industries Terminal, Lemont Slip No. 4, Steel Products Slip**
Port: Chicago
Location: Mile 299.8, north side, Chicago Sanitary and Ship Canal, 0.7 mile W of Lemont Road Datum: NPE Br, interior slip in
Operator: R-A Industries, Inc.; Garvey Marine, Inc.; and Burrow Barge Cleaning & Repair, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16000 Donohoe Road Phone: 708-739-1173
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of steel products by barge; mooring barges for fleeting, cleaning, and repair.
Depth Alongside (feet): 12 - 56 | 12 - 56 | 12 - 56 Latitude (decimal): 41.6775
Total Berthing Space (feet): 480 | 280 | 200 Longitude (decimal): -88.01083

Remarks: Outer portion of interior slip is 200 feet wide. North side of inner portion is in line and contiguous with north side of Slip No. 4 (Ref. No. 96), providing 1,470 feet of continuous berthing space. R-A Industr receives steel products at south and north sides of inner portion, and transit sheds are located at rear of south side. Garvey Marine, Inc. fleets barges and Burrow Barge Cleaning & Repair, Inc. cleans and performs arepairs at outer portion.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Remarks: Outer portion of interior slip is 200 feet wide. North side of inner portion is in line and contiguous with north side of Slip No. 4 (Ref. No. 96), providing 1,470 feet of continuous berthing space. R-A Industr receives steel products at south and north sides of inner portion, and transit sheds are located at rear of south side. Garvey Marine, Inc. fleets barges and Burrow Barge Cleaning & Repair, Inc. cleans and performs arepairs at outer portion.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: Outer portion of interior slip is 200 feet wide. North side of inner portion is in line and contiguous with north side of Slip No. 4 (Ref. No. 96), providing 1,470 feet of continuous berthing space. R-A Industr receives steel products at south and north sides of inner portion, and transit sheds are located at rear of south side. Garvey Marine, Inc. fleets barges and Burrow Barge Cleaning & Repair, Inc. cleans and performs arepairs at outer portion.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 300.0 PWD: 93
Name: **R-A Industries Terminal, Lemont Canal Wharf.**
Port: Chicago
Location: Mile 300.0, north side, Chicago Sanitary and Ship Canal, approximately 0.3 mile west of Lemont Road Brid Datum: NPE
Operator: R-A Industries, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16000 Donohoe Road Phone: 708-739-1173
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of conventional general cargo and dry bulk materials by barge, including steel products, salt, sand, stone, mulch, and coal.
Depth Alongside (feet): 25 - 28 | | Latitude (decimal): 41.676389
Total Berthing Space (feet): 2,300 | | Longitude (decimal): -88.00917

Waterway: **Chicago Sanitary & Ship Canal** Mile: 300.0 PWD: 93
Name: **R-A Industries Terminal, Lemont Canal Wharf.**
Port: Chicago
Location: Mile 300.0, north side, Chicago Sanitary and Ship Canal, approximately 0.3 mile west of Lemont Road Brid Datum: NPE
Operator: R-A Industries, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16000 Donohoe Road Phone: 708-739-1173
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of conventional general cargo and dry bulk materials by barge, including steel products, salt, sand, stone, mulch, and coal.
Depth Alongside (feet): 25 - 28 | | Latitude (decimal): 41.676389
Total Berthing Space (feet): 2,300 | | Longitude (decimal): -88.00917

Waterway: **Chicago Sanitary & Ship Canal** Mile: 300.0 PWD: 93
Name: **R-A Industries Terminal, Lemont Canal Wharf.**
Port: Chicago
Location: Mile 300.0, north side, Chicago Sanitary and Ship Canal, approximately 0.3 mile west of Lemont Road Brid Datum: NPE
Operator: R-A Industries, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16000 Donohoe Road Phone: 708-739-1173
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of conventional general cargo and dry bulk materials by barge, including steel products, salt, sand, stone, mulch, and coal.
Depth Alongside (feet): 25 - 28 | | Latitude (decimal): 41.676389
Total Berthing Space (feet): 2,300 | | Longitude (decimal): -88.00917

Waterway: **Chicago Sanitary & Ship Canal** Mile: 300.0 PWD: 93
Name: **R-A Industries Terminal, Lemont Canal Wharf.**
Port: Chicago
Location: Mile 300.0, north side, Chicago Sanitary and Ship Canal, approximately 0.3 mile west of Lemont Road Brid Datum: NPE
Operator: R-A Industries, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16000 Donohoe Road Phone: 708-739-1173
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of conventional general cargo and dry bulk materials by barge, including steel products, salt, sand, stone, mulch, and coal.
Depth Alongside (feet): 25 - 28 | | Latitude (decimal): 41.676389
Total Berthing Space (feet): 2,300 | | Longitude (decimal): -88.00917
Remarks: Two steel products storage sheds described under Steel Products Slip (Ref. No. 95), an office building, and 18 acres of open storage area are located in terminal at rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: Two steel products storage sheds described under Steel Products Slip (Ref. No. 95), an office building, and 18 acres of open storage area are located in terminal at rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Remarks: Two steel products storage sheds described under Steel Products Slip (Ref. No. 95), an office building, and 18 acres of open storage area are located in terminal at rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 300.0 PWD: 93
Name: **R-A Industries Terminal, Lemont Canal Wharf.**
Port: Chicago
Location: Mile 300.0, north side, Chicago Sanitary and Ship Canal, approximately 0.3 mile west of Lemont Road Brid Datum: NPE
Operator: R-A Industries, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16000 Donohoe Road Phone: 708-739-1173
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of conventional general cargo and dry bulk materials by barge, including steel products, salt, sand, stone, mulch, and coal.
Depth Alongside (feet): 25 - 28 | | Latitude (decimal): 41.676389
Total Berthing Space (feet): 2,300 | | Longitude (decimal): -88.00917

Waterway: **Chicago Sanitary & Ship Canal** Mile: 300.0 PWD: 93
Name: **R-A Industries Terminal, Lemont Canal Wharf.**
Port: Chicago
Location: Mile 300.0, north side, Chicago Sanitary and Ship Canal, approximately 0.3 mile west of Lemont Road Brid Datum: NPE
Operator: R-A Industries, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16000 Donohoe Road Phone: 708-739-1173
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of conventional general cargo and dry bulk materials by barge, including steel products, salt, sand, stone, mulch, and coal.
Depth Alongside (feet): 25 - 28 | | Latitude (decimal): 41.676389
Total Berthing Space (feet): 2,300 | | Longitude (decimal): -88.00917

Waterway: **Chicago Sanitary & Ship Canal** Mile: 300.0 PWD: 93
Name: **R-A Industries Terminal, Lemont Canal Wharf.**
Port: Chicago
Location: Mile 300.0, north side, Chicago Sanitary and Ship Canal, approximately 0.3 mile west of Lemont Road Brid Datum: NPE
Operator: R-A Industries, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16000 Donohoe Road Phone: 708-739-1173
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of conventional general cargo and dry bulk materials by barge, including steel products, salt, sand, stone, mulch, and coal.
Depth Alongside (feet): 25 - 28 | | Latitude (decimal): 41.676389
Total Berthing Space (feet): 2,300 | | Longitude (decimal): -88.00917

Waterway: **Chicago Sanitary & Ship Canal** Mile: 300.0 PWD: 93
Name: **R-A Industries Terminal, Lemont Canal Wharf.**
Port: Chicago
Location: Mile 300.0, north side, Chicago Sanitary and Ship Canal, approximately 0.3 mile west of Lemont Road Brid Datum: NPE
Operator: R-A Industries, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16000 Donohoe Road Phone: 708-739-1173
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of conventional general cargo and dry bulk materials by barge, including steel products, salt, sand, stone, mulch, and coal.
Depth Alongside (feet): 25 - 28 | | Latitude (decimal): 41.676389
Total Berthing Space (feet): 2,300 | | Longitude (decimal): -88.00917
Remarks: Two steel products storage sheds described under Steel Products Slip (Ref. No. 95), an office building, and 18 acres of open storage area are located in terminal at rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: Two steel products storage sheds described under Steel Products Slip (Ref. No. 95), an office building, and 18 acres of open storage area are located in terminal at rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Remarks: Two steel products storage sheds described under Steel Products Slip (Ref. No. 95), an office building, and 18 acres of open storage area are located in terminal at rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 300.0 PWD: 93
Name: **R-A Industries Terminal, Lemont Canal Wharf.**
Port: Chicago
Location: Mile 300.0, north side, Chicago Sanitary and Ship Canal, approximately 0.3 mile west of Lemont Road Brid Datum: NPE
Operator: R-A Industries, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16000 Donohoe Road Phone: 708-739-1173
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of conventional general cargo and dry bulk materials by barge, including steel products, salt, sand, stone, mulch, and coal.
Depth Alongside (feet): 25 - 28 | | Latitude (decimal): 41.676389
Total Berthing Space (feet): 2,300 | | Longitude (decimal): -88.00917

Waterway: **Chicago Sanitary & Ship Canal** Mile: 300.0 PWD: 93
Name: **R-A Industries Terminal, Lemont Canal Wharf.**
Port: Chicago
Location: Mile 300.0, north side, Chicago Sanitary and Ship Canal, approximately 0.3 mile west of Lemont Road Brid Datum: NPE
Operator: R-A Industries, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16000 Donohoe Road Phone: 708-739-1173
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of conventional general cargo and dry bulk materials by barge, including steel products, salt, sand, stone, mulch, and coal.
Depth Alongside (feet): 25 - 28 | | Latitude (decimal): 41.676389
Total Berthing Space (feet): 2,300 | | Longitude (decimal): -88.00917

Waterway: **Chicago Sanitary & Ship Canal** Mile: 300.0 PWD: 93
Name: **R-A Industries Terminal, Lemont Canal Wharf.**
Port: Chicago
Location: Mile 300.0, north side, Chicago Sanitary and Ship Canal, approximately 0.3 mile west of Lemont Road Brid Datum: NPE
Operator: R-A Industries, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16000 Donohoe Road Phone: 708-739-1173
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of conventional general cargo and dry bulk materials by barge, including steel products, salt, sand, stone, mulch, and coal.
Depth Alongside (feet): 25 - 28 | | Latitude (decimal): 41.676389
Total Berthing Space (feet): 2,300 | | Longitude (decimal): -88.00917

Waterway: **Chicago Sanitary & Ship Canal** Mile: 300.0 PWD: 93
Name: **R-A Industries Terminal, Lemont Canal Wharf.**
Port: Chicago
Location: Mile 300.0, north side, Chicago Sanitary and Ship Canal, approximately 0.3 mile west of Lemont Road Brid Datum: NPE
Operator: R-A Industries, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 16000 Donohoe Road Phone: 708-739-1173
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of conventional general cargo and dry bulk materials by barge, including steel products, salt, sand, stone, mulch, and coal.
Depth Alongside (feet): 25 - 28 | | Latitude (decimal): 41.676389
Total Berthing Space (feet): 2,300 | | Longitude (decimal): -88.00917
Remarks: Two steel products storage sheds described under Steel Products Slip (Ref. No. 95), an office building, and 18 acres of open storage area are located in terminal at rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: Two steel products storage sheds described under Steel Products Slip (Ref. No. 95), an office building, and 18 acres of open storage area are located in terminal at rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Remarks: Two steel products storage sheds described under Steel Products Slip (Ref. No. 95), an office building, and 18 acres of open storage area are located in terminal at rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Waterway: **Chicago Sanitary & Ship Canal** Mile: 300.2 PWD: 91

Name: **Chicago Metropolitan Water Reclamation District, Lemont Terminal W**

Port: Chicago

Location: Mile 300.2, south side, Chicago Sanitary and Ship Canal, west of Lemont Road Bridge, Lemont Datum: NPE

Operator: Not operated.

Owner: The Metropolitan Water Reclamation District of Greater Chicago.

Address: 20 Stephen Street Phone: 312-751-5101

Town: Lemont State: IL County: Cook

Railway Connection: One 1,660-foot, surface track serves tankcar loading rack at rear of property; connects with Atchison, Topeka and Santa Fe Railway.

Purpose: Not used.

Depth Alongside (feet): 23 - 26 | | Latitude (decimal): 41.676667

Total Berthing Space (feet): 2,654 | | Longitude (decimal): -88.00639

Remarks: Facility formerly was operated for public storage of bulk liquids, and received and shipped petroleum products and petrochemicals by barge. Seventeen pipelines extend from wharf to 24 steel storage tanks located Pipelines Storage Tanks□No. Size No. Capacity□ (inches) (barrels)11 6 15 441,000□ 1 6 1 50,000□ 1 6 1 50,000 2 6) □ 2 4) 7 35,900□A truckloading station is located at east end, and a warehouse and office arelocated in rear. Facility was available for lease at time of survey (1994).

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Waterway: **Chicago Sanitary & Ship Canal** Mile: 300.3 PWD: 92

Name: **Du-Kane Asphalt Co., Lemont Wharf.**

Port: Chicago

Location: Mile 300.3, north side, Chicago Sanitary and Ship Canal, approximately 300 feet west of Lemont Road Brid Datum: NPE

Operator: Du-Kane Asphalt Co., a corporation of the R.W. Dunteman Co.

Owner: The Metropolitan Water Reclamation District of Greater Chicago.

Address: 15800 Donohoe Road Phone: 708-953-1500

Town: Lemont State: IL County: Cook

Railway Connection: None.

Purpose: Receipt of sand and stone by barge.

Depth Alongside (feet): 25 | | Latitude (decimal): 41.677778

Total Berthing Space (feet): 800 | | Longitude (decimal): -88.00444

Remarks: Wharf is in line and contiguous with R-A Industries', Inc. Canal Wharf (Ref. No. 93). Apron has capacity for 150,000 tons of material. An asphalt batch plant and an open storage area with capacity for an additi material are located on the opposite side of Donohoe Road.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 300.7 PWD: 90
Name: **Tri-River Docks, Lemont Yard Wharf.**
Port: Chicago
Location: Mile 300.7, north side, Chicago Sanitary and Ship Canal, east of Atchison, Topeka and Santa Fe Railway b Datum: NPE
Operator: Tri-River Docks, Inc.; and Illinois Marine Towing, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 15660 Canal Bank Road Phone: 708-739-9130
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt and shipment of steel products and miscellaneous dry bulk materials by barge, including sand, gravel, mulch, coal, and petroleum coke; mooring barges for fleeting.
Depth Alongside (feet): 25 | | Latitude (decimal): 41.68
Total Berthing Space (feet): 1,200 | | Longitude (decimal): -87.99778
Remarks: Open storage areas located at rear have capacity for 20,000 tons of sand on an asphalt-paved pad, 40,000 tons of coal, 18,000 tons of petroleum coke, and 15,000 tons of gravel. Illinois Marine Towing, Inc. fleet along wharf.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Waterway: **Chicago Sanitary & Ship Canal** Mile: 300.9 PWD: 89
Name: **M.W.S. Enterprises Wharf.**
Port: Chicago
Location: Mile 300.9, north side, Chicago Sanitary and Ship Canal, approx. 0.3 mile east of Atchison, Topeka and S Datum: NPE
Operator: Not operated.
Owner: Atchison, Topeka, and Santa Fe Railway.
Address: 15610 Canal Bank Road Phone: 708-739-4620
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 41.681111
Total Berthing Space (feet): 400 | | Longitude (decimal): -87.99472
Remarks: Wharf formerly was used for receipt of dry bulk materials and for mooring barges for cleaning and repair. M.W.S. Enterprises, Inc. stores construction equipment at rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 301.0 PWD: 88
Name: **INTAC Automotive Products, Lemont Plant Wharf.**
Port: Chicago
Location: Mile 301.0, north side, Chicago Sanitary and Ship Canal, approx. 0.4 mile east of Atchison, Topeka and S Datum: NPE
Operator: INTAC Automotive Products, Inc.; and Illinois Marine Towing, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 15550 Canal Bank Road Phone: 708-739-0606
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of ethylene glycol; mooring barges for fleeting.
Depth Alongside (feet): 25 | | Latitude (decimal): 41.681667
Total Berthing Space (feet): 635 | | Longitude (decimal): -87.99278
Remarks: Three 8-inch pipelines extend from wharf: 1 to one 650,000-gallon, steel storage tank, and 2 to two steel storage tanks, total capacity 1,300,000 gallons. One 300- by 100-foot, warehouse and office building is rear of wharf. Illinois Marine Towing, Inc. fleets up to 4 barges along 2 contiguous wharves, Ref. Nos. 87 and 88.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Waterway: **Chicago Sanitary & Ship Canal** Mile: 301.0 PWD: 87
Name: **Lakes & Rivers Contracting Wharf.**
Port: Chicago
Location: Mile 301.0, north side, Chicago Sanitary and Ship Canal, approx. 0.5 mile east of Atchison, Topeka and S Datum: NPE
Operator: Lakes & Rivers Contracting, Inc.; and Illinois Marine Towing, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 15480 Canal Bank Road Phone: 708-739-2460
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Handling construction equipment and supplies by barge; mooring barges for fleeting.
Depth Alongside (feet): 20 | | Latitude (decimal): 41.682222
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.99111
Remarks: Illinois Marine Towing, Inc. fleets barges along 2 contiguous wharves, Ref. Nos. 87 and 88.□Approximately 3 acres of open storage area are located at rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 301.1 PWD: 85
Name: **Heritage Environmental Services, Lemont Industrial District, Slip**
Port: Chicago
Location: Mile 301.1, north side, Chicago Sanitary and Ship Canal, approx. 0.6 mile east of Atchison, Topeka and S Datum: NPE
Operator: Heritage Environmental Services, Inc.; and Garvey Marine, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 15330 Canal Bank Road Phone: 708-739-1151
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Mooring tank barges for fleeting and occasionally for cleaning.
Depth Alongside (feet): 33 | 33 | 33 Latitude (decimal): 41.683611
Total Berthing Space (feet): 600 | 400 | 600 Longitude (decimal): -87.98972
Remarks: Heritage Environmental Services, Inc., Waste Cleaning Plant: One- and two-story office, shop, and storage buildings are located at rear of west side. One 4-inch, waste product pipeline and one 6-inch, vacuum pip at time of survey (1993), extend from west side to 20 steel settlement and storage tanks in plant, total capacity 378,000 gallons. West side is served by 4-inch, steam lines. Company occasionally uses portable equiptank barges.□Garvey Marine, Inc. fleets up to 25 tank barges in slip.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Waterway: **Chicago Sanitary & Ship Canal** Mile: 301.1 PWD: 86
Name: **K. A. Steel Chemicals Wharf.**
Port: Chicago
Location: Mile 301.1, south side, Chicago Sanitary and Ship Canal, approx. 0.6 mile east of Atchison, Topeka and S Datum: NPE
Operator: K. A. Steel Chemicals, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 1001 Main Street Phone: 708-257-3900
Town: Lemont State: IL County: Cook
Railway Connection: One platform-level and 2 surface tracks serve plant in rear; connect with Illinois Central Railroad.
Purpose: Receipt and occasional shipment of caustic soda; receipt of hydrochloric acid.
Depth Alongside (feet): 25 | | Latitude (decimal): 41.6825
Total Berthing Space (feet): 975 | | Longitude (decimal): -87.98944
Remarks: Four 6- becoming 8-inch, one 6-inch, and one unused 6-inch pipelines extend from wharf to 4 epoxy-lined and 2 rubber-lined storage tanks, total capacity 5,017,000 gallons. One 6- becoming 8-inch pipeline extends one 4-inch pipeline extends to wharf from, one 683,000-gallon, rubber-lined, caustic soda storage tank.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 301.3 PWD: 84

Name: **Service Welding and Shipbuilding, Lemont Industrial District, Slip**

Port: Chicago

Location: Mile 301.3, north side, Chicago Sanitary and Ship Canal, approx. 0.8 mile east of Atchison, Topeka and S Datum: NPE

Operator: Service Welding and Shipbuilding, Inc. and Egan Marine Corp.

Owner: The Metropolitan Water Reclamation District of Greater Chicago.

Address: 15220 Canal Bank Road Phone: 708-739-6660

Town: Lemont State: IL County: Cook

Railway Connection: None.

Purpose: Mooring vessels and barges for repair and maintenance; mooring floating drydocks; mooring barges for fleeting.

Depth Alongside (feet): 12 - 26 | 12 - 26 | 12 - 26 Latitude (decimal): 41.685

Total Berthing Space (feet): 600 | 400 | 600 Longitude (decimal): -87.98667

Remarks: Egan Marine Corp.: Fleets up to 25 barges in slip.□One 400-ton and one 200-ton, floating drydocks without wing walls can be equipped with 20- or 100-foot, A-frame booms and used as derrick barges when required. One two-story, concrete and block, office and shop building, and two steel frame, metal-covered, shop buildings are located at rear of north and west sides of slip.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Waterway: **Chicago Sanitary & Ship Canal** Mile: 301.4 PWD: 83

Name: **American Commercial Marine Service Co., Lemont Industrial District**

Port: Chicago

Location: Mile 301.4, north side, Chicago Sanitary and Ship Canal, 0.9 mile E of Atchison, Topeka and Santa Fe Rwy Datum: NPE

Operator: American Commercial Marine Service Co. and Crest Hill Marine Co.

Owner: The Metropolitan Water Reclamation District of Greater Chicago.

Address: 15140 Canal Bank Road Phone: 812-288-1683

Town: Lemont State: IL County: Cook

Railway Connection: None.

Purpose: Mooring company-owned barges for storage, cleaning, and repair.

Depth Alongside (feet): 33 | 33 | Latitude (decimal): 41.685

Total Berthing Space (feet): 400 | 600 | Longitude (decimal): -87.98444

Remarks: American Commercial Marine Service Co. stores up to 33 barges in slip, including east side (Ref. No. 82).□Crest Hill Marine Co. cleans and performs above-waterline repairs to barges along west side.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 301.5 PWD: 82
Name: **Scarpelli Materials, Yard 436, Lemont Industrial District, Slip A**
Port: Chicago
Location: Mile 301.5, north side, Chicago Sanitary and Ship Canal, 1.0 mile E of Atchison, Topeka and Santa Fe Rwy Datum: NPE
Operator: Scarpelli Materials, Inc. and American Commercial Marine Service Co.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 15100 Canal Bank Road Phone: 708-298-8636
Town: Lemont State: IL County: Cook
Railway Connection: None.
Purpose: Receipt and shipment of miscellaneous dry bulk materials by barge, including salt, mulch, and occasionally, sand; mooring company-owned barges.
Depth Alongside (feet): 25 | 33 | Latitude (decimal): 41.685
Total Berthing Space (feet): 900 | 600 | Longitude (decimal): -87.9825
Remarks: American Commercial Marine Service Co. (Ref. No. 83) stores barges in slip.□Approximately 28 acres of open storage area are located at rear with capacity for a maximum of 600,000 tons of material.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Waterway: **Chicago Sanitary & Ship Canal** Mile: 302.9 PWD: 81
Name: **Illinois Marine Towing, Lemont Upper Fleet Mooring.**
Port: Chicago
Location: Mile 302.9, southeast side, Chicago Sanitary and Ship Canal, approx. 700 feet west of junction with Calu Datum: NPE
Operator: Illinois Marine Towing, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 13611 Main Street Phone: 708-257-3400
Town: Lemont State: IL County: DuPage
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 18 - 22 | | Latitude (decimal): 41.693056
Total Berthing Space (feet): 2,000 | | Longitude (decimal): -87.95694
Remarks: Fleet has capacity for 10 barges.□□

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 303.2 PWD: 80

Name: **Powell Duffryn Terminals, Lemont Wharf.**

Port: Chicago

Location: Mile 303.2, southeast side, Chicago Sanitary and Ship Canal, west of junction with Calumet-Sag Channel, Datum: NPE

Operator: Powell Duffryn Terminals, Inc.

Owner: The Metropolitan Water Reclamation District of Greater Chicago.

Address: 13589 Main Street Phone: 708-257-3963

Town: Lemont State: IL County: DuPage

Railway Connection: Seven surface tracks in rear serve tankcar loading racks; connect with Illinois Central Railroad.

Purpose: Receipt and shipment of miscellaneous bulk liquids, including caustic soda, various other chemicals, asphalt, and petroleum products.

Depth Alongside (feet): 22 | | Latitude (decimal): 41.695

Total Berthing Space (feet): 650 | | Longitude (decimal): -87.95333

Remarks: Forty pipelines extend from wharf to 94 steel storage tanks in rear:□Product Pipelines Tanks □ Size No. No. Capacity (Inches) □Asphalt 12 1 4 114,200 bbl□Petroleum products 6 2 2 23,800 bbl□Chemicals (8 1 5 2,600,000 gal□ (6 35 81 26,795,000 gal (4 1 2 800,000 gal□Two 2-inch, steam lines serve wharf. Aerial pipeline crossing of Badger Pipe Line Co. is located at east end of wharf. Facility is operated for publicstorage of bulk liquids.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Waterway: **Chicago Sanitary & Ship Canal** Mile: 303.8 PWD: 79

Name: **Hannah Marine Corp., Main Wharf and Barge Mooring.**

Port: Chicago

Location: Mile 303.8, southeast side, Chicago Sanitary and Ship Canal, NE and SW of Robert Kingery Highway (State Datum: NPE

Operator: Hannah Marine Corp.

Owner: The Metropolitan Water Reclamation District of Greater Chicago.

Address: 13155 Grant Road Phone: 708-257-5457

Town: Lemont State: IL County: Dupage

Railway Connection: None.

Purpose: Mooring towboats and barges for repair, gas freeing, tank cleaning, and general maintenance; mooring floating drydock; mooring barges for fleeting.

Depth Alongside (feet): 14 - 25 | 14 - 20 | Latitude (decimal): 41.700278

Total Berthing Space (feet): 2,200 | 1,270 | Longitude (decimal): -87.94278

Remarks: One 1,500-long-ton, floating drydock is moored at wharf. Facility serves as base for operator's towing operation. Four buildings in rear of wharf are used for office, machine and fabrication shops, and wash pla used for washing and gas-freeing operations. One 4-inch, steam line; one 4-inch, vacuum line; and one 3-inch, compressed air line serve wharf. Up to 13 barges are moored for fleeting along main wharf and barge mooriand northeast of bridge, respectively.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 304.3 PWD: 78

Name: **Holnam, Lemont Wharf.**

Port: Chicago

Location: Mile 304.3, southeast side, Chicago Sanitary and Ship Canal, 1,350 feet northeast of Robert Kingery High Datum: NPE

Operator: Holnam, Inc.

Owner: The Metropolitan Water Reclamation District of Greater Chicago.

Address: 12805 Grant Road Phone: 708-257-5416

Town: Lemont State: IL County: Cook

Railway Connection: One surface track serving bulk-cement-loading racks; connects with Illinois Central Railroad.

Purpose: Receipt of bulk cement by barge.

Depth Alongside (feet): 16 - 18 | | Latitude (decimal): 41.704167

Total Berthing Space (feet): 800 | | Longitude (decimal): -87.935

Remarks: Two 14-inch, pneumatic conveyor pipelines extend from vertical receiving tanks on apron to 2 truckloading silos, total capacity 8,500 tons, and to 2 cement storage silos serving truckloading shed, total capacity at rear. Wharf is served by an 8-inch, compressed air line extending from a one-story, 35- by 35-foot, compressor building located at rear of apron. Railcar loading facilities, office, and shop are located in rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Waterway: **Chicago Sanitary & Ship Canal** Mile: 305.8 PWD: 77

Name: **Rowell Chemical Corp., Willow Springs Terminal Wharf.**

Port: Chicago

Location: Mile 305.8, SE side, Chicago Sanitary and Ship Canal, 1.8 miles NE of Robert Kingery Highway (State High Datum: NPE

Operator: Rowell Chemical Corp.

Owner: The Metropolitan Water Reclamation District of Greater Chicago.

Address: 10100 Archer Avenue Phone: 708-839-1707

Town: Willow Springs State: IL County: Cook

Railway Connection: Two surface tracks serving terminal and tankcar loading rack; connect with Illinois Central Railroad.

Purpose: Receipt of caustic soda by barge.

Depth Alongside (feet): 16 - 18 | 16 - 18 | Latitude (decimal): 41.716667

Total Berthing Space (feet): 400 | 242 | Longitude (decimal): -87.91056

Remarks: One 6-inch pipeline extends from east berth to one 500,000-gallon, steel storage tank at rear, and two 6-inch pipelines extend from west berth to one 2,000,000- and one 1,000,000-gallon, steel storage tanks at re additional storage tanks at terminal have a total capacity of approximately 1,918,000 gallons.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 308.2 PWD: 76
Name: **Valvoline, Willow Springs Wharf.**
Port: Chicago
Location: Mile 308.2, northwest side, Chicago Sanitary and Ship Canal, approx.1,900 feet northeast of Willow Sprin Datum: NPE
Operator: Valvoline, Inc., a subsidiary of Ashland Oil, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 8450 Willow Springs Road Phone: 708-579-4660
Town: Willow Springs State: IL County: Cook
Railway Connection: One surface track serving plant at rear; connects with Atchison, Topeka and Santa Fe Railway.
Purpose: Receipt of lubricating oil base stocks.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.738333
Total Berthing Space (feet): 195 | | Longitude (decimal): -87.87528
Remarks: A 10-foot wide, concrete, launching ramp is located on the south side of the wharf. One 8-inch pipeline extends underground approximately 0.3 mile from wharf to 3 steel storage tanks at lubricating-oil blending opposite side of Des Plaines River, total capacity 57,100 barrels. At the Willow Springs Road Bridge proceeding southwesterly, canal cross section changes from 202-foot bottom width with sloping sides to 160-foot botwith vertical combination rock cut and masonry sides.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Waterway: **Chicago Sanitary & Ship Canal** Mile: 310.4 PWD: 75
Name: **Metropolitan Water Reclamation District, L.A.S.M.A. Lagoon Wharf.**
Port: Chicago
Location: Mile 310.4, northwest side, Chicago Sanitary and Ship Canal, 1.0 mile NE of LaGrange Road (U.S. Hwys 45, Datum: NPE
Operator: The Metropolitan Water Reclamation District of Greater Chicago.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 7601 South La Grange Road Phone: 708-458-0370
Town: Willow Springs State: IL County: Cook
Railway Connection: One surface track at rear connects with tracks serving lagoon and the West-Southwest Sewage Treatment Works.
Purpose: Transient mooring of barges; occasional shipment of dry bulk fertilizer from vicinity by barge. (See Remarks.)
Depth Alongside (feet): 9 - 10 | | Latitude (decimal): 41.762222
Total Berthing Space (feet): 1,475 | | Longitude (decimal): -87.84583
Remarks: Wharf formerly was used for the shipment of liquid sludge by barge. A sludge-drying lagoon located at rear produces dry bulk fertilizer which is shipped by barge every several years. Loading is performed by a p conveyor system serving a temporary floating wharf, moored at a convenient site between the liquid sludge wharf and Mile 308.4. Sludge is shipped to the lagoon by rail from the West-Southwest Sewage Treatment Works iNo. 60).

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 310.6 PWD: 74

Name: **Shell Oil Co. and Argo Terminal Co. Wharf.**

Port: Chicago

Location: Mile 310.6, southeast side, Chicago Sanitary and Ship Canal, approx. 1.2 miles NE of La Grange Road (U.S Datum: NPE

Operator: Shell Oil Co.; and Argo Terminal Co., a subsidiary of Great Lakes Terminal & Transpor

Owner: The Metropolitan Water Reclamation District of Greater Chicago.

Address: 8600 and 8800 West 71st Street Phone: 708-572-5845

Town: Argo State: IL County: Cook

Railway Connection: Three surface tracks in terminal at rear, 2 serving tankcar loading racks and one for storage; connect with Illinois Central Railroad.

Purpose: Receipt and occasional shipment of petroleum products, petrochemicals, and solvents.

Depth Alongside (feet): 12 | | Latitude (decimal): 41.763889

Total Berthing Space (feet): 930 | | Longitude (decimal): -87.84306

Remarks: Shell Oil Co.: Three becoming two 10-inch, petroleum products pipelines extending from wharf to 8 steel storage tanks, total capacity 880,000 barrels; and five 6-inch, chemical pipelines extending to eleven tank 6,190,640 gallons. Storage tanks connect with Texas Eastern Transmission Corp.'s, cross-country pipeline and GATX Terminals Corp.'s, Argo Terminal (Ref. Nos. 71, 72 and 73.)Argo Terminal Co.: Six 8- and ten 6-inch, solvent pipelines extend from wharf to 18 steel storage tanks, total capacity 10,920,000 gallons; an additional 13 steel storage tanks not connected to wharfcapacity 579,000 gallons. Wharf is served by a 2-inch, nitrogen line.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 311.0 PWD: 73
Name: **GATX Terminals Corp., Argo Terminal Wharf No. 2.**
Port: Chicago
Location: Mile 311.0, southeast side, Chicago Sanitary and Ship Canal, approx. 1.5 miles NE of La Grange Road (U.S Datum: NPE
Operator: GATX Terminals Corp.
Owner: GATX Terminals Corp.
Address: 8500 West 68th Street Phone: 708-496-2849
Town: Argo State: IL County: Cook
Railway Connection: Two surface tracks at rear of storage tanks join additional surface tracks serving terminal in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of bulk liquids, including petroleum products, petrochemicals, chemicals, caustics, alcohols, and tallow.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 41.767778
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.83944

Waterway: **Chicago Sanitary & Ship Canal** Mile: 311.0 PWD: 73
Name: **GATX Terminals Corp., Argo Terminal Wharf No. 2.**
Port: Chicago
Location: Mile 311.0, southeast side, Chicago Sanitary and Ship Canal, approx. 1.5 miles NE of La Grange Road (U.S Datum: NPE
Operator: GATX Terminals Corp.
Owner: GATX Terminals Corp.
Address: 8500 West 68th Street Phone: 708-496-2849
Town: Argo State: IL County: Cook
Railway Connection: Two surface tracks at rear of storage tanks join additional surface tracks serving terminal in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of bulk liquids, including petroleum products, petrochemicals, chemicals, caustics, alcohols, and tallow.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 41.767778
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.83944

Waterway: **Chicago Sanitary & Ship Canal** Mile: 311.0 PWD: 73
Name: **GATX Terminals Corp., Argo Terminal Wharf No. 2.**
Port: Chicago
Location: Mile 311.0, southeast side, Chicago Sanitary and Ship Canal, approx. 1.5 miles NE of La Grange Road (U.S Datum: NPE
Operator: GATX Terminals Corp.
Owner: GATX Terminals Corp.
Address: 8500 West 68th Street Phone: 708-496-2849
Town: Argo State: IL County: Cook
Railway Connection: Two surface tracks at rear of storage tanks join additional surface tracks serving terminal in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of bulk liquids, including petroleum products, petrochemicals, chemicals, caustics, alcohols, and tallow.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 41.767778
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.83944

Waterway: **Chicago Sanitary & Ship Canal** Mile: 311.0 PWD: 73
Name: **GATX Terminals Corp., Argo Terminal Wharf No. 2.**
Port: Chicago
Location: Mile 311.0, southeast side, Chicago Sanitary and Ship Canal, approx. 1.5 miles NE of La Grange Road (U.S Datum: NPE
Operator: GATX Terminals Corp.
Owner: GATX Terminals Corp.
Address: 8500 West 68th Street Phone: 708-496-2849
Town: Argo State: IL County: Cook
Railway Connection: Two surface tracks at rear of storage tanks join additional surface tracks serving terminal in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of bulk liquids, including petroleum products, petrochemicals, chemicals, caustics, alcohols, and tallow.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 41.767778
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.83944
Remarks: One 10-inch, petroleum products pipeline and one 10-, twenty-four 6-, and four 4-inch, chemical pipelines extend from wharf to respective storage tanks described under Wharves Nos. 1 and 3 (Ref. Nos. 71 and 72). 4-inch, steam and 2-inch, compressed air lines. Storage tanks connect with pipeline systems of the Texas Eastern Transmission Corp. and Badger Pipe Line Co. Terminal at rear of Ref. Nos. 71, 72 and 73 is operated foof bulk liquids.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: One 10-inch, petroleum products pipeline and one 10-, twenty-four 6-, and four 4-inch, chemical pipelines extend from wharf to respective storage tanks described under Wharves Nos. 1 and 3 (Ref. Nos. 71 and 72). 4-inch, steam and 2-inch, compressed air lines. Storage tanks connect with pipeline systems of the Texas Eastern Transmission Corp. and Badger Pipe Line Co. Terminal at rear of Ref. Nos. 71, 72 and 73 is operated foof bulk liquids.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: One 10-inch, petroleum products pipeline and one 10-, twenty-four 6-, and four 4-inch, chemical pipelines extend from wharf to respective storage tanks described under Wharves Nos. 1 and 3 (Ref. Nos. 71 and 72). 4-inch, steam and 2-inch, compressed air lines. Storage tanks connect with pipeline systems of the Texas Eastern Transmission Corp. and Badger Pipe Line Co. Terminal at rear of Ref. Nos. 71, 72 and 73 is operated foof bulk liquids.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 311.0 PWD: 73
Name: **GATX Terminals Corp., Argo Terminal Wharf No. 2.**
Port: Chicago
Location: Mile 311.0, southeast side, Chicago Sanitary and Ship Canal, approx. 1.5 miles NE of La Grange Road (U.S Datum: NPE
Operator: GATX Terminals Corp.
Owner: GATX Terminals Corp.
Address: 8500 West 68th Street Phone: 708-496-2849
Town: Argo State: IL County: Cook
Railway Connection: Two surface tracks at rear of storage tanks join additional surface tracks serving terminal in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of bulk liquids, including petroleum products, petrochemicals, chemicals, caustics, alcohols, and tallow.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 41.767778
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.83944

Waterway: **Chicago Sanitary & Ship Canal** Mile: 311.0 PWD: 73
Name: **GATX Terminals Corp., Argo Terminal Wharf No. 2.**
Port: Chicago
Location: Mile 311.0, southeast side, Chicago Sanitary and Ship Canal, approx. 1.5 miles NE of La Grange Road (U.S Datum: NPE
Operator: GATX Terminals Corp.
Owner: GATX Terminals Corp.
Address: 8500 West 68th Street Phone: 708-496-2849
Town: Argo State: IL County: Cook
Railway Connection: Two surface tracks at rear of storage tanks join additional surface tracks serving terminal in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of bulk liquids, including petroleum products, petrochemicals, chemicals, caustics, alcohols, and tallow.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 41.767778
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.83944

Waterway: **Chicago Sanitary & Ship Canal** Mile: 311.0 PWD: 73
Name: **GATX Terminals Corp., Argo Terminal Wharf No. 2.**
Port: Chicago
Location: Mile 311.0, southeast side, Chicago Sanitary and Ship Canal, approx. 1.5 miles NE of La Grange Road (U.S Datum: NPE
Operator: GATX Terminals Corp.
Owner: GATX Terminals Corp.
Address: 8500 West 68th Street Phone: 708-496-2849
Town: Argo State: IL County: Cook
Railway Connection: Two surface tracks at rear of storage tanks join additional surface tracks serving terminal in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of bulk liquids, including petroleum products, petrochemicals, chemicals, caustics, alcohols, and tallow.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 41.767778
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.83944

Waterway: **Chicago Sanitary & Ship Canal** Mile: 311.0 PWD: 73
Name: **GATX Terminals Corp., Argo Terminal Wharf No. 2.**
Port: Chicago
Location: Mile 311.0, southeast side, Chicago Sanitary and Ship Canal, approx. 1.5 miles NE of La Grange Road (U.S Datum: NPE
Operator: GATX Terminals Corp.
Owner: GATX Terminals Corp.
Address: 8500 West 68th Street Phone: 708-496-2849
Town: Argo State: IL County: Cook
Railway Connection: Two surface tracks at rear of storage tanks join additional surface tracks serving terminal in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of bulk liquids, including petroleum products, petrochemicals, chemicals, caustics, alcohols, and tallow.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 41.767778
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.83944
Remarks: One 10-inch, petroleum products pipeline and one 10-, twenty-four 6-, and four 4-inch, chemical pipelines extend from wharf to respective storage tanks described under Wharves Nos. 1 and 3 (Ref. Nos. 71 and 72). 4-inch, steam and 2-inch, compressed air lines. Storage tanks connect with pipeline systems of the Texas Eastern Transmission Corp. and Badger Pipe Line Co. Terminal at rear of Ref. Nos. 71, 72 and 73 is operated foof bulk liquids.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: One 10-inch, petroleum products pipeline and one 10-, twenty-four 6-, and four 4-inch, chemical pipelines extend from wharf to respective storage tanks described under Wharves Nos. 1 and 3 (Ref. Nos. 71 and 72). 4-inch, steam and 2-inch, compressed air lines. Storage tanks connect with pipeline systems of the Texas Eastern Transmission Corp. and Badger Pipe Line Co. Terminal at rear of Ref. Nos. 71, 72 and 73 is operated foof bulk liquids.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: One 10-inch, petroleum products pipeline and one 10-, twenty-four 6-, and four 4-inch, chemical pipelines extend from wharf to respective storage tanks described under Wharves Nos. 1 and 3 (Ref. Nos. 71 and 72). 4-inch, steam and 2-inch, compressed air lines. Storage tanks connect with pipeline systems of the Texas Eastern Transmission Corp. and Badger Pipe Line Co. Terminal at rear of Ref. Nos. 71, 72 and 73 is operated foof bulk liquids.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 311.0 PWD: 73
Name: **GATX Terminals Corp., Argo Terminal Wharf No. 2.**
Port: Chicago
Location: Mile 311.0, southeast side, Chicago Sanitary and Ship Canal, approx. 1.5 miles NE of La Grange Road (U.S Datum: NPE
Operator: GATX Terminals Corp.
Owner: GATX Terminals Corp.
Address: 8500 West 68th Street Phone: 708-496-2849
Town: Argo State: IL County: Cook
Railway Connection: Two surface tracks at rear of storage tanks join additional surface tracks serving terminal in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of bulk liquids, including petroleum products, petrochemicals, chemicals, caustics, alcohols, and tallow.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 41.767778
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.83944

Waterway: **Chicago Sanitary & Ship Canal** Mile: 311.0 PWD: 73
Name: **GATX Terminals Corp., Argo Terminal Wharf No. 2.**
Port: Chicago
Location: Mile 311.0, southeast side, Chicago Sanitary and Ship Canal, approx. 1.5 miles NE of La Grange Road (U.S Datum: NPE
Operator: GATX Terminals Corp.
Owner: GATX Terminals Corp.
Address: 8500 West 68th Street Phone: 708-496-2849
Town: Argo State: IL County: Cook
Railway Connection: Two surface tracks at rear of storage tanks join additional surface tracks serving terminal in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of bulk liquids, including petroleum products, petrochemicals, chemicals, caustics, alcohols, and tallow.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 41.767778
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.83944

Waterway: **Chicago Sanitary & Ship Canal** Mile: 311.0 PWD: 73
Name: **GATX Terminals Corp., Argo Terminal Wharf No. 2.**
Port: Chicago
Location: Mile 311.0, southeast side, Chicago Sanitary and Ship Canal, approx. 1.5 miles NE of La Grange Road (U.S Datum: NPE
Operator: GATX Terminals Corp.
Owner: GATX Terminals Corp.
Address: 8500 West 68th Street Phone: 708-496-2849
Town: Argo State: IL County: Cook
Railway Connection: Two surface tracks at rear of storage tanks join additional surface tracks serving terminal in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of bulk liquids, including petroleum products, petrochemicals, chemicals, caustics, alcohols, and tallow.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 41.767778
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.83944

Waterway: **Chicago Sanitary & Ship Canal** Mile: 311.0 PWD: 73
Name: **GATX Terminals Corp., Argo Terminal Wharf No. 2.**
Port: Chicago
Location: Mile 311.0, southeast side, Chicago Sanitary and Ship Canal, approx. 1.5 miles NE of La Grange Road (U.S Datum: NPE
Operator: GATX Terminals Corp.
Owner: GATX Terminals Corp.
Address: 8500 West 68th Street Phone: 708-496-2849
Town: Argo State: IL County: Cook
Railway Connection: Two surface tracks at rear of storage tanks join additional surface tracks serving terminal in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of bulk liquids, including petroleum products, petrochemicals, chemicals, caustics, alcohols, and tallow.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 41.767778
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.83944
Remarks: One 10-inch, petroleum products pipeline and one 10-, twenty-four 6-, and four 4-inch, chemical pipelines extend from wharf to respective storage tanks described under Wharves Nos. 1 and 3 (Ref. Nos. 71 and 72). 4-inch, steam and 2-inch, compressed air lines. Storage tanks connect with pipeline systems of the Texas Eastern Transmission Corp. and Badger Pipe Line Co. Terminal at rear of Ref. Nos. 71, 72 and 73 is operated foof bulk liquids.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: One 10-inch, petroleum products pipeline and one 10-, twenty-four 6-, and four 4-inch, chemical pipelines extend from wharf to respective storage tanks described under Wharves Nos. 1 and 3 (Ref. Nos. 71 and 72). 4-inch, steam and 2-inch, compressed air lines. Storage tanks connect with pipeline systems of the Texas Eastern Transmission Corp. and Badger Pipe Line Co. Terminal at rear of Ref. Nos. 71, 72 and 73 is operated foof bulk liquids.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: One 10-inch, petroleum products pipeline and one 10-, twenty-four 6-, and four 4-inch, chemical pipelines extend from wharf to respective storage tanks described under Wharves Nos. 1 and 3 (Ref. Nos. 71 and 72). 4-inch, steam and 2-inch, compressed air lines. Storage tanks connect with pipeline systems of the Texas Eastern Transmission Corp. and Badger Pipe Line Co. Terminal at rear of Ref. Nos. 71, 72 and 73 is operated foof bulk liquids.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 311.1 PWD: 72
Name: **GATX Terminals Corp., Argo Terminal Wharf No. 1.**
Port: Chicago
Location: Mile 311.1, southeast side, Chicago Sanitary and Ship Canal, approx. 1.6 miles NE of La Grange Road (U.S Datum: NPE
Operator: GATX Terminals Corp.
Owner: GATX Terminals Corp.
Address: 8500 West 68th Street Phone: 708-496-2849
Town: Argo State: IL County: Cook
Railway Connection: Two surface tracks at rear of storage tanks join additional surface tracks serving terminal in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of bulk liquids, including petroleum products, petrochemicals, chemicals, caustics, alcohols, glycols, esters, styrenes, and ketones.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 41.769167
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.83806

Waterway: **Chicago Sanitary & Ship Canal** Mile: 311.1 PWD: 72
Name: **GATX Terminals Corp., Argo Terminal Wharf No. 1.**
Port: Chicago
Location: Mile 311.1, southeast side, Chicago Sanitary and Ship Canal, approx. 1.6 miles NE of La Grange Road (U.S Datum: NPE
Operator: GATX Terminals Corp.
Owner: GATX Terminals Corp.
Address: 8500 West 68th Street Phone: 708-496-2849
Town: Argo State: IL County: Cook
Railway Connection: Two surface tracks at rear of storage tanks join additional surface tracks serving terminal in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of bulk liquids, including petroleum products, petrochemicals, chemicals, caustics, alcohols, glycols, esters, styrenes, and ketones.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 41.769167
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.83806

Waterway: **Chicago Sanitary & Ship Canal** Mile: 311.1 PWD: 72
Name: **GATX Terminals Corp., Argo Terminal Wharf No. 1.**
Port: Chicago
Location: Mile 311.1, southeast side, Chicago Sanitary and Ship Canal, approx. 1.6 miles NE of La Grange Road (U.S Datum: NPE
Operator: GATX Terminals Corp.
Owner: GATX Terminals Corp.
Address: 8500 West 68th Street Phone: 708-496-2849
Town: Argo State: IL County: Cook
Railway Connection: Two surface tracks at rear of storage tanks join additional surface tracks serving terminal in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of bulk liquids, including petroleum products, petrochemicals, chemicals, caustics, alcohols, glycols, esters, styrenes, and ketones.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 41.769167
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.83806

Remarks: One 10- and one 8-inch, petroleum products pipelines extend from wharf to 37 steel storage tanks at rear, total capacity 1,648,000 barrels. Nine 8- and twenty 6-inch, chemical pipelines extend to 79 storage tank Wharf No. 3 (Ref. No. 71). Wharf is served by two 6-inch, steam and one 2-inch, compressed air lines. Storage tanks connect with pipeline systems of the Texas Eastern Transmission Corp. and Badger Pipe Line Co. Terof Ref. Nos. 71, 72 and 73 is operated for public storage of bulk liquids.

Port Facilities by Waterway

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: One 10- and one 8-inch, petroleum products pipelines extend from wharf to 37 steel storage tanks at rear, total capacity 1,648,000 barrels. Nine 8- and twenty 6-inch, chemical pipelines extend to 79 storage tank Wharf No. 3 (Ref. No. 71). Wharf is served by two 6-inch, steam and one 2-inch, compressed air lines. Storage tanks connect with pipeline systems of the Texas Eastern Transmission Corp. and Badger Pipe Line Co. Terof Ref. Nos. 71, 72 and 73 is operated for public storage of bulk liquids.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: One 10- and one 8-inch, petroleum products pipelines extend from wharf to 37 steel storage tanks at rear, total capacity 1,648,000 barrels. Nine 8- and twenty 6-inch, chemical pipelines extend to 79 storage tank Wharf No. 3 (Ref. No. 71). Wharf is served by two 6-inch, steam and one 2-inch, compressed air lines. Storage tanks connect with pipeline systems of the Texas Eastern Transmission Corp. and Badger Pipe Line Co. Terof Ref. Nos. 71, 72 and 73 is operated for public storage of bulk liquids.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 311.1 PWD: 72
Name: **GATX Terminals Corp., Argo Terminal Wharf No. 1.**
Port: Chicago
Location: Mile 311.1, southeast side, Chicago Sanitary and Ship Canal, approx. 1.6 miles NE of La Grange Road (U.S Datum: NPE
Operator: GATX Terminals Corp.
Owner: GATX Terminals Corp.
Address: 8500 West 68th Street Phone: 708-496-2849
Town: Argo State: IL County: Cook
Railway Connection: Two surface tracks at rear of storage tanks join additional surface tracks serving terminal in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of bulk liquids, including petroleum products, petrochemicals, chemicals, caustics, alcohols, glycols, esters, styrenes, and ketones.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 41.769167
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.83806

Waterway: **Chicago Sanitary & Ship Canal** Mile: 311.1 PWD: 72
Name: **GATX Terminals Corp., Argo Terminal Wharf No. 1.**
Port: Chicago
Location: Mile 311.1, southeast side, Chicago Sanitary and Ship Canal, approx. 1.6 miles NE of La Grange Road (U.S Datum: NPE
Operator: GATX Terminals Corp.
Owner: GATX Terminals Corp.
Address: 8500 West 68th Street Phone: 708-496-2849
Town: Argo State: IL County: Cook
Railway Connection: Two surface tracks at rear of storage tanks join additional surface tracks serving terminal in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of bulk liquids, including petroleum products, petrochemicals, chemicals, caustics, alcohols, glycols, esters, styrenes, and ketones.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 41.769167
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.83806

Waterway: **Chicago Sanitary & Ship Canal** Mile: 311.1 PWD: 72
Name: **GATX Terminals Corp., Argo Terminal Wharf No. 1.**
Port: Chicago
Location: Mile 311.1, southeast side, Chicago Sanitary and Ship Canal, approx. 1.6 miles NE of La Grange Road (U.S Datum: NPE
Operator: GATX Terminals Corp.
Owner: GATX Terminals Corp.
Address: 8500 West 68th Street Phone: 708-496-2849
Town: Argo State: IL County: Cook
Railway Connection: Two surface tracks at rear of storage tanks join additional surface tracks serving terminal in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of bulk liquids, including petroleum products, petrochemicals, chemicals, caustics, alcohols, glycols, esters, styrenes, and ketones.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 41.769167
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.83806

Remarks: One 10- and one 8-inch, petroleum products pipelines extend from wharf to 37 steel storage tanks at rear, total capacity 1,648,000 barrels. Nine 8- and twenty 6-inch, chemical pipelines extend to 79 storage tank Wharf No. 3 (Ref. No. 71). Wharf is served by two 6-inch, steam and one 2-inch, compressed air lines. Storage tanks connect with pipeline systems of the Texas Eastern Transmission Corp. and Badger Pipe Line Co. Terof Ref. Nos. 71, 72 and 73 is operated for public storage of bulk liquids.

Port Facilities by Waterway

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: One 10- and one 8-inch, petroleum products pipelines extend from wharf to 37 steel storage tanks at rear, total capacity 1,648,000 barrels. Nine 8- and twenty 6-inch, chemical pipelines extend to 79 storage tank Wharf No. 3 (Ref. No. 71). Wharf is served by two 6-inch, steam and one 2-inch, compressed air lines. Storage tanks connect with pipeline systems of the Texas Eastern Transmission Corp. and Badger Pipe Line Co. Terof Ref. Nos. 71, 72 and 73 is operated for public storage of bulk liquids.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: One 10- and one 8-inch, petroleum products pipelines extend from wharf to 37 steel storage tanks at rear, total capacity 1,648,000 barrels. Nine 8- and twenty 6-inch, chemical pipelines extend to 79 storage tank Wharf No. 3 (Ref. No. 71). Wharf is served by two 6-inch, steam and one 2-inch, compressed air lines. Storage tanks connect with pipeline systems of the Texas Eastern Transmission Corp. and Badger Pipe Line Co. Terof Ref. Nos. 71, 72 and 73 is operated for public storage of bulk liquids.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 311.1 PWD: 72
Name: **GATX Terminals Corp., Argo Terminal Wharf No. 1.**
Port: Chicago
Location: Mile 311.1, southeast side, Chicago Sanitary and Ship Canal, approx. 1.6 miles NE of La Grange Road (U.S Datum: NPE
Operator: GATX Terminals Corp.
Owner: GATX Terminals Corp.
Address: 8500 West 68th Street Phone: 708-496-2849
Town: Argo State: IL County: Cook
Railway Connection: Two surface tracks at rear of storage tanks join additional surface tracks serving terminal in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of bulk liquids, including petroleum products, petrochemicals, chemicals, caustics, alcohols, glycols, esters, styrenes, and ketones.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 41.769167
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.83806

Waterway: **Chicago Sanitary & Ship Canal** Mile: 311.1 PWD: 72
Name: **GATX Terminals Corp., Argo Terminal Wharf No. 1.**
Port: Chicago
Location: Mile 311.1, southeast side, Chicago Sanitary and Ship Canal, approx. 1.6 miles NE of La Grange Road (U.S Datum: NPE
Operator: GATX Terminals Corp.
Owner: GATX Terminals Corp.
Address: 8500 West 68th Street Phone: 708-496-2849
Town: Argo State: IL County: Cook
Railway Connection: Two surface tracks at rear of storage tanks join additional surface tracks serving terminal in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of bulk liquids, including petroleum products, petrochemicals, chemicals, caustics, alcohols, glycols, esters, styrenes, and ketones.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 41.769167
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.83806

Waterway: **Chicago Sanitary & Ship Canal** Mile: 311.1 PWD: 72
Name: **GATX Terminals Corp., Argo Terminal Wharf No. 1.**
Port: Chicago
Location: Mile 311.1, southeast side, Chicago Sanitary and Ship Canal, approx. 1.6 miles NE of La Grange Road (U.S Datum: NPE
Operator: GATX Terminals Corp.
Owner: GATX Terminals Corp.
Address: 8500 West 68th Street Phone: 708-496-2849
Town: Argo State: IL County: Cook
Railway Connection: Two surface tracks at rear of storage tanks join additional surface tracks serving terminal in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of bulk liquids, including petroleum products, petrochemicals, chemicals, caustics, alcohols, glycols, esters, styrenes, and ketones.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 41.769167
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.83806

Remarks: One 10- and one 8-inch, petroleum products pipelines extend from wharf to 37 steel storage tanks at rear, total capacity 1,648,000 barrels. Nine 8- and twenty 6-inch, chemical pipelines extend to 79 storage tank Wharf No. 3 (Ref. No. 71). Wharf is served by two 6-inch, steam and one 2-inch, compressed air lines. Storage tanks connect with pipeline systems of the Texas Eastern Transmission Corp. and Badger Pipe Line Co. Terof Ref. Nos. 71, 72 and 73 is operated for public storage of bulk liquids.

Port Facilities by Waterway

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: One 10- and one 8-inch, petroleum products pipelines extend from wharf to 37 steel storage tanks at rear, total capacity 1,648,000 barrels. Nine 8- and twenty 6-inch, chemical pipelines extend to 79 storage tank Wharf No. 3 (Ref. No. 71). Wharf is served by two 6-inch, steam and one 2-inch, compressed air lines. Storage tanks connect with pipeline systems of the Texas Eastern Transmission Corp. and Badger Pipe Line Co. Terof Ref. Nos. 71, 72 and 73 is operated for public storage of bulk liquids.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: One 10- and one 8-inch, petroleum products pipelines extend from wharf to 37 steel storage tanks at rear, total capacity 1,648,000 barrels. Nine 8- and twenty 6-inch, chemical pipelines extend to 79 storage tank Wharf No. 3 (Ref. No. 71). Wharf is served by two 6-inch, steam and one 2-inch, compressed air lines. Storage tanks connect with pipeline systems of the Texas Eastern Transmission Corp. and Badger Pipe Line Co. Terof Ref. Nos. 71, 72 and 73 is operated for public storage of bulk liquids.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 311.2 PWD: 71
Name: **GATX Terminals Corp., Argo Terminal Wharf No. 3.**
Port: Chicago
Location: Mile 311.2, southeast side, Chicago Sanitary and Ship Canal, approx. 1.7 miles NE of La Grange Road (U.S Datum: NPE
Operator: GATX Terminals Corp.
Owner: GATX Terminals Corp.
Address: 8500 West 68th Street Phone: 708-496-2849
Town: Argo State: IL County: Cook
Railway Connection: Two surface tracks at rear of storage tanks join additional surface tracks serving terminal in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of bulk liquids, including petrochemicals, chemicals, caustics, alcohols, glycols, esters, styrenes, and ketones.
Depth Alongside (feet): 10 - 13 | | Latitude (decimal): 41.770556
Total Berthing Space (feet): 250 | | Longitude (decimal): -87.83694

Waterway: **Chicago Sanitary & Ship Canal** Mile: 311.2 PWD: 71
Name: **GATX Terminals Corp., Argo Terminal Wharf No. 3.**
Port: Chicago
Location: Mile 311.2, southeast side, Chicago Sanitary and Ship Canal, approx. 1.7 miles NE of La Grange Road (U.S Datum: NPE
Operator: GATX Terminals Corp.
Owner: GATX Terminals Corp.
Address: 8500 West 68th Street Phone: 708-496-2849
Town: Argo State: IL County: Cook
Railway Connection: Two surface tracks at rear of storage tanks join additional surface tracks serving terminal in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of bulk liquids, including petrochemicals, chemicals, caustics, alcohols, glycols, esters, styrenes, and ketones.
Depth Alongside (feet): 10 - 13 | | Latitude (decimal): 41.770556
Total Berthing Space (feet): 250 | | Longitude (decimal): -87.83694

Waterway: **Chicago Sanitary & Ship Canal** Mile: 311.2 PWD: 71
Name: **GATX Terminals Corp., Argo Terminal Wharf No. 3.**
Port: Chicago
Location: Mile 311.2, southeast side, Chicago Sanitary and Ship Canal, approx. 1.7 miles NE of La Grange Road (U.S Datum: NPE
Operator: GATX Terminals Corp.
Owner: GATX Terminals Corp.
Address: 8500 West 68th Street Phone: 708-496-2849
Town: Argo State: IL County: Cook
Railway Connection: Two surface tracks at rear of storage tanks join additional surface tracks serving terminal in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of bulk liquids, including petrochemicals, chemicals, caustics, alcohols, glycols, esters, styrenes, and ketones.
Depth Alongside (feet): 10 - 13 | | Latitude (decimal): 41.770556
Total Berthing Space (feet): 250 | | Longitude (decimal): -87.83694

Waterway: **Chicago Sanitary & Ship Canal** Mile: 311.2 PWD: 71
Name: **GATX Terminals Corp., Argo Terminal Wharf No. 3.**
Port: Chicago
Location: Mile 311.2, southeast side, Chicago Sanitary and Ship Canal, approx. 1.7 miles NE of La Grange Road (U.S Datum: NPE
Operator: GATX Terminals Corp.
Owner: GATX Terminals Corp.
Address: 8500 West 68th Street Phone: 708-496-2849
Town: Argo State: IL County: Cook
Railway Connection: Two surface tracks at rear of storage tanks join additional surface tracks serving terminal in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of bulk liquids, including petrochemicals, chemicals, caustics, alcohols, glycols, esters, styrenes, and ketones.
Depth Alongside (feet): 10 - 13 | | Latitude (decimal): 41.770556
Total Berthing Space (feet): 250 | | Longitude (decimal): -87.83694
Remarks: Three 10-, two 8-, and eleven 6-inch pipelines extend from wharf to 79 chemical storage tanks at terminal in rear, total capacity 31,668,000 gallons. Wharf is served by 4-inch, steam and 2-inch, compressed air I connect with pipeline systems of the Texas Eastern Transmission Corp. and Badger Pipe Line Co. Terminal at rear of Ref. Nos. 71, 72 and 73 is operated for public storage of bulk liquids.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Remarks: Three 10-, two 8-, and eleven 6-inch pipelines extend from wharf to 79 chemical storage tanks at terminal in rear, total capacity 31,668,000 gallons. Wharf is served by 4-inch, steam and 2-inch, compressed air l connect with pipeline systems of the Texas Eastern Transmission Corp. and Badger Pipe Line Co. Terminal at rear of Ref. Nos. 71, 72 and 73 is operated for public storage of bulk liquids.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: Three 10-, two 8-, and eleven 6-inch pipelines extend from wharf to 79 chemical storage tanks at terminal in rear, total capacity 31,668,000 gallons. Wharf is served by 4-inch, steam and 2-inch, compressed air l connect with pipeline systems of the Texas Eastern Transmission Corp. and Badger Pipe Line Co. Terminal at rear of Ref. Nos. 71, 72 and 73 is operated for public storage of bulk liquids.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 311.2 PWD: 71
Name: **GATX Terminals Corp., Argo Terminal Wharf No. 3.**
Port: Chicago
Location: Mile 311.2, southeast side, Chicago Sanitary and Ship Canal, approx. 1.7 miles NE of La Grange Road (U.S Datum: NPE
Operator: GATX Terminals Corp.
Owner: GATX Terminals Corp.
Address: 8500 West 68th Street Phone: 708-496-2849
Town: Argo State: IL County: Cook
Railway Connection: Two surface tracks at rear of storage tanks join additional surface tracks serving terminal in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of bulk liquids, including petrochemicals, chemicals, caustics, alcohols, glycols, esters, styrenes, and ketones.
Depth Alongside (feet): 10 - 13 | | Latitude (decimal): 41.770556
Total Berthing Space (feet): 250 | | Longitude (decimal): -87.83694

Waterway: **Chicago Sanitary & Ship Canal** Mile: 311.2 PWD: 71
Name: **GATX Terminals Corp., Argo Terminal Wharf No. 3.**
Port: Chicago
Location: Mile 311.2, southeast side, Chicago Sanitary and Ship Canal, approx. 1.7 miles NE of La Grange Road (U.S Datum: NPE
Operator: GATX Terminals Corp.
Owner: GATX Terminals Corp.
Address: 8500 West 68th Street Phone: 708-496-2849
Town: Argo State: IL County: Cook
Railway Connection: Two surface tracks at rear of storage tanks join additional surface tracks serving terminal in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of bulk liquids, including petrochemicals, chemicals, caustics, alcohols, glycols, esters, styrenes, and ketones.
Depth Alongside (feet): 10 - 13 | | Latitude (decimal): 41.770556
Total Berthing Space (feet): 250 | | Longitude (decimal): -87.83694

Waterway: **Chicago Sanitary & Ship Canal** Mile: 311.2 PWD: 71
Name: **GATX Terminals Corp., Argo Terminal Wharf No. 3.**
Port: Chicago
Location: Mile 311.2, southeast side, Chicago Sanitary and Ship Canal, approx. 1.7 miles NE of La Grange Road (U.S Datum: NPE
Operator: GATX Terminals Corp.
Owner: GATX Terminals Corp.
Address: 8500 West 68th Street Phone: 708-496-2849
Town: Argo State: IL County: Cook
Railway Connection: Two surface tracks at rear of storage tanks join additional surface tracks serving terminal in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of bulk liquids, including petrochemicals, chemicals, caustics, alcohols, glycols, esters, styrenes, and ketones.
Depth Alongside (feet): 10 - 13 | | Latitude (decimal): 41.770556
Total Berthing Space (feet): 250 | | Longitude (decimal): -87.83694

Waterway: **Chicago Sanitary & Ship Canal** Mile: 311.2 PWD: 71
Name: **GATX Terminals Corp., Argo Terminal Wharf No. 3.**
Port: Chicago
Location: Mile 311.2, southeast side, Chicago Sanitary and Ship Canal, approx. 1.7 miles NE of La Grange Road (U.S Datum: NPE
Operator: GATX Terminals Corp.
Owner: GATX Terminals Corp.
Address: 8500 West 68th Street Phone: 708-496-2849
Town: Argo State: IL County: Cook
Railway Connection: Two surface tracks at rear of storage tanks join additional surface tracks serving terminal in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of bulk liquids, including petrochemicals, chemicals, caustics, alcohols, glycols, esters, styrenes, and ketones.
Depth Alongside (feet): 10 - 13 | | Latitude (decimal): 41.770556
Total Berthing Space (feet): 250 | | Longitude (decimal): -87.83694
Remarks: Three 10-, two 8-, and eleven 6-inch pipelines extend from wharf to 79 chemical storage tanks at terminal in rear, total capacity 31,668,000 gallons. Wharf is served by 4-inch, steam and 2-inch, compressed air I connect with pipeline systems of the Texas Eastern Transmission Corp. and Badger Pipe Line Co. Terminal at rear of Ref. Nos. 71, 72 and 73 is operated for public storage of bulk liquids.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Remarks: Three 10-, two 8-, and eleven 6-inch pipelines extend from wharf to 79 chemical storage tanks at terminal in rear, total capacity 31,668,000 gallons. Wharf is served by 4-inch, steam and 2-inch, compressed air l connect with pipeline systems of the Texas Eastern Transmission Corp. and Badger Pipe Line Co. Terminal at rear of Ref. Nos. 71, 72 and 73 is operated for public storage of bulk liquids.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: Three 10-, two 8-, and eleven 6-inch pipelines extend from wharf to 79 chemical storage tanks at terminal in rear, total capacity 31,668,000 gallons. Wharf is served by 4-inch, steam and 2-inch, compressed air l connect with pipeline systems of the Texas Eastern Transmission Corp. and Badger Pipe Line Co. Terminal at rear of Ref. Nos. 71, 72 and 73 is operated for public storage of bulk liquids.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 311.2 PWD: 71
Name: **GATX Terminals Corp., Argo Terminal Wharf No. 3.**
Port: Chicago
Location: Mile 311.2, southeast side, Chicago Sanitary and Ship Canal, approx. 1.7 miles NE of La Grange Road (U.S Datum: NPE
Operator: GATX Terminals Corp.
Owner: GATX Terminals Corp.
Address: 8500 West 68th Street Phone: 708-496-2849
Town: Argo State: IL County: Cook
Railway Connection: Two surface tracks at rear of storage tanks join additional surface tracks serving terminal in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of bulk liquids, including petrochemicals, chemicals, caustics, alcohols, glycols, esters, styrenes, and ketones.
Depth Alongside (feet): 10 - 13 | | Latitude (decimal): 41.770556
Total Berthing Space (feet): 250 | | Longitude (decimal): -87.83694

Waterway: **Chicago Sanitary & Ship Canal** Mile: 311.2 PWD: 71
Name: **GATX Terminals Corp., Argo Terminal Wharf No. 3.**
Port: Chicago
Location: Mile 311.2, southeast side, Chicago Sanitary and Ship Canal, approx. 1.7 miles NE of La Grange Road (U.S Datum: NPE
Operator: GATX Terminals Corp.
Owner: GATX Terminals Corp.
Address: 8500 West 68th Street Phone: 708-496-2849
Town: Argo State: IL County: Cook
Railway Connection: Two surface tracks at rear of storage tanks join additional surface tracks serving terminal in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of bulk liquids, including petrochemicals, chemicals, caustics, alcohols, glycols, esters, styrenes, and ketones.
Depth Alongside (feet): 10 - 13 | | Latitude (decimal): 41.770556
Total Berthing Space (feet): 250 | | Longitude (decimal): -87.83694

Waterway: **Chicago Sanitary & Ship Canal** Mile: 311.2 PWD: 71
Name: **GATX Terminals Corp., Argo Terminal Wharf No. 3.**
Port: Chicago
Location: Mile 311.2, southeast side, Chicago Sanitary and Ship Canal, approx. 1.7 miles NE of La Grange Road (U.S Datum: NPE
Operator: GATX Terminals Corp.
Owner: GATX Terminals Corp.
Address: 8500 West 68th Street Phone: 708-496-2849
Town: Argo State: IL County: Cook
Railway Connection: Two surface tracks at rear of storage tanks join additional surface tracks serving terminal in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of bulk liquids, including petrochemicals, chemicals, caustics, alcohols, glycols, esters, styrenes, and ketones.
Depth Alongside (feet): 10 - 13 | | Latitude (decimal): 41.770556
Total Berthing Space (feet): 250 | | Longitude (decimal): -87.83694

Waterway: **Chicago Sanitary & Ship Canal** Mile: 311.2 PWD: 71
Name: **GATX Terminals Corp., Argo Terminal Wharf No. 3.**
Port: Chicago
Location: Mile 311.2, southeast side, Chicago Sanitary and Ship Canal, approx. 1.7 miles NE of La Grange Road (U.S Datum: NPE
Operator: GATX Terminals Corp.
Owner: GATX Terminals Corp.
Address: 8500 West 68th Street Phone: 708-496-2849
Town: Argo State: IL County: Cook
Railway Connection: Two surface tracks at rear of storage tanks join additional surface tracks serving terminal in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of bulk liquids, including petrochemicals, chemicals, caustics, alcohols, glycols, esters, styrenes, and ketones.
Depth Alongside (feet): 10 - 13 | | Latitude (decimal): 41.770556
Total Berthing Space (feet): 250 | | Longitude (decimal): -87.83694
Remarks: Three 10-, two 8-, and eleven 6-inch pipelines extend from wharf to 79 chemical storage tanks at terminal in rear, total capacity 31,668,000 gallons. Wharf is served by 4-inch, steam and 2-inch, compressed air I connect with pipeline systems of the Texas Eastern Transmission Corp. and Badger Pipe Line Co. Terminal at rear of Ref. Nos. 71, 72 and 73 is operated for public storage of bulk liquids.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: Three 10-, two 8-, and eleven 6-inch pipelines extend from wharf to 79 chemical storage tanks at terminal in rear, total capacity 31,668,000 gallons. Wharf is served by 4-inch, steam and 2-inch, compressed air l connect with pipeline systems of the Texas Eastern Transmission Corp. and Badger Pipe Line Co. Terminal at rear of Ref. Nos. 71, 72 and 73 is operated for public storage of bulk liquids.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Remarks: Three 10-, two 8-, and eleven 6-inch pipelines extend from wharf to 79 chemical storage tanks at terminal in rear, total capacity 31,668,000 gallons. Wharf is served by 4-inch, steam and 2-inch, compressed air l connect with pipeline systems of the Texas Eastern Transmission Corp. and Badger Pipe Line Co. Terminal at rear of Ref. Nos. 71, 72 and 73 is operated for public storage of bulk liquids.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Waterway: **Chicago Sanitary & Ship Canal** Mile: 312.4 PWD: 69

Name: **Continental Cement Co., Chicago Terminal Dock.**

Port: Chicago

Location: Mile 312.4. southeast side, Chicago Sanitary and Ship Canal, approx. 1,000 feet northeast of CSX Transpo Datum: NPE

Operator: Continental Cement Co., Inc.

Owner: The Metropolitan Water Reclamation District of Greater Chicago.

Address: 8001 West 59th Street Phone: 708-458-3458

Town: Summit State: IL County: Cook

Railway Connection: One surface track serving plant in rear; connects with Indiana Harbor Belt Railroad.

Purpose: Receipt of bulk cement by barge.

Depth Alongside (feet): 13 | | Latitude (decimal): 41.785

Total Berthing Space (feet): 240 | | Longitude (decimal): -87.82361

Remarks: Two 10-inch, air-slide conveyor pipelines extend to 6 cement storage silos with 2 interstitial bins on West 59th Street, total capacity 30,000 tons. Air slide system can handle 2 self-unloading barges at once, at tons per hour. Two truckloading and 1 rail-carloading stations are located at rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Waterway: **Chicago Sanitary & Ship Canal** Mile: 312.4 PWD: 70

Name: **Vulcan Materials, Summit Wharf.**

Port: Chicago

Location: Mile 312.4, northwest side, Chicago Sanitary and Ship Canal, approx. 600 feet northeast of CSX Transport Datum: NPE

Operator: Vulcan Materials Co.

Owner: The Metropolitan Water Reclamation District of Greater Chicago.

Address: Phone: 708-485-6602

Town: Summit State: IL County: Cook

Railway Connection: None.

Purpose: Receipt of coal and shipment of stone by barge; mooring company-owned vessel.

Depth Alongside (feet): 10 | | Latitude (decimal): 41.785

Total Berthing Space (feet): 865 | | Longitude (decimal): -87.82472

Remarks: Operator moors a small pushboat at the northeasternmost cell. Wharf serves operator's McCook Quarry and lime plant at 5501 Joliet Road, located approximately one mile west.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 312.5 PWD: 68
Name: **Trumbull Asphalt, Summit Plant Wharf.**
Port: Chicago
Location: Mile 312.5, southeast side, Chicago Sanitary and Ship Canal, approx. 1,500 feet northeast of CSX Transpo Datum: NPE
Operator: Trumbull Asphalt, Division of Owens-Corning Co.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 7800 West 59th Street Phone: 708-594-6935
Town: Summit State: IL County: Cook
Railway Connection: One surface track serving plant at rear; connects with Illinois Central Railroad.
Purpose: Receipt of asphalt and solvents by barge.
Depth Alongside (feet): 9 - 12 | | Latitude (decimal): 41.786111
Total Berthing Space (feet): 400 | | Longitude (decimal): -87.8225
Remarks: One 10-inch, insulated, asphalt pipeline extends from wharf to 8 steel storage tanks at terminal in rear, total capacity 143,000 barrels. One 6-inch, solvents pipeline extends to one 399,000-gallon storage tank. steam line serves wharf. Terminal and asphalt-processing plant are located on West 59th Street.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Waterway: **Chicago Sanitary & Ship Canal** Mile: 313.7 PWD: 67
Name: **Lake River Corp., Southwest Wharf.**
Port: Chicago
Location: Mile 313.7, south side, Chicago Sanitary and Ship Canal, between South Harlem Avenue and Stevenson Expre Datum: NPE
Operator: Not operated.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 5005 South Harlem Ave. Phone: 708-788-0900
Town: Summit State: IL County: Cook
Railway Connection: One surface track at rear of wharf joins with one platform-level track along rear of warehouses; connects with Illinois Central Railroad.
Purpose: Not used.
Depth Alongside (feet): 7 - 10 | | Latitude (decimal): 41.798333
Total Berthing Space (feet): 285 | | Longitude (decimal): -87.80778
Remarks: A 282- by 150-foot building located at rear of wharf and a 522- by 150-foot building located 200 feet to the east are operated as Southwest Warehouses Nos. 1 and 2, respectively (S.W. Ref. No. 12). Storage tanks of storage warehouses are not connected to wharf.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 314.1 PWD: 66
Name: **Lake River Corp., Main Wharf.**
Port: Chicago
Location: Mile 314.1, north side, Chicago Sanitary and Ship Canal, east of South Harlem Avenue Bridge, Forest View Datum: NPE
Operator: Lake River Corp., Terminals Division, a subsidiary of Kinark Corp.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 5005 South Harlem Avenue Phone: 708-788-0900
Town: Forest View State: IL County: Cook
Railway Connection: Three surface tracks serving tankcar loading racks at terminal in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of bulk liquids by barge, including petrochemicals, caustic soda, and vegetable oils.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.801944
Total Berthing Space (feet): 760 | | Longitude (decimal): -87.8
Remarks: One 10-, twelve 8-, twenty-five 6-, and forty-two 4-inch pipelines extend from wharf to 183 steel storage tanks at terminal in rear, including: 179 for miscellaneous chemicals, total capacity 43,000,000 gallons; for caustic soda; two for herbicides not handled over the wharf, total capacity 30,000 gallons; and one 420,000-gallon which was unused at time of survey (1994). Wharf is served by 4-inch steam and 1-inch, compressedTerminal has a packaging, canning, and drumming plant. Storage tanks connect with Texas Eastern Transmission Corp.'s cross-country pipeline, however products were not received by pipeline at time of sfor public storage of bulk liquids.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Waterway: **Chicago Sanitary & Ship Canal** Mile: 314.2 PWD: 65
Name: **Amoco Oil Co., Chicago Terminal Wharf.**
Port: Chicago
Location: Mile 314.2, north side, Chicago Sanitary and Ship Canal, approx. 1,100 feet east of South Harlem Avenue Datum: NPE
Operator: Amoco Oil Co.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 4811 South Harlem Avenue Phone: 708-749-5019
Town: Forest View State: IL County: Cook
Railway Connection: Two surface tracks at rear of wharf connecting with Illinois Central Railroad were not in use at time of survey (1994).
Purpose: Occasional receipt and shipment of petroleum products and petrochemicals by barge.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 41.802778
Total Berthing Space (feet): 555 | | Longitude (decimal): -87.79778
Remarks: One 6-inch pipeline extends from wharf to 11 steel storage tanks, total capacity 487,800 barrels. Storage tanks connect with pipeline systems of Texas Eastern Transmission Corp., Badger Pipe Line Co., and Amoco

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 314.5 PWD: 64
Name: **Petroleum Fuel and Terminal Co., Chicago Division Wharf.**
Port: Chicago
Location: Mile 314.5, north side, Chicago Sanitary and Ship Canal, 1,600 feet west of Atchison, Topeka and Santa F Datum: NPE
Operator: Petroleum Fuel and Terminal Co., Subsidiary of Apex Oil Co.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 4801 South Harlem Avenue Phone: 708-788-1611
Town: Forest View State: IL County: Cook
Railway Connection: One surface track serving terminal in rear; connects with Illinois Central Railroad.
Purpose: Receipt and shipment of petroleum products by barge; fueling company-owned vessels.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 41.803889
Total Berthing Space (feet): 295 | | Longitude (decimal): -87.79389
Remarks: One 12-, one 10-, and one 8-inch pipelines extend from wharf to 10 steel storage tanks in rear, total capacity 474,000 barrels. One metered, 3-inch, diesel fuel line extends from the 8-inch pipeline. One 6-inch line serves wharf. Storage tanks connect with Badger Pipe Line Co.'s cross-country pipeline.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Waterway: **Chicago Sanitary & Ship Canal** Mile: 314.6 PWD: 63
Name: **Chicago Metropolitan Water Reclamation District, Forest View Termi**
Port: Chicago
Location: Mile 314.6, south side, Chicago Sanitary and Ship Canal, 1,100 feet west of Atchison, Topeka and Santa F Datum: NPE
Operator: Not operated.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 6800 West Canal Bank Road Phone: 312-751-5101
Town: Forest View State: IL County: Cook
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 41.803889
Total Berthing Space (feet): 330 | | Longitude (decimal): -87.79139
Remarks: Wharf formerly was used for receipt of petroleum products by barge. Three 8-inch pipelines extend from wharf to 8 steel storage tanks in rear, total capacity 512,300 barrels. Storage tanks connect with Texas Ea Transmission Corp.'s cross-country pipeline. Facility was available for lease at time of survey (1994).

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 314.8 PWD: 62
Name: **Lafarge Corp., Forest View Terminal Wharf.**
Port: Chicago
Location: Mile 314.8, south side, Chicago Sanitary and Ship Canal, 300 feet west of Atchison, Topeka and Santa Fe Datum: NPE
Operator: Lafarge Corp., Great Lakes Region.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 6626 West Canal Bank Road Phone: 708-496-6030
Town: Forest View State: IL County: Cook
Railway Connection: Two surface tracks at rear of wharf join additional track in rear of silos, all unused at time of survey (1994); connect with Atchison, Topeka and Santa Fe Railway.
Purpose: Receipt of bulk cement by barge.
Depth Alongside (feet): 10 | | 10 Latitude (decimal): 41.804722
Total Berthing Space (feet): 222 | | Longitude (decimal): -87.78889
Remarks: Pipelines extend from wharf to 6 steel silos located in rear, total capacity 11,000 tons. A one-story, 40- by 20-foot, compressor building is located at rear of 222-foot bulkhead.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Waterway: **Chicago Sanitary & Ship Canal** Mile: 315.1 PWD: 61
Name: **Chicago Block Co. Wharf.**
Port: Chicago
Location: Mile 315.1, south bank, Chicago Sanitary and Ship Canal, 1,000 feet east of Atchison, Topeka and Santa F Datum: NPE
Operator: Not operated.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 6400 West 41st Street Phone: 708-458-8130
Town: Forest View State: IL County: Cook
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.8075
Total Berthing Space (feet): 347 | | Longitude (decimal): -87.77972
Remarks: Wharf formerly was used for receipt of sand and aggregate by barge. Two open-sided, 180- by 100-foot, rigid frame buildings for manufacturing and storing concrete block; a two-story office building; and approxim of concrete-paved, and one acre of unpaved open storage area are located in rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 315.7 PWD: 60
Name: **Metropolitan Water Reclamation District, West-Southwest Treatment**
Port: Chicago
Location: Mile 315.7, north side, Chicago Sanitary and Ship Canal, approximately 1,500 feet west of Central Avenue Datum: NPE
Operator: Not operated.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 6001 West Pershing Road Phone: 708-222-4000
Town: Stickney State: IL County: Cook
Railway Connection: One surface track in rear joins with additional trackage serving sewage treatment plant; connects with Illinois Central Railroad.
Purpose: Not used.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 41.811111
Total Berthing Space (feet): 1,395 | | Longitude (decimal): -87.77028
Remarks: Wharf formerly was used for shipment of dry bulk fertilizer by barge. Facilities equipped for storing dry bulk material are located at rear of wharf, including a one-story, 95- by 90-foot, concrete and block, he garage with an inclined, enclosed, electric belt conveyor extending to a one-story, 240- by 120-foot, steel frame, metal-covered storage warehouse. Center portion of wharf consists of 126-foot-long headwall for West-Sewage Treatment Works outfall.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Waterway: **Chicago Sanitary & Ship Canal** Mile: 315.9 PWD: 59
Name: **Chemical Petroleum Exchange, Forest View Terminal Dock.**
Port: Chicago
Location: Mile 315.9, south side, Chicago Sanitary and Ship Canal, approximately 1,300 feet west of Central Avenue Datum: NPE
Operator: Chemical Petroleum Exchange, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 5700 West 41st Street Phone: 708-594-7100
Town: Forest View State: IL County: Cook
Railway Connection: None.
Purpose: Receipt and shipment of asphalt by barge.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 41.811389
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.7675
Remarks: One 8-inch pipeline extends from wharf to 7 steel storage tanks located at rear, total capacity 350,000 barrels.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 316.7 PWD: 56
Name: **J. M. Sweeney Co., Cicero Terminal Wharf.**
Port: Chicago
Location: Mile 316.7, south side, Chicago Sanitary and Ship Canal, approximately 2,800 feet west of South Cicero A Datum: NPE
Operator: J. M. Sweeney Co.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 5200 West 41st Street Phone: 312-581-4800
Town: Stickney State: IL County: Cook
Railway Connection: None.
Purpose: Occasional receipt of petroleum products by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.816111
Total Berthing Space (feet): 200 | | Longitude (decimal): -87.75306
Remarks: One 6-inch pipeline with 2 hose connections extends from wharf to 4 steel storage tanks, total capacity 76,700 barrels. A one-story, 10- by 7-foot, metal storage shed is located at rear of apron. Access to apro asphalt-paved, 10-foot-wide ramp from west end of apron. Storage tanks connect with Texas Eastern Transmission Corp.'s cross-country pipeline.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Waterway: **Chicago Sanitary & Ship Canal** Mile: 316.7 PWD: 58
Name: **Metropolitan Water Reclamation District, West-Southwest Treatment**
Port: Chicago
Location: Mile 316.7, north side, Chicago Sanitary and Ship Canal, approximately 2,600 feet west of South Cicero A Datum: NPE
Operator: The Metropolitan Water Reclamation District of Greater Chicago.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 4000 South Laramie Avenue Phone: 708-222-4000
Town: Stickney State: IL County: Cook
Railway Connection: None.
Purpose: Mooring municipal and government-owned floating equipment.
Depth Alongside (feet): 8 | | Latitude (decimal): 41.816667
Total Berthing Space (feet): 240 | | Longitude (decimal): -87.75278
Remarks: East portion of wharf is headwall of sewer outfall. Pumping station of the West-Southwest Sewage Treatment Works is located in rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 316.8 PWD: 57
Name: **Koppers Industries, Stickney Terminal Wharf.**
Port: Chicago
Location: Mile 316.8, north side, Chicago Sanitary and Ship Canal, approximately 1,000 feet west of South Cicero A Datum: NPE
Operator: Koppers Industries, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 4100 South Laramie Avenue Phone: 708-656-5900ext
Town: Stickney State: IL County: Cook
Railway Connection: One surface track serves 6-car capacity, tankcar unloading rack at terminal at rear of wharf; additional tracks serve tankcar loading rack at plant in rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of petroleum products, residual oils, carbon black oil, tar, and orthoxylene.
Depth Alongside (feet): 11 - 15 | | Latitude (decimal): 41.817778
Total Berthing Space (feet): 920 | | Longitude (decimal): -87.74944
Remarks: Two 8-inch, tar pipelines extend from wharf to 10 steel storage tanks at terminal at rear of wharf, total capacity 220,000 barrels; one of the lines extends to an additional 24 tanks at plant in rear, total capac barrels. One 8-inch, orthoxylene pipeline extends from wharf to one 825,000-gallon, storage tank at plant, and one 8-inch pipeline extends to tankcar unloading rack at terminal at rear of wharf. One 2-inch, steam an2-inch, nitrogen lines serve wharf.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Waterway: **Chicago Sanitary & Ship Canal** Mile: 317.0 PWD: 55
Name: **Olympic Oil Wharf.**
Port: Chicago
Location: Mile 317.0, south side, Chicago Sanitary and Ship Canal, approximately 900 feet west of South Cicero Ave Datum: NPE
Operator: Olympic Oil Ltd., Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 5000 West 41st Street Phone: 708-458-8500
Town: Stickney State: IL County: Cook
Railway Connection: Two platform-level tracks at rear of property serve plant and tankcar loading rack, total capacity 12 cars; connect with Atchison, Topeka and Santa Fe Railway.
Purpose: Receipt of petroleum products and ethylene glycol by barge.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.8175
Total Berthing Space (feet): 427 | | Longitude (decimal): -87.74778
Remarks: Ten 4- and four 3-inch, petroleum products pipelines extend from bulkhead to 13 steel storage tanks, total capacity 47,800 barrels; two 4-inch, ethylene glycol pipelines extend to 2 storage tanks, total capacity 4-inch pipeline, unused at time of survey (1994), extends to one 120,000-gallon, antifreeze solution storage tank. One three-story, 200- by 168-foot warehouse and office building is located at rear of bulkhead.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 317.1 PWD: 54
Name: **Koch Fuels, Marine Oil Terminal, Chicago Wharf.**
Port: Chicago
Location: Mile 317.1, south side, Chicago Sanitary and Ship Canal, west of South Cicero Avenue Bridge, Stickney. Datum: NPE
Operator: Marine Oil Terminal, Division of Koch Fuels, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 4100 South Cicero Avenue Phone: 708-458-4330
Town: Stickney State: IL County: Cook
Railway Connection: None.
Purpose: Occasional receipt of asphalt by barge.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 41.818333
Total Berthing Space (feet): 655 | | Longitude (decimal): -87.74528
Remarks: One 10-, six 8-, and four 6-inch pipelines extend from wharf to 13 steel storage tanks, total capacity 414,000 barrels. In addition, one 6-inch pipeline extends to one 2,000-barrel, slop tank in rear. Storage t with the Texas Eastern Transmission Corp.'s cross-country pipeline. A 9-foot-high, concrete wall extends along rear of apron for a length of 450 feet. A 20- by 11-foot, one-story, steel pumphouse is located at west

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Waterway: **Chicago Sanitary & Ship Canal** Mile: 317.4 PWD: 53
Name: **Citgo Petroleum Corp., Cicero Compound Plant Wharf.**
Port: Chicago
Location: Mile 317.4, north side, Chicago Sanitary and Ship Canal, approximately 475 feet east of South Cicero Ave Datum: NPE
Operator: Citgo Petroleum Corp.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 3737 South Cicero Avenue Phone: 708-780-5914
Town: Cicero State: IL County: Cook
Railway Connection: Four surface tracks serve tankcar loading rack and warehouse in rear; connect with Illinois Central Railroad.
Purpose: Receipt of lubricating oil by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.820278
Total Berthing Space (feet): 300 | | Longitude (decimal): -87.74167
Remarks: One 10-, three 8-, and two 6-inch pipelines extend from wharf to 25 steel storage tanks in rear, total capacity 250,000 barrels. One 6-inch, steam line serves wharf for heating pipelines. A part one-, part two- 25-foot, concrete, valve-control house is located on wharf. One 2-inch, compressed air line serves wharf.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 317.5 PWD: 52
Name: **Mobil Oil Corp., Cicero Avenue Dock.**
Port: Chicago
Location: Mile 317.5, north side, Chicago Sanitary and Ship Canal, approximately 1,000 feet east of South Cicero A Datum: NPE
Operator: Mobil Oil Corp.
Owner: Mobil Oil Corp.
Address: 3801 South Cicero Avenue Phone: 708-780-5543
Town: Cicero State: IL County: Cook
Railway Connection: Two surface tracks serve tank-car-loading rack and warehouse in rear; connect with Belt Railway Co. of Chicago.
Purpose: Receipt and occasional shipment of petroleum products by barge.
Depth Alongside (feet): 16 | | Latitude (decimal): 41.820833
Total Berthing Space (feet): 292 | | Longitude (decimal): -87.73944
Remarks: One 8- and two 6-inch pipelines extend from wharf to 15 steel storage tanks in rear, total capacity 191,000 barrels. A one-story, 12- by 9-foot pumphouse is located at rear of wharf. One 2-inch, steam and one 2 lines serve wharf.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Waterway: **Chicago Sanitary & Ship Canal** Mile: 318.7 PWD: 49
Name: **Commonwealth Edison Co., Crawford Station Coal Wharf.**
Port: Chicago
Location: Mile 318.7, north side, Chicago Sanitary and Ship Canal, west of Atchison, Topeka and Santa Fe Railway B Datum: NPE
Operator: Commonwealth Edison Co.
Owner: Commonwealth Edison Co.
Address: 3501 South Pulaski Road Phone: 312-247-7272ext
Town: Chicago State: IL County: Cook
Railway Connection: One surface track serving power plant in rear; connects with Illinois Central Railroad.
Purpose: Receipt of coal by barge for plant consumption.
Depth Alongside (feet): 8 - 12 | | Latitude (decimal): 41.827778
Total Berthing Space (feet): 1,422 | | Longitude (decimal): -87.71778
Remarks: The east 760 feet of the wharf, served by the unloading tower, has 12 feet of water depth. Open storage area has capacity for approximately 990,000 tons of coal. An electric, belt-conveyor system extends throug area to power plant located at rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 318.7 PWD: 51
Name: **Reliable Asphalt Corp. Wharf.**
Port: Chicago
Location: Mile 318.7, south side, Chicago Sanitary and Ship Canal, approx. 1,300 ft W of Atchison, Topeka and Sant Datum: NPE
Operator: Reliable Asphalt Corp.
Owner: Reliable Asphalt Corp.
Address: 3741 South Pulaski Road Phone: 312-254-1121
Town: Chicago State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of sand and stone by barge.
Depth Alongside (feet): 9 - 10 | | Latitude (decimal): 41.826111
Total Berthing Space (feet): 200 | | Longitude (decimal): -87.71944
Remarks: At time of survey, an addition of a second grounded barge at the west end, doubling the length of the wharf, was planned. Approximately 15 acres of open storage area and a hot-mix, asphalt plant are located at t

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Waterway: **Chicago Sanitary & Ship Canal** Mile: 318.8 PWD: 50
Name: **Ameropan Oil Corp., Bell Oil Terminal Wharf.**
Port: Chicago
Location: Mile 318.8, south side, Chicago Sanitary and Ship Canal, approx. 700 feet west of Atchison, Topeka and S Datum: NPE
Operator: Ameropan Oil Corp.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 3741 South Pulaski Road Phone: 312-847-4400
Town: Chicago State: IL County: Cook
Railway Connection: One surface track serving terminal in rear; connects with Atchison, Topeka and Santa Fe Railway.
Purpose: Receipt and shipment of asphalt, fuel oil, and other petroleum products by barge.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.826944
Total Berthing Space (feet): 295 | | Longitude (decimal): -87.71667
Remarks: One 8-inch pipeline extends from wharf to 3 steel, fuel oil storage tanks, total capacity 165,000 barrels, and one 55,000-barrel, steel, asphalt storage tank. In addition, there is one 2,400-barrel, slop tank. connect with the Texas Eastern Transmission Corp.'s cross-country pipeline, but products were not received by pipeline at time of survey (1994).

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 319.5 PWD: 48

Name: **Apex Motor Fuel Co. Wharf.**

Port: Chicago

Location: Mile 319.5, north side, Chicago Sanitary and Ship Canal, between Collateral Channel entrance and Illinoi Datum: NPE

Operator: Apex Motor Fuel Co., a division of Torco Holdings, Inc.

Owner: The Metropolitan Water Reclamation District of Greater Chicago.

Address: 3301 South Kedzie Avenue. Phone: 312-254-3245

Town: Chicago State: IL County: Cook

Railway Connection: One surface track serves 5-car capacity, unloading rack at rear of property; connects with Illinois Central Railroad.

Purpose: Receipt and shipment of petroleum products by barge.

Depth Alongside (feet): 10 | | Latitude (decimal): 41.8325

Total Berthing Space (feet): 193 | | Longitude (decimal): -87.7025

Remarks: One 8-inch pipeline extends from wharf to 6 steel storage tanks in rear, total capacity 226,100 barrels. Four truck-loading stations are located at opposite end of terminal and a 15- by 32-foot, concrete block p west end of wharf.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Waterway: **Chicago Sanitary & Ship Canal** Mile: 319.6 PWD: 47

Name: **City of Chicago, Department of Transportation, Marshall Boulevard**

Port: Chicago

Location: Mile 319.6, north side, Chicago Sanitary and Ship Canal, inner portion of east side of Collateral Channe Datum: NPE

Operator: City of Chicago, Department of Transportation, Bureau of Bridge Operation, Maintenanc

Owner: City of Chicago.

Address: 3124 South Sacramento Avenue Phone: 312-747-7017

Town: Chicago State: IL County: Cook

Railway Connection: One 750-foot, surface track along wharf joining additional tracks in rear and connecting with Illinois Central Railroad, was not in use at time of survey (1993).

Purpose: Mooring city-owned floating equipment for storage and repair; occasional handling of construction materials, machinery and equipment.

Depth Alongside (feet): 2 - 4 | | Latitude (decimal): 41.835556

Total Berthing Space (feet): 1,000 | | Longitude (decimal): -87.70167

Remarks: Collateral Channel is approximately 140 feet wide, with vertical clearance controlled by the Illinois Central Railroad bridge which is designed to roll back as required. Office and shop buildings are located in

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 319.8 PWD: 46
Name: **Prairie Material Sales, Yard No. 33 Wharf.**
Port: Chicago
Location: Mile 319.8, south side, Chicago Sanitary and Ship Canal, approx. 700 feet west of South California Avenu Datum: NPE
Operator: Prairie Material Sales, Inc.
Owner: The Metropolitan Water Reclamation District of Greater Chicago and Illinois Central Railroad Co.
Address: 3300 South California Avenue Phone: 708-458-0400
Town: Chicago State: IL County: Cook
Railway Connection: None.
Purpose: Receipt of sand, gravel, and stone by barge.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 41.833056
Total Berthing Space (feet): 610 | | Longitude (decimal): -87.69806
Remarks: A 30-inch, electric belt conveyor extends through a tunnel under the storage area to a ready-mix concrete plant located in the rear. An office, warehouse, and garage are also located at the rear of the wharf. An open storage area with capacity for 80,000 tons of material is located along the rear of the apron.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Waterway: **Chicago Sanitary & Ship Canal** Mile: 320.2 PWD: 44
Name: **Ameropan Oil Corp., 33d Street Terminal Dock.**
Port: Chicago
Location: Mile 320.2, south side, Chicago Sanitary and Ship Canal, east of South California Avenue Bridge, Chicago Datum: NPE
Operator: Ameropan Oil Corp.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 3301 South California Avenue. Phone: 312-847-4400
Town: Chicago State: IL County: Cook
Railway Connection: One surface track serving tank car loading racks and terminal in rear; connects with Illinois Central Railroad.
Purpose: Receipt and shipment of asphalt and fuel oil by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.835278
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -87.69111
Remarks: Two 8-inch, asphalt pipelines extend from wharf to 19 steel storage tanks in rear, total capacity 457,000 barrels, and one 8-inch, fuel oil pipeline extends to 3 steel storage tanks, total capacity 64,400 barrels

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 320.2 PWD: 45
Name: **Prolerized Chicago Corp. Wharf.**
Port: Chicago
Location: Mile 320.2, north side, Chicago Sanitary and Ship Canal, approx. 740 feet east of South California Avenu Datum: NPE
Operator: Prolerized Chicago Corp.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 3151 South California Avenue Phone: 312-376-2800
Town: Chicago State: IL County: Cook
Railway Connection: Two surface tracks along rear of wharf; connect with Consolidated Rail Corp.
Purpose: Shipment of scrap metal by barge.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.836111
Total Berthing Space (feet): 659 | | Longitude (decimal): -87.69139
Remarks: *An additional 678 feet of berthing space is available along a 5-foot-high, steel sheet pile bulkhead with sloped solid fill extending from the east end of the wharf. Automobiles to be scrapped are fed to shredder by conveyor; scrap metal is then transferred by conveyor and/or cranes to stockpile, barges, or railroad cars. Approximately 2 1/2 acres of open storage area for scrap mrear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Waterway: **Chicago Sanitary & Ship Canal** Mile: 320.6 PWD: 43
Name: **Domino Sugar Corp., Chicago Wharf.**
Port: Chicago
Location: Mile 320.6, north side, Chicago Sanitary and Ship Canal, approximately 200 feet east of South Western Av Datum: NPE
Operator: Domino Sugar Corp.
Owner: The Metropolitan Water Reclamation District of Greater Chicago.
Address: 2905 South Western Avenue Phone: 312-254-8282
Town: Chicago State: IL County: Cook
Railway Connection: Two surface-, and one platform-level tracks at east end of building join one platform-level track at rear of building; connect with Atchison, Topeka and Santa Fe Railway.
Purpose: Receipt of bagged and bulk sugar by barge.
Depth Alongside (feet): 10 - 15 | | Latitude (decimal): 41.839444
Total Berthing Space (feet): 1,770 | | Longitude (decimal): -87.68111
Remarks: A one-story, 420- by 105-foot, brick building is located at rear of wharf with two 10- by 10-foot, cargo doors along canal side. Liquid-sugar-processing plant and storage tanks are located in rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Port Facilities by Waterway

Waterway: **Chicago Sanitary & Ship Canal** Mile: 320.8 PWD: 42
Name: **Material Service Corp., Damen Avenue Mooring.**
Port: Chicago
Location: Mile 320.8, south side, Chicago Sanitary and Ship Canal, approximately 440 feet west of South Damen Aven Datum: NPE
Operator: Material Service Corp. a subsidiary of General Dynamics Corp.
Owner: State of Illinois.
Address: Phone: 815-838-3420
Town: Chicago State: IL County: Cook
Railway Connection: None.
Purpose: Mooring company-owned barges.
Depth Alongside (feet): 10 - 15 | | Latitude (decimal): 41.839167
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -87.67944
Remarks: Mooring has capacity for 6 barges.□□

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Waterway: **Chicago Sanitary & Ship Canal** Mile: 321.0 PWD: 41
Name: **Tri-River Docks, Damen Avenue Terminal Wharf.**
Port: Chicago
Location: Mile 321.0, south side, Chicago Sanitary and Ship Canal, south side of turning basin west of South Damen Datum: NPE
Operator: Barge Terminal Trucking, Inc., and Tri-River Docks, Inc.
Owner: State of Illinois.
Address: 2700 South Robinson Avenue Phone: 312-376-7788
Town: Chicago State: IL County: Cook
Railway Connection: Two surface tracks along rear of face becoming one at west end, total length 880 feet; connect with Consolidated Rail Corp.
Purpose: Receipt of salt and occasional shipment of steel products by barge.
Depth Alongside (feet): 10 - 15 | | Latitude (decimal): 41.84
Total Berthing Space (feet): 441 | | Longitude (decimal): -87.67611
Remarks: Access to transit shed, occasionally operated by Tri-River Docks, Inc. for storing steel, is via concrete and gravel roadway under South Damen Avenue Bridge. Wharf is in line and contiguous with Material Service Avenue Mooring (Ref. No. 42).□Open storage area at rear, used by Barge Terminal Trucking, Inc. for storing salt, is described in Remarks under their Santa Fe Slip (Ref. No. 40).

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77644 Rock Island District

---

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 276 PWD: 73
Name: **Dow Chemical Co., Joliet Plant East Dock.**
Port: Illinois Waterway
Location: Mile 275.9, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of liquid chemicals.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.400556
Total Berthing Space (feet): 260 | | Longitude (decimal): -88.21861

Waterway: **Des Plaines River** Mile: 276 PWD: 73
Name: **Dow Chemical Co., Joliet Plant East Dock.**
Port: Illinois Waterway
Location: Mile 275.9, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of liquid chemicals.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.400556
Total Berthing Space (feet): 260 | | Longitude (decimal): -88.21861

Waterway: **Des Plaines River** Mile: 276 PWD: 73
Name: **Dow Chemical Co., Joliet Plant East Dock.**
Port: Illinois Waterway
Location: Mile 275.9, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of liquid chemicals.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.400556
Total Berthing Space (feet): 260 | | Longitude (decimal): -88.21861

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 276 PWD: 73

Name: **Dow Chemical Co., Joliet Plant East Dock.**

Port: Illinois Waterway

Location: Mile 275.9, left bank, Des Plaines River, Channahon. Datum: NPE

Operator: Dow Chemical Co., Dow U.S.A.

Owner: Dow Chemical Co., Dow U.S.A.

Address: Phone: 815/423-2720

Town: Channahon State: IL County: Will

Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.

Purpose: Receipt of liquid chemicals.

Depth Alongside (feet): 11 | | Latitude (decimal): 41.400556

Total Berthing Space (feet): 260 | | Longitude (decimal): -88.21861

Remarks: Four 8-inch pipelines extend from wharf to tankage described under Ref. No. 72.Face of wharf is in line with Ref. No. 72, providing a total of 750 feet of continuous berthing space.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: Four 8-inch pipelines extend from wharf to tankage described under Ref. No. 72.Face of wharf is in line with Ref. No. 72, providing a total of 750 feet of continuous berthing space.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: Four 8-inch pipelines extend from wharf to tankage described under Ref. No. 72.Face of wharf is in line with Ref. No. 72, providing a total of 750 feet of continuous berthing space.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: Four 8-inch pipelines extend from wharf to tankage described under Ref. No. 72.Face of wharf is in line with Ref. No. 72, providing a total of 750 feet of continuous berthing space.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 276 PWD: 73
Name: **Dow Chemical Co., Joliet Plant East Dock.**
Port: Illinois Waterway
Location: Mile 275.9, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of liquid chemicals.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.400556
Total Berthing Space (feet): 260 | | Longitude (decimal): -88.21861

Waterway: **Des Plaines River** Mile: 276 PWD: 73
Name: **Dow Chemical Co., Joliet Plant East Dock.**
Port: Illinois Waterway
Location: Mile 275.9, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of liquid chemicals.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.400556
Total Berthing Space (feet): 260 | | Longitude (decimal): -88.21861

Waterway: **Des Plaines River** Mile: 276 PWD: 73
Name: **Dow Chemical Co., Joliet Plant East Dock.**
Port: Illinois Waterway
Location: Mile 275.9, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of liquid chemicals.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.400556
Total Berthing Space (feet): 260 | | Longitude (decimal): -88.21861

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 276 PWD: 73

Name: **Dow Chemical Co., Joliet Plant East Dock.**

Port: Illinois Waterway

Location: Mile 275.9, left bank, Des Plaines River, Channahon. Datum: NPE

Operator: Dow Chemical Co., Dow U.S.A.

Owner: Dow Chemical Co., Dow U.S.A.

Address: Phone: 815/423-2720

Town: Channahon State: IL County: Will

Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.

Purpose: Receipt of liquid chemicals.

Depth Alongside (feet): 11 | | Latitude (decimal): 41.400556

Total Berthing Space (feet): 260 | | Longitude (decimal): -88.21861

Remarks: Four 8-inch pipelines extend from wharf to tankage described under Ref. No. 72.Face of wharf is in line with Ref. No. 72, providing a total of 750 feet of continuous berthing space.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: Four 8-inch pipelines extend from wharf to tankage described under Ref. No. 72.Face of wharf is in line with Ref. No. 72, providing a total of 750 feet of continuous berthing space.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: Four 8-inch pipelines extend from wharf to tankage described under Ref. No. 72.Face of wharf is in line with Ref. No. 72, providing a total of 750 feet of continuous berthing space.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: Four 8-inch pipelines extend from wharf to tankage described under Ref. No. 72.Face of wharf is in line with Ref. No. 72, providing a total of 750 feet of continuous berthing space.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 276 PWD: 73
Name: **Dow Chemical Co., Joliet Plant East Dock.**
Port: Illinois Waterway
Location: Mile 275.9, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of liquid chemicals.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.400556
Total Berthing Space (feet): 260 | | Longitude (decimal): -88.21861

Waterway: **Des Plaines River** Mile: 276 PWD: 73
Name: **Dow Chemical Co., Joliet Plant East Dock.**
Port: Illinois Waterway
Location: Mile 275.9, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of liquid chemicals.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.400556
Total Berthing Space (feet): 260 | | Longitude (decimal): -88.21861

Waterway: **Des Plaines River** Mile: 276 PWD: 73
Name: **Dow Chemical Co., Joliet Plant East Dock.**
Port: Illinois Waterway
Location: Mile 275.9, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of liquid chemicals.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.400556
Total Berthing Space (feet): 260 | | Longitude (decimal): -88.21861

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 276 PWD: 73

Name: **Dow Chemical Co., Joliet Plant East Dock.**

Port: Illinois Waterway

Location: Mile 275.9, left bank, Des Plaines River, Channahon. Datum: NPE

Operator: Dow Chemical Co., Dow U.S.A.

Owner: Dow Chemical Co., Dow U.S.A.

Address: Phone: 815/423-2720

Town: Channahon State: IL County: Will

Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.

Purpose: Receipt of liquid chemicals.

Depth Alongside (feet): 11 | | Latitude (decimal): 41.400556

Total Berthing Space (feet): 260 | | Longitude (decimal): -88.21861

Remarks: Four 8-inch pipelines extend from wharf to tankage described under Ref. No. 72.Face of wharf is in line with Ref. No. 72, providing a total of 750 feet of continuous berthing space.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: Four 8-inch pipelines extend from wharf to tankage described under Ref. No. 72.Face of wharf is in line with Ref. No. 72, providing a total of 750 feet of continuous berthing space.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: Four 8-inch pipelines extend from wharf to tankage described under Ref. No. 72.Face of wharf is in line with Ref. No. 72, providing a total of 750 feet of continuous berthing space.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: Four 8-inch pipelines extend from wharf to tankage described under Ref. No. 72.Face of wharf is in line with Ref. No. 72, providing a total of 750 feet of continuous berthing space.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 276 PWD: 73
Name: **Dow Chemical Co., Joliet Plant East Dock.**
Port: Illinois Waterway
Location: Mile 275.9, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of liquid chemicals.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.400556
Total Berthing Space (feet): 260 | | Longitude (decimal): -88.21861

Waterway: **Des Plaines River** Mile: 276 PWD: 73
Name: **Dow Chemical Co., Joliet Plant East Dock.**
Port: Illinois Waterway
Location: Mile 275.9, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of liquid chemicals.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.400556
Total Berthing Space (feet): 260 | | Longitude (decimal): -88.21861

Waterway: **Des Plaines River** Mile: 276 PWD: 73
Name: **Dow Chemical Co., Joliet Plant East Dock.**
Port: Illinois Waterway
Location: Mile 275.9, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of liquid chemicals.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.400556
Total Berthing Space (feet): 260 | | Longitude (decimal): -88.21861

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 276 PWD: 73

Name: **Dow Chemical Co., Joliet Plant East Dock.**

Port: Illinois Waterway

Location: Mile 275.9, left bank, Des Plaines River, Channahon. Datum: NPE

Operator: Dow Chemical Co., Dow U.S.A.

Owner: Dow Chemical Co., Dow U.S.A.

Address: Phone: 815/423-2720

Town: Channahon State: IL County: Will

Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.

Purpose: Receipt of liquid chemicals.

Depth Alongside (feet): 11 | | Latitude (decimal): 41.400556

Total Berthing Space (feet): 260 | | Longitude (decimal): -88.21861

Remarks: Four 8-inch pipelines extend from wharf to tankage described under Ref. No. 72.Face of wharf is in line with Ref. No. 72, providing a total of 750 feet of continuous berthing space.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: Four 8-inch pipelines extend from wharf to tankage described under Ref. No. 72.Face of wharf is in line with Ref. No. 72, providing a total of 750 feet of continuous berthing space.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: Four 8-inch pipelines extend from wharf to tankage described under Ref. No. 72.Face of wharf is in line with Ref. No. 72, providing a total of 750 feet of continuous berthing space.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: Four 8-inch pipelines extend from wharf to tankage described under Ref. No. 72.Face of wharf is in line with Ref. No. 72, providing a total of 750 feet of continuous berthing space.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 276 PWD: 74
Name: **Dow Chemical Co., Joliet Plant Styrene Dock.**
Port: Illinois Waterway
Location: Mile 276.0, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of styrene.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.401111
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.21806

Waterway: **Des Plaines River** Mile: 276 PWD: 74
Name: **Dow Chemical Co., Joliet Plant Styrene Dock.**
Port: Illinois Waterway
Location: Mile 276.0, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of styrene.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.401111
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.21806

Waterway: **Des Plaines River** Mile: 276 PWD: 74
Name: **Dow Chemical Co., Joliet Plant Styrene Dock.**
Port: Illinois Waterway
Location: Mile 276.0, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of styrene.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.401111
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.21806

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 276 PWD: 74

Name: **Dow Chemical Co., Joliet Plant Styrene Dock.**

Port: Illinois Waterway

Location: Mile 276.0, left bank, Des Plaines River, Channahon. Datum: NPE

Operator: Dow Chemical Co., Dow U.S.A.

Owner: Dow Chemical Co., Dow U.S.A.

Address: Phone: 815/423-2720

Town: Channahon State: IL County: Will

Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.

Purpose: Receipt of styrene.

Depth Alongside (feet): 11 | | Latitude (decimal): 41.401111

Total Berthing Space (feet): 195 | | Longitude (decimal): -88.21806

Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at plant in rear, total capacity 2,100,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at plant in rear, total capacity 2,100,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at plant in rear, total capacity 2,100,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at plant in rear, total capacity 2,100,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 276 PWD: 74
Name: **Dow Chemical Co., Joliet Plant Styrene Dock.**
Port: Illinois Waterway
Location: Mile 276.0, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of styrene.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.401111
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.21806

Waterway: **Des Plaines River** Mile: 276 PWD: 74
Name: **Dow Chemical Co., Joliet Plant Styrene Dock.**
Port: Illinois Waterway
Location: Mile 276.0, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of styrene.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.401111
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.21806

Waterway: **Des Plaines River** Mile: 276 PWD: 74
Name: **Dow Chemical Co., Joliet Plant Styrene Dock.**
Port: Illinois Waterway
Location: Mile 276.0, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of styrene.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.401111
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.21806

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 276 PWD: 74

Name: **Dow Chemical Co., Joliet Plant Styrene Dock.**

Port: Illinois Waterway

Location: Mile 276.0, left bank, Des Plaines River, Channahon. Datum: NPE

Operator: Dow Chemical Co., Dow U.S.A.

Owner: Dow Chemical Co., Dow U.S.A.

Address: Phone: 815/423-2720

Town: Channahon State: IL County: Will

Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.

Purpose: Receipt of styrene.

Depth Alongside (feet): 11 | | Latitude (decimal): 41.401111

Total Berthing Space (feet): 195 | | Longitude (decimal): -88.21806

Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at plant in rear, total capacity 2,100,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at plant in rear, total capacity 2,100,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at plant in rear, total capacity 2,100,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at plant in rear, total capacity 2,100,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 276 PWD: 74
Name: **Dow Chemical Co., Joliet Plant Styrene Dock.**
Port: Illinois Waterway
Location: Mile 276.0, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of styrene.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.401111
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.21806

Waterway: **Des Plaines River** Mile: 276 PWD: 74
Name: **Dow Chemical Co., Joliet Plant Styrene Dock.**
Port: Illinois Waterway
Location: Mile 276.0, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of styrene.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.401111
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.21806

Waterway: **Des Plaines River** Mile: 276 PWD: 74
Name: **Dow Chemical Co., Joliet Plant Styrene Dock.**
Port: Illinois Waterway
Location: Mile 276.0, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of styrene.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.401111
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.21806

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 276 PWD: 74

Name: **Dow Chemical Co., Joliet Plant Styrene Dock.**

Port: Illinois Waterway

Location: Mile 276.0, left bank, Des Plaines River, Channahon. Datum: NPE

Operator: Dow Chemical Co., Dow U.S.A.

Owner: Dow Chemical Co., Dow U.S.A.

Address: Phone: 815/423-2720

Town: Channahon State: IL County: Will

Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.

Purpose: Receipt of styrene.

Depth Alongside (feet): 11 | | Latitude (decimal): 41.401111

Total Berthing Space (feet): 195 | | Longitude (decimal): -88.21806

Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at plant in rear, total capacity 2,100,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at plant in rear, total capacity 2,100,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at plant in rear, total capacity 2,100,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at plant in rear, total capacity 2,100,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 276 PWD: 74
Name: **Dow Chemical Co., Joliet Plant Styrene Dock.**
Port: Illinois Waterway
Location: Mile 276.0, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of styrene.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.401111
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.21806

Waterway: **Des Plaines River** Mile: 276 PWD: 74
Name: **Dow Chemical Co., Joliet Plant Styrene Dock.**
Port: Illinois Waterway
Location: Mile 276.0, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of styrene.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.401111
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.21806

Waterway: **Des Plaines River** Mile: 276 PWD: 74
Name: **Dow Chemical Co., Joliet Plant Styrene Dock.**
Port: Illinois Waterway
Location: Mile 276.0, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of styrene.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.401111
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.21806

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 276 PWD: 74

Name: **Dow Chemical Co., Joliet Plant Styrene Dock.**

Port: Illinois Waterway

Location: Mile 276.0, left bank, Des Plaines River, Channahon. Datum: NPE

Operator: Dow Chemical Co., Dow U.S.A.

Owner: Dow Chemical Co., Dow U.S.A.

Address: Phone: 815/423-2720

Town: Channahon State: IL County: Will

Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.

Purpose: Receipt of styrene.

Depth Alongside (feet): 11 | | Latitude (decimal): 41.401111

Total Berthing Space (feet): 195 | | Longitude (decimal): -88.21806

Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at plant in rear, total capacity 2,100,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at plant in rear, total capacity 2,100,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at plant in rear, total capacity 2,100,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at plant in rear, total capacity 2,100,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 276 PWD: 72
Name: **Dow Chemical Co., Joliet Plant West Dock.**
Port: Illinois Waterway
Location: Mile 275.8, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of liquid chemicals.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.399722
Total Berthing Space (feet): 260 | | Longitude (decimal): -88.22028

Waterway: **Des Plaines River** Mile: 276 PWD: 72
Name: **Dow Chemical Co., Joliet Plant West Dock.**
Port: Illinois Waterway
Location: Mile 275.8, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of liquid chemicals.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.399722
Total Berthing Space (feet): 260 | | Longitude (decimal): -88.22028

Waterway: **Des Plaines River** Mile: 276 PWD: 72
Name: **Dow Chemical Co., Joliet Plant West Dock.**
Port: Illinois Waterway
Location: Mile 275.8, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of liquid chemicals.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.399722
Total Berthing Space (feet): 260 | | Longitude (decimal): -88.22028

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 276 PWD: 72

Name: **Dow Chemical Co., Joliet Plant West Dock.**

Port: Illinois Waterway

Location: Mile 275.8, left bank, Des Plaines River, Channahon. Datum: NPE

Operator: Dow Chemical Co., Dow U.S.A.

Owner: Dow Chemical Co., Dow U.S.A.

Address: Phone: 815/423-2720

Town: Channahon State: IL County: Will

Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.

Purpose: Receipt of liquid chemicals.

Depth Alongside (feet): 11 | | Latitude (decimal): 41.399722

Total Berthing Space (feet): 260 | | Longitude (decimal): -88.22028

Remarks: Four 8-inch pipelines extend from wharf to 11 steel storage tanks at plant in rear, total capacity approximately 8,184,000 gallons. Face of wharf is in line with Ref. No. 73, providing a total of 750 feet of con

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: Four 8-inch pipelines extend from wharf to 11 steel storage tanks at plant in rear, total capacity approximately 8,184,000 gallons. Face of wharf is in line with Ref. No. 73, providing a total of 750 feet of con

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: Four 8-inch pipelines extend from wharf to 11 steel storage tanks at plant in rear, total capacity approximately 8,184,000 gallons. Face of wharf is in line with Ref. No. 73, providing a total of 750 feet of con

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: Four 8-inch pipelines extend from wharf to 11 steel storage tanks at plant in rear, total capacity approximately 8,184,000 gallons. Face of wharf is in line with Ref. No. 73, providing a total of 750 feet of con

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 276 PWD: 72
Name: **Dow Chemical Co., Joliet Plant West Dock.**
Port: Illinois Waterway
Location: Mile 275.8, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of liquid chemicals.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.399722
Total Berthing Space (feet): 260 | | Longitude (decimal): -88.22028

Waterway: **Des Plaines River** Mile: 276 PWD: 72
Name: **Dow Chemical Co., Joliet Plant West Dock.**
Port: Illinois Waterway
Location: Mile 275.8, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of liquid chemicals.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.399722
Total Berthing Space (feet): 260 | | Longitude (decimal): -88.22028

Waterway: **Des Plaines River** Mile: 276 PWD: 72
Name: **Dow Chemical Co., Joliet Plant West Dock.**
Port: Illinois Waterway
Location: Mile 275.8, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of liquid chemicals.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.399722
Total Berthing Space (feet): 260 | | Longitude (decimal): -88.22028

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 276 PWD: 72
Name: **Dow Chemical Co., Joliet Plant West Dock.**
Port: Illinois Waterway
Location: Mile 275.8, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of liquid chemicals.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.399722
Total Berthing Space (feet): 260 | | Longitude (decimal): -88.22028
Remarks: Four 8-inch pipelines extend from wharf to 11 steel storage tanks at plant in rear, total capacity approximately 8,184,000 gallons. Face of wharf is in line with Ref. No. 73, providing a total of 750 feet of con

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: Four 8-inch pipelines extend from wharf to 11 steel storage tanks at plant in rear, total capacity approximately 8,184,000 gallons. Face of wharf is in line with Ref. No. 73, providing a total of 750 feet of con

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: Four 8-inch pipelines extend from wharf to 11 steel storage tanks at plant in rear, total capacity approximately 8,184,000 gallons. Face of wharf is in line with Ref. No. 73, providing a total of 750 feet of con

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: Four 8-inch pipelines extend from wharf to 11 steel storage tanks at plant in rear, total capacity approximately 8,184,000 gallons. Face of wharf is in line with Ref. No. 73, providing a total of 750 feet of con

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 276 PWD: 72
Name: **Dow Chemical Co., Joliet Plant West Dock.**
Port: Illinois Waterway
Location: Mile 275.8, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of liquid chemicals.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.399722
Total Berthing Space (feet): 260 | | Longitude (decimal): -88.22028

Waterway: **Des Plaines River** Mile: 276 PWD: 72
Name: **Dow Chemical Co., Joliet Plant West Dock.**
Port: Illinois Waterway
Location: Mile 275.8, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of liquid chemicals.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.399722
Total Berthing Space (feet): 260 | | Longitude (decimal): -88.22028

Waterway: **Des Plaines River** Mile: 276 PWD: 72
Name: **Dow Chemical Co., Joliet Plant West Dock.**
Port: Illinois Waterway
Location: Mile 275.8, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of liquid chemicals.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.399722
Total Berthing Space (feet): 260 | | Longitude (decimal): -88.22028

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 276 PWD: 72

Name: **Dow Chemical Co., Joliet Plant West Dock.**

Port: Illinois Waterway

Location: Mile 275.8, left bank, Des Plaines River, Channahon. Datum: NPE

Operator: Dow Chemical Co., Dow U.S.A.

Owner: Dow Chemical Co., Dow U.S.A.

Address: Phone: 815/423-2720

Town: Channahon State: IL County: Will

Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.

Purpose: Receipt of liquid chemicals.

Depth Alongside (feet): 11 | | Latitude (decimal): 41.399722

Total Berthing Space (feet): 260 | | Longitude (decimal): -88.22028

Remarks: Four 8-inch pipelines extend from wharf to 11 steel storage tanks at plant in rear, total capacity approximately 8,184,000 gallons. Face of wharf is in line with Ref. No. 73, providing a total of 750 feet of con

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: Four 8-inch pipelines extend from wharf to 11 steel storage tanks at plant in rear, total capacity approximately 8,184,000 gallons. Face of wharf is in line with Ref. No. 73, providing a total of 750 feet of con

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: Four 8-inch pipelines extend from wharf to 11 steel storage tanks at plant in rear, total capacity approximately 8,184,000 gallons. Face of wharf is in line with Ref. No. 73, providing a total of 750 feet of con

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: Four 8-inch pipelines extend from wharf to 11 steel storage tanks at plant in rear, total capacity approximately 8,184,000 gallons. Face of wharf is in line with Ref. No. 73, providing a total of 750 feet of con

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 276 PWD: 72
Name: **Dow Chemical Co., Joliet Plant West Dock.**
Port: Illinois Waterway
Location: Mile 275.8, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of liquid chemicals.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.399722
Total Berthing Space (feet): 260 | | Longitude (decimal): -88.22028

Waterway: **Des Plaines River** Mile: 276 PWD: 72
Name: **Dow Chemical Co., Joliet Plant West Dock.**
Port: Illinois Waterway
Location: Mile 275.8, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of liquid chemicals.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.399722
Total Berthing Space (feet): 260 | | Longitude (decimal): -88.22028

Waterway: **Des Plaines River** Mile: 276 PWD: 72
Name: **Dow Chemical Co., Joliet Plant West Dock.**
Port: Illinois Waterway
Location: Mile 275.8, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Dow Chemical Co., Dow U.S.A.
Owner: Dow Chemical Co., Dow U.S.A.
Address: Phone: 815/423-2720
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of liquid chemicals.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.399722
Total Berthing Space (feet): 260 | | Longitude (decimal): -88.22028

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 276 PWD: 72

Name: **Dow Chemical Co., Joliet Plant West Dock.**

Port: Illinois Waterway

Location: Mile 275.8, left bank, Des Plaines River, Channahon. Datum: NPE

Operator: Dow Chemical Co., Dow U.S.A.

Owner: Dow Chemical Co., Dow U.S.A.

Address: Phone: 815/423-2720

Town: Channahon State: IL County: Will

Railway Connection: Four surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.

Purpose: Receipt of liquid chemicals.

Depth Alongside (feet): 11 | | Latitude (decimal): 41.399722

Total Berthing Space (feet): 260 | | Longitude (decimal): -88.22028

Remarks: Four 8-inch pipelines extend from wharf to 11 steel storage tanks at plant in rear, total capacity approximately 8,184,000 gallons. Face of wharf is in line with Ref. No. 73, providing a total of 750 feet of con

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: Four 8-inch pipelines extend from wharf to 11 steel storage tanks at plant in rear, total capacity approximately 8,184,000 gallons. Face of wharf is in line with Ref. No. 73, providing a total of 750 feet of con

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: Four 8-inch pipelines extend from wharf to 11 steel storage tanks at plant in rear, total capacity approximately 8,184,000 gallons. Face of wharf is in line with Ref. No. 73, providing a total of 750 feet of con

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: Four 8-inch pipelines extend from wharf to 11 steel storage tanks at plant in rear, total capacity approximately 8,184,000 gallons. Face of wharf is in line with Ref. No. 73, providing a total of 750 feet of con

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 276 PWD: 75
Name: **Van Den Bergh Foods Co., Joliet Plant Dock.**
Port: Illinois Waterway
Location: Mile 276.4, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Van Den Bergh Foods Co.
Owner: Van Den Bergh Foods Co.
Address: Durkee Road. Phone: 815-425-5511ext
Town: Channahon State: IL County: Will
Railway Connection: Seven surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of vegetable oil.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.408611
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.21472

Waterway: **Des Plaines River** Mile: 276 PWD: 75
Name: **Van Den Bergh Foods Co., Joliet Plant Dock.**
Port: Illinois Waterway
Location: Mile 276.4, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Van Den Bergh Foods Co.
Owner: Van Den Bergh Foods Co.
Address: Durkee Road. Phone: 815-425-5511ext
Town: Channahon State: IL County: Will
Railway Connection: Seven surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of vegetable oil.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.408611
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.21472

Waterway: **Des Plaines River** Mile: 276 PWD: 75
Name: **Van Den Bergh Foods Co., Joliet Plant Dock.**
Port: Illinois Waterway
Location: Mile 276.4, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Van Den Bergh Foods Co.
Owner: Van Den Bergh Foods Co.
Address: Durkee Road. Phone: 815-425-5511ext
Town: Channahon State: IL County: Will
Railway Connection: Seven surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of vegetable oil.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.408611
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.21472

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 276 PWD: 75

Name: **Van Den Bergh Foods Co., Joliet Plant Dock.**

Port: Illinois Waterway

Location: Mile 276.4, left bank, Des Plaines River, Channahon. Datum: NPE

Operator: Van Den Bergh Foods Co.

Owner: Van Den Bergh Foods Co.

Address: Durkee Road. Phone: 815-425-5511ext

Town: Channahon State: IL County: Will

Railway Connection: Seven surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.

Purpose: Receipt of vegetable oil.

Depth Alongside (feet): 9 | | Latitude (decimal): 41.408611

Total Berthing Space (feet): 195 | | Longitude (decimal): -88.21472

Remarks: One 6-inch pipeline extends from wharf to 10 steel storage tanks at plant in rear, total capacity 2,600,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: One 6-inch pipeline extends from wharf to 10 steel storage tanks at plant in rear, total capacity 2,600,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: One 6-inch pipeline extends from wharf to 10 steel storage tanks at plant in rear, total capacity 2,600,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: One 6-inch pipeline extends from wharf to 10 steel storage tanks at plant in rear, total capacity 2,600,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 276 PWD: 75
Name: **Van Den Bergh Foods Co., Joliet Plant Dock.**
Port: Illinois Waterway
Location: Mile 276.4, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Van Den Bergh Foods Co.
Owner: Van Den Bergh Foods Co.
Address: Durkee Road. Phone: 815-425-5511ext
Town: Channahon State: IL County: Will
Railway Connection: Seven surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of vegetable oil.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.408611
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.21472

Waterway: **Des Plaines River** Mile: 276 PWD: 75
Name: **Van Den Bergh Foods Co., Joliet Plant Dock.**
Port: Illinois Waterway
Location: Mile 276.4, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Van Den Bergh Foods Co.
Owner: Van Den Bergh Foods Co.
Address: Durkee Road. Phone: 815-425-5511ext
Town: Channahon State: IL County: Will
Railway Connection: Seven surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of vegetable oil.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.408611
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.21472

Waterway: **Des Plaines River** Mile: 276 PWD: 75
Name: **Van Den Bergh Foods Co., Joliet Plant Dock.**
Port: Illinois Waterway
Location: Mile 276.4, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Van Den Bergh Foods Co.
Owner: Van Den Bergh Foods Co.
Address: Durkee Road. Phone: 815-425-5511ext
Town: Channahon State: IL County: Will
Railway Connection: Seven surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of vegetable oil.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.408611
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.21472

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 276 PWD: 75

Name: **Van Den Bergh Foods Co., Joliet Plant Dock.**

Port: Illinois Waterway

Location: Mile 276.4, left bank, Des Plaines River, Channahon. Datum: NPE

Operator: Van Den Bergh Foods Co.

Owner: Van Den Bergh Foods Co.

Address: Durkee Road. Phone: 815-425-5511ext

Town: Channahon State: IL County: Will

Railway Connection: Seven surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.

Purpose: Receipt of vegetable oil.

Depth Alongside (feet): 9 | | Latitude (decimal): 41.408611

Total Berthing Space (feet): 195 | | Longitude (decimal): -88.21472

Remarks: One 6-inch pipeline extends from wharf to 10 steel storage tanks at plant in rear, total capacity 2,600,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: One 6-inch pipeline extends from wharf to 10 steel storage tanks at plant in rear, total capacity 2,600,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: One 6-inch pipeline extends from wharf to 10 steel storage tanks at plant in rear, total capacity 2,600,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: One 6-inch pipeline extends from wharf to 10 steel storage tanks at plant in rear, total capacity 2,600,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 276 PWD: 75
Name: **Van Den Bergh Foods Co., Joliet Plant Dock.**
Port: Illinois Waterway
Location: Mile 276.4, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Van Den Bergh Foods Co.
Owner: Van Den Bergh Foods Co.
Address: Durkee Road. Phone: 815-425-5511ext
Town: Channahon State: IL County: Will
Railway Connection: Seven surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of vegetable oil.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.408611
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.21472

Waterway: **Des Plaines River** Mile: 276 PWD: 75
Name: **Van Den Bergh Foods Co., Joliet Plant Dock.**
Port: Illinois Waterway
Location: Mile 276.4, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Van Den Bergh Foods Co.
Owner: Van Den Bergh Foods Co.
Address: Durkee Road. Phone: 815-425-5511ext
Town: Channahon State: IL County: Will
Railway Connection: Seven surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of vegetable oil.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.408611
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.21472

Waterway: **Des Plaines River** Mile: 276 PWD: 75
Name: **Van Den Bergh Foods Co., Joliet Plant Dock.**
Port: Illinois Waterway
Location: Mile 276.4, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Van Den Bergh Foods Co.
Owner: Van Den Bergh Foods Co.
Address: Durkee Road. Phone: 815-425-5511ext
Town: Channahon State: IL County: Will
Railway Connection: Seven surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of vegetable oil.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.408611
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.21472

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 276 PWD: 75

Name: **Van Den Bergh Foods Co., Joliet Plant Dock.**

Port: Illinois Waterway

Location: Mile 276.4, left bank, Des Plaines River, Channahon. Datum: NPE

Operator: Van Den Bergh Foods Co.

Owner: Van Den Bergh Foods Co.

Address: Durkee Road. Phone: 815-425-5511ext

Town: Channahon State: IL County: Will

Railway Connection: Seven surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.

Purpose: Receipt of vegetable oil.

Depth Alongside (feet): 9 | | Latitude (decimal): 41.408611

Total Berthing Space (feet): 195 | | Longitude (decimal): -88.21472

Remarks: One 6-inch pipeline extends from wharf to 10 steel storage tanks at plant in rear, total capacity 2,600,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: One 6-inch pipeline extends from wharf to 10 steel storage tanks at plant in rear, total capacity 2,600,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: One 6-inch pipeline extends from wharf to 10 steel storage tanks at plant in rear, total capacity 2,600,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: One 6-inch pipeline extends from wharf to 10 steel storage tanks at plant in rear, total capacity 2,600,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 276 PWD: 75
Name: **Van Den Bergh Foods Co., Joliet Plant Dock.**
Port: Illinois Waterway
Location: Mile 276.4, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Van Den Bergh Foods Co.
Owner: Van Den Bergh Foods Co.
Address: Durkee Road. Phone: 815-425-5511ext
Town: Channahon State: IL County: Will
Railway Connection: Seven surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of vegetable oil.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.408611
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.21472

Waterway: **Des Plaines River** Mile: 276 PWD: 75
Name: **Van Den Bergh Foods Co., Joliet Plant Dock.**
Port: Illinois Waterway
Location: Mile 276.4, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Van Den Bergh Foods Co.
Owner: Van Den Bergh Foods Co.
Address: Durkee Road. Phone: 815-425-5511ext
Town: Channahon State: IL County: Will
Railway Connection: Seven surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of vegetable oil.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.408611
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.21472

Waterway: **Des Plaines River** Mile: 276 PWD: 75
Name: **Van Den Bergh Foods Co., Joliet Plant Dock.**
Port: Illinois Waterway
Location: Mile 276.4, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Van Den Bergh Foods Co.
Owner: Van Den Bergh Foods Co.
Address: Durkee Road. Phone: 815-425-5511ext
Town: Channahon State: IL County: Will
Railway Connection: Seven surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.
Purpose: Receipt of vegetable oil.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.408611
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.21472

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 276 PWD: 75

Name: **Van Den Bergh Foods Co., Joliet Plant Dock.**

Port: Illinois Waterway

Location: Mile 276.4, left bank, Des Plaines River, Channahon. Datum: NPE

Operator: Van Den Bergh Foods Co.

Owner: Van Den Bergh Foods Co.

Address: Durkee Road. Phone: 815-425-5511ext

Town: Channahon State: IL County: Will

Railway Connection: Seven surface tracks serving plant in rear connect with Atchison Topeka and Santa Fe Railway.

Purpose: Receipt of vegetable oil.

Depth Alongside (feet): 9 | | Latitude (decimal): 41.408611

Total Berthing Space (feet): 195 | | Longitude (decimal): -88.21472

Remarks: One 6-inch pipeline extends from wharf to 10 steel storage tanks at plant in rear, total capacity 2,600,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: One 6-inch pipeline extends from wharf to 10 steel storage tanks at plant in rear, total capacity 2,600,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: One 6-inch pipeline extends from wharf to 10 steel storage tanks at plant in rear, total capacity 2,600,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Remarks: One 6-inch pipeline extends from wharf to 10 steel storage tanks at plant in rear, total capacity 2,600,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77276 Rock Island District

---

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 278 PWD: 78
Name: **Mobil Oil Corp., Joliet Refinery Dock.**
Port: Illinois Waterway
Location: Mile 278.0, left bank, Des Plaines River, Channahon. Datum: NPE
Operator: Mobil Oil Corp.
Owner: Mobil Oil Corp.
Address: Smith Bridge Road. Phone: 815/423-5571
Town: Channahon State: IL County: Will
Railway Connection: Plant trackage in rear connects with Atchison Topeka and Santa Fe Railway and Illinois Central Gulf Railroad.
Purpose: Shipment of petroleum coke; receipt and shipment of petroleum products, petrochemicals, and spent caustic soda.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.421389
Total Berthing Space (feet): 1270 | | Longitude (decimal): -88.1925
Remarks: Open storage area at refinery in rear has capacity for 25,000-tons of petroleum coke. Six 10- and one 8-inch pipelines extend to wharf from 15 petroleum products or petrochemicals storage tanks, total capacity a 1,800,000 barrels; one 3-inch pipeline extends to wharf from one 15,000-barrel spent caustic soda tank; one 6-inch pipeline extends to one 5,000-barrel ballast tank and one 6-inch steam and one 2-inch condensate pipelserve wharf.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77278 Rock Island District

---

Waterway: **Des Plaines River** Mile: 278 PWD: 92
Name: **Spivey Marine & Harbor Service Co., Channahon Terminal Slip.**
Port: Illinois Waterway
Location: Mile 277.7, right bank, Des Plaines River, Channahon. Datum: NPE
Operator: Spivey Marine & Harbor Service Co. and Spivey Industries, Inc.
Owner: Spivey Industries, Inc.
Address: Phone: 815/467-9702
Town: Channahon State: IL County: Will
Railway Connection: None.
Purpose: Receipt of liquid fertilizer, steel products and miscellaneous dry bulk materials including coal, fertilizer, sand, and gravel; mooring company-owned fleeting equipment for maintenance and repair.
Depth Alongside (feet): 6 | 6 - 8 | 9 Latitude (decimal): 41.421389
Total Berthing Space (feet): | | 200 Longitude (decimal): -88.19806
Remarks: One 6-inch pipeline extends from lower river face to two liquid fertilizer storage tanks at rear, total capacity 500,000 gallons total. Approximately 14 acres of open storage area is located at rear for dry bulk products. One 1,200-ton, floating drydock is moored at upper side of slip. Spivey Marine & Harbor Service Co. operates fleeting areas with shore moorings at the following locations:□Fleet Bank Miles Width Barge□
(Barges) CapacityOffice Right 277.8-280.2 4 20□Brandon Right
286.5-286.9 8 80□Hunting Lodge Right 281.2-282.0 3 5

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77277 Rock Island District

---

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 279 PWD: 91
Name: **Illinois Marine Towing, Lemont Slip.**
Port: Illinois Waterway
Location: Mile 278.6, right bank, Des Plaines River, Channahon. Datum: NPE
Operator: Illinois Marine Towing, Inc.
Owner: John Vick.
Address: Bluff Road. Phone: 708/257-3400
Town: Channahon State: IL County: Will
Railway Connection: None.
Purpose: Receipt of petroleum coke; mooring barges for fleeting.
Depth Alongside (feet): 5 - 12 | 12 | 5 Latitude (decimal): 41.428889
Total Berthing Space (feet): | 400 | Longitude (decimal): -88.18361
Remarks: Approximately 25 acres of open storage area is located at rear. Stone quarry located in rear is operated by Meyer Material Co.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77277 Rock Island District

---

Waterway: **Des Plaines River** Mile: 280 PWD: 90
Name: **Amoco Chemical Co., Joliet Plant Dock.**
Port: Illinois Waterway
Location: Mile 280.3, right bank, Des Plaines River, Channahon. Datum: NPE
Operator: Amoco Chemical Co., subsidiary of Amoco Corporation.
Owner: Amoco Chemical Co., subsidiary of Amoco Corporation.
Address: Olin Road. Phone: 815-467-3315
Town: Channahon State: IL County: Will
Railway Connection: Four surface tracks serves plant in rear; connect with CSX Rail Transport, Inc.
Purpose: Receipt of feedstocks (metaxylene, styrene monomer, and psuedocumene).
Depth Alongside (feet): 10 | | Latitude (decimal): 41.448611
Total Berthing Space (feet): 540 | | Longitude (decimal): -88.1675
Remarks: Three 6-inch pipelines extend from wharf to eight feedstock storage tanks, total capacity 8,800,000 gallons. One 1 1/2-inch steam line serves wharf.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77280 Rock Island District

---

Waterway: **Des Plaines River** Mile: 281 PWD: 87
Name: **Canal Barge Co., Channahon Asphalt Terminal Dock.**
Port: Illinois Waterway
Location: Mile 281.3, right bank, Des Plaines River, Channahon. Datum: NPE
Operator: Canal Barge Co., Inc.
Owner: Canal Barge Co., Inc.
Address: South Youngs Road. Phone: 815/467-2502
Town: Channahon State: IL County: Will
Railway Connection: One surface track serves terminal in rear; connects with CSX Rail Transport, Inc.
Purpose: Receipt of asphalt.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.462222
Total Berthing Space (feet): 330 | | Longitude (decimal): -88.17111
Remarks: One 12-inch pipeline with connection on each outer cell extends to three steel storage tanks at rear, total capacity 105,000 barrels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77283 Rock Island District

---

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 285 PWD: 81
Name: **Commonwealth Edison Co., Joliet Generating Station No.9, Coal Doc**
Port: Illinois Waterway
Location: Mile 285.0, left bank, Des Plaines River, Joliet. Datum: NPE
Operator: Not operated.
Owner: Commonwealth Edison Co.
Address: Patterson Road. Phone: 815/722-8900 ex
Town: Joliet State: IL County: Will
Railway Connection: One surface track serves rotary car dumper in rear, rate 30 cars per hour; connects with Illinois Central Gulf Railroad.
Purpose: Not used.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.495556
Total Berthing Space (feet): 1680 | | Longitude (decimal): -88.07417
Remarks: Open storage area at plant has capacity for 650,000 tons of coal. Coal is received by rail and transported via 54-inch, electric belt conveyor to a 1,250,000-ton-capacity open storage area at company's Plant No. side of river.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77285 Rock Island District

---

Waterway: **Des Plaines River** Mile: 285 PWD: 80
Name: **Olin Corp., Joliet Plant Dock.**
Port: Illinois Waterway
Location: Mile 284.5, left bank, Des Plaines River, Joliet. Datum: NPE
Operator: Not operated.
Owner: Olin Corp.
Address: Patterson Road. Phone: 815/727-4901
Town: Joliet State: IL County: Will
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 14 | | Latitude (decimal): 41.490278
Total Berthing Space (feet): 880 | | Longitude (decimal): -88.08222
Remarks: Open storage at plant in rear has capacity for 3,200 tons of coal. Plant was inactive at time of survey.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77284 Rock Island District

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 287 PWD: 85
Name: **Barge Terminal Trucking, Joliet Terminal Dock.**
Port: Illinois Waterway
Location: Mile 287.0, right bank, Des Plaines River, Joliet. Datum: NPE
Operator: Barge Terminal Trucking, Inc.
Owner: C. B. Construction.
Address: 504 Railroad Street. Phone: 312/376-7788
Town: Joliet State: IL County: Will
Railway Connection: CSX Rail Transport, Inc.: surface trackage is located along Railroad Street.
Purpose: Receipt of salt.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.512778
Total Berthing Space (feet): 1000 | | Longitude (decimal): -88.09167
Remarks: Approximately 1 1/2 acres of open storage area with capacity for 60,000 tons of salt is located on upper side; area is 3feet below top of wall. One 20,000-square foot building at rear which was fermerly used as was for sale at time of survey.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77287 Rock Island District

---

Waterway: **Des Plaines River** Mile: 287 PWD: 83
Name: **Scrap Service Co., Joliet Dock.**
Port: Illinois Waterway
Location: Mile 287.4, right bank, Des Plaines River, Joliet. Datum: NPE
Operator: Scrap Service Co.
Owner: Scrap Service Co.
Address: 320 Railroad Street. Phone: 815/723-3311
Town: Joliet State: IL County: Will
Railway Connection: Two marginal tracks along rear of face connect with CSX Rail Transport, Inc.
Purpose: Receipt and shipment of scrap metal.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.518056
Total Berthing Space (feet): 1300 | | Longitude (decimal): -88.08861
Remarks: Scrap metal processing plant and open storage area for 50,000 tons area located at rear.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77287 Rock Island District

Port Facilities by Waterway

Waterway: **Des Plaines River** Mile: 289 PWD: 82
Name: **Joliet Marine & Dry Dock.**
Port: Illinois Waterway
Location: Mile 288.6, left bank, Des Plaines River, Joliet. Datum: NPE
Operator: Joliet Marine & Drydock, Inc.
Owner: Joliet Marine & Drydock, Inc.
Address: 529 North Chicago Street. Phone: 815/726-4478
Town: Joliet State: IL County: Will
Railway Connection: None.
Purpose: Mooring and repairing floating equipment and barges.
Depth Alongside (feet): - 8 | | 9 Latitude (decimal): 41.533889
Total Berthing Space (feet): 1100 | | 1800 Longitude (decimal): -88.08306
Remarks: Office boat 'Alexander McKenzie' is permanently moored at head of slip. One 450-ton, floating drydock is moored adjacent to office boat. One 200-ton, floating drydock is moored near outer end of slip. Addition berthing space for barges is available at north yard along concrete floodwall with solid fill.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77288 Rock Island District

---

Waterway: **Illinois River** Mile: 119 PWD: 16
Name: **Illinois Power Co., Havana Power Station Wharf.**
Port: Illinois Waterway
Location: Mile 118.6, left bank, Illinois River, Havana. Datum: NPE
Operator: Illinois Power Co.
Owner: Illinois Power Co.
Address: Phone: 309/543-2227
Town: Havana State: IL County: Mason
Railway Connection: Three surface tracks serving plant in rear and connecting with Chicago and Illinois Midland Railway were not in use at time of survey.
Purpose: Receipt of coal and fuel oil.
Depth Alongside (feet): 7 - 9 | | 7 Latitude (decimal): 40.278889
Total Berthing Space (feet): 2050 | | 195 Longitude (decimal): -90.08167
Remarks: Open storage area at rear has capacity for 120,000 tons of coal (30,000 tons active storage). One 12-inch pipeline extends from oil float to 3 steel storage tanks at power station in rear, total capacity 260,000

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77118 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 119 PWD: 17
Name: **Imperial Valley Terminal, Havana Dock.**
Port: Illinois Waterway
Location: Mile 119.0, left bank, Illinois River, Havana. Datum: NPE
Operator: Imperial Valley Terminal.
Owner: Imperial Valley Terminal.
Address: State Highway 78 South. Phone: 309/543-2600
Town: Havana State: IL County: Mason
Railway Connection: None.
Purpose: Receipt of liquid fertilizer.
Depth Alongside (feet): 6 | | Latitude (decimal): 40.285556
Total Berthing Space (feet): 320 | | Longitude (decimal): -90.07611
Remarks: One 6-inch pipeline extends from wharf to 2 steel storage tanks in rear, total capacity 1,200,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77119 Rock Island District

---

Waterway: **Illinois River** Mile: 119 PWD: 18
Name: **Tabor Grain Co., Havana Terminal Dock.**
Port: Illinois Waterway
Location: Mile 119.2, left bank, Illinois River, Havana. Datum: NPE
Operator: Tabor Grain Co., a subsidiary of Archer Daniels Midland Co.
Owner: Tabor Grain Co., a subsidiary of Archer Daniels Midland Co.
Address: Foot of Tinkham Street. Phone: 309/543-2267
Town: Havana State: IL County: Mason
Railway Connection: None.
Purpose: Shipment of grain and vegetable oil; receipt of liquid fertilizer; receipt and shipment of miscellaneous bulk materials including fertilizer, salt, coal, and stone.
Depth Alongside (feet): 11 | | 11 Latitude (decimal): 40.290278
Total Berthing Space (feet): 700 | | Longitude (decimal): -90.07222
Remarks: One 8-inch pipeline extends from wharf to 6 liquid fertilizer storage tanks, total capacity 2,740,000 gallons. One 6-inch pipeline extends to wharf from 2 vegetable oil storage tanks, total capacity 420,000 gall rear consisting of 3 concrete silos has capacity for 150,000 bushels. Approximately 25 acres of open storage area are available for miscellaneous bulk materials.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77119 Rock Island District

---

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 120 PWD: 19
Name: **ADM/Growmark River System, Havana Grain Elevator Wharf.**
Port: Illinois Waterway
Location: Mile 119.7, left bank, Illinois River, Havana. Datum: NPE
Operator: ADM/Growmark River System, Inc., a subsidiary of Archer Daniels Midland Co.
Owner: Archer Daniels Midland Co.
Address: 500 South Water Street. Phone: 309/543-3392
Town: Havana State: IL County: Mason
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.295278
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.06778
Remarks: Grain elevator at rear consisting of 4 concrete silos and one steel tank, has capacity for 650,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77119 Rock Island District

---

Waterway: **Illinois River** Mile: 120 PWD: 21
Name: **Cargill, Havana Grain Elevator Dock.**
Port: Illinois Waterway
Location: Mile 119.9, left bank, Illinois River, Havana. Datum: NPE
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 214 S. Water Street. Phone: 309/543-4421
Town: Havana State: IL County: Mason
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.298056
Total Berthing Space (feet): 550 | | Longitude (decimal): -90.06694
Remarks: Grain elevator at rear consisting of 10 steel tanks has capacity for 550,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77119 Rock Island District

---

Waterway: **Illinois River** Mile: 120 PWD: 20
Name: **Continental Grain Co., Havana Grain Elevator Dock.**
Port: Illinois Waterway
Location: Mile 119.8, left bank, Illinois River, Havana. Datum: NPE
Operator: Continental Grain Co.
Owner: Continental Grain Co.
Address: 310 S. Water Street. Phone: 309/543-3351
Town: Havana State: IL County: Mason
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.296944
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.06694
Remarks: Grain elevator at rear consisting of 8 concrete silos with 9 interstices has capacity for 225,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77119 Rock Island District

---

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 120 PWD: 154
Name: **Jack Tanner Towing Co., Coggeshall Fleet Mooring.**
Port: Illinois Waterway
Location: Mile 127.1, right bank, Illinois River, Havana. Datum: NPE
Operator: Jack Tanner Towing Co., Inc.
Owner: Jack Tanner Towing Co., Inc.
Address: Phone: 309/543-3156
Town: Havana State: IL County: Fulton
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 6 - 8 | | Latitude (decimal): 40.283333
Total Berthing Space (feet): 130 | | Longitude (decimal): -90.08139
Remarks: Fleeting area has capacity for 130 barges arranged in tiers 3 and 4 barges wide. Company office is located at 801 South Eleventh Street in Havana on opposite bank.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77120 Rock Island District

---

Waterway: **Illinois River** Mile: 121 PWD: 22
Name: **Commonwealth Edison Co., Havana Coal Transfer Plant Dock.**
Port: Illinois Waterway
Location: Mile 120.9, left bank, Illinois River, Havana. Datum: NPE
Operator: Chicago & Illinois Midland Railway Co.
Owner: Commonwealth Edison Co.
Address: Phone: 309/543-2285
Town: Havana State: IL County: Mason
Railway Connection: Chicago & Illinois Midland Railway: Four surface tracks, capacity 100 loaded and 100 empty cars serve rotary dumper, rate 30 cars per hour, and three additional seldom used surface storage tanks.
Purpose: Shipment of coal.
Depth Alongside (feet): 12 | | 9 - 12 Latitude (decimal): 40.312778
Total Berthing Space (feet): 1560 | | 21 Longitude (decimal): -90.065
Remarks: Open storage area at rear has capacity for 150,000 tons of coal, and is served by a 60-inch, electric belt conveyor from rotary dumper, rate 2,000 tons per hour. Breasting dolphins have capacity for 25 empty and arranged in tiers, 3 to 4 barges wide.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77120 Rock Island District

---

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 127 PWD: 153
Name: **Delmar Marine, Inc., Barge Unloading Dock.**
Port: Illinois Waterway
Location: Mile 127.1, right bank, Illinois River, Liverpool. Datum: NPE
Operator: 2 operators.
Owner: Delmar Marine, Inc.
Address: Phone: 708/972-1244
Town: Liverpool State: IL County: Fulton
Railway Connection: None.
Purpose: Shipment of sand and gravel; receipt of sludge.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.383611
Total Berthing Space (feet): 856 | | Longitude (decimal): -90.01361
Remarks: Wharf was formerly used for receipt of liquid sludge. One 20-inch pipeline extends from wharf to one 1,000,000-gallon-capacity surge tank at rear. One 20-inch pipeline extends from tank to the Prairie Plan Proj approximately 11 miles north near Canton, Illinois.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77127 Rock Island District

---

Waterway: **Illinois River** Mile: 140 PWD: 152
Name: **State of Illinois Banner Dock.**
Port: Illinois Waterway
Location: Mile 140.2, right bank, Illinois River, Banner. Datum: NPE
Operator: Not operated.
Owner: State of Illinois, Department of Conservation.
Address: Phone:
Town: Banner State: IL County: Fulton
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.518611
Total Berthing Space (feet): 1330 | | Longitude (decimal): -89.86361
Remarks: Facility was formerly used for shipment of coal from strip mine and processing plant at rear.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77140 Rock Island District

---

Waterway: **Illinois River** Mile: 145 PWD: 151
Name: **CF Industries, Inc., Kingston Mines Terminal Dock.**
Port: Illinois Waterway
Location: Mile 145.4, right bank, Illinois River, Kingston Mines. Datum: NPE
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: Phone: 309/389-5676
Town: Kingston Mines State: IL County: Peoria
Railway Connection: None.
Purpose: Receipt and shipment of anhydrous ammonia and 32% urea ammonium nitrate solution.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.553611
Total Berthing Space (feet): 600 | | Longitude (decimal): -89.77694
Remarks: One 10-inch pipeline extends from cell to 2 anhydrous ammonia storage tanks at rear, total capacity 40,000 tons; one 8-inch pipeline to 2 urea ammonium nitrate storage tanks, 7,000-ton capacity.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77145 Rock Island District

---

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 147 PWD: 148

Name: **CF Industries, Peoria Warehouse Coal Dock.**

Port: Illinois Waterway

Location: Mile 147.0, right bank, Illinois River, Mapleton. Datum: NPE

Operator: CF Industries, Inc.

Owner: CF Industries, Inc.

Address: Terminal Road Phone: 309/697-3994

Town: Mapleton State: IL County: Peoria

Railway Connection: None.

Purpose: Occasional receipt of coal.

Depth Alongside (feet): 9 | | Latitude (decimal): 40.554167

Total Berthing Space (feet): 195 | | Longitude (decimal): -89.74472

Remarks: Slip is 1,300 feet long and 150 feet wide. Open storage area at rear served by 2 traveling stackers along upper end has capacity for 35,000 tons. Coal is consumed by nearby Caterpillar Tractor Co.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77146 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 147 PWD: 149
Name: **CF Industries, Peoria Warehouse No. 1 Dock.**
Port: Illinois Waterway
Location: Mile 146.7, right bank, Illinois River, Mapleton. Datum: NPE
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: Terminal Road Phone: 309/697-3994
Town: Mapleton State: IL County: Peoria
Railway Connection: Two surface tracks, each served by a loading spout in car shed at rear connect with Toledo, Peoria and Western Railway Corp.
Purpose: Receipt of dry bulk fertilizer.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.554444
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.74972

Waterway: **Illinois River** Mile: 147 PWD: 149
Name: **CF Industries, Peoria Warehouse No. 1 Dock.**
Port: Illinois Waterway
Location: Mile 146.7, right bank, Illinois River, Mapleton. Datum: NPE
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: Terminal Road Phone: 309/697-3994
Town: Mapleton State: IL County: Peoria
Railway Connection: Two surface tracks, each served by a loading spout in car shed at rear connect with Toledo, Peoria and Western Railway Corp.
Purpose: Receipt of dry bulk fertilizer.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.554444
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.74972

Remarks: Timber fertilizer storage building at rear has capacity for 40,000 tons. One 5-ton-capacity bridge crane has 75-foot span and travels 300 feet along upper end of slip, not in use at time of survey.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77146 Rock Island District

Remarks: Timber fertilizer storage building at rear has capacity for 40,000 tons. One 5-ton-capacity bridge crane has 75-foot span and travels 300 feet along upper end of slip, not in use at time of survey.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77146 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 147 PWD: 149
Name: **CF Industries, Peoria Warehouse No. 1 Dock.**
Port: Illinois Waterway
Location: Mile 146.7, right bank, Illinois River, Mapleton. Datum: NPE
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: Terminal Road Phone: 309/697-3994
Town: Mapleton State: IL County: Peoria
Railway Connection: Two surface tracks, each served by a loading spout in car shed at rear connect with Toledo, Peoria and Western Railway Corp.
Purpose: Receipt of dry bulk fertilizer.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.554444
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.74972

Waterway: **Illinois River** Mile: 147 PWD: 149
Name: **CF Industries, Peoria Warehouse No. 1 Dock.**
Port: Illinois Waterway
Location: Mile 146.7, right bank, Illinois River, Mapleton. Datum: NPE
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: Terminal Road Phone: 309/697-3994
Town: Mapleton State: IL County: Peoria
Railway Connection: Two surface tracks, each served by a loading spout in car shed at rear connect with Toledo, Peoria and Western Railway Corp.
Purpose: Receipt of dry bulk fertilizer.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.554444
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.74972

Remarks: Timber fertilizer storage building at rear has capacity for 40,000 tons. One 5-ton-capacity bridge crane has 75-foot span and travels 300 feet along upper end of slip, not in use at time of survey.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77146 Rock Island District

Remarks: Timber fertilizer storage building at rear has capacity for 40,000 tons. One 5-ton-capacity bridge crane has 75-foot span and travels 300 feet along upper end of slip, not in use at time of survey.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77146 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 147 PWD: 150
Name: **CF Industries, Peoria Warehouse No. 2 Dock.**
Port: Illinois Waterway
Location: Mile 146.7, right bank, Illinois River, Mapleton. Datum: NPE
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: Terminal Road Phone: 309/697-3994
Town: Mapleton State: IL County: Peoria
Railway Connection: Two surface tracks at rear served directly by loading spouts form conveyor system connect with
Purpose: Receipt of dry bulk fertilizer and coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.555278
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.75

Waterway: **Illinois River** Mile: 147 PWD: 150
Name: **CF Industries, Peoria Warehouse No. 2 Dock.**
Port: Illinois Waterway
Location: Mile 146.7, right bank, Illinois River, Mapleton. Datum: NPE
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: Terminal Road Phone: 309/697-3994
Town: Mapleton State: IL County: Peoria
Railway Connection: Two surface tracks at rear served directly by loading spouts form conveyor system connect with
Purpose: Receipt of dry bulk fertilizer and coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.555278
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.75
Remarks: Timber fertilizer storage building at rear has capacity for 20,000 tons of material.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77146 Rock Island District

Remarks: Timber fertilizer storage building at rear has capacity for 20,000 tons of material.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77146 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 147 PWD: 150
Name: **CF Industries, Peoria Warehouse No. 2 Dock.**
Port: Illinois Waterway
Location: Mile 146.7, right bank, Illinois River, Mapleton. Datum: NPE
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: Terminal Road Phone: 309/697-3994
Town: Mapleton State: IL County: Peoria
Railway Connection: Two surface tracks at rear served directly by loading spouts form conveyor system connect with
Purpose: Receipt of dry bulk fertilizer and coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.555278
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.75

Waterway: **Illinois River** Mile: 147 PWD: 150
Name: **CF Industries, Peoria Warehouse No. 2 Dock.**
Port: Illinois Waterway
Location: Mile 146.7, right bank, Illinois River, Mapleton. Datum: NPE
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: Terminal Road Phone: 309/697-3994
Town: Mapleton State: IL County: Peoria
Railway Connection: Two surface tracks at rear served directly by loading spouts form conveyor system connect with
Purpose: Receipt of dry bulk fertilizer and coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.555278
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.75
Remarks: Timber fertilizer storage building at rear has capacity for 20,000 tons of material.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77146 Rock Island District

Remarks: Timber fertilizer storage building at rear has capacity for 20,000 tons of material.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77146 Rock Island District

Waterway: **Illinois River** Mile: 149 PWD: 147
Name: **Louis Dreyfus Corp., Mapleton Plant Dock.**
Port: Illinois Waterway
Location: Mile 149.4, right bank, Illinois River, Mapleton. Datum: NPE
Operator: Louis Dreyfus Corp.
Owner: Louis Dreyfus Corp.
Address: 7232 West Wheeler Road Phone: 309/697-5820
Town: Mapleton State: IL County: Peoria
Railway Connection: Rail on west side, use rail receiving area and truck.
Purpose: Receipt of vegetable oil.
Depth Alongside (feet): 8 - 5 | | Latitude (decimal): 40.559444
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.70472
Remarks: Three 6-inch pipelines extend from wharf to 6 steel storage tanks in rear, total capacity 7,000,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77149 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 151 PWD: 25
Name: **Midwest Grain Products of Illinois, Pekin Wharf.**
Port: Illinois Waterway
Location: Mile 151.4, left bank, Illinois River, Pekin. Datum: NPE
Operator: Midwest Grain Products of Illinois, Inc.
Owner: Midwest Grain Products of Illinois, Inc.
Address: South Front Street. Phone: 309/353-3990
Town: Pekin State: IL County: Tazewell
Railway Connection: Trackage serving plant in rear; connects with Peoria and Pekin Union Railway.
Purpose: Shipment of alcohol and liquid and dry animal feed.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.556111
Total Berthing Space (feet): 360 | | Longitude (decimal): -89.67028
Remarks: Steel storage building and one concrete silo in rear have capacity for approximately 100,000 bushels. One 4-inch pipeline extends to float from truck station and 8 steel storage tanks at plant, total capacity 1, alcohol; alcohol is also shipped from nearby plant of Pekin Energy Co. through this pipeline.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77151 Rock Island District

---

Waterway: **Illinois River** Mile: 152 PWD: 26
Name: **Sours Grain Co., Pekin Grain Elevator Dock.**
Port: Illinois Waterway
Location: Mile 152.2, left bank, Illinois River, Pekin. Datum: NPE
Operator: Sours Grain Co.
Owner: Sours Grain Co.
Address: Lower Front Street. Phone: 309/347-3184
Town: Pekin State: IL County: Tazewell
Railway Connection: Two tracks serve undertrack pits, connect with Peoria and Pekin Union Railway.
Purpose: Shipment of grain and animal feed.
Depth Alongside (feet): 9 - 11 | | Latitude (decimal): 40.563611
Total Berthing Space (feet): 460 | | Longitude (decimal): -89.66111
Remarks: Grain elevator at rear consisting of 3 steel tanks and one concrete bin has capacity for 155,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77152 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 153 PWD: 27
Name: **Garvey Marine, Pekin Left Bank Fleet Mooring.**
Port: Illinois Waterway
Location: Mile 152.5, left bank, Illinois River, Pekin. Datum:
Operator: Garvey Marine, Inc.
Owner: Garvey Marine, Inc.
Address: 101 St. Mary Street. Phone: 309/353-3585
Town: Pekin State: IL County: Tazewell
Railway Connection: None.
Purpose: Mooring company-owned floating equipment; mooring barges for fleeting.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.566667
Total Berthing Space (feet): 100 | | Longitude (decimal): -89.6575
Remarks: Dispatch office is located at 101 St. Mary Street. Additional fleeting areas are available with shore moorings at the following locations: Fleet Bank Miles Width Barge (Barges) Capacity Whiskey Left 151.2-151.6 2 14 G Left 152.0-152.5 3 18

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77152 Rock Island District

---

Waterway: **Illinois River** Mile: 153 PWD: 30
Name: **Louis Dreyfus, Pekin Grain Elevator North Dock.**
Port: Illinois Waterway
Location: Mile 152.8, left bank, Illinois River, Pekin. Datum: NPE
Operator: Louis Dreyfus Corp.
Owner: Louis Dreyfus Corp.
Address: 101 St. Mary Street. Phone: 309/346-2123
Town: Pekin State: IL County: Tazewell
Railway Connection: Two surface tracks serve 2 undertrack pits and one loading spout; connect with Peoria and Pekin Union Railway.
Purpose: Shipment of grain.
Depth Alongside (feet): 9 - 5 | | Latitude (decimal): 40.571111
Total Berthing Space (feet): 425 | | Longitude (decimal): -89.65389
Remarks: Grain elevator at rear consisting of 8 concrete silos, 10 interstices, and 4 steel tanks has total capacity for 360,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77152 Rock Island District

---

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 153 PWD: 28
Name: **Louis Dreyfus, Pekin Grain Elevator South Dock.**
Port: Illinois Waterway
Location: Mile 152.6, left bank, Illinois River, Pekin. Datum: NPE
Operator: Louis Dreyfus Corp.
Owner: Louis Dreyfus Corp.
Address: 101 St. Mary Street. Phone: 309/346-2123
Town: Pekin State: IL County: Tazewell
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.568611
Total Berthing Space (feet): 500 | | Longitude (decimal): -89.65556
Remarks: Grain elevator at rear consisting of 9 concrete silos has capacity for 550,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77152 Rock Island District

---

Waterway: **Illinois River** Mile: 153 PWD: 29
Name: **Mississippi River Grain, Pekin Grain Elevator Dock.**
Port: Illinois Waterway
Location: Mile 152.7, left bank, Illinois River, Pekin. Datum: NPE
Operator: Not operated.
Owner: Mississippi River Grain, Inc.
Address: 109 Front Street. Phone: 309/347-7181
Town: Pekin State: IL County: Tazewell
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.569722
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.655
Remarks: Grain elevator at rear consisting of 14 concrete silos and 2 interstices has capacity for 550,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77152 Rock Island District

---

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 153 PWD: 145
Name: **Shell Oil Co., Pekin Asphalt Plant Dock.**
Port: Illinois Waterway
Location: Mile 152.7, right bank, Illinois River, Pekin. Datum: NPE
Operator: Shell Oil Co.
Owner: Shell Oil Co.
Address: 201 South Levee Road Phone: 309/697-3132
Town: Pekin State: IL County: Peoria
Railway Connection: None.
Purpose: Receipt of asphalt; mooring barges for fleeting. (See Remarks.)
Depth Alongside (feet): 9 | | Latitude (decimal): 40.570278
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.65722
Remarks: One 10-inch pipeline extends from wharf to 6 steel storage tanks at terminal in rear, total capacity 114,000 barrels. Garvey Marine, Inc. operates a fleeting area for 120 barges arranged in tiers 3 and 4 barges natural bank with shore moorings located between lower side of wharf and Chicago and North Western Transportation Co. railroad bridge.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77152 Rock Island District

---

Waterway: **Illinois River** Mile: 154 PWD: 144
Name: **Cargo Carriers Pekin Terminal Dock.**
Port: Illinois Waterway
Location: Mile 154.0, right bank, Illinois River, Bartonville. Datum: NPE
Operator: Cargo Carriers, Inc.
Owner: Cargo Carriers, Inc.
Address: 8710 South Cargill Road Phone: 309/697-6984
Town: Bartonville State: IL County: Peoria
Railway Connection: Three surface tracks serve storage building and 2 loading spouts at terminal in rear; connect with Peoria and Pekin Union Railway.
Purpose: Receipt of miscellaneous dry bulk materials, including fertilizer, salt, and coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.588056
Total Berthing Space (feet): 800 | | Longitude (decimal): -89.65917
Remarks: Concrete A-frame storage building at rear has capacity for 80,000 tons of fertilizer and open storage area has capacity for 100,000 tons of coal including a paved area for 12,000 tons of salt. Grain elevator at consisting of 3 steel tanks, has capacity for 60,000 bushels. Garvey Marine Services, Inc. operates a fleeting area for 30 barges arranged in tiers 3 barges wide along 2,000 feet of natural bank with shore moorings b

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77154 Rock Island District

---

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 155 PWD: 142
Name: **Clark Oil & Refining Corp., Bartonville Terminal Dock.**
Port: Illinois Waterway
Location: Mile 155.0, right bank, Illinois River, Bartonville. Datum: NPE
Operator: Clark Oil & Refining, Corp.
Owner: Clark Oil & Refining, Corp.
Address: 7022 South Cilco Lane Phone: 309/697-3131
Town: Bartonville State: IL County: Peoria
Railway Connection: None.
Purpose: Receipt of fuel oil, and gasoline.
Depth Alongside (feet): 9 - 10 | | Latitude (decimal): 40.602778
Total Berthing Space (feet): 315 | | Longitude (decimal): -89.65889
Remarks: Two 6-inch pipelines extend to 5 tanks, total capacity 175,000 barrels.□□

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77154 Rock Island District

---

Waterway: **Illinois River** Mile: 155 PWD: 143
Name: **Lafarge Corp., Great Lakes Region, Peoria Terminal Dock.**
Port: Illinois Waterway
Location: Mile 154.9, right bank, Illinois River, Bartonville. Datum: NPE
Operator: Not operated.
Owner: Lafarge Corp.
Address: Cilco Lane Phone:
Town: Bartonville State: IL County: Peoria
Railway Connection: One unused surface track at terminal in rear connects with Atchison Topeka and Santa Fe Railway.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.601944
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.65917
Remarks: □□

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77154 Rock Island District

---

Waterway: **Illinois River** Mile: 157 PWD: 31
Name: **Agricultural Minerals Corp., North Pekin Terminal Dock.**
Port: Illinois Waterway
Location: Mile 157.3, left bank, Illinois River, Pekin. Datum: NPE
Operator: Agricultural Minerals Corp.
Owner: Agricultural Minerals Corp.
Address: 1047 Wesley Road. Phone: 309/382-3467
Town: Pekin State: IL County: Tazewell
Railway Connection: Two surface tracks serve terminal in rear; connect with Peoria and Pekin Union Railway.
Purpose: Occasional receipt of liquid fertilizer.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.626667
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.63
Remarks: One 8-inch pipeline extends from wharf to 2 liquid fertilizer storage tanks, total capacity 5,900,000 gallons.□

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77157 Rock Island District

---

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 158 PWD: 32

Name: **Amoco Oil Co., North Pekin Terminal Barge Dock.**

Port: Illinois Waterway

Location: Mile 158.1, left bank, Illinois River, Pekin. Datum: NPE

Operator: Amoco Oil Co. and Gulf Central Storage & Terminal Co.

Owner: Mobil Oil Corp.

Address: 1011 Wesley Road. Phone: 309/673-3654

Town: Pekin State: IL County: Tazewell

Railway Connection: None.

Purpose: Receipt of petroleum products and anhydrous ammonia.

Depth Alongside (feet): 8 - 9 | | Latitude (decimal): 40.635556

Total Berthing Space (feet): 400 | | Longitude (decimal): -89.61917

Remarks: Amoco Oil Co.: Three 8-inch pipelines extend from wharf to 9 steel storage tanks, total capacity 212,600 barrels. Gulf Central Storage & Terminal Co.: One 8-inch pipeline extends from wharf to 2 steel ammonia capacity 21,000,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77158 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 158 PWD: 33
Name: **Central Illinois Dock Co., Lower Dock.**
Port: Illinois Waterway
Location: Mile 158.1, left bank, Illinois River, Creve Coeur. Datum: NPE
Operator: Central Illinois Dock Co. and ADM/Growmark River System, Inc., a subsidiary of Archer
Owner: Central Illinois Dock Co.
Address: 1000 Wesley Road. Phone: 309/674-4082
Town: Creve Coeur State: IL County: Tazewell
Railway Connection: Two surface tracks serving open storage areas at rear and one serving undertrack pits and loading spout at grain elevator, connect with Peoria and Pekin Union Railway.
Purpose: Receipt of steel products; shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.638056
Total Berthing Space (feet): 690 | | Longitude (decimal): -89.61722

Waterway: **Illinois River** Mile: 158 PWD: 33
Name: **Central Illinois Dock Co., Lower Dock.**
Port: Illinois Waterway
Location: Mile 158.1, left bank, Illinois River, Creve Coeur. Datum: NPE
Operator: Central Illinois Dock Co. and ADM/Growmark River System, Inc., a subsidiary of Archer
Owner: Central Illinois Dock Co.
Address: 1000 Wesley Road. Phone: 309/674-4082
Town: Creve Coeur State: IL County: Tazewell
Railway Connection: Two surface tracks serving open storage areas at rear and one serving undertrack pits and loading spout at grain elevator, connect with Peoria and Pekin Union Railway.
Purpose: Receipt of steel products; shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.638056
Total Berthing Space (feet): 690 | | Longitude (decimal): -89.61722

Waterway: **Illinois River** Mile: 158 PWD: 33
Name: **Central Illinois Dock Co., Lower Dock.**
Port: Illinois Waterway
Location: Mile 158.1, left bank, Illinois River, Creve Coeur. Datum: NPE
Operator: Central Illinois Dock Co. and ADM/Growmark River System, Inc., a subsidiary of Archer
Owner: Central Illinois Dock Co.
Address: 1000 Wesley Road. Phone: 309/674-4082
Town: Creve Coeur State: IL County: Tazewell
Railway Connection: Two surface tracks serving open storage areas at rear and one serving undertrack pits and loading spout at grain elevator, connect with Peoria and Pekin Union Railway.
Purpose: Receipt of steel products; shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.638056
Total Berthing Space (feet): 690 | | Longitude (decimal): -89.61722

Waterway: **Illinois River** Mile: 158 PWD: 33
Name: **Central Illinois Dock Co., Lower Dock.**
Port: Illinois Waterway
Location: Mile 158.1, left bank, Illinois River, Creve Coeur. Datum: NPE
Operator: Central Illinois Dock Co. and ADM/Growmark River System, Inc., a subsidiary of Archer
Owner: Central Illinois Dock Co.
Address: 1000 Wesley Road. Phone: 309/674-4082
Town: Creve Coeur State: IL County: Tazewell
Railway Connection: Two surface tracks serving open storage areas at rear and one serving undertrack pits and loading spout at grain elevator, connect with Peoria and Pekin Union Railway.
Purpose: Receipt of steel products; shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.638056
Total Berthing Space (feet): 690 | | Longitude (decimal): -89.61722
Remarks: Central Illinois Dock Co.: Approximately 6 acres of open storage area is available at rear.
ADM/Growmark River System, Inc.: Creve Coeur grain elevator in rear consisting of 75 concrete silos and interstices h for 1,400,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77158 Rock Island District

Remarks: Central Illinois Dock Co.: Approximately 6 acres of open storage area is available at rear.
ADM/Growmark River System, Inc.: Creve Coeur grain elevator in rear consisting of 75 concrete silos and interstices h for 1,400,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77158 Rock Island District

Port Facilities by Waterway

Remarks: Central Illinois Dock Co.: Approximately 6 acres of open storage area is available at rear.
ADM/Growmark River System, Inc.: Creve Coeur grain elevator in rear consisting of 75 concrete silos and interstices h for 1,400,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77158 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 158 PWD: 33
Name: **Central Illinois Dock Co., Lower Dock.**
Port: Illinois Waterway
Location: Mile 158.1, left bank, Illinois River, Creve Coeur. Datum: NPE
Operator: Central Illinois Dock Co. and ADM/Growmark River System, Inc., a subsidiary of Archer
Owner: Central Illinois Dock Co.
Address: 1000 Wesley Road. Phone: 309/674-4082
Town: Creve Coeur State: IL County: Tazewell
Railway Connection: Two surface tracks serving open storage areas at rear and one serving undertrack pits and loading spout at grain elevator, connect with Peoria and Pekin Union Railway.
Purpose: Receipt of steel products; shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.638056
Total Berthing Space (feet): 690 | | Longitude (decimal): -89.61722

Waterway: **Illinois River** Mile: 158 PWD: 33
Name: **Central Illinois Dock Co., Lower Dock.**
Port: Illinois Waterway
Location: Mile 158.1, left bank, Illinois River, Creve Coeur. Datum: NPE
Operator: Central Illinois Dock Co. and ADM/Growmark River System, Inc., a subsidiary of Archer
Owner: Central Illinois Dock Co.
Address: 1000 Wesley Road. Phone: 309/674-4082
Town: Creve Coeur State: IL County: Tazewell
Railway Connection: Two surface tracks serving open storage areas at rear and one serving undertrack pits and loading spout at grain elevator, connect with Peoria and Pekin Union Railway.
Purpose: Receipt of steel products; shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.638056
Total Berthing Space (feet): 690 | | Longitude (decimal): -89.61722

Waterway: **Illinois River** Mile: 158 PWD: 33
Name: **Central Illinois Dock Co., Lower Dock.**
Port: Illinois Waterway
Location: Mile 158.1, left bank, Illinois River, Creve Coeur. Datum: NPE
Operator: Central Illinois Dock Co. and ADM/Growmark River System, Inc., a subsidiary of Archer
Owner: Central Illinois Dock Co.
Address: 1000 Wesley Road. Phone: 309/674-4082
Town: Creve Coeur State: IL County: Tazewell
Railway Connection: Two surface tracks serving open storage areas at rear and one serving undertrack pits and loading spout at grain elevator, connect with Peoria and Pekin Union Railway.
Purpose: Receipt of steel products; shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.638056
Total Berthing Space (feet): 690 | | Longitude (decimal): -89.61722

Waterway: **Illinois River** Mile: 158 PWD: 33
Name: **Central Illinois Dock Co., Lower Dock.**
Port: Illinois Waterway
Location: Mile 158.1, left bank, Illinois River, Creve Coeur. Datum: NPE
Operator: Central Illinois Dock Co. and ADM/Growmark River System, Inc., a subsidiary of Archer
Owner: Central Illinois Dock Co.
Address: 1000 Wesley Road. Phone: 309/674-4082
Town: Creve Coeur State: IL County: Tazewell
Railway Connection: Two surface tracks serving open storage areas at rear and one serving undertrack pits and loading spout at grain elevator, connect with Peoria and Pekin Union Railway.
Purpose: Receipt of steel products; shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.638056
Total Berthing Space (feet): 690 | | Longitude (decimal): -89.61722
Remarks: Central Illinois Dock Co.: Approximately 6 acres of open storage area is available at rear.
ADM/Growmark River System, Inc.: Creve Coeur grain elevator in rear consisting of 75 concrete silos and interstices h for 1,400,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77158 Rock Island District

Remarks: Central Illinois Dock Co.: Approximately 6 acres of open storage area is available at rear.
ADM/Growmark River System, Inc.: Creve Coeur grain elevator in rear consisting of 75 concrete silos and interstices h for 1,400,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77158 Rock Island District

Port Facilities by Waterway

Remarks: Central Illinois Dock Co.: Approximately 6 acres of open storage area is available at rear.
ADM/Growmark River System, Inc.: Creve Coeur grain elevator in rear consisting of 75 concrete silos and interstices h for 1,400,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77158 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 158 PWD: 33
Name: **Central Illinois Dock Co., Lower Dock.**
Port: Illinois Waterway
Location: Mile 158.1, left bank, Illinois River, Creve Coeur. Datum: NPE
Operator: Central Illinois Dock Co. and ADM/Growmark River System, Inc., a subsidiary of Archer
Owner: Central Illinois Dock Co.
Address: 1000 Wesley Road. Phone: 309/674-4082
Town: Creve Coeur State: IL County: Tazewell
Railway Connection: Two surface tracks serving open storage areas at rear and one serving undertrack pits and loading spout at grain elevator, connect with Peoria and Pekin Union Railway.
Purpose: Receipt of steel products; shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.638056
Total Berthing Space (feet): 690 | | Longitude (decimal): -89.61722

Waterway: **Illinois River** Mile: 158 PWD: 33
Name: **Central Illinois Dock Co., Lower Dock.**
Port: Illinois Waterway
Location: Mile 158.1, left bank, Illinois River, Creve Coeur. Datum: NPE
Operator: Central Illinois Dock Co. and ADM/Growmark River System, Inc., a subsidiary of Archer
Owner: Central Illinois Dock Co.
Address: 1000 Wesley Road. Phone: 309/674-4082
Town: Creve Coeur State: IL County: Tazewell
Railway Connection: Two surface tracks serving open storage areas at rear and one serving undertrack pits and loading spout at grain elevator, connect with Peoria and Pekin Union Railway.
Purpose: Receipt of steel products; shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.638056
Total Berthing Space (feet): 690 | | Longitude (decimal): -89.61722

Waterway: **Illinois River** Mile: 158 PWD: 33
Name: **Central Illinois Dock Co., Lower Dock.**
Port: Illinois Waterway
Location: Mile 158.1, left bank, Illinois River, Creve Coeur. Datum: NPE
Operator: Central Illinois Dock Co. and ADM/Growmark River System, Inc., a subsidiary of Archer
Owner: Central Illinois Dock Co.
Address: 1000 Wesley Road. Phone: 309/674-4082
Town: Creve Coeur State: IL County: Tazewell
Railway Connection: Two surface tracks serving open storage areas at rear and one serving undertrack pits and loading spout at grain elevator, connect with Peoria and Pekin Union Railway.
Purpose: Receipt of steel products; shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.638056
Total Berthing Space (feet): 690 | | Longitude (decimal): -89.61722

Waterway: **Illinois River** Mile: 158 PWD: 33
Name: **Central Illinois Dock Co., Lower Dock.**
Port: Illinois Waterway
Location: Mile 158.1, left bank, Illinois River, Creve Coeur. Datum: NPE
Operator: Central Illinois Dock Co. and ADM/Growmark River System, Inc., a subsidiary of Archer
Owner: Central Illinois Dock Co.
Address: 1000 Wesley Road. Phone: 309/674-4082
Town: Creve Coeur State: IL County: Tazewell
Railway Connection: Two surface tracks serving open storage areas at rear and one serving undertrack pits and loading spout at grain elevator, connect with Peoria and Pekin Union Railway.
Purpose: Receipt of steel products; shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.638056
Total Berthing Space (feet): 690 | | Longitude (decimal): -89.61722
Remarks: Central Illinois Dock Co.: Approximately 6 acres of open storage area is available at rear.
ADM/Growmark River System, Inc.: Creve Coeur grain elevator in rear consisting of 75 concrete silos and interstices h for 1,400,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77158 Rock Island District

Remarks: Central Illinois Dock Co.: Approximately 6 acres of open storage area is available at rear.
ADM/Growmark River System, Inc.: Creve Coeur grain elevator in rear consisting of 75 concrete silos and interstices h for 1,400,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77158 Rock Island District

Port Facilities by Waterway

Remarks: Central Illinois Dock Co.: Approximately 6 acres of open storage area is available at rear.
ADM/Growmark River System, Inc.: Creve Coeur grain elevator in rear consisting of 75 concrete silos and interstices h for 1,400,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77158 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 158 PWD: 35
Name: **Central Illinois Dock Co., Upper Dock.**
Port: Illinois Waterway
Location: Mile 158.4, left bank, Illinois River, Creve Coeur. Datum:
Operator: Central Illinois Dock Co.
Owner: Central Illinois Dock Co.
Address: 1000 Wesley Road. Phone: 309/699-6113
Town: Creve Coeur State: IL County: Tazewell
Railway Connection: Two surface tracks serving open storage areas at rear connect with Peoria and Pekin Union Railway.
Purpose: Receipt and shipment of miscellaneous dry bulk materials; receipt of salt.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.639722
Total Berthing Space (feet): 320 | | Longitude (decimal): -89.61667

Waterway: **Illinois River** Mile: 158 PWD: 35
Name: **Central Illinois Dock Co., Upper Dock.**
Port: Illinois Waterway
Location: Mile 158.4, left bank, Illinois River, Creve Coeur. Datum:
Operator: Central Illinois Dock Co.
Owner: Central Illinois Dock Co.
Address: 1000 Wesley Road. Phone: 309/699-6113
Town: Creve Coeur State: IL County: Tazewell
Railway Connection: Two surface tracks serving open storage areas at rear connect with Peoria and Pekin Union Railway.
Purpose: Receipt and shipment of miscellaneous dry bulk materials; receipt of salt.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.639722
Total Berthing Space (feet): 320 | | Longitude (decimal): -89.61667

Waterway: **Illinois River** Mile: 158 PWD: 35
Name: **Central Illinois Dock Co., Upper Dock.**
Port: Illinois Waterway
Location: Mile 158.4, left bank, Illinois River, Creve Coeur. Datum:
Operator: Central Illinois Dock Co.
Owner: Central Illinois Dock Co.
Address: 1000 Wesley Road. Phone: 309/699-6113
Town: Creve Coeur State: IL County: Tazewell
Railway Connection: Two surface tracks serving open storage areas at rear connect with Peoria and Pekin Union Railway.
Purpose: Receipt and shipment of miscellaneous dry bulk materials; receipt of salt.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.639722
Total Berthing Space (feet): 320 | | Longitude (decimal): -89.61667
Remarks: Approximately 8 acres of open storage areas are available at two locations at rear. Two bulk storage warehouses at terminal have total capacity for 22,500 tons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77158 Rock Island District

Remarks: Approximately 8 acres of open storage areas are available at two locations at rear. Two bulk storage warehouses at terminal have total capacity for 22,500 tons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77158 Rock Island District

Port Facilities by Waterway

Remarks: Approximately 8 acres of open storage areas are available at two locations at rear. Two bulk storage warehouses at terminal have total capacity for 22,500 tons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77158 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 158 PWD: 35
Name: **Central Illinois Dock Co., Upper Dock.**
Port: Illinois Waterway
Location: Mile 158.4, left bank, Illinois River, Creve Coeur. Datum:
Operator: Central Illinois Dock Co.
Owner: Central Illinois Dock Co.
Address: 1000 Wesley Road. Phone: 309/699-6113
Town: Creve Coeur State: IL County: Tazewell
Railway Connection: Two surface tracks serving open storage areas at rear connect with Peoria and Pekin Union Railway.
Purpose: Receipt and shipment of miscellaneous dry bulk materials; receipt of salt.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.639722
Total Berthing Space (feet): 320 | | Longitude (decimal): -89.61667

Waterway: **Illinois River** Mile: 158 PWD: 35
Name: **Central Illinois Dock Co., Upper Dock.**
Port: Illinois Waterway
Location: Mile 158.4, left bank, Illinois River, Creve Coeur. Datum:
Operator: Central Illinois Dock Co.
Owner: Central Illinois Dock Co.
Address: 1000 Wesley Road. Phone: 309/699-6113
Town: Creve Coeur State: IL County: Tazewell
Railway Connection: Two surface tracks serving open storage areas at rear connect with Peoria and Pekin Union Railway.
Purpose: Receipt and shipment of miscellaneous dry bulk materials; receipt of salt.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.639722
Total Berthing Space (feet): 320 | | Longitude (decimal): -89.61667

Waterway: **Illinois River** Mile: 158 PWD: 35
Name: **Central Illinois Dock Co., Upper Dock.**
Port: Illinois Waterway
Location: Mile 158.4, left bank, Illinois River, Creve Coeur. Datum:
Operator: Central Illinois Dock Co.
Owner: Central Illinois Dock Co.
Address: 1000 Wesley Road. Phone: 309/699-6113
Town: Creve Coeur State: IL County: Tazewell
Railway Connection: Two surface tracks serving open storage areas at rear connect with Peoria and Pekin Union Railway.
Purpose: Receipt and shipment of miscellaneous dry bulk materials; receipt of salt.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.639722
Total Berthing Space (feet): 320 | | Longitude (decimal): -89.61667
Remarks: Approximately 8 acres of open storage areas are available at two locations at rear. Two bulk storage warehouses at terminal have total capacity for 22,500 tons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77158 Rock Island District

Remarks: Approximately 8 acres of open storage areas are available at two locations at rear. Two bulk storage warehouses at terminal have total capacity for 22,500 tons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77158 Rock Island District

Port Facilities by Waterway

Remarks: Approximately 8 acres of open storage areas are available at two locations at rear. Two bulk storage warehouses at terminal have total capacity for 22,500 tons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77158 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 158 PWD: 35
Name: **Central Illinois Dock Co., Upper Dock.**
Port: Illinois Waterway
Location: Mile 158.4, left bank, Illinois River, Creve Coeur. Datum:
Operator: Central Illinois Dock Co.
Owner: Central Illinois Dock Co.
Address: 1000 Wesley Road. Phone: 309/699-6113
Town: Creve Coeur State: IL County: Tazewell
Railway Connection: Two surface tracks serving open storage areas at rear connect with Peoria and Pekin Union Railway.
Purpose: Receipt and shipment of miscellaneous dry bulk materials; receipt of salt.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.639722
Total Berthing Space (feet): 320 | | Longitude (decimal): -89.61667

Waterway: **Illinois River** Mile: 158 PWD: 35
Name: **Central Illinois Dock Co., Upper Dock.**
Port: Illinois Waterway
Location: Mile 158.4, left bank, Illinois River, Creve Coeur. Datum:
Operator: Central Illinois Dock Co.
Owner: Central Illinois Dock Co.
Address: 1000 Wesley Road. Phone: 309/699-6113
Town: Creve Coeur State: IL County: Tazewell
Railway Connection: Two surface tracks serving open storage areas at rear connect with Peoria and Pekin Union Railway.
Purpose: Receipt and shipment of miscellaneous dry bulk materials; receipt of salt.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.639722
Total Berthing Space (feet): 320 | | Longitude (decimal): -89.61667

Waterway: **Illinois River** Mile: 158 PWD: 35
Name: **Central Illinois Dock Co., Upper Dock.**
Port: Illinois Waterway
Location: Mile 158.4, left bank, Illinois River, Creve Coeur. Datum:
Operator: Central Illinois Dock Co.
Owner: Central Illinois Dock Co.
Address: 1000 Wesley Road. Phone: 309/699-6113
Town: Creve Coeur State: IL County: Tazewell
Railway Connection: Two surface tracks serving open storage areas at rear connect with Peoria and Pekin Union Railway.
Purpose: Receipt and shipment of miscellaneous dry bulk materials; receipt of salt.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.639722
Total Berthing Space (feet): 320 | | Longitude (decimal): -89.61667

Remarks: Approximately 8 acres of open storage areas are available at two locations at rear. Two bulk storage warehouses at terminal have total capacity for 22,500 tons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77158 Rock Island District

Remarks: Approximately 8 acres of open storage areas are available at two locations at rear. Two bulk storage warehouses at terminal have total capacity for 22,500 tons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77158 Rock Island District

Port Facilities by Waterway

Remarks: Approximately 8 acres of open storage areas are available at two locations at rear. Two bulk storage warehouses at terminal have total capacity for 22,500 tons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77158 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 158 PWD: 34
Name: **Hicks Oil & Hicks Gas Dock.**
Port: Illinois Waterway
Location: Mile 158.3, left bank, Illinois River, Creve Coeur. Datum: NPE
Operator: Hicks Oil & Hicks Gas, Inc.
Owner: Central Illinois Dock Co.
Address: 1118 Wesley Road. Phone: 309/382-3416
Town: Creve Coeur State: IL County: Tazewell
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.638889
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.61694

Waterway: **Illinois River** Mile: 158 PWD: 34
Name: **Hicks Oil & Hicks Gas Dock.**
Port: Illinois Waterway
Location: Mile 158.3, left bank, Illinois River, Creve Coeur. Datum: NPE
Operator: Hicks Oil & Hicks Gas, Inc.
Owner: Central Illinois Dock Co.
Address: 1118 Wesley Road. Phone: 309/382-3416
Town: Creve Coeur State: IL County: Tazewell
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.638889
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.61694

Waterway: **Illinois River** Mile: 158 PWD: 34
Name: **Hicks Oil & Hicks Gas Dock.**
Port: Illinois Waterway
Location: Mile 158.3, left bank, Illinois River, Creve Coeur. Datum: NPE
Operator: Hicks Oil & Hicks Gas, Inc.
Owner: Central Illinois Dock Co.
Address: 1118 Wesley Road. Phone: 309/382-3416
Town: Creve Coeur State: IL County: Tazewell
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.638889
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.61694
Remarks: Two 10-inch pipelines extend from wharf to 5 steel storage tanks at terminal, approximately 4,000 feet in rear, total capacity 257,400 barrels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77158 Rock Island District

Remarks: Two 10-inch pipelines extend from wharf to 5 steel storage tanks at terminal, approximately 4,000 feet in rear, total capacity 257,400 barrels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77158 Rock Island District

Remarks: Two 10-inch pipelines extend from wharf to 5 steel storage tanks at terminal, approximately 4,000 feet in rear, total capacity 257,400 barrels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77158 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 158 PWD: 34
Name: **Hicks Oil & Hicks Gas Dock.**
Port: Illinois Waterway
Location: Mile 158.3, left bank, Illinois River, Creve Coeur. Datum: NPE
Operator: Hicks Oil & Hicks Gas, Inc.
Owner: Central Illinois Dock Co.
Address: 1118 Wesley Road. Phone: 309/382-3416
Town: Creve Coeur State: IL County: Tazewell
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.638889
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.61694

Waterway: **Illinois River** Mile: 158 PWD: 34
Name: **Hicks Oil & Hicks Gas Dock.**
Port: Illinois Waterway
Location: Mile 158.3, left bank, Illinois River, Creve Coeur. Datum: NPE
Operator: Hicks Oil & Hicks Gas, Inc.
Owner: Central Illinois Dock Co.
Address: 1118 Wesley Road. Phone: 309/382-3416
Town: Creve Coeur State: IL County: Tazewell
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.638889
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.61694

Waterway: **Illinois River** Mile: 158 PWD: 34
Name: **Hicks Oil & Hicks Gas Dock.**
Port: Illinois Waterway
Location: Mile 158.3, left bank, Illinois River, Creve Coeur. Datum: NPE
Operator: Hicks Oil & Hicks Gas, Inc.
Owner: Central Illinois Dock Co.
Address: 1118 Wesley Road. Phone: 309/382-3416
Town: Creve Coeur State: IL County: Tazewell
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.638889
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.61694
Remarks: Two 10-inch pipelines extend from wharf to 5 steel storage tanks at terminal, approximately 4,000 feet in rear, total capacity 257,400 barrels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77158 Rock Island District

Remarks: Two 10-inch pipelines extend from wharf to 5 steel storage tanks at terminal, approximately 4,000 feet in rear, total capacity 257,400 barrels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77158 Rock Island District

Remarks: Two 10-inch pipelines extend from wharf to 5 steel storage tanks at terminal, approximately 4,000 feet in rear, total capacity 257,400 barrels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77158 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 158 PWD: 34
Name: **Hicks Oil & Hicks Gas Dock.**
Port: Illinois Waterway
Location: Mile 158.3, left bank, Illinois River, Creve Coeur. Datum: NPE
Operator: Hicks Oil & Hicks Gas, Inc.
Owner: Central Illinois Dock Co.
Address: 1118 Wesley Road. Phone: 309/382-3416
Town: Creve Coeur State: IL County: Tazewell
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.638889
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.61694

Waterway: **Illinois River** Mile: 158 PWD: 34
Name: **Hicks Oil & Hicks Gas Dock.**
Port: Illinois Waterway
Location: Mile 158.3, left bank, Illinois River, Creve Coeur. Datum: NPE
Operator: Hicks Oil & Hicks Gas, Inc.
Owner: Central Illinois Dock Co.
Address: 1118 Wesley Road. Phone: 309/382-3416
Town: Creve Coeur State: IL County: Tazewell
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.638889
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.61694

Waterway: **Illinois River** Mile: 158 PWD: 34
Name: **Hicks Oil & Hicks Gas Dock.**
Port: Illinois Waterway
Location: Mile 158.3, left bank, Illinois River, Creve Coeur. Datum: NPE
Operator: Hicks Oil & Hicks Gas, Inc.
Owner: Central Illinois Dock Co.
Address: 1118 Wesley Road. Phone: 309/382-3416
Town: Creve Coeur State: IL County: Tazewell
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.638889
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.61694

Remarks: Two 10-inch pipelines extend from wharf to 5 steel storage tanks at terminal, approximately 4,000 feet in rear, total capacity 257,400 barrels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77158 Rock Island District

Remarks: Two 10-inch pipelines extend from wharf to 5 steel storage tanks at terminal, approximately 4,000 feet in rear, total capacity 257,400 barrels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77158 Rock Island District

Remarks: Two 10-inch pipelines extend from wharf to 5 steel storage tanks at terminal, approximately 4,000 feet in rear, total capacity 257,400 barrels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77158 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 159 PWD: 36
Name: **Keller's Peoria Harbor & Fleeting Service, Creve Coeur Landing.**
Port: Illinois Waterway
Location: Mile 159.1, left bank, Illinois River, Creve Coeur. Datum:
Operator: Keller's Peoria Harbor & Fleeting Service, Inc.
Owner: Keller's Peoria Harbor & Fleeting Service, Inc.
Address: 493 Wesley Road. Phone: 309/694-2313
Town: Creve Coeur State: IL County: Tazewell
Railway Connection: None.
Purpose: Mooring vessels for repair; mooring floating drydock; mooring barges for fleeting.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.640833
Total Berthing Space (feet): 550 | | Longitude (decimal): -89.61556
Remarks: One 120-ton, floating drydock is moored at outside of work barges. Fleeting area with shore moorings is available on right bank between miles 158.0 and 159.2 with capacity for approximately 130 barges arranged i barges wide. Additional fleeting area is available in left bank between miles 159.6 and 160.5 with capacity for approximately 50 barges arranged in tiers up to 3 barges wide.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77159 Rock Island District

---

Waterway: **Illinois River** Mile: 160 PWD: 140
Name: **Martin Oil Marketing Dock.**
Port: Illinois Waterway
Location: Mile 160.3, right bank, Illinois River, Peoria. Datum: NPE
Operator: ADM and PBT, Inc.
Owner: Martin Oil Marketing Ltd.
Address: 2200 Darst Street Phone: 309/694-7077
Town: Peoria State: IL County: Peoria
Railway Connection: None.
Purpose: Receipt and occasional shipment of alcohol; receipt of liquid fertilizer.
Depth Alongside (feet): 14 | | Latitude (decimal): 40.662778
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.61722
Remarks: ADM: One 10- and one 8-inch pipelines extend from wharf to 5 steel storage tanks, total capacity 100,000 barrels. Peoria Barge Terminal, Inc.: Two 6-inch pipelines extend from wharf to one 3,000,000-gallon liq storage tank and to 7 alcohol storage tanks, total capacity 3,500,000 gallons, at rear of Ref. No. 127.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77160 Rock Island District

---

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 160 PWD: 139
Name: **Peoria Barge Terminal Wharf.**
Port: Illinois Waterway
Location: Mile 160.4, right bank, Illinois River, Peoria. Datum: NPE
Operator: Peoria Barge Terminal, Inc.
Owner: Peoria Barge Terminal, Inc.
Address: 1925 Darst Street Phone: 309/671-1455
Town: Peoria State: IL County: Peoria
Railway Connection: One surface track and 2 trails into CNW dock.
Purpose: Receipt and shipment of miscellaneous bulk materials including coal, salt, and rock.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.665278
Total Berthing Space (feet): 1170 | | Longitude (decimal): -89.61556

Waterway: **Illinois River** Mile: 160 PWD: 139
Name: **Peoria Barge Terminal Wharf.**
Port: Illinois Waterway
Location: Mile 160.4, right bank, Illinois River, Peoria. Datum: NPE
Operator: Peoria Barge Terminal, Inc.
Owner: Peoria Barge Terminal, Inc.
Address: 1925 Darst Street Phone: 309/671-1455
Town: Peoria State: IL County: Peoria
Railway Connection: One surface track and 2 trails into CNW dock.
Purpose: Receipt and shipment of miscellaneous bulk materials including coal, salt, and rock.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.665278
Total Berthing Space (feet): 1170 | | Longitude (decimal): -89.61556

Remarks: Approximately 20 acres of open storage area at rear. Company-owned alcohol and liquid fertilizer storage tanks are located at rear. (See Ref. No. 128.)

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77162 Rock Island District

Remarks: Approximately 20 acres of open storage area at rear. Company-owned alcohol and liquid fertilizer storage tanks are located at rear. (See Ref. No. 128.)

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77162 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 160 PWD: 139
Name: **Peoria Barge Terminal Wharf.**
Port: Illinois Waterway
Location: Mile 160.4, right bank, Illinois River, Peoria. Datum: NPE
Operator: Peoria Barge Terminal, Inc.
Owner: Peoria Barge Terminal, Inc.
Address: 1925 Darst Street Phone: 309/671-1455
Town: Peoria State: IL County: Peoria
Railway Connection: One surface track and 2 trails into CNW dock.
Purpose: Receipt and shipment of miscellaneous bulk materials including coal, salt, and rock.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.665278
Total Berthing Space (feet): 1170 | | Longitude (decimal): -89.61556

Waterway: **Illinois River** Mile: 160 PWD: 139
Name: **Peoria Barge Terminal Wharf.**
Port: Illinois Waterway
Location: Mile 160.4, right bank, Illinois River, Peoria. Datum: NPE
Operator: Peoria Barge Terminal, Inc.
Owner: Peoria Barge Terminal, Inc.
Address: 1925 Darst Street Phone: 309/671-1455
Town: Peoria State: IL County: Peoria
Railway Connection: One surface track and 2 trails into CNW dock.
Purpose: Receipt and shipment of miscellaneous bulk materials including coal, salt, and rock.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.665278
Total Berthing Space (feet): 1170 | | Longitude (decimal): -89.61556

Remarks: Approximately 20 acres of open storage area at rear. Company-owned alcohol and liquid fertilizer storage tanks are located at rear. (See Ref. No. 128.)

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77162 Rock Island District

Remarks: Approximately 20 acres of open storage area at rear. Company-owned alcohol and liquid fertilizer storage tanks are located at rear. (See Ref. No. 128.)

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77162 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 161 PWD: 137
Name: **ADM/Growmark River System, Inc., Peoria Wharf.**
Port: Illinois Waterway
Location: Mile 161.4, right bank, Illinois River, Peoria. Datum: NPE
Operator: ADM/Growmark River System, Inc., a subsidiary of Archer Daniels Midland Co.
Owner: Archer Daniels Midland Co.
Address: Edmund St. Phone: 309/674-4082
Town: Peoria State: IL County: Peoria
Railway Connection: Two parallel tracks along rear of bulkhead, each serve an undertrack pit; connect with Atchison Topeka and Santa Fe Railway and Chicago and North Western Transportation Co.; and 3 surface tracks serving pla
Purpose: Shipment of grain, distillers dried grain, and animal feed; receipt and shipment of alcohol.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.676389
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.60306
Remarks: One 6-inch pipeline extends to wharf from 4 alcohol storage tanks at rear, total capacity 4,000,000 gallons. Grain elevator at rear consisting of 70 concrete silos and interstices and 43 head bins has capacity f bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77161 Rock Island District

---

Waterway: **Illinois River** Mile: 161 PWD: 138
Name: **Jubilee Materials Dock.**
Port: Illinois Waterway
Location: Mile 160.6, right bank, Illinois River, Peoria. Datum: NPE
Operator: Jubilee Materials, Inc.
Owner: Jubilee Materials, Inc.
Address: Foot of Sanger Street Phone: 309/673-7444
Town: Peoria State: IL County: Peoria
Railway Connection: None.
Purpose: Part concrete, part steel sheet pile bulkhead; part timber breasting piles fronting natural bank.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.667778
Total Berthing Space (feet): 500 | | Longitude (decimal): -89.61333
Remarks: Open storage area at rear has capacity for 50,000 tons.□□

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77160 Rock Island District

---

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 162 PWD: 38
Name: **Caterpillar Tractor Co., East Peoria Dock.**
Port: Illinois Waterway
Location: Mile 162.1, left bank, Illinois River, East Peoria. Datum: NPE
Operator: Not operated.
Owner: Caterpillar Tractor Co.
Address: 600 West Washington Street. Phone: 309/675-0561
Town: East Peoria State: IL County: Tazewell
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.681667
Total Berthing Space (feet): 365 | | Longitude (decimal): -89.59306

Waterway: **Illinois River** Mile: 162 PWD: 38
Name: **Caterpillar Tractor Co., East Peoria Dock.**
Port: Illinois Waterway
Location: Mile 162.1, left bank, Illinois River, East Peoria. Datum: NPE
Operator: Not operated.
Owner: Caterpillar Tractor Co.
Address: 600 West Washington Street. Phone: 309/675-0561
Town: East Peoria State: IL County: Tazewell
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.681667
Total Berthing Space (feet): 365 | | Longitude (decimal): -89.59306

Remarks: Dock was formerly used for receipt of fuel oil for plant consumption. All tanks and pipelines have been removed.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77162 Rock Island District

Remarks: Dock was formerly used for receipt of fuel oil for plant consumption. All tanks and pipelines have been removed.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77162 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 162 PWD: 38
Name: **Caterpillar Tractor Co., East Peoria Dock.**
Port: Illinois Waterway
Location: Mile 162.1, left bank, Illinois River, East Peoria. Datum: NPE
Operator: Not operated.
Owner: Caterpillar Tractor Co.
Address: 600 West Washington Street. Phone: 309/675-0561
Town: East Peoria State: IL County: Tazewell
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.681667
Total Berthing Space (feet): 365 | | Longitude (decimal): -89.59306

Waterway: **Illinois River** Mile: 162 PWD: 38
Name: **Caterpillar Tractor Co., East Peoria Dock.**
Port: Illinois Waterway
Location: Mile 162.1, left bank, Illinois River, East Peoria. Datum: NPE
Operator: Not operated.
Owner: Caterpillar Tractor Co.
Address: 600 West Washington Street. Phone: 309/675-0561
Town: East Peoria State: IL County: Tazewell
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.681667
Total Berthing Space (feet): 365 | | Longitude (decimal): -89.59306
Remarks: Dock was formerly used for receipt of fuel oil for plant consumption. All tanks and pipelines have been removed.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77162 Rock Island District

Remarks: Dock was formerly used for receipt of fuel oil for plant consumption. All tanks and pipelines have been removed.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77162 Rock Island District

Waterway: **Illinois River** Mile: 162 PWD: 39
Name: **U.S. Coast Guard Base Peoria Dock.**
Port: Illinois Waterway
Location: Mile 162.4, left bank, Illinois River, East Peoria. Datum: NPE
Operator: U.S. Coast Guard
Owner: U.S. Government
Address: Foot of West Washington Street. Phone: 309/671-7291
Town: East Peoria State: IL County: Tazewell
Railway Connection: None.
Purpose: Mooring U.S. Coast Guard vessels; handling navigation aids.
Depth Alongside (feet): 4 | | 4 Latitude (decimal): 40.683889
Total Berthing Space (feet): 160 | | 140 Longitude (decimal): -89.58806
Remarks: Slip is approximately 125 feet wide. Bouy tender 'USCG Sangamon' moors at wharf. Area at rear is used for storage of navigation aids.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77162 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 164 PWD: 136
Name: **Peoria City Dock.**
Port: Illinois Waterway
Location: Mile 163.6, right bank, Illinois River, Peoria. Datum: NPE
Operator: Greater Peoria Riverboat Association.
Owner: Greater Peoria Riverboat Association.
Address: Phone: 309/698-7711
Town: Peoria State: IL County: Peoria
Railway Connection: None.
Purpose: Landing for excursion vessel 'Spirit of Peoria.'
Depth Alongside (feet): 9 | | Latitude (decimal): 40.689167
Total Berthing Space (feet): 120 | | Longitude (decimal): -89.58667
Remarks: □□

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77163 Rock Island District

---

Waterway: **Illinois River** Mile: 164 PWD: 135
Name: **U.S. Army Corps of Engineers, Illinois Waterway Project Office Sli**
Port: Illinois Waterway
Location: Mile 164, right bank, Illinois River, Peoria. Datum: NPE
Operator: U.S. Army Corps of Engineers.
Owner: U.S. Government.
Address: Foot of Grant Street Phone: 309/676-4601
Town: Peoria State: IL County: Peoria
Railway Connection: None.
Purpose: Mooring government-owned floating equipment.
Depth Alongside (feet): 8 | 8 | 8 Latitude (decimal): 40.703889
Total Berthing Space (feet): 110 | 450 | 750 Longitude (decimal): -89.56556
Remarks: Marine railway at upper side of slip with four 25- by 12-foot cradles on parallel tracks is capable of handling vessels up to 60 gross tons.□

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77164 Rock Island District

---

Waterway: **Illinois River** Mile: 180 PWD: 133
Name: **Louis Dreyfus Corp., Chillicothe Terminal Barge Dock.**
Port: Illinois Waterway
Location: Mile 180.4, right bank, Illinois River, Chillicothe. Datum: NPE
Operator: Louis Dreyfus Corp.
Owner: Louis Dreyfus Corp.
Address: 10 West Elm Street Phone: 309-346-2123
Town: Chillicothe State: IL County: Peoria
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.914444
Total Berthing Space (feet): 320 | | Longitude (decimal): -89.48278
Remarks: Grain elevator at rear consisting of concrete building with 8 storage bins and one steel tank has total capacity for 150,000 bushels.□

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77180 Rock Island District

---

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 188 PWD: 131
Name: **Trumbull River Services, Lacon Fleet Mooring.**
Port: Illinois Waterway
Location: Mile 188.2, right bank, Illinois River, Lacon. Datum: NPE
Operator: Trumball River Services, Inc.
Owner: Trumbull River Services, Inc.
Address: Phone: 309/246-3022
Town: Lacon State: IL County: Marshall
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 3 - 9 | | Latitude (decimal): 41.013889
Total Berthing Space (feet): 55 | | Longitude (decimal): -89.42639
Remarks: Barges are arranged in 12 tiers up to 5 barges wide.□□

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77188 Rock Island District

---

Waterway: **Illinois River** Mile: 189 PWD: 43
Name: **Continental Grain Co., Lacon Grain Elevator Dock.**
Port: Illinois Waterway
Location: Mile 189.3, left bank, Illinois River, Lacon. Datum: NPE
Operator: Continental Grain Co.
Owner: Continental Grain Co.
Address: 101 North Water Street. Phone: 309/246-2215
Town: Lacon State: IL County: Marshall
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.0275
Total Berthing Space (feet): 435 | | Longitude (decimal): -89.41417
Remarks: Grain elevator at rear consisting of 6 concrete silos with 4 interstices and 3 steel tanks has total capacity for 190,000 bushels.□

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77189 Rock Island District

---

Waterway: **Illinois River** Mile: 189 PWD: 44
Name: **Midwest Foundation Corp., Lacon Dock.**
Port: Illinois Waterway
Location: Mile 189.3, left bank, Illinois River, Lacon. Datum: NPE
Operator: Midwest Foundation Corp.
Owner: Midwest Foundation Corp.
Address: 207 South Fulton Street. Phone: 309/925-2831
Town: Lacon State: IL County: Marshall
Railway Connection: None.
Purpose: Mooring marine contractor's floating equipment; handling supplies and equipment.
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 41.029444
Total Berthing Space (feet): 250 | 120 | Longitude (decimal): -89.41389
Remarks: Marine contractor's storage yard is located in rear. Company office is in Tremont, IL.□

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77189 Rock Island District

---

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 189 PWD: 42
Name: **Trumbull River Services Dock.**
Port: Illinois Waterway
Location: Mile 189.2, left bank, Illinois River, Lacon. Datum: NPE
Operator: Trumbull River Services, Inc.
Owner: James Francis Dock and Chandlery Co.
Address: Foot of 6th Street. Phone: 309/246-8119
Town: Lacon State: IL County: Marshall
Railway Connection: None.
Purpose: Mooring barges for cleaning and repair; landing for fleeting vessels.
Depth Alongside (feet): 9 | 9 | Latitude (decimal): 41.026111
Total Berthing Space (feet): 30 | 140 | Longitude (decimal): -89.415
Remarks: Dispatch office is located at rear.□□

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77189 Rock Island District

---

Waterway: **Illinois River** Mile: 190 PWD: 45
Name: **ADM/Growmark River System, Lacon Grain Elevator Wharf.**
Port: Illinois Waterway
Location: Mile 189.6, left bank, Illinois River, Lacon. Datum: NPE
Operator: ADM/Growmark River System, Inc., a subsidiary of Archer Daniels Midland Co.
Owner: Archer Daniels Midland Co.
Address: North Prairie Street. Phone: 309/246-2515
Town: Lacon State: IL County: Marshall
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.031111
Total Berthing Space (feet): 415 | | Longitude (decimal): -89.41389
Remarks: Grain elevator at rear consisting of 4 concrete silos with 6 interstices has total capacity for 200,000 bushels. Additional open storage for 108,000 bushels is available on asphalt pad adjacent to elevator.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77189 Rock Island District

---

Waterway: **Illinois River** Mile: 190 PWD: 47
Name: **Midwest Sand & Gravel, Aggregates Dock.**
Port: Illinois Waterway
Location: Mile 190.0, left bank, Illinois River, Lacon. Datum: NPE
Operator: Mid-West Sand & Gravel, Inc.
Owner: Tony Ellena
Address: Phone: 309/246-2114
Town: Lacon State: IL County: Marshall
Railway Connection: None.
Purpose: Shipment of sand and gravel.
Depth Alongside (feet): 10 - 15 | | Latitude (decimal): 41.035278
Total Berthing Space (feet): 350 | | Longitude (decimal): -89.40861
Remarks: Open storage area at quarry in rear has capacity for 50,000 tons of material.□□

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77190 Rock Island District

---

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 190 PWD: 46
Name: **Mid-West Sand and Gravel, Salt Dock.**
Port: Illinois Waterway
Location: Mile 189.7, left bank, Illinois River, Lacon. Datum: NPE
Operator: Mid-West Sand and Gravel, Inc.
Owner: Tony Ellena
Address: Phone: 309/246-2114
Town: Lacon State: IL County: Marshall
Railway Connection: None.
Purpose: Receipt of salt; occasional receipt of fertilizer.
Depth Alongside (feet): 10 - 15 | | Latitude (decimal): 41.0325
Total Berthing Space (feet): 195 | | Longitude (decimal): -89.41056
Remarks: Open storage at rear has capacity for 26,000 tons of salt. Fertilizer is unloaded directly into trucks.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77189 Rock Island District

---

Waterway: **Illinois River** Mile: 196 PWD: 130
Name: **Louis Dreyfus Corp., Henry Grain Elevator Dock.**
Port: Illinois Waterway
Location: Mile 195.8, right bank, Illinois River, Henry. Datum: NPE
Operator: Louis Dreyfus Corp.
Owner: Louis Dreyfus Corp.
Address: 708 Water Street. Phone: 309/364-2123
Town: Henry State: IL County: Marshall
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.107222
Total Berthing Space (feet): 670 | | Longitude (decimal): -89.35611
Remarks: Grain elevtor at rear consisting of 3 concrete silos, one steel tank, and one timber flat storage building has total capacity for 520,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77195 Rock Island District

---

Waterway: **Illinois River** Mile: 198 PWD: 129
Name: **Farmland Industries, Henry Terminal Dock.**
Port: Illinois Waterway
Location: Mile 197.6, right bank, Illinois River, Henry. Datum: NPE
Operator: Farmland Industries, Inc.
Owner: Farmland Industries, Inc.
Address: Richards Street. Phone: 309/364-3916
Town: Henry State: IL County: Marshall
Railway Connection: One surface track serving in rear and connecting with CSX Rail Transport, Inc. was not in use at time of survey.
Purpose: Receipt of anhydrous ammonia and 32% nitrogen solution (UAN).
Depth Alongside (feet): 11 | | Latitude (decimal): 41.125
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.33528
Remarks: One 6-inch pipeline extends from wharf to one 3,640,000-gallon fertilizer storage tank in rear; one 6-inch pipeline extends from wharf to one 2,730,000-gallon nitrogen solution tank.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77195 Rock Island District

---

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 207 PWD: 48
Name: **CGB Marine Services, Hennepin Dock and Fleet Moorings.**
Port: Illinois Waterway
Location: Mile 207.2, left bank, Illinois River, Hennepin. Datum: 175
Operator: CGB Marine Services, a division of Consolidated Grain & Barge Co.
Owner: CGB Marine Services, a division of Consolidated Grain & Barge Co.
Address: Phone: 815/925-7357
Town: Hennepin State: IL County: Putnam
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 7 | | Latitude (decimal): 41.249722
Total Berthing Space (feet): 130 | | Longitude (decimal): -89.34889
Remarks: Dispatch office is located at rear. Fleeting areas are available with shore moorings at the following locations.

Fleet	Bank	Miles	Width (barges)	Barge Capacity	Main
Right	204-207	4	150	Main	Left
206-207	3-4	Upper			
Right	207.8-209	3	30		

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77207 Rock Island District

---

Waterway: **Illinois River** Mile: 207 PWD: 128
Name: **Consolidated Grain & Barge Co., Hennepin Terminal Dock.**
Port: Illinois Waterway
Location: Mile 207.4, right bank, Illinois River, Hennepin. Datum: NPE
Operator: Consolidated Grain & Barge Co.
Owner: Consolidated Grain & Barge Co.
Address: Phone: 815/659-3366
Town: Hennepin State: IL County: Bureau
Railway Connection: None.
Purpose: Receipt of fertilizer and other miscellaneous bulk materials; shipment of grain.
Depth Alongside (feet): 15 | | Latitude (decimal): 41.255278
Total Berthing Space (feet): 1000 | | Longitude (decimal): -89.35083
Remarks: Additional mooring available for barges along 1,000 feet of natural bank on lower side. Open storage area at terminal has capacity for approximately 15,000 tons of bulk materials. Grain elevator at rear consist silos with 2 interstices has capacity for 400,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77207 Rock Island District

---

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 208 PWD: 50
Name: **ADM/Growmark River System, Hennepin Grain Elevator Dock.**
Port: Illinois Waterway
Location: Mile 207.7, left bank, Illinois River, Hennepin. Datum: NPE
Operator: ADM/Growmark River System, Inc., a subsidiary of Archer Daniels Midland Co.
Owner: Archer Daniels Midland Co.
Address: Phone: 815/925-7361
Town: Hennepin State: IL County: Putnam
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 15 | | Latitude (decimal): 41.2575
Total Berthing Space (feet): 650 | | Longitude (decimal): -89.34556
Remarks: Grain elevator at rear consisting of 10 concrete silos and one steel tank has total capacity for 500,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77207 Rock Island District

---

Waterway: **Illinois River** Mile: 208 PWD: 49
Name: **Continental Grain Co., Hennepin Grain Elevator Dock.**
Port: Illinois Waterway
Location: Mile 207.5, left bank, Illinois River, Hennepin Datum: NPE
Operator: Continental Grain Co.
Owner: Continental Grain Co.
Address: Front Street. Phone: 815/925-7311
Town: Hennepin State: IL County: Putnam
Railway Connection: None.
Purpose: Shipment of grain
Depth Alongside (feet): 14 | | Latitude (decimal): 41.255833
Total Berthing Space (feet): 250 | | Longitude (decimal): -89.34667
Remarks: Grain elevator at rear consisting of 4 concrete silos and 3 interstices has total capacity for 110,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77207 Rock Island District

---

Waterway: **Illinois River** Mile: 209 PWD: 52
Name: **Marine Transit Co., Hennepin Dock.**
Port: Illinois Waterway
Location: Mile 208.9, left bank, Illinois River, Hennepin. Datum: NPE
Operator: Marine Transit Co.
Owner: LTV Corp.
Address: Power Plant Road. Phone: 312/739-9130
Town: Hennepin State: IL County: Putnam
Railway Connection: Trackage serving steel mill in rear, connects with Consolidated Rail Corp.
Purpose: Shipment of steel products.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.273056
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.33889
Remarks: Approximately one acre of open storage area is located at rear. Steel mill located approximately one mile in rear.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77208 Rock Island District

---

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 212 PWD: 53
Name: **Illinois Power Co., Hennepin Power Station Coal Dock.**
Port: Illinois Waterway
Location: Mile 211.8, left bank, Illinois River, Hennepin. Datum: NPE
Operator: Illinois Power Co.
Owner: Illinois Power Co.
Address: Power Plant Road. Phone: 815/339-2241
Town: Hennepin State: IL County: Putnam
Railway Connection: Four surface tracks serving 2 undertrack pits, and connecting with Consolidated Rail Corp. were not in use at time on survey.
Purpose: Receipt of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.303056
Total Berthing Space (feet): 1110 | | Longitude (decimal): -89.31722
Remarks: Open storage area at power station in rear has capacity for 225,000 tons of coal.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77211 Rock Island District

---

Waterway: **Illinois River** Mile: 217 PWD: 127
Name: **CGB Marine Services, Spring Valley Fleet Moorings.**
Port: Illinois Waterway
Location: Mile 216.9-218.2, right bank, and mile 217.8-218.3, left bank, Illinois River, Spring Valley. Datum: NPE
Operator: CGB Marine Services, a division of Consolidated Grain & Barge Co.
Owner: CGB Marine Services, a division of Consolidated Grain & Barge Co.
Address: Phone: 815/925-7357
Town: Spring Valley State: IL County: Bureau
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 5 - 7 | 7 - 9 | Latitude (decimal): 41.313611
Total Berthing Space (feet): 80 | 40 | Longitude (decimal): -89.21611
Remarks: Each fleet is arranged in tiers up to 3 barges wide.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77216 Rock Island District

---

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 218 PWD: 55

Name: **Cargill, Spring Valley Grain Elevator Dock.**

Port: Illinois Waterway

Location: Mile 218.4, left bank, Illinois River, Spring Valley. Datum: NPE

Operator: Cargill, Inc. and CGB Marine Services, a division of Consolidated Grain & Barge Co.

Owner: Cargill, Inc.

Address: Phone: 815/664-2331

Town: Spring Valley State: IL County: Putnam

Railway Connection: None.

Purpose: Shipment of grain. Mooring barges for fleeting (see Remarks).

Depth Alongside (feet): 9 | | Latitude (decimal): 41.311111

Total Berthing Space (feet): 425 | | Longitude (decimal): -89.20056

Remarks: Grain elevator at rear consisting of 3 concrete silos with 4 interstices and 5 steel tanks has total capacity for 1,300,000 bushels. CGB Marine Services operates a fleeting area along shore at lower side of whar

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 00077 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 218 PWD: 126
Name: **Continental Grain Co., Spring Valley Grain Elevator Dock.**
Port: Illinois Waterway
Location: Mile 218.3, right bank, Illinois River, Spring Valley. Datum: NPE
Operator: Continental Grain Co.
Owner: Continental Grain Co.
Address: Phone: 815/663-2881
Town: Spring Valley State: IL County: Bureau
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.313056
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.20139

Waterway: **Illinois River** Mile: 218 PWD: 126
Name: **Continental Grain Co., Spring Valley Grain Elevator Dock.**
Port: Illinois Waterway
Location: Mile 218.3, right bank, Illinois River, Spring Valley. Datum: NPE
Operator: Continental Grain Co.
Owner: Continental Grain Co.
Address: Phone: 815/663-2881
Town: Spring Valley State: IL County: Bureau
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.313056
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.20139

Remarks: Grain elevator at rear consisting of 4 concrete silos with 3 interstices has capacity for 100,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77218 Rock Island District

Remarks: Grain elevator at rear consisting of 4 concrete silos with 3 interstices has capacity for 100,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77218 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 218 PWD: 126
Name: **Continental Grain Co., Spring Valley Grain Elevator Dock.**
Port: Illinois Waterway
Location: Mile 218.3, right bank, Illinois River, Spring Valley. Datum: NPE
Operator: Continental Grain Co.
Owner: Continental Grain Co.
Address: Phone: 815/663-2881
Town: Spring Valley State: IL County: Bureau
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.313056
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.20139

Waterway: **Illinois River** Mile: 218 PWD: 126
Name: **Continental Grain Co., Spring Valley Grain Elevator Dock.**
Port: Illinois Waterway
Location: Mile 218.3, right bank, Illinois River, Spring Valley. Datum: NPE
Operator: Continental Grain Co.
Owner: Continental Grain Co.
Address: Phone: 815/663-2881
Town: Spring Valley State: IL County: Bureau
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.313056
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.20139

Remarks: Grain elevator at rear consisting of 4 concrete silos with 3 interstices has capacity for 100,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77218 Rock Island District

Remarks: Grain elevator at rear consisting of 4 concrete silos with 3 interstices has capacity for 100,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77218 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 219 PWD: 125
Name: **ADM/Growmark River System, Spring Valley Grain Elevator Dock.**
Port: Illinois Waterway
Location: Mile 218.5, right bank, Illinois River, Spring Valley. Datum: NPE
Operator: ADM/Growmark River System, Inc., a subsidiary of Archer Daniels Midland Co.
Owner: Archer Daniels Midland Co.
Address: Phone: 815/663-2850
Town: Spring Valley State: IL County: Bureau
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.3125
Total Berthing Space (feet): 300 | | Longitude (decimal): -89.19806

Waterway: **Illinois River** Mile: 219 PWD: 125
Name: **ADM/Growmark River System, Spring Valley Grain Elevator Dock.**
Port: Illinois Waterway
Location: Mile 218.5, right bank, Illinois River, Spring Valley. Datum: NPE
Operator: ADM/Growmark River System, Inc., a subsidiary of Archer Daniels Midland Co.
Owner: Archer Daniels Midland Co.
Address: Phone: 815/663-2850
Town: Spring Valley State: IL County: Bureau
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.3125
Total Berthing Space (feet): 300 | | Longitude (decimal): -89.19806

Remarks: Grain elevator at rear consisting of 3 concrete silos with 3 interstices has capacity for 100,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77218 Rock Island District

Remarks: Grain elevator at rear consisting of 3 concrete silos with 3 interstices has capacity for 100,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77218 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 219 PWD: 125
Name: **ADM/Growmark River System, Spring Valley Grain Elevator Dock.**
Port: Illinois Waterway
Location: Mile 218.5, right bank, Illinois River, Spring Valley. Datum: NPE
Operator: ADM/Growmark River System, Inc., a subsidiary of Archer Daniels Midland Co.
Owner: Archer Daniels Midland Co.
Address: Phone: 815/663-2850
Town: Spring Valley State: IL County: Bureau
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.3125
Total Berthing Space (feet): 300 | | Longitude (decimal): -89.19806

Waterway: **Illinois River** Mile: 219 PWD: 125
Name: **ADM/Growmark River System, Spring Valley Grain Elevator Dock.**
Port: Illinois Waterway
Location: Mile 218.5, right bank, Illinois River, Spring Valley. Datum: NPE
Operator: ADM/Growmark River System, Inc., a subsidiary of Archer Daniels Midland Co.
Owner: Archer Daniels Midland Co.
Address: Phone: 815/663-2850
Town: Spring Valley State: IL County: Bureau
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.3125
Total Berthing Space (feet): 300 | | Longitude (decimal): -89.19806

Remarks: Grain elevator at rear consisting of 3 concrete silos with 3 interstices has capacity for 100,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77218 Rock Island District

Remarks: Grain elevator at rear consisting of 3 concrete silos with 3 interstices has capacity for 100,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77218 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 221 PWD: 123
Name: **CF Industries, Peru Nitrogen Terminal Dock.**
Port: Illinois Waterway
Location: Mile 221.3, right bank, Illinois River, Peru. Datum: NPE
Operator: CF Industries, Inc.
Owner: CF Industries, Inc.
Address: Phone: 815/223-4852
Town: Peru State: IL County: La Salle
Railway Connection: Two unused surface tracks in rear connect with tracks of Burlington Northern Railroad.
Purpose: Receipt and shipment of anhydrous ammonia and 30% urea ammonium nitrate solution.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.316944
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.14917
Remarks: One 6- becoming 8-inch pipeline extends from wharf to one 7,000,000-gallon ammonia storage tank, and one 6- becoming 10-inch pipeline extends to 3 UAN fertilizer storage tanks, total capacity 4,200,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77221 Rock Island District

---

Waterway: **Illinois River** Mile: 221 PWD: 122
Name: **ST Services, Inc., Peru Terminal Dock.**
Port: Illinois Waterway
Location: Mile 221.4, right bank, Illinois River, Peru. Datum: NPE
Operator: ST Services, Inc.
Owner: ST Services, Inc.
Address: 2830 West Market Street. Phone: 815/223-3035
Town: Peru State: IL County: La Salle
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.317778
Total Berthing Space (feet): 430 | | Longitude (decimal): -89.14639
Remarks: Two 8-inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 222,000 barrels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77221 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 222 PWD: 121
Name: **River Docks Barge Wharf.**
Port: Illinois Waterway
Location: Mile 222.0, right bank, Illinois River, Peru. Datum: NPE
Operator: River Docks, Inc.
Owner: River Docks, Inc.
Address: West Water Street. Phone: 815/223-0468
Town: Peru State: IL County: La Salle
Railway Connection: Two surface tracks serving open storage area at rear connect with CSX Rail Transport, Inc. and tracks of Burlington Northern Railroad.
Purpose: Receipt and shipment of miscellaneous dry bulk materials, including sand, stone, coal, and grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.319444
Total Berthing Space (feet): 1400 | | Longitude (decimal): -89.13778
Remarks: Ready-mix concrete plant and open storage area for 20,000 tons of material are located at rear.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77221 Rock Island District

---

Waterway: **Illinois River** Mile: 223 PWD: 118
Name: **Consolidated Grain and Barge Co., Peru Terminal Dock.**
Port: Illinois Waterway
Location: Mile 223.2, right bank, Illinois River, Peru. Datum: NPE
Operator: Consolidated Grain and Barge Co.
Owner: Consolidated Grain and Barge Co.
Address: River Dock Road. Phone: 815/223-6675
Town: Peru State: IL County: La Salle
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.323056
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.11389
Remarks: Truck receiving pit in rear is served by a hydraulic truck dumper.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77223 Rock Island District

---

Waterway: **Illinois River** Mile: 223 PWD: 119
Name: **Huntsman Chemical Corp., Peru Plant Dock.**
Port: Illinois Waterway
Location: Mile 223.2, right bank, Illinois River, Peru. Datum: NPE
Operator: Huntsman Chemical Corp.
Owner: Huntsman Chemical Corp.
Address: 501 Brunner Street. Phone: 815/224-1525
Town: Peru State: IL County: La Salle
Railway Connection: One surface track serves plant in rear; connects with tracks of Burlington Northern Railroad.
Purpose: Receipt of styrene monomer.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.323333
Total Berthing Space (feet): 200 | | Longitude (decimal): -89.11472
Remarks: One 10-inch pipeline extends from wharf to 3 steel storage tanks at plant in rear, total capacity 5,470,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77223 Rock Island District

---

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 223 PWD: 120

Name: **Industrial Molasses, Peru Terminal Dock.**

Port: Illinois Waterway

Location: Mile 223.1, right bank, Illinois River, Peru. Datum: NPE

Operator: Industrial Molasses, division of Westway Trading Corp.

Owner: Industrial Molasses, division of Westway Trading Corp.

Address: 908 Water Street. Phone: 815/223-7877

Town: Peru State: IL County: La Salle

Railway Connection: None.

Purpose: Receipt of molasses.

Depth Alongside (feet): 11 | | Latitude (decimal): 41.324444

Total Berthing Space (feet): 150 | | Longitude (decimal): -89.11639

Remarks: One 6-inch pipeline extends from wharf to 5 steel storage tanks in rear, total capacity 870,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77222 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 223 PWD: 116
Name: **Tabor Grain Co., La Salle Grain Elevator Dock.**
Port: Illinois Waterway
Location: Mile 223.2, right bank, Illinois River, LaSalle. Datum: NPE
Operator: Tabor Grain Co., a subsidiary of Archer Daniels Midland Co.
Owner: Tabor Grain Co., a subsidiary of Archer Daniels Midland Co.
Address: Foot of Brunner Street. Phone: 815/223-8000
Town: LaSalle State: IL County: La Salle
Railway Connection: One surface track serving undertrack pit (not used) at terminal, connects with tracks of Burlington Northern Railroad.
Purpose: Shipment of grain and corn.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.323056
Total Berthing Space (feet): 300 | | Longitude (decimal): -89.11056

Waterway: **Illinois River** Mile: 223 PWD: 116
Name: **Tabor Grain Co., La Salle Grain Elevator Dock.**
Port: Illinois Waterway
Location: Mile 223.2, right bank, Illinois River, LaSalle. Datum: NPE
Operator: Tabor Grain Co., a subsidiary of Archer Daniels Midland Co.
Owner: Tabor Grain Co., a subsidiary of Archer Daniels Midland Co.
Address: Foot of Brunner Street. Phone: 815/223-8000
Town: LaSalle State: IL County: La Salle
Railway Connection: One surface track serving undertrack pit (not used) at terminal, connects with tracks of Burlington Northern Railroad.
Purpose: Shipment of grain and corn.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.323056
Total Berthing Space (feet): 300 | | Longitude (decimal): -89.11056
Remarks: Grain elevator at rear consisting of 2 cconcrete silos has capacity for 68,000 bushels. Each truck-receiving pit is equipped with a hydraulic truck dumper. Wharf is in line with Ref. No. 108 providing approxima continuous berthing space.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77224 Rock Island District

Remarks: Grain elevator at rear consisting of 2 cconcrete silos has capacity for 68,000 bushels. Each truck-receiving pit is equipped with a hydraulic truck dumper. Wharf is in line with Ref. No. 108 providing approxima continuous berthing space.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77224 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 223 PWD: 116
Name: **Tabor Grain Co., La Salle Grain Elevator Dock.**
Port: Illinois Waterway
Location: Mile 223.2, right bank, Illinois River, LaSalle. Datum: NPE
Operator: Tabor Grain Co., a subsidiary of Archer Daniels Midland Co.
Owner: Tabor Grain Co., a subsidiary of Archer Daniels Midland Co.
Address: Foot of Brunner Street. Phone: 815/223-8000
Town: LaSalle State: IL County: La Salle
Railway Connection: One surface track serving undertrack pit (not used) at terminal, connects with tracks of Burlington Northern Railroad.
Purpose: Shipment of grain and corn.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.323056
Total Berthing Space (feet): 300 | | Longitude (decimal): -89.11056

Waterway: **Illinois River** Mile: 223 PWD: 116
Name: **Tabor Grain Co., La Salle Grain Elevator Dock.**
Port: Illinois Waterway
Location: Mile 223.2, right bank, Illinois River, LaSalle. Datum: NPE
Operator: Tabor Grain Co., a subsidiary of Archer Daniels Midland Co.
Owner: Tabor Grain Co., a subsidiary of Archer Daniels Midland Co.
Address: Foot of Brunner Street. Phone: 815/223-8000
Town: LaSalle State: IL County: La Salle
Railway Connection: One surface track serving undertrack pit (not used) at terminal, connects with tracks of Burlington Northern Railroad.
Purpose: Shipment of grain and corn.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.323056
Total Berthing Space (feet): 300 | | Longitude (decimal): -89.11056
Remarks: Grain elevator at rear consisting of 2 cconcrete silos has capacity for 68,000 bushels. Each truck-receiving pit is equipped with a hydraulic truck dumper. Wharf is in line with Ref. No. 108 providing approxima continuous berthing space.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77224 Rock Island District

Remarks: Grain elevator at rear consisting of 2 cconcrete silos has capacity for 68,000 bushels. Each truck-receiving pit is equipped with a hydraulic truck dumper. Wharf is in line with Ref. No. 108 providing approxima continuous berthing space.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77224 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 223 PWD: 117
Name: **Tabor Grain Co., La Salle Terminal Bulk Materials Dock.**
Port: Illinois Waterway
Location: Mile 223.2, right bank, Illinois River, LaSalle. Datum: NPE
Operator: Tabor Grain Co., a subsidiary of Archer Daniels Midland Co.
Owner: Tabor Grain Co., a subsidiary of Archer Daniels Midland Co.
Address: Foot of Brunner Street. Phone: 815/223-8000
Town: LaSalle State: IL County: La Salle
Railway Connection: One surface track serves undertrack pit at terminal, has capacity for 17 loaded and 17 empty cars; connects with tracks of Burlington Northern Railroad.
Purpose: Receipt and shipment of miscellaneous bulk materials, including salt, coal, and dry fertilizer; receipt of liquid fertilizer.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.323056
Total Berthing Space (feet): 285 | | Longitude (decimal): -89.11194

Waterway: **Illinois River** Mile: 223 PWD: 117
Name: **Tabor Grain Co., La Salle Terminal Bulk Materials Dock.**
Port: Illinois Waterway
Location: Mile 223.2, right bank, Illinois River, LaSalle. Datum: NPE
Operator: Tabor Grain Co., a subsidiary of Archer Daniels Midland Co.
Owner: Tabor Grain Co., a subsidiary of Archer Daniels Midland Co.
Address: Foot of Brunner Street. Phone: 815/223-8000
Town: LaSalle State: IL County: La Salle
Railway Connection: One surface track serves undertrack pit at terminal, has capacity for 17 loaded and 17 empty cars; connects with tracks of Burlington Northern Railroad.
Purpose: Receipt and shipment of miscellaneous bulk materials, including salt, coal, and dry fertilizer; receipt of liquid fertilizer.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.323056
Total Berthing Space (feet): 285 | | Longitude (decimal): -89.11194

Remarks: Open storage area at terminal in rear has capacity for 150,000 tons of miscellaneous bulk materials. Three fertilizer storage buildings at rear have capacity for approximately 14,600 tons. Four 8-inch pipelines to 4 liquid fertilizer storage tanks at rear, total capacity 2,700,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77224 Rock Island District

Remarks: Open storage area at terminal in rear has capacity for 150,000 tons of miscellaneous bulk materials. Three fertilizer storage buildings at rear have capacity for approximately 14,600 tons. Four 8-inch pipelines to 4 liquid fertilizer storage tanks at rear, total capacity 2,700,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77224 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 223 PWD: 117
Name: **Tabor Grain Co., La Salle Terminal Bulk Materials Dock.**
Port: Illinois Waterway
Location: Mile 223.2, right bank, Illinois River, LaSalle. Datum: NPE
Operator: Tabor Grain Co., a subsidiary of Archer Daniels Midland Co.
Owner: Tabor Grain Co., a subsidiary of Archer Daniels Midland Co.
Address: Foot of Brunner Street. Phone: 815/223-8000
Town: LaSalle State: IL County: La Salle
Railway Connection: One surface track serves undertrack pit at terminal, has capacity for 17 loaded and 17 empty cars; connects with tracks of Burlington Northern Railroad.
Purpose: Receipt and shipment of miscellaneous bulk materials, including salt, coal, and dry fertilizer; receipt of liquid fertilizer.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.323056
Total Berthing Space (feet): 285 | | Longitude (decimal): -89.11194

Waterway: **Illinois River** Mile: 223 PWD: 117
Name: **Tabor Grain Co., La Salle Terminal Bulk Materials Dock.**
Port: Illinois Waterway
Location: Mile 223.2, right bank, Illinois River, LaSalle. Datum: NPE
Operator: Tabor Grain Co., a subsidiary of Archer Daniels Midland Co.
Owner: Tabor Grain Co., a subsidiary of Archer Daniels Midland Co.
Address: Foot of Brunner Street. Phone: 815/223-8000
Town: LaSalle State: IL County: La Salle
Railway Connection: One surface track serves undertrack pit at terminal, has capacity for 17 loaded and 17 empty cars; connects with tracks of Burlington Northern Railroad.
Purpose: Receipt and shipment of miscellaneous bulk materials, including salt, coal, and dry fertilizer; receipt of liquid fertilizer.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.323056
Total Berthing Space (feet): 285 | | Longitude (decimal): -89.11194

Remarks: Open storage area at terminal in rear has capacity for 150,000 tons of miscellaneous bulk materials. Three fertilizer storage buildings at rear have capacity for approximately 14,600 tons. Four 8-inch pipelines to 4 liquid fertilizer storage tanks at rear, total capacity 2,700,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77224 Rock Island District

Remarks: Open storage area at terminal in rear has capacity for 150,000 tons of miscellaneous bulk materials. Three fertilizer storage buildings at rear have capacity for approximately 14,600 tons. Four 8-inch pipelines to 4 liquid fertilizer storage tanks at rear, total capacity 2,700,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77224 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 229 PWD: 113
Name: **Consolidated Grain and Barge Co., Utica Terminal Dock.**
Port: Illinois Waterway
Location: Mile 229.0, right bank, Illinois River, Utica. Datum: NPE
Operator: Consolidated Grain and Barge Co.
Owner: Consolidated Grain and Barge Co.
Address: Phone: 815/667-5141
Town: Utica State: IL County: La Salle
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 14 | 14 | Latitude (decimal): 41.325278
Total Berthing Space (feet): 460 | 460 | Longitude (decimal): -89.02306
Remarks: Two 1,600-bushel-capacity receiving pits, each with truck dumper are located at rear.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77229 Rock Island District

---

Waterway: **Illinois River** Mile: 229 PWD: 114
Name: **Utica Terminal Dock.**
Port: Illinois Waterway
Location: Mile 228.5, right bank, Illinois River, Utica. Datum: NPE
Operator: Utica Terminal, a subsidiary of Illinois Road Contractors, Inc.
Owner: Illinois Road Contractors, Inc.
Address: Phone: 815/667-5131
Town: Utica State: IL County: La Salle
Railway Connection: None.
Purpose: Receipt of asphalt and petroleum products.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.323056
Total Berthing Space (feet): 400 | | Longitude (decimal): -89.03028
Remarks: One 8-inch pipeline extends from cell to 13 steel storage tanks at rear, total capacity 97,000 barrels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77228 Rock Island District

---

Waterway: **Illinois River** Mile: 236 PWD: 112
Name: **Cargill Inc., North Ottawa Grain Elevator Dock.**
Port: Illinois Waterway
Location: Mile 235.9, right bank, Illinois River, Ottawa. Datum: NPE
Operator: Not operated.
Owner: Cargill, Inc.
Address: Dee Bennett Road. Phone: 815/433-5063
Town: Ottawa State: IL County: La Salle
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.328333
Total Berthing Space (feet): 580 | | Longitude (decimal): -88.90278
Remarks: Grain elevator at rear consisting of 2 concrete silos and having total capacity for 60,000 bushels was not in use at time of survey.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77235 Rock Island District

---

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 236 PWD: 110
Name: **Ottawa Barge Terminal Barge Grain Dock.**
Port: Illinois Waterway
Location: Mile 236.4, right bank, Illinois River, Ottawa. Datum: NPE
Operator: Ottawa Barge Terminal, Inc.
Owner: Ottawa Barge Terminal, Inc.
Address: Dee Bennett Road. Phone: 815/434-1815
Town: Ottawa State: IL County: La Salle
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 - 11 | | Latitude (decimal): 41.328056
Total Berthing Space (feet): 400 | | Longitude (decimal): -88.89528

Waterway: **Illinois River** Mile: 236 PWD: 110
Name: **Ottawa Barge Terminal Barge Grain Dock.**
Port: Illinois Waterway
Location: Mile 236.4, right bank, Illinois River, Ottawa. Datum: NPE
Operator: Ottawa Barge Terminal, Inc.
Owner: Ottawa Barge Terminal, Inc.
Address: Dee Bennett Road. Phone: 815/434-1815
Town: Ottawa State: IL County: La Salle
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 - 11 | | Latitude (decimal): 41.328056
Total Berthing Space (feet): 400 | | Longitude (decimal): -88.89528
Remarks: □□

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77236 Rock Island District

Remarks: □□

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77236 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 236 PWD: 110
Name: **Ottawa Barge Terminal Barge Grain Dock.**
Port: Illinois Waterway
Location: Mile 236.4, right bank, Illinois River, Ottawa. Datum: NPE
Operator: Ottawa Barge Terminal, Inc.
Owner: Ottawa Barge Terminal, Inc.
Address: Dee Bennett Road. Phone: 815/434-1815
Town: Ottawa State: IL County: La Salle
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 - 11 | | Latitude (decimal): 41.328056
Total Berthing Space (feet): 400 | | Longitude (decimal): -88.89528

Waterway: **Illinois River** Mile: 236 PWD: 110
Name: **Ottawa Barge Terminal Barge Grain Dock.**
Port: Illinois Waterway
Location: Mile 236.4, right bank, Illinois River, Ottawa. Datum: NPE
Operator: Ottawa Barge Terminal, Inc.
Owner: Ottawa Barge Terminal, Inc.
Address: Dee Bennett Road. Phone: 815/434-1815
Town: Ottawa State: IL County: La Salle
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 - 11 | | Latitude (decimal): 41.328056
Total Berthing Space (feet): 400 | | Longitude (decimal): -88.89528
Remarks: □□

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77236 Rock Island District

Remarks: □□

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77236 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 236 PWD: 111
Name: **Ottawa Barge Terminal, Bulk Materials Dock.**
Port: Illinois Waterway
Location: Mile 236.3, right bank, Illinois River, Ottawa. Datum: NPE
Operator: Ottawa Barge Terminal, Inc.
Owner: Ottawa Barge Terminal, Inc.
Address: Dee Bennet Road. Phone: 815/434-1815
Town: Ottawa State: IL County: La Salle
Railway Connection: None.
Purpose: Receipt of steel products and miscellaneous dry bulk materials, including salt, bark mulch, lime, fertilizer, and coal.
Depth Alongside (feet): 10 - 11 | | Latitude (decimal): 41.328611
Total Berthing Space (feet): 400 | | Longitude (decimal): -88.89583

Waterway: **Illinois River** Mile: 236 PWD: 111
Name: **Ottawa Barge Terminal, Bulk Materials Dock.**
Port: Illinois Waterway
Location: Mile 236.3, right bank, Illinois River, Ottawa. Datum: NPE
Operator: Ottawa Barge Terminal, Inc.
Owner: Ottawa Barge Terminal, Inc.
Address: Dee Bennet Road. Phone: 815/434-1815
Town: Ottawa State: IL County: La Salle
Railway Connection: None.
Purpose: Receipt of steel products and miscellaneous dry bulk materials, including salt, bark mulch, lime, fertilizer, and coal.
Depth Alongside (feet): 10 - 11 | | Latitude (decimal): 41.328611
Total Berthing Space (feet): 400 | | Longitude (decimal): -88.89583

Remarks: Approximately 12 acres of open storage area for dry bulk materials are available at rear.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77236 Rock Island District

Remarks: Approximately 12 acres of open storage area for dry bulk materials are available at rear.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77236 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 236 PWD: 111
Name: **Ottawa Barge Terminal, Bulk Materials Dock.**
Port: Illinois Waterway
Location: Mile 236.3, right bank, Illinois River, Ottawa. Datum: NPE
Operator: Ottawa Barge Terminal, Inc.
Owner: Ottawa Barge Terminal, Inc.
Address: Dee Bennet Road. Phone: 815/434-1815
Town: Ottawa State: IL County: La Salle
Railway Connection: None.
Purpose: Receipt of steel products and miscellaneous dry bulk materials, including salt, bark mulch, lime, fertilizer, and coal.
Depth Alongside (feet): 10 - 11 | | Latitude (decimal): 41.328611
Total Berthing Space (feet): 400 | | Longitude (decimal): -88.89583

Waterway: **Illinois River** Mile: 236 PWD: 111
Name: **Ottawa Barge Terminal, Bulk Materials Dock.**
Port: Illinois Waterway
Location: Mile 236.3, right bank, Illinois River, Ottawa. Datum: NPE
Operator: Ottawa Barge Terminal, Inc.
Owner: Ottawa Barge Terminal, Inc.
Address: Dee Bennet Road. Phone: 815/434-1815
Town: Ottawa State: IL County: La Salle
Railway Connection: None.
Purpose: Receipt of steel products and miscellaneous dry bulk materials, including salt, bark mulch, lime, fertilizer, and coal.
Depth Alongside (feet): 10 - 11 | | Latitude (decimal): 41.328611
Total Berthing Space (feet): 400 | | Longitude (decimal): -88.89583
Remarks: Approximately 12 acres of open storage area for dry bulk materials are available at rear.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77236 Rock Island District

Remarks: Approximately 12 acres of open storage area for dry bulk materials are available at rear.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77236 Rock Island District

Waterway: **Illinois River** Mile: 237 PWD: 56
Name: **ADM/Growmark River System, Ottawa South Grain Elevator Wharf.**
Port: Illinois Waterway
Location: Mile 236.9, left bank, Illinois River, Ottawa. Datum: NPE
Operator: ADM/Growmark River System, Inc., a subsidiary of Archer Daniels Midland Co.
Owner: Archer Daniels Midland Co.
Address: Phone: 815/433-3000
Town: Ottawa State: IL County: La Salle
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 15 | | Latitude (decimal): 41.320278
Total Berthing Space (feet): 200 | | Longitude (decimal): -88.88361
Remarks: Grain elevator at rear consisting of 3 concrete silos with 3 interstices has total capacity for 100,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77237 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 237 PWD: 57
Name: **Garvey Marine, Ottawa Fleet Moorings.**
Port: Illinois Waterway
Location: Mile 236.8, left bank, Illinois River, Ottawa. Datum: NPE
Operator: Garvey Marine, Inc.
Owner: Garvey Marine, Inc.
Address: Phone: 815-434-5547
Town: Ottawa State: IL County: La Salle
Railway Connection: None.
Purpose: Landing for fleet service vessels; mooring barges for fleeting and cleaning.
Depth Alongside (feet): 9 | 9 | 9 Latitude (decimal): 41.32
Total Berthing Space (feet): 15 | 19 | 40 Longitude (decimal): -88.88056
Remarks: Lower fleeting area located below Ref. No. 56 has capacity for 15 loaded barges arranged in 5 tiers, each 3 barges wide. Upper fleeting area located between shore and Mayo Island above office barge, has capacity in tiers up to 3 barges wide. Service boats moor end to office barge located at mile 237.2.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77237 Rock Island District

---

Waterway: **Illinois River** Mile: 238 PWD: 109
Name: **Libbey-Owens-Ford Ottawa Plant 5 Dock.**
Port: Illinois Waterway
Location: Mile 237.9, right bank, Illinois River, Ottawa. Datum: NPE
Operator: Not operated.
Owner: Libbey-Owens-Ford Co.
Address: Center & 20th Street. Phone: 815/434-8012
Town: Ottawa State: IL County: La Salle
Railway Connection: Plant trackage in rear connects with CSX Rail Transport, Inc. and tracks of Burlington Northern Railroad.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.330556
Total Berthing Space (feet): 400 | | Longitude (decimal): -88.87111
Remarks: One 8-inch pipeline extendingfrom wharf to 2 steel storage tanks at plant in rear, total capacity 71,500 barrels was not in usee at time of survey.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77237 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 239 PWD: 58
Name: **Cargill, Ottawa South Grain Elevator Dock.**
Port: Illinois Waterway
Location: Mile 238.5, left bank, Illinois River, Ottawa. Datum: NPE
Operator: Cargill, Inc.
Owner: Ottawa Silica Sand Co.
Address: Phone: 815/433-5063
Town: Ottawa State: IL County: La Salle
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.335
Total Berthing Space (feet): 400 | | Longitude (decimal): -88.85972
Remarks: Grain elevator at rear consisting of 11 concrete silos with 5 interstices and 3 steel tanks has total capacity for 735,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77238 Rock Island District

---

Waterway: **Illinois River** Mile: 242 PWD: 108
Name: **ADM/Growmark River System, Ottawa North Grain Elevator Dock.**
Port: Illinois Waterway
Location: Mile 241.9, right bank, Illinois River, Ottawa. Datum: NPE
Operator: ADM/Growmark River System, Inc., a subsidiary of Archer Daniels Midland Co. and Ameri
Owner: Archer Daniels Midland Co.
Address: Towpath (Canal) Road. Phone: 815/433-3635
Town: Ottawa State: IL County: La Salle
Railway Connection: None.
Purpose: Shipment of grain; mooring vessels for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.341389
Total Berthing Space (feet): 680 | | Longitude (decimal): -88.79972
Remarks: Grain elevator at rear consisting of 8 concrete silos with 15 interstices has total capacity for 660,000 bushels. American River Transportation Co. operates fleeting areas with shore mooring of the following loc Fleet Bank Miles Width Barge (Barges) CapacityOttawa Upper Right 241.9-242.1 3 12Ottawa Lower Right 237.8-238.5 1-3 35

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77241 Rock Island District

---

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 243 PWD: 107
Name: **Garvey International, Ottawa Terminal Dock.**
Port: Illinois Waterway
Location: Mile 243.3, right bank, Illinois River, Ottawa. Datum: NPE
Operator: Garvey International, Inc.
Owner: Garvey International, Inc.
Address: Canal Road. Phone: 815/434-6990
Town: Ottawa State: IL County: La Salle
Railway Connection: Plant trackage in rear with capacity for 150 cars connects with CSX Rail Transport, Inc.
Purpose: Receipt of fertilizer and wood bark; shipment of grain by products.
Depth Alongside (feet): 12 | | 12 Latitude (decimal): 41.333889
Total Berthing Space (feet): 200 | | 200 Longitude (decimal): -88.77556
Remarks: Grain elevator at rear consisting of 6 concrete silos, 4 steel bins, and 2 flat storage buildings have total capacity for 675,000 bushels. Terminal includes approximately 85 acres, including a 10,000-ton buildin fertilizer operated by Associated River Terminal.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77243 Rock Island District

---

Waterway: **Illinois River** Mile: 244 PWD: 105
Name: **G. E. Plastics, Ottawa Plant Wharf.**
Port: Illinois Waterway
Location: Mile 244.0, right bank, Illinois River, Ottawa. Datum: NPE
Operator: G. E. Plastics.
Owner: G. E. Plastics.
Address: East Canal Road. Phone: 815/433-7523
Town: Ottawa State: IL County: La Salle
Railway Connection: Trackage serving plant in rear connects with CSX Rail Transport, Inc.
Purpose: Receipt of styrene and butadiene.
Depth Alongside (feet): 10 - 11 | | Latitude (decimal): 41.330556
Total Berthing Space (feet): 160 | | Longitude (decimal): -88.76139
Remarks: Two 8-inch pipelines extend from wharf to 3 styrene storage tanks total capacity 1,625,000 gallons and to 2 butadience spheres, total capacity 1,080,000 gallons at plant in rear.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77244 Rock Island District

---

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 244 PWD: 106
Name: **Ottawa Steel & Wire, Inc., Barge Slip Dock.**
Port: Illinois Waterway
Location: Mile 243.5, right bank, Illinois River, Ottawa. Datum: NPE
Operator: Ottawa Steel & Wire, Inc.
Owner: Ottawa Steel & Wire, Inc.
Address: Canal Road East. Phone: 815/434-5581
Town: Ottawa State: IL County: La Salle
Railway Connection: One surface track with 6 loading stations connects with CSX Rail Transport, Inc.
Purpose: Receipt of steel products.
Depth Alongside (feet): 11 | 11 | Latitude (decimal): 41.334444
Total Berthing Space (feet): | 120 | Longitude (decimal): -88.77111
Remarks: Entrance to slip shoals to 6 feet NPE as a result of wash caused by towboats moored at offshore dolphins awaiting passage through Marseilles Lock. A 50,000 square foot covered concrete pad is located at rear of steel products.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77243 Rock Island District

---

Waterway: **Illinois River** Mile: 248 PWD: 104
Name: **The GR Group., Marseilles Plant Slip.**
Port: Illinois Waterway
Location: Mile 247.9, right bank, Illinois River, Marseilles. Datum: NPE
Operator: Not operated.
Owner: The GR Group, Inc.
Address: East Canal Road. Phone: 419/353-5931
Town: Marseilles State: IL County: La Salle
Railway Connection: One surface track serving plant in rear connects with CSX Rail Transport, Inc.
Purpose: Not used.
Depth Alongside (feet): 6 | 6 - 15 | 6 - 15 Latitude (decimal): 41.32
Total Berthing Space (feet): | 1 | Longitude (decimal): -88.68972
Remarks: Plant was for sale at time of survey.□□

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77247 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 249 PWD: 103
Name: **Vigoro Industries, Marseilles Terminal Ammonia Dock.**
Port: Illinois Waterway
Location: Mile 248.7, right bank, Illinois River, Marseilles. Datum: NPE
Operator: Vigoro Industries, Inc.
Owner: Vigoro Industries, Inc.
Address: Phone: 815/795-4151
Town: Marseilles State: IL County: La Salle
Railway Connection: Surface trackage at facility in rear with capacity for 60 cars; andconnecting with CSX Rail Transport, Inc. was not in use at time of survey.
Purpose: Receipt of anhydrous ammonia and liquid nitrogen solution.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.315
Total Berthing Space (feet): 440 | | Longitude (decimal): -88.6775

Waterway: **Illinois River** Mile: 249 PWD: 103
Name: **Vigoro Industries, Marseilles Terminal Ammonia Dock.**
Port: Illinois Waterway
Location: Mile 248.7, right bank, Illinois River, Marseilles. Datum: NPE
Operator: Vigoro Industries, Inc.
Owner: Vigoro Industries, Inc.
Address: Phone: 815/795-4151
Town: Marseilles State: IL County: La Salle
Railway Connection: Surface trackage at facility in rear with capacity for 60 cars; andconnecting with CSX Rail Transport, Inc. was not in use at time of survey.
Purpose: Receipt of anhydrous ammonia and liquid nitrogen solution.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.315
Total Berthing Space (feet): 440 | | Longitude (decimal): -88.6775

Remarks: One 10-inch insulated pipeline extends from wharf to two anhydrous ammonia storage tanks, total capacity 14,900,000 gallons; one 6-inch pipeline extends from wharf to 5 liquid nitrogen solution storage tanks, tot 7,200,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77248 Rock Island District

Remarks: One 10-inch insulated pipeline extends from wharf to two anhydrous ammonia storage tanks, total capacity 14,900,000 gallons; one 6-inch pipeline extends from wharf to 5 liquid nitrogen solution storage tanks, tot 7,200,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77248 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 249 PWD: 103
Name: **Vigoro Industries, Marseilles Terminal Ammonia Dock.**
Port: Illinois Waterway
Location: Mile 248.7, right bank, Illinois River, Marseilles. Datum: NPE
Operator: Vigoro Industries, Inc.
Owner: Vigoro Industries, Inc.
Address: Phone: 815/795-4151
Town: Marseilles State: IL County: La Salle
Railway Connection: Surface trackage at facility in rear with capacity for 60 cars; andconnecting with CSX Rail Transport, Inc. was not in use at time of survey.
Purpose: Receipt of anhydrous ammonia and liquid nitrogen solution.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.315
Total Berthing Space (feet): 440 | | Longitude (decimal): -88.6775

Waterway: **Illinois River** Mile: 249 PWD: 103
Name: **Vigoro Industries, Marseilles Terminal Ammonia Dock.**
Port: Illinois Waterway
Location: Mile 248.7, right bank, Illinois River, Marseilles. Datum: NPE
Operator: Vigoro Industries, Inc.
Owner: Vigoro Industries, Inc.
Address: Phone: 815/795-4151
Town: Marseilles State: IL County: La Salle
Railway Connection: Surface trackage at facility in rear with capacity for 60 cars; andconnecting with CSX Rail Transport, Inc. was not in use at time of survey.
Purpose: Receipt of anhydrous ammonia and liquid nitrogen solution.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.315
Total Berthing Space (feet): 440 | | Longitude (decimal): -88.6775

Remarks: One 10-inch insulated pipeline extends from wharf to two anhydrous ammonia storage tanks, total capacity 14,900,000 gallons; one 6-inch pipeline extends from wharf to 5 liquid nitrogen solution storage tanks, tot 7,200,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77248 Rock Island District

Remarks: One 10-inch insulated pipeline extends from wharf to two anhydrous ammonia storage tanks, total capacity 14,900,000 gallons; one 6-inch pipeline extends from wharf to 5 liquid nitrogen solution storage tanks, tot 7,200,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77248 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 249 PWD: 102
Name: **Vigoro Industries, Marseilles Terminal Bulk Dock.**
Port: Illinois Waterway
Location: Mile 248.8, right bank, Illinois River, Marseilles. Datum: NPE
Operator: Vigoro Industries, Inc.
Owner: Vigoro Industries, Inc.
Address: Phone: 815/795-4151
Town: Marseilles State: IL County: La Salle
Railway Connection: Surface trackage at facility in rear with capacity for 60 cars; connecting with CSX Rail Transport, Inc. was not in use at time of survey.
Purpose: Receipt of bulk urea, potash, and dry fertilizer.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.314444
Total Berthing Space (feet): 170 | | Longitude (decimal): -88.67528

Waterway: **Illinois River** Mile: 249 PWD: 102
Name: **Vigoro Industries, Marseilles Terminal Bulk Dock.**
Port: Illinois Waterway
Location: Mile 248.8, right bank, Illinois River, Marseilles. Datum: NPE
Operator: Vigoro Industries, Inc.
Owner: Vigoro Industries, Inc.
Address: Phone: 815/795-4151
Town: Marseilles State: IL County: La Salle
Railway Connection: Surface trackage at facility in rear with capacity for 60 cars; connecting with CSX Rail Transport, Inc. was not in use at time of survey.
Purpose: Receipt of bulk urea, potash, and dry fertilizer.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.314444
Total Berthing Space (feet): 170 | | Longitude (decimal): -88.67528
Remarks: Storage building in rear has capacity for 12,000 tons of dry bulk material.□□

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77248 Rock Island District

Remarks: Storage building in rear has capacity for 12,000 tons of dry bulk material.□□

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77248 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 249 PWD: 102
Name: **Vigoro Industries, Marseilles Terminal Bulk Dock.**
Port: Illinois Waterway
Location: Mile 248.8, right bank, Illinois River, Marseilles. Datum: NPE
Operator: Vigoro Industries, Inc.
Owner: Vigoro Industries, Inc.
Address: Phone: 815/795-4151
Town: Marseilles State: IL County: La Salle
Railway Connection: Surface trackage at facility in rear with capacity for 60 cars; connecting with CSX Rail Transport, Inc. was not in use at time of survey.
Purpose: Receipt of bulk urea, potash, and dry fertilizer.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.314444
Total Berthing Space (feet): 170 | | Longitude (decimal): -88.67528

Waterway: **Illinois River** Mile: 249 PWD: 102
Name: **Vigoro Industries, Marseilles Terminal Bulk Dock.**
Port: Illinois Waterway
Location: Mile 248.8, right bank, Illinois River, Marseilles. Datum: NPE
Operator: Vigoro Industries, Inc.
Owner: Vigoro Industries, Inc.
Address: Phone: 815/795-4151
Town: Marseilles State: IL County: La Salle
Railway Connection: Surface trackage at facility in rear with capacity for 60 cars; connecting with CSX Rail Transport, Inc. was not in use at time of survey.
Purpose: Receipt of bulk urea, potash, and dry fertilizer.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.314444
Total Berthing Space (feet): 170 | | Longitude (decimal): -88.67528
Remarks: Storage building in rear has capacity for 12,000 tons of dry bulk material.□□

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77248 Rock Island District

Remarks: Storage building in rear has capacity for 12,000 tons of dry bulk material.□□

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77248 Rock Island District

Waterway: **Illinois River** Mile: 250 PWD: 101
Name: **Texasgulf, Marseilles Plant Dock.**
Port: Illinois Waterway
Location: Mile 249.9, right bank, Illinois River, Marseilles. Datum: NPE
Operator: Texasgulf, Inc.
Owner: Texasgulf, Inc., a subsidiary of the Elf Aquitaine Group.
Address: Phone: 815/795-5111
Town: Marseilles State: IL County: La Salle
Railway Connection: Four surface tracks serve plant on rear; connect with CSX Rail Transport, Inc.
Purpose: Receipt of limestone.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.314722
Total Berthing Space (feet): 1070 | | Longitude (decimal): -88.65694
Remarks: Concrete storage building at plant in rear has capacity for 15,000 tons of limestone.□

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77249 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 253 PWD: 61
Name: **Black Marine Docks.**
Port: Illinois Waterway
Location: Mile 252.8, left bank, Illinois River, Seneca. Datum: NPE
Operator: Black Marine, Inc.
Owner: Black Marine, Inc.
Address: 1 East Du Pont Road. Phone: 815/357-6666
Town: Seneca State: IL County: La Salle
Railway Connection: None.
Purpose: Mooring vessels and barges for repair; mooring barges for fleeting.
Depth Alongside (feet): 12 | 10 | 9 Latitude (decimal): 41.298056
Total Berthing Space (feet): 200 | 200 | 200 Longitude (decimal): -88.6075
Remarks: Approximately 50 acres of open storage area and one 25,000-square foot storage building are located in rear. Left bank fleeting area starting at bridge, including wharves, and extending 4,000 feet upstream, has c barges arranged in tiers 3 to 5 barges wide.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77252 Rock Island District

---

Waterway: **Illinois River** Mile: 253 PWD: 100
Name: **Continental Grain Co., Seneca Grain Elevator Wharf.**
Port: Illinois Waterway
Location: Mile 252.6, right bank, Illinois River, Seneca. Datum: NPE
Operator: Continental Grain Co.
Owner: Continental Grain Co.
Address: South Main Street. Phone: 815/357-8741
Town: Seneca State: IL County: La Salle
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 14 | | Latitude (decimal): 41.3
Total Berthing Space (feet): 650 | | Longitude (decimal): -88.61278
Remarks: Grain elevator at rear consisting of 4 concrete silos and two steel tanks has total capacity for 250,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77252 Rock Island District

---

Waterway: **Illinois River** Mile: 253 PWD: 60
Name: **Farmers Elevator Co., Seneca Dock.**
Port: Illinois Waterway
Location: Mile 252.6, left bank, Illinois River, Seneca. Datum: NPE
Operator: Farmers Elevator Co.
Owner: Farmers Elevator Co.
Address: 141 West River Drive. Phone: 815/586-4221
Town: Seneca State: IL County: La Salle
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.298056
Total Berthing Space (feet): 400 | | Longitude (decimal): -88.61278
Remarks: Facility can handle approximately 15 trucks per hour.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77252 Rock Island District

---

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 254 PWD: 99
Name: **Shipyard Terminal & Industrial Park Wharf.**
Port: Illinois Waterway
Location: Mile 253.6, right bank, Illinois River, Seneca. Datum: NPE
Operator: Shipyard Terminal & Industrial Park, Inc.
Owner: Shipyard Terminal & Industrial Park, Inc.
Address: South Shipyard Road. Phone: 815/357-6721
Town: Seneca State: IL County: La Salle
Railway Connection: Trackage serving receiving pit and loading spout at terminal in rear has capacity for 100 cars, connects with CSX Rail Transport, Inc.
Purpose: Receipt and shipment of miscellaneous dry bulk materials including fertilizer, lime, salt, and coal; receipt of liquid fertilizer, steel products, and wood products; occasional shipment of grain.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.302778
Total Berthing Space (feet): 875 | | Longitude (decimal): -88.59528
Remarks: Four timber storage buildings in rear, (2 served directly by conveyor from wharf) have total capacity for 80,000 tons of dry bulk materials. Concrete paved open storage area at rear of wharf has capacity for 50, additional open dry bulk storage area for 50,000 tons is available under the conveyor extending from wharf to storage buildings. One 8-inch pipeline extends from lower breasting dolphin to 3 liquid fertilizer storagerear, total capacity 3,000,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77253 Rock Island District

---

Waterway: **Illinois River** Mile: 254 PWD: 64
Name: **The Lemm Corp., Seneca Terminal Dock.**
Port: Illinois Waterway
Location: Mile 253.8, left bank, Illinois River, Seneca. Datum: NPE
Operator: The Lemm Corp.
Owner: Seneca Port District.
Address: Du Pont Road. Phone: 815/357-8811
Town: Seneca State: IL County: La Salle
Railway Connection: None.
Purpose: Receipt of anhydrous ammonia.
Depth Alongside (feet): 9 - 5 | | Latitude (decimal): 41.302778
Total Berthing Space (feet): 470 | | Longitude (decimal): -88.58861
Remarks: One 10-inch pipeline extends from wharf to one 10,500,000-gallon steel storage tank at terminal in rear.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77253 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 262 PWD: 65
Name: **Material Service Corp., Morris Pit Towboat Dock.**
Port: Illinois Waterway
Location: Mile 262.0, left bank, Illinois River, Morris. Datum: NPE
Operator: Material Service Corp.
Owner: Material Service Corp.
Address: Pine Bluff Road. Phone: 815/942-1862
Town: Morris State: IL County: Grundy
Railway Connection: None.
Purpose: Mooring tugs.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.342222
Total Berthing Space (feet): 585 | | Longitude (decimal): -88.44556

Waterway: **Illinois River** Mile: 262 PWD: 65
Name: **Material Service Corp., Morris Pit Towboat Dock.**
Port: Illinois Waterway
Location: Mile 262.0, left bank, Illinois River, Morris. Datum: NPE
Operator: Material Service Corp.
Owner: Material Service Corp.
Address: Pine Bluff Road. Phone: 815/942-1862
Town: Morris State: IL County: Grundy
Railway Connection: None.
Purpose: Mooring tugs.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.342222
Total Berthing Space (feet): 585 | | Longitude (decimal): -88.44556

Remarks: Additional berthing is available at another permanently grounded 195-by 35-foot, steel barge on opposite side of entrance channel.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77261 Rock Island District

Remarks: Additional berthing is available at another permanently grounded 195-by 35-foot, steel barge on opposite side of entrance channel.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77261 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 262 PWD: 65
Name: **Material Service Corp., Morris Pit Towboat Dock.**
Port: Illinois Waterway
Location: Mile 262.0, left bank, Illinois River, Morris. Datum: NPE
Operator: Material Service Corp.
Owner: Material Service Corp.
Address: Pine Bluff Road. Phone: 815/942-1862
Town: Morris State: IL County: Grundy
Railway Connection: None.
Purpose: Mooring tugs.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.342222
Total Berthing Space (feet): 585 | | Longitude (decimal): -88.44556

Waterway: **Illinois River** Mile: 262 PWD: 65
Name: **Material Service Corp., Morris Pit Towboat Dock.**
Port: Illinois Waterway
Location: Mile 262.0, left bank, Illinois River, Morris. Datum: NPE
Operator: Material Service Corp.
Owner: Material Service Corp.
Address: Pine Bluff Road. Phone: 815/942-1862
Town: Morris State: IL County: Grundy
Railway Connection: None.
Purpose: Mooring tugs.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.342222
Total Berthing Space (feet): 585 | | Longitude (decimal): -88.44556
Remarks: Additional berthing is available at another permanently grounded 195-by 35-foot, steel barge on opposite side of entrance channel.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77261 Rock Island District

Remarks: Additional berthing is available at another permanently grounded 195-by 35-foot, steel barge on opposite side of entrance channel.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77261 Rock Island District

Waterway: **Illinois River** Mile: 263 PWD: 97
Name: **ADM/Growmark River System, Morris Grain Elevator East Dock.**
Port: Illinois Waterway
Location: Mile 263.0, right bank, Illinois River, Morris. Datum: NPE
Operator: ADM/Growmark River System, Inc., a subsidiary of Archer Daniels Midland Co.
Owner: Archer Daniels Midland Co.
Address: South Calhoun Street. Phone: 815/942-3700
Town: Morris State: IL County: Grundy
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.353889
Total Berthing Space (feet): 200 | | Longitude (decimal): -88.42944
Remarks: Grain elevator at rear consisting of 4 concrete silos with 4 interstices and one steel tank has total capacity for 550,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77263 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 263 PWD: 98
Name: **ADM/Growmark River System, Morris Grain Elevator West Dock.**
Port: Illinois Waterway
Location: Mile 262.9, right bank, Illinois River, Morris. Datum: NPE
Operator: ADM/Growmark River System, Inc., a subsidiary of Archer Daniels Midland Co.
Owner: Archer Daniels Midland Co.
Address: North River Road Phone: 815/942-3700
Town: Morris State: IL County: Grundy
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.353333
Total Berthing Space (feet): 400 | | Longitude (decimal): -88.43139
Remarks: Grain elevator at rear consisting of 6 concrete silos with 4 interstices has capacity for 200,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77262 Rock Island District

---

Waterway: **Illinois River** Mile: 263 PWD: 96
Name: **Cargill, Morris Grain Elevator Dock.**
Port: Illinois Waterway
Location: Mile 263.1, right bank, Illinois River, Morris. Datum: NPE
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 100 South Calhoun Street. Phone: 815/942-1370
Town: Morris State: IL County: Grundy
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.354167
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.42778
Remarks: Grain elevator at rear consisting of 4 concrete silos and one steel tank has total capacity for 270,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77263 Rock Island District

---

Waterway: **Illinois River** Mile: 263 PWD: 95
Name: **Continental Grain Co., Morris Grain Elevator Dock.**
Port: Illinois Waterway
Location: Mile 263.2, right bank, Illinois River, Morris. Datum: NPE
Operator: Continental Grain Co.
Owner: Continental Grain Co.
Address: South Calhoun Street. Phone: 815/942-0932
Town: Morris State: IL County: Grundy
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.354167
Total Berthing Space (feet): 400 | | Longitude (decimal): -88.42583
Remarks: Grain elevator at rear consisting of 4 concrete silos with 5 interstices has total capacity for 110,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77263 Rock Island District

---

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 263 PWD: 94

Name: **Garvey Marine, Morris Division Fleet Mooring.**

Port: Illinois Waterway

Location: Mile 263.3, right bank, Illinois River, Morris. Datum: NPE

Operator: Garvey Marine, Inc.

Owner: Garvey Marine, Inc.

Address: South Griggs Drive. Phone: 309/353-3585

Town: Morris State: IL County: Grundy

Railway Connection: None.

Purpose: Wharf: landing for fleet service vessels; fleet moorings: mooring vessels for fleeting and repair.

Depth Alongside (feet): 9 | | Latitude (decimal): 41.354167

Total Berthing Space (feet): 100 | | Longitude (decimal): -88.42306

Remarks: Dispatch office is located in Pekin. Fleeting areas are available with shore moorings at the following locations:□ Fleet Bank Miles Width Barge□
(Barges) Capacity□Peacock Right 264.5-266.2 3 54Lower Right
262.4-262.8 2 12□Lower Left 262.4-262.8 2 10□

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77263 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 263 PWD: 66
Name: **Material Service Corp., Yard 34 Dock.**
Port: Illinois Waterway
Location: Mile 262.5, left bank, Illinois River, Morris. Datum: NPE
Operator: Material Service Corp.
Owner: Material Service Corp.
Address: Pine Bluff Road. Phone: 815/942-1830
Town: Morris State: IL County: Grundy
Railway Connection: None.
Purpose: Receipt of sand; shipment of sand from processing plant. (See Remarks).
Depth Alongside (feet): 10 | | Latitude (decimal): 41.341389
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.43528

Waterway: **Illinois River** Mile: 263 PWD: 66
Name: **Material Service Corp., Yard 34 Dock.**
Port: Illinois Waterway
Location: Mile 262.5, left bank, Illinois River, Morris. Datum: NPE
Operator: Material Service Corp.
Owner: Material Service Corp.
Address: Pine Bluff Road. Phone: 815/942-1830
Town: Morris State: IL County: Grundy
Railway Connection: None.
Purpose: Receipt of sand; shipment of sand from processing plant. (See Remarks).
Depth Alongside (feet): 10 | | Latitude (decimal): 41.341389
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.43528

Remarks: Approximately 3 acres of open storage area at rear has capacity for 40,000 tons of sand. Sand is received at dock from processing plant in adjacent quarry. Sand is also loaded directly into barges from processi Chicago.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77261 Rock Island District

Remarks: Approximately 3 acres of open storage area at rear has capacity for 40,000 tons of sand. Sand is received at dock from processing plant in adjacent quarry. Sand is also loaded directly into barges from processi Chicago.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77261 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 263 PWD: 66
Name: **Material Service Corp., Yard 34 Dock.**
Port: Illinois Waterway
Location: Mile 262.5, left bank, Illinois River, Morris. Datum: NPE
Operator: Material Service Corp.
Owner: Material Service Corp.
Address: Pine Bluff Road. Phone: 815/942-1830
Town: Morris State: IL County: Grundy
Railway Connection: None.
Purpose: Receipt of sand; shipment of sand from processing plant. (See Remarks).
Depth Alongside (feet): 10 | | Latitude (decimal): 41.341389
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.43528

Waterway: **Illinois River** Mile: 263 PWD: 66
Name: **Material Service Corp., Yard 34 Dock.**
Port: Illinois Waterway
Location: Mile 262.5, left bank, Illinois River, Morris. Datum: NPE
Operator: Material Service Corp.
Owner: Material Service Corp.
Address: Pine Bluff Road. Phone: 815/942-1830
Town: Morris State: IL County: Grundy
Railway Connection: None.
Purpose: Receipt of sand; shipment of sand from processing plant. (See Remarks).
Depth Alongside (feet): 10 | | Latitude (decimal): 41.341389
Total Berthing Space (feet): 195 | | Longitude (decimal): -88.43528

Remarks: Approximately 3 acres of open storage area at rear has capacity for 40,000 tons of sand. Sand is received at dock from processing plant in adjacent quarry. Sand is also loaded directly into barges from processi Chicago.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77261 Rock Island District

Remarks: Approximately 3 acres of open storage area at rear has capacity for 40,000 tons of sand. Sand is received at dock from processing plant in adjacent quarry. Sand is also loaded directly into barges from processi Chicago.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77261 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 266 PWD: 69

Name: **Commonwealth Edison Co., Collins Electric Station Fuel Oil Dock.**

Port: Illinois Waterway

Location: Mile 265.8, left bank, Illinois River, Morris. Datum: NPE

Operator: Commonwealth Edison Co.

Owner: Commonwealth Edison Co.

Address: Pine Bluff Rd. Phone: 815/942-4500

Town: Morris State: IL County: Grundy

Railway Connection: One surface track serves station plant in rear; connects with Elgin, Joliet, and Eastern Railway.

Purpose: Receipt of fuel oil for plant consumption.

Depth Alongside (feet): 15 | | Latitude (decimal): 41.362778

Total Berthing Space (feet): 1250 | | Longitude (decimal): -88.37833

Remarks: Slip is 1,650 feet long and 125 feet wide; north and east sides are not bulkheaded. One 12-inch pipeline for No. 2 fuel oil extends from wharf to 2 steel storage tanks in rear, total capacity 40,000 barrels; and pipeline for No. 6 fuel oil extends to one 250,000 barrel surge tank and to 8 storage tanks, total capacity 4,000,000 barrels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77266 Rock Island District

---

Waterway: **Illinois River** Mile: 270 PWD: 93

Name: **Quantum Chemical Co., Morris Plant Barge Dock.**

Port: Illinois Waterway

Location: Mile 269.9, right bank, Illinois River, Morris. Datum: NPE

Operator: Quantum Chemical Co., USI Division.

Owner: Quantum Chemical Co., USI Division.

Address: 8805 North Tabler Road. Phone: 815/942-7488

Town: Morris State: IL County: Grundy

Railway Connection: Plant trackage connects with Elgin, Joliet and Eastern Railway, and CSX Rail Transport Inc.

Purpose: Shipment of chemicals.

Depth Alongside (feet): 10 | | Latitude (decimal): 41.393056

Total Berthing Space (feet): 400 | | Longitude (decimal): -88.30944

Remarks: One 10-inch pipeline extends to wharf from 2 ethylene glycol storage tanks 1 1/2 miles away, total capacity 40,000,000 pounds; one 6-inch pipeline extends to wharf from one 500,000-gallon aromatic distillates sto 1 1/2 miles away. One 10- and one 6-inch pipelines extend to wharf from four storage tanks (three ar located at plant approximately 1 1/2 miles away), total capacity 5,000,000 gallons.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77270 Rock Island District

---

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 270 PWD: 70
Name: **Reichhold Chemicals, Morris Plant Dock.**
Port: Illinois Waterway
Location: Mile 270.4, left bank, Illinois River, Morris. Datum: NPE
Operator: Not operated.
Owner: Reichhold Chemicals, Inc.
Address: North Collins Road. Phone: 815-942-4722
Town: Morris State: IL County: Grundy
Railway Connection: One surface track serves plant in rear; connects with Elgin, Joliet, and Eastern Railway.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.393333
Total Berthing Space (feet): 340 | | Longitude (decimal): -88.30139
Remarks: One 10-inch pipeline extending from wharf to one 1,500,000 gallon storage tank at plant in rear, was not in use at time of survey.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77270 Rock Island District

---

Waterway: **Illinois River** Mile: 88 PWD: 13
Name: **Continental Grain Co., Beardstown Grain Elevator Dock.**
Port: Illinois Waterway
Location: Mile 88.1, left bank, Illinois River, Beardstown. Datum: NPE
Operator: Continental Grain Co.
Owner: Continental Grain Co.
Address: 814 West Main Street. Phone: 217/323-3333
Town: Beardstown State: IL County: Cass
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.015278
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.4425
Remarks: Grain elevator at rear consisting of 8 concrete silos has capacity for 180,000 bushels.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77088 Rock Island District

---

Waterway: **Illinois River** Mile: 88 PWD: 15
Name: **Logsdon Sand & Gravel Co., Beardstown Dock.**
Port: Illinois Waterway
Location: Mile 88.4, left bank, Illinois River, Beardstown. Datum: NPE
Operator: Logsdon Sand & Gravel Co.
Owner: Logsdon Sand & Gravel Co.
Address: 300 West Main Street. Phone: 217/323-1565
Town: Beardstown State: IL County: Cass
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 5 - 8 | | Latitude (decimal): 40.017222
Total Berthing Space (feet): 240 | | Longitude (decimal): -90.43806
Remarks: Office is located at rear.

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77088 Rock Island District

---

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 88 PWD: 14
Name: **Logsdon Tug Service, Beardstown Fleet Moorings.**
Port: Illinois Waterway
Location: Miles 88.2 - 88.3, left bank, Illinois River, Beardstown. (See Remarks). Datum: NPE
Operator: Elmer Logsdon River Construction, Inc. and Logsdon Tug Service.
Owner: Elmer Logsdon River Construction, Inc.
Address: 400 1/2 Main St. Phone: 217/323-1290
Town: Beardstown State: IL County: Cass
Railway Connection: None.
Purpose: Mooring company-owned floating equipment; mooring tugs for fleeting.
Depth Alongside (feet): 6 - 9 | | Latitude (decimal): 40.017222
Total Berthing Space (feet): 9 | | Longitude (decimal): -90.43806
Remarks: Dispatch office is located at rear. Additional fleeting areas are available with shore moorings at the following locations:□ Fleet Bank Miles Width Barge □ (Barges) Capacity□Knoxville Left 90.1-90.5 3-4 20-30Schuyler Right 86.9-87.9 2-3 40-50□Cass Left 86.9-87.9 3-4 40-50□AMAX Right 88.8-89.8 2-3 30-40Meredosia Right 71.5-72.5 2-3 40-50□

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77088 Rock Island District

---

Waterway: **Illinois River** Mile: 91 PWD: 155
Name: **ADM/Growmark River System, Inc., Beardstown Terminal Dock.**
Port: Illinois Waterway
Location: Mile 90.9, right bank, Illinois River, Beardstown. Datum: NPE
Operator: ADM/Growmark River System, Inc., a subsidiary of Archer Daniels Midland Co.
Owner: Archer Daniels Midland Co.
Address: Phone: 217/323-3393
Town: Beardstown State: IL County: Schuyler
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.052778
Total Berthing Space (feet): 885 | | Longitude (decimal): -90.43056
Remarks: Grain elevator at rear, consisting of 15 concrete silos with 5 interstices, has capacity for 780,000 bushels.□

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77090 Rock Island District

Port Facilities by Waterway

Waterway: **Illinois River** Mile: 91 PWD: 156
Name: **AMAX Coal Industries, Inc., Frederick Dock.**
Port: Illinois Waterway
Location: Mile 90.6, right bank, Illinois River, Beardstown. Datum: NPE
Operator: Not operated. (See Remarks.)
Owner: AMAX Coal Industries, Inc.
Address: Phone: 309/784-8411
Town: Beardstown State: IL County: Schuyler
Railway Connection: One surface track, total capacity 38 cars, serves undertrack pit at rear, center with tracks of Burlington Northern, Inc.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 11 | | Latitude (decimal): 40.048333
Total Berthing Space (feet): 1200 | | Longitude (decimal): -90.42972
Remarks: □□

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77090 Rock Island District

---

Waterway: **Little Calumet River** Mile: 322.3 PWD: 182
Name: **PM Ag Products, Riverdale Terminal Wharf.**
Port: Chicago
Location: Mile 322.3, south bank, Little Calumet River, between Indiana Avenue and Illinois Central Railroad Bridg Datum: NPE
Operator: PM Ag Products, Inc.
Owner: PM Ag Products, Inc.
Address: 13550 South Indiana Avenue. Phone: 708-849-9220
Town: Riverdale State: IL County: Cook
Railway Connection: Two platform-level tracks serving terminal buildings at rear; connect with CSX Transportation.
Purpose: Receipt of molasses.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.65
Total Berthing Space (feet): 365 | | Longitude (decimal): -87.61833
Remarks: Three 8-inch steam-traced pipelines extend from wharf to 6 steel storage tanks in rear, total capacity 900,000 gallons.□

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77643 Rock Island District

---

Port Facilities by Waterway

Waterway: **Little Calumet River** Mile: 324.2 PWD: 181
Name: **Lakes and Rivers Transfer, Rocandy Barge Terminal Wharf.**
Port: Chicago
Location: Mile 324.2, south bank, Little Calumet River, northwest sideof Dolton Marina Basin, 0.4 mile west of Cal Datum: NPE
Operator: Lakes and Rivers Transfer, a division of Jack Gray Transport, Inc.
Owner: Lakes and Rivers Transfer, a division of Jack Gray Transport, Inc.
Address: 1200 East 140th Street. Phone: 708-849-9220
Town: Dolton State: IL County: Cook
Railway Connection: One surface track at rear; connects with CSX Transportation.
Purpose: Occasional receipt of steel products and dry bulk commodities, including pig iron, slag, stone, and coke; occasional shipment of coke.
Depth Alongside (feet): 9 - 10 | | Latitude (decimal): 41.643611
Total Berthing Space (feet): 720 | | Longitude (decimal): -87.58806
Remarks: Approximately 8 acres of concrete- and asphalt-paved open storage area are located at rear.

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77643 Rock Island District

---

Waterway: **Little Calumet River** Mile: 324.9 PWD: 180
Name: **Fina Oil and Chemical Co., Calumet City Wharf.**
Port: Chicago
Location: Mile 324.9, south bank, Little Calumet River, approximately 1,100 feet east of Calumet Expressway (I 94) Datum: NPE
Operator: Not operated.
Owner: Fina Oil and Chemical Co.
Address: 142nd Street and Paxton Avenue Phone: 214-750-2427
Town: Calumet City State: IL County: Cook
Railway Connection: Two surface tracks serving processing plant and tank car loading rack at rear of wharf; connect with Indiana Harbor Belt Railroad.
Purpose: Not used.
Depth Alongside (feet): 8 - 12 | | Latitude (decimal): 41.639167
Total Berthing Space (feet): 320 | | Longitude (decimal): -87.57583
Remarks: Wharf was formerly used for receipt of styrene monomer by barge. One 8-inch pipeline extends from wharf to 3 steel storage tanks in rear, total capacity 2,200,000 gallons. A processing plant is located at the r Facility was closed at time of survey (1994).

Port Series: 46 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 77643 Rock Island District

---

Port Facilities by Waterway

Waterway: **Mississippi** Mile: 487 PWD: 193

Name: **Continental Cement Co., Bettendorf Terminal Dock.**

Port: Upper Mississippi R

Location: Mile 486.9 AOR, right bank, Mississippi River, Bettendorf, 1.1 miles above Iowa-Illinois Memorial (Inter Datum: NPE*

Operator: Continental Cement Co.

Owner: Continental Cement Co.

Address: 2871 Depot Street Phone: 319/359-8237

Town: Bettendorf State: IA County: Scott

Railway Connection: Two surface tracks serve loading spout at terminal in rear; connect with Davenport, Rock Island, and North Western Railway.

Purpose: Receipt of bulk cement.

Depth Alongside (feet): 10 | | Latitude (decimal): 41.529722

Total Berthing Space (feet): 245 | | Longitude (decimal): -90.49278

Remarks: One 10-inch pneumatic pipeline extends from wharf to 6 storage bins at rear, total capacity 10,000 tons. Cement barges are unloaded at an average rate of 160 tons per hour. One 8-inch compressed air pipeline se plant and truck- and rail-loading spouts are located at terminal in rear.□□*NPE = 483.1 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31486 Rock Island District

---

Waterway: **MISSISSIPPI RIVER** Mile: 362 PWD: 239

Name: **Iowa Gateway Terminal Dock.**

Port: Upper Mississippi R

Location: Mile 361.8 AOR, right bank, Mississippi River, approximately 1.8 miles below Keokuk Municipal (U.S. High Datum: NPE*

Operator: Iowa Gateway Terminal

Owner: Iowa Gateway Terminal

Address: Commercial Street @ K Street Phone: 319/524-5426

Town: Keokuk State: IA County: Lee

Railway Connection: One surface track serves terminal in rear connects with Keokuk Junction Railway and Burlington Northern Railroad.

Purpose: Receipt and shipment of steel products, unitized and heavy lift general cargo and dry bulk materials including fertilizer, coal, salt, stone, pig iron, scrap metal; receipt of grain and lumber.

Depth Alongside (feet): 10 | | Latitude (decimal): 40.384722

Total Berthing Space (feet): 400 | | Longitude (decimal): -91.40833

Remarks: Open storage area at rear has capacity for 50,000 tons of coal and other dry bulk commodities. Company also operates a food grade storage warehouse with 100,000 square feet of storage space on Twin Rivers Industr and a towboat for servicing the company's 100 barge capacity fleet located on the right bank approximately one mile downstream on the opposite side of the Des Moines River.□*NPE = 480.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31361 Rock Island District

---

Port Facilities by Waterway

Waterway: **MISSISSIPPI RIVER** Mile: 362 PWD: 240

Name: **Keokuk Ferro-Sil Wharf.**

Port: Upper Mississippi R

Location: Mile 361.9 AOR, right bank, Mississippi River, approximately 2 miles below Keokuk Municipal (U.S. Highwa Datum: NPE*

Operator: Keokuk Ferro-Sil Inc.

Owner: Keokuk Ferro-Sil Inc.

Address: Foot of Commercial Street Phone: 319/524-5130

Town: Keokuk State: IA County: Lee

Railway Connection: One marginal surface track along rear of wharf, connects withBurlington Northern Railroad.

Purpose: Receipt of coke and quartzite; shipment of pig iron and 50% ferro-silicon.

Depth Alongside (feet): 12 - 15 | | Latitude (decimal): 40.384444

Total Berthing Space (feet): 237 | | Longitude (decimal): -91.41083

Remarks: Steel storage building at rear has capacity for approximately 3,000 tons of 50% ferro-silicon, 4 additional timber bins have total storage capacity for 3,000 tons. Open storage area for pig iron located at plant approximately 7,600 tons. Approximately 600 feet of deteriorating concrete retaining wall located below wharf is used by the Roquette America (Ref. No. 238) for mooring barges.□*NPE = 480.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31362 Rock Island District

---

Waterway: **MISSISSIPPI RIVER** Mile: 362 PWD: 238

Name: **Roquette America, River Terminal Dock.**

Port: Upper Mississippi R

Location: Mile 362.3 AOR, right bank, Mississippi River, approximately 1.6 miles below Keokuk Municipal (U.S. High Datum: NPE*

Operator: Roquette America, Inc.

Owner: Roquette America, Inc.

Address: South Fifth (Progress) Street Phone: 319/524-5757ext

Town: Keokuk State: IA County: Lee

Railway Connection: Plant trackage in rear connects with Keokuk Junction Railway.

Purpose: Shipment of livestock feed and other grain products.

Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 40.385556

Total Berthing Space (feet): 155 | | Longitude (decimal): -91.38833

Remarks: Private grain elevator at rear consisting of 6 steel silos; and one flat storage building has total capacity for 800,000 bushels and is served by a truck dumper. Facility is used for shipment of grain products ma plant in rear.□□*NPE = 480.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31362 Rock Island District

---

Port Facilities by Waterway

Waterway: **MISSISSIPPI RIVER** Mile: 363 PWD: 237
Name: **City of Keokuk Hubinger Landing Dock.**
Port: Upper Mississippi R
Location: Mile 363.2 AOR, right bank, Mississippi River, approximately 0.7 mile below Keokuk Municipal (U.S. Highw Datum: NPE*
Operator: City of Keokuk (See remarks).
Owner: City of Keokuk.
Address: 731 Mississippi River Drive. Phone: 319/524-2442
Town: Keokuk State: IA County: Lee
Railway Connection: None.
Purpose: Mooring casino/excursion boat; boarding passengers (See remarks).
Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 40.386944
Total Berthing Space (feet): 200 | | Longitude (decimal): -91.38778
Remarks: At time of survey (1994) float had not yet been acquired dimensions shown are anticipated.□ *NPE = 480.0 MSL□

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31363 Rock Island District

---

Waterway: **MISSISSIPPI RIVER** Mile: 364 PWD: 236
Name: **U. S. Coast Guard Group Upper Mississippi River Dock.**
Port: Upper Mississippi R
Location: Mile 363.6 AOR, right bank, Mississippi River, approximately 1,500 feet below Keokuk Municipal (U.S. Hig Datum: NPE*
Operator: U. S. Coast Guard.
Owner: U. S. Government.
Address: 221 Mississippi Drive. Phone: 319/524-7511
Town: Keokuk State: IA County: Lee
Railway Connection: None.
Purpose: Mooring U. S. Coast Guard vessels; handling navigational aids.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.389444
Total Berthing Space (feet): 180 | | Longitude (decimal): -91.38083
Remarks: One 4-inch sewage line serves wharf. U. S. Coast Guard Station located at rear.□ *NPE = 480.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31363 Rock Island District

Port Facilities by Waterway

Waterway: **MISSISSIPPI RIVER** Mile: 371 PWD: 235

Name: **ORBA-Johnson Transshipment Co. Dock.**

Port: Upper Mississippi R

Location: Mile 371.0 AOR, right bank, Mississippi River, Keokuk, approximately 6.5 miles above Lock and Dam No. 19 Datum: NPE*

Operator: ORBA-Johnson Transshipment Co.

Owner: ORBA-Johnson Transshipment Co.

Address: 3254 Mississippi River Road Phone: 319/524-6841

Town: Keokuk State: IA County: Lee

Railway Connection: One surface track serving rotary dumper, rate 3,000 tons per hour (unit train), connects with Burlington Northern Railroad.

Purpose: Shipment of coal.

Depth Alongside (feet): 16 | 10 | Latitude (decimal): 40.526944

Total Berthing Space (feet): 1450 | 20 | Longitude (decimal): -91.39417

Remarks: Open storage area at mine atop bluff has capacity for 300,000 tons of coal and is served by a rotary stacker. Fleeting areas located at breasting barges and revetment on lower side and adjacent to bank on upper loaded and 20 empty barges, respectively.□□*NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31371 Rock Island District

---

Waterway: **MISSISSIPPI RIVER** Mile: 375 PWD: 234

Name: **ADM/Growmark, Montrose Elevator Dock.**

Port: Upper Mississippi R

Location: Mile 374.8 AOR, right bank, Mississippi River, Montrose, approxi- mately 10 miles above Lock and Dam No. Datum: NPE*

Operator: Hunold Storage, Inc. and ADM/Growmark subsidiary of Archer Daniels Midland Co.

Owner: ADM/Growmark subsidiary of Archer Daniels Midland Co.

Address: Spruce and Water Streets. Phone: 319/463-5477

Town: Montrose State: IA County: Lee

Railway Connection: None.

Purpose: Receipt of liquid fertilizer (See remarks).

Depth Alongside (feet): 8 - 9 | | Latitude (decimal): 40.533889

Total Berthing Space (feet): 550 | | Longitude (decimal): -91.41361

Remarks: Grain elevator at rear consisting of 6 steel tanks with capacity for 200,000 bushels was not in operation at time of survey (1994). One 6-inch pipeline extends from cell to 4 steel fertilizer storage tanks in re 3,700,000 gallons.□□*NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31374 Rock Island District

---

Port Facilities by Waterway

Waterway: **MISSISSIPPI RIVER** Mile: 382 PWD: 232
Name: **Hall Towing Slip.**
Port: Upper Mississippi R
Location: Mile 382.0 AOR, right bank, Mississippi River, approximately 2 miles below Atchison, Topeka, and Santa F Datum: NPE*
Operator: Hall Towing, Inc.
Owner: Hall Towing, Inc.
Address: 1618 20th Street Phone: 319/372-3078
Town: Fort Madison State: IA County: Lee
Railway Connection: Two surface tracks serve terminal in rear; connect with Burlington Northern Railroad and Atchison, Topeka, and Santa Fe Railway.
Purpose: Receipt of steel products, and miscellaneous dry bulk materials, including fertilizer, coal and coke; mooring fleet service vessels, mooring vessels and barges for repair; mooring floating drydock.
Depth Alongside (feet): 11 | 11 | 11 Latitude (decimal): 40.621111
Total Berthing Space (feet): 150 | 420 | 250 Longitude (decimal): -91.33333

Waterway: **MISSISSIPPI RIVER** Mile: 382 PWD: 232
Name: **Hall Towing Slip.**
Port: Upper Mississippi R
Location: Mile 382.0 AOR, right bank, Mississippi River, approximately 2 miles below Atchison, Topeka, and Santa F Datum: NPE*
Operator: Hall Towing, Inc.
Owner: Hall Towing, Inc.
Address: 1618 20th Street Phone: 319/372-3078
Town: Fort Madison State: IA County: Lee
Railway Connection: Two surface tracks serve terminal in rear; connect with Burlington Northern Railroad and Atchison, Topeka, and Santa Fe Railway.
Purpose: Receipt of steel products, and miscellaneous dry bulk materials, including fertilizer, coal and coke; mooring fleet service vessels, mooring vessels and barges for repair; mooring floating drydock.
Depth Alongside (feet): 11 | 11 | 11 Latitude (decimal): 40.621111
Total Berthing Space (feet): 150 | 420 | 250 Longitude (decimal): -91.33333

Waterway: **MISSISSIPPI RIVER** Mile: 382 PWD: 232
Name: **Hall Towing Slip.**
Port: Upper Mississippi R
Location: Mile 382.0 AOR, right bank, Mississippi River, approximately 2 miles below Atchison, Topeka, and Santa F Datum: NPE*
Operator: Hall Towing, Inc.
Owner: Hall Towing, Inc.
Address: 1618 20th Street Phone: 319/372-3078
Town: Fort Madison State: IA County: Lee
Railway Connection: Two surface tracks serve terminal in rear; connect with Burlington Northern Railroad and Atchison, Topeka, and Santa Fe Railway.
Purpose: Receipt of steel products, and miscellaneous dry bulk materials, including fertilizer, coal and coke; mooring fleet service vessels, mooring vessels and barges for repair; mooring floating drydock.
Depth Alongside (feet): 11 | 11 | 11 Latitude (decimal): 40.621111
Total Berthing Space (feet): 150 | 420 | 250 Longitude (decimal): -91.33333
Remarks: Slip varies in width from 150- to 200 feet, however is restricted to 120-feet at entrance.□ *NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31382 Rock Island District

Port Facilities by Waterway

Remarks: Slip varies in width from 150- to 200 feet, however is restricted to 120-feet at entrance. *NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31382 Rock Island District

Remarks: Slip varies in width from 150- to 200 feet, however is restricted to 120-feet at entrance. *NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31382 Rock Island District

Port Facilities by Waterway

Waterway: **MISSISSIPPI RIVER** Mile: 382 PWD: 232
Name: **Hall Towing Slip.**
Port: Upper Mississippi R
Location: Mile 382.0 AOR, right bank, Mississippi River, approximately 2 miles below Atchison, Topeka, and Santa F Datum: NPE*
Operator: Hall Towing, Inc.
Owner: Hall Towing, Inc.
Address: 1618 20th Street Phone: 319/372-3078
Town: Fort Madison State: IA County: Lee
Railway Connection: Two surface tracks serve terminal in rear; connect with Burlington Northern Railroad and Atchison, Topeka, and Santa Fe Railway.
Purpose: Receipt of steel products, and miscellaneous dry bulk materials, including fertilizer, coal and coke; mooring fleet service vessels, mooring vessels and barges for repair; mooring floating drydock.
Depth Alongside (feet): 11 | 11 | 11 Latitude (decimal): 40.621111
Total Berthing Space (feet): 150 | 420 | 250 Longitude (decimal): -91.33333

Waterway: **MISSISSIPPI RIVER** Mile: 382 PWD: 232
Name: **Hall Towing Slip.**
Port: Upper Mississippi R
Location: Mile 382.0 AOR, right bank, Mississippi River, approximately 2 miles below Atchison, Topeka, and Santa F Datum: NPE*
Operator: Hall Towing, Inc.
Owner: Hall Towing, Inc.
Address: 1618 20th Street Phone: 319/372-3078
Town: Fort Madison State: IA County: Lee
Railway Connection: Two surface tracks serve terminal in rear; connect with Burlington Northern Railroad and Atchison, Topeka, and Santa Fe Railway.
Purpose: Receipt of steel products, and miscellaneous dry bulk materials, including fertilizer, coal and coke; mooring fleet service vessels, mooring vessels and barges for repair; mooring floating drydock.
Depth Alongside (feet): 11 | 11 | 11 Latitude (decimal): 40.621111
Total Berthing Space (feet): 150 | 420 | 250 Longitude (decimal): -91.33333

Waterway: **MISSISSIPPI RIVER** Mile: 382 PWD: 232
Name: **Hall Towing Slip.**
Port: Upper Mississippi R
Location: Mile 382.0 AOR, right bank, Mississippi River, approximately 2 miles below Atchison, Topeka, and Santa F Datum: NPE*
Operator: Hall Towing, Inc.
Owner: Hall Towing, Inc.
Address: 1618 20th Street Phone: 319/372-3078
Town: Fort Madison State: IA County: Lee
Railway Connection: Two surface tracks serve terminal in rear; connect with Burlington Northern Railroad and Atchison, Topeka, and Santa Fe Railway.
Purpose: Receipt of steel products, and miscellaneous dry bulk materials, including fertilizer, coal and coke; mooring fleet service vessels, mooring vessels and barges for repair; mooring floating drydock.
Depth Alongside (feet): 11 | 11 | 11 Latitude (decimal): 40.621111
Total Berthing Space (feet): 150 | 420 | 250 Longitude (decimal): -91.33333
Remarks: Slip varies in width from 150- to 200 feet, however is restricted to 120-feet at entrance.□ *NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31382 Rock Island District

Port Facilities by Waterway

Remarks: Slip varies in width from 150- to 200 feet, however is restricted to 120-feet at entrance. *NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31382 Rock Island District

Remarks: Slip varies in width from 150- to 200 feet, however is restricted to 120-feet at entrance. *NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31382 Rock Island District

Port Facilities by Waterway

Waterway: **MISSISSIPPI RIVER** Mile: 382 PWD: 232
Name: **Hall Towing Slip.**
Port: Upper Mississippi R
Location: Mile 382.0 AOR, right bank, Mississippi River, approximately 2 miles below Atchison, Topeka, and Santa F Datum: NPE*
Operator: Hall Towing, Inc.
Owner: Hall Towing, Inc.
Address: 1618 20th Street Phone: 319/372-3078
Town: Fort Madison State: IA County: Lee
Railway Connection: Two surface tracks serve terminal in rear; connect with Burlington Northern Railroad and Atchison, Topeka, and Santa Fe Railway.
Purpose: Receipt of steel products, and miscellaneous dry bulk materials, including fertilizer, coal and coke; mooring fleet service vessels, mooring vessels and barges for repair; mooring floating drydock.
Depth Alongside (feet): 11 | 11 | 11 Latitude (decimal): 40.621111
Total Berthing Space (feet): 150 | 420 | 250 Longitude (decimal): -91.33333

Waterway: **MISSISSIPPI RIVER** Mile: 382 PWD: 232
Name: **Hall Towing Slip.**
Port: Upper Mississippi R
Location: Mile 382.0 AOR, right bank, Mississippi River, approximately 2 miles below Atchison, Topeka, and Santa F Datum: NPE*
Operator: Hall Towing, Inc.
Owner: Hall Towing, Inc.
Address: 1618 20th Street Phone: 319/372-3078
Town: Fort Madison State: IA County: Lee
Railway Connection: Two surface tracks serve terminal in rear; connect with Burlington Northern Railroad and Atchison, Topeka, and Santa Fe Railway.
Purpose: Receipt of steel products, and miscellaneous dry bulk materials, including fertilizer, coal and coke; mooring fleet service vessels, mooring vessels and barges for repair; mooring floating drydock.
Depth Alongside (feet): 11 | 11 | 11 Latitude (decimal): 40.621111
Total Berthing Space (feet): 150 | 420 | 250 Longitude (decimal): -91.33333

Waterway: **MISSISSIPPI RIVER** Mile: 382 PWD: 232
Name: **Hall Towing Slip.**
Port: Upper Mississippi R
Location: Mile 382.0 AOR, right bank, Mississippi River, approximately 2 miles below Atchison, Topeka, and Santa F Datum: NPE*
Operator: Hall Towing, Inc.
Owner: Hall Towing, Inc.
Address: 1618 20th Street Phone: 319/372-3078
Town: Fort Madison State: IA County: Lee
Railway Connection: Two surface tracks serve terminal in rear; connect with Burlington Northern Railroad and Atchison, Topeka, and Santa Fe Railway.
Purpose: Receipt of steel products, and miscellaneous dry bulk materials, including fertilizer, coal and coke; mooring fleet service vessels, mooring vessels and barges for repair; mooring floating drydock.
Depth Alongside (feet): 11 | 11 | 11 Latitude (decimal): 40.621111
Total Berthing Space (feet): 150 | 420 | 250 Longitude (decimal): -91.33333
Remarks: Slip varies in width from 150- to 200 feet, however is restricted to 120-feet at entrance.□ *NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31382 Rock Island District

Port Facilities by Waterway

Remarks: Slip varies in width from 150- to 200 feet, however is restricted to 120-feet at entrance. *NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31382 Rock Island District

Remarks: Slip varies in width from 150- to 200 feet, however is restricted to 120-feet at entrance. *NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31382 Rock Island District

Port Facilities by Waterway

Waterway: **MISSISSIPPI RIVER** Mile: 382 PWD: 231
Name: **Hall Towing, Barge Terminal Upper Wharf.**
Port: Upper Mississippi R
Location: Mile 382.0 AOR, right bank, Mississippi River, approximately 2 miles below Atchison, Topeka, and Santa F Datum: NPE*
Operator: Hall Towing, Inc.
Owner: Hall Towing, Inc.
Address: 1618 20th Street Phone: 319/372-3078
Town: Fort Madison State: IA County: Lee
Railway Connection: Two surface tracks serve terminal in rear; connect with Burlington Northern Railroad and Atchison, Topeka, and Santa Fe Railway.
Purpose: Receipt of steel products, and miscellaneous dry bulk materials, including fertilizer, coal, coke, crushed stone; shipment of grain.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.621389
Total Berthing Space (feet): 300 | | Longitude (decimal): -91.33167

Waterway: **MISSISSIPPI RIVER** Mile: 382 PWD: 231
Name: **Hall Towing, Barge Terminal Upper Wharf.**
Port: Upper Mississippi R
Location: Mile 382.0 AOR, right bank, Mississippi River, approximately 2 miles below Atchison, Topeka, and Santa F Datum: NPE*
Operator: Hall Towing, Inc.
Owner: Hall Towing, Inc.
Address: 1618 20th Street Phone: 319/372-3078
Town: Fort Madison State: IA County: Lee
Railway Connection: Two surface tracks serve terminal in rear; connect with Burlington Northern Railroad and Atchison, Topeka, and Santa Fe Railway.
Purpose: Receipt of steel products, and miscellaneous dry bulk materials, including fertilizer, coal, coke, crushed stone; shipment of grain.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.621389
Total Berthing Space (feet): 300 | | Longitude (decimal): -91.33167

Waterway: **MISSISSIPPI RIVER** Mile: 382 PWD: 231
Name: **Hall Towing, Barge Terminal Upper Wharf.**
Port: Upper Mississippi R
Location: Mile 382.0 AOR, right bank, Mississippi River, approximately 2 miles below Atchison, Topeka, and Santa F Datum: NPE*
Operator: Hall Towing, Inc.
Owner: Hall Towing, Inc.
Address: 1618 20th Street Phone: 319/372-3078
Town: Fort Madison State: IA County: Lee
Railway Connection: Two surface tracks serve terminal in rear; connect with Burlington Northern Railroad and Atchison, Topeka, and Santa Fe Railway.
Purpose: Receipt of steel products, and miscellaneous dry bulk materials, including fertilizer, coal, coke, crushed stone; shipment of grain.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.621389
Total Berthing Space (feet): 300 | | Longitude (decimal): -91.33167
Remarks: Bulk storage warehouse at rear has capacity for 18,000 tons of of fertilizer and other bulk commodities. A total of approximately 4 acres of open storage area is available at various locations throughout terminal □*NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31382 Rock Island District

Port Facilities by Waterway

Remarks: Bulk storage warehouse at rear has capacity for 18,000 tons of of fertilizer and other bulk commodities. A total of approximately 4 acres of open storage area is available at various locations throughout terminal □*NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31382 Rock Island District

Remarks: Bulk storage warehouse at rear has capacity for 18,000 tons of of fertilizer and other bulk commodities. A total of approximately 4 acres of open storage area is available at various locations throughout terminal □*NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31382 Rock Island District

Port Facilities by Waterway

Waterway: **MISSISSIPPI RIVER** Mile: 382 PWD: 231
Name: **Hall Towing, Barge Terminal Upper Wharf.**
Port: Upper Mississippi R
Location: Mile 382.0 AOR, right bank, Mississippi River, approximately 2 miles below Atchison, Topeka, and Santa F Datum: NPE*
Operator: Hall Towing, Inc.
Owner: Hall Towing, Inc.
Address: 1618 20th Street Phone: 319/372-3078
Town: Fort Madison State: IA County: Lee
Railway Connection: Two surface tracks serve terminal in rear; connect with Burlington Northern Railroad and Atchison, Topeka, and Santa Fe Railway.
Purpose: Receipt of steel products, and miscellaneous dry bulk materials, including fertilizer, coal, coke, crushed stone; shipment of grain.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.621389
Total Berthing Space (feet): 300 | | Longitude (decimal): -91.33167

Waterway: **MISSISSIPPI RIVER** Mile: 382 PWD: 231
Name: **Hall Towing, Barge Terminal Upper Wharf.**
Port: Upper Mississippi R
Location: Mile 382.0 AOR, right bank, Mississippi River, approximately 2 miles below Atchison, Topeka, and Santa F Datum: NPE*
Operator: Hall Towing, Inc.
Owner: Hall Towing, Inc.
Address: 1618 20th Street Phone: 319/372-3078
Town: Fort Madison State: IA County: Lee
Railway Connection: Two surface tracks serve terminal in rear; connect with Burlington Northern Railroad and Atchison, Topeka, and Santa Fe Railway.
Purpose: Receipt of steel products, and miscellaneous dry bulk materials, including fertilizer, coal, coke, crushed stone; shipment of grain.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.621389
Total Berthing Space (feet): 300 | | Longitude (decimal): -91.33167

Waterway: **MISSISSIPPI RIVER** Mile: 382 PWD: 231
Name: **Hall Towing, Barge Terminal Upper Wharf.**
Port: Upper Mississippi R
Location: Mile 382.0 AOR, right bank, Mississippi River, approximately 2 miles below Atchison, Topeka, and Santa F Datum: NPE*
Operator: Hall Towing, Inc.
Owner: Hall Towing, Inc.
Address: 1618 20th Street Phone: 319/372-3078
Town: Fort Madison State: IA County: Lee
Railway Connection: Two surface tracks serve terminal in rear; connect with Burlington Northern Railroad and Atchison, Topeka, and Santa Fe Railway.
Purpose: Receipt of steel products, and miscellaneous dry bulk materials, including fertilizer, coal, coke, crushed stone; shipment of grain.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.621389
Total Berthing Space (feet): 300 | | Longitude (decimal): -91.33167
Remarks: Bulk storage warehouse at rear has capacity for 18,000 tons of of fertilizer and other bulk commodities. A total of approximately 4 acres of open storage area is available at various locations throughout terminal □*NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31382 Rock Island District

Port Facilities by Waterway

Remarks: Bulk storage warehouse at rear has capacity for 18,000 tons of of fertilizer and other bulk commodities. A total of approximately 4 acres of open storage area is available at various locations throughout terminal □*NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31382 Rock Island District

Remarks: Bulk storage warehouse at rear has capacity for 18,000 tons of of fertilizer and other bulk commodities. A total of approximately 4 acres of open storage area is available at various locations throughout terminal □*NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31382 Rock Island District

Port Facilities by Waterway

Waterway: **MISSISSIPPI RIVER** Mile: 382 PWD: 231
Name: **Hall Towing, Barge Terminal Upper Wharf.**
Port: Upper Mississippi R
Location: Mile 382.0 AOR, right bank, Mississippi River, approximately 2 miles below Atchison, Topeka, and Santa F Datum: NPE*
Operator: Hall Towing, Inc.
Owner: Hall Towing, Inc.
Address: 1618 20th Street Phone: 319/372-3078
Town: Fort Madison State: IA County: Lee
Railway Connection: Two surface tracks serve terminal in rear; connect with Burlington Northern Railroad and Atchison, Topeka, and Santa Fe Railway.
Purpose: Receipt of steel products, and miscellaneous dry bulk materials, including fertilizer, coal, coke, crushed stone; shipment of grain.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.621389
Total Berthing Space (feet): 300 | | Longitude (decimal): -91.33167

Waterway: **MISSISSIPPI RIVER** Mile: 382 PWD: 231
Name: **Hall Towing, Barge Terminal Upper Wharf.**
Port: Upper Mississippi R
Location: Mile 382.0 AOR, right bank, Mississippi River, approximately 2 miles below Atchison, Topeka, and Santa F Datum: NPE*
Operator: Hall Towing, Inc.
Owner: Hall Towing, Inc.
Address: 1618 20th Street Phone: 319/372-3078
Town: Fort Madison State: IA County: Lee
Railway Connection: Two surface tracks serve terminal in rear; connect with Burlington Northern Railroad and Atchison, Topeka, and Santa Fe Railway.
Purpose: Receipt of steel products, and miscellaneous dry bulk materials, including fertilizer, coal, coke, crushed stone; shipment of grain.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.621389
Total Berthing Space (feet): 300 | | Longitude (decimal): -91.33167

Waterway: **MISSISSIPPI RIVER** Mile: 382 PWD: 231
Name: **Hall Towing, Barge Terminal Upper Wharf.**
Port: Upper Mississippi R
Location: Mile 382.0 AOR, right bank, Mississippi River, approximately 2 miles below Atchison, Topeka, and Santa F Datum: NPE*
Operator: Hall Towing, Inc.
Owner: Hall Towing, Inc.
Address: 1618 20th Street Phone: 319/372-3078
Town: Fort Madison State: IA County: Lee
Railway Connection: Two surface tracks serve terminal in rear; connect with Burlington Northern Railroad and Atchison, Topeka, and Santa Fe Railway.
Purpose: Receipt of steel products, and miscellaneous dry bulk materials, including fertilizer, coal, coke, crushed stone; shipment of grain.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.621389
Total Berthing Space (feet): 300 | | Longitude (decimal): -91.33167
Remarks: Bulk storage warehouse at rear has capacity for 18,000 tons of of fertilizer and other bulk commodities. A total of approximately 4 acres of open storage area is available at various locations throughout terminal □*NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31382 Rock Island District

Port Facilities by Waterway

Remarks: Bulk storage warehouse at rear has capacity for 18,000 tons of of fertilizer and other bulk commodities. A total of approximately 4 acres of open storage area is available at various locations throughout terminal □*NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31382 Rock Island District

Remarks: Bulk storage warehouse at rear has capacity for 18,000 tons of of fertilizer and other bulk commodities. A total of approximately 4 acres of open storage area is available at various locations throughout terminal □*NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31382 Rock Island District

Port Facilities by Waterway

Waterway: **MISSISSIPPI RIVER** Mile: 382 PWD: 233
Name: **Hall Towing, Barge Terminal, Lower Wharf.**
Port: Upper Mississippi R
Location: Mile 382.0 AOR, right bank, Mississippi River, Fort Madison, approxi- mately 2 miles below Atchison, Top Datum: NPE*
Operator: Hall Towing, Inc.
Owner: Hall Towing, Inc.
Address: 1618 20th Street Phone: 319/372-3078
Town: Fort Madison State: IA County: Lee
Railway Connection: Two surface tracks serve terminal in rear; connect with Burlington Northern Railroad and Atchison, Topeka, and Santa Fe Railway.
Purpose: Shipment of grain and dry bulk fertilizer.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.620833
Total Berthing Space (feet): 195 | | Longitude (decimal): -91.33333

Waterway: **MISSISSIPPI RIVER** Mile: 382 PWD: 233
Name: **Hall Towing, Barge Terminal, Lower Wharf.**
Port: Upper Mississippi R
Location: Mile 382.0 AOR, right bank, Mississippi River, Fort Madison, approxi- mately 2 miles below Atchison, Top Datum: NPE*
Operator: Hall Towing, Inc.
Owner: Hall Towing, Inc.
Address: 1618 20th Street Phone: 319/372-3078
Town: Fort Madison State: IA County: Lee
Railway Connection: Two surface tracks serve terminal in rear; connect with Burlington Northern Railroad and Atchison, Topeka, and Santa Fe Railway.
Purpose: Shipment of grain and dry bulk fertilizer.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.620833
Total Berthing Space (feet): 195 | | Longitude (decimal): -91.33333

Waterway: **MISSISSIPPI RIVER** Mile: 382 PWD: 233
Name: **Hall Towing, Barge Terminal, Lower Wharf.**
Port: Upper Mississippi R
Location: Mile 382.0 AOR, right bank, Mississippi River, Fort Madison, approxi- mately 2 miles below Atchison, Top Datum: NPE*
Operator: Hall Towing, Inc.
Owner: Hall Towing, Inc.
Address: 1618 20th Street Phone: 319/372-3078
Town: Fort Madison State: IA County: Lee
Railway Connection: Two surface tracks serve terminal in rear; connect with Burlington Northern Railroad and Atchison, Topeka, and Santa Fe Railway.
Purpose: Shipment of grain and dry bulk fertilizer.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.620833
Total Berthing Space (feet): 195 | | Longitude (decimal): -91.33333
Remarks: Three steel sheet pile cellular breasting dolphins located below lower side provide fleeting area for 75 barges arranged in tiers 3 barges wide.□ *NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31382 Rock Island District

Remarks: Three steel sheet pile cellular breasting dolphins located below lower side provide fleeting area for 75 barges arranged in tiers 3 barges wide.□ *NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31382 Rock Island District

Port Facilities by Waterway

Remarks: Three steel sheet pile cellular breasting dolphins located below lower side provide fleeting area for 75 barges arranged in tiers 3 barges wide. *NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31382 Rock Island District

Port Facilities by Waterway

Waterway: **MISSISSIPPI RIVER** Mile: 382 PWD: 233
Name: **Hall Towing, Barge Terminal, Lower Wharf.**
Port: Upper Mississippi R
Location: Mile 382.0 AOR, right bank, Mississippi River, Fort Madison, approxi- mately 2 miles below Atchison, Top Datum: NPE*
Operator: Hall Towing, Inc.
Owner: Hall Towing, Inc.
Address: 1618 20th Street Phone: 319/372-3078
Town: Fort Madison State: IA County: Lee
Railway Connection: Two surface tracks serve terminal in rear; connect with Burlington Northern Railroad and Atchison, Topeka, and Santa Fe Railway.
Purpose: Shipment of grain and dry bulk fertilizer.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.620833
Total Berthing Space (feet): 195 | | Longitude (decimal): -91.33333

Waterway: **MISSISSIPPI RIVER** Mile: 382 PWD: 233
Name: **Hall Towing, Barge Terminal, Lower Wharf.**
Port: Upper Mississippi R
Location: Mile 382.0 AOR, right bank, Mississippi River, Fort Madison, approxi- mately 2 miles below Atchison, Top Datum: NPE*
Operator: Hall Towing, Inc.
Owner: Hall Towing, Inc.
Address: 1618 20th Street Phone: 319/372-3078
Town: Fort Madison State: IA County: Lee
Railway Connection: Two surface tracks serve terminal in rear; connect with Burlington Northern Railroad and Atchison, Topeka, and Santa Fe Railway.
Purpose: Shipment of grain and dry bulk fertilizer.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.620833
Total Berthing Space (feet): 195 | | Longitude (decimal): -91.33333

Waterway: **MISSISSIPPI RIVER** Mile: 382 PWD: 233
Name: **Hall Towing, Barge Terminal, Lower Wharf.**
Port: Upper Mississippi R
Location: Mile 382.0 AOR, right bank, Mississippi River, Fort Madison, approxi- mately 2 miles below Atchison, Top Datum: NPE*
Operator: Hall Towing, Inc.
Owner: Hall Towing, Inc.
Address: 1618 20th Street Phone: 319/372-3078
Town: Fort Madison State: IA County: Lee
Railway Connection: Two surface tracks serve terminal in rear; connect with Burlington Northern Railroad and Atchison, Topeka, and Santa Fe Railway.
Purpose: Shipment of grain and dry bulk fertilizer.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.620833
Total Berthing Space (feet): 195 | | Longitude (decimal): -91.33333
Remarks: Three steel sheet pile cellular breasting dolphins located below lower side provide fleeting area for 75 barges arranged in tiers 3 barges wide.□ *NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31382 Rock Island District

Remarks: Three steel sheet pile cellular breasting dolphins located below lower side provide fleeting area for 75 barges arranged in tiers 3 barges wide.□ *NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31382 Rock Island District

Port Facilities by Waterway

Remarks: Three steel sheet pile cellular breasting dolphins located below lower side provide fleeting area for 75 barges arranged in tiers 3 barges wide. *NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31382 Rock Island District

Port Facilities by Waterway

Waterway: **MISSISSIPPI RIVER** Mile: 382 PWD: 233
Name: **Hall Towing, Barge Terminal, Lower Wharf.**
Port: Upper Mississippi R
Location: Mile 382.0 AOR, right bank, Mississippi River, Fort Madison, approxi- mately 2 miles below Atchison, Top Datum: NPE*
Operator: Hall Towing, Inc.
Owner: Hall Towing, Inc.
Address: 1618 20th Street Phone: 319/372-3078
Town: Fort Madison State: IA County: Lee
Railway Connection: Two surface tracks serve terminal in rear; connect with Burlington Northern Railroad and Atchison, Topeka, and Santa Fe Railway.
Purpose: Shipment of grain and dry bulk fertilizer.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.620833
Total Berthing Space (feet): 195 | | Longitude (decimal): -91.33333

Waterway: **MISSISSIPPI RIVER** Mile: 382 PWD: 233
Name: **Hall Towing, Barge Terminal, Lower Wharf.**
Port: Upper Mississippi R
Location: Mile 382.0 AOR, right bank, Mississippi River, Fort Madison, approxi- mately 2 miles below Atchison, Top Datum: NPE*
Operator: Hall Towing, Inc.
Owner: Hall Towing, Inc.
Address: 1618 20th Street Phone: 319/372-3078
Town: Fort Madison State: IA County: Lee
Railway Connection: Two surface tracks serve terminal in rear; connect with Burlington Northern Railroad and Atchison, Topeka, and Santa Fe Railway.
Purpose: Shipment of grain and dry bulk fertilizer.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.620833
Total Berthing Space (feet): 195 | | Longitude (decimal): -91.33333

Waterway: **MISSISSIPPI RIVER** Mile: 382 PWD: 233
Name: **Hall Towing, Barge Terminal, Lower Wharf.**
Port: Upper Mississippi R
Location: Mile 382.0 AOR, right bank, Mississippi River, Fort Madison, approxi- mately 2 miles below Atchison, Top Datum: NPE*
Operator: Hall Towing, Inc.
Owner: Hall Towing, Inc.
Address: 1618 20th Street Phone: 319/372-3078
Town: Fort Madison State: IA County: Lee
Railway Connection: Two surface tracks serve terminal in rear; connect with Burlington Northern Railroad and Atchison, Topeka, and Santa Fe Railway.
Purpose: Shipment of grain and dry bulk fertilizer.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.620833
Total Berthing Space (feet): 195 | | Longitude (decimal): -91.33333
Remarks: Three steel sheet pile cellular breasting dolphins located below lower side provide fleeting area for 75 barges arranged in tiers 3 barges wide.□ *NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31382 Rock Island District

Remarks: Three steel sheet pile cellular breasting dolphins located below lower side provide fleeting area for 75 barges arranged in tiers 3 barges wide.□ *NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31382 Rock Island District

Port Facilities by Waterway

Remarks: Three steel sheet pile cellular breasting dolphins located below lower side provide fleeting area for 75 barges arranged in tiers 3 barges wide.□ *NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31382 Rock Island District

---

Waterway: **MISSISSIPPI RIVER** Mile: 383 PWD: 230

Name: **Fort Madison River Boat Dock.**

Port: Minneapolis/St. Paul

Location: Mile 383.1AOR, right bank, Mississippi River, approximately 0.8 mile below Atchison, Topeka, and Santa F Datum: NPE*

Operator: City of Fort Madison (See remarks)

Owner: City of Fort Madison

Address: 902 River Drive. Phone: 319/372-7700

Town: Fort Madison State: IA County: Lee

Railway Connection: None.

Purpose: Mooring casino/excursion boat; boarding passengers.

Depth Alongside (feet): 10 | | Latitude (decimal): 40.628056

Total Berthing Space (feet): 200 | | Longitude (decimal): -91.31417

Remarks: At time of survey (1994) float had not yet been acquired dimensions shown are anticipated.□ *NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31383 Rock Island District

---

Waterway: **MISSISSIPPI RIVER** Mile: 390 PWD: 229

Name: **Colusa Elevator Co., Green Bay Landing Dock.**

Port: Upper Mississippi R

Location: Mile 390.1 AOR, right bank, Mississippi River, Green Bay Landing, 6 miles above Atchison Topeka and Sant Datum: NPE*

Operator: Colusa Elevator Co.

Owner: Colusa Elevator Co.

Address: 2136 Green Bay Road. Phone: 319/372-7852

Town: Wever State: IA County: Lee

Railway Connection: None.

Purpose: Shipment of grain; mooring barges for fleeting (see Remarks).

Depth Alongside (feet): 12 | | Latitude (decimal): 40.645556

Total Berthing Space (feet): 200 | | Longitude (decimal): -91.18778

Remarks: Grain elevator at rear consisting of 5 steel tanks has capacity for 230,000 bushels.□Hall Towing Co. maintains the 'Green Bay' fleet at shore moorings along 3,000 feet of bank below wharf. The fleet has capacity for 45 barges arranged in rows 3 barges wide.□*NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31390 Rock Island District

---

Port Facilities by Waterway

Waterway: **MISSISSIPPI RIVER** Mile: 399 PWD: 228

Name: **I.E.S. Utilities, Burlington Generating Plant Wharf.**

Port: Upper Mississippi R

Location: Mile 399.4 AOR, right bank, Mississippi River, Burlington, approxi- mately 4 miles below Burlington Nort Datum: NPE*

Operator: I.E.S Utilities.

Owner: I.E.S Utilities.

Address: 4282 Sullivan Slough Road Phone: 319/754-7934

Town: Burlington State: IA County: Des Moines

Railway Connection: Two surface tracks serve undertrack pits at open storage area in rear; connect with Burlington Northern Railroad.

Purpose: Receipt of coal.

Depth Alongside (feet): 14 | | Latitude (decimal): 40.743889

Total Berthing Space (feet): 656 | | Longitude (decimal): -91.11444

Remarks: Open storage area located at power plant in rear has capacity for 100,000 tons of coal.□ *NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31399 Rock Island District

---

Waterway: **MISSISSIPPI RIVER** Mile: 400 PWD: 227

Name: **Koch Nitrogen Co., Burlington Ammonia Terminal Dock.**

Port: Upper Mississippi R

Location: Mile 399.5 AOR, right bank, Mississippi River, Burlington, approxi- mately 4 miles below Burlington Nort Datum: NPE*

Operator: Gulf Central Terminal and Storage Co.

Owner: Koch Nitrogen Co.

Address: 4384 Sullivan Slough Road Phone: 319/752-3761

Town: Burlington State: IA County: Des Moines

Railway Connection: Two surface tracks serve car loading rack with 16 stations; connect with Burlington Northern Railroad.

Purpose: Receipt and occasional shipment of anhydrous ammonia.

Depth Alongside (feet): 14 | | Latitude (decimal): 40.747778

Total Berthing Space (feet): 200 | | Longitude (decimal): -91.11361

Remarks: One 6-inch pipeline extends from wharf to one 10,530,000 gallon steel storage tank at terminal in rear. One 2-inch steam utility line serves wharf.□ *NPE = 518.2 MSL□

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31399 Rock Island District

Port Facilities by Waterway

Waterway: **MISSISSIPPI RIVER** Mile: 403 PWD: 226

Name: **Matteson Marine Service, South Dock.**

Port: Upper Mississippi R

Location: Mile 403.4 AOR, right bank, Mississippi River, approximately 0.2 mile above Burlington Northern Railroad Datum: NPE*

Operator: Matteson Marine Service.

Owner: Matteson Marine Service.

Address: 900 South Front Street. Phone: 319/754-5318

Town: Burlington State: IA County: Des Moines

Railway Connection: None.

Purpose: Mooring company-owned floating equipment for storage and maintenance; mooring barges for fleeting (See Remarks).

Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 40.8

Total Berthing Space (feet): 100 | 100 | Longitude (decimal): -91.0975

Remarks: Company moors fleet service vessels at wharf for attending fleets at Miles 405; 406 and 407 all located above MacArthur (U.S. Highway 34) Bridge.-□'405 Fleet' - East side of channel, each side of Moores Bar with 30 barges, arranged 2 abreast.□'406 Fleet' - West side of channel, east side of Baby Ruth Island with capacity for 60 barges, arranged in tiers 3 barges wide.'407 Fleet' - 2,500 feet along left bank with capacity for 20 barges, arranged in tiers 2 barges wide.□*NPE = 518.2 MSL□

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31403 Rock Island District

---

Waterway: **MISSISSIPPI RIVER** Mile: 404 PWD: 225

Name: **ADM/Growmark, Burlington South Elevator Dock.**

Port: Upper Mississippi R

Location: Mile 403.6 AOR, right bank, Mississippi River, approximately 0.4 mile above Burlington Northern Railroad Datum: NPE*

Operator: ADM/ Growmark, a subsidiary of Archer Daniels Midland Co.

Owner: Burlington Northern Railroad.

Address: 600 South Front Street. Phone: 319/753-2857

Town: Burlington State: IA County: Des Moines

Railway Connection: Burlington Northern, Railroad.: Three surface tracks with storage capacity for 50 cars, serve undertrack pit, and loading spout.

Purpose: Shipment of grain.

Depth Alongside (feet): 11 | | Latitude (decimal): 40.802778

Total Berthing Space (feet): 400 | | Longitude (decimal): -91.09833

Remarks: Grain elevator at rear consisting of 12 concrete silos with 6 interstices, has capacity for 550,000 bushels.□ *NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31403 Rock Island District

---

Port Facilities by Waterway

Waterway: **MISSISSIPPI RIVER** Mile: 404 PWD: 224
Name: **Burlington River Terminal, South Dock.**
Port: Upper Mississippi R
Location: Mile 403.6 AOR, right bank, Mississippi River, approximately 0.5 mile above Burlington Northern Railroad Datum: NPE*
Operator: Burlington River Terminal, Inc.
Owner: Burlington Northern Railroad.
Address: 100 South Front Street Phone: 319/753-6533
Town: Burlington State: IA County: Des Moines
Railway Connection: One surface track, capacity 100 cars, serves undertrack pit and one car floor level track serves storage warehouse at rear; connect with main line trackage of Burlington Northern Railroad.
Purpose: Receipt and shipment, essentially direct transfer, of coal and other miscellaneous dry bulk commodities.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.803611
Total Berthing Space (feet): 640 | | Longitude (decimal): -91.09833

Waterway: **MISSISSIPPI RIVER** Mile: 404 PWD: 224
Name: **Burlington River Terminal, South Dock.**
Port: Upper Mississippi R
Location: Mile 403.6 AOR, right bank, Mississippi River, approximately 0.5 mile above Burlington Northern Railroad Datum: NPE*
Operator: Burlington River Terminal, Inc.
Owner: Burlington Northern Railroad.
Address: 100 South Front Street Phone: 319/753-6533
Town: Burlington State: IA County: Des Moines
Railway Connection: One surface track, capacity 100 cars, serves undertrack pit and one car floor level track serves storage warehouse at rear; connect with main line trackage of Burlington Northern Railroad.
Purpose: Receipt and shipment, essentially direct transfer, of coal and other miscellaneous dry bulk commodities.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.803611
Total Berthing Space (feet): 640 | | Longitude (decimal): -91.09833

Remarks: Open storage area at rear has capacity for 18,000 tons. A 60,000 square foot warehouse at rear can be used for storage of bulk or unitized items.□ *NPE = 518.2 MSL□

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31405 Rock Island District

Remarks: Open storage area at rear has capacity for 18,000 tons. A 60,000 square foot warehouse at rear can be used for storage of bulk or unitized items.□ *NPE = 518.2 MSL□

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31405 Rock Island District

Port Facilities by Waterway

Waterway: **MISSISSIPPI RIVER** Mile: 404 PWD: 224
Name: **Burlington River Terminal, South Dock.**
Port: Upper Mississippi R
Location: Mile 403.6 AOR, right bank, Mississippi River, approximately 0.5 mile above Burlington Northern Railroad Datum: NPE*
Operator: Burlington River Terminal, Inc.
Owner: Burlington Northern Railroad.
Address: 100 South Front Street Phone: 319/753-6533
Town: Burlington State: IA County: Des Moines
Railway Connection: One surface track, capacity 100 cars, serves undertrack pit and one car floor level track serves storage warehouse at rear; connect with main line trackage of Burlington Northern Railroad.
Purpose: Receipt and shipment, essentially direct transfer, of coal and other miscellaneous dry bulk commodities.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.803611
Total Berthing Space (feet): 640 | | Longitude (decimal): -91.09833

Waterway: **MISSISSIPPI RIVER** Mile: 404 PWD: 224
Name: **Burlington River Terminal, South Dock.**
Port: Upper Mississippi R
Location: Mile 403.6 AOR, right bank, Mississippi River, approximately 0.5 mile above Burlington Northern Railroad Datum: NPE*
Operator: Burlington River Terminal, Inc.
Owner: Burlington Northern Railroad.
Address: 100 South Front Street Phone: 319/753-6533
Town: Burlington State: IA County: Des Moines
Railway Connection: One surface track, capacity 100 cars, serves undertrack pit and one car floor level track serves storage warehouse at rear; connect with main line trackage of Burlington Northern Railroad.
Purpose: Receipt and shipment, essentially direct transfer, of coal and other miscellaneous dry bulk commodities.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.803611
Total Berthing Space (feet): 640 | | Longitude (decimal): -91.09833

Remarks: Open storage area at rear has capacity for 18,000 tons. A 60,000 square foot warehouse at rear can be used for storage of bulk or unitized items.□ *NPE = 518.2 MSL□

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31405 Rock Island District

Remarks: Open storage area at rear has capacity for 18,000 tons. A 60,000 square foot warehouse at rear can be used for storage of bulk or unitized items.□ *NPE = 518.2 MSL□

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31405 Rock Island District

Port Facilities by Waterway

Waterway: **MISSISSIPPI RIVER** Mile: 405 PWD: 223

Name: **ADM/Growmark, Burlington North Elevator Dock.**

Port: Upper Mississippi R

Location: Mile 405.1 AOR, right bank, Mississippi River, Burlington, approxi- mately one mile above MacArthur (U.S Datum: NPE*

Operator: ADM/ Growmark, a subsidiary of Archer Daniels Midland Co.

Owner: ADM/ Growmark, a subsidiary of Archer Daniels Midland Co.

Address: Foot of Cash Street Phone: 319/753-2857

Town: Burlington State: IA County: Des Moines

Railway Connection: One surface track serves auger unloaders at terminal in rear; connects with Burlington Northern Railroad.

Purpose: Shipment of grain.

Depth Alongside (feet): 10 | | Latitude (decimal): 40.824722

Total Berthing Space (feet): 400 | | Longitude (decimal): -91.09889

Remarks: Grain elevator at rear consisting of 9 concrete silos with 7 interstices has capacity for 450,000 bushels.□ *NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31405 Rock Island District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 405 PWD: 222
Name: **Burlington River Terminal, North Dock.**
Port: Upper Mississippi R
Location: Mile 405.2 AOR, right bank, Mississippi River, on O'Connell SloughBurlington, one mile above MacArthur (Datum: NPE*
Operator: Burlington River Terminal, Inc.
Owner: Burlington River Terminal, Inc.
Address: 500 Cash Street Phone: 319/753-6533
Town: Burlington State: IA County: Des Moines
Railway Connection: Two surface tracks, total capacity 12 cars, serve terminal in rear; connect with Burlington Northern Railroad.
Purpose: Receipt and shipment of steel products, containerized general cargo, liquid and dry bulk fertilizer; shipment of gypsum rock and coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.826667
Total Berthing Space (feet): 200 | | Longitude (decimal): -91.09917

Waterway: **Mississippi River** Mile: 405 PWD: 222
Name: **Burlington River Terminal, North Dock.**
Port: Upper Mississippi R
Location: Mile 405.2 AOR, right bank, Mississippi River, on O'Connell SloughBurlington, one mile above MacArthur (Datum: NPE*
Operator: Burlington River Terminal, Inc.
Owner: Burlington River Terminal, Inc.
Address: 500 Cash Street Phone: 319/753-6533
Town: Burlington State: IA County: Des Moines
Railway Connection: Two surface tracks, total capacity 12 cars, serve terminal in rear; connect with Burlington Northern Railroad.
Purpose: Receipt and shipment of steel products, containerized general cargo, liquid and dry bulk fertilizer; shipment of gypsum rock and coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.826667
Total Berthing Space (feet): 200 | | Longitude (decimal): -91.09917

Remarks: Bulk storage building and storage dome at rear have total capacity for 28,000 tons. A second building not connected by conveyor has additional storage capacity for 500 tons and contains a packaging plant. A con storage area at terminal has capacity for 3,000 tons of material. One 6-inch pipeline extends from wharf to 3 liquid fertilizer storage tanks, total capacity 3,000,000 gallons.□*NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31405 Rock Island District

Remarks: Bulk storage building and storage dome at rear have total capacity for 28,000 tons. A second building not connected by conveyor has additional storage capacity for 500 tons and contains a packaging plant. A con storage area at terminal has capacity for 3,000 tons of material. One 6-inch pipeline extends from wharf to 3 liquid fertilizer storage tanks, total capacity 3,000,000 gallons.□*NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31405 Rock Island District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 405 PWD: 222

Name: **Burlington River Terminal, North Dock.**

Port: Upper Mississippi R

Location: Mile 405.2 AOR, right bank, Mississippi River, on O'Connell SloughBurlington, one mile above MacArthur (Datum: NPE*

Operator: Burlington River Terminal, Inc.

Owner: Burlington River Terminal, Inc.

Address: 500 Cash Street Phone: 319/753-6533

Town: Burlington State: IA County: Des Moines

Railway Connection: Two surface tracks, total capacity 12 cars, serve terminal in rear; connect with Burlington Northern Railroad.

Purpose: Receipt and shipment of steel products, containerized general cargo, liquid and dry bulk fertilizer; shipment of gypsum rock and coal.

Depth Alongside (feet): 9 | | Latitude (decimal): 40.826667

Total Berthing Space (feet): 200 | | Longitude (decimal): -91.09917

Waterway: **Mississippi River** Mile: 405 PWD: 222

Name: **Burlington River Terminal, North Dock.**

Port: Upper Mississippi R

Location: Mile 405.2 AOR, right bank, Mississippi River, on O'Connell SloughBurlington, one mile above MacArthur (Datum: NPE*

Operator: Burlington River Terminal, Inc.

Owner: Burlington River Terminal, Inc.

Address: 500 Cash Street Phone: 319/753-6533

Town: Burlington State: IA County: Des Moines

Railway Connection: Two surface tracks, total capacity 12 cars, serve terminal in rear; connect with Burlington Northern Railroad.

Purpose: Receipt and shipment of steel products, containerized general cargo, liquid and dry bulk fertilizer; shipment of gypsum rock and coal.

Depth Alongside (feet): 9 | | Latitude (decimal): 40.826667

Total Berthing Space (feet): 200 | | Longitude (decimal): -91.09917

Remarks: Bulk storage building and storage dome at rear have total capacity for 28,000 tons. A second building not connected by conveyor has additional storage capacity for 500 tons and contains a packaging plant. A con storage area at terminal has capacity for 3,000 tons of material. One 6-inch pipeline extends from wharf to 3 liquid fertilizer storage tanks, total capacity 3,000,000 gallons.□*NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31405 Rock Island District

Remarks: Bulk storage building and storage dome at rear have total capacity for 28,000 tons. A second building not connected by conveyor has additional storage capacity for 500 tons and contains a packaging plant. A con storage area at terminal has capacity for 3,000 tons of material. One 6-inch pipeline extends from wharf to 3 liquid fertilizer storage tanks, total capacity 3,000,000 gallons.□*NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31405 Rock Island District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 406 PWD: 221
Name: **Matteson Marine Service, North Yard Dock.**
Port: Upper Mississippi R
Location: Mile 405.9 AOR, right bank, Mississippi River, on O'Connell SloughBurlington, 1.7 miles above MacArthur Datum: NPE*
Operator: Matteson Marine Service.
Owner: Matteson Marine Service.
Address: Tama Road Phone: 319/754-5318
Town: Burlington State: IA County: Des Moines
Railway Connection: None.
Purpose: Handling contractors equipment and supplies.
Depth Alongside (feet): 12 | 12 | Latitude (decimal): 40.837778
Total Berthing Space (feet): 303 | 150 | Longitude (decimal): -91.09889
Remarks: Contractor's equipment and materials storage yard is located in rear.□□*NPE = 518.2 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31405 Rock Island District

---

Waterway: **Mississippi River** Mile: 418 PWD: 220
Name: **AGRI Grain Marketing, Meekers Landing Dock.**
Port: Upper Mississippi R
Location: Mile 418.2 AOR, right bank, Mississippi River, Meekers Landing, approximately 8 miles above Lock and Dam Datum: NPE*
Operator: AGRI Grain Marketing.
Owner: AGRI Grain Marketing.
Address: 1477 Meekers Landing Road. Phone: 319/937-6155
Town: Burlington State: IA County: Des Moines
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 - 15 | | Latitude (decimal): 40.969167
Total Berthing Space (feet): 975 | | Longitude (decimal): -90.95722
Remarks: Grain elevator at rear consisting of 25 concrete silos with 24 interstices has capacity for 862,000 bushels.□ *NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31418 Rock Island District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 450 PWD: 218
Name: **Farmland Industries, Muscatine Dock.**
Port: Upper Mississippi R
Location: Mile 450.3 AOR, right bank, Mississippi River, approximately 1.5 miles above Muscatine-Louisa County Lin Datum: NPE*
Operator: Farmland Industries, Inc.
Owner: Farmland Industries, Inc.
Address: 2637 Pettibone Avenue. Phone: 319/264-1721
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serving undertrack pit and loading spout at terminal in rear, connect with CP Rail System.
Purpose: Receipt of dry bulk fertilizer; receipt and occasional shipment of liquid fertilizer.
Depth Alongside (feet): 8 | | Latitude (decimal): 41.356111
Total Berthing Space (feet): 440 | | Longitude (decimal): -91.07111
Remarks: Storage warehouse has capacity for 25,000 tons of material. One 6-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 3,030,000 gallaos □*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31450 Rock Island District

---

Waterway: **Mississippi River** Mile: 450 PWD: 219
Name: **Monsanto, Muscatine Plant Barge Dock.**
Port: Upper Mississippi R
Location: Mile 450.0 AOR, right bank, Mississippi River, approximately 1.3 miles above Muscatine-Louisa County Lin Datum: NPE*
Operator: Monsanto, The Agricultural Group.
Owner: Monsanto, The Agricultural Group.
Address: 2500 Wiggens Road. Phone: 319/262-7386
Town: Muscatine State: IA County: Muscatine
Railway Connection: Plant trackage in rear connects with CP Rail System.
Purpose: Receipt of styrene.
Depth Alongside (feet): 21 | | Latitude (decimal): 41.350556
Total Berthing Space (feet): 200 | | Longitude (decimal): -91.07167
Remarks: Two 8-inch pipelines extend from wharf to 2 steel storage tanks at plant in rear, total capacity 1,200,000 gallons.□ *NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31449 Rock Island District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 451 PWD: 217
Name: **K. A. Steel Chemicals Dock**
Port: Upper Mississippi R
Location: Mile 450.9 AOR, right bank, Mississippi River, approximately 5 miles below State Highway 92 Bridge. Datum: NPE*
Operator: K. A. Steel Chemicals, Inc.
Owner: K. A. Steel Chemicals, Inc.
Address: 2575 Pettibone Avenue Phone: 319/262-8768
Town: Muscatine State: IA County: Muscatine
Railway Connection: None.
Purpose: Receipt of 50% sodium hydroxide solution.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.366667
Total Berthing Space (feet): 180 | | Longitude (decimal): -91.06861
Remarks: One 8-inch pipeline extends from wharf to one 1,500,000-gallon steel storage tank at rear.□ *NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31451 Rock Island District

---

Waterway: **Mississippi River** Mile: 451 PWD: 215
Name: **River Terminal Corp./CK Processing Co. Wharf.**
Port: Upper Mississippi R
Location: Mile 451.4 AOR, right bank, Mississippi River, approximately 4.5 miles below State Highway 92 Bridge. Datum: NPE*
Operator: River Terminal Corp./CK Processing Co.
Owner: River Terminal Corp./CK Processing Co.
Address: 2579 Pettibone Avenue Phone: 319/263-3155
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks with capacity for 40 cars serve plant in rear; connects with CP Rail System.
Purpose: Receipt of molasses, liquid and dry fertilizer, coal, fish solubles, and miscellaneous dry and liquid bulk materials; shipment of soybean oil.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.371111
Total Berthing Space (feet): 510 | | Longitude (decimal): -91.06611
Remarks: Two 10-inch pipelines extend from wharf to 4 steel molasses storage tanks, total capacity 1,700,000 gallons, and six 6-inch pipelines extend to 11 storage tanks for miscellaneous liquids, total capacity 3,640,000 steam line serves wharf. Livestock feed processing plant located in rear.□□*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31451 Rock Island District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 453 PWD: 213
Name: **Grain Processing Corp., South Grain Elevator Dock.**
Port: Upper Mississippi R
Location: Mile 453.3 AOR, right bank, Mississippi River, approximately 2.7 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Not operated.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4629
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks with storage capacity for 25 cars serves undertrack pit; connects with CP Rail System.
Purpose: Not used (See Remarks).
Depth Alongside (feet): 4 - 12 | | Latitude (decimal): 41.394167
Total Berthing Space (feet): 900 | | Longitude (decimal): -91.05556

Waterway: **Mississippi River** Mile: 453 PWD: 213
Name: **Grain Processing Corp., South Grain Elevator Dock.**
Port: Upper Mississippi R
Location: Mile 453.3 AOR, right bank, Mississippi River, approximately 2.7 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Not operated.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4629
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks with storage capacity for 25 cars serves undertrack pit; connects with CP Rail System.
Purpose: Not used (See Remarks).
Depth Alongside (feet): 4 - 12 | | Latitude (decimal): 41.394167
Total Berthing Space (feet): 900 | | Longitude (decimal): -91.05556

Waterway: **Mississippi River** Mile: 453 PWD: 213
Name: **Grain Processing Corp., South Grain Elevator Dock.**
Port: Upper Mississippi R
Location: Mile 453.3 AOR, right bank, Mississippi River, approximately 2.7 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Not operated.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4629
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks with storage capacity for 25 cars serves undertrack pit; connects with CP Rail System.
Purpose: Not used (See Remarks).
Depth Alongside (feet): 4 - 12 | | Latitude (decimal): 41.394167
Total Berthing Space (feet): 900 | | Longitude (decimal): -91.05556

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 453 PWD: 213

Name: **Grain Processing Corp., South Grain Elevator Dock.**

Port: Upper Mississippi R

Location: Mile 453.3 AOR, right bank, Mississippi River, approximately 2.7 miles below State Highway 92 Bridge. Datum: NPE*

Operator: Not operated.

Owner: Grain Processing Corp.

Address: 1600 Oregon Street Phone: 319/264-4629

Town: Muscatine State: IA County: Muscatine

Railway Connection: Two surface tracks with storage capacity for 25 cars serves undertrack pit; connects with CP Rail System.

Purpose: Not used (See Remarks).

Depth Alongside (feet): 4 - 12 | | Latitude (decimal): 41.394167

Total Berthing Space (feet): 900 | | Longitude (decimal): -91.05556

Remarks: At time of survey the wharf facility was being maintained in operational condition and the grain elevator consisting of 20 concrete silos with 18 interstices having capacity for 1,232,000 bushels was being utiliz for grain used internally in the manufacturing process□□*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: At time of survey the wharf facility was being maintained in operational condition and the grain elevator consisting of 20 concrete silos with 18 interstices having capacity for 1,232,000 bushels was being utiliz for grain used internally in the manufacturing process□□*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: At time of survey the wharf facility was being maintained in operational condition and the grain elevator consisting of 20 concrete silos with 18 interstices having capacity for 1,232,000 bushels was being utiliz for grain used internally in the manufacturing process□□*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: At time of survey the wharf facility was being maintained in operational condition and the grain elevator consisting of 20 concrete silos with 18 interstices having capacity for 1,232,000 bushels was being utiliz for grain used internally in the manufacturing process□□*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 453 PWD: 213
Name: **Grain Processing Corp., South Grain Elevator Dock.**
Port: Upper Mississippi R
Location: Mile 453.3 AOR, right bank, Mississippi River, approximately 2.7 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Not operated.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4629
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks with storage capacity for 25 cars serves undertrack pit; connects with CP Rail System.
Purpose: Not used (See Remarks).
Depth Alongside (feet): 4 - 12 | | Latitude (decimal): 41.394167
Total Berthing Space (feet): 900 | | Longitude (decimal): -91.05556

Waterway: **Mississippi River** Mile: 453 PWD: 213
Name: **Grain Processing Corp., South Grain Elevator Dock.**
Port: Upper Mississippi R
Location: Mile 453.3 AOR, right bank, Mississippi River, approximately 2.7 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Not operated.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4629
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks with storage capacity for 25 cars serves undertrack pit; connects with CP Rail System.
Purpose: Not used (See Remarks).
Depth Alongside (feet): 4 - 12 | | Latitude (decimal): 41.394167
Total Berthing Space (feet): 900 | | Longitude (decimal): -91.05556

Waterway: **Mississippi River** Mile: 453 PWD: 213
Name: **Grain Processing Corp., South Grain Elevator Dock.**
Port: Upper Mississippi R
Location: Mile 453.3 AOR, right bank, Mississippi River, approximately 2.7 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Not operated.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4629
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks with storage capacity for 25 cars serves undertrack pit; connects with CP Rail System.
Purpose: Not used (See Remarks).
Depth Alongside (feet): 4 - 12 | | Latitude (decimal): 41.394167
Total Berthing Space (feet): 900 | | Longitude (decimal): -91.05556

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 453 PWD: 213

Name: **Grain Processing Corp., South Grain Elevator Dock.**

Port: Upper Mississippi R

Location: Mile 453.3 AOR, right bank, Mississippi River, approximately 2.7 miles below State Highway 92 Bridge. Datum: NPE*

Operator: Not operated.

Owner: Grain Processing Corp.

Address: 1600 Oregon Street Phone: 319/264-4629

Town: Muscatine State: IA County: Muscatine

Railway Connection: Two surface tracks with storage capacity for 25 cars serves undertrack pit; connects with CP Rail System.

Purpose: Not used (See Remarks).

Depth Alongside (feet): 4 - 12 | | Latitude (decimal): 41.394167

Total Berthing Space (feet): 900 | | Longitude (decimal): -91.05556

Remarks: At time of survey the wharf facility was being maintained in operational condition and the grain elevator consisting of 20 concrete silos with 18 interstices having capacity for 1,232,000 bushels was being utiliz for grain used internally in the manufacturing process□□*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: At time of survey the wharf facility was being maintained in operational condition and the grain elevator consisting of 20 concrete silos with 18 interstices having capacity for 1,232,000 bushels was being utiliz for grain used internally in the manufacturing process□□*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: At time of survey the wharf facility was being maintained in operational condition and the grain elevator consisting of 20 concrete silos with 18 interstices having capacity for 1,232,000 bushels was being utiliz for grain used internally in the manufacturing process□□*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: At time of survey the wharf facility was being maintained in operational condition and the grain elevator consisting of 20 concrete silos with 18 interstices having capacity for 1,232,000 bushels was being utiliz for grain used internally in the manufacturing process□□*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 453 PWD: 213
Name: **Grain Processing Corp., South Grain Elevator Dock.**
Port: Upper Mississippi R
Location: Mile 453.3 AOR, right bank, Mississippi River, approximately 2.7 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Not operated.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4629
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks with storage capacity for 25 cars serves undertrack pit; connects with CP Rail System.
Purpose: Not used (See Remarks).
Depth Alongside (feet): 4 - 12 | | Latitude (decimal): 41.394167
Total Berthing Space (feet): 900 | | Longitude (decimal): -91.05556

Waterway: **Mississippi River** Mile: 453 PWD: 213
Name: **Grain Processing Corp., South Grain Elevator Dock.**
Port: Upper Mississippi R
Location: Mile 453.3 AOR, right bank, Mississippi River, approximately 2.7 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Not operated.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4629
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks with storage capacity for 25 cars serves undertrack pit; connects with CP Rail System.
Purpose: Not used (See Remarks).
Depth Alongside (feet): 4 - 12 | | Latitude (decimal): 41.394167
Total Berthing Space (feet): 900 | | Longitude (decimal): -91.05556

Waterway: **Mississippi River** Mile: 453 PWD: 213
Name: **Grain Processing Corp., South Grain Elevator Dock.**
Port: Upper Mississippi R
Location: Mile 453.3 AOR, right bank, Mississippi River, approximately 2.7 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Not operated.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4629
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks with storage capacity for 25 cars serves undertrack pit; connects with CP Rail System.
Purpose: Not used (See Remarks).
Depth Alongside (feet): 4 - 12 | | Latitude (decimal): 41.394167
Total Berthing Space (feet): 900 | | Longitude (decimal): -91.05556

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 453 PWD: 213

Name: **Grain Processing Corp., South Grain Elevator Dock.**

Port: Upper Mississippi R

Location: Mile 453.3 AOR, right bank, Mississippi River, approximately 2.7 miles below State Highway 92 Bridge. Datum: NPE*

Operator: Not operated.

Owner: Grain Processing Corp.

Address: 1600 Oregon Street Phone: 319/264-4629

Town: Muscatine State: IA County: Muscatine

Railway Connection: Two surface tracks with storage capacity for 25 cars serves undertrack pit; connects with CP Rail System.

Purpose: Not used (See Remarks).

Depth Alongside (feet): 4 - 12 | | Latitude (decimal): 41.394167

Total Berthing Space (feet): 900 | | Longitude (decimal): -91.05556

Remarks: At time of survey the wharf facility was being maintained in operational condition and the grain elevator consisting of 20 concrete silos with 18 interstices having capacity for 1,232,000 bushels was being utiliz for grain used internally in the manufacturing process□□*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: At time of survey the wharf facility was being maintained in operational condition and the grain elevator consisting of 20 concrete silos with 18 interstices having capacity for 1,232,000 bushels was being utiliz for grain used internally in the manufacturing process□□*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: At time of survey the wharf facility was being maintained in operational condition and the grain elevator consisting of 20 concrete silos with 18 interstices having capacity for 1,232,000 bushels was being utiliz for grain used internally in the manufacturing process□□*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: At time of survey the wharf facility was being maintained in operational condition and the grain elevator consisting of 20 concrete silos with 18 interstices having capacity for 1,232,000 bushels was being utiliz for grain used internally in the manufacturing process□□*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 453 PWD: 213
Name: **Grain Processing Corp., South Grain Elevator Dock.**
Port: Upper Mississippi R
Location: Mile 453.3 AOR, right bank, Mississippi River, approximately 2.7 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Not operated.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4629
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks with storage capacity for 25 cars serves undertrack pit; connects with CP Rail System.
Purpose: Not used (See Remarks).
Depth Alongside (feet): 4 - 12 | | Latitude (decimal): 41.394167
Total Berthing Space (feet): 900 | | Longitude (decimal): -91.05556

Waterway: **Mississippi River** Mile: 453 PWD: 213
Name: **Grain Processing Corp., South Grain Elevator Dock.**
Port: Upper Mississippi R
Location: Mile 453.3 AOR, right bank, Mississippi River, approximately 2.7 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Not operated.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4629
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks with storage capacity for 25 cars serves undertrack pit; connects with CP Rail System.
Purpose: Not used (See Remarks).
Depth Alongside (feet): 4 - 12 | | Latitude (decimal): 41.394167
Total Berthing Space (feet): 900 | | Longitude (decimal): -91.05556

Waterway: **Mississippi River** Mile: 453 PWD: 213
Name: **Grain Processing Corp., South Grain Elevator Dock.**
Port: Upper Mississippi R
Location: Mile 453.3 AOR, right bank, Mississippi River, approximately 2.7 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Not operated.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4629
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks with storage capacity for 25 cars serves undertrack pit; connects with CP Rail System.
Purpose: Not used (See Remarks).
Depth Alongside (feet): 4 - 12 | | Latitude (decimal): 41.394167
Total Berthing Space (feet): 900 | | Longitude (decimal): -91.05556

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 453 PWD: 213

Name: **Grain Processing Corp., South Grain Elevator Dock.**

Port: Upper Mississippi R

Location: Mile 453.3 AOR, right bank, Mississippi River, approximately 2.7 miles below State Highway 92 Bridge. Datum: NPE*

Operator: Not operated.

Owner: Grain Processing Corp.

Address: 1600 Oregon Street Phone: 319/264-4629

Town: Muscatine State: IA County: Muscatine

Railway Connection: Two surface tracks with storage capacity for 25 cars serves undertrack pit; connects with CP Rail System.

Purpose: Not used (See Remarks).

Depth Alongside (feet): 4 - 12 | | Latitude (decimal): 41.394167

Total Berthing Space (feet): 900 | | Longitude (decimal): -91.05556

Remarks: At time of survey the wharf facility was being maintained in operational condition and the grain elevator consisting of 20 concrete silos with 18 interstices having capacity for 1,232,000 bushels was being utiliz for grain used internally in the manufacturing process□□*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: At time of survey the wharf facility was being maintained in operational condition and the grain elevator consisting of 20 concrete silos with 18 interstices having capacity for 1,232,000 bushels was being utiliz for grain used internally in the manufacturing process□□*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: At time of survey the wharf facility was being maintained in operational condition and the grain elevator consisting of 20 concrete silos with 18 interstices having capacity for 1,232,000 bushels was being utiliz for grain used internally in the manufacturing process□□*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: At time of survey the wharf facility was being maintained in operational condition and the grain elevator consisting of 20 concrete silos with 18 interstices having capacity for 1,232,000 bushels was being utiliz for grain used internally in the manufacturing process□□*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 453 PWD: 214

Name: **Muscatine Power and Water Dock.**

Port: Upper Mississippi R

Location: Mile 452.9 AOR, right bank, Mississippi River, approximately 3 miles below State Highway 92 Bridge. Datum: NPE*

Operator: Muscatine Power & Water.

Owner: Muscatine Power & Water.

Address: 2200 Stewart Road Phone: 319/262-3506

Town: Muscatine State: IA County: Muscatine

Railway Connection: One 55-car capacity surface loop track serves undertrack pit at plant in rear connects with CP Rail System.

Purpose: Receipt of coal for plant consumption.

Depth Alongside (feet): 12 | | 15 Latitude (decimal): 41.387222

Total Berthing Space (feet): 800 | | 1200 Longitude (decimal): -91.05389

Remarks: Each section is parallel to shoreline and they meet at a small angle. One 4,000-ton concrete storage silo, and a 400,000-ton open storage area served by a radial stacker are located at rear of lower section. Tw front-end loaders and 2 diesel bulldozers serve open storage area.□□*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31452 Rock Island District

---

Waterway: **Mississippi River** Mile: 454 PWD: 209

Name: **Continental Grain Co., Muscatine Grain Elevator Dock.**

Port: Upper Mississippi R

Location: Mile 454.3 AOR, right bank, Mississippi River, Muscatine, approxi- mately 1.7 miles below State Highway Datum: NPE*

Operator: Continental Grain Co. and Blackhawk Fleet Inc. (See Remarks)

Owner: Continental Grain Co.

Address: 700 Oregon Street Phone: 319/263-4343

Town: Muscatine State: IA County: Muscatine

Railway Connection: Two surface tracks with capacity for 25 cars serve undertrack pit and loading spout at grain elevator in rear; connect with CP Rail System.

Purpose: Shipment of grain.

Depth Alongside (feet): 9 | | Latitude (decimal): 41.408056

Total Berthing Space (feet): 750 | | Longitude (decimal): -91.05944

Remarks: Grain elevator at rear consisting of 4 concrete silos with 10 interstices and 2 steel tanks has capacity for 1,100,000 bushels.□Blackhawk Fleet Inc. maintains the 'Towhead Island Fleet' with capacity for 60 barges arranged in 15 tiers each 4 barges wide at the island on opposite side of the channel□*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31454 Rock Island District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 454 PWD: 210
Name: **Grain Processing Corp., Alcohol Dock.**
Port: Upper Mississippi R
Location: Mile 453.9 AOR, right bank, Mississippi River, approximately 2 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4675
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Shipment of grain alcohol.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.401944
Total Berthing Space (feet): 150 | | Longitude (decimal): -91.05972

Waterway: **Mississippi River** Mile: 454 PWD: 210
Name: **Grain Processing Corp., Alcohol Dock.**
Port: Upper Mississippi R
Location: Mile 453.9 AOR, right bank, Mississippi River, approximately 2 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4675
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Shipment of grain alcohol.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.401944
Total Berthing Space (feet): 150 | | Longitude (decimal): -91.05972

Waterway: **Mississippi River** Mile: 454 PWD: 210
Name: **Grain Processing Corp., Alcohol Dock.**
Port: Upper Mississippi R
Location: Mile 453.9 AOR, right bank, Mississippi River, approximately 2 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4675
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Shipment of grain alcohol.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.401944
Total Berthing Space (feet): 150 | | Longitude (decimal): -91.05972

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 454 PWD: 210

Name: **Grain Processing Corp., Alcohol Dock.**

Port: Upper Mississippi R

Location: Mile 453.9 AOR, right bank, Mississippi River, approximately 2 miles below State Highway 92 Bridge. Datum: NPE*

Operator: Grain Processing Corp.

Owner: Grain Processing Corp.

Address: 1600 Oregon Street Phone: 319/264-4675

Town: Muscatine State: IA County: Muscatine

Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.

Purpose: Shipment of grain alcohol.

Depth Alongside (feet): 10 | | Latitude (decimal): 41.401944

Total Berthing Space (feet): 150 | | Longitude (decimal): -91.05972

Remarks: Two 3-inch pipelines extend to circular cell from 13 steel storage tanks at plant in rear, total capacity 5,800,000 gallons. One 1-inch steam utility line also serves wharf. □*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: Two 3-inch pipelines extend to circular cell from 13 steel storage tanks at plant in rear, total capacity 5,800,000 gallons. One 1-inch steam utility line also serves wharf. □*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: Two 3-inch pipelines extend to circular cell from 13 steel storage tanks at plant in rear, total capacity 5,800,000 gallons. One 1-inch steam utility line also serves wharf. □*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: Two 3-inch pipelines extend to circular cell from 13 steel storage tanks at plant in rear, total capacity 5,800,000 gallons. One 1-inch steam utility line also serves wharf. □*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 454 PWD: 210
Name: **Grain Processing Corp., Alcohol Dock.**
Port: Upper Mississippi R
Location: Mile 453.9 AOR, right bank, Mississippi River, approximately 2 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4675
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Shipment of grain alcohol.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.401944
Total Berthing Space (feet): 150 | | Longitude (decimal): -91.05972

Waterway: **Mississippi River** Mile: 454 PWD: 210
Name: **Grain Processing Corp., Alcohol Dock.**
Port: Upper Mississippi R
Location: Mile 453.9 AOR, right bank, Mississippi River, approximately 2 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4675
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Shipment of grain alcohol.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.401944
Total Berthing Space (feet): 150 | | Longitude (decimal): -91.05972

Waterway: **Mississippi River** Mile: 454 PWD: 210
Name: **Grain Processing Corp., Alcohol Dock.**
Port: Upper Mississippi R
Location: Mile 453.9 AOR, right bank, Mississippi River, approximately 2 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4675
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Shipment of grain alcohol.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.401944
Total Berthing Space (feet): 150 | | Longitude (decimal): -91.05972

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 454 PWD: 210

Name: **Grain Processing Corp., Alcohol Dock.**

Port: Upper Mississippi R

Location: Mile 453.9 AOR, right bank, Mississippi River, approximately 2 miles below State Highway 92 Bridge. Datum: NPE*

Operator: Grain Processing Corp.

Owner: Grain Processing Corp.

Address: 1600 Oregon Street Phone: 319/264-4675

Town: Muscatine State: IA County: Muscatine

Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.

Purpose: Shipment of grain alcohol.

Depth Alongside (feet): 10 | | Latitude (decimal): 41.401944

Total Berthing Space (feet): 150 | | Longitude (decimal): -91.05972

Remarks: Two 3-inch pipelines extend to circular cell from 13 steel storage tanks at plant in rear, total capacity 5,800,000 gallons. One 1-inch steam utility line also serves wharf. □*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: Two 3-inch pipelines extend to circular cell from 13 steel storage tanks at plant in rear, total capacity 5,800,000 gallons. One 1-inch steam utility line also serves wharf. □*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: Two 3-inch pipelines extend to circular cell from 13 steel storage tanks at plant in rear, total capacity 5,800,000 gallons. One 1-inch steam utility line also serves wharf. □*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: Two 3-inch pipelines extend to circular cell from 13 steel storage tanks at plant in rear, total capacity 5,800,000 gallons. One 1-inch steam utility line also serves wharf. □*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 454 PWD: 210
Name: **Grain Processing Corp., Alcohol Dock.**
Port: Upper Mississippi R
Location: Mile 453.9 AOR, right bank, Mississippi River, approximately 2 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4675
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Shipment of grain alcohol.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.401944
Total Berthing Space (feet): 150 | | Longitude (decimal): -91.05972

Waterway: **Mississippi River** Mile: 454 PWD: 210
Name: **Grain Processing Corp., Alcohol Dock.**
Port: Upper Mississippi R
Location: Mile 453.9 AOR, right bank, Mississippi River, approximately 2 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4675
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Shipment of grain alcohol.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.401944
Total Berthing Space (feet): 150 | | Longitude (decimal): -91.05972

Waterway: **Mississippi River** Mile: 454 PWD: 210
Name: **Grain Processing Corp., Alcohol Dock.**
Port: Upper Mississippi R
Location: Mile 453.9 AOR, right bank, Mississippi River, approximately 2 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4675
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Shipment of grain alcohol.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.401944
Total Berthing Space (feet): 150 | | Longitude (decimal): -91.05972

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 454 PWD: 210

Name: **Grain Processing Corp., Alcohol Dock.**

Port: Upper Mississippi R

Location: Mile 453.9 AOR, right bank, Mississippi River, approximately 2 miles below State Highway 92 Bridge. Datum: NPE*

Operator: Grain Processing Corp.

Owner: Grain Processing Corp.

Address: 1600 Oregon Street Phone: 319/264-4675

Town: Muscatine State: IA County: Muscatine

Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.

Purpose: Shipment of grain alcohol.

Depth Alongside (feet): 10 | | Latitude (decimal): 41.401944

Total Berthing Space (feet): 150 | | Longitude (decimal): -91.05972

Remarks: Two 3-inch pipelines extend to circular cell from 13 steel storage tanks at plant in rear, total capacity 5,800,000 gallons. One 1-inch steam utility line also serves wharf. □*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: Two 3-inch pipelines extend to circular cell from 13 steel storage tanks at plant in rear, total capacity 5,800,000 gallons. One 1-inch steam utility line also serves wharf. □*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: Two 3-inch pipelines extend to circular cell from 13 steel storage tanks at plant in rear, total capacity 5,800,000 gallons. One 1-inch steam utility line also serves wharf. □*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: Two 3-inch pipelines extend to circular cell from 13 steel storage tanks at plant in rear, total capacity 5,800,000 gallons. One 1-inch steam utility line also serves wharf. □*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 454 PWD: 210
Name: **Grain Processing Corp., Alcohol Dock.**
Port: Upper Mississippi R
Location: Mile 453.9 AOR, right bank, Mississippi River, approximately 2 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4675
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Shipment of grain alcohol.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.401944
Total Berthing Space (feet): 150 | | Longitude (decimal): -91.05972

Waterway: **Mississippi River** Mile: 454 PWD: 210
Name: **Grain Processing Corp., Alcohol Dock.**
Port: Upper Mississippi R
Location: Mile 453.9 AOR, right bank, Mississippi River, approximately 2 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4675
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Shipment of grain alcohol.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.401944
Total Berthing Space (feet): 150 | | Longitude (decimal): -91.05972

Waterway: **Mississippi River** Mile: 454 PWD: 210
Name: **Grain Processing Corp., Alcohol Dock.**
Port: Upper Mississippi R
Location: Mile 453.9 AOR, right bank, Mississippi River, approximately 2 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4675
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Shipment of grain alcohol.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.401944
Total Berthing Space (feet): 150 | | Longitude (decimal): -91.05972

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 454 PWD: 210

Name: **Grain Processing Corp., Alcohol Dock.**

Port: Upper Mississippi R

Location: Mile 453.9 AOR, right bank, Mississippi River, approximately 2 miles below State Highway 92 Bridge. Datum: NPE*

Operator: Grain Processing Corp.

Owner: Grain Processing Corp.

Address: 1600 Oregon Street Phone: 319/264-4675

Town: Muscatine State: IA County: Muscatine

Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.

Purpose: Shipment of grain alcohol.

Depth Alongside (feet): 10 | | Latitude (decimal): 41.401944

Total Berthing Space (feet): 150 | | Longitude (decimal): -91.05972

Remarks: Two 3-inch pipelines extend to circular cell from 13 steel storage tanks at plant in rear, total capacity 5,800,000 gallons. One 1-inch steam utility line also serves wharf. □*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: Two 3-inch pipelines extend to circular cell from 13 steel storage tanks at plant in rear, total capacity 5,800,000 gallons. One 1-inch steam utility line also serves wharf. □*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: Two 3-inch pipelines extend to circular cell from 13 steel storage tanks at plant in rear, total capacity 5,800,000 gallons. One 1-inch steam utility line also serves wharf. □*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: Two 3-inch pipelines extend to circular cell from 13 steel storage tanks at plant in rear, total capacity 5,800,000 gallons. One 1-inch steam utility line also serves wharf. □*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 454 PWD: 212
Name: **Grain Processing Corp., Coal-Unloading Dock.**
Port: Upper Mississippi R
Location: Mile 453.5 AOR, right bank, Mississippi River, approximately 2.5 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4476
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.396944
Total Berthing Space (feet): 840 | | Longitude (decimal): -91.05639

Waterway: **Mississippi River** Mile: 454 PWD: 212
Name: **Grain Processing Corp., Coal-Unloading Dock.**
Port: Upper Mississippi R
Location: Mile 453.5 AOR, right bank, Mississippi River, approximately 2.5 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4476
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.396944
Total Berthing Space (feet): 840 | | Longitude (decimal): -91.05639

Waterway: **Mississippi River** Mile: 454 PWD: 212
Name: **Grain Processing Corp., Coal-Unloading Dock.**
Port: Upper Mississippi R
Location: Mile 453.5 AOR, right bank, Mississippi River, approximately 2.5 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4476
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.396944
Total Berthing Space (feet): 840 | | Longitude (decimal): -91.05639

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 454 PWD: 212

Name: **Grain Processing Corp., Coal-Unloading Dock.**

Port: Upper Mississippi R

Location: Mile 453.5 AOR, right bank, Mississippi River, approximately 2.5 miles below State Highway 92 Bridge. Datum: NPE*

Operator: Grain Processing Corp.

Owner: Grain Processing Corp.

Address: 1600 Oregon Street Phone: 319/264-4476

Town: Muscatine State: IA County: Muscatine

Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.

Purpose: Receipt of coal for plant consumption.

Depth Alongside (feet): 10 | | Latitude (decimal): 41.396944

Total Berthing Space (feet): 840 | | Longitude (decimal): -91.05639

Remarks: Open storage area at plant in rear has capacity for 120,000 tons of coal.□□*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: Open storage area at plant in rear has capacity for 120,000 tons of coal.□□*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: Open storage area at plant in rear has capacity for 120,000 tons of coal.□□*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: Open storage area at plant in rear has capacity for 120,000 tons of coal.□□*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 454 PWD: 212
Name: **Grain Processing Corp., Coal-Unloading Dock.**
Port: Upper Mississippi R
Location: Mile 453.5 AOR, right bank, Mississippi River, approximately 2.5 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4476
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.396944
Total Berthing Space (feet): 840 | | Longitude (decimal): -91.05639

Waterway: **Mississippi River** Mile: 454 PWD: 212
Name: **Grain Processing Corp., Coal-Unloading Dock.**
Port: Upper Mississippi R
Location: Mile 453.5 AOR, right bank, Mississippi River, approximately 2.5 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4476
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.396944
Total Berthing Space (feet): 840 | | Longitude (decimal): -91.05639

Waterway: **Mississippi River** Mile: 454 PWD: 212
Name: **Grain Processing Corp., Coal-Unloading Dock.**
Port: Upper Mississippi R
Location: Mile 453.5 AOR, right bank, Mississippi River, approximately 2.5 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4476
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.396944
Total Berthing Space (feet): 840 | | Longitude (decimal): -91.05639

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 454 PWD: 212

Name: **Grain Processing Corp., Coal-Unloading Dock.**

Port: Upper Mississippi R

Location: Mile 453.5 AOR, right bank, Mississippi River, approximately 2.5 miles below State Highway 92 Bridge. Datum: NPE*

Operator: Grain Processing Corp.

Owner: Grain Processing Corp.

Address: 1600 Oregon Street Phone: 319/264-4476

Town: Muscatine State: IA County: Muscatine

Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.

Purpose: Receipt of coal for plant consumption.

Depth Alongside (feet): 10 | | Latitude (decimal): 41.396944

Total Berthing Space (feet): 840 | | Longitude (decimal): -91.05639

Remarks: Open storage area at plant in rear has capacity for 120,000 tons of coal.□□*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: Open storage area at plant in rear has capacity for 120,000 tons of coal.□□*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: Open storage area at plant in rear has capacity for 120,000 tons of coal.□□*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: Open storage area at plant in rear has capacity for 120,000 tons of coal.□□*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 454 PWD: 212
Name: **Grain Processing Corp., Coal-Unloading Dock.**
Port: Upper Mississippi R
Location: Mile 453.5 AOR, right bank, Mississippi River, approximately 2.5 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4476
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.396944
Total Berthing Space (feet): 840 | | Longitude (decimal): -91.05639

Waterway: **Mississippi River** Mile: 454 PWD: 212
Name: **Grain Processing Corp., Coal-Unloading Dock.**
Port: Upper Mississippi R
Location: Mile 453.5 AOR, right bank, Mississippi River, approximately 2.5 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4476
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.396944
Total Berthing Space (feet): 840 | | Longitude (decimal): -91.05639

Waterway: **Mississippi River** Mile: 454 PWD: 212
Name: **Grain Processing Corp., Coal-Unloading Dock.**
Port: Upper Mississippi R
Location: Mile 453.5 AOR, right bank, Mississippi River, approximately 2.5 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4476
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.396944
Total Berthing Space (feet): 840 | | Longitude (decimal): -91.05639

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 454 PWD: 212

Name: **Grain Processing Corp., Coal-Unloading Dock.**

Port: Upper Mississippi R

Location: Mile 453.5 AOR, right bank, Mississippi River, approximately 2.5 miles below State Highway 92 Bridge. Datum: NPE*

Operator: Grain Processing Corp.

Owner: Grain Processing Corp.

Address: 1600 Oregon Street Phone: 319/264-4476

Town: Muscatine State: IA County: Muscatine

Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.

Purpose: Receipt of coal for plant consumption.

Depth Alongside (feet): 10 | | Latitude (decimal): 41.396944

Total Berthing Space (feet): 840 | | Longitude (decimal): -91.05639

Remarks: Open storage area at plant in rear has capacity for 120,000 tons of coal.□□*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: Open storage area at plant in rear has capacity for 120,000 tons of coal.□□*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: Open storage area at plant in rear has capacity for 120,000 tons of coal.□□*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: Open storage area at plant in rear has capacity for 120,000 tons of coal.□□*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 454 PWD: 212
Name: **Grain Processing Corp., Coal-Unloading Dock.**
Port: Upper Mississippi R
Location: Mile 453.5 AOR, right bank, Mississippi River, approximately 2.5 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4476
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.396944
Total Berthing Space (feet): 840 | | Longitude (decimal): -91.05639

Waterway: **Mississippi River** Mile: 454 PWD: 212
Name: **Grain Processing Corp., Coal-Unloading Dock.**
Port: Upper Mississippi R
Location: Mile 453.5 AOR, right bank, Mississippi River, approximately 2.5 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4476
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.396944
Total Berthing Space (feet): 840 | | Longitude (decimal): -91.05639

Waterway: **Mississippi River** Mile: 454 PWD: 212
Name: **Grain Processing Corp., Coal-Unloading Dock.**
Port: Upper Mississippi R
Location: Mile 453.5 AOR, right bank, Mississippi River, approximately 2.5 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4476
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.396944
Total Berthing Space (feet): 840 | | Longitude (decimal): -91.05639

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 454 PWD: 212

Name: **Grain Processing Corp., Coal-Unloading Dock.**

Port: Upper Mississippi R

Location: Mile 453.5 AOR, right bank, Mississippi River, approximately 2.5 miles below State Highway 92 Bridge. Datum: NPE*

Operator: Grain Processing Corp.

Owner: Grain Processing Corp.

Address: 1600 Oregon Street Phone: 319/264-4476

Town: Muscatine State: IA County: Muscatine

Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.

Purpose: Receipt of coal for plant consumption.

Depth Alongside (feet): 10 | | Latitude (decimal): 41.396944

Total Berthing Space (feet): 840 | | Longitude (decimal): -91.05639

Remarks: Open storage area at plant in rear has capacity for 120,000 tons of coal.□□*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: Open storage area at plant in rear has capacity for 120,000 tons of coal.□□*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: Open storage area at plant in rear has capacity for 120,000 tons of coal.□□*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: Open storage area at plant in rear has capacity for 120,000 tons of coal.□□*NPE = 536.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 454 PWD: 211
Name: **Grain Processing Corp., Feed Loading Dock.**
Port: Upper Mississippi R
Location: Mile 453.7 AOR, right bank, Mississippi River, approximately 2.1 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4675
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Shipment of distillers spent grain, and livestock feed.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.400833
Total Berthing Space (feet): 635 | | Longitude (decimal): -91.05917

Waterway: **Mississippi River** Mile: 454 PWD: 211
Name: **Grain Processing Corp., Feed Loading Dock.**
Port: Upper Mississippi R
Location: Mile 453.7 AOR, right bank, Mississippi River, approximately 2.1 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4675
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Shipment of distillers spent grain, and livestock feed.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.400833
Total Berthing Space (feet): 635 | | Longitude (decimal): -91.05917

Waterway: **Mississippi River** Mile: 454 PWD: 211
Name: **Grain Processing Corp., Feed Loading Dock.**
Port: Upper Mississippi R
Location: Mile 453.7 AOR, right bank, Mississippi River, approximately 2.1 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4675
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Shipment of distillers spent grain, and livestock feed.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.400833
Total Berthing Space (feet): 635 | | Longitude (decimal): -91.05917

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 454 PWD: 211

Name: **Grain Processing Corp., Feed Loading Dock.**

Port: Upper Mississippi R

Location: Mile 453.7 AOR, right bank, Mississippi River, approximately 2.1 miles below State Highway 92 Bridge. Datum: NPE*

Operator: Grain Processing Corp.

Owner: Grain Processing Corp.

Address: 1600 Oregon Street Phone: 319/264-4675

Town: Muscatine State: IA County: Muscatine

Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.

Purpose: Shipment of distillers spent grain, and livestock feed.

Depth Alongside (feet): 11 | | Latitude (decimal): 41.400833

Total Berthing Space (feet): 635 | | Longitude (decimal): -91.05917

Remarks: *NPE = 536.0 MSL.□□

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: *NPE = 536.0 MSL.□□

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: *NPE = 536.0 MSL.□□

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: *NPE = 536.0 MSL.□□

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 454 PWD: 211
Name: **Grain Processing Corp., Feed Loading Dock.**
Port: Upper Mississippi R
Location: Mile 453.7 AOR, right bank, Mississippi River, approximately 2.1 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4675
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Shipment of distillers spent grain, and livestock feed.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.400833
Total Berthing Space (feet): 635 | | Longitude (decimal): -91.05917

Waterway: **Mississippi River** Mile: 454 PWD: 211
Name: **Grain Processing Corp., Feed Loading Dock.**
Port: Upper Mississippi R
Location: Mile 453.7 AOR, right bank, Mississippi River, approximately 2.1 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4675
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Shipment of distillers spent grain, and livestock feed.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.400833
Total Berthing Space (feet): 635 | | Longitude (decimal): -91.05917

Waterway: **Mississippi River** Mile: 454 PWD: 211
Name: **Grain Processing Corp., Feed Loading Dock.**
Port: Upper Mississippi R
Location: Mile 453.7 AOR, right bank, Mississippi River, approximately 2.1 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4675
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Shipment of distillers spent grain, and livestock feed.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.400833
Total Berthing Space (feet): 635 | | Longitude (decimal): -91.05917

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 454 PWD: 211

Name: **Grain Processing Corp., Feed Loading Dock.**

Port: Upper Mississippi R

Location: Mile 453.7 AOR, right bank, Mississippi River, approximately 2.1 miles below State Highway 92 Bridge. Datum: NPE*

Operator: Grain Processing Corp.

Owner: Grain Processing Corp.

Address: 1600 Oregon Street Phone: 319/264-4675

Town: Muscatine State: IA County: Muscatine

Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.

Purpose: Shipment of distillers spent grain, and livestock feed.

Depth Alongside (feet): 11 | | Latitude (decimal): 41.400833

Total Berthing Space (feet): 635 | | Longitude (decimal): -91.05917

Remarks: *NPE = 536.0 MSL.□□

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: *NPE = 536.0 MSL.□□

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: *NPE = 536.0 MSL.□□

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: *NPE = 536.0 MSL.□□

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 454 PWD: 211
Name: **Grain Processing Corp., Feed Loading Dock.**
Port: Upper Mississippi R
Location: Mile 453.7 AOR, right bank, Mississippi River, approximately 2.1 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4675
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Shipment of distillers spent grain, and livestock feed.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.400833
Total Berthing Space (feet): 635 | | Longitude (decimal): -91.05917

Waterway: **Mississippi River** Mile: 454 PWD: 211
Name: **Grain Processing Corp., Feed Loading Dock.**
Port: Upper Mississippi R
Location: Mile 453.7 AOR, right bank, Mississippi River, approximately 2.1 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4675
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Shipment of distillers spent grain, and livestock feed.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.400833
Total Berthing Space (feet): 635 | | Longitude (decimal): -91.05917

Waterway: **Mississippi River** Mile: 454 PWD: 211
Name: **Grain Processing Corp., Feed Loading Dock.**
Port: Upper Mississippi R
Location: Mile 453.7 AOR, right bank, Mississippi River, approximately 2.1 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4675
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Shipment of distillers spent grain, and livestock feed.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.400833
Total Berthing Space (feet): 635 | | Longitude (decimal): -91.05917

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 454 PWD: 211

Name: **Grain Processing Corp., Feed Loading Dock.**

Port: Upper Mississippi R

Location: Mile 453.7 AOR, right bank, Mississippi River, approximately 2.1 miles below State Highway 92 Bridge. Datum: NPE*

Operator: Grain Processing Corp.

Owner: Grain Processing Corp.

Address: 1600 Oregon Street Phone: 319/264-4675

Town: Muscatine State: IA County: Muscatine

Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.

Purpose: Shipment of distillers spent grain, and livestock feed.

Depth Alongside (feet): 11 | | Latitude (decimal): 41.400833

Total Berthing Space (feet): 635 | | Longitude (decimal): -91.05917

Remarks: *NPE = 536.0 MSL.□□

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: *NPE = 536.0 MSL.□□

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: *NPE = 536.0 MSL.□□

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: *NPE = 536.0 MSL.□□

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 454 PWD: 211
Name: **Grain Processing Corp., Feed Loading Dock.**
Port: Upper Mississippi R
Location: Mile 453.7 AOR, right bank, Mississippi River, approximately 2.1 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4675
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Shipment of distillers spent grain, and livestock feed.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.400833
Total Berthing Space (feet): 635 | | Longitude (decimal): -91.05917

Waterway: **Mississippi River** Mile: 454 PWD: 211
Name: **Grain Processing Corp., Feed Loading Dock.**
Port: Upper Mississippi R
Location: Mile 453.7 AOR, right bank, Mississippi River, approximately 2.1 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4675
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Shipment of distillers spent grain, and livestock feed.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.400833
Total Berthing Space (feet): 635 | | Longitude (decimal): -91.05917

Waterway: **Mississippi River** Mile: 454 PWD: 211
Name: **Grain Processing Corp., Feed Loading Dock.**
Port: Upper Mississippi R
Location: Mile 453.7 AOR, right bank, Mississippi River, approximately 2.1 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4675
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Shipment of distillers spent grain, and livestock feed.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.400833
Total Berthing Space (feet): 635 | | Longitude (decimal): -91.05917

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 454 PWD: 211
Name: **Grain Processing Corp., Feed Loading Dock.**
Port: Upper Mississippi R
Location: Mile 453.7 AOR, right bank, Mississippi River, approximately 2.1 miles below State Highway 92 Bridge. Datum: NPE*
Operator: Grain Processing Corp.
Owner: Grain Processing Corp.
Address: 1600 Oregon Street Phone: 319/264-4675
Town: Muscatine State: IA County: Muscatine
Railway Connection: Two surface tracks serve plant in rear; connect with CP Rail System.
Purpose: Shipment of distillers spent grain, and livestock feed.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.400833
Total Berthing Space (feet): 635 | | Longitude (decimal): -91.05917
Remarks: *NPE = 536.0 MSL.□□

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: *NPE = 536.0 MSL.□□

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: *NPE = 536.0 MSL.□□

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Remarks: *NPE = 536.0 MSL.□□

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31453 Rock Island District

---

Waterway: **Mississippi River** Mile: 468 PWD: 208
Name: **Central Iowa Power Cooperative, Fair Station Wharf.**
Port: Upper Mississippi R
Location: Mile 468.0 AOR, right bank, Mississippi River, approximately + mile below the village of Montpelier. Datum: NPE*
Operator: Central Iowa Power Cooperative.
Owner: Central Iowa Power Cooperative.
Address: State Highway 22 Phone: 319/381-2062
Town: Montpelier State: IA County: Muscatine
Railway Connection: None.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 9 - 11 | | Latitude (decimal): 41.456389
Total Berthing Space (feet): 740 | | Longitude (decimal): -90.82028
Remarks: Open storage area at rear has capacity for 120,000 tons of coal. Bulldozers move coal to a ground-level pit served by a conveyor extending to power plant.□ *NPE = 545.0 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31468 Rock Island District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 470 PWD: 205
Name: **AGRI Grain Marketing, Buffalo Grain Elevator Dock.**
Port: Upper Mississippi R
Location: Mile 469.8 AOR, right bank, Mississippi River, approximately 3 miles below the village of Buffalo. Datum: NPE*
Operator: AGRI Grain Marketing.
Owner: Cargill Inc.
Address: 1657 West Front Street Phone: 319/381-4300
Town: Buffalo State: IA County: Scott
Railway Connection: Four surface tracks with total capacity for 30 cars serves undertrack pit and loading spout at grain elevator in rear; connect with CP Rail System.
Purpose: Shipment of grain and grain products.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.454167
Total Berthing Space (feet): 430 | | Longitude (decimal): -90.77917

Waterway: **Mississippi River** Mile: 470 PWD: 205
Name: **AGRI Grain Marketing, Buffalo Grain Elevator Dock.**
Port: Upper Mississippi R
Location: Mile 469.8 AOR, right bank, Mississippi River, approximately 3 miles below the village of Buffalo. Datum: NPE*
Operator: AGRI Grain Marketing.
Owner: Cargill Inc.
Address: 1657 West Front Street Phone: 319/381-4300
Town: Buffalo State: IA County: Scott
Railway Connection: Four surface tracks with total capacity for 30 cars serves undertrack pit and loading spout at grain elevator in rear; connect with CP Rail System.
Purpose: Shipment of grain and grain products.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.454167
Total Berthing Space (feet): 430 | | Longitude (decimal): -90.77917

Remarks: Grain elevator at rear consisting of 6 concrete silos and 3 steel tanks has capacity for 850,000 bushels.□ *NPE = 545.0 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31469 Rock Island District

Remarks: Grain elevator at rear consisting of 6 concrete silos and 3 steel tanks has capacity for 850,000 bushels.□ *NPE = 545.0 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31469 Rock Island District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 470 PWD: 205
Name: **AGRI Grain Marketing, Buffalo Grain Elevator Dock.**
Port: Upper Mississippi R
Location: Mile 469.8 AOR, right bank, Mississippi River, approximately 3 miles below the village of Buffalo. Datum: NPE*
Operator: AGRI Grain Marketing.
Owner: Cargill Inc.
Address: 1657 West Front Street Phone: 319/381-4300
Town: Buffalo State: IA County: Scott
Railway Connection: Four surface tracks with total capacity for 30 cars serves undertrack pit and loading spout at grain elevator in rear; connect with CP Rail System.
Purpose: Shipment of grain and grain products.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.454167
Total Berthing Space (feet): 430 | | Longitude (decimal): -90.77917

Waterway: **Mississippi River** Mile: 470 PWD: 205
Name: **AGRI Grain Marketing, Buffalo Grain Elevator Dock.**
Port: Upper Mississippi R
Location: Mile 469.8 AOR, right bank, Mississippi River, approximately 3 miles below the village of Buffalo. Datum: NPE*
Operator: AGRI Grain Marketing.
Owner: Cargill Inc.
Address: 1657 West Front Street Phone: 319/381-4300
Town: Buffalo State: IA County: Scott
Railway Connection: Four surface tracks with total capacity for 30 cars serves undertrack pit and loading spout at grain elevator in rear; connect with CP Rail System.
Purpose: Shipment of grain and grain products.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.454167
Total Berthing Space (feet): 430 | | Longitude (decimal): -90.77917

Remarks: Grain elevator at rear consisting of 6 concrete silos and 3 steel tanks has capacity for 850,000 bushels. *NPE = 545.0 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31469 Rock Island District

Remarks: Grain elevator at rear consisting of 6 concrete silos and 3 steel tanks has capacity for 850,000 bushels. *NPE = 545.0 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31469 Rock Island District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 470 PWD: 207

Name: **Blackhawk Fleet, Buffalo Terminal Dock.**

Port: Upper Mississippi R

Location: Mile 469.6 AOR, right bank, Mississippi River, approximately 3.5 miles below Buffalo at Scott-Muscatine Datum: NPE*

Operator: Blackhawk Fleet Inc.

Owner: Blackhawk Fleet Inc.

Address: West Front Street Phone: 319/322-3510

Town: Buffalo State: IA County: Scott

Railway Connection: None.

Purpose: Receipt and shipment of coal and other miscellaneous dry bulk materials.

Depth Alongside (feet): 9 | | Latitude (decimal): 41.455

Total Berthing Space (feet): 450 | | Longitude (decimal): -90.78611

Remarks: Approximately 13 acres of open storage area with capacity for 130,000 tons of material are located at rear.□Operator maintains the 'Maxwell Island Fleet' with capacity for 15 barges arranged in a block 5 barges long by 3 wide, on the west side of the island at Mile 470.7, approximately one mile above wharf.□*NPE = 545.0 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31469 Rock Island District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 470 PWD: 206
Name: **Cargill Buffalo Terminal Dock.**
Port: Upper Mississippi R
Location: Mile 469.7 AOR, right bank, Mississippi River, approximately 3 miles below the village of Buffalo. Datum: NPE*
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 1657 West Front Street Phone: 319/381-2210
Town: Buffalo State: IA County: Scott
Railway Connection: One surface track serves terminal in rear; connects with CP Rail System.
Purpose: Receipt of caustic soda and salt; shipment of vegetable oil.
Depth Alongside (feet): 9 | | 7 - 9 Latitude (decimal): 41.453889
Total Berthing Space (feet): 195 | | 195 Longitude (decimal): -90.78083

Waterway: **Mississippi River** Mile: 470 PWD: 206
Name: **Cargill Buffalo Terminal Dock.**
Port: Upper Mississippi R
Location: Mile 469.7 AOR, right bank, Mississippi River, approximately 3 miles below the village of Buffalo. Datum: NPE*
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 1657 West Front Street Phone: 319/381-2210
Town: Buffalo State: IA County: Scott
Railway Connection: One surface track serves terminal in rear; connects with CP Rail System.
Purpose: Receipt of caustic soda and salt; shipment of vegetable oil.
Depth Alongside (feet): 9 | | 7 - 9 Latitude (decimal): 41.453889
Total Berthing Space (feet): 195 | | 195 Longitude (decimal): -90.78083

Remarks: One 6-inch pipeline extends from wharf to one 2,000,000-gallon caustic soda storage tank, and one 6-inch pipeline extends to wharf from two vegetable oil storage tanks, total capacity 5,000,000 gallons. One 3-in wharf. Open storage area with capacity for 65,000 tons, and 2 timber storage buildings with capacities for 25,000 and 10,000 tons of salt are located in rear. Vegetable oil barge moors end-to lower side at steel sheetsalt barge moors at face overlapping each side.□□*NPE = 545.0 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31469 Rock Island District

Remarks: One 6-inch pipeline extends from wharf to one 2,000,000-gallon caustic soda storage tank, and one 6-inch pipeline extends to wharf from two vegetable oil storage tanks, total capacity 5,000,000 gallons. One 3-in wharf. Open storage area with capacity for 65,000 tons, and 2 timber storage buildings with capacities for 25,000 and 10,000 tons of salt are located in rear. Vegetable oil barge moors end-to lower side at steel sheetsalt barge moors at face overlapping each side.□□*NPE = 545.0 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31469 Rock Island District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 470 PWD: 206
Name: **Cargill Buffalo Terminal Dock.**
Port: Upper Mississippi R
Location: Mile 469.7 AOR, right bank, Mississippi River, approximately 3 miles below the village of Buffalo. Datum: NPE*
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 1657 West Front Street Phone: 319/381-2210
Town: Buffalo State: IA County: Scott
Railway Connection: One surface track serves terminal in rear; connects with CP Rail System.
Purpose: Receipt of caustic soda and salt; shipment of vegetable oil.
Depth Alongside (feet): 9 | | 7 - 9 Latitude (decimal): 41.453889
Total Berthing Space (feet): 195 | | 195 Longitude (decimal): -90.78083

Waterway: **Mississippi River** Mile: 470 PWD: 206
Name: **Cargill Buffalo Terminal Dock.**
Port: Upper Mississippi R
Location: Mile 469.7 AOR, right bank, Mississippi River, approximately 3 miles below the village of Buffalo. Datum: NPE*
Operator: Cargill, Inc.
Owner: Cargill, Inc.
Address: 1657 West Front Street Phone: 319/381-2210
Town: Buffalo State: IA County: Scott
Railway Connection: One surface track serves terminal in rear; connects with CP Rail System.
Purpose: Receipt of caustic soda and salt; shipment of vegetable oil.
Depth Alongside (feet): 9 | | 7 - 9 Latitude (decimal): 41.453889
Total Berthing Space (feet): 195 | | 195 Longitude (decimal): -90.78083

Remarks: One 6-inch pipeline extends from wharf to one 2,000,000-gallon caustic soda storage tank, and one 6-inch pipeline extends to wharf from two vegetable oil storage tanks, total capacity 5,000,000 gallons. One 3-in wharf. Open storage area with capacity for 65,000 tons, and 2 timber storage buildings with capacities for 25,000 and 10,000 tons of salt are located in rear. Vegetable oil barge moors end-to lower side at steel sheetsalt barge moors at face overlapping each side.□□*NPE = 545.0 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31469 Rock Island District

Remarks: One 6-inch pipeline extends from wharf to one 2,000,000-gallon caustic soda storage tank, and one 6-inch pipeline extends to wharf from two vegetable oil storage tanks, total capacity 5,000,000 gallons. One 3-in wharf. Open storage area with capacity for 65,000 tons, and 2 timber storage buildings with capacities for 25,000 and 10,000 tons of salt are located in rear. Vegetable oil barge moors end-to lower side at steel sheetsalt barge moors at face overlapping each side.□□*NPE = 545.0 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31469 Rock Island District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 475 PWD: 202
Name: **Koch Materials Co., Davenport Dock.**
Port: Upper Mississippi R
Location: Mile 475.4 AOR, right bank, Mississippi River, approximately 3 miles below Interstate Highway 280 Bridge Datum: NPE*
Operator: Koch Materials Co.
Owner: Koch Materials Co.
Address: 561 East Front Street Phone: 319/359-1304
Town: Buffalo State: IA County: Scott
Railway Connection: One surface track serves 6 loading stations at terminal in rear; connects with CP Rail System.
Purpose: Receipt of asphalt and other petroleum products.
Depth Alongside (feet): 15 | | Latitude (decimal): 41.4625
Total Berthing Space (feet): 150 | | Longitude (decimal): -90.67778
Remarks: Three 6-inch pipelines extend from wharf to 2 steel storage tanks for asphalt total capacity 160,000 barrels and to 5 tanks for other petroleum products at terminal in rear, total capacity 215,200 barrels. □*NPE = 545.0 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31475 Rock Island District

---

Waterway: **Mississippi River** Mile: 475 PWD: 204
Name: **Lafarge Corp., Davenport Plant Wharf.**
Port: Upper Mississippi R
Location: Mile 474.5 AOR, right bank, Mississippi River, approximately 4 miles below Interstate Highway 280 Bridge Datum: NPE*
Operator: Lafarge Corp.
Owner: Lafarge Corp.
Address: 103 East Front Street Phone: 319/328-6229
Town: Buffalo State: IA County: Scott
Railway Connection: Plant trackage with storage capacity for 80 cars serves cement plant at rear; connects with CP Rail System.per
Purpose: Receipt of coal,sand and clay; Shipment of cement.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.4575
Total Berthing Space (feet): 919 | | Longitude (decimal): -90.68806
Remarks: Two surge silos with total capacity for 1,100 tons at rear of wharf are served by an 8-inch pneumatic pipeline extending from 8 storage silos at cement plant in rear, total capacity 25,000 tons. Open storage area 100,000 tons of material.□□*NPE = 545.0 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31474 Rock Island District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 475 PWD: 203
Name: **Linwood Mining & Minerals Corp. Dock.**
Port: Upper Mississippi R
Location: Mile 475.2 AOR, right bank, Mississippi River, approximately 3.2 miles below Interstate Highway 280 Brid Datum: NPE*
Operator: Linwood Mining & Minerals Corp.
Owner: Linwood Mining & Minerals Corp.
Address: 401 East Front Street Phone: 319/324-1931
Town: Buffalo State: IA County: Scott
Railway Connection: None.
Purpose: Shipment of stone; receipt of coal and coke.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.461667
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.67972
Remarks: Open storage area at rear has capacity for approximately 4,500 tons of material.□ *NPE = 545.0 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31475 Rock Island District

---

Waterway: **Mississippi River** Mile: 476 PWD: 201
Name: **Amoco Oil Co., Davenport Asphalt Terminal Dock.**
Port: Upper Mississippi R
Location: Mile 475.5 AOR, right bank, Mississippi River, approximately 3 miles below Interstate Highway 280 Bridge Datum: NPE*
Operator: Amoco Oil Co.
Owner: Amoco Oil Co.
Address: 601 East Front Street Phone: 319/324-5276
Town: Buffalo State: IA County: Scott
Railway Connection: None.
Purpose: Receipt of asphalt.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.463056
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.67556
Remarks: Two 8-inch pipelines extend from wharf to 16 steel asphalt storage tanks, total capacity 320,000 barrels.□ *NPE = 545.0 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31475 Rock Island District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 476 PWD: 199

Name: **Blackhawk Fleet Terminal, Wharf and Pier.**

Port: Upper Mississippi R

Location: Mile 475.8 AOR, right bank, Mississippi River, approximately 2.5 miles below Interstate Highway 280 Brid Datum: NPE*

Operator: Blackhawk Fleet Inc.

Owner: Blackhawk Fleet Inc.

Address: 10910 South Utah Street Phone: 319/322-3510

Town: Davenport State: IA County: Scott

Railway Connection: One surface track with capacity for 25 cars serves undertrack pit and open storage area at rear; connects with CP Rail System.

Purpose: Receipt of coal, and dry bulk fertilizer, steel products, newsprint, lumber; handling heavy-lift items; mooring midstream fueling vessel, floating drydock, barges and vessels for repair and fleeting.*service

Depth Alongside (feet): 10 | 8 - 10 | Latitude (decimal): 41.463056

Total Berthing Space (feet): 300 | 195 | Longitude (decimal): -90.67056

Remarks: Approximately 8 acres of open storage area at rear has capacity for 100,000 tons of bulk materials. One 300-ton floating drydock is moored at pier located approximately 300 feet upstream from wharf. Operator ma at Smiths Island and at Dewey Island on opposite side of channel with total capacity for 60 barges arranged in tiers up to 8 barges wide.□*NPE = 545.0 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31476 Rock Island District

---

Waterway: **Mississippi River** Mile: 476 PWD: 198

Name: **Peavey Co., Davenport East Grain Elevator Dock.**

Port: Upper Mississippi R

Location: Mile 475.9 AOR, right bank, Mississippi River, approximately 2.4 miles below Interstate Highway 280 Brid Datum: NPE*

Operator: Peavey Co.

Owner: Mississippi River Grain Inc.

Address: 6603 South Concord Street Phone: 319/326-3581

Town: Davenport State: IA County: Scott

Railway Connection: Three surface tracks serve undertrack pit; connect with CP Rail System.

Purpose: Shipment of grain.

Depth Alongside (feet): 10 | | Latitude (decimal): 41.463056

Total Berthing Space (feet): 590 | | Longitude (decimal): -90.66972

Remarks: Grain elevator at rear consisting of 10 concrete silos with 4 interstices has capacity for 750,000 bushels. Temporary outside storage area consists of two 4 foot high 300 foot diameter concrete rings covered with having total capacity for 2,400,000 bushels□□*NPE = 545.0 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31476 Rock Island District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 476 PWD: 200

Name: **Peavey Co., Davenport West Grain Elevator Dock.**

Port: Upper Mississippi R

Location: Mile 475.7 AOR, right bank, Mississippi River, approximately 2.6 miles below Interstate Highway 280 Brid Datum: NPE*

Operator: Peavey Co.

Owner: Peavey Co.

Address: 701 East Front Street Phone: 319/326-3581

Town: Buffalo State: IA County: Scott

Railway Connection: Three surface tracks with storage capacity for 37 cars serve open storage area at rear; connect with CP Rail System.

Purpose: Receipt and shipment of miscellaneous dry bulk materials, including coal and fertilizer; shipment of grain.

Depth Alongside (feet): 12 - 15 | | Latitude (decimal): 41.463056

Total Berthing Space (feet): 950 | | Longitude (decimal): -90.67306

Remarks: Grain elevator at rear consisting of 6 concrete silos with 7 interstices has capacity for 350,000 bushels. A flat storage building and open concrete- surfaced pads at terminal have capacity for an additional 4,0 grain. Open storage area at rear of bulk material handling area has capacity for 100,000 tons.□*NPE = 545.0 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31475 Rock Island District

---

Waterway: **Mississippi River** Mile: 483 PWD: 196

Name: **Builders Sand and Cement Co. Wharf.**

Port: Upper Mississippi R

Location: Mile 483.1 AOR, right bank, Mississippi River, above and opposite Locks and Dam No. 15. Datum: NPE*

Operator: Builders Sand and Cement Co.

Owner: Builders Sand and Cement Co.

Address: 615 East River Drive Phone: 319/322-1758

Town: Davenport State: IA County: Scott

Railway Connection: One marginal track along rear of flood wall, connects with CP Rail System.

Purpose: Receipt of sand, gravel, and crushed stone.

Depth Alongside (feet): 12 | | Latitude (decimal): 41.522222

Total Berthing Space (feet): 500 | | Longitude (decimal): -90.56472

Remarks: Open storage area at rear has capacity for 5,000 tons of material.□□*NPE = 561.0 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31483 Rock Island District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 483 PWD: 197
Name: **President's Landing, Casino Boat Dock.**
Port: Upper Mississippi R
Location: Mile 482.5 AOR, right bank, Mississippi River, approximately 1, 500 feet below Dam No. 15. Datum: NPE*
Operator: The President Riverboat Casino.
Owner: The President Riverboat Casino.
Address: 130 West River Drive Phone: 319/322-2578
Town: Davenport State: IA County: Scott
Railway Connection: None.
Purpose: Mooring casino/excursion boat; boarding passengers.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.518333
Total Berthing Space (feet): 295 | | Longitude (decimal): -90.57556
Remarks: Daily river excursions are normally operated during the period June through October.□ *NPE = 592.0 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31478 Rock Island District

---

Waterway: **Mississippi River** Mile: 483 PWD: 195
Name: **River/Gulf Grain Co., Davenport Dock.**
Port: Upper Mississippi R
Location: Mile 483.2 AOR, right bank, Mississippi River, Davenport approximately 1,000 feet above Locks and Dam 15 Datum: NPE*
Operator: River/Gulf Grain Co.
Owner: City of Davenport and Alter Truck & Terminal Corp.
Address: 725 East River Drive Phone: 319/324-1691
Town: Davenport State: IA County: Scott
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.522778
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.56278
Remarks: Grain elevator at rear consisting of 4 steel tanks has capacity for 150,000 bushels.□ *NPE = 483.1 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31483 Rock Island District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 483 PWD: 194
Name: **W. G. Block Co., Davenport Dock.**
Port: Upper Mississippi R
Location: Mile 483.3 AOR, right bank, Mississippi River, Davenport, approximately 0.3 mile above Locks and Dam 15. Datum: NPE*
Operator: W. G. Block Co.
Owner: W. G. Block Co.
Address: 903 East River Drive Phone: 319/326-1651
Town: Davenport State: IA County: Scott
Railway Connection: None.
Purpose: Receipt of sand, gravel, and stone, occasional receipt of salt.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.523056
Total Berthing Space (feet): 450 | | Longitude (decimal): -90.56167
Remarks: Open storage area at rear has capacity for approximately 75,000 tons of material. Company's office is located at 317 East Fourth Street approximately 1/2 mile south of wharf. *NPE = 483.1 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31483 Rock Island District

---

Waterway: **Mississippi River** Mile: 487 PWD: 191
Name: **Amoco Oil Co., Bettendorf Dock.**
Port: Upper Mississippi R
Location: Mile 487.1 AOR, right bank, Mississippi River, approximately 1.3 mile above Iowa-Illinois Memorial (Inte Datum: NPE*
Operator: Amoco Oil Co.
Owner: Amoco Oil Co.
Address: 75 Thirty-first Street Phone: 319/355-2686
Town: Bettendorf State: IA County: Scott
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.529444
Total Berthing Space (feet): 228 | | Longitude (decimal): -90.48861
Remarks: One 8- and three 6-inch pipelines extend from wharf to 9 steel storage tanks at terminal in rear, total capacity 237,000 barrels. *NPE = 483.1 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31487 Rock Island District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 487 PWD: 189
Name: **Bettendorf Terminal Co. Wharf.**
Port: Upper Mississippi R
Location: Mile 487.5 AOR, right bank, Mississippi River, Bettendorf, 1.7 miles above Iowa-Illinois Memorial (Inter Datum: NPE*
Operator: LeClaire Quarries, Inc.
Owner: Bettendorf Terminal Co.
Address: 3623 Elm Street Phone: 319/355-6223
Town: Bettendorf State: IA County: Scott
Railway Connection: None.
Purpose: Receipt and shipment of sand.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.530278
Total Berthing Space (feet): 120 | | Longitude (decimal): -90.48333
Remarks: Open storage area at rear has capacity for 60,000 tons of material.□□*NPE = 483.1 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31487 Rock Island District

---

Waterway: **Mississippi River** Mile: 487 PWD: 190
Name: **Phillips Pipe Line Co., Bettendorf Terminal Barge Dock.**
Port: Upper Mississippi R
Location: Mile 487.2 AOR, right bank, Mississippi River, approximately 1.4 mile above Iowa-Illinois Memorial (Inte Datum: NPE*
Operator: Phillips Pipe Line Co.
Owner: Phillips Pipe Line Co.
Address: 139 Thirty-third Street Phone: 319/355-2654
Town: Bettendorf State: IA County: Scott
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.529444
Total Berthing Space (feet): 350 | | Longitude (decimal): -90.48722
Remarks: Three 8-inch pipelines extend from wharf to 17 steel storage tanks at terminal in rear, total capacity 550,000 barrels.□ *NPE = 483.1 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31487 Rock Island District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 487 PWD: 192
Name: **Phillips Pipe Line Co., Bettendorf West Terminal Barge Dock.**
Port: Upper Mississippi R
Location: Mile 487.0 AOR, right bank, Mississippi River, Bettendorf, 1.2 miles above Iowa-Illinois Memorial (Inter Datum: NPE*
Operator: Phillips Pipe Line Co.
Owner: Phillips Pipe Line Co.
Address: 2925 Depot Street Phone: 319/355-2654
Town: Bettendorf State: IA County: Scott
Railway Connection: None.
Purpose: Mooring barges.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.529722
Total Berthing Space (feet): 350 | | Longitude (decimal): -90.49167
Remarks: Two 8- and one 6-inch pipelines extend from wharf to 8 steel storage tanks at terminal in rear, total capacity 313,000 barrels.□ *NPE = 483.1 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31487 Rock Island District

---

Waterway: **Mississippi River** Mile: 488 PWD: 188
Name: **Koch Refining Co., Bettendorf Dock.**
Port: Upper Mississippi R
Location: Mi 487.7 AOR, right bank, Mississippi River, Bettendorf, 2.0 miles above Iowa-Illinois Memorial (Interst Datum: NPE*
Operator: Koch Refining Co.
Owner: Koch Refining Co.
Address: 4100 Elm Street Phone: 319/359-1304
Town: Bettendorf State: IA County: Scott
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.531389
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.47722
Remarks: One 8- and two 6-inch pipelines extend from wharf to 6 steel storage tanks at terminal in rear, total capacity 150,000 barrels.□ *NPE = 561.0 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31487 Rock Island District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 489 PWD: 187
Name: **UNO-VEN, Bettendorf Terminal Dock.**
Port: Upper Mississippi R
Location: Mile 488.5 AOR, right bank, Mississippi River, Bettendorf, 2.3 miles above Iowa-Illinois Memorial (Inter Datum: NPE*
Operator: Not operated.
Owner: Unocal/P.D.V.S.A.
Address: 312 South Bellingham Street Phone: 319/355-2931
Town: Riverdale State: IA County: Scott
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.525556
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.46361
Remarks: Wharf formerly was used for receipt of petroleum products. One 8- and one 6-inch pipelines (blanked at time of survey (1993), extend from wharf to 7 steel storage tanks at terminal in rear total capaacity 166,70 □*NPE = 561.0 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31488 Rock Island District

---

Waterway: **Mississippi River** Mile: 498 PWD: 186
Name: **Leclaire Quarries Barge Dock.**
Port: Upper Mississippi R
Location: Mile 498.2 AOR, right bank, Mississippi River, LeClaire, approximately 2.8 miles above Interstate Highwa Datum: NPE*
Operator: LeClaire Quarries, Inc.
Owner: LeClaire Quarries, Inc.
Address: 400 Territorial Road. Phone: 319/289-4214
Town: LeClaire State: IA County: Scott
Railway Connection: None.
Purpose: Receipt of sand; shipment of stone.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.533333
Total Berthing Space (feet): 325 | | Longitude (decimal): -90.455
Remarks: Open storage area at rear for approximately 75,000 tons of sand. Additional open storage area for stone is available at quarry on opposite side of Highway in rear. □*NPE = 577.0 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31498 Rock Island District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 512 PWD: 184

Name: **ADM/Clinton Harbor Service, Lower Fleet Moorings.**

Port: Upper Mississippi R

Location: Miles 512.3-513.3 AOR, right bank, Mississippi Camanche, River and Beaver Slough Channels Datum: NPE*

Operator: ADM/Clinton Harbor Service.

Owner: Determann Industries, Inc.

Address: 1425 North Washington Boulevard Phone: 319/242-0962

Town: Camanche State: IA County: Clinton

Railway Connection: None.

Purpose: Mooring barges for fleeting.

Depth Alongside (feet): 9 | 9 - 11 | 12 Latitude (decimal): 41.791667

Total Berthing Space (feet): 70 | 22 | 30 Longitude (decimal): -90.24472

Remarks: Operator maintains fleeting areas as follows:□□ Fleet Mile/Bank Barge Width Capy. (barges)□Lower Beaver Slough 512.3-513.3/R 84 3□Determan Pond 512.2-512.6/R 50 2* * At Entrance, end to- in basin.□□NPE = 572.0

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31512 Rock Island District

---

Waterway: **Mississippi River** Mile: 512 PWD: 185

Name: **Determann Industries Dock. On lower side of slip.**

Port: Upper Mississippi R

Location: Mile 512.4 AOR, right bank, Mississippi River, Camanche, lower side of dredged slip. Datum: NPE*

Operator: Determann Industries, Inc.

Owner: Determann Industries, Inc.

Address: 1425 North Washington Boulevard Phone: 319/259-8311

Town: Camanche State: IA County: Clinton

Railway Connection: One surface track serving undertrack pit on apron and two serving warehouses in rear connect with Davenport, Rock Island, and Western Railway.

Purpose: Receipt of coal; receipt and shipment of steel products and miscella- neous bulk materials; shipment of grain.

Depth Alongside (feet): 12 | 12 | Latitude (decimal): 41.788056

Total Berthing Space (feet): 100 | 200 | Longitude (decimal): -90.24667

Remarks: Open storage area at terminal for approximately 60,000 tons of coal; one warehouse at terminal has capacity for 6,000 tons of bulk material; 4 other storage buildings at terminal have a total of 146,000 square fe space and at time of survey were being used to store packaged products.□□*NPE = 592.0 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31512 Rock Island District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 514 PWD: 182
Name: **Interstate Power Co., M. L. Kapp Plant Wharf.**
Port: Upper Mississippi R
Location: Mile 513.7 AOR, right bank, Mississippi River, Clinton, approximately 1.5 mile above lower end of Beaver Datum: NPE*
Operator: Interstate Power Co.
Owner: Interstate Power Co.
Address: 2001 Beaver Channel Parkway Phone: 319/243-2611
Town: Clinton State: IA County: Clinton
Railway Connection: None.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 16 | | Latitude (decimal): 41.806667
Total Berthing Space (feet): 835 | | Longitude (decimal): -90.23111
Remarks: Open storage area at rear has maximum capacity for 290,000 tons.□□*NPE = 687.2 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31514 Rock Island District

---

Waterway: **Mississippi River** Mile: 514 PWD: 183
Name: **Vertex Chemical Corp., Clinton Plant Dock.**
Port: Upper Mississippi R
Location: Mile 513.7 AOR, right bank, Mississippi River, Clinton, approximately 1.3 miles above lower end of Beave Datum: NPE*
Operator: Vertex Chemical Corp.
Owner: Vertex Chemical Corp.
Address: Industrial Park Drive Phone: 319/243-2000
Town: Clinton State: IA County: Clinton
Railway Connection: Plant trackage in rear connects with Davenport, Rock Island, and Western Railroad; CP Rail System and Chicago and North Western Transportation Co.
Purpose: Receipt of caustic soda.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.803889
Total Berthing Space (feet): 220 | | Longitude (decimal): -90.235
Remarks: One steam-traced 6-inch pipeline extends from wharf to 3 steel storage tanks in rear, total capacity 3,203,600 gallons.□ *NPE = 687.2 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31513 Rock Island District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 515 PWD: 181
Name: **ADM Corn Processing, Clinton Plant, Corn- Pellet-Loading Dock**
Port: Upper Mississippi R
Location: Mile 515.3 AOR, right bank, Mississippi River, Clinton, approximately one mile below upper end of Beaver Datum: NPE*
Operator: ADM Corn Processing, a division of Archer-Daniels Midland Co.
Owner: ADM Corn Processing, a division of Archer-Daniels Midland Co.
Address: 1251 Beaver Channel Parkway Phone: 319/242-1121
Town: Clinton State: IA County: Clinton
Railway Connection: Plant trackage in rear connects with Illinois Central Gulf Railroad and Chicago and North Western Transportation Co.
Purpose: Shipment of corn pellets and livestock feed.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 41.819167
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.21

Waterway: **Mississippi River** Mile: 515 PWD: 181
Name: **ADM Corn Processing, Clinton Plant, Corn- Pellet-Loading Dock**
Port: Upper Mississippi R
Location: Mile 515.3 AOR, right bank, Mississippi River, Clinton, approximately one mile below upper end of Beaver Datum: NPE*
Operator: ADM Corn Processing, a division of Archer-Daniels Midland Co.
Owner: ADM Corn Processing, a division of Archer-Daniels Midland Co.
Address: 1251 Beaver Channel Parkway Phone: 319/242-1121
Town: Clinton State: IA County: Clinton
Railway Connection: Plant trackage in rear connects with Illinois Central Gulf Railroad and Chicago and North Western Transportation Co.
Purpose: Shipment of corn pellets and livestock feed.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 41.819167
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.21

Remarks: Grain elevator at rear consisting of 3 concrete silos has total capacity for 1200 tons.□ *NPE = 687.2 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31515 Rock Island District

Remarks: Grain elevator at rear consisting of 3 concrete silos has total capacity for 1200 tons.□ *NPE = 687.2 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31515 Rock Island District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 515 PWD: 181
Name: **ADM Corn Processing, Clinton Plant, Corn- Pellet-Loading Dock**
Port: Upper Mississippi R
Location: Mile 515.3 AOR, right bank, Mississippi River, Clinton, approximately one mile below upper end of Beaver Datum: NPE*
Operator: ADM Corn Processing, a division of Archer-Daniels Midland Co.
Owner: ADM Corn Processing, a division of Archer-Daniels Midland Co.
Address: 1251 Beaver Channel Parkway Phone: 319/242-1121
Town: Clinton State: IA County: Clinton
Railway Connection: Plant trackage in rear connects with Illinois Central Gulf Railroad and Chicago and North Western Transportation Co.
Purpose: Shipment of corn pellets and livestock feed.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 41.819167
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.21

Waterway: **Mississippi River** Mile: 515 PWD: 181
Name: **ADM Corn Processing, Clinton Plant, Corn- Pellet-Loading Dock**
Port: Upper Mississippi R
Location: Mile 515.3 AOR, right bank, Mississippi River, Clinton, approximately one mile below upper end of Beaver Datum: NPE*
Operator: ADM Corn Processing, a division of Archer-Daniels Midland Co.
Owner: ADM Corn Processing, a division of Archer-Daniels Midland Co.
Address: 1251 Beaver Channel Parkway Phone: 319/242-1121
Town: Clinton State: IA County: Clinton
Railway Connection: Plant trackage in rear connects with Illinois Central Gulf Railroad and Chicago and North Western Transportation Co.
Purpose: Shipment of corn pellets and livestock feed.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 41.819167
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.21

Remarks: Grain elevator at rear consisting of 3 concrete silos has total capacity for 1200 tons.□ *NPE = 687.2 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31515 Rock Island District

Remarks: Grain elevator at rear consisting of 3 concrete silos has total capacity for 1200 tons.□ *NPE = 687.2 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31515 Rock Island District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 516 PWD: 180

Name: **ADM Corn Processing, Clinton Plant, Liquid-Handling Dock.**

Port: Upper Mississippi R

Location: Mile 515.5 AOR, right bank, Mississippi River, Clinton, approximately 1.2 miles below upper end of Beave Datum: NPE*

Operator: ADM Corn Processing, a division of Archer-Daniels Midland Co.

Owner: Nabisco Brands, Inc.

Address: 1251 Beaver Channel Parkway Phone: 319/244-1121

Town: Clinton State: IA County: Clinton

Railway Connection: Plant trackage in rear connects with Illinois Central Gulf Railroad and Chicago and North Western Transportation Co.

Purpose: Receipt and shipment of industrial and beverage alcohol, ethanol and crude and refined corn oil and canola oil.

Depth Alongside (feet): 12 | | Latitude (decimal): 41.823056

Total Berthing Space (feet): 300 | | Longitude (decimal): -90.2025

Waterway: **Mississippi River** Mile: 516 PWD: 180

Name: **ADM Corn Processing, Clinton Plant, Liquid-Handling Dock.**

Port: Upper Mississippi R

Location: Mile 515.5 AOR, right bank, Mississippi River, Clinton, approximately 1.2 miles below upper end of Beave Datum: NPE*

Operator: ADM Corn Processing, a division of Archer-Daniels Midland Co.

Owner: Nabisco Brands, Inc.

Address: 1251 Beaver Channel Parkway Phone: 319/244-1121

Town: Clinton State: IA County: Clinton

Railway Connection: Plant trackage in rear connects with Illinois Central Gulf Railroad and Chicago and North Western Transportation Co.

Purpose: Receipt and shipment of industrial and beverage alcohol, ethanol and crude and refined corn oil and canola oil.

Depth Alongside (feet): 12 | | Latitude (decimal): 41.823056

Total Berthing Space (feet): 300 | | Longitude (decimal): -90.2025

Remarks: Pipelines extend to wharf from storage tanks at plant in rear:□ Product Pipeline Tanks Capacity□ (gallons) Industrial alcohol 8-inch 3 12,000,000□Beverage alcohol 4-inch 4 3,000,000□Corn oil (crude) 4-inch 3 4,000,000Corn oil refined) 6-inch 3 3,000,000□□*NPE = 687.2 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31515 Rock Island District

Remarks: Pipelines extend to wharf from storage tanks at plant in rear:□ Product Pipeline Tanks Capacity□ (gallons) Industrial alcohol 8-inch 3 12,000,000□Beverage alcohol 4-inch 4 3,000,000□Corn oil (crude) 4-inch 3 4,000,000Corn oil refined) 6-inch 3 3,000,000□□*NPE = 687.2 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31515 Rock Island District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 516 PWD: 180

Name: **ADM Corn Processing, Clinton Plant, Liquid-Handling Dock.**

Port: Upper Mississippi R

Location: Mile 515.5 AOR, right bank, Mississippi River, Clinton, approximately 1.2 miles below upper end of Beave Datum: NPE*

Operator: ADM Corn Processing, a division of Archer-Daniels Midland Co.

Owner: Nabisco Brands, Inc.

Address: 1251 Beaver Channel Parkway Phone: 319/244-1121

Town: Clinton State: IA County: Clinton

Railway Connection: Plant trackage in rear connects with Illinois Central Gulf Railroad and Chicago and North Western Transportation Co.

Purpose: Receipt and shipment of industrial and beverage alcohol, ethanol and crude and refined corn oil and canola oil.

Depth Alongside (feet): 12 | | Latitude (decimal): 41.823056

Total Berthing Space (feet): 300 | | Longitude (decimal): -90.2025

Waterway: **Mississippi River** Mile: 516 PWD: 180

Name: **ADM Corn Processing, Clinton Plant, Liquid-Handling Dock.**

Port: Upper Mississippi R

Location: Mile 515.5 AOR, right bank, Mississippi River, Clinton, approximately 1.2 miles below upper end of Beave Datum: NPE*

Operator: ADM Corn Processing, a division of Archer-Daniels Midland Co.

Owner: Nabisco Brands, Inc.

Address: 1251 Beaver Channel Parkway Phone: 319/244-1121

Town: Clinton State: IA County: Clinton

Railway Connection: Plant trackage in rear connects with Illinois Central Gulf Railroad and Chicago and North Western Transportation Co.

Purpose: Receipt and shipment of industrial and beverage alcohol, ethanol and crude and refined corn oil and canola oil.

Depth Alongside (feet): 12 | | Latitude (decimal): 41.823056

Total Berthing Space (feet): 300 | | Longitude (decimal): -90.2025

Remarks: Pipelines extend to wharf from storage tanks at plant in rear:□ Product Pipeline Tanks Capacity□ (gallons) Industrial alcohol 8-inch 3 12,000,000□Beverage alcohol 4-inch 4 3,000,000□Corn oil (crude) 4-inch 3 4,000,000Corn oil refined) 6-inch 3 3,000,000□□*NPE = 687.2 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31515 Rock Island District

Remarks: Pipelines extend to wharf from storage tanks at plant in rear:□ Product Pipeline Tanks Capacity□ (gallons) Industrial alcohol 8-inch 3 12,000,000□Beverage alcohol 4-inch 4 3,000,000□Corn oil (crude) 4-inch 3 4,000,000Corn oil refined) 6-inch 3 3,000,000□□*NPE = 687.2 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31515 Rock Island District

Port Facilities by Waterway

Waterway: **MISSISSIPPI RIVER** Mile: 517 PWD: 178

Name: **ADM/Clinton Harbor Service Dock.**

Port: Minneapolis/St. Paul

Location: Mile 517.3 AOR, right bank, Mississippi River, Clinton, 0.3 mile below upper end of Beaver Slough Channe Datum: NPE*

Operator: ADM/Clinton Harbor Service.

Owner: ADM/Clinton Harbor Service.

Address: 204 Fifteenth Avenue South Phone: 319/242-0962

Town: Clinton State: IA County: Clinton

Railway Connection: None.

Purpose: Mooring barges for maintenance and repair; mooring floating drydock; mooring barges for fleeting (see Remarks).

Depth Alongside (feet): 9 - 12 | | Latitude (decimal): 41.828333

Total Berthing Space (feet): 400 | | Longitude (decimal): -90.18833

Remarks: Offices for barge fleeting and repair serve is located at 204 Fifteenth Avenue South at rear; one 500-ton floating drydock is moored at wharf. Operator maintains nearby fleeting areas as follows: □ Fleet Mile/Bank Barge Width□ Capy. (barges)Little Rock Island 517.6-518.0/R 42 3□Beaver Island 516.5-517.4/R 30 3□Main Channel 516.0-517.0/L 63 3Upper Beaver Slough 516.9-517.4/L* 50 4□ * Beaver Slough Channel□

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31517 Rock Island District

---

Waterway: **Mississippi River** Mile: 517 PWD: 179

Name: **Peavey Co., Clinton River Terminal Dock.**

Port: Upper Mississippi R

Location: Mile 517.1 AOR, right bank, Mississippi River, Clinton, 0.5 mile below upper end of Beaver Slough Channe Datum: NPE*

Operator: Peavey Co.

Owner: Peavey Co.

Address: 1811 South 4th Street Phone: 319/242-5251

Town: Clinton State: IA County: Clinton

Railway Connection: None.

Purpose: Shipment of grain.

Depth Alongside (feet): 12 | | Latitude (decimal): 41.827222

Total Berthing Space (feet): 650 | | Longitude (decimal): -90.19

Remarks: Grain elevator at rear consisting of 4 concrete silos with 5 interstices and 3 steel tanks has total capacity for 700,000 bushels.□ *NPE = 687.2 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31517 Rock Island District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 518 PWD: 177
Name: **Clinton Municipal Loading Dock.**
Port: Upper Mississippi R
Location: Mile 517.5 AOR, right bank, Mississippi River, Clinton at upper end of Beaver Slough Channel. Datum: NPE*
Operator: ADM/Clinton Harbor Service.
Owner: City of Clinton.
Address: 204 Fifteenth Avenue, South Phone: 319/242-0962
Town: Clinton State: IA County: Clinton
Railway Connection: Two surface track serve rail receiving pits in rear; connect with Chicago and North Western Transportation Co.
Purpose: Receipt and shipment of miscellaneous dry bulk materials, including fertilizer, clay, grain, feed pellets, salt, and ferrous sulphate; shipment of liquid fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.828889
Total Berthing Space (feet): 650 | | Longitude (decimal): -90.18667
Remarks: One 6-inch pipeline extends to wharf from one 600,000-gallon storage tank in rear.□ *NPE = 572.0 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31517 Rock Island District

---

Waterway: **Mississippi River** Mile: 519 PWD: 175
Name: **Clinton Showboat Landing.**
Port: Upper Mississippi R
Location: Mile 518.5 AOR, right bank, Mississippi River, Clinton, approximately 0.4 mile above U.S. Highway 30 Bri Datum: NPE*
Operator: Mississippi Belle II
Owner: Roberts River Rides.
Address: 311 Riverview Drive Phone: 319/243-9000
Town: Clinton State: IA County: Clinton
Railway Connection: None.
Purpose: Mooring Casino Boat 'Mississippi Belle II'; boarding passengers;
Depth Alongside (feet): 10 | | Latitude (decimal): 41.842778
Total Berthing Space (feet): 150 | | Longitude (decimal): -90.18361
Remarks: The vessel 'Mississippi Belle' maintains a regular excursion schedule, 4 trips per day during the period June through Octobery (1984).□ *NPE = 572 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31518 Rock Island District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 559 PWD: 174
Name: **Laroche Industries, Bellevue Terminal Dock.**
Port: Upper Mississippi R
Location: Mile 559.0 AOR, right bank, Mississippi River, Bellevue, approximately 2.3 miles above Lock and Dam No. Datum: NPE*
Operator: Not Operated
Owner: LaRoche Industries.
Address: 395th Street Phone: 319/323-0123
Town: Bellevue State: IA County: Jackson
Railway Connection: Four surface tracks, capacity 30 cars, asphalt covered at time of survey, connect with CP Rail System.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 42.293333
Total Berthing Space (feet): 500 | | Longitude (decimal): -90.43306
Remarks: One 8-inch pipeline with two 6-inch connections on wharf extends to one 30,000- ton ammonia storage tank at rear.□At time of survey (1993), the terminal had not been in operation for 5 years. Storage tank and pipelines were empty and intact. Terminal was for sale.□□*NPE = 592.0 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31559 Rock Island District

---

Waterway: **Mississippi River** Mile: 579 PWD: 172
Name: **Dodds Co. Dock.**
Port: Upper Mississippi R
Location: Mile 579.4 AOR, right bank, Mississippi River, above Julien Dubuque (U.S. Highway 20 & 52) Bridge. Datum: NPE*
Operator: Not operated.
Owner: Dodds Co.
Address: 35 Terminal Street Phone: 319/583-3035
Town: Dubuque State: IA County: Dubuque
Railway Connection: Trackage in rear connects with Burlington Northern, Railroad and Chicago, Central & Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 42.492222
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.65722
Remarks: At time of survey facilities including a storage building at rear were for sale or lease.□ *NPE = 687.2 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31579 Rock Island District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 579 PWD: 173

Name: **Koch Materials Co., Terminal No. 2 Dock.**

Port: Upper Mississippi R

Location: Mile 579.2 AOR, right bank, Mississippi River, Dubuque, approximately 800 feet below Julien Dubuque (U.S Datum: NPE*

Operator: Koch Materials Co., Newt Marine Service and Dubuque Harbor Service.(See Remarks).

Owner: Sinclair Refining Co., Inc.

Address: 200 Terminal Street Phone: 319/556-1304

Town: Dubuque State: IA County: Dubuque

Railway Connection: None.

Purpose: Receipt of asphalt and petroleum products; mooring barges for fleeting (see Remarks).

Depth Alongside (feet): 10 | | Latitude (decimal): 42.489444

Total Berthing Space (feet): 415 | | Longitude (decimal): -90.6575

Remarks: Two 10-inch pipelines extend from wharf to 10 asphalt storage tanks, total capacity 100,000 barrels, and four 10-inch pipelines extend to 5 products storage tanks, total capacity 220,000 barrels. Three barge fle located at shore moorings between miles 578.5 and 575.6

AOR: Width Barge Fleet Bank
Miles (bIsland* Left (I) 578.2-578.5 3 18 Pearl* Left (I)
575.4-576.2 2-3 48 Mines of Spain** Right 576.Catfish* Left (I)
575.6-576.4 2-3 45 *Newt Marine Service.**Dubuque Harbor Service (Cassville Harbor Service) (I) Island mooring.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31579 Rock Island District

---

Waterway: **MISSISSIPPI RIVER** Mile: 580 PWD: 167

Name: **Dubuque Excursion And Casino Boat Dock.**

Port: Upper Mississippi R

Location: Mile 579.6 AOR, right bank, Mississippi River, center portion, upper side of Dubuque (Ice) Harbor. Datum: NPE*

Operator: Dubuque Racing Association; Greater Dubuque Riverboat Entertainment Co. L.C. and Robe

Owner: City of Dubuque.

Address: 400 East Third Street Phone: 319/589-4110

Town: Dubuque State: IA County: Dubuque

Railway Connection: None.

Purpose: Mooring excursion vessel 'Spirit of Dubuque';boarding passengers; mooring Casino Boat (See Remarks).

Depth Alongside (feet): 10 | 10 | Latitude (decimal): 42.495556

Total Berthing Space (feet): 230 | 75 | Longitude (decimal): -90.65972

Remarks: At time of survey (1994) the Greater Dubuque Riverboat Entertainment Co. L.C. agent for Dubuque Racing Association was attempting to obtain a suitable vessel and permission to operate casino gambling aboard. Roberts River Rides uses Floats for boarding passengers.□□*NPE = 687.2 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31579 Rock Island District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 580 PWD: 171
Name: **Dubuque Tank Terminal Co., Dock A.**
Port: Upper Mississippi R
Location: Mile 579.4 AOR, right bank, Mississippi River, at lower side of entrance to Dubuque (Ice) Harbor. Datum: NPE*
Operator: Dubuque Tank Terminal Co.
Owner: Dubuque Tank Terminal Co.
Address: 5 Jones Street Phone: 319/588-4641
Town: Dubuque State: IA County: Dubuque
Railway Connection: One surface track serving loading spout at rear connects with Burlington Northern Railroad and Chicago, Central & Pacific Railroad.
Purpose: Receipt of molasses, liquid and dry bulk fertilizer, and salt.
Depth Alongside (feet): 9 - 16 | | Latitude (decimal): 42.493056
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.65778

Waterway: **Mississippi River** Mile: 580 PWD: 171
Name: **Dubuque Tank Terminal Co., Dock A.**
Port: Upper Mississippi R
Location: Mile 579.4 AOR, right bank, Mississippi River, at lower side of entrance to Dubuque (Ice) Harbor. Datum: NPE*
Operator: Dubuque Tank Terminal Co.
Owner: Dubuque Tank Terminal Co.
Address: 5 Jones Street Phone: 319/588-4641
Town: Dubuque State: IA County: Dubuque
Railway Connection: One surface track serving loading spout at rear connects with Burlington Northern Railroad and Chicago, Central & Pacific Railroad.
Purpose: Receipt of molasses, liquid and dry bulk fertilizer, and salt.
Depth Alongside (feet): 9 - 16 | | Latitude (decimal): 42.493056
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.65778

Remarks: One 8-inch pipeline extends from wharf to 3 molasses storage tanks, total capacity 3,000,000 gallons and one 4-inch pipeline extends to 4 liquid fertilizer tanks, total capacity 658,000 gallons. □*NPE = 687.2 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31579 Rock Island District

Remarks: One 8-inch pipeline extends from wharf to 3 molasses storage tanks, total capacity 3,000,000 gallons and one 4-inch pipeline extends to 4 liquid fertilizer tanks, total capacity 658,000 gallons. □*NPE = 687.2 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31579 Rock Island District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 580 PWD: 171
Name: **Dubuque Tank Terminal Co., Dock A.**
Port: Upper Mississippi R
Location: Mile 579.4 AOR, right bank, Mississippi River, at lower side of entrance to Dubuque (Ice) Harbor. Datum: NPE*
Operator: Dubuque Tank Terminal Co.
Owner: Dubuque Tank Terminal Co.
Address: 5 Jones Street Phone: 319/588-4641
Town: Dubuque State: IA County: Dubuque
Railway Connection: One surface track serving loading spout at rear connects with Burlington Northern Railroad and Chicago, Central & Pacific Railroad.
Purpose: Receipt of molasses, liquid and dry bulk fertilizer, and salt.
Depth Alongside (feet): 9 - 16 | | Latitude (decimal): 42.493056
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.65778

Waterway: **Mississippi River** Mile: 580 PWD: 171
Name: **Dubuque Tank Terminal Co., Dock A.**
Port: Upper Mississippi R
Location: Mile 579.4 AOR, right bank, Mississippi River, at lower side of entrance to Dubuque (Ice) Harbor. Datum: NPE*
Operator: Dubuque Tank Terminal Co.
Owner: Dubuque Tank Terminal Co.
Address: 5 Jones Street Phone: 319/588-4641
Town: Dubuque State: IA County: Dubuque
Railway Connection: One surface track serving loading spout at rear connects with Burlington Northern Railroad and Chicago, Central & Pacific Railroad.
Purpose: Receipt of molasses, liquid and dry bulk fertilizer, and salt.
Depth Alongside (feet): 9 - 16 | | Latitude (decimal): 42.493056
Total Berthing Space (feet): 390 | | Longitude (decimal): -90.65778

Remarks: One 8-inch pipeline extends from wharf to 3 molasses storage tanks, total capacity 3,000,000 gallons and one 4-inch pipeline extends to 4 liquid fertilizer tanks, total capacity 658,000 gallons. □*NPE = 687.2 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31579 Rock Island District

Remarks: One 8-inch pipeline extends from wharf to 3 molasses storage tanks, total capacity 3,000,000 gallons and one 4-inch pipeline extends to 4 liquid fertilizer tanks, total capacity 658,000 gallons. □*NPE = 687.2 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31579 Rock Island District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 580 PWD: 169
Name: **Dubuque Tank Terminal Co., Dock B.**
Port: Upper Mississippi R
Location: Mile 579.4 AOR, right bank, Mississippi River, center portion, upper side of Dubuque (Ice) Harbor. Datum: NPE*
Operator: Dubuque Tank Terminal Co.
Owner: Dubuque Tank Terminal Co.
Address: 5 Jones Street Phone: 319/588-4641
Town: Dubuque State: IA County: Dubuque
Railway Connection: None.
Purpose: Receipt of liquid fertilizer; shipment of tallow and soybean oil; mooring barges for gas freeing and maintenance.
Depth Alongside (feet): 10 | | Latitude (decimal): 42.494167
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.66

Waterway: **Mississippi River** Mile: 580 PWD: 169
Name: **Dubuque Tank Terminal Co., Dock B.**
Port: Upper Mississippi R
Location: Mile 579.4 AOR, right bank, Mississippi River, center portion, upper side of Dubuque (Ice) Harbor. Datum: NPE*
Operator: Dubuque Tank Terminal Co.
Owner: Dubuque Tank Terminal Co.
Address: 5 Jones Street Phone: 319/588-4641
Town: Dubuque State: IA County: Dubuque
Railway Connection: None.
Purpose: Receipt of liquid fertilizer; shipment of tallow and soybean oil; mooring barges for gas freeing and maintenance.
Depth Alongside (feet): 10 | | Latitude (decimal): 42.494167
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.66

Remarks: One 6-inch pipeline extends from pier to 3 liquid fertilizer storage tanks, total capacity 4,000,000 gallons. One 4-inch pipeline extends to pier from 4 tallow tanks, total capacity 800,000 gallons, and one 4-in to 6 soybean oil tanks, total capacity 2,400,000 gallons.□□*NPE = 687.2 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31579 Rock Island District

Remarks: One 6-inch pipeline extends from pier to 3 liquid fertilizer storage tanks, total capacity 4,000,000 gallons. One 4-inch pipeline extends to pier from 4 tallow tanks, total capacity 800,000 gallons, and one 4-in to 6 soybean oil tanks, total capacity 2,400,000 gallons.□□*NPE = 687.2 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31579 Rock Island District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 580 PWD: 169
Name: **Dubuque Tank Terminal Co., Dock B.**
Port: Upper Mississippi R
Location: Mile 579.4 AOR, right bank, Mississippi River, center portion, upper side of Dubuque (Ice) Harbor. Datum: NPE*
Operator: Dubuque Tank Terminal Co.
Owner: Dubuque Tank Terminal Co.
Address: 5 Jones Street Phone: 319/588-4641
Town: Dubuque State: IA County: Dubuque
Railway Connection: None.
Purpose: Receipt of liquid fertilizer; shipment of tallow and soybean oil; mooring barges for gas freeing and maintenance.
Depth Alongside (feet): 10 | | Latitude (decimal): 42.494167
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.66

Waterway: **Mississippi River** Mile: 580 PWD: 169
Name: **Dubuque Tank Terminal Co., Dock B.**
Port: Upper Mississippi R
Location: Mile 579.4 AOR, right bank, Mississippi River, center portion, upper side of Dubuque (Ice) Harbor. Datum: NPE*
Operator: Dubuque Tank Terminal Co.
Owner: Dubuque Tank Terminal Co.
Address: 5 Jones Street Phone: 319/588-4641
Town: Dubuque State: IA County: Dubuque
Railway Connection: None.
Purpose: Receipt of liquid fertilizer; shipment of tallow and soybean oil; mooring barges for gas freeing and maintenance.
Depth Alongside (feet): 10 | | Latitude (decimal): 42.494167
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.66

Remarks: One 6-inch pipeline extends from pier to 3 liquid fertilizer storage tanks, total capacity 4,000,000 gallons. One 4-inch pipeline extends to pier from 4 tallow tanks, total capacity 800,000 gallons, and one 4-in to 6 soybean oil tanks, total capacity 2,400,000 gallons.□□*NPE = 687.2 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31579 Rock Island District

Remarks: One 6-inch pipeline extends from pier to 3 liquid fertilizer storage tanks, total capacity 4,000,000 gallons. One 4-inch pipeline extends to pier from 4 tallow tanks, total capacity 800,000 gallons, and one 4-in to 6 soybean oil tanks, total capacity 2,400,000 gallons.□□*NPE = 687.2 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31579 Rock Island District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 580 PWD: 165
Name: **Interstate Power Co., Dubuque Plant Coal Dock.**
Port: Upper Mississippi R
Location: Mile 580.0 AOR, right bank, Mississippi River, center portion, lower side of Dove Harbor. Datum: NPE*
Operator: Interstate Power Co.
Owner: Interstate Power Co.
Address: 600 East Eighth Street Phone: 319/582-5421 ex
Town: Dubuque State: IA County: Dubuque
Railway Connection: None.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 12 | | Latitude (decimal): 42.503056
Total Berthing Space (feet): 690 | | Longitude (decimal): -90.65639
Remarks: Open storage area at rear has capacity for 176,000 tons.□□*NPE = 687.2 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31580 Rock Island District

---

Waterway: **Mississippi River** Mile: 580 PWD: 162
Name: **Koch Materials Co., Terminal No. 1 Dock.**
Port: Upper Mississippi R
Location: Mile 580.2 AOR, right bank, Mississippi River, Dubuque, upper side of Dove Harbor at entrance. Datum: NPE*
Operator: Koch Materials Co.
Owner: Koch Materials Co.
Address: 1550 East 12th Street. Phone: 319/556-1304
Town: Dubuque State: IA County: Dubuque
Railway Connection: One surface track serves 8- car capacity asphalt loading rack, connects with Chicago, Central & Pacific Railroad.□
Purpose: Receipt of asphalt and petroleum products.
Depth Alongside (feet): 8 | 8 | Latitude (decimal): 42.503611
Total Berthing Space (feet): 440 | | Longitude (decimal): -90.65278
Remarks: One 10-inch pipeline extends from cell to 6 asphalt storage tanks, total capacity 100,000 barrels and two 10-inch pipelines extend from wharf to 4 products storage tanks, total capacity 200,000 barrels. □*NPE = 687.2 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31580 Rock Island District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 580 PWD: 170
Name: **Newt Marine Service Dock.**
Port: Upper Mississippi R
Location: Mile 579.6 AOR, right bank, Mississippi River, outer portion, lower side of Dubuque (Ice) Harbor. Datum: NPE*
Operator: Newt Marine Service.
Owner: Newt Marine Service.
Address: 15 East Third Street. Phone: 319/583-4762
Town: Dubuque State: IA County: Dubuque
Railway Connection: None.
Purpose: Mooring company-owned vessels; mooring vessels and barges for repair; mooring floating drydock.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 42.493889
Total Berthing Space (feet): 170 | 70 | 190 Longitude (decimal): -90.65889
Remarks: One 250-ton floating drydock is moored at inner end rear of face.□□*NPE = 687.2 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31579 Rock Island District

---

Waterway: **Mississippi River** Mile: 580 PWD: 163
Name: **Newt Marine Service, Dove Fleet Mooring.**
Port: Upper Mississippi R
Location: Mile 580.1 AOR, right bank, Mississippi River, center portion, upper side of Dove Harbor. Datum: NPE*
Operator: Newt Marine Service.
Owner: Continental Grain Co.
Address: Kerper Boulevard. Phone: 319/583-4762
Town: Dubuque State: IA County: Dubuque
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 8 | | Latitude (decimal): 42.503333
Total Berthing Space (feet): 9 | | Longitude (decimal): -90.65472
Remarks: Fleeting area has capacity for 18 barges arranged in 2 tiers 5-barges wide and one tier 3-barges wide.□ *NPE = 687.2 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31579 Rock Island District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 580 PWD: 166
Name: **Peavey Co., Dubuque Wharf.**
Port: Upper Mississippi R
Location: Mile 580.0 AOR, right bank, Mississippi River, lower side of Dove Harbor at entrance. Datum: NPE*
Operator: Peavey Co. and Dubuque Harbor Service (Cassville Harbor Service).
Owner: Peavey Co.
Address: 505 East 7th Street Phone: 319/556-6002
Town: Dubuque State: IA County: Dubuque
Railway Connection: Five surface tracks, total capacity 45 cars, serve undertrack pit, and loading spout; connect with Chicago, Central & Pacific Railroad.
Purpose: Receipt of miscellaneous bulk materials, including fertilizer, coal, and oats; shipment of grain; mooring barges for fleeting. (See Remarks.)
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 42.501111
Total Berthing Space (feet): 900 | | Longitude (decimal): -90.65361
Remarks: Grain elevator at rear consisting of 4 concrete silos and 2 steel tanks has total capacity for 300,000 bushels. Fertilizer storage warehouse at terminal has capacity for 30,000 tons. Open storage area at rear c asphalt-paved pads has total capacity for 90,000 tons of material.□Dubuque Harbor Service (Cassville Harbor Service) Peavey Mooring, located at outer end of facility has capacity for 12 barges arranged in 2 tiers, eacbarges wide.□□*NPE = 687.2 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31580 Rock Island District

---

Waterway: **Mississippi River** Mile: 580 PWD: 168
Name: **U.S. Coast Guard Cutter 'WYACONDA' Moorings.**
Port: Upper Mississippi R
Location: Mile 579.4 AOR, right bank, Mississippi River, inner portion, lower side of Dubuque (Ice) Harbor. Datum: NPE*
Operator: U.S. Coast Guard.
Owner: United States Government.
Address: 60 East First Street Phone: 319/582-1965
Town: Dubuque State: IA County: Dubuque
Railway Connection: None.
Purpose: Mooring Coast Guard vessel 'Wyaconda'; handling navigation aids.
Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 42.494722
Total Berthing Space (feet): 205 | | Longitude (decimal): -90.66111
Remarks: *NPE = 529.0 MSL□□

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31579 Rock Island District

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 581 PWD: 161
Name: **Dubuque Tank Terminal Co., Bulk Material Dock.**
Port: Upper Mississippi R
Location: Mile 580.6 AOR, right bank, Mississippi River, Dubuque. Datum: NPE*
Operator: Dubuque Tank Terminal Co.
Owner: Dubuque Tank Terminal Co.
Address: 12th Street Extension. Phone: 319/588-2019
Town: Dubuque State: IA County: Dubuque
Railway Connection: One surface track at rear of wharf total capacity 3 cars, connects with CP Rail System.
Purpose: Receipt of miscellaneous dry bulk materials, principally salt and fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 42.508056
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.64917
Remarks: Timber storage warehouse at rear has capacity for 8,000 tons of salt. Open storage area at rear consisting of 2 asphalt-paved, and 2 unpaved pads has total capacity for 500,000 tons of bulk materials. □*NPE = 687.2 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 31580 Rock Island District

---

Waterway: **Mississippi River** Mile: 624 PWD: 158
Name: **Pattison Brothers, Mississippi River Terminal, Dock No. 1.**
Port: Upper Mississippi R
Location: Mile 624.1 AOR, right bank, Mississippi River, approximately 0.5 mile below the municipality of Clayton. Datum: NPE*
Operator: Pattison Brothers, Mississippi River Terminal.
Owner: Bernard Pattison.
Address: South Maine Street Phone: 319/964-2651
Town: Clayton State: IA County: Grant
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 42.903889
Total Berthing Space (feet): 25 | | Longitude (decimal): -91.14583
Remarks: Grain elevator at rear consisting of 3 steel tanks has capacity for 300,000 bushels.□ *NPE = 687.2 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32624 Rock Island District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 633 PWD: 157
Name: **AGRI Grain Marketing, McGregor River Terminal Dock.**
Port: Upper Mississippi R
Location: Mile 633.4 AOR, right bank, Mississippi River, McGregor, approximately 1.3 miles below U.S. Highway 18 B Datum: NPE*
Operator: AGRI Grain Marketing.
Owner: AGRI Grain Marketing.
Address: East B Street Phone: 319/873-3436
Town: McGregor State: IA County: Crawford
Railway Connection: Four surface tracks, total capacity 25 cars, serve undertrack pit and loading spout; connect with CP Rail System.
Purpose: Shipment of grain.
Depth Alongside (feet): 9 | | Latitude (decimal): 43.024444
Total Berthing Space (feet): 780 | | Longitude (decimal): -91.17194
Remarks: Grain elevator at rear consisting of 27 concrete silos with 7 interstices has total capacity for 1,250,000 bushels.□ *NPE = 687.2 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32633 Rock Island District

---

Waterway: **Mississippi River** Mile: 660 PWD: 156
Name: **Brennan Marine, Lansing Fleet Mooring.**
Port: Upper Mississippi R
Location: Mile 659.4 AOR, right bank, Mississippi River, Lansing, approximately 4 miles below State Highway 82 Bri Datum: NPE*
Operator: Brennan Marine, Inc.
Owner: Interstate Power Co.
Address: Power Plant Road Phone: 608/782-3670
Town: Lansing State: IA County: Crawford
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 13 | | Latitude (decimal): 43.335556
Total Berthing Space (feet): 15 | | Longitude (decimal): -91.16222
Remarks: *NPE = 620.0 MSL Fleeting area has capacity for 24 barges arranged in □*NPE = 631.0 MSL

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32659 Rock Island District

---

Port Facilities by Waterway

Waterway: **Mississippi River** Mile: 660 PWD: 155
Name: **Interstate Power Co., Lansing Plant Coal Dock.**
Port: Upper Mississippi R
Location: Mile 660.3 AOR, right bank, Mississippi River, Lansing, approximately 3 miles below State Highway 82 Bri Datum: NPE*
Operator: Interstate Power Co.
Owner: Interstate Power Co.
Address: 2320 Power Plant Road Phone: 319/538-4717
Town: Lansing State: IA County: Allamakee
Railway Connection: One unused surface track at plant in rear connects with CP Rail System.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 13 | | Latitude (decimal): 43.338056
Total Berthing Space (feet): 24 | | Longitude (decimal): -91.17
Remarks: Open storage area at rear served by radial stacker has total capacity for 685,000 tons.□Brennan Marine, Inc. uses lower 2 cells for mooring barges for cleaning prior to transferring to fleet described under Ref. No. 156.□□*NPE = 687.2 MSL.

Port Series: 69 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 32660 Rock Island District

---

Waterway: **Peoria Lake** Mile: 163 PWD: 40
Name: **Demeter, East Peoria Grain Elevator Dock.**
Port: Illinois Waterway
Location: Mile 163.3, left bank, Peoria Lake, East Peoria. Datum: NPE
Operator: Demeter, Inc.
Owner: United Facilities, Inc.
Address: Foot of Access Road No. 1. Phone: 219/884-0600
Town: East Peoria State: IL County: Tazewell
Railway Connection: One surface track in rear; connects with Atchison Topeka and Santa Fe Railway.
Purpose: Occasional shipment of grain.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.6775
Total Berthing Space (feet): 860 | | Longitude (decimal): -89.5725
Remarks: Slip is approximately 150 feet wide. Grain elevator at rear consisting of 3 steel tanks has total capacity for 42,000 bushels.□

Port Series: 65 Year of Last Survey: 1994 Corps of Engnrs Waterway Code: 77163 Rock Island District

---

LPMS Summary by Division/District

January - December 1998 and 1999

Lagrange — **Main** — **Mississippi Valley Division**
Illinois — **River Mile: 80.2** — **Rock Island District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	1,724	130	1,582	12	15,896	9,414	6,482	17,620	15,381
Downbound	1,967	343	1,582	13	15,892	13,126	2,766	17,859	20,717
Total	3,691	473	3,164	25	31,788	22,540	9,248	35,479	36,098
1999									
Upbound	1,876	236	1,630	10	16,126	8,807	7,319	18,002	14,265
Downbound	2,212	572	1,630	12	16,058	13,548	2,510	18,270	21,333
Total	4,088	808	3,260	22	32,184	22,355	9,829	36,272	35,598
Percent Change	11%	71%	3%	-12%	1%	-1%	6%	2%	-1%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	1,623	42	1,569	12	1,491	701	2.25	4.78	3,350.20
Downbound	1,750	134	1,603	13	1,559	712	2.01	4.39	3,127.35
Total	3,373	176	3,172	25	3,050	1,413	2.12	4.58	6,477.55
1999									
Upbound	1,622	81	1,531	10	1,544	867	3.07	5.47	4,738.98
Downbound	1,760	204	1,544	12	1,569	840	2.50	4.67	3,921.53
Total	3,382	285	3,075	22	3,113	1,707	2.78	5.07	8,660.51
Percent Change	0%	62%	-3%	-12%	2%	21%	31%	11%	34%

Peoria — **Main** — **Mississippi Valley Division**
Illinois — **River Mile: 157.7** — **Rock Island District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	2,532	751	1,759	22	14,341	9,480	4,861	16,873	15,525
Downbound	3,092	1,303	1,759	19	14,196	10,678	3,518	17,288	17,059
Total	5,624	2,054	3,518	41	28,537	20,158	8,379	34,161	32,584
1999									
Upbound	2,452	630	1,804	18	14,012	8,761	5,251	16,464	14,125
Downbound	2,870	1,037	1,804	16	14,066	10,740	3,326	16,936	17,004
Total	5,322	1,667	3,608	34	28,078	19,501	8,577	33,400	31,129
Percent Change	-5%	-19%	3%	-17%	-2%	-3%	2%	-2%	-4%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	1,953	198	1,733	22	1,593	519	1.02	3.12	1,619.03
Downbound	2,096	321	1,756	19	1,683	545	1.09	3.38	1,840.85
Total	4,049	519	3,489	41	3,276	1,064	1.06	3.25	3,459.88
1999									
Upbound	1,978	209	1,751	18	1,589	618	1.30	3.33	2,060.30
Downbound	2,160	355	1,790	15	1,713	628	1.28	3.49	2,193.57
Total	4,138	564	3,541	33	3,302	1,246	1.29	3.41	4,253.87
Percent Change	2%	9%	1%	-20%	1%	17%	22%	5%	23%