

SACRAMENTO RIVER, CA (INCLUDING COMMERCE OF SACRAMENTO RIVER DEEPWATER SHIP CHANNEL AND THE PORT OF SACRAMENTO, CA)

Section Included: From mouth of river to Red Bluff via river route, a distance of 248 miles; from mouth of Cache Slough to Washington Lake via Sacramento River Deepwater Ship Channel, a distance of 29.9 miles. Controlling Depth: Mouth of river to Cache Slough, 29 feet; mouth of Cache Slough to Washington Lake via Sacramento River Deepwater Ship Channel, 29 feet.; mouth of Cache Slough to Sacramento via river route, 10 feet; Sacramento to Colusa, 6 feet in low water season; Colusa to Chico Landing, 3 feet., Chico Landing to Red Bluff, 1.5 feet. Project Depth: 30 feet from mouth of river to Cache Slough; 30 feet from Cache Slough to Washington Lake via Sacramento River Deepwater Ship Channel; 10 feet from mouth of Cache Slough to Sacramento via river route; 6 feet from Sacramento to Colusa; 5 feet. from Colusa to Chico Landing; such depths as practicable from Chico Landing to Red Bluff.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1993	1,094	1996	1,289	1999	925	2002	657
1994	1,573	1997	1,178	2000	867		
1995	1,171	1998	946	2001	690		

Freight Traffic, 2002 (thousand short tons)

Commodity	Grand Total	Foreign		Canadian	Domestic			
		Inbound	Outbound*	Inbound	Total	Coastwise	Internal	
					Shipments	Inbound Upbound	Outbound Downbnd	
Total, all commodities	657	210	298	108	42	4	35	3
Total chemicals and related products	163	56	---	108	---	---	---	---
Subtotal fertilizers	119	36	---	83	---	---	---	---
3110 nitrogenous fert.	95	12	---	83	---	---	---	---
3190 fert. & mixes nec	24	24	---	---	---	---	---	---
Subtotal other chemicals and related products	44	19	---	25	---	---	---	---
3220 alcohols	0	0	---	---	---	---	---	---
3240 nitrogen func. comp.	0	0	---	---	---	---	---	---
3273 ammonia	44	19	---	25	---	---	---	---
3284 medicines	0	0	---	---	---	---	---	---
3286 plastics	0	0	---	---	---	---	---	---
Total crude materials, inedible except fuels	227	70	115	---	42	4	35	3
Subtotal forest products, wood and chips	186	67	115	---	4	4	---	---
4161 wood chips	119	---	115	---	4	4	---	---
4170 wood in the rough	15	15	---	---	---	---	---	---
4189 lumber	52	52	---	---	---	---	---	---
Subtotal soil, sand, gravel, rock and stone	23	3	---	---	19	---	17	3
4331 sand & gravel	23	3	---	---	19	---	17	3
Subtotal marine shells	19	---	---	---	19	---	19	---
4515 marine shells	19	---	---	---	19	---	19	---
Total primary manufactured goods	79	79	---	---	---	---	---	---
Subtotal paper products	0	0	---	---	---	---	---	---
5120 paper & paperboard	0	0	---	---	---	---	---	---
5190 paper products nec	0	0	---	---	---	---	---	---
Subtotal lime, cement and glass	54	54	---	---	---	---	---	---
5220 cement & concrete	54	54	---	---	---	---	---	---
5240 glass & glass prod.	1	1	---	---	---	---	---	---
5290 misc. mineral prod.	0	0	---	---	---	---	---	---
Subtotal primary iron and steel products	8	8	---	---	---	---	---	---
5320 i&s primary forms	2	2	---	---	---	---	---	---
5330 i&s plates & sheets	6	6	---	---	---	---	---	---
Subtotal primary non-ferrous metal products	1	1	---	---	---	---	---	---
5422 aluminum	1	1	---	---	---	---	---	---
Subtotal primary wood products	16	16	---	---	---	---	---	---
5540 primary wood prod.	16	16	---	---	---	---	---	---
Total food and farm products	184	0	183	---	---	---	---	---
Subtotal grain	179	---	179	---	---	---	---	---
6442 rice	179	---	179	---	---	---	---	---
Subtotal vegetable products	4	---	4	---	---	---	---	---
6653 vegetable oils	4	---	4	---	---	---	---	---
Subtotal processed grain and animal feed	0	0	---	---	---	---	---	---
6747 grain mill products	0	0	---	---	---	---	---	---
Subtotal other agricultural products	0	0	---	---	---	---	---	---
6838 tallow, animal oils	0	0	---	---	---	---	---	---
6885 alcoholic beverages	0	0	---	---	---	---	---	---
6889 food products nec	0	0	---	---	---	---	---	---
Total all manufactured equipment, machinery and products	3	3	0	---	---	---	---	---
7110 machinery (not elec)	0	0	---	---	---	---	---	---
7400 manufac. wood prod.	3	3	---	---	---	---	---	---
7500 textile products	0	0	---	---	---	---	---	---
7600 rubber & plastic pr.	0	0	0	---	---	---	---	---
7900 manufac. prod. nec	0	0	---	---	---	---	---	---

SACRAMENTO RIVER, CA (INCLUDING COMMERCE OF SACRAMENTO RIVER DEEPWATER SHIP CHANNEL
AND THE PORT OF SACRAMENTO, CA)
Freight Traffic, 2002 - continued
(thousand short tons)

Commodity	Grand Total	Foreign		Canadian	Domestic			
		Inbound	Outbound*	Inbound	Total	Coastwise Shipments	Internal	
							Inbound Upbound	Outbound Downbnd
Total unknown or not elsewhere classified	0	0	---	---	---	---	---	---
9900 unknown or nec	0	0	---	---	---	---	---	---
Ton-miles (x1000)	53,554	18,026	25,610	9,247	671	363	280	28

Tons All Traffic (x1000) 657
Ton-miles All Traffic (x1000) 53,554
Total Trip-ton-miles Internal and Intraport (x1000) 1,884

*Includes 13,227 tons of foreign outbound in-transits.

SACRAMENTO RIVER DEEPWATER SHIP CHANNEL, CA (INCLUDED IN SACRAMENTO RIVER, CA)

Section Included: A Deepwater Ship Channel from Suisun Bay to the Inland Harbor at Sacramento, a distance of 43 miles; a triangular shaped deep draft harbor and turning basin located at West Sacramento; a 1.5 mile-long barge canal with navigation lock connecting the deep draft harbor with the Sacramento River. Controlling Depth: 29 feet. in the Deepwater Ship Channel and triangular shaped harbor and turning basin; 13 feet in the barge canal. Project Depth: 30 feet in the Deepwater Ship Channel and triangular shaped harbor and turning basin; 13 feet in the barge canal.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1993	1,078	1996	1,240	1999	912	2002	619
1994	1,542	1997	1,143	2000	852		
1995	1,131	1998	925	2001	669		

Freight Traffic, 2002 (thousand short tons)

Commodity	Grand Total	Foreign		Canadian	Domestic
		Inbound	Outbound*	Inbound	Coastwise Shipments
Total, all commodities	619	210	298	108	4
Total chemicals and related products	163	56	—	108	—
Subtotal fertilizers	119	36	—	83	—
3110 nitrogenous fert.	95	12	—	83	—
3190 fert. & mixes nec	24	24	—	—	—
Subtotal other chemicals and related products	44	19	—	25	—
3220 alcohols	0	0	—	—	—
3240 nitrogen func. comp.	0	0	—	—	—
3273 ammonia	44	19	—	25	—
3284 medicines	0	0	—	—	—
3286 plastics	0	0	—	—	—
Total crude materials, inedible except fuels	189	70	115	—	4
Subtotal forest products, wood and chips	186	67	115	—	4
4161 wood chips	119	—	115	—	4
4170 wood in the rough	15	15	—	—	—
4189 lumber	52	52	—	—	—
Subtotal soil, sand, gravel, rock and stone	3	3	—	—	—
4331 sand & gravel	3	3	—	—	—
Total primary manufactured goods	79	79	—	—	—
Subtotal paper products	0	0	—	—	—
5120 paper & paperboard	0	0	—	—	—
5190 paper products nec	0	0	—	—	—
Subtotal lime, cement and glass	54	54	—	—	—
5220 cement & concrete	54	54	—	—	—
5240 glass & glass prod.	1	1	—	—	—
5290 misc. mineral prod.	0	0	—	—	—
Subtotal primary iron and steel products	8	8	—	—	—
5320 i&s primary forms	2	2	—	—	—
5330 i&s plates & sheets	6	6	—	—	—
Subtotal primary non-ferrous metal products	1	1	—	—	—
5422 aluminum	1	1	—	—	—
Subtotal primary wood products	16	16	—	—	—
5540 primary wood prod.	16	16	—	—	—
Total food and farm products	184	0	183	—	—
Subtotal grain	179	—	179	—	—
6442 rice	179	—	179	—	—
Subtotal vegetable products	4	—	4	—	—
6653 vegetable oils	4	—	4	—	—
Subtotal processed grain and animal feed	0	0	—	—	—
6747 grain mill products	0	0	—	—	—
Subtotal other agricultural products	0	0	—	—	—
6838 tallow, animal oils	0	0	—	—	—
6885 alcoholic beverages	0	0	—	—	—
6889 food products nec	0	0	—	—	—
Total all manufactured equipment, machinery and products	3	3	0	—	—
7110 machinery (not elec)	0	0	—	—	—
7400 manufac. wood prod.	3	3	—	—	—
7500 textile products	0	0	—	—	—
7600 rubber & plastic pr.	0	0	0	—	—
7900 manufac. prod. nec	0	0	—	—	—
Total unknown or not elsewhere classified	0	0	—	—	—
9900 unknown or nec	0	0	—	—	—
Ton-miles (x1000)	25,385	8,594	12,209	4,409	173
Tons All Traffic (x1000)	619				
Ton-miles All Traffic (x1000)	25,385				

*Includes 13,227 tons of foreign outbound in-transits.

SACRAMENTO, CA (INCLUDED IN SACRAMENTO RIVER, CA)

Section Included: A triangular shaped harbor and turning basin at Washington Lake, West Sacramento, adjacent to channel; a connecting barge canal to the Sacramento River shallow draft channel; thence upstream to a point approximately 6.6 miles upstream at Bryte. Controlling Depth: 29 feet in the deepwater channel harbor and turning basin; 13 feet in the connecting barge canal; 10 feet in the shallow draft channel. Project Depth: 30 feet in the deepwater channel harbor and turning basin; 13 feet in the connecting barge canal; 10 feet in the shallow draft channel.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1993	1,078	1996	1,240	1999	915	2002	619
1994	1,545	1997	1,143	2000	852		
1995	1,137	1998	925	2001	669		

Freight Traffic, 2002 (thousand short tons)

Commodity	Grand Total	Foreign		Canadian	Domestic
		Inbound	Outbound*	Inbound	Coastwise Shipments
Total, all commodities	619	210	298	108	4
Total chemicals and related products	163	56	—	108	—
Subtotal fertilizers	119	36	—	83	—
3110 nitrogenous fert.	95	12	—	83	—
3190 fert. & mixes nec	24	24	—	—	—
Subtotal other chemicals and related products	44	19	—	25	—
3220 alcohols	0	0	—	—	—
3240 nitrogen func. comp.	0	0	—	—	—
3273 ammonia	44	19	—	25	—
3284 medicines	0	0	—	—	—
3286 plastics	0	0	—	—	—
Total crude materials, inedible except fuels	189	70	115	—	4
Subtotal forest products, wood and chips	186	67	115	—	4
4161 wood chips	119	—	115	—	4
4170 wood in the rough	15	15	—	—	—
4189 lumber	52	52	—	—	—
Subtotal soil, sand, gravel, rock and stone	3	3	—	—	—
4331 sand & gravel	3	3	—	—	—
Total primary manufactured goods	79	79	—	—	—
Subtotal paper products	0	0	—	—	—
5120 paper & paperboard	0	0	—	—	—
5190 paper products nec	0	0	—	—	—
Subtotal lime, cement and glass	54	54	—	—	—
5220 cement & concrete	54	54	—	—	—
5240 glass & glass prod.	1	1	—	—	—
5290 misc. mineral prod.	0	0	—	—	—
Subtotal primary iron and steel products	8	8	—	—	—
5320 i&s primary forms	2	2	—	—	—
5330 i&s plates & sheets	6	6	—	—	—
Subtotal primary non-ferrous metal products	1	1	—	—	—
5422 aluminum	1	1	—	—	—
Subtotal primary wood products	16	16	—	—	—
5540 primary wood prod.	16	16	—	—	—
Total food and farm products	184	0	183	—	—
Subtotal grain	179	—	179	—	—
6442 rice	179	—	179	—	—
Subtotal vegetable products	4	—	4	—	—
6653 vegetable oils	4	—	4	—	—
Subtotal processed grain and animal feed	0	0	—	—	—
6747 grain mill products	0	0	—	—	—
Subtotal other agricultural products	0	0	—	—	—
6838 tallow, animal oils	0	0	—	—	—
6885 alcoholic beverages	0	0	—	—	—
6889 food products nec	0	0	—	—	—
Total all manufactured equipment, machinery and products	3	3	0	—	—
7110 machinery (not elec)	0	0	—	—	—
7400 manufac. wood prod.	3	3	—	—	—
7500 textile products	0	0	—	—	—
7600 rubber & plastic pr.	0	0	0	—	—
7900 manufac. prod. nec	0	0	—	—	—
Total unknown or not elsewhere classified	0	0	—	—	—
9900 unknown or nec	0	0	—	—	—

*Includes 13,227 tons of foreign outbound in-transits.

SAN JOAQUIN RIVER, CA (INCLUDING COMMERCE OF PORT OF STOCKTON, CA)

Section Included: From mouth of New York Slough to city of Stockton, 41 miles; from Stockton Channel to Hills Ferry, 84 miles. Controlling Depth: mouth of river to Mormon Channel, Stockton, 35 feet; other connecting channels, 2 feet to 9 feet; to Edison Street, 22 feet. Project Depth: 35 feet from the mouth of New York Slough to Mormon Channel at Stockton; 30 feet from Mormon Channel to Edison Street; other connecting channels, 9 feet.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1993	2,493	1996	2,716	1999	3,051	2002	4,840
1994	3,337	1997	3,292	2000	3,755		
1995	3,315	1998	3,325	2001	3,996		

Freight Traffic, 2002 (thousand short tons)

Commodity	Grand Total	Foreign		Canadian	Domestic				
		Inbound*	Outbound*	Inbound	Total Receipts	Coastwise	Internal		
							Upbound	Downbnd	Through Upbound
Total, all commodities	4,840	2,749	1,707	219	165	12	81	34	39
Total petroleum and petroleum products	905	6	865	---	34	---	---	34	---
Subtotal petroleum products	905	6	865	---	34	---	---	34	---
2350 lube oil & greases	45	2	8	---	34	---	---	34	---
2410 petro. jelly & waxes	4	4	---	---	---	---	---	---	---
2540 petroleum coke	856	---	856	---	---	---	---	---	---
Total chemicals and related products	766	530	5	219	12	12	---	---	---
Subtotal fertilizers	424	416	---	---	9	9	---	---	---
3110 nitrogenous fert.	403	395	---	---	9	9	---	---	---
3130 potassic fert.	7	7	---	---	---	---	---	---	---
3190 fert. & mixes nec	13	13	---	---	---	---	---	---	---
Subtotal other chemicals and related products	342	114	5	219	3	3	---	---	---
3211 acyclic hydrocarbons	5	---	5	---	---	---	---	---	---
3230 carboxylic acids	4	4	---	---	---	---	---	---	---
3240 nitrogen func. comp.	0	0	---	---	---	---	---	---	---
3250 organo - inorg. comp.	0	---	0	---	---	---	---	---	---
3273 ammonia	252	72	---	181	---	---	---	---	---
3274 sodium hydroxide	63	24	---	39	---	---	---	---	---
3275 inorg. elem., oxides, & halogen salts	1	1	---	---	---	---	---	---	---
3276 metallic salts	11	8	---	---	3	3	---	---	---
3284 medicines	6	6	---	---	---	---	---	---	---
3286 plastics	0	0	---	---	---	---	---	---	---
Total crude materials, inedible except fuels	693	214	416	---	62	---	24	---	39
Subtotal forest products, wood and chips	2	0	1	---	---	---	---	---	---
4161 wood chips	1	---	1	---	---	---	---	---	---
4189 lumber	0	0	---	---	---	---	---	---	---
Subtotal soil, sand, gravel, rock and stone	276	214	---	---	62	---	24	---	39
4323 gypsum	214	214	---	---	---	---	---	---	---
4331 sand & gravel	62	---	---	---	62	---	24	---	39
Subtotal iron ore and scrap	73	---	73	---	---	---	---	---	---
4420 iron & steel scrap	73	---	73	---	---	---	---	---	---
Subtotal sulphur, clay and salt	342	---	342	---	---	---	---	---	---
4741 sulphur, (dry)	342	---	342	---	---	---	---	---	---
Total primary manufactured goods	1,381	1,381	---	---	---	---	---	---	---
Subtotal paper products	0	0	---	---	---	---	---	---	---
5120 paper & paperboard	0	0	---	---	---	---	---	---	---
Subtotal lime, cement and glass	498	498	---	---	---	---	---	---	---
5220 cement & concrete	497	497	---	---	---	---	---	---	---
5240 glass & glass prod.	0	0	---	---	---	---	---	---	---
5290 misc. mineral prod.	0	0	---	---	---	---	---	---	---
Subtotal primary iron and steel products	176	176	---	---	---	---	---	---	---
5330 i&s plates & sheets	144	144	---	---	---	---	---	---	---
5360 i&s bars & shapes	16	16	---	---	---	---	---	---	---
5370 i&s pipe & tube	16	16	---	---	---	---	---	---	---
Subtotal primary non-ferrous metal products	703	703	---	---	---	---	---	---	---
5480 fab. metal products	703	703	---	---	---	---	---	---	---
Subtotal primary wood products	5	5	---	---	---	---	---	---	---
5540 primary wood prod.	5	5	---	---	---	---	---	---	---

SAN JOAQUIN RIVER, CA (INCLUDING COMMERCE OF PORT OF STOCKTON, CA)
 Freight Traffic, 2002 - continued
 (thousand short tons)

Commodity	Grand Total	Foreign		Canadian	Domestic				
		Inbound*	Outbound*	Inbound	Total Receipts	Coastwise	Internal		
							Inbound Upbound	Outbound Downbnd	Through Upbound
Total food and farm products	1,014	538	419	---	57	---	57	---	---
Subtotal grain	413	---	413	---	---	---	---	---	---
6241 wheat	91	---	91	---	---	---	---	---	---
6442 rice	322	---	322	---	---	---	---	---	---
Subtotal oilseeds	211	206	4	---	---	---	---	---	---
6590 oilseeds nec	211	206	4	---	---	---	---	---	---
Subtotal vegetable products	59	59	---	---	---	---	---	---	---
6653 vegetable oils	59	59	---	---	---	---	---	---	---
Subtotal processed grain and animal feed	56	56	---	---	---	---	---	---	---
6781 hay & fodder	28	28	---	---	---	---	---	---	---
6782 animal feed, prep.	28	28	---	---	---	---	---	---	---
Subtotal other agricultural products	275	216	2	---	57	---	57	---	---
6838 tallow, animal oils	2	---	2	---	---	---	---	---	---
6865 molasses	250	193	---	---	57	---	57	---	---
6885 alcoholic beverages	0	0	---	---	---	---	---	---	---
6888 water & ice	0	0	---	---	---	---	---	---	---
6889 food products nec	1	1	---	---	---	---	---	---	---
6899 farm products nec	22	22	---	---	---	---	---	---	---
Total all manufactured equipment, machinery and products	80	79	1	0	---	---	---	---	---
7110 machinery (not elec)	80	79	1	0	---	---	---	---	---
7210 vehicles & parts	0	---	0	---	---	---	---	---	---
7600 rubber & plastic pr.	0	---	0	---	---	---	---	---	---
7900 manufac. prod. nec	0	---	0	---	---	---	---	---	---
Total unknown or not elsewhere classified	0	0	---	---	---	---	---	---	---
9900 unknown or nec	0	0	---	---	---	---	---	---	---
Ton-miles (x1000)	110,854	62,958	36,040	7,623	4,234	490	2,811	34	898
Tons All Traffic (x1000)			4,840						
Ton-miles All Traffic (x1000)			110,854						
Total Trip-ton-miles Internal and Intraport (x1000)			11,634						

*Includes 182 tons of foreign inbound in-transits; Includes 79,215 tons of foreign outbound in-transits.

STOCKTON, CA (INCLUDED IN SAN JOAQUIN RIVER, CA)

Section Included: Harbor at Stockton (and vicinity). Controlling Depth: 35 feet in Stockton Channel up to mouth of Mormon Channel; 8 feet in Mormon Channel; 8 feet in Fremont Channel, McLeod Lake and in the head of Stockton Channel. Project Depth: (Included in San Joaquin River project).

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1993	1,103	1996	1,143	1999	1,315	2002	2,428
1994	1,609	1997	1,647	2000	2,051		
1995	1,320	1998	1,339	2001	2,605		

Freight Traffic, 2002 (thousand short tons)

Commodity	Grand Total	Foreign		Canadian	Domestic		
		Inbound*	Outbound*		Inbound	Total	Coastwise Receipts
Total, all commodities	2,428	1,356	822	181	69	12	57
Total petroleum and petroleum products	42	---	42	---	---	---	---
Subtotal petroleum products	42	---	42	---	---	---	---
2540 petroleum coke	42	---	42	---	---	---	---
Total chemicals and related products	697	504	0	181	12	12	---
Subtotal fertilizers	424	416	---	---	9	9	---
3110 nitrogenous fert.	403	395	---	---	9	9	---
3130 potassic fert.	7	7	---	---	---	---	---
3190 fert. & mixes nec	13	13	---	---	---	---	---
Subtotal other chemicals and related products	273	89	0	181	3	3	---
3230 carboxylic acids	3	3	---	---	---	---	---
3240 nitrogen func. comp.	0	0	---	---	---	---	---
3250 organo - inorg. comp.	0	---	0	---	---	---	---
3273 ammonia	252	72	---	181	---	---	---
3275 inorg. elem., oxides, & halogen salts	1	1	---	---	---	---	---
3276 metallic salts	11	8	---	---	3	3	---
3284 medicines	6	6	---	---	---	---	---
3286 plastics	0	0	---	---	---	---	---
Total crude materials, inedible except fuels	386	0	386	---	---	---	---
Subtotal forest products, wood and chips	2	0	1	---	---	---	---
4161 wood chips	1	---	1	---	---	---	---
4189 lumber	0	0	---	---	---	---	---
Subtotal iron ore and scrap	73	---	73	---	---	---	---
4420 iron & steel scrap	73	---	73	---	---	---	---
Subtotal sulphur, clay and salt	312	---	312	---	---	---	---
4741 sulphur, (dry)	312	---	312	---	---	---	---
Total primary manufactured goods	238	238	---	---	---	---	---
Subtotal paper products	0	0	---	---	---	---	---
5120 paper & paperboard	0	0	---	---	---	---	---
Subtotal lime, cement and glass	196	196	---	---	---	---	---
5220 cement & concrete	196	196	---	---	---	---	---
5240 glass & glass prod.	0	0	---	---	---	---	---
5290 misc. mineral prod.	0	0	---	---	---	---	---
Subtotal primary iron and steel products	35	35	---	---	---	---	---
5330 i&s plates & sheets	2	2	---	---	---	---	---
5360 i&s bars & shapes	16	16	---	---	---	---	---
5370 i&s pipe & tube	16	16	---	---	---	---	---
Subtotal primary non-ferrous metal products	2	2	---	---	---	---	---
5480 fab. metal products	2	2	---	---	---	---	---
Subtotal primary wood products	5	5	---	---	---	---	---
5540 primary wood prod.	5	5	---	---	---	---	---
Total food and farm products	985	535	393	---	57	---	57
Subtotal grain	386	---	386	---	---	---	---
6241 wheat	91	---	91	---	---	---	---
6442 rice	295	---	295	---	---	---	---
Subtotal oilseeds	211	206	4	---	---	---	---
6590 oilseeds nec	211	206	4	---	---	---	---
Subtotal vegetable products	56	56	---	---	---	---	---
6653 vegetable oils	56	56	---	---	---	---	---
Subtotal processed grain and animal feed	56	56	---	---	---	---	---
6781 hay & fodder	28	28	---	---	---	---	---
6782 animal feed, prep.	28	28	---	---	---	---	---
Subtotal other agricultural products	275	216	2	---	57	---	57
6838 tallow, animal oils	2	---	2	---	---	---	---
6865 molasses	250	193	---	---	57	---	57
6885 alcoholic beverages	0	0	---	---	---	---	---
6888 water & ice	0	0	---	---	---	---	---
6889 food products nec	1	1	---	---	---	---	---
6899 farm products nec	22	22	---	---	---	---	---
Total all manufactured equipment, machinery and products	80	79	1	---	---	---	---
7110 machinery (not elec)	80	79	1	---	---	---	---
7600 rubber & plastic pr.	0	---	0	---	---	---	---

STOCKTON, CA (INCLUDED IN SAN JOAQUIN RIVER, CA)
 Freight Traffic, 2002 - continued
 (thousand short tons)

Commodity	Grand Total	Foreign		Canadian	Domestic		
		Inbound*	Outbound*	Inbound	Total	Coastwise	Internal
					Receipts		Receipts
Total unknown or not elsewhere classified	0	0	---	---	---	---	---
9900 unknown or nec	0	0	---	---	---	---	---

*Includes 182 tons of foreign inbound in-transits; Includes 56,069 tons of foreign outbound in-transits.

Other Harbors and Waterways 2002

Harbor or Waterway Project	Commodity	Thousand Short Tons
MIDDLE RIVER, CA	4331 sand & gravel	7
	Total Tons(x1000)	7
	Total Ton-miles(x1000)	56
	Total Trip-ton-miles Internal and Intraport (x1000)	552
MOKELUMNE RIVER, CA	4331 sand & gravel	21
	Total Tons(x1000)	21
	Total Ton-miles(x1000)	178
	Total Trip-ton-miles Internal and Intraport (x1000)	1,661
OLD RIVER, CA	4331 sand & gravel	11
	Total Tons(x1000)	11
	Total Ton-miles(x1000)	161
	Total Trip-ton-miles Internal and Intraport (x1000)	935

Trips and Drafts of Vessels, 2002
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
SACRAMENTO RIVER, CA												
Grand Total	Upbound				Downbound							
	184	57	2	64	61	---	178	56	2	59	61	---
FOREIGN												
Total	59	57	2	---	---	---	58	56	2	---	---	---
31	3	3	---	---	---	---	1	1	---	---	---	---
30	3	3	---	---	---	---	4	4	---	---	---	---
29	6	5	1	---	---	---	2	2	---	---	---	---
28	5	5	---	---	---	---	10	10	---	---	---	---
27	7	6	1	---	---	---	6	6	---	---	---	---
26	10	10	---	---	---	---	5	5	---	---	---	---
25	10	10	---	---	---	---	10	8	2	---	---	---
24	2	2	---	---	---	---	8	8	---	---	---	---
23	3	3	---	---	---	---	4	4	---	---	---	---
22	1	1	---	---	---	---	3	3	---	---	---	---
21	2	2	---	---	---	---	2	2	---	---	---	---
20	1	1	---	---	---	---	3	3	---	---	---	---
19	5	5	---	---	---	---	---	---	---	---	---	---
18	1	1	---	---	---	---	---	---	---	---	---	---
DOMESTIC												
Total	125	---	---	64	61	---	120	---	---	59	61	---
15	1	---	---	1	---	---	1	---	---	1	---	---
13	4	---	---	4	---	---	---	---	---	---	---	---
12	2	---	---	2	---	---	---	---	---	---	---	---
11	2	---	---	---	2	---	---	---	---	---	---	---
10	6	---	---	---	6	---	---	---	---	---	---	---
9	5	---	---	4	1	---	5	---	---	4	1	---
8	7	---	---	6	1	---	7	---	---	7	---	---
6	98	---	---	47	51	---	107	---	---	47	60	---
										Total trips:		362

SACRAMENTO RIVER DEEPWATER SHIP CHANNEL, CA												
Grand Total	Upbound				Downbound							
	65	57	2	6	---	---	58	56	2	---	---	---
FOREIGN												
Total	59	57	2	---	---	---	58	56	2	---	---	---
31	3	3	---	---	---	---	1	1	---	---	---	---
30	3	3	---	---	---	---	4	4	---	---	---	---
29	6	5	1	---	---	---	2	2	---	---	---	---
28	5	5	---	---	---	---	10	10	---	---	---	---
27	7	6	1	---	---	---	6	6	---	---	---	---
26	10	10	---	---	---	---	5	5	---	---	---	---
25	10	10	---	---	---	---	10	8	2	---	---	---
24	2	2	---	---	---	---	8	8	---	---	---	---
23	3	3	---	---	---	---	4	4	---	---	---	---
22	1	1	---	---	---	---	3	3	---	---	---	---
21	2	2	---	---	---	---	2	2	---	---	---	---
20	1	1	---	---	---	---	3	3	---	---	---	---
19	5	5	---	---	---	---	---	---	---	---	---	---
18	1	1	---	---	---	---	---	---	---	---	---	---
DOMESTIC												
Total	6	---	---	6	---	---	---	---	---	---	---	---
13	4	---	---	4	---	---	---	---	---	---	---	---
12	2	---	---	2	---	---	---	---	---	---	---	---
										Total trips:		123

Trips and Drafts of Vessels, 2002
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
SACRAMENTO, CA												
	Inbound						Outbound					
Grand Total	66	57	2	5	2	—	61	56	2	1	2	—
FOREIGN												
Total	59	57	2	—	—	—	58	56	2	—	—	—
31	3	3	—	—	—	—	1	1	—	—	—	—
30	3	3	—	—	—	—	4	4	—	—	—	—
29	6	5	1	—	—	—	2	2	—	—	—	—
28	5	5	—	—	—	—	10	10	—	—	—	—
27	7	6	1	—	—	—	6	6	—	—	—	—
26	10	10	—	—	—	—	5	5	—	—	—	—
25	10	10	—	—	—	—	10	8	2	—	—	—
24	2	2	—	—	—	—	8	8	—	—	—	—
23	3	3	—	—	—	—	4	4	—	—	—	—
22	1	1	—	—	—	—	3	3	—	—	—	—
21	2	2	—	—	—	—	2	2	—	—	—	—
20	1	1	—	—	—	—	3	3	—	—	—	—
19	5	5	—	—	—	—	—	—	—	—	—	—
18	1	1	—	—	—	—	—	—	—	—	—	—
DOMESTIC												
Total	7	—	—	5	2	—	3	—	—	1	2	—
13	3	—	—	3	—	—	1	—	—	1	—	—
12	2	—	—	2	—	—	—	—	—	—	—	—
6	2	—	—	—	2	—	2	—	—	—	2	—
											Total trips:	127
SAN JOAQUIN RIVER, CA												
	Upbound						Downbound					
Grand Total	456	144	56	149	76	31	445	154	54	130	75	32
FOREIGN												
Total	202	144	56	1	1	—	210	154	54	1	1	—
34	1	1	—	—	—	—	8	8	—	—	—	—
33	12	8	4	—	—	—	5	5	—	—	—	—
32	18	13	5	—	—	—	5	5	—	—	—	—
31	32	28	4	—	—	—	5	5	—	—	—	—
30	17	11	6	—	—	—	14	14	—	—	—	—
29	13	7	6	—	—	—	4	3	1	—	—	—
28	16	4	12	—	—	—	16	15	1	—	—	—
27	9	5	4	—	—	—	11	8	3	—	—	—
26	12	8	4	—	—	—	20	11	9	—	—	—
25	9	7	2	—	—	—	27	21	6	—	—	—
24	13	9	4	—	—	—	15	13	2	—	—	—
23	5	1	4	—	—	—	7	5	2	—	—	—
22	9	9	—	—	—	—	21	10	11	—	—	—
21	7	6	1	—	—	—	16	14	2	—	—	—
20	13	13	—	—	—	—	12	7	5	—	—	—
19	6	6	—	—	—	—	10	3	7	—	—	—
18	5	5	—	—	—	—	7	3	4	—	—	—
17	3	2	—	1	—	—	3	2	—	1	—	—
16	—	—	—	—	—	—	2	1	—	—	1	—
15	1	—	—	—	1	—	—	—	—	—	—	—
12	1	1	—	—	—	—	2	1	1	—	—	—
DOMESTIC												
Total	254	—	—	148	75	31	235	—	—	129	74	32
18	4	—	—	3	—	1	8	—	—	3	—	5
17	6	—	—	6	—	—	4	—	—	4	—	—
15	13	—	—	10	—	3	10	—	—	10	—	—
14	2	—	—	—	—	2	2	—	—	—	—	2
13	8	—	—	6	—	2	4	—	—	4	—	—
12	221	—	—	123	75	23	207	—	—	108	74	25
											Total trips:	901

Trips and Drafts of Vessels, 2002
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels		
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	
STOCKTON, CA													
			Inbound						Outbound				
Grand Total	175	81	46	25	---	23	175	84	45	22	---	24	
FOREIGN													
Total	127	81	46	---	---	---	129	84	45	---	---	---	
34	1	1	---	---	---	---	1	1	---	---	---	---	
33	7	3	4	---	---	---	1	1	---	---	---	---	
32	9	4	5	---	---	---	3	3	---	---	---	---	
31	11	7	4	---	---	---	2	2	---	---	---	---	
30	7	2	5	---	---	---	5	5	---	---	---	---	
29	10	6	4	---	---	---	3	2	1	---	---	---	
28	12	2	10	---	---	---	11	11	---	---	---	---	
27	5	3	2	---	---	---	7	6	1	---	---	---	
26	11	7	4	---	---	---	11	3	8	---	---	---	
25	8	6	2	---	---	---	12	7	5	---	---	---	
24	10	8	2	---	---	---	9	8	1	---	---	---	
23	5	1	4	---	---	---	6	4	2	---	---	---	
22	9	9	---	---	---	---	15	5	10	---	---	---	
21	2	2	---	---	---	---	10	9	1	---	---	---	
20	10	10	---	---	---	---	11	7	4	---	---	---	
19	5	5	---	---	---	---	10	3	7	---	---	---	
18	5	5	---	---	---	---	12	7	5	---	---	---	
DOMESTIC													
Total	48	---	---	25	---	23	46	---	---	22	---	24	
18	48	---	---	25	---	23	46	---	---	22	---	24	
										Total trips:		350	
MIDDLE RIVER, CA (10 feet and less)													
			Upbound						Downbound				
Grand Total	10	---	---	5	5	---	10	---	---	5	5	---	
										Total trips:		20	
MOKELUMNE RIVER, CA (11 feet and less)													
			Upbound						Downbound				
Grand Total	36	---	---	18	18	---	36	---	---	18	18	---	
										Total trips:		72	
OLD RIVER, CA (11 feet and less)													
			Upbound						Downbound				
Grand Total	16	---	---	8	8	---	16	---	---	8	8	---	
										Total trips:		32	

FREIGHT TRAFFIC INDEX

	M	
MIDDLE RIVER, CA		9
MOKELUMNE RIVER, CA		9
	O	
OLD RIVER, CA		9
	S	
SACRAMENTO RIVER DEEPWATER SHIP CHANNEL, CA		3
SACRAMENTO RIVER, CA		1
SACRAMENTO, CA		4
SACRAMENTO, CA DISTRICT		1
SAN JOAQUIN RIVER, CA		5
STOCKTON, CA		7

TRIPS AND DRAFTS INDEX

	M	
MIDDLE RIVER, CA		12
MOKELUMNE RIVER, CA		12
	O	
OLD RIVER, CA		12
	S	
SACRAMENTO RIVER DEEPWATER SHIP CHANNEL, CA		10
SACRAMENTO RIVER, CA		10
SACRAMENTO, CA		11
SACRAMENTO, CA DISTRICT		10
SAN JOAQUIN RIVER, CA		11
STOCKTON, CA		12

US Army Corps of Engineers
Dredging Contracts Awarded

District Sacramento

JOBNAME	Dredge Type	Bid Date	Quantity Cubic Yards	Government Estimate	Winning Bid	Winning Bidder	Status of Business	Number of Bids
FY 2002 Awards Sacramento DWSC CY02	P		36,000	\$561,780	\$561,780	ROSS ISLAND SAND & GRAVEL CO.	L	1
			36,000	\$561,780	\$561,780			
Fy 2003 Awards Sacramento - Task Order	P		199,040	\$1,462,689	\$1,462,689	ROSS ISLAND SAND & GRAVEL CO.	L	1
			199,040	\$1,462,689	\$1,462,689			

Dredge Type

B Bucket
D Dustpan
H Hopper
N Nonconventional
P Pipeline

S Sidecaster
W Combination - All types
X Pipeline & Bucket
Y Pipeline & Hopper
Z Hopper & Bucket
u undefined

Status of Business

E Emerging
L Large
S Small

Port Facilities by Waterway

Waterway: **New York Slough** Mile: PWD: 002
Name: **Diablo Service Corp., Pittsburg Wharf.**□
Port: Sacramento, Stockton
Location: South side, New York Slough, between foot of East and Harbor Streets extended, Datum: MLLW
Pittsburg.
Operator: Diablo Service Corp.
Owner: Tosco Corp.□
Address: 595 East Third Street. Phone: 510-432-3588
Town: Pittsburg State: CA County: Contra Costa
Railway Connection: One surface track serving open storage area in rear and connecting with Atchison, Topeka and Santa Fe Railway was not in use at time of survey.□
Purpose: Shipment of petroleum coke by vessel; receipt of caustic soda by barge.
Depth Alongside (feet): 35 | | Latitude (decimal): 38.034444
Total Berthing Space (feet): 1,154 | | Longitude (decimal): -121.8764
Remarks: Open storage area located in rear is served by 2 fixed stackers and 5 diesel crawler bulldozers and has a total capacity of 75,000 tons of bulk material. One 8-inch, stainless steel pipeline extends from wharf to 1,000,000-gallon, glass-lined, steel, caustic soda storage tank at terminal in rear.
Port Series: 32 Year of Last Survey: 1996 Corps of Engrs Waterway Code: 81401 Sacramento District

Waterway: **New York Slough** Mile: PWD: 005
Name: **Dow Chemical Co., Pittsburg Plant Wharf.**
Port: Sacramento, Stockton
Location: South side, New York Slough, approximately 1 mile below junction with San Joaquin River, Pittsburg. Datum: MLLW
Operator: Dow Chemical Co.
Owner: Dow Chemical Co.
Address: Loveridge Road. Phone: 510-432-5557
Town: Pittsburg State: CA County: Contra Costa
Railway Connection: Plant trackage in rear connects with Atchison, Topeka and Santa Fe Railway.
Purpose: Receipt and shipment of caustic soda.
Depth Alongside (feet): 40 | | Latitude (decimal): 38.028611
Total Berthing Space (feet): 672 | | Longitude (decimal): -121.8478
Remarks: One 10-inch caustic soda pipeline extends from wharf to 5 steel storage tanks located in rear, total capacity 3,420,500 gallons. One 2-inch steam line also serves wharf.
Port Series: 32 Year of Last Survey: 1996 Corps of Engrs Waterway Code: 81401 Sacramento District

Port Facilities by Waterway

Waterway: **New York Slough** Mile: PWD: 004
 Name: **USS-Posco Industries, Pittsburg Dock.**
 Port: Sacramento, Stockton
 Location: South side, New York Slough, approximately 1,000 feet below foot of Loveridge Road extended, Pittsburg. Datum: MLLW
 Operator: Not operated.
 Owner: USS-Posco Industries.
 Address: 900 Loveridge Road. Phone: 510-439-6410/60
 Town: Pittsburg State: CA County: Contra Costa
 Railway Connection: Plant trackage in rear connects with Atchison, Topeka and Santa Fe Railway and Sacramento Northern Railway.
 Purpose: Not used.
 Depth Alongside (feet): 25 | | Latitude (decimal): 38.030278
 Total Berthing Space (feet): 400 | | Longitude (decimal): -121.8592
 Waterway: **New York Slough** Mile: PWD: 004
 Name: **USS-Posco Industries, Pittsburg Dock.**
 Port: Sacramento, Stockton
 Location: South side, New York Slough, approximately 1,000 feet below foot of Loveridge Road extended, Pittsburg. Datum: MLLW
 Operator: Not operated.
 Owner: USS-Posco Industries.
 Address: 900 Loveridge Road. Phone: 510-439-6410/60
 Town: Pittsburg State: CA County: Contra Costa
 Railway Connection: Plant trackage in rear connects with Atchison, Topeka and Santa Fe Railway and Sacramento Northern Railway.
 Purpose: Not used.
 Depth Alongside (feet): 25 | | Latitude (decimal): 38.030278
 Total Berthing Space (feet): 400 | | Longitude (decimal): -121.8592
 Remarks: Tugboats occasionally moor at dock awaiting vessels using wharf.
 Port Series: 32 Year of Last Survey: 1996 Corps of Engnr's Waterway Code: 81401 Sacramento District

Remarks: Tugboats occasionally moor at dock awaiting vessels using wharf.
 Port Series: 32 Year of Last Survey: 1996 Corps of Engnr's Waterway Code: 81401 Sacramento District

Port Facilities by Waterway

Waterway: **New York Slough** Mile: PWD: 004
Name: **USS-Posco Industries, Pittsburg Dock.**
Port: Sacramento, Stockton
Location: South side, New York Slough, approximately 1,000 feet below foot of Loveridge Road extended, Pittsburg. Datum: MLLW
Operator: Not operated.
Owner: USS-Posco Industries.
Address: 900 Loveridge Road. Phone: 510-439-6410/60
Town: Pittsburg State: CA County: Contra Costa
Railway Connection: Plant trackage in rear connects with Atchison, Topeka and Santa Fe Railway and Sacramento Northern Railway.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 38.030278
Total Berthing Space (feet): 400 | | Longitude (decimal): -121.8592
Waterway: **New York Slough** Mile: PWD: 004
Name: **USS-Posco Industries, Pittsburg Dock.**
Port: Sacramento, Stockton
Location: South side, New York Slough, approximately 1,000 feet below foot of Loveridge Road extended, Pittsburg. Datum: MLLW
Operator: Not operated.
Owner: USS-Posco Industries.
Address: 900 Loveridge Road. Phone: 510-439-6410/60
Town: Pittsburg State: CA County: Contra Costa
Railway Connection: Plant trackage in rear connects with Atchison, Topeka and Santa Fe Railway and Sacramento Northern Railway.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 38.030278
Total Berthing Space (feet): 400 | | Longitude (decimal): -121.8592
Remarks: Tugboats occasionally moor at dock awaiting vessels using wharf.
Port Series: 32 Year of Last Survey: 1996 Corps of Engnr's Waterway Code: 81401 Sacramento District

Remarks: Tugboats occasionally moor at dock awaiting vessels using wharf.
Port Series: 32 Year of Last Survey: 1996 Corps of Engnr's Waterway Code: 81401 Sacramento District

Port Facilities by Waterway

Waterway: **New York Slough** Mile: PWD: 003
 Name: **USS-Posco Industries, Pittsburg Wharf.**
 Port: Sacramento, Stockton
 Location: South side, New York Slough, approximately 2,400 feet below foot of Loveridge Road extended, Pittsburg. Datum: MLLW
 Operator: USS-Posco Industries.
 Owner: USS-Posco Industries.
 Address: 900 Loveridge Road. Phone: 510-439-6410/60
 Town: Pittsburg State: CA County: Contra Costa
 Railway Connection: Two connecting surface tracks along full length of wharf join via curved rail trestles at each end, connecting with Atchison, Topeka and Santa Fe Railway and Sacramento Northern Railway.

Purpose: Receipt of semifinished steel by vessel and barge.
 Depth Alongside (feet): 33 | | Latitude (decimal): 38.030833
 Total Berthing Space (feet): 891 | | Longitude (decimal): -121.8606
 Waterway: **New York Slough** Mile: PWD: 003

Name: **USS-Posco Industries, Pittsburg Wharf.**
 Port: Sacramento, Stockton
 Location: South side, New York Slough, approximately 2,400 feet below foot of Loveridge Road extended, Pittsburg. Datum: MLLW
 Operator: USS-Posco Industries.
 Owner: USS-Posco Industries.
 Address: 900 Loveridge Road. Phone: 510-439-6410/60
 Town: Pittsburg State: CA County: Contra Costa
 Railway Connection: Two connecting surface tracks along full length of wharf join via curved rail trestles at each end, connecting with Atchison, Topeka and Santa Fe Railway and Sacramento Northern Railway.

Purpose: Receipt of semifinished steel by vessel and barge.
 Depth Alongside (feet): 33 | | Latitude (decimal): 38.030833
 Total Berthing Space (feet): 891 | | Longitude (decimal): -121.8606
 Remarks: Steel finishing mill is located in rear.

Port Series: 32 Year of Last Survey: 1996 Corps of Engrs Waterway Code: 81401 Sacramento District

Remarks: Steel finishing mill is located in rear.

Port Series: 32 Year of Last Survey: 1996 Corps of Engrs Waterway Code: 81401 Sacramento District

Port Facilities by Waterway

Waterway: **New York Slough** Mile: PWD: 003
Name: **USS-Posco Industries, Pittsburg Wharf.**
Port: Sacramento, Stockton
Location: South side, New York Slough, approximately 2,400 feet below foot of Loveridge Road extended, Pittsburg. Datum: MLLW
Operator: USS-Posco Industries.
Owner: USS-Posco Industries.
Address: 900 Loveridge Road. Phone: 510-439-6410/60
Town: Pittsburg State: CA County: Contra Costa
Railway Connection: Two connecting surface tracks along full length of wharf join via curved rail trestles at each end, connecting with Atchison, Topeka and Santa Fe Railway and Sacramento Northern Railway.
Purpose: Receipt of semifinished steel by vessel and barge.
Depth Alongside (feet): 33 | | Latitude (decimal): 38.030833
Total Berthing Space (feet): 891 | | Longitude (decimal): -121.8606
Waterway: **New York Slough** Mile: PWD: 003
Name: **USS-Posco Industries, Pittsburg Wharf.**
Port: Sacramento, Stockton
Location: South side, New York Slough, approximately 2,400 feet below foot of Loveridge Road extended, Pittsburg. Datum: MLLW
Operator: USS-Posco Industries.
Owner: USS-Posco Industries.
Address: 900 Loveridge Road. Phone: 510-439-6410/60
Town: Pittsburg State: CA County: Contra Costa
Railway Connection: Two connecting surface tracks along full length of wharf join via curved rail trestles at each end, connecting with Atchison, Topeka and Santa Fe Railway and Sacramento Northern Railway.
Purpose: Receipt of semifinished steel by vessel and barge.
Depth Alongside (feet): 33 | | Latitude (decimal): 38.030833
Total Berthing Space (feet): 891 | | Longitude (decimal): -121.8606
Remarks: Steel finishing mill is located in rear.
Port Series: 32 Year of Last Survey: 1996 Corps of Engrs Waterway Code: 81401 Sacramento District

Remarks: Steel finishing mill is located in rear.
Port Series: 32 Year of Last Survey: 1996 Corps of Engrs Waterway Code: 81401 Sacramento District

Port Facilities by Waterway

Waterway: **Sacramento River** Mile: 57.8 PWD: 036
Name: **Ramos Oil Co., West Sacramento Wharf.**
Port: Sacramento, Stockton
Location: Right bank, Sacramento River, mile 57.8, approximately 2,000 feet above entrance Datum: MLLW
to Barge Canal and lock
Operator: Not operated.
Owner: Ramos Oil Co.
Address: 1515 South River Road. Phone: 916-371-2570x2
Town: West Sacramento State: CA County: Yolo
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.567222
Total Berthing Space (feet): 100 | | Longitude (decimal): -121.5203
Waterway: **Sacramento River** Mile: 57.8 PWD: 036

Name: **Ramos Oil Co., West Sacramento Wharf.**
Port: Sacramento, Stockton
Location: Right bank, Sacramento River, mile 57.8, approximately 2,000 feet above entrance Datum: MLLW
to Barge Canal and lock
Operator: Not operated.
Owner: Ramos Oil Co.
Address: 1515 South River Road. Phone: 916-371-2570x2
Town: West Sacramento State: CA County: Yolo
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.567222
Total Berthing Space (feet): 100 | | Longitude (decimal): -121.5203
Remarks: Pipelines extending from wharf to storage tanks located at rear were not in use at time of survey.

Port Series: 32 Year of Last Survey: 1996 Corps of Eng'rs Waterway Code: 81160 Sacramento District

Remarks: Pipelines extending from wharf to storage tanks located at rear were not in use at time of survey.

Port Series: 32 Year of Last Survey: 1996 Corps of Eng'rs Waterway Code: 81160 Sacramento District

Port Facilities by Waterway

Waterway: **Sacramento River** Mile: 57.8 PWD: 036
Name: **Ramos Oil Co., West Sacramento Wharf.**
Port: Sacramento, Stockton
Location: Right bank, Sacramento River, mile 57.8, approximately 2,000 feet above entrance Datum: MLLW
to Barge Canal and lock
Operator: Not operated.
Owner: Ramos Oil Co.
Address: 1515 South River Road. Phone: 916-371-2570x2
Town: West Sacramento State: CA County: Yolo
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.567222
Total Berthing Space (feet): 100 | | Longitude (decimal): -121.5203
Waterway: **Sacramento River** Mile: 57.8 PWD: 036
Name: **Ramos Oil Co., West Sacramento Wharf.**
Port: Sacramento, Stockton
Location: Right bank, Sacramento River, mile 57.8, approximately 2,000 feet above entrance Datum: MLLW
to Barge Canal and lock
Operator: Not operated.
Owner: Ramos Oil Co.
Address: 1515 South River Road. Phone: 916-371-2570x2
Town: West Sacramento State: CA County: Yolo
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.567222
Total Berthing Space (feet): 100 | | Longitude (decimal): -121.5203
Remarks: Pipelines extending from wharf to storage tanks located at rear were not in use at time of survey.
Port Series: 32 Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81160 Sacramento District

Remarks: Pipelines extending from wharf to storage tanks located at rear were not in use at time of survey.

Port Series: 32 Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81160 Sacramento District

Port Facilities by Waterway

Waterway: **Sacramento River** Mile: 57.9 PWD: 037
Name: **Ramos Oil Co., West Sacramento Pier.** □
Port: Sacramento, Stockton
Location: Right bank, Sacramento River, mile 57.9, approximately 0.3 mile below Interstate Highway 80 Bridge, West Datum: MLLW
Operator: Ramos Oil Co.
Owner: Ramos Oil Co.
Address: 1515 South River Road. Phone: 916-371-2570x2
Town: West Sacramento State: CA County: Yolo
Railway Connection: None.
Purpose: Mooring small vessels.
Depth Alongside (feet): 7 | | Latitude (decimal): 38.568889
Total Berthing Space (feet): 650 | | Longitude (decimal): -121.5189
Waterway: **Sacramento River** Mile: 57.9 PWD: 037

Name: **Ramos Oil Co., West Sacramento Pier.** □
Port: Sacramento, Stockton
Location: Right bank, Sacramento River, mile 57.9, approximately 0.3 mile below Interstate Highway 80 Bridge, West Datum: MLLW
Operator: Ramos Oil Co.
Owner: Ramos Oil Co.
Address: 1515 South River Road. Phone: 916-371-2570x2
Town: West Sacramento State: CA County: Yolo
Railway Connection: None.
Purpose: Mooring small vessels.
Depth Alongside (feet): 7 | | Latitude (decimal): 38.568889
Total Berthing Space (feet): 650 | | Longitude (decimal): -121.5189
Remarks: A 4-foot wide steel catwalk extends down levee bank at lower side of pier for access to moored vessels at low water. □

Port Series: 32 Year of Last Survey: 1996 Corps of Engnr's Waterway Code: 81160 Sacramento District

Remarks: A 4-foot wide steel catwalk extends down levee bank at lower side of pier for access to moored vessels at low water. □

Port Series: 32 Year of Last Survey: 1996 Corps of Engnr's Waterway Code: 81160 Sacramento District

Port Facilities by Waterway

Waterway: **Sacramento River** Mile: 57.9 PWD: 037
 Name: **Ramos Oil Co., West Sacramento Pier.**
 Port: Sacramento, Stockton
 Location: Right bank, Sacramento River, mile 57.9, approximately 0.3 mile below Interstate Highway 80 Bridge, West Datum: MLLW
 Operator: Ramos Oil Co.
 Owner: Ramos Oil Co.
 Address: 1515 South River Road. Phone: 916-371-2570x2
 Town: West Sacramento State: CA County: Yolo
 Railway Connection: None.
 Purpose: Mooring small vessels.
 Depth Alongside (feet): 7 | | Latitude (decimal): 38.568889
 Total Berthing Space (feet): 650 | | Longitude (decimal): -121.5189
 Waterway: **Sacramento River** Mile: 57.9 PWD: 037

Name: **Ramos Oil Co., West Sacramento Pier.**
 Port: Sacramento, Stockton
 Location: Right bank, Sacramento River, mile 57.9, approximately 0.3 mile below Interstate Highway 80 Bridge, West Datum: MLLW
 Operator: Ramos Oil Co.
 Owner: Ramos Oil Co.
 Address: 1515 South River Road. Phone: 916-371-2570x2
 Town: West Sacramento State: CA County: Yolo
 Railway Connection: None.
 Purpose: Mooring small vessels.
 Depth Alongside (feet): 7 | | Latitude (decimal): 38.568889
 Total Berthing Space (feet): 650 | | Longitude (decimal): -121.5189
 Remarks: A 4-foot wide steel catwalk extends down levee bank at lower side of pier for access to moored vessels at low water.

Port Series: 32 Year of Last Survey: 1996 Corps of Engnr's Waterway Code: 81160 Sacramento District

Remarks: A 4-foot wide steel catwalk extends down levee bank at lower side of pier for access to moored vessels at low water.

Port Series: 32 Year of Last Survey: 1996 Corps of Engnr's Waterway Code: 81160 Sacramento District

Port Facilities by Waterway

Waterway: **Sacramento River** Mile: 58.1 PWD: 038
 Name: **RMC Lonestar, West Sacramento Terminal Wharf.**
 Port: Sacramento, Stockton
 Location: Right bank, Sacramento River, mile 58.1, approximately 400 feet below Interstate Highway 80 Bridge, West Datum: MLLW
 Operator: RMC Lonestar.
 Owner: RMC Lonestar.
 Address: 1501 South River Road. Phone: 916-372-8338
 Town: West Sacramento State: CA County: Yolo
 Railway Connection: Three surface tracks serve plant in rear; connect with Sacramento Northern Railway.
 Purpose: Mooring vessels.
 Depth Alongside (feet): 15 | | Latitude (decimal): 38.57
 Total Berthing Space (feet): 153 | | Longitude (decimal): -121.5178
 Remarks: One 12- and one 10-inch pipelines extending from tower on wharf to 6 storage silos at plant in rear, total storage capacity 26,300 tons, were not in use at time of survey.

Port Series: 32 Year of Last Survey: 1996 Corps of Engrns Waterway Code: 81160 Sacramento District

Waterway: **Sacramento River** Mile: 58.4 PWD: 039
 Name: **McCuen Properties, West Sacramento Pier.**
 Port: Sacramento, Stockton
 Location: Right bank, Sacramento River, mile 58.4, approximately 600 above below Interstate Highway 80 Bridge, Wes Datum: MLLW
 Operator: Not operated.
 Owner: McCuen Properties.
 Address: 901 South River Road Phone: 916-481-6300
 Town: West Sacramento State: CA County: Yolo
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 10 | | Latitude (decimal): 38.573333
 Total Berthing Space (feet): 100 | | Longitude (decimal): -121.5139
 Remarks: Wharf was formerly used for shipment of sacked milled and bulk milled rice. Rice elevator at rear consisting of 8 concrete silos, 5 interstices, and 6 bulk paddy rice warehouses and having total capacity form 17 not in use at time of survey. Plans call for the demolition of the elevator.

Port Series: 32 Year of Last Survey: 1996 Corps of Engrns Waterway Code: 81160 Sacramento District

Port Facilities by Waterway

Waterway: **Sacramento River** Mile: 59.2 PWD: 040
Name: **City of Sacramento, L Street Landing.**
Port: Sacramento, Stockton
Location: Left bank, Sacramento River, mile 59.2, approximately 300 feet above Tower Bridge, Datum: MLLW foot of L Street exte
Operator: City of Sacramento and Channel Star Excursions, Inc.
Owner: City of Sacramento.
Address: 110 L Street. Phone: 916-552-2933
Town: Sacramento State: CA County: Sacramento
Railway Connection: None.
Purpose: Mooring excursion vessels 'Spirit of Sacramento' and 'Matthew McKinley'.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.581111
Total Berthing Space (feet): 325 | | Longitude (decimal): -121.5056
Remarks: -
Port Series: 32 Year of Last Survey: 1996 Corps of Engrns Waterway Code: 81160 Sacramento District

Waterway: **Sacramento River** Mile: 61.1 PWD: 041
Name: **U.S. Air Force, Sacramento Wharf.**
Port: Sacramento, Stockton
Location: Left bank, Sacramento River, mile 61.1, approximately 1 1/4 miles upstream from Datum: MLLW mouth of American River,
Operator: U. S. Air Force.
Owner: United States Government.
Address: 1601 Garden Highway. Phone: 916-643-3839
Town: Sacramento State: CA County: Sacramento
Railway Connection: None.
Purpose: Mooring vessels.
Depth Alongside (feet): 16 | | Latitude (decimal): 38.604722
Total Berthing Space (feet): 319 | | Longitude (decimal): -121.5228
Remarks: Highway vehicles have access to wharf. A 106- by 52-foot, plywood and polyurethane foam float with 2 inner boat stalls covered by timber frame, metal-covered building is permanently moored along lower portion of
Port Series: 32 Year of Last Survey: 1996 Corps of Engrns Waterway Code: 81161 Sacramento District

Port Facilities by Waterway

Waterway: **Sacramento River** Mile: 62.5 PWD: 042
Name: **U. S. Army Corps of Engineers, Bryte Yard Mooring.**
Port: Sacramento, Stockton
Location: Right bank, Sacramento River, mile 62.5, foot of Yolo Street extended, Bryte. Datum: MLLW
Operator: U. S. Army Corps of Engineers.
Owner: United States Government.
Address: 1645 Riverbank Road. Phone: 916-557-7491
Town: Bryte State: CA County: Yolo
Railway Connection: None.
Purpose: Mooring government-owned, floating equipment.
Depth Alongside (feet): 20 - 25 | | Latitude (decimal): 38.598889
Total Berthing Space (feet): 300, | | Longitude (decimal): -121.5403
Remarks: U. S. Army Corps of Engineers storage yard is located in rear.□□
Port Series: 32 Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81163 Sacramento District

Waterway: **Sacramento River Ship Channel** Mile: PWD: 035
Name: **Sacramento-Yolo Port District, Berth No. 1 Wharf.**
Port: Sacramento, Stockton
Location: Head of Sacramento River Deep Water Ship Channel, north side of Deep Water Harbor at junction of Barge C Datum: MLLW
Operator: Sacramento-Yolo Port District.□
Owner: Sacramento-Yolo Port District.
Address: 2101 Stone Blvd. Phone: 916-371-3100
Town: West Sacramento State: CA County: Yolo
Railway Connection: Surface tracks serve Port of Sacramento Rice Elevator and Farmers' Rice Cooperative Elevator; connect with Union Pacific Railroad and tracks of Southern Pacific Transportation Co.with
Purpose: Shipment of bulk milled rice.□
Depth Alongside (feet): 35 | 13 - 35 | 13 Latitude (decimal): 38.561667
Total Berthing Space (feet): 613 | | 400 Longitude (decimal): -121.5419
Remarks: Port of Sacramento Rice Elevator located at rear consisting of 8 silos and 3 compartmented interstices has capacity for 21,500 tons of rice. Farmers' Rice Cooperative Elevator located on opposite side of Industr consisting of 20 concrete silos and 5 bulk storage warehouses, has capacity for 87,000 tons (rice) in bulk and 24,000 tons bagged. Bagged rice is regularly shipped from Berths Nos. 7, 6, and 2.
Port Series: 32 Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81726 Sacramento District

Port Facilities by Waterway

Waterway: **Sacramento River Ship Channel** Mile: PWD: 034
 Name: **Sacramento-Yolo Port District, Berth No. 2 Wharf.**
 Port: Sacramento, Stockton
 Location: Head of Sacramento River Deep Water Ship Channel, north side of Deep Water Harbor at eastern end of Turn Datum: MLLW
 Operator: Sacramento-Yolo Port District.
 Owner: Sacramento-Yolo Port District.
 Address: Phone: 916-371-8000
 Town: West Sacramento State: CA County: Yolo
 Railway Connection: One surface track on wharf apron and one surface track in rear of transit shed serve open storage area; connect with Union Pacific Railroad and tracks of Southern Pacific Transportation Co.
 Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; and shipment of bagged rice.
 Depth Alongside (feet): 35 | | Latitude (decimal): 38.561667
 Total Berthing Space (feet): 600 | | Longitude (decimal): -121.5439
 Remarks: Approximately 2.5 acres of asphalt-paved, open storage area are located at rear of transit shed. Trucks have access to wharf apron and to inside of transit shed. A 2-truck-capacity truck well is located at each
 Port Series: 32 Year of Last Survey: 1996 Corps of Engrns Waterway Code: 81726 Sacramento District

Waterway: **Sacramento River Ship Channel** Mile: PWD: 033
 Name: **Sacramento-Yolo Port District, Berth No. 4 Wharf.**
 Port: Sacramento, Stockton
 Location: Head of Sacramento River Deep Water Ship Channel, foot of Terminal Street extended, West Sacramento. Datum: MLLW
 Operator: Brusco Tug & Barge, Inc.
 Owner: Sacramento-Yolo Port District.
 Address: Port of Sacramento, Berth 4 Phone: 916-372-0986
 Town: West Sacramento State: CA County: Yolo
 Railway Connection: None.
 Purpose: Mooring company-owned tugsboats.
 Depth Alongside (feet): 12 | | Latitude (decimal): 38.562222
 Total Berthing Space (feet): 50 | | Longitude (decimal): -121.5456
 Remarks: Tugs 'Angie Brusco', 'Rachelle Brusco', and 'Karin Salbu' berth at pier. Dispatch office is located at rear.
 Port Series: 32 Year of Last Survey: 1996 Corps of Engrns Waterway Code: 81726 Sacramento District

Port Facilities by Waterway

Waterway: **Sacramento River Ship Channel** Mile: PWD: 032
 Name: **Sacramento-Yolo Port District, Berth No. 5 Wharf.**
 Port: Sacramento, Stockton
 Location: Northeast side of Sacramento River Deep Water Ship Channel Turning Basin, Datum: MLLW
 southeast of foot of Harbor BI
 Operator: Cargill, Inc. and Sacramento-Yolo Port District.
 Owner: Sacramento-Yolo Port District.
 Address: P.O. Box 774 Phone: 916-371-6513/40
 Town: West Sacramento State: CA County: Yolo
 Railway Connection: Trackage serving grain elevator joins additional trackage serving terminal; connects with
 Union Pacific Railroad and tracks of Southern Pacific Transportation Co.
 Purpose: Shipment of grain, feed pellets, and miscellaneous dry bulk materials.
 Depth Alongside (feet): 35 | 11 - 35 | 11 Latitude (decimal): 38.562778
 Total Berthing Space (feet): 600 | | 300 Longitude (decimal): -121.5467
 Remarks: belt conveyor system extending from bulk storage warehouses described under Ref. No. 29 and open
 storage areas at rear. □ Grain elevator on opposite side of Stone Boulevard in rear, consisting of 12
 concrete silos, 6 interstices, 6 steel storage tanks, and a warehouse for bagged grain, has total storage
 capacity for 1,227,000 bushels. Elevator handles wheat, barley, oats, safflower seed, milled rice, corn,
 milo, pellets, cotton seed pellets, and soy bean meal. Berths Nos. 5, 6, 7, and 8 provide for 2,040 feet
 of contiguous berthing space.

Port Series: 32 Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81726 Sacramento District

Waterway: **Sacramento River Ship Channel** Mile: PWD: 031
 Name: **Sacramento-Yolo Port District, Berth No. 6 Wharf.**
 Port: Sacramento, Stockton
 Location: Northeast side of Sacramento River Deep Water Ship Channel Turning Basin, Datum: MLLW
 southeast of foot of Harbor BI
 Operator: Sacramento-Yolo Port District.
 Owner: Sacramento-Yolo Port District.
 Address: P.O. Box 980070 Phone: 916-371-8000
 Town: West Sacramento State: CA County: Yolo
 Railway Connection: Two surface tracks on apron extend to Berth No. 7 and 2 surface tracks extend along rear
 of open storage area; connect with Union Pacific Railroad and tracks of Southern Pacific
 Transportation Co.
 Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade and miscellaneous
 bulk materials; shipment of bagged rice and logs.
 Depth Alongside (feet): 35 | | | Latitude (decimal): 38.563889
 Total Berthing Space (feet): 600 | | | Longitude (decimal): -121.5483
 Remarks: Approximately 3.7 acres of paved open storage area at rear and an additional 5.5 acres are located in
 rear of transit shed on adjacent Berth No. 7 (Ref No. 30). Trucks have access to wharf apron.

Port Series: 32 Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81726 Sacramento District

Port Facilities by Waterway

Waterway: **Sacramento River Ship Channel** Mile: PWD: 030
 Name: **Sacramento-Yolo Port District, Berth No. 7 Wharf.**
 Port: Sacramento, Stockton
 Location: Northeast side of Sacramento River Deep Water Ship Channel Turning Basin, Datum: MLLW
 southeast of foot of Harbor BI
 Operator: Sacramento-Yolo Port District.
 Owner: Sacramento-Yolo Port District.
 Address: P.O. Box 980070 Phone: 916-371-8000
 Town: West Sacramento State: CA County: Yolo
 Railway Connection: Two surface tracks on apron extending from Berth No. 6 and surface tracks in rear of transit shed; connect with Union Pacific Railroad and tracks of Southern Pacific Transportation Co.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; receipt of newsprint, fertilizer materials, and miscellaneous bulk commodities; and shipment of bagged rice.

Depth Alongside (feet): 35 | | Latitude (decimal): 38.564722
 Total Berthing Space (feet): 840 | | Longitude (decimal): -121.5494

Waterway: **Sacramento River Ship Channel** Mile: PWD: 030
 Name: **Sacramento-Yolo Port District, Berth No. 7 Wharf.**
 Port: Sacramento, Stockton
 Location: Northeast side of Sacramento River Deep Water Ship Channel Turning Basin, Datum: MLLW
 southeast of foot of Harbor BI
 Operator: Sacramento-Yolo Port District.
 Owner: Sacramento-Yolo Port District.
 Address: P.O. Box 980070 Phone: 916-371-8000
 Town: West Sacramento State: CA County: Yolo
 Railway Connection: Two surface tracks on apron extending from Berth No. 6 and surface tracks in rear of transit shed; connect with Union Pacific Railroad and tracks of Southern Pacific Transportation Co.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; receipt of newsprint, fertilizer materials, and miscellaneous bulk commodities; and shipment of bagged rice.

Depth Alongside (feet): 35 | | Latitude (decimal): 38.564722
 Total Berthing Space (feet): 840 | | Longitude (decimal): -121.5494

Remarks: Wharf is in line and contiguous with Ref Nos. 29 and 31. Trucks have access to wharf apron and to interior of transit shed. A 2-truck-capacity truck well is located at each side of transit shed.

Port Series: 32 Year of Last Survey: 1996 Corps of Engns Waterway Code: 81726 Sacramento District

Remarks: Wharf is in line and contiguous with Ref Nos. 29 and 31. Trucks have access to wharf apron and to interior of transit shed. A 2-truck-capacity truck well is located at each side of transit shed.

Port Series: 32 Year of Last Survey: 1996 Corps of Engns Waterway Code: 81726 Sacramento District

Port Facilities by Waterway

Waterway: **Sacramento River Ship Channel** Mile: PWD: 030
 Name: **Sacramento-Yolo Port District, Berth No. 7 Wharf.**
 Port: Sacramento, Stockton
 Location: Northeast side of Sacramento River Deep Water Ship Channel Turning Basin, Datum: MLLW
 southeast of foot of Harbor BI
 Operator: Sacramento-Yolo Port District.
 Owner: Sacramento-Yolo Port District.
 Address: P.O. Box 980070 Phone: 916-371-8000
 Town: West Sacramento State: CA County: Yolo
 Railway Connection: Two surface tracks on apron extending from Berth No. 6 and surface tracks in rear of transit shed; connect with Union Pacific Railroad and tracks of Southern Pacific Transportation Co.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; receipt of newsprint, fertilizer materials, and miscellaneous bulk commodities; and shipment of bagged rice.

Depth Alongside (feet): 35 | | Latitude (decimal): 38.564722
 Total Berthing Space (feet): 840 | | Longitude (decimal): -121.5494

Waterway: **Sacramento River Ship Channel** Mile: PWD: 030
 Name: **Sacramento-Yolo Port District, Berth No. 7 Wharf.**
 Port: Sacramento, Stockton
 Location: Northeast side of Sacramento River Deep Water Ship Channel Turning Basin, Datum: MLLW
 southeast of foot of Harbor BI
 Operator: Sacramento-Yolo Port District.
 Owner: Sacramento-Yolo Port District.
 Address: P.O. Box 980070 Phone: 916-371-8000
 Town: West Sacramento State: CA County: Yolo
 Railway Connection: Two surface tracks on apron extending from Berth No. 6 and surface tracks in rear of transit shed; connect with Union Pacific Railroad and tracks of Southern Pacific Transportation Co.
 Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; receipt of newsprint, fertilizer materials, and miscellaneous bulk commodities; and shipment of bagged rice.
 Depth Alongside (feet): 35 | | Latitude (decimal): 38.564722
 Total Berthing Space (feet): 840 | | Longitude (decimal): -121.5494
 Remarks: Wharf is in line and contiguous with Ref Nos. 29 and 31. Trucks have access to wharf apron and to interior of transit shed. A 2-truck-capacity truck well is located at each side of transit shed.

Port Series: 32 Year of Last Survey: 1996 Corps of Engrs Waterway Code: 81726 Sacramento District

Remarks: Wharf is in line and contiguous with Ref Nos. 29 and 31. Trucks have access to wharf apron and to interior of transit shed. A 2-truck-capacity truck well is located at each side of transit shed.

Port Series: 32 Year of Last Survey: 1996 Corps of Engrs Waterway Code: 81726 Sacramento District

Port Facilities by Waterway

Waterway: **Sacramento River Ship Channel** Mile: PWD: 029
 Name: **Sacramento-Yolo Port District, Berth No. 8 Wharf.**
 Port: Sacramento, Stockton
 Location: Northeast side of Sacramento River Deep Water Ship Channel Turning Basin, Datum: MLLW
 southeast of foot of Harbor BI
 Operator: Sacramento-Yolo Port District.
 Owner: Sacramento-Yolo Port District.
 Address: P.O. Box 980070 Phone: 916-371-8000
 Town: West Sacramento State: CA County: Yolo
 Railway Connection: Surface tracks serve a rotary car dumper and an undertrack pit, each serving a bulk storage warehouse in rear; connect with Union Pacific Railroad and tracks of Southern Pacific Transportation Co.

Purpose: Shipment of wood chips and miscellaneous dry bulk commodities.
 Depth Alongside (feet): 35 | | Latitude (decimal): 38.565556
 Total Berthing Space (feet): 840 | | Longitude (decimal): -121.5511

Waterway: **Sacramento River Ship Channel** Mile: PWD: 029
 Name: **Sacramento-Yolo Port District, Berth No. 8 Wharf.**
 Port: Sacramento, Stockton
 Location: Northeast side of Sacramento River Deep Water Ship Channel Turning Basin, Datum: MLLW
 southeast of foot of Harbor BI
 Operator: Sacramento-Yolo Port District.
 Owner: Sacramento-Yolo Port District.
 Address: P.O. Box 980070 Phone: 916-371-8000
 Town: West Sacramento State: CA County: Yolo
 Railway Connection: Surface tracks serve a rotary car dumper and an undertrack pit, each serving a bulk storage warehouse in rear; connect with Union Pacific Railroad and tracks of Southern Pacific Transportation Co.

Purpose: Shipment of wood chips and miscellaneous dry bulk commodities.
 Depth Alongside (feet): 35 | | Latitude (decimal): 38.565556
 Total Berthing Space (feet): 840 | | Longitude (decimal): -121.5511

Remarks: Berthing space includes Berth No. 7 (Ref. No. 30) which is contiguous, in line, and must at least be partially used by vessels due to location of shiploader. One 38,000-, one 68,000-, one 109,000, one 73,000-, an bulk storage warehouses, total capacity 227,000 tons, and 4, asphalt-paved, open storage areas for wood chips, total area 27.3 acres, are connected to shiploader at wharf by 36- and 48-inch, covered, electric, belt coReceiving facilities for bulk materials include a rotary car dumper, a rail car pit, a truck pit, one fixed and one portable truck dumpers. One wood chip storage area is served by one traveling and tw75-foot long, 36-inch conveyor booms. Each is served by 36-inch, overhead, belt conveyors. Two rubber tire and one crawler bulldozers reclaim wood chips from storage to ground level hoppers servingarea.

Port Series: 32 Year of Last Survey: 1996 Corps of Engnr's Waterway Code: 81726 Sacramento District

Remarks: Berthing space includes Berth No. 7 (Ref. No. 30) which is contiguous, in line, and must at least be partially used by vessels due to location of shiploader. One 38,000-, one 68,000-, one 109,000, one 73,000-, an bulk storage warehouses, total capacity 227,000 tons, and 4, asphalt-paved, open storage areas for wood chips, total area 27.3 acres, are connected to shiploader at wharf by 36- and 48-inch, covered, electric, belt coReceiving facilities for bulk materials include a rotary car dumper, a rail car pit, a truck pit, one fixed and one portable truck dumpers. One wood chip storage area is served by one traveling and tw75-foot long, 36-inch conveyor booms. Each is served by 36-inch, overhead, belt conveyors. Two rubber tire and one crawler bulldozers reclaim wood chips from storage to ground level hoppers servingarea.

Port Series: 32 Year of Last Survey: 1996 Corps of Engnr's Waterway Code: 81726 Sacramento District

Port Facilities by Waterway

Waterway: **Sacramento River Ship Channel** Mile: PWD: 029
 Name: **Sacramento-Yolo Port District, Berth No. 8 Wharf.**
 Port: Sacramento, Stockton
 Location: Northeast side of Sacramento River Deep Water Ship Channel Turning Basin, Datum: MLLW
 southeast of foot of Harbor BI
 Operator: Sacramento-Yolo Port District.
 Owner: Sacramento-Yolo Port District.
 Address: P.O. Box 980070 Phone: 916-371-8000
 Town: West Sacramento State: CA County: Yolo
 Railway Connection: Surface tracks serve a rotary car dumper and an undertrack pit, each serving a bulk storage warehouse in rear; connect with Union Pacific Railroad and tracks of Southern Pacific Transportation Co.

Purpose: Shipment of wood chips and miscellaneous dry bulk commodities.
 Depth Alongside (feet): 35 | | Latitude (decimal): 38.565556
 Total Berthing Space (feet): 840 | | Longitude (decimal): -121.5511
 Waterway: **Sacramento River Ship Channel** Mile: PWD: 029

Name: **Sacramento-Yolo Port District, Berth No. 8 Wharf.**
 Port: Sacramento, Stockton
 Location: Northeast side of Sacramento River Deep Water Ship Channel Turning Basin, Datum: MLLW
 southeast of foot of Harbor BI
 Operator: Sacramento-Yolo Port District.
 Owner: Sacramento-Yolo Port District.
 Address: P.O. Box 980070 Phone: 916-371-8000
 Town: West Sacramento State: CA County: Yolo
 Railway Connection: Surface tracks serve a rotary car dumper and an undertrack pit, each serving a bulk storage warehouse in rear; connect with Union Pacific Railroad and tracks of Southern Pacific Transportation Co.

Purpose: Shipment of wood chips and miscellaneous dry bulk commodities.
 Depth Alongside (feet): 35 | | Latitude (decimal): 38.565556
 Total Berthing Space (feet): 840 | | Longitude (decimal): -121.5511

Remarks: Berthing space includes Berth No. 7 (Ref. No. 30) which is contiguous, in line, and must at least be partially used by vessels due to location of shiploader. One 38,000-, one 68,000-, one 109,000, one 73,000-, an bulk storage warehouses, total capacity 227,000 tons, and 4, asphalt-paved, open storage areas for wood chips, total area 27.3 acres, are connected to shiploader at wharf by 36- and 48-inch, covered, electric, belt coReceiving facilities for bulk materials include a rotary car dumper, a rail car pit, a truck pit, one fixed and one portable truck dumpers. One wood chip storage area is served by one traveling and tw75-foot long, 36-inch conveyor booms. Each is served by 36-inch, overhead, belt conveyors. Two rubber tire and one crawler bulldozers reclaim wood chips from storage to ground level hoppers servingarea.

Port Series: 32 Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81726 Sacramento District

Remarks: Berthing space includes Berth No. 7 (Ref. No. 30) which is contiguous, in line, and must at least be partially used by vessels due to location of shiploader. One 38,000-, one 68,000-, one 109,000, one 73,000-, an bulk storage warehouses, total capacity 227,000 tons, and 4, asphalt-paved, open storage areas for wood chips, total area 27.3 acres, are connected to shiploader at wharf by 36- and 48-inch, covered, electric, belt coReceiving facilities for bulk materials include a rotary car dumper, a rail car pit, a truck pit, one fixed and one portable truck dumpers. One wood chip storage area is served by one traveling and tw75-foot long, 36-inch conveyor booms. Each is served by 36-inch, overhead, belt conveyors. Two rubber tire and one crawler bulldozers reclaim wood chips from storage to ground level hoppers servingarea.

Port Series: 32 Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81726 Sacramento District

Port Facilities by Waterway

Waterway: **Sacramento River Ship Channel** Mile: 41.2 PWD: 028
 Name: **Ag West Traders, Sacramento Dock.**
 Port: Sacramento, Stockton
 Location: North side, Sacramento River Deep Water Ship Channel, mile 41.2, West Datum: MLLW
 Sacramento.
 Operator: Ag West Traders Ltd., LLC.
 Owner: Ag West Traders Ltd., LLC.
 Address: 3808 Auburn Blvd, Suite 52 Phone: 916-974-0270
 Town: West Sacramento State: CA County: Yolo
 Railway Connection: None.
 Purpose: Shipment of wood chips.
 Depth Alongside (feet): 35 | | Latitude (decimal): 38.566111
 Total Berthing Space (feet): 200 | | Longitude (decimal): -121.5519
 Remarks: Dolphins are in line with Sacramento-Yolo Port District, Berth No. 8. Logs are received by truck at a 50
 acre, unpaved, open storage area leased from Sacramento-Yolo Port District by Sierra Global
 Enterprises, I

Port Series: 32 Year of Last Survey: 1996 Corps of Engrs Waterway Code: 81726 Sacramento District

Waterway: **Sacramento River Ship Channel** Mile: 41.3 PWD: 027
 Name: **Unocal Corp., West Sacramento Terminal Wharf.**
 Port: Sacramento, Stockton
 Location: North side, Sacramento River Deep Water Ship Channel, mile 41.3, West Datum: MLLW
 Sacramento.
 Operator: Unocal Corp., Diversified Businesses Agricultural Products Group.
 Owner: Unocal Corp., Diversified Businesses Agricultural Products Group.
 Address: 3961 Channel Drive. Phone: 916-372-5530
 Town: West Sacramento State: CA County: Yolo
 Railway Connection: One 4-car capacity, surface track serves tank car loading rack; connects with tracks of
 Southern Pacific Transportation Co.
 Purpose: Receipt of anhydrous ammonia and dry bulk chemicals (urea); shipment of sulfuric acid and caustic
 soda.
 Depth Alongside (feet): 35 | | Latitude (decimal): 38.557222
 Total Berthing Space (feet): 803 | | Longitude (decimal): -121.5736
 Remarks: One 12-inch anhydrous ammonia pipeline extends from wharf to two storage tanks located in rear, total
 capacity 15,600,000 gallons; one 2-inch pipeline extends to wharf from one 25,000-gallon caustic soda
 storage pipeline extends to wharf from one 20,000-gallon sulfuric acid storage tank.

Port Series: 32 Year of Last Survey: 1996 Corps of Engrs Waterway Code: 81726 Sacramento District

Port Facilities by Waterway

Waterway: **San Joaquin River** Mile: PWD: 006
Name: **Fulton Shipyard Pier.**
Port: Sacramento, Stockton
Location: South side, San Joaquin River, approximately 1,000 feet above foot of A Street Datum: MLLW
extended, Antioch.□
Operator: Fulton Shipyard, Inc.
Owner: Fulton Shipyard, Inc.
Address: 307 Fulton Shipyard Road. Phone: 510-757-2611
Town: Antioch State: CA County: Contra Costa
Railway Connection: Two surface tracks serve shipyard; connect with Atchison, Topeka and Santa Fe Railway.
Purpose: Mooring vessels for repair, outfitting, and conversion.
Depth Alongside (feet): 16 | | Latitude (decimal): 38.0175
Total Berthing Space (feet): 525 | | Longitude (decimal): -121.8008
Remarks: One 350-ton, marine railway is located approximately 100 feet below bulkhead. Marine repair plant is
located in rear.□
Port Series: 32 Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81405 Sacramento District

Port Facilities by Waterway

Waterway: San Joaquin River	Mile:	PWD: 009
Name: Gaylord Container Corp., California Mill Pier.		
Port: Sacramento, Stockton		
Location: South side, San Joaquin River, approximately 1.2 miles below Antioch Bridge, Antioch. □		Datum: MLLW
Operator: Not operated.		
Owner: Gaylord Container Corp.		
Address: 2301 Wilbur Avenue.		Phone: 510-779-3241/32
Town: Antioch	State: CA	County: Contra Costa
Railway Connection: Plant trackage connects with Atchison, Topeka and Santa Fe Railway.		
Purpose: Not used.		
Depth Alongside (feet): 20		Latitude (decimal): 38.0175
Total Berthing Space (feet): 100		Longitude (decimal): -121.7703
Waterway: San Joaquin River	Mile:	PWD: 009
Name: Gaylord Container Corp., California Mill Pier.		
Port: Sacramento, Stockton		
Location: South side, San Joaquin River, approximately 1.2 miles below Antioch Bridge, Antioch. □		Datum: MLLW
Operator: Not operated.		
Owner: Gaylord Container Corp.		
Address: 2301 Wilbur Avenue.		Phone: 510-779-3241/32
Town: Antioch	State: CA	County: Contra Costa
Railway Connection: Plant trackage connects with Atchison, Topeka and Santa Fe Railway.		
Purpose: Not used.		
Depth Alongside (feet): 20		Latitude (decimal): 38.0175
Total Berthing Space (feet): 100		Longitude (decimal): -121.7703
Remarks: One 10-inch steam-traced pipeline extending from wharf to 2 steel fuel oil storage tanks in rear, total capacity 200,000 barrels were not in use at time of survey. One 6-inch pipeline extending from wharf to one caustic soda storage tank was not in use at time of survey.		
Port Series: 32	Year of Last Survey: 1996	Corps of Engnr's Waterway Code: 81407 Sacramento District

Remarks: One 10-inch steam-traced pipeline extending from wharf to 2 steel fuel oil storage tanks in rear, total capacity 200,000 barrels were not in use at time of survey. One 6-inch pipeline extending from wharf to one caustic soda storage tank was not in use at time of survey.

Port Series: 32	Year of Last Survey: 1996	Corps of Engnr's Waterway Code: 81407	Sacramento District
-----------------	---------------------------	---------------------------------------	---------------------

Port Facilities by Waterway

Waterway: San Joaquin River	Mile:	PWD: 009
Name: Gaylord Container Corp., California Mill Pier.		
Port: Sacramento, Stockton		
Location: South side, San Joaquin River, approximately 1.2 miles below Antioch Bridge, Antioch. □		Datum: MLLW
Operator: Not operated.		
Owner: Gaylord Container Corp.		
Address: 2301 Wilbur Avenue.		Phone: 510-779-3241/32
Town: Antioch	State: CA	County: Contra Costa
Railway Connection: Plant trackage connects with Atchison, Topeka and Santa Fe Railway.		
Purpose: Not used.		
Depth Alongside (feet):	20	Latitude (decimal): 38.0175
Total Berthing Space (feet):	100	Longitude (decimal): -121.7703
Waterway: San Joaquin River		
Mile: PWD: 009		
Name: Gaylord Container Corp., California Mill Pier.		
Port: Sacramento, Stockton		
Location: South side, San Joaquin River, approximately 1.2 miles below Antioch Bridge, Antioch. □		Datum: MLLW
Operator: Not operated.		
Owner: Gaylord Container Corp.		
Address: 2301 Wilbur Avenue.		Phone: 510-779-3241/32
Town: Antioch	State: CA	County: Contra Costa
Railway Connection: Plant trackage connects with Atchison, Topeka and Santa Fe Railway.		
Purpose: Not used.		
Depth Alongside (feet):	20	Latitude (decimal): 38.0175
Total Berthing Space (feet):	100	Longitude (decimal): -121.7703
Remarks: One 10-inch steam-traced pipeline extending from wharf to 2 steel fuel oil storage tanks in rear, total capacity 200,000 barrels were not in use at time of survey. One 6-inch pipeline extending from wharf to one caustic soda storage tank was not in use at time of survey.		
Port Series: 32	Year of Last Survey: 1996	Corps of Engrs Waterway Code: 81407 Sacramento District

Remarks: One 10-inch steam-traced pipeline extending from wharf to 2 steel fuel oil storage tanks in rear, total capacity 200,000 barrels were not in use at time of survey. One 6-inch pipeline extending from wharf to one caustic soda storage tank was not in use at time of survey.

Port Series: 32	Year of Last Survey: 1996	Corps of Engrs Waterway Code: 81407	Sacramento District
-----------------	---------------------------	-------------------------------------	---------------------

Port Facilities by Waterway

Waterway: San Joaquin River	Mile:	PWD: 008
Name: Gaylord Container Corp., California Mill Wharf.		
Port: Sacramento, Stockton		
Location: South side, San Joaquin River, approximately 1.4 miles below Antioch Bridge, Antioch.□		Datum: MLLW
Operator: Richmond Stevedoring Co., Inc.□		
Owner: Gaylord Container Corp.		
Address: 2301 Wilbur Avenue.		Phone: 510-779-3241/32
Town: Antioch	State: CA	County: Contra Costa
Railway Connection: Plant trackage connects with Atchison, Topeka and Santa Fe Railway.		
Purpose: Receipt of miscellaneous dry bulk commodities.		
Depth Alongside (feet): 35		Latitude (decimal): 38.016667
Total Berthing Space (feet): 766		Longitude (decimal): -121.7744
Waterway: San Joaquin River	Mile:	PWD: 008
Name: Gaylord Container Corp., California Mill Wharf.		
Port: Sacramento, Stockton		
Location: South side, San Joaquin River, approximately 1.4 miles below Antioch Bridge, Antioch.□		Datum: MLLW
Operator: Richmond Stevedoring Co., Inc.□		
Owner: Gaylord Container Corp.		
Address: 2301 Wilbur Avenue.		Phone: 510-779-3241/32
Town: Antioch	State: CA	County: Contra Costa
Railway Connection: Plant trackage connects with Atchison, Topeka and Santa Fe Railway.		
Purpose: Receipt of miscellaneous dry bulk commodities.		
Depth Alongside (feet): 35		Latitude (decimal): 38.016667
Total Berthing Space (feet): 766		Longitude (decimal): -121.7744
Remarks: Gaylord Container Corp.: One 16-inch pipeline extending from wharf to one 72,000 barrel, fuel oil storage tank at plant in rear was not in use at time of survey. Paper mill is located in rear.		
Port Series: 32	Year of Last Survey: 1996	Corps of Engnrs Waterway Code: 81407 Sacramento District

Remarks: Gaylord Container Corp.: One 16-inch pipeline extending from wharf to one 72,000 barrel, fuel oil storage tank at plant in rear was not in use at time of survey. Paper mill is located in rear.

Port Series: 32	Year of Last Survey: 1996	Corps of Engnrs Waterway Code: 81407	Sacramento District
-----------------	---------------------------	--------------------------------------	---------------------

Port Facilities by Waterway

Waterway: **San Joaquin River** Mile: PWD: 008
 Name: **Gaylord Container Corp., California Mill Wharf.**
 Port: Sacramento, Stockton
 Location: South side, San Joaquin River, approximately 1.4 miles below Antioch Bridge, Datum: MLLW
 Antioch.□
 Operator: Richmond Stevedoring Co., Inc.□
 Owner: Gaylord Container Corp.
 Address: 2301 Wilbur Avenue. Phone: 510-779-3241/32
 Town: Antioch State: CA County: Contra Costa
 Railway Connection: Plant trackage connects with Atchison, Topeka and Santa Fe Railway.
 Purpose: Receipt of miscellaneous dry bulk commodities.
 Depth Alongside (feet): 35 | | Latitude (decimal): 38.016667
 Total Berthing Space (feet): 766 | | Longitude (decimal): -121.7744
 Waterway: **San Joaquin River** Mile: PWD: 008
 Name: **Gaylord Container Corp., California Mill Wharf.**
 Port: Sacramento, Stockton
 Location: South side, San Joaquin River, approximately 1.4 miles below Antioch Bridge, Datum: MLLW
 Antioch.□
 Operator: Richmond Stevedoring Co., Inc.□
 Owner: Gaylord Container Corp.
 Address: 2301 Wilbur Avenue. Phone: 510-779-3241/32
 Town: Antioch State: CA County: Contra Costa
 Railway Connection: Plant trackage connects with Atchison, Topeka and Santa Fe Railway.
 Purpose: Receipt of miscellaneous dry bulk commodities.
 Depth Alongside (feet): 35 | | Latitude (decimal): 38.016667
 Total Berthing Space (feet): 766 | | Longitude (decimal): -121.7744
 Remarks: Gaylord Container Corp.: One 16-inch pipeline extending from wharf to one 72,000 barrel, fuel oil
 storage tank at plant in rear was not in use at time of survey. Paper mill is located in rear.
 Port Series: 32 Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81407 Sacramento District

Remarks: Gaylord Container Corp.: One 16-inch pipeline extending from wharf to one 72,000 barrel, fuel oil
 storage tank at plant in rear was not in use at time of survey. Paper mill is located in rear.
 Port Series: 32 Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81407 Sacramento District

Port Facilities by Waterway

Waterway: **San Joaquin River** Mile: PWD: 007
 Name: **Georgia-Pacific Corp., Antioch Plant Wharf.**
 Port: Sacramento, Stockton
 Location: South side, San Joaquin River, approximately 2 miles below Antioch Bridge, Datum: MLLW
 Antioch.□
 Operator: Georgia-Pacific Corp.
 Owner: Georgia-Pacific Corp.
 Address: 801 Minaker Drive. Phone: 510-757-2870x2
 Town: Antioch State: CA County: Contra Costa
 Railway Connection: One surface track serves plant in rear; connects with Atchison, Topeka and Santa Fe
 Railway.
 Purpose: Receipt of gypsum rock by self-unloading vessel.
 Depth Alongside (feet): 31 | | Latitude (decimal): 38.015833
 Total Berthing Space (feet): 780 | | Longitude (decimal): -121.7858
 Remarks: Steel frame, metal-covered, storage dome located at rear has capacity for 38,000 tons of gypsum
 rock. Plant in rear manufactures gypsum board.□
 Port Series: 32 Year of Last Survey: 1996 Corps of Engrs Waterway Code: 81407 Sacramento District

Waterway: **San Joaquin River** Mile: PWD: 010
 Name: **Pacific Gas and Electric Co., Contra Costa Power Plant Wharf.**
 Port: Sacramento, Stockton
 Location: South side, San Joaquin River, approximately 3/4 mile below Antioch Bridge, Datum: MLLW
 Antioch.□
 Operator: Not operated.□
 Owner: Pacific Gas and Electric Co.
 Address: Wilbur Avenue. Phone: 510-427-3402
 Town: Antioch State: CA County: Contra Costa
 Railway Connection: Plant trackage connecting with Atchison, Topeka and Santa Fe Railway was not in use at
 time of survey.
 Purpose: Not used.□
 Depth Alongside (feet): 16 - 20 | | Latitude (decimal): 38.02
 Total Berthing Space (feet): 150 | | Longitude (decimal): -121.7633
 Remarks: Wharf was formerly used for receipt of fuel oil for plant consumption. One 12-inch, electrically-traced
 pipeline extending from wharf to 8 insulated steel storage tanks at power plant in rear, total capacity
 2,1 in use at time of survey. Storage tanks are connected via inland pipeline to those at Delta Power
 Plant described under Ref. No. 1.
 Port Series: 32 Year of Last Survey: 1996 Corps of Engrs Waterway Code: 81407 Sacramento District

Port Facilities by Waterway

Waterway: **San Joaquin River** Mile: PWD: 011
 Name: **Tosco Refining Co., Stockton Terminal Wharf.**
 Port: Sacramento, Stockton
 Location: Left bank, San Joaquin River, approximately 0.3 mile west of eastern end of Rough and Ready Island, Stoc Datum: MLLW
 Operator: Not operated.
 Owner: Tosco Refining Co., A Division of Tosco Corp.
 Address: 3505 Navy Drive. Phone: 209-466-6832/68
 Town: Stockton State: CA County: Contra Costa
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 10 | | Latitude (decimal): 37.95
 Total Berthing Space (feet): 100 | | Longitude (decimal): -121.3417
 Remarks: Pipelines extending from wharf to 6 steel storage tanks located in rear, total capacity 76,900 barrels, had been removed at time of survey. □

Port Series: 32 Year of Last Survey: 1996 Corps of Engrns Waterway Code: 81442 Sacramento District

Waterway: **Stockton Deep Water Channel** Mile: PWD: 021
 Name: **Port of Stockton, Wharf No. 3.**
 Port: Sacramento, Stockton
 Location: South side, Stockton Deep Water Channel, at entrance to Turning Basin, Stockton. Datum: MLLW
 Operator: Viridian Fertilizer, Inc.; Calaveras Cement Co.; and Port of Stockton. □
 Owner: Port of Stockton. □
 Address: P.O. Box 2378 Phone: 209-465-1921
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: Stockton Public Belt Railroad: Two surface tracks on apron are continuation of tracks on Wharves Nos. 6, 5, and 4; and 2 platform-level tracks along rear of transit shed.
 Purpose: Receipt and shipment of miscellaneous dry bulk material in foreign and domestic trade; receipt of dry bulk fertilizer and cement.
 Depth Alongside (feet): 35 | | Latitude (decimal): 37.95
 Total Berthing Space (feet): | | Longitude (decimal): -121.3208
 Remarks: Face of wharf is in line and contiguous with faces of Wharves Nos. 6, 5, and 4 providing a total of 1,769 feet of berthing space. Two one-story storage warehouses are located in rear of transit sheds Nos. 3 and construction and divided into 6 sections. (See S.W. Ref. No. 5). □ Viridian Fertilizer, Inc. and Calaveras Cement Co.: See Remarks under Ref. No. 22.

Port Series: 32 Year of Last Survey: 1996 Corps of Engrns Waterway Code: 81442 Sacramento District

Port Facilities by Waterway

Waterway: **Stockton Deep Water Channel** Mile: PWD: 020
Name: **Port of Stockton, Wharf No. 4.**
Port: Sacramento, Stockton
Location: South side, Stockton Deep Water Channel, approximately 850 feet east of entrance Datum: MLLW to Slip No. 1, Stockton
Operator: Port of Stockton.□
Owner: Port of Stockton.□
Address: 2201 West Washington Street Phone: 209-946-0246
Town: Stockton State: CA County: San Joaquin
Railway Connection: Stockton Public Belt Railroad: Two surface tracks on apron are continuation of tracks on Wharves Nos. 6, 5, and 3; and 2 platform-level tracks along rear of transit shed of
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; receipt of dry bulk fertilizer.
Depth Alongside (feet): 35 | | Latitude (decimal): 37.949722
Total Berthing Space (feet): | | Longitude (decimal): -121.3219
Remarks: Face of wharf is in line and contiguous with faces of Wharves Nos. 6, 5, and 3 providing a total of 1,769 feet of berthing space. Bulk fertilizer is unloaded into portable hopper on wharf apron; hopper is serve belt conveyor extending to a fixed, vertical conveyor inside transit shed which connects with the reversible belt conveyor in gallery on roof. Bulk No. 4 Warehouse (S.W. Ref. No. 4) in rear has capacity for 40,000 to materials. An additional 62,800 square feet of concrete-surfaced, open storage area for bulk materials is located at rear of warehouse.
Port Series: 32 Year of Last Survey: 1996 Corps of Engrns Waterway Code: 81442 Sacramento District

Waterway: **Stockton Deep Water Channel** Mile: PWD: 019
Name: **Port of Stockton, Wharf No. 5.**
Port: Sacramento, Stockton
Location: South side, Stockton Deep Water Channel, approximately 420 feet east of entrance Datum: MLLW to Slip No. 1, Stockton
Operator: Port of Stockton.□
Owner: Port of Stockton.□
Address: 2201 West Washington Street Phone: 209-946-0246
Town: Stockton State: CA County: San Joaquin
Railway Connection: Stockton Public Belt Railroad: Two surface tracks on apron are continuation of tracks on Wharves Nos. 6, 4, and 3; and 3 platform-level tracks along rear of transit shed of
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
Depth Alongside (feet): 35 | | Latitude (decimal): 37.949722
Total Berthing Space (feet): | | Longitude (decimal): -121.3231
Remarks: Face of wharf is in line and contiguous with faces of Wharves Nos. 6, 4, and 3 providing a total of 1,769 feet of berthing space.□
Port Series: 32 Year of Last Survey: 1996 Corps of Engrns Waterway Code: 81442 Sacramento District

Port Facilities by Waterway

Waterway: **Stockton Deep Water Channel** Mile: PWD: 018
 Name: **Port of Stockton, Wharf No. 6.**
 Port: Sacramento, Stockton
 Location: South side, Stockton Deep Water Channel, east of entrance to Slip No. 1, Stockton. Datum: MLLW
 Operator: Port of Stockton.
 Owner: Port of Stockton.
 Address: 2201 West Washington Street Phone: 209-946-0246
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: Stockton Public Belt Railroad: Two surface tracks on apron are continuation of tracks on Wharves NOs. 5, 4, and 3.
 Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
 Depth Alongside (feet): 35 | | Latitude (decimal): 37.949444
 Total Berthing Space (feet): | | Longitude (decimal): -121.3247
 Waterway: **Stockton Deep Water Channel** Mile: PWD: 018
 Name: **Port of Stockton, Wharf No. 6.**
 Port: Sacramento, Stockton
 Location: South side, Stockton Deep Water Channel, east of entrance to Slip No. 1, Stockton. Datum: MLLW
 Operator: Port of Stockton.
 Owner: Port of Stockton.
 Address: 2201 West Washington Street Phone: 209-946-0246
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: Stockton Public Belt Railroad: Two surface tracks on apron are continuation of tracks on Wharves NOs. 5, 4, and 3.
 Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
 Depth Alongside (feet): 35 | | Latitude (decimal): 37.949444
 Total Berthing Space (feet): | | Longitude (decimal): -121.3247
 Remarks: Face of wharf is in line and contiguous with faces of Wharves Nos. 5, 4, and 3 providing a total of 1,769 feet of berthing space.
 Port Series: 32 Year of Last Survey: 1996 Corps of Engnr's Waterway Code: 81442 Sacramento District

Remarks: Face of wharf is in line and contiguous with faces of Wharves Nos. 5, 4, and 3 providing a total of 1,769 feet of berthing space.
 Port Series: 32 Year of Last Survey: 1996 Corps of Engnr's Waterway Code: 81442 Sacramento District

Port Facilities by Waterway

Waterway: **Stockton Deep Water Channel** Mile: PWD: 018
 Name: **Port of Stockton, Wharf No. 6.**
 Port: Sacramento, Stockton
 Location: South side, Stockton Deep Water Channel, east of entrance to Slip No. 1, Stockton. Datum: MLLW
 Operator: Port of Stockton.
 Owner: Port of Stockton.
 Address: 2201 West Washington Street Phone: 209-946-0246
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: Stockton Public Belt Railroad: Two surface tracks on apron are continuation of tracks on Wharves NOs. 5, 4, and 3.
 Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.

Depth Alongside (feet): 35 | | Latitude (decimal): 37.949444
 Total Berthing Space (feet): | | Longitude (decimal): -121.3247

Waterway: **Stockton Deep Water Channel** Mile: PWD: 018
 Name: **Port of Stockton, Wharf No. 6.**
 Port: Sacramento, Stockton
 Location: South side, Stockton Deep Water Channel, east of entrance to Slip No. 1, Stockton. Datum: MLLW
 Operator: Port of Stockton.
 Owner: Port of Stockton.
 Address: 2201 West Washington Street Phone: 209-946-0246
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: Stockton Public Belt Railroad: Two surface tracks on apron are continuation of tracks on Wharves NOs. 5, 4, and 3.
 Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.

Depth Alongside (feet): 35 | | Latitude (decimal): 37.949444
 Total Berthing Space (feet): | | Longitude (decimal): -121.3247

Remarks: Face of wharf is in line and contiguous with faces of Wharves Nos. 5, 4, and 3 providing a total of 1,769 feet of berthing space.

Port Series: 32 Year of Last Survey: 1996 Corps of Engnr's Waterway Code: 81442 Sacramento District

Remarks: Face of wharf is in line and contiguous with faces of Wharves Nos. 5, 4, and 3 providing a total of 1,769 feet of berthing space.

Port Series: 32 Year of Last Survey: 1996 Corps of Engnr's Waterway Code: 81442 Sacramento District

Port Facilities by Waterway

Waterway: **Stockton Deep Water Channel** Mile: PWD: 017
 Name: **Port of Stockton, Wharf No. 7.**
 Port: Sacramento, Stockton
 Location: South side, Stockton Deep Water Channel, outer portion of eastern side of Slip No. 1, Stockton. Datum: MLLW
 Operator: Port of Stockton.
 Owner: Port of Stockton.
 Address: 2201 West Washington Street Phone: 209-946-0246
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: Stockton Public Belt Railroad: Two surface tracks on apron are a continuation of tracks on adjacent Wharf No. 8.
 Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
 Depth Alongside (feet): 35 | | Latitude (decimal): 37.949167
 Total Berthing Space (feet): | | Longitude (decimal): -121.3256
 Waterway: **Stockton Deep Water Channel** Mile: PWD: 017
 Name: **Port of Stockton, Wharf No. 7.**
 Port: Sacramento, Stockton
 Location: South side, Stockton Deep Water Channel, outer portion of eastern side of Slip No. 1, Stockton. Datum: MLLW
 Operator: Port of Stockton.
 Owner: Port of Stockton.
 Address: 2201 West Washington Street Phone: 209-946-0246
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: Stockton Public Belt Railroad: Two surface tracks on apron are a continuation of tracks on adjacent Wharf No. 8.
 Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
 Depth Alongside (feet): 35 | | Latitude (decimal): 37.949167
 Total Berthing Space (feet): | | Longitude (decimal): -121.3256
 Remarks: Face of wharf is in line and contiguous with face of Wharf No. 8, providing a total of 1,000 feet of berthing space.
 Port Series: 32 Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81442 Sacramento District

Remarks: Face of wharf is in line and contiguous with face of Wharf No. 8, providing a total of 1,000 feet of berthing space.
 Port Series: 32 Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81442 Sacramento District

Port Facilities by Waterway

Waterway: **Stockton Deep Water Channel** Mile: PWD: 017
 Name: **Port of Stockton, Wharf No. 7.**
 Port: Sacramento, Stockton
 Location: South side, Stockton Deep Water Channel, outer portion of eastern side of Slip No. 1, Stockton. Datum: MLLW
 Operator: Port of Stockton.
 Owner: Port of Stockton.
 Address: 2201 West Washington Street Phone: 209-946-0246
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: Stockton Public Belt Railroad: Two surface tracks on apron are a continuation of tracks on adjacent Wharf No. 8.
 Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
 Depth Alongside (feet): 35 | | Latitude (decimal): 37.949167
 Total Berthing Space (feet): | | Longitude (decimal): -121.3256
 Waterway: **Stockton Deep Water Channel** Mile: PWD: 017
 Name: **Port of Stockton, Wharf No. 7.**
 Port: Sacramento, Stockton
 Location: South side, Stockton Deep Water Channel, outer portion of eastern side of Slip No. 1, Stockton. Datum: MLLW
 Operator: Port of Stockton.
 Owner: Port of Stockton.
 Address: 2201 West Washington Street Phone: 209-946-0246
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: Stockton Public Belt Railroad: Two surface tracks on apron are a continuation of tracks on adjacent Wharf No. 8.
 Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade.
 Depth Alongside (feet): 35 | | Latitude (decimal): 37.949167
 Total Berthing Space (feet): | | Longitude (decimal): -121.3256
 Remarks: Face of wharf is in line and contiguous with face of Wharf No. 8, providing a total of 1,000 feet of berthing space.
 Port Series: 32 Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81442 Sacramento District

Remarks: Face of wharf is in line and contiguous with face of Wharf No. 8, providing a total of 1,000 feet of berthing space.
 Port Series: 32 Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81442 Sacramento District

Port Facilities by Waterway

Waterway: **Stockton Deep Water Channel** Mile: PWD: 016
 Name: **Port of Stockton, Wharf No. 8.**
 Port: Sacramento, Stockton
 Location: South side, Stockton Deep Water Channel, inner portion of eastern side of Slip No. 1, Stockton. Datum: MLLW
 Operator: Brusco Tug & Barge, Inc.; California Ammonia Co. (Calamco); Cargill, Inc.; PM Ag Prod
 Owner: Port of Stockton.□
 Address: 2115 West Washington Street Phone: 209-466-4391
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: Stockton Public Belt Railroad: Two surface tracks on apron continue on apron of adjacent Wharf No. 7; and 2 platform-level tracks along rear of transit shed.
 Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; receipt of molasses and anhydrous ammonia; mooring company-owned tugboats.

Depth Alongside (feet): 35 | | Latitude (decimal): 37.948611
 Total Berthing Space (feet): | | Longitude (decimal): -121.3247
 Waterway: **Stockton Deep Water Channel** Mile: PWD: 016

Name: **Port of Stockton, Wharf No. 8.**
 Port: Sacramento, Stockton
 Location: South side, Stockton Deep Water Channel, inner portion of eastern side of Slip No. 1, Stockton. Datum: MLLW
 Operator: Brusco Tug & Barge, Inc.; California Ammonia Co. (Calamco); Cargill, Inc.; PM Ag Prod
 Owner: Port of Stockton.□
 Address: 2115 West Washington Street Phone: 209-466-4391
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: Stockton Public Belt Railroad: Two surface tracks on apron continue on apron of adjacent Wharf No. 7; and 2 platform-level tracks along rear of transit shed.
 Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; receipt of molasses and anhydrous ammonia; mooring company-owned tugboats.

Depth Alongside (feet): 35 | | Latitude (decimal): 37.948611
 Total Berthing Space (feet): | | Longitude (decimal): -121.3247

Remarks: Face of wharf is in line and contiguous with face of Wharf No. 7), providing a total of 1,000 feet of berthing space. □PM Ag Products, Inc.: One 14/12-inch pipeline extends from wharf to 6 molasses storage tanks located at rear, total capacity 6,000,000 gallons.□California Ammonia Co. (Calamco): One 14-inch pipeline extends from wharf to 2 anhydrous ammonia storage tanks located in rear, total capacity 14,000,0gallons.□Cargill, Inc.: One 14/12-inch pipeline extends from wharf to 2 molasses storage tanks located at rear, total capacity 2,500,000 gallons.Port of Stockton: Four elevated, 6-inch, stainless steel lined storage tanks (under roof) formerly used for storage of wine located between Roads A and C in rear, total capacity 2,490,000 gallons.paved, open storage area is located adjacent to south end of transit shed.

Port Series: 32 Year of Last Survey: 1996 Corps of Engrns Waterway Code: 81442 Sacramento District

Remarks: Face of wharf is in line and contiguous with face of Wharf No. 7), providing a total of 1,000 feet of berthing space. □PM Ag Products, Inc.: One 14/12-inch pipeline extends from wharf to 6 molasses storage tanks located at rear, total capacity 6,000,000 gallons.□California Ammonia Co. (Calamco): One 14-inch pipeline extends from wharf to 2 anhydrous ammonia storage tanks located in rear, total capacity 14,000,0gallons.□Cargill, Inc.: One 14/12-inch pipeline extends from wharf to 2 molasses storage tanks located at rear, total capacity 2,500,000 gallons.Port of Stockton: Four elevated, 6-inch, stainless steel lined storage tanks (under roof) formerly used for storage of wine located between Roads A and C in rear, total capacity 2,490,000 gallons.paved, open storage area is located adjacent to south end of transit shed.

Port Series: 32 Year of Last Survey: 1996 Corps of Engrns Waterway Code: 81442 Sacramento District

Port Facilities by Waterway

Waterway: **Stockton Deep Water Channel** Mile: PWD: 016
 Name: **Port of Stockton, Wharf No. 8.**
 Port: Sacramento, Stockton
 Location: South side, Stockton Deep Water Channel, inner portion of eastern side of Slip No. 1, Stockton. Datum: MLLW
 Operator: Brusco Tug & Barge, Inc.; California Ammonia Co. (Calamco); Cargill, Inc.; PM Ag Prod
 Owner: Port of Stockton.□
 Address: 2115 West Washington Street Phone: 209-466-4391
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: Stockton Public Belt Railroad: Two surface tracks on apron continue on apron of adjacent Wharf No. 7; and 2 platform-level tracks along rear of transit shed.
 Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; receipt of molasses and anhydrous ammonia; mooring company-owned tugboats.

Depth Alongside (feet): 35 | | Latitude (decimal): 37.948611
 Total Berthing Space (feet): | | Longitude (decimal): -121.3247

Waterway: **Stockton Deep Water Channel** Mile: PWD: 016
 Name: **Port of Stockton, Wharf No. 8.**
 Port: Sacramento, Stockton
 Location: South side, Stockton Deep Water Channel, inner portion of eastern side of Slip No. 1, Stockton. Datum: MLLW
 Operator: Brusco Tug & Barge, Inc.; California Ammonia Co. (Calamco); Cargill, Inc.; PM Ag Prod
 Owner: Port of Stockton.□
 Address: 2115 West Washington Street Phone: 209-466-4391
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: Stockton Public Belt Railroad: Two surface tracks on apron continue on apron of adjacent Wharf No. 7; and 2 platform-level tracks along rear of transit shed.
 Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trade; receipt of molasses and anhydrous ammonia; mooring company-owned tugboats.

Depth Alongside (feet): 35 | | Latitude (decimal): 37.948611
 Total Berthing Space (feet): | | Longitude (decimal): -121.3247

Remarks: Face of wharf is in line and contiguous with face of Wharf No. 7), providing a total of 1,000 feet of berthing space. □PM Ag Products, Inc.: One 14/12-inch pipeline extends from wharf to 6 molasses storage tanks located at rear, total capacity 6,000,000 gallons.□California Ammonia Co. (Calamco): One 14-inch pipeline extends from wharf to 2 anhydrous ammonia storage tanks located in rear, total capacity 14,000,0gallons.□Cargill, Inc.: One 14/12-inch pipeline extends from wharf to 2 molasses storage tanks located at rear, total capacity 2,500,000 gallons.Port of Stockton: Four elevated, 6-inch, stainless steel lined storage tanks (under roof) formerly used for storage of wine located between Roads A and C in rear, total capacity 2,490,000 gallons.paved, open storage area is located adjacent to south end of transit shed.

Port Series: 32 Year of Last Survey: 1996 Corps of Engrns Waterway Code: 81442 Sacramento District

Remarks: Face of wharf is in line and contiguous with face of Wharf No. 7), providing a total of 1,000 feet of berthing space. □PM Ag Products, Inc.: One 14/12-inch pipeline extends from wharf to 6 molasses storage tanks located at rear, total capacity 6,000,000 gallons.□California Ammonia Co. (Calamco): One 14-inch pipeline extends from wharf to 2 anhydrous ammonia storage tanks located in rear, total capacity 14,000,0gallons.□Cargill, Inc.: One 14/12-inch pipeline extends from wharf to 2 molasses storage tanks located at rear, total capacity 2,500,000 gallons.Port of Stockton: Four elevated, 6-inch, stainless steel lined storage tanks (under roof) formerly used for storage of wine located between Roads A and C in rear, total capacity 2,490,000 gallons.paved, open storage area is located adjacent to south end of transit shed.

Port Series: 32 Year of Last Survey: 1996 Corps of Engrns Waterway Code: 81442 Sacramento District

Port Facilities by Waterway

Waterway: **Stockton Deep Water Channel** Mile: PWD: 015
 Name: **Port of Stockton, Wharf No. 8-A.**
 Port: Sacramento, Stockton
 Location: South side, Stockton Deep Water Channel, head of Slip No. 1, Stockton. Datum: MLLW
 Operator: Brusco Tug & Barge, Inc.
 Owner: Port of Stockton.□
 Address: P.O. Box 2377 Phone: 209-462-5534
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: None.
 Purpose: Mooring company-owned tugboats.
 Depth Alongside (feet): 16 | | Latitude (decimal): 37.9475
 Total Berthing Space (feet): 270 | | Longitude (decimal): -121.3242

Waterway: **Stockton Deep Water Channel** Mile: PWD: 015
 Name: **Port of Stockton, Wharf No. 8-A.**
 Port: Sacramento, Stockton
 Location: South side, Stockton Deep Water Channel, head of Slip No. 1, Stockton. Datum: MLLW
 Operator: Brusco Tug & Barge, Inc.
 Owner: Port of Stockton.□
 Address: P.O. Box 2377 Phone: 209-462-5534
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: None.
 Purpose: Mooring company-owned tugboats.
 Depth Alongside (feet): 16 | | Latitude (decimal): 37.9475
 Total Berthing Space (feet): 270 | | Longitude (decimal): -121.3242
 Remarks: -□□

Port Series: 32 Year of Last Survey: 1996 Corps of Engrs Waterway Code: 81442 Sacramento District

Remarks: -□□

Port Series: 32 Year of Last Survey: 1996 Corps of Engrs Waterway Code: 81442 Sacramento District

Port Facilities by Waterway

Waterway: **Stockton Deep Water Channel** Mile: PWD: 015
 Name: **Port of Stockton, Wharf No. 8-A.**
 Port: Sacramento, Stockton
 Location: South side, Stockton Deep Water Channel, head of Slip No. 1, Stockton. Datum: MLLW
 Operator: Brusco Tug & Barge, Inc.
 Owner: Port of Stockton.□
 Address: P.O. Box 2377 Phone: 209-462-5534
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: None.
 Purpose: Mooring company-owned tugboats.
 Depth Alongside (feet): 16 | | Latitude (decimal): 37.9475
 Total Berthing Space (feet): 270 | | Longitude (decimal): -121.3242

Waterway: **Stockton Deep Water Channel** Mile: PWD: 015
 Name: **Port of Stockton, Wharf No. 8-A.**
 Port: Sacramento, Stockton
 Location: South side, Stockton Deep Water Channel, head of Slip No. 1, Stockton. Datum: MLLW
 Operator: Brusco Tug & Barge, Inc.
 Owner: Port of Stockton.□
 Address: P.O. Box 2377 Phone: 209-462-5534
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: None.
 Purpose: Mooring company-owned tugboats.
 Depth Alongside (feet): 16 | | Latitude (decimal): 37.9475
 Total Berthing Space (feet): 270 | | Longitude (decimal): -121.3242

Remarks: -□□
 Port Series: 32 Year of Last Survey: 1996 Corps of Engrns Waterway Code: 81442 Sacramento District

Remarks: -□□
 Port Series: 32 Year of Last Survey: 1996 Corps of Engrns Waterway Code: 81442 Sacramento District

Port Facilities by Waterway

Waterway: **Stockton Deep Water Channel** Mile: PWD: 014
 Name: **Port of Stockton, Wharf No. 9.**
 Port: Sacramento, Stockton
 Location: South side, Stockton Deep Water Channel, approximately 1,000 feet above junction Datum: MLLW
 with San Joaquin River,
 Operator: Port of Stockton.□
 Owner: Port of Stockton.□
 Address: 2201 West Washington Street Phone: 209-946-0246
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: Stockton Public Belt Railroad: One surface track on apron and two 510-foot, platform-
 level tracks along rear of transit shed.
 Purpose: Receipt and shipment of conventional general cargo and miscellaneous dry bulk commodities in
 foreign and domestic trade.
 Depth Alongside (feet): 35 | 35 | Latitude (decimal): 37.949444
 Total Berthing Space (feet): 645 | 75 | Longitude (decimal): -121.3281
 Remarks: Face of wharf is in line and contiguous with face of Wharves Nos. 10 and 11 providing a total of 1,656
 feet of berthing space. Three storage warehouses (Units 5 and 6, and Units 1-4) and Cotton
 Compress Warehouse rear (See S.W. Ref. Nos. 1, 2, and 3). One 40- by 40- and one 30- by 40-foot
 floating boathouses are moored at outer end of slip southeast of the 75-foot wharf section. A total of
 approximately 175 acres of semimproarea are available at various locations throughout the Port of
 Stockton terminal complex.

Port Series: 32 Year of Last Survey: 1996 Corps of Engrs Waterway Code: 81442 Sacramento District

Waterway: **Stockton Deep Water Channel** Mile: PWD: 013
 Name: **Port of Stockton, Wharves Nos. 10 and 11.**□
 Port: Sacramento, Stockton
 Location: South side, Stockton Deep Water Channel, above junction with San Joaquin River, Datum: MLLW
 Stockton.
 Operator: The Learner Co.; Hydro Agri North America, Inc.; Rice Terminals; and Port of Stockton
 Owner: Port of Stockton.□
 Address: 433 Scotts Street Phone: 209-465-8032
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: Stockton Public Belt Railroad: Two surface tracks on apron.
 Purpose: Receipt and shipment of conventional and containerized general cargo, and heavy lift items in foreign
 and domestic trade; receipt and shipment of steel products and fertilizer; shipment of scrap steel.
 Depth Alongside (feet): 35 | | Latitude (decimal): 37.949167
 Total Berthing Space (feet): 1,011 | | Longitude (decimal): -121.3308
 Remarks: Approximately 5.5 acres of open storage area are located at rear. Face of wharf is in line and
 contiguous with face of Wharf No. 9 providing a total of 1,656 feet of continuous berthing space. Hydro
 Agri North America, Inc.: One 8-inch pipeline extends from wharf to storage tanks described under
 Ref. No. 12. □The Learner Co.: Approximately 13 acres of open storage area for scrap steel are
 located at Navy Drive in rear. □Rice Terminals: One 8-inch pipeline extends from wharf to storage
 tanks described under Ref. No. 12.

Port Series: 32 Year of Last Survey: 1996 Corps of Engrs Waterway Code: 81442 Sacramento District

Port Facilities by Waterway

Waterway: **Stockton Deep Water Channel** Mile: PWD: 012
 Name: **Port of Stockton, Wharves Nos. 12 and 13.** □
 Port: Sacramento, Stockton
 Location: South side, Stockton Deep Water Channel, above junction with San Joaquin River, Datum: MLLW Stockton.
 Operator: Metropolitan Stevedore Co.; Hydro Agri North America, Inc.; Rice Terminals; Bay Sulfu
 Owner: Port of Stockton. □
 Address: P.O. Box 986 Phone: 209-943-7252
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: Stockton Public Belt Railroad: Two tracks in rear, total capacity 84-car unit trains each, serve rotary and bottom car dumpers (one track for loaded cars and one empty return) join 260-car capacity clas
 Purpose: Shipment of miscellaneous dry bulk commodities, including clay, sulphur, and petroleum coke; receipt and shipment of liquid fertilizer.
 Depth Alongside (feet): 40 | | Latitude (decimal): 37.947778
 Total Berthing Space (feet): 843 | | Longitude (decimal): -121.3342
 Remarks: Bottom care dumper has an operating rate of 400 tons or 4 cars per hour; hopper under dumper serves a 36 inch, inclined, electric, belt conveyor extending to and thence along a 36-inch conveyor belt to the shiplo conveyors extending to a portable stacker with 36-inch belt at an adjacent, 50,000-ton, open coke storage area. Coke is reclaimed via front-end loaders serving ground-level receiving pits and an underground 36-inch bconnecting with the shiploading conveyor. Bay Sulfur Co.: Sulphur is received by truck at a receiving hopper which serves a radial stacker with 24-inch belt and adjacent 40,000-ton capacity, open stobulldozers serving ground-level hoppers and a 36-inch, underground belt conveyor connecting with a shiploading conveyor. Metropolitan Stevedore Co.: Rotary car dumper has an operating rate of 30 cahopper under dumper serves four 84-inch, electric, feeder belt conveyors which serve 60- and 54-inch, electric belt conveyors extendin

Port Series: 32 Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81442 Sacramento District

Waterway: **Stockton Turning Basin** Mile: PWD: 023
 Name: **Continental Grain Corp., Stockton Elevator Wharf.**
 Port: Sacramento, Stockton
 Location: South side, Stockton Deep Water Channel, south side of Turning Basin, Stockton. Datum: MLLW
 Operator: Continental Grain Corp.
 Owner: Continental Grain Corp.
 Address: 1805 Harbor Road. Phone: 209-466-5446
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: Two surface tracks extend along rear of storage silos and through car shed serving car dumper and carloading spout, total capacity 52 cars; connect with tracks of Southern Pacific Transportation Co.
 Purpose: Shipment and occasional receipt of bulk grains by vessel.
 Depth Alongside (feet): 37 | | Latitude (decimal): 37.949167
 Total Berthing Space (feet): 564 | | Longitude (decimal): -121.3153
 Remarks: Grain elevator and 3 flat storage warehouses located at rear have total capacity for 6,838,000 bushels. Grain gallery connecting towers on wharf has a 36-inch, electric belt conveyor, and the gallery extending f to the grain elevator has two 30-inch, belt conveyors.

Port Series: 32 Year of Last Survey: 1996 Corps of Engnrs Waterway Code: 81442 Sacramento District

Port Facilities by Waterway

Waterway: **Stockton Turning Basin** Mile: PWD: 022
 Name: **Port of Stockton, Wharf No. 2.**
 Port: Sacramento, Stockton
 Location: South side, Stockton Deep Water Channel, southwest side of Turning Basin, Datum: MLLW
 Stockton.
 Operator: Viridian Fertilizer, Inc.; Calaveras Cement Co.; and Port of Stockton. □
 Owner: Port of Stockton. □
 Address: P.O. Box 2378 Phone: 209-465-1921
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: Stockton Public Belt Railroad: Two surface tracks on apron are continuation of tracks on Wharves Nos. 6, 5, 4 and 3.
 Purpose: Receipt and shipment of miscellaneous dry bulk material in foreign and domestic trade; receipt of dry bulk fertilizer and cement.
 Depth Alongside (feet): 35 | | Latitude (decimal): 37.949444
 Total Berthing Space (feet): 585 | | Longitude (decimal): -121.3189
 Remarks: Calaveras Cement Co.: Two conical, top-loading buildings are served by a covered, radial arm conveyor system, total capacity 34,000 tons of dry bulk cement. Viridian Fertilizer, Inc.: Five conical, top-loading buildings are served by a covered, radial arm conveyor system, total capacity 41,000 tons. □ Port of Stockton: A total of approximately 175 acres of semi-improved storage are available at various locations throughout the Stockton Port District complex.
 Port Series: 32 Year of Last Survey: 1996 Corps of Eng'rs Waterway Code: 81442 Sacramento District

Waterway: **Suisun Bay** Mile: PWD: 001
 Name: **Pacific Gas and Electric Co., Delta Power Plant Wharf.**
 Port: Sacramento, Stockton
 Location: South side, Suisun Bay, below entrance to New York Slough, Pittsburg. Datum: MLLW
 Operator: Pacific Gas and Electric Co.
 Owner: Pacific Gas and Electric Co.
 Address: 696 West Tenth Street. Phone: 510-427-3402
 Town: Pittsburg State: CA County: Contra Costa
 Railway Connection: One surface track serves plant in rear; connects with Sacramento Northern Railway. □
 Purpose: Occasional receipt of fuel oil by tanker; occasional shipment of fuel oil by barge.
 Depth Alongside (feet): 35 | 23 | Latitude (decimal): 38.041389
 Total Berthing Space (feet): 1,070 | 154 | Longitude (decimal): -121.8867
 Remarks: Barge Dock is located parallel to and 55 feet in rear of tanker berth. Angular timber catwalks extend from lower end of Barge Dock and from upper end of offshore wharf, each to 2 steel pipe pile, concrete-capped which are located 45, 80, 120, and 80 feet in rear of line of berthing, lower to upper end, respectively. □ One 20-inch, steam-traced pipeline extends from Tanker Dock to 16 steel storage tanks located in rear, total capacity 5,404,450 barrels; one 12-inch, steam traced pipeline extends from storage tanks to the Barge Dock. Inland pipelines extend from the storage tanks to power plants the Contra Costa Power Plant at Antioch (see Ref. No. 10). One 3-inch steam and one 4-inch storm drainage lines serve wharf. Barges berth on shore side of Barge Dock and at Tanker Dock.
 Port Series: 32 Year of Last Survey: 1996 Corps of Eng'rs Waterway Code: 81401 Sacramento District

Port Facilities by Waterway

Waterway: **Upper Stockton Channel** Mile: PWD: 024
 Name: **Colberg Edison Wharf.**
 Port: Sacramento, Stockton
 Location: North side, Upper Stockton Channel, foot of North Edison Street, Stockton. Datum: MLLW
 Operator: Not operated.
 Owner: Colberg, Inc.
 Address: North Stockton and Lindsay Streets Phone: 209-466-7041
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 37.951389
 Total Berthing Space (feet): 130 | | Longitude (decimal): -121.3
 Waterway: **Upper Stockton Channel** Mile: PWD: 024
 Name: **Colberg Edison Wharf.**
 Port: Sacramento, Stockton
 Location: North side, Upper Stockton Channel, foot of North Edison Street, Stockton. Datum: MLLW
 Operator: Not operated.
 Owner: Colberg, Inc.
 Address: North Stockton and Lindsay Streets Phone: 209-466-7041
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 37.951389
 Total Berthing Space (feet): 130 | | Longitude (decimal): -121.3
 Waterway: **Upper Stockton Channel** Mile: PWD: 024
 Name: **Colberg Edison Wharf.**
 Port: Sacramento, Stockton
 Location: North side, Upper Stockton Channel, foot of North Edison Street, Stockton. Datum: MLLW
 Operator: Not operated.
 Owner: Colberg, Inc.
 Address: North Stockton and Lindsay Streets Phone: 209-466-7041
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 37.951389
 Total Berthing Space (feet): 130 | | Longitude (decimal): -121.3
 Remarks: An additional 500 feet of berthing space is available at 3 timber breasting dolphins located between lower side of wharf and upper side of Upper Outfitting Wharf.

Port Series: 32 Year of Last Survey: 1996 Corps of Engrs Waterway Code: 81442 Sacramento District

Remarks: An additional 500 feet of berthing space is available at 3 timber breasting dolphins located between lower side of wharf and upper side of Upper Outfitting Wharf.

Port Series: 32 Year of Last Survey: 1996 Corps of Engrs Waterway Code: 81442 Sacramento District

Remarks: An additional 500 feet of berthing space is available at 3 timber breasting dolphins located between lower side of wharf and upper side of Upper Outfitting Wharf.

Port Series: 32 Year of Last Survey: 1996 Corps of Engrs Waterway Code: 81442 Sacramento District

Port Facilities by Waterway

Waterway: **Upper Stockton Channel** Mile: PWD: 024
 Name: **Colberg Edison Wharf.**
 Port: Sacramento, Stockton
 Location: North side, Upper Stockton Channel, foot of North Edison Street, Stockton. Datum: MLLW
 Operator: Not operated.
 Owner: Colberg, Inc.
 Address: North Stockton and Lindsay Streets Phone: 209-466-7041
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 37.951389
 Total Berthing Space (feet): 130 | | Longitude (decimal): -121.3
 Waterway: **Upper Stockton Channel** Mile: PWD: 024
 Name: **Colberg Edison Wharf.**
 Port: Sacramento, Stockton
 Location: North side, Upper Stockton Channel, foot of North Edison Street, Stockton. Datum: MLLW
 Operator: Not operated.
 Owner: Colberg, Inc.
 Address: North Stockton and Lindsay Streets Phone: 209-466-7041
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 37.951389
 Total Berthing Space (feet): 130 | | Longitude (decimal): -121.3
 Waterway: **Upper Stockton Channel** Mile: PWD: 024
 Name: **Colberg Edison Wharf.**
 Port: Sacramento, Stockton
 Location: North side, Upper Stockton Channel, foot of North Edison Street, Stockton. Datum: MLLW
 Operator: Not operated.
 Owner: Colberg, Inc.
 Address: North Stockton and Lindsay Streets Phone: 209-466-7041
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 37.951389
 Total Berthing Space (feet): 130 | | Longitude (decimal): -121.3
 Remarks: An additional 500 feet of berthing space is available at 3 timber breasting dolphins located between lower side of wharf and upper side of Upper Outfitting Wharf.

Port Series: 32 Year of Last Survey: 1996 Corps of Engrs Waterway Code: 81442 Sacramento District

Remarks: An additional 500 feet of berthing space is available at 3 timber breasting dolphins located between lower side of wharf and upper side of Upper Outfitting Wharf.

Port Series: 32 Year of Last Survey: 1996 Corps of Engrs Waterway Code: 81442 Sacramento District

Remarks: An additional 500 feet of berthing space is available at 3 timber breasting dolphins located between lower side of wharf and upper side of Upper Outfitting Wharf.

Port Series: 32 Year of Last Survey: 1996 Corps of Engrs Waterway Code: 81442 Sacramento District

Port Facilities by Waterway

Waterway: **Upper Stockton Channel** Mile: PWD: 024
 Name: **Colberg Edison Wharf.**
 Port: Sacramento, Stockton
 Location: North side, Upper Stockton Channel, foot of North Edison Street, Stockton. Datum: MLLW
 Operator: Not operated.
 Owner: Colberg, Inc.
 Address: North Stockton and Lindsay Streets Phone: 209-466-7041
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 37.951389
 Total Berthing Space (feet): 130 | | Longitude (decimal): -121.3
 Waterway: **Upper Stockton Channel** Mile: PWD: 024
 Name: **Colberg Edison Wharf.**
 Port: Sacramento, Stockton
 Location: North side, Upper Stockton Channel, foot of North Edison Street, Stockton. Datum: MLLW
 Operator: Not operated.
 Owner: Colberg, Inc.
 Address: North Stockton and Lindsay Streets Phone: 209-466-7041
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 37.951389
 Total Berthing Space (feet): 130 | | Longitude (decimal): -121.3
 Waterway: **Upper Stockton Channel** Mile: PWD: 024
 Name: **Colberg Edison Wharf.**
 Port: Sacramento, Stockton
 Location: North side, Upper Stockton Channel, foot of North Edison Street, Stockton. Datum: MLLW
 Operator: Not operated.
 Owner: Colberg, Inc.
 Address: North Stockton and Lindsay Streets Phone: 209-466-7041
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 37.951389
 Total Berthing Space (feet): 130 | | Longitude (decimal): -121.3
 Remarks: An additional 500 feet of berthing space is available at 3 timber breasting dolphins located between lower side of wharf and upper side of Upper Outfitting Wharf.

Port Series: 32 Year of Last Survey: 1996 Corps of Engrs Waterway Code: 81442 Sacramento District

Remarks: An additional 500 feet of berthing space is available at 3 timber breasting dolphins located between lower side of wharf and upper side of Upper Outfitting Wharf.

Port Series: 32 Year of Last Survey: 1996 Corps of Engrs Waterway Code: 81442 Sacramento District

Remarks: An additional 500 feet of berthing space is available at 3 timber breasting dolphins located between lower side of wharf and upper side of Upper Outfitting Wharf.

Port Series: 32 Year of Last Survey: 1996 Corps of Engrs Waterway Code: 81442 Sacramento District

Port Facilities by Waterway

Waterway: **Upper Stockton Channel** Mile: PWD: 026
Name: **Colberg Lower Outfitting Wharf.**
Port: Sacramento, Stockton
Location: North side, Upper Stockton Channel, between foot of North Stockton and North Yosemite Streets, Stockton. Datum: MLLW
Operator: Not operated.
Owner: Colberg, Inc.
Address: North Stockton and Lindsay Streets Phone: 209-466-7041
Town: Stockton State: CA County: San Joaquin
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 37.951944
Total Berthing Space (feet): 70 | | Longitude (decimal): -121.3033
Waterway: **Upper Stockton Channel** Mile: PWD: 026
Name: **Colberg Lower Outfitting Wharf.**
Port: Sacramento, Stockton
Location: North side, Upper Stockton Channel, between foot of North Stockton and North Yosemite Streets, Stockton. Datum: MLLW
Operator: Not operated.
Owner: Colberg, Inc.
Address: North Stockton and Lindsay Streets Phone: 209-466-7041
Town: Stockton State: CA County: San Joaquin
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 37.951944
Total Berthing Space (feet): 70 | | Longitude (decimal): -121.3033
Waterway: **Upper Stockton Channel** Mile: PWD: 026
Name: **Colberg Lower Outfitting Wharf.**
Port: Sacramento, Stockton
Location: North side, Upper Stockton Channel, between foot of North Stockton and North Yosemite Streets, Stockton. Datum: MLLW
Operator: Not operated.
Owner: Colberg, Inc.
Address: North Stockton and Lindsay Streets Phone: 209-466-7041
Town: Stockton State: CA County: San Joaquin
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 37.951944
Total Berthing Space (feet): 70 | | Longitude (decimal): -121.3033
Remarks: Machine shop building is located at rear of wharf. □□

Port Series: 32 Year of Last Survey: 1996 Corps of Engrns Waterway Code: 81442 Sacramento District

Remarks: Machine shop building is located at rear of wharf. □□

Port Series: 32 Year of Last Survey: 1996 Corps of Engrns Waterway Code: 81442 Sacramento District

Remarks: Machine shop building is located at rear of wharf. □□

Port Series: 32 Year of Last Survey: 1996 Corps of Engrns Waterway Code: 81442 Sacramento District

Port Facilities by Waterway

Waterway: **Upper Stockton Channel** Mile: PWD: 026
 Name: **Colberg Lower Outfitting Wharf.**
 Port: Sacramento, Stockton
 Location: North side, Upper Stockton Channel, between foot of North Stockton and North Yosemite Streets, Stockton. Datum: MLLW
 Operator: Not operated.
 Owner: Colberg, Inc.
 Address: North Stockton and Lindsay Streets Phone: 209-466-7041
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 8 - 10 | Latitude (decimal): 37.951944
 Total Berthing Space (feet): 70 | Longitude (decimal): -121.3033
 Waterway: **Upper Stockton Channel** Mile: PWD: 026
 Name: **Colberg Lower Outfitting Wharf.**
 Port: Sacramento, Stockton
 Location: North side, Upper Stockton Channel, between foot of North Stockton and North Yosemite Streets, Stockton. Datum: MLLW
 Operator: Not operated.
 Owner: Colberg, Inc.
 Address: North Stockton and Lindsay Streets Phone: 209-466-7041
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 8 - 10 | Latitude (decimal): 37.951944
 Total Berthing Space (feet): 70 | Longitude (decimal): -121.3033
 Waterway: **Upper Stockton Channel** Mile: PWD: 026
 Name: **Colberg Lower Outfitting Wharf.**
 Port: Sacramento, Stockton
 Location: North side, Upper Stockton Channel, between foot of North Stockton and North Yosemite Streets, Stockton. Datum: MLLW
 Operator: Not operated.
 Owner: Colberg, Inc.
 Address: North Stockton and Lindsay Streets Phone: 209-466-7041
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 8 - 10 | Latitude (decimal): 37.951944
 Total Berthing Space (feet): 70 | Longitude (decimal): -121.3033
 Remarks: Machine shop building is located at rear of wharf. □□

Port Series: 32 Year of Last Survey: 1996 Corps of Engrns Waterway Code: 81442 Sacramento District

Remarks: Machine shop building is located at rear of wharf. □□

Port Series: 32 Year of Last Survey: 1996 Corps of Engrns Waterway Code: 81442 Sacramento District

Remarks: Machine shop building is located at rear of wharf. □□

Port Series: 32 Year of Last Survey: 1996 Corps of Engrns Waterway Code: 81442 Sacramento District

Port Facilities by Waterway

Waterway: **Upper Stockton Channel** Mile: PWD: 026
 Name: **Colberg Lower Outfitting Wharf.**
 Port: Sacramento, Stockton
 Location: North side, Upper Stockton Channel, between foot of North Stockton and North Yosemite Streets, Stockton. Datum: MLLW
 Operator: Not operated.
 Owner: Colberg, Inc.
 Address: North Stockton and Lindsay Streets Phone: 209-466-7041
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 8 - 10 | Latitude (decimal): 37.951944
 Total Berthing Space (feet): 70 | Longitude (decimal): -121.3033
 Waterway: **Upper Stockton Channel** Mile: PWD: 026
 Name: **Colberg Lower Outfitting Wharf.**
 Port: Sacramento, Stockton
 Location: North side, Upper Stockton Channel, between foot of North Stockton and North Yosemite Streets, Stockton. Datum: MLLW
 Operator: Not operated.
 Owner: Colberg, Inc.
 Address: North Stockton and Lindsay Streets Phone: 209-466-7041
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 8 - 10 | Latitude (decimal): 37.951944
 Total Berthing Space (feet): 70 | Longitude (decimal): -121.3033
 Waterway: **Upper Stockton Channel** Mile: PWD: 026
 Name: **Colberg Lower Outfitting Wharf.**
 Port: Sacramento, Stockton
 Location: North side, Upper Stockton Channel, between foot of North Stockton and North Yosemite Streets, Stockton. Datum: MLLW
 Operator: Not operated.
 Owner: Colberg, Inc.
 Address: North Stockton and Lindsay Streets Phone: 209-466-7041
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 8 - 10 | Latitude (decimal): 37.951944
 Total Berthing Space (feet): 70 | Longitude (decimal): -121.3033
 Remarks: Machine shop building is located at rear of wharf. □□

Port Series: 32 Year of Last Survey: 1996 Corps of Engrns Waterway Code: 81442 Sacramento District

Remarks: Machine shop building is located at rear of wharf. □□

Port Series: 32 Year of Last Survey: 1996 Corps of Engrns Waterway Code: 81442 Sacramento District

Remarks: Machine shop building is located at rear of wharf. □□

Port Series: 32 Year of Last Survey: 1996 Corps of Engrns Waterway Code: 81442 Sacramento District

Port Facilities by Waterway

Waterway: **Upper Stockton Channel** Mile: PWD: 025
 Name: **Colberg Upper Outfitting Wharf.**
 Port: Sacramento, Stockton
 Location: North side, Upper Stockton Channel, foot of North Stockton Street, Stockton. Datum: MLLW
 Operator: Not operated.
 Owner: Colberg, Inc.
 Address: North Stockton and Lindsay Streets Phone: 209-466-7041
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 8 - 10 | Latitude (decimal): 37.951667
 Total Berthing Space (feet): 125 | Longitude (decimal): -121.3028

Waterway: **Upper Stockton Channel** Mile: PWD: 025
 Name: **Colberg Upper Outfitting Wharf.**
 Port: Sacramento, Stockton
 Location: North side, Upper Stockton Channel, foot of North Stockton Street, Stockton. Datum: MLLW
 Operator: Not operated.
 Owner: Colberg, Inc.
 Address: North Stockton and Lindsay Streets Phone: 209-466-7041
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 8 - 10 | Latitude (decimal): 37.951667
 Total Berthing Space (feet): 125 | Longitude (decimal): -121.3028

Waterway: **Upper Stockton Channel** Mile: PWD: 025
 Name: **Colberg Upper Outfitting Wharf.**
 Port: Sacramento, Stockton
 Location: North side, Upper Stockton Channel, foot of North Stockton Street, Stockton. Datum: MLLW
 Operator: Not operated.
 Owner: Colberg, Inc.
 Address: North Stockton and Lindsay Streets Phone: 209-466-7041
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 8 - 10 | Latitude (decimal): 37.951667
 Total Berthing Space (feet): 125 | Longitude (decimal): -121.3028

Remarks: A canopy roof extends along the landward side of wharf deck sheltering welding units and other equipment. One 400-and one 200-ton, marine railways are located between lower side of wharf and upper side of Lower line of timber mooring piles between railways is used for mooring and as a guide pier.

Port Series: 32 Year of Last Survey: 1996 Corps of Engrs Waterway Code: 81442 Sacramento District

Remarks: A canopy roof extends along the landward side of wharf deck sheltering welding units and other equipment. One 400-and one 200-ton, marine railways are located between lower side of wharf and upper side of Lower line of timber mooring piles between railways is used for mooring and as a guide pier.

Port Series: 32 Year of Last Survey: 1996 Corps of Engrs Waterway Code: 81442 Sacramento District

Port Facilities by Waterway

Remarks: A canopy roof extends along the landward side of wharf deck sheltering welding units and other equipment. One 400-and one 200-ton, marine railways are located between lower side of wharf and upper side of Lower line of timber mooring piles between railways is used for mooring and as a guide pier.

Port Series: 32 Year of Last Survey: 1996 Corps of Engrns Waterway Code: 81442 Sacramento District

Port Facilities by Waterway

Waterway: **Upper Stockton Channel** Mile: PWD: 025
 Name: **Colberg Upper Outfitting Wharf.**
 Port: Sacramento, Stockton
 Location: North side, Upper Stockton Channel, foot of North Stockton Street, Stockton. Datum: MLLW
 Operator: Not operated.
 Owner: Colberg, Inc.
 Address: North Stockton and Lindsay Streets Phone: 209-466-7041
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 8 - 10 | Latitude (decimal): 37.951667
 Total Berthing Space (feet): 125 | Longitude (decimal): -121.3028

Waterway: **Upper Stockton Channel** Mile: PWD: 025
 Name: **Colberg Upper Outfitting Wharf.**
 Port: Sacramento, Stockton
 Location: North side, Upper Stockton Channel, foot of North Stockton Street, Stockton. Datum: MLLW
 Operator: Not operated.
 Owner: Colberg, Inc.
 Address: North Stockton and Lindsay Streets Phone: 209-466-7041
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 8 - 10 | Latitude (decimal): 37.951667
 Total Berthing Space (feet): 125 | Longitude (decimal): -121.3028

Waterway: **Upper Stockton Channel** Mile: PWD: 025
 Name: **Colberg Upper Outfitting Wharf.**
 Port: Sacramento, Stockton
 Location: North side, Upper Stockton Channel, foot of North Stockton Street, Stockton. Datum: MLLW
 Operator: Not operated.
 Owner: Colberg, Inc.
 Address: North Stockton and Lindsay Streets Phone: 209-466-7041
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 8 - 10 | Latitude (decimal): 37.951667
 Total Berthing Space (feet): 125 | Longitude (decimal): -121.3028

Remarks: A canopy roof extends along the landward side of wharf deck sheltering welding units and other equipment. One 400-and one 200-ton, marine railways are located between lower side of wharf and upper side of Lower line of timber mooring piles between railways is used for mooring and as a guide pier.

Port Series: 32 Year of Last Survey: 1996 Corps of Engrs Waterway Code: 81442 Sacramento District

Remarks: A canopy roof extends along the landward side of wharf deck sheltering welding units and other equipment. One 400-and one 200-ton, marine railways are located between lower side of wharf and upper side of Lower line of timber mooring piles between railways is used for mooring and as a guide pier.

Port Series: 32 Year of Last Survey: 1996 Corps of Engrs Waterway Code: 81442 Sacramento District

Port Facilities by Waterway

Remarks: A canopy roof extends along the landward side of wharf deck sheltering welding units and other equipment. One 400-and one 200-ton, marine railways are located between lower side of wharf and upper side of Lower line of timber mooring piles between railways is used for mooring and as a guide pier.

Port Series: 32 Year of Last Survey: 1996 Corps of Engrns Waterway Code: 81442 Sacramento District

Port Facilities by Waterway

Waterway: **Upper Stockton Channel** Mile: PWD: 025
 Name: **Colberg Upper Outfitting Wharf.**
 Port: Sacramento, Stockton
 Location: North side, Upper Stockton Channel, foot of North Stockton Street, Stockton. Datum: MLLW
 Operator: Not operated.
 Owner: Colberg, Inc.
 Address: North Stockton and Lindsay Streets Phone: 209-466-7041
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 8 - 10 | Latitude (decimal): 37.951667
 Total Berthing Space (feet): 125 | Longitude (decimal): -121.3028

Waterway: **Upper Stockton Channel** Mile: PWD: 025
 Name: **Colberg Upper Outfitting Wharf.**
 Port: Sacramento, Stockton
 Location: North side, Upper Stockton Channel, foot of North Stockton Street, Stockton. Datum: MLLW
 Operator: Not operated.
 Owner: Colberg, Inc.
 Address: North Stockton and Lindsay Streets Phone: 209-466-7041
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 8 - 10 | Latitude (decimal): 37.951667
 Total Berthing Space (feet): 125 | Longitude (decimal): -121.3028

Waterway: **Upper Stockton Channel** Mile: PWD: 025
 Name: **Colberg Upper Outfitting Wharf.**
 Port: Sacramento, Stockton
 Location: North side, Upper Stockton Channel, foot of North Stockton Street, Stockton. Datum: MLLW
 Operator: Not operated.
 Owner: Colberg, Inc.
 Address: North Stockton and Lindsay Streets Phone: 209-466-7041
 Town: Stockton State: CA County: San Joaquin
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 8 - 10 | Latitude (decimal): 37.951667
 Total Berthing Space (feet): 125 | Longitude (decimal): -121.3028

Remarks: A canopy roof extends along the landward side of wharf deck sheltering welding units and other equipment. One 400-and one 200-ton, marine railways are located between lower side of wharf and upper side of Lower line of timber mooring piles between railways is used for mooring and as a guide pier.

Port Series: 32 Year of Last Survey: 1996 Corps of Engrs Waterway Code: 81442 Sacramento District

Remarks: A canopy roof extends along the landward side of wharf deck sheltering welding units and other equipment. One 400-and one 200-ton, marine railways are located between lower side of wharf and upper side of Lower line of timber mooring piles between railways is used for mooring and as a guide pier.

Port Series: 32 Year of Last Survey: 1996 Corps of Engrs Waterway Code: 81442 Sacramento District

Port Facilities by Waterway

Remarks: A canopy roof extends along the landward side of wharf deck sheltering welding units and other equipment. One 400-and one 200-ton, marine railways are located between lower side of wharf and upper side of Lower line of timber mooring piles between railways is used for mooring and as a guide pier.

Port Series: 32 Year of Last Survey: 1996 Corps of Engrns Waterway Code: 81442 Sacramento District
