

## Port Series No. 17

### The Ports of Tampa and Port Manatee, FL

---

Port: **Tampa/Port Manatee**  
Waterway: **Alafia River** Mile: PWD: 15  
Name: **Cargill Fertilizer, Riverview Liquid Products Wharf.**  
Location: Right bank, Alafia River, near entrance to Hillsborough Bay, Riverview. Datum: MLW  
Operator: Cargill Fertilizer, Inc.  
Owner: Cargill Fertilizer, Inc.  
Address: 8813 Highway 41 South Phone: 813-671-6216  
Town: Riverview State: FL County: Hillsborough  
Railway Connection: Plant trackage in rear; connects with CSX Transportation, Inc.  
Purpose: Occasional receipt and shipment of sulfuric acid; receipt of molten sulphur; and occasional shipment of phosphoric acid.  
Depth Alongside (feet): 34 | | Latitude (decimal): 27.8575  
Total Berthing Space (feet): 900 | - | Longitude (decimal): -82.39222  
Remarks: One 10-inch, steam-traced pipeline extends from wharf to 3 liquid sulphur storage tanks located in rear, total capacity 5,550,000 gallons. One 10-inch pipeline with two 8-inch connections on wharf extends from 2 storage tanks, total capacity 2,820,000 gallons, and 2 sulfuric acid storage tanks, total capacity 1,300,000 gallons.  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 083 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Alafia River** Mile: PWD: 14  
Name: **Cargill Fertilizer, Riverview Wharf and Slip.**  
Location: Right bank, Alafia River, near entrance to Hillsborough Bay, Riverview. Datum: MLW  
Operator: Cargill Fertilizer, Inc.  
Owner: Cargill Fertilizer, Inc.  
Address: 8813 Highway 41 South Phone: 813-671-6216  
Town: Riverview State: FL County: Hillsborough  
Railway Connection: Two surface tracks serve hopper-car-receiving pit at rear of face, rate 6 cars per hour, and continue along east side of slip joining 3 surface tracks along west side of slip, and additional plant trackage  
Purpose: Shipment of phosphate rock, bulk phosphate products, and animal feed.  
Depth Alongside (feet): 34 | 25 | 25 Latitude (decimal): 27.859444  
Total Berthing Space (feet): 900 | 196 | 448, Longitude (decimal): -82.39167  
Remarks: in rear; connect with CSX Transportation, Inc. □ A 36-inch, electric, belt-conveyor system extends to wharf from 4 steel frame storage buildings with asbestos-cement siding; total storage capacity of the storage buildings is 180,000 tons. A large, open, concrete-surfaced storage area located at rear of east side of slip was not used for products. Face of wharf is in line with face of Liquid Products Wharf (P.W.D. Redolphins which provide for a total of 900 feet of berthing space. A 25,000-square-foot, one-story building located in rear of wharf is used for storing bagged materials.  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 083 Jacksonville District

---

**Port Series No. 17**  
**The Ports of Tampa and Port Manatee, FL**

---

Port: **Tampa/Port Manatee**  
Waterway: **Alafia River** Mile: PWD: 13  
Name: **Inter Bay Mooring, Gibsonton Dock.**  
Location: Left bank, Alafia River, above U. S. Highway 41 (Tamiami Trail) Bridge, Gibsonton. Datum: MLW  
Operator: Inter Bay Mooring, Inc.  
Owner: Inter Bay Mooring, Inc.  
Address: 6210 Ohio Avenue, NE Phone: 813/677-2739  
Town: Gibsonton State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Mooring small vessels for repair.  
Depth Alongside (feet): 4 | | Latitude (decimal): 27.857778  
Total Berthing Space (feet): 55 | | Longitude (decimal): -82.38222  
Remarks: One 35-ton marine railway is located at upper side. Vessels are fueled through 1-inch hose connections extending from 2 steel storage tanks located at rear, total capacity 70 barrels. Berthing for approximately at a series of timber floats at lower side. Repair and storage facilities are located in rear.  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 079 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Crystal River Intake Canal** Mile: PWD: 111  
Name: **Florida Power Corp., Crystal River Power Plant Wharf.**  
Location: South side of Crystal River Intake Canal, Crystal River. Datum: MLW  
Operator: Florida Power Corp.  
Owner: Florida Power Corp.  
Address: 15760 W. Powerline Street Phone: 904/563-4400  
Town: Crystal River State: FL County: Citrus  
Railway Connection: One 90-car-capacity, surface track serves power plant in rear; connects with CSX Transportation, Inc.  
Purpose: Receipt of coal for plant consumption.  
Depth Alongside (feet): 20 | | Latitude (decimal): 28.955556  
Total Berthing Space (feet): 516 | | Longitude (decimal): -82.7125  
Remarks: Two open storage areas located at rear have capacity for approximately 1,250,000 tons of coal.□  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14872 Dock Code: 499 Jacksonville District

---

## Port Series No. 17

### The Ports of Tampa and Port Manatee, FL

---

Port: **Tampa/Port Manatee**  
Waterway: **East Bay** Mile: PWD: 41  
Name: **CF Industries, Tampa Phosphate Terminal Wharf.**  
Location: Westerly shore of East Bay, approximately 2,000 feet below 22d Street Causeway, Datum: MLW  
Tampa.  
Operator: CF Industries, Inc.  
Owner: Tampa Port Authority.  
Address: 2520 Guy N. Verger Boulevard Phone: 813/247-5531  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: One surface track serving hopper car pit joins 2 additional surface tracks, maximum capacity twenty 100-ton cars; connects with CSX Transportation, Inc.  
Purpose: Shipment of phosphate fertilizer.  
Depth Alongside (feet): 34 | | Latitude (decimal): 27.927222  
Total Berthing Space (feet): 920 | | Longitude (decimal): -82.43  
Remarks: Steel frame building with corrugated-asbestos siding located in rear has capacity for 75,000 tons of material. Six electric winches - two on each end, one at each side of tower, and one on each adjacent platform required.  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 138 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **East Bay** Mile: PWD: 33  
Name: **CSX Transportation, Rockport Terminal Dock.**  
Location: Easterly shore of East Bay, approximately 0.8 mile below 22d Street Causeway, Datum: MLW  
Tampa.  
Operator: CSX Transportation, Inc.  
Owner: CSX Transportation, Inc.  
Address: 3701 Causeway Boulevard Phone: 813/664-6278\62  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: CSX Transportation Inc.: Two surface tracks extend through two rotary car dumpers (for unit trains); rate 30 cars (3,000 tons) per hour each, and connect with additional terminal trackage.  
Purpose: Shipment of phosphate products.  
Depth Alongside (feet): 41 | | Latitude (decimal): 27.914722  
Total Berthing Space (feet): 1,460 | | Longitude (decimal): -82.42389  
Remarks: Timber storage building located in rear has capacity for 110,000 tons of material and is served by 2 stacker-reclaimers. □  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 110 Jacksonville District

---

**Port Series No. 17**  
**The Ports of Tampa and Port Manatee, FL**

---

Port: **Tampa/Port Manatee**  
Waterway: **East Bay** Mile: PWD: 37  
Name: **Diversified Marine Tech Dock.**  
Location: Northerly shore of East Bay, off southerly side of 22d Street Causeway, Tampa. Datum: MLW  
Operator: Diversified Marine Tech, Inc.  
Owner: Tampa Port Authority.  
Address: 2531 South 22d Street Causeway Phone: 813/248-3256/36  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Mooring vessels for repair.  
Depth Alongside (feet): 12 | 12 | Latitude (decimal): 27.93  
Total Berthing Space (feet): 180 | 90 | Longitude (decimal): -82.42778  
Remarks: One 200-ton, vertical boat lift is located between piers. Marine repair plant is located at rear. □  
Year of Last Survey: 1995 Corps of Engrns Waterway Code: 14790 Dock Code: 117 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **East Bay** Mile: PWD: 34  
Name: **Eastern Associated Terminals Co., Tampa Wharf.**  
Location: Easterly shore of East Bay, approximately 1,100 feet below 22d Street Causeway, Tampa. Datum: MLW  
Operator: Eastern Associated Terminals Co.  
Owner: Eastern Associated Terminals Co.  
Address: Phone: 813/248-5038  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: CSX Transportation, Inc.: One surface track extends through a rotary car dumper (for unit trains), rate 20 cars per hour, and connects with additional terminal trackage.  
Purpose: Shipment of phosphate products.  
Depth Alongside (feet): 37 | | Latitude (decimal): 27.919722  
Total Berthing Space (feet): 555 | | Longitude (decimal): -82.42083  
Remarks: Open storage area located in rear with capacity for 135,000 tons of phosphate was not in use at time of survey. One timber storage building located at rear has storage capacity for 110,000 tons of phosphate; eac beltless drag conveyor stacker-reclaimer.  
Year of Last Survey: 1995 Corps of Engrns Waterway Code: 14790 Dock Code: 112 Jacksonville District

---

**Port Series No. 17**  
**The Ports of Tampa and Port Manatee, FL**

---

Port: **Tampa/Port Manatee**  
Waterway: **East Bay** Mile: PWD: 35  
Name: **Seabreeze by the Bay Pier.**  
Location: Easterly shore of East Bay, below 22nd Street Causeway, Tampa. Datum: MLW  
Operator: Seabreeze by the Bay, Inc.  
Owner: Seabreeze by the Bay, Inc.  
Address: 3409 22d Causeway Blvd. Phone: 813/248-9533/24  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Receipt of seafood; mooring shrimp boats.  
Depth Alongside (feet): 34 | 10 - 34 | Latitude (decimal): 27.923611  
Total Berthing Space (feet): - | 100, | Longitude (decimal): -82.42111  
Remarks: Retail and wholesale facilities are located in rear. □□  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 114 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **East Bay** Mile: PWD: 32  
Name: **Tampa Electric Co., Gannon Station, North Oil Dock.**  
Location: Black Point, Port Sutton, head of Power Plant Intake Slip, Tampa. Datum: MLW  
Operator: Tampa Electric Co.  
Owner: Tampa Electric Co.  
Address: 3602 Port Sutton Road Phone: 813-247-1211/26  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: Trackage serving power plant in rear; connects with CSX Transportation, Inc.  
Purpose: Receipt of fuel oil for plant consumption.  
Depth Alongside (feet): 30 - 34 | | Latitude (decimal): 27.908889  
Total Berthing Space (feet): 200 | | Longitude (decimal): -82.42194  
Remarks: Barges berth against offshore dolphins, end-to face of wharf. One 6-inch pipeline extends from wharf to one 7,150-barrel, fuel oil storage tank located at rear.  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 107 Jacksonville District

---

**Port Series No. 17**  
**The Ports of Tampa and Port Manatee, FL**

---

Port: **Tampa/Port Manatee**  
Waterway: **East Bay** Mile: PWD: 38  
Name: **Tampa Port Authority, Holland Terminal, Berth 200.**  
Location: Westerly shore of East Bay, below 22d Street Causeway, Tampa. Datum: MLW  
Operator: Tampa Port Authority.  
Owner: Tampa Port Authority.  
Address: Foot of Barge Avenue Phone: 813-272-0555  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Mooring vessels and barges.  
Depth Alongside (feet): 10 - 29 | | Latitude (decimal): 27.934444  
Total Berthing Space (feet): 800 | | Longitude (decimal): -82.43306  
Remarks: Vessels up to 800 feet can be berthed off northeast side using ships' anchor. □ □  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 119 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **East Bay** Mile: PWD: 39  
Name: **Tampa Port Authority, Holland Terminal, Berth 201.**  
Location: Westerly shore of East Bay, approximately 1,300 feet below 22d Street Causeway, Tampa. Datum: MLW  
Operator: Tampa Bay International Terminals, Inc. and Thompson Shipping.  
Owner: Tampa Port Authority.  
Address: Phone: 813/248-6168  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Receipt and shipment of containerized, conventional, and roll-on/ roll-off general cargo in foreign and domestic trades.  
Depth Alongside (feet): 34 | | Latitude (decimal): 27.931111  
Total Berthing Space (feet): 903 | | Longitude (decimal): -82.43389  
Remarks: One 85,000-square-foot, steel frame, metal-covered building is located at rear. □ Tampa Bay International Terminals, Inc.: Approximately 7.5 acres of open storage area are located at rear. Thompson Shipping: Approximately 5 acres of open storage area are located at rear.  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 120 Jacksonville District

---

## Port Series No. 17

### The Ports of Tampa and Port Manatee, FL

---

Port: **Tampa/Port Manatee**

Waterway: **East Bay** Mile: PWD: 40

Name: **Tampa Port Authority, Holland Terminal, Berth 202.**

Location: Westerly shore of East Bay, approximately 1,600 feet below 22d Street Causeway, Datum: MLW  
Tampa.

Operator: Carnival Cruise Lines; Tampa Bay International Terminals, Inc.; and Thompson Shipping

Owner: Tampa Port Authority.

Address: Phone: 813/248-6168

Town: Tampa State: FL County: Hillsborough

Railway Connection: None.

Purpose: Receipt and shipment of containerized and conventional general cargo in foreign and domestic trades;  
mooring cruise vessels; boarding passengers.

Depth Alongside (feet): 34 | | Latitude (decimal): 27.929722

Total Berthing Space (feet): 750 | | Longitude (decimal): -82.43333

Remarks: One 100,000-square-foot, steel frame, metal-covered building is located at rear. Tampa Bay  
International Terminals, Inc., operates northerly 70,000 square feet of transit shed; Carnival Cruise  
Lines operates sou as a passenger terminal. Paved parking lot is located at rear. □ Tampa Bay  
International Terminals, Inc.: Approximately 15.5 acres of open storage area are located at rear.

Year of Last Survey: 1995 Corps of Engrns Waterway Code: 14790 Dock Code: 121 Jacksonville District

---

Port: **Tampa/Port Manatee**

Waterway: **East Bay** Mile: PWD: 42

Name: **Tampa Port Authority, Holland Terminal, Berth 205.**

Location: Westerly shore of East Bay, approximately 0.5 mile below 22d Street Causeway, Datum: MLW  
Tampa.

Operator: Tampa Port Authority and Interamerican Juice Co., Inc.

Owner: Tampa Port Authority.

Address: 2650 Guy N. Verger Boulevard Phone: 813/247-4147

Town: Tampa State: FL County: Hillsborough

Railway Connection: None.

Purpose: Receipt of juice concentrate.

Depth Alongside (feet): 34 | | Latitude (decimal): 27.925

Total Berthing Space (feet): 580 | - | Longitude (decimal): -82.42917

Remarks: Four 8-inch, stainless steel pipes are used to unload juice concentrate into trucks. □

Year of Last Survey: 1995 Corps of Engrns Waterway Code: 14790 Dock Code: 122 Jacksonville District

---

## Port Series No. 17

### The Ports of Tampa and Port Manatee, FL

---

Port: **Tampa/Port Manatee**  
 Waterway: **East Bay** Mile: PWD: 43  
 Name: **Tampa Port Authority, Holland Terminal, Berth 206.**  
 Location: Westerly shore of East Bay, approximately 1,800 feet below 22d Street Causeway, Datum: MLW  
 Tampa.  
 Operator: International Ship Repair & Marine Services, Inc.  
 Owner: Tampa Port Authority.  
 Address: Guy N. Verger Boulevard Phone: 813/247-1118  
 Town: Tampa State: FL County: Hillsborough  
 Railway Connection: None.  
 Purpose: Mooring vessels.  
 Depth Alongside (feet): 17 - 20 | | Latitude (decimal): 27.923611  
 Total Berthing Space (feet): 850 | | Longitude (decimal): -82.42889  
 Remarks: -□□  
 Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 123 Jacksonville District

---

Port: **Tampa/Port Manatee**  
 Waterway: **East Bay** Mile: PWD: 44  
 Name: **Tampa Port Authority, Holland Terminal, Berth 208.**  
 Location: Westerly shore of East Bay, approximately 0.6 mile below 22d Street Causeway, Datum: MLW  
 Tampa.  
 Operator: Tampa Bay International Terminals, Inc.  
 Owner: Tampa Port Authority.  
 Address: Guy N. Verger Boulevard Phone: 813/248-6168  
 Town: Tampa State: FL County: Hillsborough  
 Railway Connection: One 900-foot surface track at rear of wharf connects with CSX Transportation, Inc.  
 Purpose: Receipt and shipment of containerized, conventional, and roll-on/ roll-off general cargo and heavy-lift items in foreign and domestic trades.  
 Depth Alongside (feet): 34 | | Latitude (decimal): 27.920833  
 Total Berthing Space (feet): 907 | | Longitude (decimal): -82.42861  
 Remarks: Wharf is in line and contiguous with Berth Nos. 209, 210, and 211. Approximately 20 acres of open storage area are located at rear. At time of survey, plans called for the construction of a 100,000-square-foot, frame, metal-covered transit shed at rear.  
 Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 124 Jacksonville District

---

## Port Series No. 17

### The Ports of Tampa and Port Manatee, FL

---

Port: **Tampa/Port Manatee**

Waterway: **East Bay** Mile: PWD: 45

Name: **Tampa Port Authority, Holland Terminal, Berth 209.**

Location: Westerly shore of East Bay, approximately 0.7 mile below 22d Street Causeway, Datum: MLW  
Tampa.

Operator: Tampa Bay International Terminals, Inc. and Harborside Refrigerated Services, Inc.

Owner: Tampa Port Authority.

Address: 2900 Guy N. Verger Boulevard Phone: 813-248-6996

Town: Tampa State: FL County: Hillsborough

Railway Connection: One platform-level track along full length at rear of transit shed; connects with CSX  
Transportation, Inc.

Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; receipt of fruit.

Depth Alongside (feet): 34 | | Latitude (decimal): 27.918333

Total Berthing Space (feet): 600 | | Longitude (decimal): -82.42861

Remarks: Wharf is in line and contiguous with Berths 208, 210, and 211. Tampa Bay International Terminals,  
Inc. operates northerly portion (40,000 square feet) of transit shed. Harborside Refrigerated Services,  
Inc. ope portion (50,000 square feet of cooler space) of transit shed.

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 14790 Dock Code: 125 Jacksonville District

---

Port: **Tampa/Port Manatee**

Waterway: **East Bay** Mile: PWD: 46

Name: **Tampa Port Authority, Holland Terminal, Berths 210 and 211.**

Location: Westerly shore of East Bay, approximately 0.8 mile below 22d Street Causeway, Datum: MLW  
Tampa.

Operator: Tampa Port Authority; Thompson Shipping; and Harborside Refrigerated Services, Inc.

Owner: Tampa Port Authority.

Address: 2900 Guy N. Verger Boulevard Phone: 813-248-6996

Town: Tampa State: FL County: Hillsborough

Railway Connection: One 480-foot, platform-level track along rear of transit shed; connects with CSX  
Transportation, Inc.

Purpose: Receipt and shipment of containerized and conventional general cargo in foreign and domestic trades;  
receipt of bananas.

Depth Alongside (feet): 34 | | Latitude (decimal): 27.915833

Total Berthing Space (feet): 1,200 | - | Longitude (decimal): -82.42861

Remarks: Wharf is in line and contiguous with Berth 208 and 209. Harborside Refrigerated Services, Inc.  
operates transit shed as a cold storage warehouse. Banana-unloading system with an estimated  
unloading rate of 5,000 boxes per hour was in operation on lower side.

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 14790 Dock Code: 126 Jacksonville District

---

## Port Series No. 17

### The Ports of Tampa and Port Manatee, FL

---

Port: **Tampa/Port Manatee**  
Waterway: **East Bay** Mile: PWD: 36  
Name: **Tampa Port Authority, Shrimp Docks.**  
Location: Northerly shore of East Bay, off southerly side of 22nd Street Causeway, Tampa. Datum: MLW  
Operator: Port Seafood; Superior Seafoods, Inc.; and Versaggi Shrimp Co.  
Owner: Tampa Port Authority.  
Address: 2601 South 22d Street Causeway Phone: 813/248-5089  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Receipt of seafood.  
Depth Alongside (feet): 12 - 30 | 12 | Latitude (decimal): 27.928889  
Total Berthing Space (feet): 2,400 | 260 | Longitude (decimal): -82.42694  
Remarks: A 40- by 20-foot concrete platform fronts a 100- by 50-foot, seafood-processing building located at the inner end of each pier. Piers and bulkhead are fronted by timber pile and rubber fender system.  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 116 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Garrison Channel** Mile: PWD: 78  
Name: **Tampa Port Authority, Garrison Seaport Center Cruise Terminals 1 a**  
Location: North side of Garrison Channel, east of Harbour Island East Access Bridge, Tampa. Datum: MLW  
Operator: Tampa Port Authority; Holland America Line Westours, Inc.; and Starlight Princess Cru  
Owner: Tampa Port Authority.  
Address: Phone: 813-272-0555  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Mooring cruise vessels; boarding passengers.  
Depth Alongside (feet): 34 | 34 | Latitude (decimal): 27.9425  
Total Berthing Space (feet): 1,221 | 600 | Longitude (decimal): -82.44667  
Remarks: Two steel frame, metal-covered buildings located at rear are used as passenger terminals. Asphalt-paved parking lots are located at rear of buildings. An aquarium is located east of passenger terminals.  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 200 Jacksonville District

---

## Port Series No. 17

### The Ports of Tampa and Port Manatee, FL

---

Port: **Tampa/Port Manatee**  
 Waterway: **Hillsborough Bay** Mile: PWD: 30  
 Name: **Commercial Metals Co., Berth 1.**  
 Location: Easterly shore, Hillsborough Bay, Black Point, between Port Sutton Slip and Delaney Creek, Tampa. Datum: MLW  
 Operator: Commercial Metals Co.  
 Owner: Tampa Port Authority.  
 Address: 3310 Port Sutton Road Phone: 813-248-1918  
 Town: Tampa State: FL County: Hillsborough  
 Railway Connection: One surface track serves storage yard in rear; connects with CSX Transportation, Inc.  
 Purpose: Shipment of scrap metal by vessel and barge.  
 Depth Alongside (feet): 30 | | Latitude (decimal): 27.906944  
 Total Berthing Space (feet): 650 | | Longitude (decimal): -82.42861  
 Remarks: Open storage area located in rear has capacity for approximately 14,000 tons of scrap metal. □  
 Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 103 Jacksonville District

---

Port: **Tampa/Port Manatee**  
 Waterway: **Hillsborough Bay** Mile: PWD: 26  
 Name: **Farmland Hydro LP., Tampa Ammonia Terminal Wharf.**  
 Location: North side of Port Sutton Slip, approximately 800 feet above entrance, Tampa. Datum: MLW  
 Operator: Farmland Hydro LP.  
 Owner: Packhoed Dry Bulk Terminals, Inc.  
 Address: 3421 Port Sutton Road Phone: 813-248-4190  
 Town: Tampa State: FL County: Hillsborough  
 Railway Connection: One surface track serves 3-car-capacity, tank-car-loading rack in rear; connects with CSX Transportation, Inc. At time of survey, plans called for the removal of the tracks.  
 Purpose: Receipt of anhydrous ammonia.  
 Depth Alongside (feet): 33 | | Latitude (decimal): 27.904444  
 Total Berthing Space (feet): 650 | - | Longitude (decimal): -82.42389  
 Remarks: One 10-/12-inch line extends from wharf to 2 insulated, anhydrous ammonia storage tanks in rear, total capacity 17,200,000 gallons. Vessels at berth extend across face of wharf serving adjacent P.W.D. Ref. No. 2  
 Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 099 Jacksonville District

---

## Port Series No. 17

### The Ports of Tampa and Port Manatee, FL

---

Port: **Tampa/Port Manatee**  
Waterway: **Hillsborough Bay** Mile: PWD: 20  
Name: **Freeport Sulphur, Tampa Terminal, Berth 22.**  
Location: South side of Port Sutton Slip, approximately 900 feet from inner end, Tampa. Datum: MLW  
Operator: Freeport Sulphur Co., Division of Freeport-McMoRan Resource Partners LP; and Hydro Ag  
Owner: Tampa Port Authority.  
Address: 4388 Pendola Point Road Phone: 813-248-6150  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Receipt of molten sulphur and liquid fertilizer.  
Depth Alongside (feet): 34 | | Latitude (decimal): 27.903611  
Total Berthing Space (feet): 700 | | Longitude (decimal): -82.41056  
Remarks: Freeport Sulphur Co.: One 14-inch pipeline extends from wharf to 6 molten sulphur storage tanks in rear, total capacity 12,900,000 gallons. □ Hydro Agri North America, Inc.: One 8-inch pipeline extends from wharf 1,900,000-gallon, liquid fertilizer storage tank located on U.S. Highway 41 in rear.  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 086 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Hillsborough Bay** Mile: PWD: 28  
Name: **Holnam, Tampa Terminal, Berth 3.**  
Location: East side of turning basin at entrance to Port Sutton Slip. Datum: MLW  
Operator: Holnam, Inc.  
Owner: Tampa Port Authority.  
Address: 3417 Port Sutton Road Phone: 813/248-3129  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: Three surface tracks extending along rear of storage silos serve undertrack receiving pit; connect with CSX Transportation, Inc.  
Purpose: Receipt of bulk cement by vessel.  
Depth Alongside (feet): 34 | | Latitude (decimal): 27.904722  
Total Berthing Space (feet): 553 | | Longitude (decimal): -82.42694  
Remarks: Four 12-inch, pneumatic pipelines extend from wharf to cement storage silos described under P.W.D. Ref. No. 27. □  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 101 Jacksonville District

---

## Port Series No. 17

### The Ports of Tampa and Port Manatee, FL

---

Port: **Tampa/Port Manatee**  
Waterway: **Hillsborough Bay** Mile: PWD: 27  
Name: **Holnam, Tampa Terminal, Berth 4.**  
Location: North side of Port Sutton Slip, approximately 230 feet above entrance, Tampa. Datum: MLW  
Operator: Holnam, Inc.  
Owner: Tampa Port Authority.  
Address: 3417 Port Sutton Road Phone: 813/248-3129  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: Three surface tracks extending along rear of storage silos serve undertrack receiving pit; connect with CSX Transportation, Inc.  
Purpose: Occasional receipt of bulk cement by vessel.  
Depth Alongside (feet): 15 | 15 | Latitude (decimal): 27.904444  
Total Berthing Space (feet): 550 | - | Longitude (decimal): -82.42583  
Remarks: One 8-inch, pneumatic pipeline extends from wharf to 8 cement storage silos and 3 interstices, total capacity 38,000. Cement is generally received at P.W.D. Ref. No. 28.  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 101 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Hillsborough Bay** Mile: PWD: 12  
Name: **IMC-Agrico Co., Big Bend Terminal Dock.**  
Location: Southeast end of Hillsborough Bay; outer end, south side of slip, above foot of Datum: MLW  
Pembroke Road extended,  
Operator: IMC-Agrico Co.  
Owner: IMC-Agrico Co.  
Address: 12839 Wyandotte Road Phone: 813/677-8404  
Town: Big Bend State: FL County: Hillsborough  
Railway Connection: One surface track extends through a rotary car dumper, rate 30 cars per hour, and extends to a receiving pit at storage building; connects with CSX Transportation, Inc.  
Purpose: Shipment of wet phosphate rock, superphosphate, and phosphoric acid.  
Depth Alongside (feet): 35 | | Latitude (decimal): 27.806111  
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -82.40833  
Remarks: Timber storage building in rear is served by truck- and rail-receiving pits, and has capacity for 32,000 tons of superphosphate. A 54-inch, electric belt conveyor extends from rail car dumper to open storage are twin boom, beltless drag conveyor, stacker-reclaimer and has capacity for 175,000 tons of wet phosphate rock. One 12-inch pipeline with two 8-inch connections extends from 6 phosphoric acid storage tanks, total capacity 8,460,000 gallons.  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 104 Jacksonville District

---

## Port Series No. 17

### The Ports of Tampa and Port Manatee, FL

---

Port: **Tampa/Port Manatee**  
Waterway: **Hillsborough Bay** Mile: PWD: 22  
Name: **IMC-Agrico Co., Port Sutton Terminal, Ammonia Wharf.**  
Location: North side of Port Sutton Slip, approximately 2,500 feet above entrance, Tampa. Datum: MLW  
Operator: IMC-Agrico Co.  
Owner: IMC-Agrico Co.  
Address: 4801 Port Sutton Road Phone: 813/248-1971  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: Plant trackage connects with CSX Transportation, Inc.  
Purpose: Receipt of anhydrous ammonia; mooring vessels.  
Depth Alongside (feet): 33 | | Latitude (decimal): 27.904444  
Total Berthing Space (feet): 800 | - | Longitude (decimal): -82.4175  
Remarks: One 12-inch pipeline extends from wharf to one 17,550,000-gallon, insulated, anhydrous ammonia storage tank located in rear. □  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 090 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Hillsborough Bay** Mile: PWD: 23  
Name: **IMC-Agrico Co., Port Sutton Terminal, Phosphate Wharf.**  
Location: North side of Port Sutton Slip, approximately 1,800 feet above entrance, Tampa. Datum: MLW  
Operator: IMC-Agrico Co.  
Owner: IMC-Agrico Co.  
Address: 4801 Port Sutton Road Phone: 813/248-1971  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: Surface tracks serve 3 hopper-car-receiving pits (wet phosphate, dry phosphate, and diammonium phosphate) at plant in rear; join with 500-car-capacity storage yard connecting with CSX Transportation Inc.  
Purpose: Shipment of phosphate rock, triple superphosphate diammonium phosphate, and animal feed (defluorinated phosphate).  
Depth Alongside (feet): 34 | | Latitude (decimal): 27.904444  
Total Berthing Space (feet): 800 | | Longitude (decimal): -82.42028  
Remarks: Tower is served by a covered, 48-inch, electric, belt-conveyor system extending along rear of wharf from 16 phosphate rock storage silos with 7 interstices, total capacity 60,000 tons, and from 3 diammonium phosph total capacity 76,000 tons. Dry and wet phosphate rock is received by rail at 2 car-unloading sheds; dry rock is transferred from hopper under track at a 3-car-capacity shed via a conveyor to storage silos or direct tower; wet rock is transferred from hopper under track at a 1-car-capacity shed via a 30-inch conveyor to a 200,000-ton, open storage area served by a stacker. Front-end loaders reclaim material to a plant with capacity of 8,000 tons per day; a 30-inch conveyor system extends from drying plant to the 48-inch conveyor serving loading tower from storage silos and storage buildings.  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 090 Jacksonville District

---

**Port Series No. 17**  
**The Ports of Tampa and Port Manatee, FL**

---

Port: **Tampa/Port Manatee**  
Waterway: **Hillsborough Bay** Mile: PWD: 21  
Name: **Marathon Asphalt, Tampa Terminal, Berth 21.**  
Location: South side of Port Sutton Slip, approximately 250 feet from inner end, Tampa. Datum: MLW  
Operator: Marathon Asphalt Co.  
Owner: Tampa Port Authority.  
Address: Phone: 813/247-2876  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Receipt of asphalt by barge.  
Depth Alongside (feet): 18 - 19 | | Latitude (decimal): 27.903333  
Total Berthing Space (feet): 230 | | Longitude (decimal): -82.40889  
Remarks: One 10-inch pipeline extends from wharf to 12 steel, asphalt storage tanks, total capacity 122,900 barrels; tanks are located approximately 1,700 feet southeast of wharf.  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 088 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Hillsborough Bay** Mile: PWD: 17  
Name: **Martin Gas Sales, Tampa Terminal, Berth 24.**  
Location: South side of Port Sutton Slip, approximately 2,700 feet from inner end, Tampa. Datum: MLW  
Operator: Martin Gas Sales, Inc.  
Owner: Tampa Port Authority.  
Address: 4118 Pendola Point Road Phone: 813/247-5063  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Receipt and shipment of petroleum products, sulfuric acid, and asphalt; fueling vessels at berth.  
Depth Alongside (feet): 34 | | Latitude (decimal): 27.903056  
Total Berthing Space (feet): 715 | | Longitude (decimal): -82.41556  
Remarks: One 12-inch and one 8-inch pipelines extend from wharf to 3 petroleum products storage tanks in rear, total capacity 310,000 barrels. One 2-inch metered connection located off 8-inch pipeline is used for fueling 14-inch pipeline extends from wharf to 2 sulfuric acid storage tanks in rear, total capacity 5,800,000 gallons. One 10-inch pipeline extends from wharf to one 80,000-barrel, asphalt storage tank located at rear.  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 081 Jacksonville District

---

## Port Series No. 17

### The Ports of Tampa and Port Manatee, FL

---

Port: **Tampa/Port Manatee**  
Waterway: **Hillsborough Bay** Mile: PWD: 18  
Name: **Martin Gas Sales, Tampa Terminal, Berth 24B.**  
Location: South side of Port Sutton Slip, approximately 2,400 feet from inner end, Tampa. Datum: MLW  
Operator: Martin Gas Sales, Inc. and Central Oil Co., Inc.  
Owner: Tampa Port Authority.  
Address: Phone: 813/247-5063  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Receipt and shipment of petroleum products; loading bunkering barges; and fueling vessels at berth.  
Depth Alongside (feet): 12 - 20 | | Latitude (decimal): 27.903056  
Total Berthing Space (feet): 200 | - | Longitude (decimal): -82.41444  
Remarks: Martin Gas Sales, Inc.: One 10- and one 6-inch pipelines extend from wharf to 2 of the petroleum products storage tanks described under P.W.D. Ref. No. 17. One 2-inch, metered connection is used for fueling ves  
Year of Last Survey: 1995 Corps of Engrns Waterway Code: 14790 Dock Code: 081 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Hillsborough Bay** Mile: PWD: 19  
Name: **Packhoed Dry Bulk Terminals, Port Sutton Fertilizer Dock.**  
Location: South side of Port Sutton Slip, approximately 1,700 feet from inner end, Tampa. Datum: MLW  
Operator: Packhoed Dry Bulk Terminals, Inc.  
Owner: Packhoed Dry Bulk Terminals, Inc.  
Address: 4310 Pendola Point Road Phone: 813/248-1146  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: Four surface tracks at plant in rear, one serving tank-car-loading rack, total capacity 65 cars; connect with CSX Transportation, Inc.  
Purpose: Receipt and occasional shipment of fertilizer materials and other miscellaneous, dry bulk commodities; receipt of caustic soda.  
Depth Alongside (feet): 33 | | Latitude (decimal): 27.903333  
Total Berthing Space (feet): 700 | | Longitude (decimal): -82.4125  
Remarks: Three timber-, and concrete bulk storage buildings located in rear have total capacity for 170,000 tons of material. One 8-inch pipeline extends from wharf to one 1,000,000-gallon, caustic soda storage tank loca  
Year of Last Survey: 1995 Corps of Engrns Waterway Code: 14790 Dock Code: 084 Jacksonville District

---

**Port Series No. 17**  
**The Ports of Tampa and Port Manatee, FL**

---

Port: **Tampa/Port Manatee**  
Waterway: **Hillsborough Bay** Mile: PWD: 24  
Name: **Packhoed Dry Bulk Terminals, Port Sutton Scrap Metal Dock.**  
Location: North side of Port Sutton Slip, approximately 1,270 feet above entrance, Tampa. Datum: MLW  
Operator: Tampa Bay Metal Recycling, Inc. and North Star Recycling Co.  
Owner: Packhoed Dry Bulk Terminals, Inc.  
Address: 3423 Port Sutton Road Phone: 813/248-1146  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Shipment of scrap metal.  
Depth Alongside (feet): 14 | | Latitude (decimal): 27.905278  
Total Berthing Space (feet): 600 | | Longitude (decimal): -82.4225  
Remarks: One 100- by 180-foot, timber frame, concrete-block storage building located at rear was formerly used for storage of bulk salt. Face of wharf is located along lower side of a 175-foot-wide slip; a water discharg Electric Co.'s, Gannon Station empties into the head of the slip.  
Year of Last Survey: 1995 Corps of Engrns Waterway Code: 14790 Dock Code: 095 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Hillsborough Bay** Mile: PWD: 29  
Name: **Pasco Terminals, Tampa Terminal, Berth 2.**  
Location: North side of turning basin, approximately 600 feet north of entrance to Port Sutton Slip, Tampa. Datum: MLW  
Operator: Pasco Terminals, Inc.  
Owner: Tampa Port Authority.  
Address: 3411 Port Sutton Road Phone: 813-248-4344  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Receipt of molten sulphur.  
Depth Alongside (feet): 30 | | Latitude (decimal): 27.906389  
Total Berthing Space (feet): 650 | | Longitude (decimal): -82.42778  
Remarks: One 10-inch pipeline extends from wharf to 5 steel, molten sulphur storage tanks located at rear; total capacity 8,300,000 gallons.□  
Year of Last Survey: 1995 Corps of Engrns Waterway Code: 14790 Dock Code: 102 Jacksonville District

---

**Port Series No. 17**  
**The Ports of Tampa and Port Manatee, FL**

---

Port: **Tampa/Port Manatee**  
Waterway: **Hillsborough Bay** Mile: PWD: 10  
Name: **Tampa Electric Co., Big Bend Station Coal Wharf.**  
Location: Extreme southeast end of Hillsborough Bay, above foot of Big Bend Road extended, Datum: MLW  
Big Bend.  
Operator: Tampa Electric Co.  
Owner: Tampa Electric Co.  
Address: Phone: 1-800-299-8326  
Town: Big Bend State: FL County: Hillsborough  
Railway Connection: One surface track serves power plant in rear; connects with CSX Transportation, Inc.  
Purpose: Receipt of coal for plant consumption.  
Depth Alongside (feet): 34 | | Latitude (decimal): 27.796389  
Total Berthing Space (feet): 788 | - | Longitude (decimal): -82.4125  
Remarks: bucket-wheel reclaimer, and another storage area served by a traveling stacker equipped with a bucket-wheel reclaimer. Stacking and reclaiming rate is 4,000 tons per hour for each area. A steel pile, steel-decked wharf at lower end is used for mooring tugs. Open storage areas located at rear have capacity for 500,000 tons of coal.  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 066 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Hillsborough Bay** Mile: PWD: 11  
Name: **Tampa Electric Co., Big Bend Station Oil Dock.**  
Location: Easterly shore of Hillsborough Bay, inner end, south side of Power Plant Intake Canal, above foot of Big Bend. Datum: MLW  
Operator: Tampa Electric Co.  
Owner: Tampa Electric Co.  
Address: Phone: 1-800-299-8326  
Town: Big Bend State: FL County: Hillsborough  
Railway Connection: One surface track serves power plant in rear; connects with CSX Transportation, Inc.  
Purpose: Receipt of No. 2 fuel oil for plant consumption.  
Depth Alongside (feet): 15 | | Latitude (decimal): 27.797222  
Total Berthing Space (feet): 180 | - | Longitude (decimal): -82.40972  
Remarks: One 8-inch pipeline extends from pier to 2 steel storage tanks located at power plant in rear, total capacity 115,000 barrels. □  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 066 Jacksonville District

---

## Port Series No. 17

### The Ports of Tampa and Port Manatee, FL

---

Port: **Tampa/Port Manatee**  
Waterway: **Hillsborough Bay** Mile: PWD: 31  
Name: **Tampa Electric Co., Gannon Station, Coal Dock.**  
Location: Easterly shore, Hillsborough Bay, Black Point, adjacent to outer portion of north side of Port Sutton, T Datum: MLW  
Operator: Tampa Electric Co.  
Owner: Tampa Electric Co.  
Address: 3602 Port Sutton Road Phone: 813-247-1211/26  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: Two surface tracks in rear of wharf join additional trackage serving undertrack receiving pit at power plant in rear; connect with CSX Transportation, Inc.  
Purpose: Receipt of coal by barge for plant consumption.  
Depth Alongside (feet): 34 | | Latitude (decimal): 27.908611  
Total Berthing Space (feet): 700 | | Longitude (decimal): -82.42694  
Remarks: Open storage area located at rear has capacity for approximately 200,000 tons of coal. □  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 106 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Hillsborough Bay** Mile: PWD: 25  
Name: **Tampa Electric Co., Gannon Station, South Oil Dock.**  
Location: North side of Port Sutton Slip, approximately 1,000 feet above entrance, Tampa. Datum: MLW  
Operator: Not operated.  
Owner: Tampa Electric Co.  
Address: 3602 Port Sutton Road Phone: 813-247-1211/26  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Not used.  
Depth Alongside (feet): 28 | | Latitude (decimal): 27.904444  
Total Berthing Space (feet): 500 | | Longitude (decimal): -82.42306  
Remarks: One 20-inch pipeline extends from wharf to 3 steel storage tanks located at power plant in rear, total capacity 653,100 barrels, was not in use at time of survey. Vessels at berth have use of upper breasting dol P.W.D. Ref. No. 26, which is in line with face of wharf.  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 097 Jacksonville District

---

## Port Series No. 17

### The Ports of Tampa and Port Manatee, FL

---

Port: **Tampa/Port Manatee**  
Waterway: **Hillsborough Bay** Mile: PWD: 16  
Name: **Vulcan/ICA Distribution Co., Tampa Yard, Berth 31.**  
Location: Outer end, south side of Port Sutton Slip, Tampa. Datum: MLW  
Operator: Vulcan/ICA Distribution Co. and Southdown, Inc.  
Owner: Tampa Port Authority.  
Address: 3510 Pendola Point Road Phone: 813/247-7625  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Receipt of limestone and cement.  
Depth Alongside (feet): 40 - 43 | | Latitude (decimal): 27.903333  
Total Berthing Space (feet): 750 | - | - Longitude (decimal): -82.43333  
Remarks: At time of survey, plans called for the installation of rail tracks in the storage yard. Vulcan/ICA Distribution Co.: Open storage area located at rear has capacity for approximately 140,000 tons of limestone. Southdown, Inc.: Two 12-inch, pneumatic pipelines extend from wharf to 4 concrete, cement storage silos in rear, total capacity 32,000 tons.  
Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 14790 Dock Code: 080 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Hillsborough Channel** Mile: PWD: 47  
Name: **Tampa Port Authority, Holland Terminal, Berth 219.**  
Location: Easterly side of Hillsborough Channel Cut 'D', approximately 500 feet above south end of Hookers Point, Datum: MLW  
Operator: The David J. Joseph Co.; Tampa Scrap Processors, Inc.; and Winner Metals.  
Owner: Tampa Port Authority.  
Address: 4201 Maritime Boulevard Phone: 813/247-6303  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: One surface track connects with CSX Transportation, Inc.  
Purpose: Receipt and shipment of miscellaneous, dry bulk commodities; shipment of scrap metal.  
Depth Alongside (feet): 41 | | Latitude (decimal): 27.91  
Total Berthing Space (feet): 865 | - | - Longitude (decimal): -82.43944  
Remarks: The David J. Joseph Co.: Approximately 15 acres of open storage area are located at rear. Winner Metals: Approximately 15 acres of open storage area are located at rear. Tampa Scrap Processors, Inc.: Approximately 15 acres of open storage area are located at rear.  
Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 14790 Dock Code: 127 Jacksonville District

---

## Port Series No. 17

### The Ports of Tampa and Port Manatee, FL

---

Port: **Tampa/Port Manatee**  
Waterway: **Hillsborough Channel** Mile: PWD: 48  
Name: **Tampa Port Authority, Holland Terminal, Berth 220.**  
Location: Easterly side of Hillsborough Channel Cut 'D', approximately 1,600 feet above south end of Hookers Point Datum: MLW  
Operator: Martin Marietta Materials Co., Inc.; and Sulphuric Acid Trading Co.  
Owner: Tampa Port Authority.  
Address: 4041 Maritime Boulevard Phone: 813-247-1005  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Receipt of sulfuric acid, sand, and gravel.  
Depth Alongside (feet): 39 | | Latitude (decimal): 27.9125  
Total Berthing Space (feet): 1,000 | - | Longitude (decimal): -82.44111  
Remarks: Sulphuric Acid Trading Co.: One 16-inch pipeline extends from wharf to 3 steel storage tanks located at terminal in rear, total capacity 7,800,000 gallons. □ Dravo Basic Materials Co., Inc.: Approximately 16 acre with capacity for approximately 120,000 tons of material are located at rear.  
Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 14790 Dock Code: 128 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Hillsborough Channel** Mile: PWD: 49  
Name: **Tampa Port Authority, Holland Terminal, Berths 223 and 224.**  
Location: Easterly side of Hillsborough Channel Cut 'D', approximately 0.7 mile above south end of Hookers Point, Datum: MLW  
Operator: GATX Terminals Corp.  
Owner: Tampa Port Authority.  
Address: 100 GATX Drive Phone: 813/248-2148  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: One 300-foot surface track in rear at inner end, and additional trackage serving tank-car-unloading racks; connect with CSX Transportation, Inc.  
Purpose: Receipt of caustic soda and petroleum products; mooring vessels.  
Depth Alongside (feet): 34 | 14 - 16 | Latitude (decimal): 27.918333  
Total Berthing Space (feet): 1,120 | 220 | Longitude (decimal): -82.44278  
Remarks: One 8-inch pipeline extends from wharf to 2 caustic soda storage tanks located at rear, total capacity 3,780,000 gallons. Five 10-inch pipelines extend from wharf to 39 petroleum products storage tanks, total ca  
Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 14790 Dock Code: 129 Jacksonville District

---

## Port Series No. 17

### The Ports of Tampa and Port Manatee, FL

---

Port: **Tampa/Port Manatee**  
 Waterway: **Hillsborough Channel** Mile: PWD: 50  
 Name: **Tampa Port Authority, Holland Terminal, Berths 226 and 227.**  
 Location: Easterly side of Hillsborough Channel Cut 'D', approximately 0.8 mile above south end of Hookers Point, Datum: MLW  
 Operator: Murphy Oil USA, Inc.; Petroleum Packers, Inc.; Louis Dreyfus Energy; GATX Terminals C  
 Owner: Tampa Port Authority.  
 Address: 1601 McCloskey Boulevard Phone: 813/248-3158  
 Town: Tampa State: FL County: Hillsborough  
 Railway Connection: Trackage serving product terminals in rear; connects with CSX Transportation, Inc.  
 Purpose: Receipt of petroleum products, caustic soda, and anhydrous ammonia.  
 Depth Alongside (feet): 34 | 41 | Latitude (decimal): 27.919444  
 Total Berthing Space (feet): - | 880, | Longitude (decimal): -82.44333  
 Remarks: Murphy Oil USA, Inc.: One 12-, one 8-, and one 6-inch pipelines extend from pier to 8 petroleum products storage tanks in rear, total capacity 325,000 barrels. Petroleum Packers, Inc.: One 6-inch pipeline extends from pier to 37 petroleum products storage tanks in rear, total capacity 75,000 barrels. □ CF Industries, Inc.: One 16-inch pipeline extends from pier to one 13,500,000-gallon, anhydrous ammonia storage tank in rear. □ GATX Terminals Corp.: One 8-inch, caustic soda pipeline and five 10-inch, petroleum products pipelines extend from pier to tankage described Ref. No. 49. □ Louis Dreyfus Energy: Five 10-inch pipelines extend from pier to 7 petroleum products storage tanks in rear, total capacity 455,000 barrels.

Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 130 Jacksonville District

---

Port: **Tampa/Port Manatee**  
 Waterway: **Hillsborough Channel Cut 'D'** Mile: PWD: 54  
 Name: **Bay Transportation Corp., Tampa Piers.**  
 Location: Easterly side of Hillsborough Channel Cut 'D', below foot of Shoreline Drive, Tampa. Datum: MLW  
 Operator: Bay Transportation Corp. d.b.a. St. Philip Towing; Leonardi Towing; and Bay Towing, I  
 Owner: Tampa Port Authority.  
 Address: 1305 Shoreline Drive Phone: 813-248-1123  
 Town: Tampa State: FL County: Hillsborough  
 Railway Connection: None.  
 Purpose: Mooring company-owned tugs.  
 Depth Alongside (feet): 16 - 18 | 2 - 18 | Latitude (decimal): 27.921944  
 Total Berthing Space (feet): 160 | 192 | Longitude (decimal): -82.44611  
 Remarks: Tug dispatch office is located in rear. □ □

Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 145 Jacksonville District

---

## Port Series No. 17

### The Ports of Tampa and Port Manatee, FL

---

Port: **Tampa/Port Manatee**  
 Waterway: **Hillsborough Channel Cut 'D'** Mile: PWD: 53  
 Name: **Tampa Port Authority, Holland Terminal, Berth 232.**  
 Location: Easterly side of Hillsborough Channel Cut 'D', approximately 320 feet below foot of Shoreline Drive, Tam Datum: MLW  
 Operator: Tampa Port Authority and Bay Transportation Corp.  
 Owner: Tampa Port Authority.  
 Address: Phone: 813/272-0535  
 Town: Tampa State: FL County: Hillsborough  
 Railway Connection: None.  
 Purpose: Occasional shipment of cattle; mooring tugs.  
 Depth Alongside (feet): 24 - 29 | | Latitude (decimal): 27.921111  
 Total Berthing Space (feet): 245 | | Longitude (decimal): -82.44583  
 Remarks: A 180- by 200-foot holding pen is located in rear, equipped with covered stalls and sheltered areas for feeding and watering, capacity 600 head of livestock. A fixed loading chute extends from holding pen via th adjustable, vessel-loading ramp at face of wharf. Cattle are received at holding pen by truck.  
 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 14790 Dock Code: 142 Jacksonville District

---

Port: **Tampa/Port Manatee**  
 Waterway: **Hillsborough Channel Cut 'D'** Mile: PWD: 51  
 Name: **Tampa Port Authority, Hookers Point Pier.**  
 Location: Head of slip, easterly side of Hillsborough Channel Cut 'D', approximately 0.8 mile above south end of H Datum: MLW  
 Operator: Not operated.  
 Owner: Tampa Port Authority.  
 Address: Phone: 813/272-0535  
 Town: Tampa State: FL County: Hillsborough  
 Railway Connection: None.  
 Purpose: Not used.  
 Depth Alongside (feet): 20 | 15 - 20 | 15 - 20 Latitude (decimal): 27.920556  
 Total Berthing Space (feet): - | 120 | 120 Longitude (decimal): -82.44222  
 Remarks: -□□  
 Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 14790 Dock Code: 131 Jacksonville District

---

## Port Series No. 17

### The Ports of Tampa and Port Manatee, FL

---

Port: **Tampa/Port Manatee**  
 Waterway: **Hillsborough Channel Cut 'D'** Mile: PWD: 52  
 Name: **Tampa Port Authority, Hookers Point Wharf.**  
 Location: North side of slip, easterly side of Hillsborough Channel Cut 'D', approximately 0.8 mile above south en Datum: MLW  
 Operator: Not operated.  
 Owner: Tampa Port Authority.  
 Address: Phone: 813/272-0535  
 Town: Tampa State: FL County: Hillsborough  
 Railway Connection: None.  
 Purpose: Not used.  
 Depth Alongside (feet): 16 | | Latitude (decimal): 27.92  
 Total Berthing Space (feet): 600 | | Longitude (decimal): -82.44333  
 Remarks: -□□  
 Year of Last Survey: 1995 Corps of Engrns Waterway Code: 14790 Dock Code: 131 Jacksonville District

---

Port: **Tampa/Port Manatee**  
 Waterway: **Hillsborough Channel Cut 'D'** Mile: PWD: 55  
 Name: **Tampa Shipbuilding Co., Piers F and D.**  
 Location: Easterly side of Hillsborough Channel Cut 'D', approximately 400 feet above foot of Shoreline Drive, Tam Datum: MLW  
 Operator: Tampa Shipbuilding Co.  
 Owner: Tampa Port Authority.  
 Address: 1130 McCloskey Boulevard Phone: 813/247-1183  
 Town: Tampa State: FL County: Hillsborough  
 Railway Connection: One surface track extending into erection building joins additional trackage serving shipyard; connects with CSX Transportation, Inc.  
 Purpose: Mooring vessels for conversion, outfitting, and repair.  
 Depth Alongside (feet): 28 | 28 | 28 Latitude (decimal): 27.924167  
 Total Berthing Space (feet): - | 700 | 550 Longitude (decimal): -82.44583  
 Remarks: Entrances to lower Graving Dock No. 4, and upper Graving Dock No. 3, are located at head of slip. Graving Docks Nos. 2 and 1 are located above upper side of slip.  
 Year of Last Survey: 1995 Corps of Engrns Waterway Code: 14790 Dock Code: 146 Jacksonville District

---

**Port Series No. 17**  
**The Ports of Tampa and Port Manatee, FL**

---

Port: **Tampa/Port Manatee**  
Waterway: **Hillsborough River** Mile: PWD: 79  
Name: **Gateway Marine, Lower Wharf.**  
Location: Left bank, Hillsborough River, approximately 770 feet below North Boulevard (Holtsinger) Bridge, Tampa. Datum: MLW  
Operator: Gateway Marine, Inc.  
Owner: Gateway Marine, Inc.  
Address: 420 West Oak Avenue Phone: 813/229-9302  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Mooring and repairing vessels and floating equipment.  
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 27.960556  
Total Berthing Space (feet): 145 | 120 | Longitude (decimal): -82.46583  
Remarks: Buildings located in rear are used for storage and shops for performing marine repairs. One 400- and one 100-ton marine railways are located at head of slip. □  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 303 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Hillsborough River** Mile: PWD: 80  
Name: **Gateway Marine, Upper Wharf.**  
Location: Left bank, Hillsborough River, approximately 270 feet below North Boulevard (Holtsinger) Bridge, Tampa. Datum: MLW  
Operator: Gateway Marine, Inc.  
Owner: Gateway Marine, Inc.  
Address: 420 West Oak Avenue Phone: 813/229-9302  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Mooring and repairing vessels and floating equipment; handling supplies and equipment.  
Depth Alongside (feet): 7 - 10 | 7 - 10 | Latitude (decimal): 27.960556  
Total Berthing Space (feet): 310 | 110 | Longitude (decimal): -82.46667  
Remarks: Floating, oil-spill containment boom is available to close off slip as required. □  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 303 Jacksonville District

---

## Port Series No. 17

### The Ports of Tampa and Port Manatee, FL

---

Port: **Tampa/Port Manatee**  
Waterway: **Hillsborough River** Mile: PWD: 81  
Name: **J. Matassini & Sons Fish Co., Tampa Wharf.**  
Location: Left bank, Hillsborough River, approximately 160 feet below North Boulevard (Holtsinger) Bridge, Tampa. Datum: MLW  
Operator: Not operated.  
Owner: City of Tampa.  
Address: 2008 North Garcia Avenue Phone: 813/229-0829  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Not used.  
Depth Alongside (feet): 7 | | Latitude (decimal): 27.960833  
Total Berthing Space (feet): 75 | | Longitude (decimal): -82.4675  
Remarks: Wharf formerly was used for receipt of seafood. A retail seafood store is located in rear. □  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 337 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Old Tampa Bay** Mile: PWD: 99  
Name: **Florida Power Corp., A. W. Higgins Plant, Oldsmar Wharf.**  
Location: Eastern side of entrance to Safety Harbor, north shore of Old Tampa Bay, approximately 3.2 miles north o Datum: MLW  
Operator: Florida Power Corp.  
Owner: Florida Power Corp.  
Address: Phone: 813-855-2239  
Town: Oldsmar State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Occasional receipt of fuel oil for plant consumption.  
Depth Alongside (feet): 15 | | Latitude (decimal): 28.001111  
Total Berthing Space (feet): 200 | | Longitude (decimal): -82.66528  
Remarks: One 6-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 23,800 barrels; only one 14,300-barrel storage tank was in use at time of survey.  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14788 Dock Code: 050 Jacksonville District

---

## Port Series No. 17

### The Ports of Tampa and Port Manatee, FL

---

Port: **Tampa/Port Manatee**

Waterway: **Old Tampa Bay** Mile: PWD: 100

Name: **Florida Power Corp., Paul L. Bartow Plant, North Terminal Barge SI**

Location: Old Tampa Bay, Weedon Island, outer end, north side of slip, 0.9 mile below Gandy Bridge, Tampa. Datum: MLW

Operator: Not operated.

Owner: Florida Power Corp.

Address: Phone: 813-576-1405

Town: Tampa State: FL County: Hillsborough

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 14 | 14 | 14 Latitude (decimal): 27.861944

Total Berthing Space (feet): - | 100 | 800 Longitude (decimal): -82.59944

Remarks: Barge slip has 100-foot clear width. One 12-inch pipeline extending from wharf to one 150,000-barrel, coal-oil-mixture storage tank located at rear was not in use at time of survey.

Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14787 Dock Code: 030 Jacksonville District

---

Port: **Tampa/Port Manatee**

Waterway: **Old Tampa Bay** Mile: PWD: 101

Name: **Florida Power Corp., Paul L. Bartow Plant, North Terminal Tanker W**

Location: Old Tampa Bay, Weedon Island, inner end, north side of slip, 0.9 mile below Gandy Bridge, Tampa. Datum: MLW

Operator: Florida Power Corp.

Owner: Florida Power Corp.

Address: Phone: 813-576-1405

Town: Tampa State: FL County: Hillsborough

Railway Connection: None.

Purpose: Receipt of fuel oil for plant consumption.

Depth Alongside (feet): 32 | | Latitude (decimal): 27.8625

Total Berthing Space (feet): 800 | | Longitude (decimal): -82.5975

Remarks: One 14- and one 12-inch pipelines extend from wharf to 4 steel storage tanks located at rear, total capacity 650,000 barrels; other storage tanks were no longer in use. Inland pipeline connects tankage with stor River Power Plant, approximately 33 miles northwest, total capacity 500,000 barrels.

Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14787 Dock Code: 030 Jacksonville District

---

**Port Series No. 17**  
**The Ports of Tampa and Port Manatee, FL**

---

Port: **Tampa/Port Manatee**  
Waterway: **Old Tampa Bay** Mile: PWD: 102  
Name: **Florida Power Corp., Paul L. Bartow Plant, South Terminal Wharf.**  
Location: Old Tampa Bay, Weedon Island, south side of slip, 0.9 mile below Gandy Bridge, Datum: MLW  
Tampa.  
Operator: Florida Power Corp.  
Owner: Florida Power Corp.  
Address: Phone: 813-576-1405  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Receipt of fuel oil for plant consumption.  
Depth Alongside (feet): 28 | | Latitude (decimal): 27.861389  
Total Berthing Space (feet): 1,060 | | Longitude (decimal): -82.59833  
Remarks: One 24-inch pipeline extends from wharf to 2 steel storage tanks located in rear, total capacity 500,000 barrels. Tanks are also interconnected with those described under P.W.D. Ref. Nos. 100 and 101.  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14787 Dock Code: 030 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Old Tampa Bay** Mile: PWD: 98  
Name: **Hendry Corp., Tampa Basin.**  
Location: Easterly shore of Old Tampa Bay, inner end of slip below Gandy Bridge, Tampa. Datum: MLW  
Operator: Hendry Corp.  
Owner: Hendry Corp.  
Address: 5107 South West Shore Boulevard Phone: 813-837-1521 8  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: Two surface tracks in rear of north side of basin; connecting with CSX Transportation, Inc., were not in use at time of survey.  
Purpose: Mooring and repairing company-owned floating equipment; mooring various types of small vessels for repair, conversion, and outfitting; mooring floating drydock.  
Depth Alongside (feet): 16 | | 16 Latitude (decimal): 27.889444  
Total Berthing Space (feet): 297 | | 1,103 Longitude (decimal): -82.53389  
Remarks: One 1,000-ton floating drydock is moored at face. Marine repair shops are located in rear of east side. □  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 898 Jacksonville District

---

**Port Series No. 17**  
**The Ports of Tampa and Port Manatee, FL**

---

Port: **Tampa/Port Manatee**  
Waterway: **Old Tampa Bay** Mile: PWD: 97  
Name: **M. D. Moody & Sons, Old Tampa Bay Slip.**  
Location: Easterly shore of Old Tampa Bay, south side at inner end of slip, below Gandy Bridge, Tampa. Datum: MLW  
Operator: M. D. Moody & Sons, Inc.  
Owner: M. D. Moody & Sons, Inc.  
Address: 5001 West Tyson Avenue Phone: 813-837-8050  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Mooring company-owned vessels; handling construction materials and equipment.  
Depth Alongside (feet): 15 | 15 | Latitude (decimal): 27.887222  
Total Berthing Space (feet): 280 | 100 | Longitude (decimal): -82.53083  
Remarks: Steel frame storage building and contractor's yard are located in rear.□□  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 909 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Old Tampa Bay** Mile: PWD: 91  
Name: **M. D. Moody & Sons, Old Tampa Bay Wharf.**  
Location: Easterly shore of Old Tampa Bay, approximately 1,500 feet east of outer end of point of land, below Gand Datum: MLW  
Operator: M. D. Moody & Sons, Inc.  
Owner: M. D. Moody & Sons, Inc.  
Address: 5402 West Tyson Avenue Phone: 813-837-8050  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Mooring company-owned vessels.  
Depth Alongside (feet): 10 | | Latitude (decimal): 27.868333  
Total Berthing Space (feet): 200 | | Longitude (decimal): -82.53722  
Remarks: One 150- by 130-foot, concrete-block storage building is located in rear.□□  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 898 Jacksonville District

---

## Port Series No. 17

### The Ports of Tampa and Port Manatee, FL

---

Port: **Tampa/Port Manatee**  
Waterway: **Old Tampa Bay** Mile: PWD: 93  
Name: **Misener Marine Construction, Tampa Dock.**  
Location: Easterly shore of Old Tampa Bay, approximately 1,700 feet east of outer end of point Datum: MLW  
of land, below Gand  
Operator: Misener Marine Construction, Inc.  
Owner: Misener Marine Construction, Inc.  
Address: 5440 West Tyson Avenue Phone: 813/839-8441  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Handling construction materials and equipment by barge; mooring company-owned floating equipment.  
Depth Alongside (feet): 8 - 10 | 4 - 6 | 6 Latitude (decimal): 27.883889  
Total Berthing Space (feet): 900 | 268 | Longitude (decimal): -82.53889  
Remarks: Concrete seawall extends 896 feet along south side, and 345 feet along east side. □  
Year of Last Survey: 1995 Corps of Engrns Waterway Code: 14790 Dock Code: 897 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Old Tampa Bay** Mile: PWD: 92  
Name: **Old Dutch Foods, Old Tampa Bay Wharf.**  
Location: Easterly shore of Old Tampa Bay, approximately 1,500 feet east of outer end of point Datum: MLW  
of land, below Gand  
Operator: Not operated.  
Owner: Old Dutch Foods, Inc.  
Address: 5410 West Tyson Avenue Phone: 813-831-9920  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Not used.  
Depth Alongside (feet): 15 | | Latitude (decimal): 27.868333  
Total Berthing Space (feet): 250 | | Longitude (decimal): -82.53806  
Remarks: Former seafood-processing plant is located at rear of wharf. A private, cold storage warehouse is  
located at rear. At time of survey, facility was for sale.  
Year of Last Survey: 1995 Corps of Engrns Waterway Code: 14790 Dock Code: 899 Jacksonville District

---

## Port Series No. 17

### The Ports of Tampa and Port Manatee, FL

---

Port: **Tampa/Port Manatee**  
 Waterway: **Old Tampa Bay** Mile: PWD: 94  
 Name: **Rattlesnake Point, Old Tampa Bay Wharf.**  
 Location: Easterly shore of Old Tampa Bay, outer end of slip below Gandy Bridge, Tampa. Datum: MLW  
 Operator: Rattlesnake Point Ltd.  
 Owner: Rattlesnake Point Ltd.  
 Address: 5411 West Tyson Avenue Phone: 813/831-4490  
 Town: Tampa State: FL County: Hillsborough  
 Railway Connection: One surface track serving property in rear; connects with CSX Transportation, Inc.  
 Purpose: Receipt and shipment of containerized, conventional, and dry bulk commodities in foreign and domestic trades; handling construction materials and equipment; mooring vessels for outfitting and repair.  
 Depth Alongside (feet): 20 | | Latitude (decimal): 27.889444  
 Total Berthing Space (feet): 700 | | Longitude (decimal): -82.53972  
 Remarks: Approximately 20 acres of open storage area are located at rear. Marine repair plant and construction facilities are located in rear.  At time of survey, plans called for the construction of launchways for vessel up to 150 feet in length (300-ton vessels) at east side of face.  
 Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 900 Jacksonville District

---

Port: **Tampa/Port Manatee**  
 Waterway: **Old Tampa Bay** Mile: PWD: 89  
 Name: **The Hardaway Co., Old Tampa Bay Barge Slip.**  
 Location: Easterly shore of Old Tampa Bay, approximately 1,000 feet north of entrance to Port Tampa Slip, Tampa. Datum: MLW  
 Operator: The Hardaway Co.  
 Owner: The Hardaway Co.  
 Address: 5801 West Commerce Street Phone: 813-831-9520  
 Town: Tampa State: FL County: Hillsborough  
 Railway Connection: None.  
 Purpose: Shipment of prestressed concrete products by barge.  
 Depth Alongside (feet): 8 | 8 - 10 | Latitude (decimal): 27.863333  
 Total Berthing Space (feet): 200 | - | Longitude (decimal): -82.55028  
 Remarks: -  
 Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 888 Jacksonville District

---

**Port Series No. 17**  
**The Ports of Tampa and Port Manatee, FL**

---

Port: **Tampa/Port Manatee**  
Waterway: **Old Tampa Bay** Mile: PWD: 88  
Name: **The Hardaway Co., Old Tampa Bay Wharf.**  
Location: Easterly shore of Old Tampa Bay, approximately 400 feet north of entrance to Port Tampa Slip, Tampa. Datum: MLW  
Operator: The Hardaway Co.  
Owner: The Hardaway Co.  
Address: 5801 West Commerce Street Phone: 813-831-9520  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Shipment of prestressed concrete products; handling materials and equipment by barge.  
Depth Alongside (feet): 4 - 12 | | Latitude (decimal): 27.863056  
Total Berthing Space (feet): 240 | | Longitude (decimal): -82.55083  
Remarks: Concrete batch plant and prestressed, concrete-casting beds are located at rear. □  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 888 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Old Tampa Bay** Mile: PWD: 95  
Name: **U. S. Army Reserve Center, Tampa Barge Slip.**  
Location: Easterly shore of Old Tampa Bay, approximately 1,850 feet from outer end of slip, below Gandy Bridge, Ta Datum: MLW  
Operator: U. S. Army Reserve Center.  
Owner: U. S. Government.  
Address: Phone: 813-893-5710  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Mooring U. S. Army landing craft.  
Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 27.888889  
Total Berthing Space (feet): 55 | 250 | 250 Longitude (decimal): -82.535  
Remarks: A 370- by 90-foot, steel frame, metal-covered, former vessel fabrication building is located on upper side of slip. An additional 20,000-square-foot, steel frame building is located at rear.  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 905 Jacksonville District

---



## Port Series No. 17

### The Ports of Tampa and Port Manatee, FL

---

Port: **Tampa/Port Manatee**  
 Waterway: **Port Manatee Ship Basin** Mile: PWD: 3  
 Name: **Manatee County Port Authority, Berth No. 10.**  
 Location: South side, outer end of Port Manatee Ship Basin, Palmetto. Datum: MLW  
 Operator: Manatee County Port Authority; Juice Farms, Inc.; Tropicana Products, Inc.; and Coast  
 Owner: Manatee County Port Authority.  
 Address: 13231 Eastern Avenue Phone: 813-722-7727  
 Town: Palmetto State: FL County: Manatee  
 Railway Connection: None.  
 Purpose: Receipt and shipment of containerized and conventional general cargo, petroleum products, and juice concentrate; receipt of automobiles; mooring cruise ships; and bunkering vessels at berth.  
 Depth Alongside (feet): 40 | | Latitude (decimal): 27.633333  
 Total Berthing Space (feet): 1,200 | | Longitude (decimal): -82.56167  
 Remarks: Face of wharf is in line and contiguous with P.W.D. Ref. No. 4, providing continuous berthing space. Port of Manatee Basin is approximately 1,500 feet long by 7,880 feet wide. Approximately 200 acres of improved and unimproved, open storage area are available at Manatee County Port Authority. Five acres of paved, open storage area and three acres of unpaved, open storage area, including ourefrigerated containers, are located at rear of Berths Nos. 11, 10, and 9. □Coastal Fuels Marketing, Inc.: One 18-/10-, one 12-/8-, two 10-/8-, and one 6-inch pipelines extend to petroleum products stP.W.D. Ref. No. 2. Pipelines also extend to 2 tanks at Florida Power and Light Co.'s tank farm located approximately one mile in rear, total capacity 1,000,000 barrels. These tanks are connected wicompany's power plant at Parrish, Florida; total capacity 1,000,000 barrels.

Year of Last Survey: 1995 Corps of Engrns Waterway Code: 14795 Dock Code: 003 Jacksonville District

---

Port: **Tampa/Port Manatee**  
 Waterway: **Port Manatee Ship Basin** Mile: PWD: 2  
 Name: **Manatee County Port Authority, Berth No. 11.**  
 Location: South side of entrance to Port Manatee Ship Basin, Palmetto. Datum: MLW  
 Operator: Manatee County Port Authority; Del Monte Tropical Fruit Co.; and Coastal Fuels Market  
 Owner: Manatee County Port Authority.  
 Address: 13231 Eastern Avenue Phone: 813-722-6621  
 Town: Palmetto State: FL County: Manatee  
 Railway Connection: None.  
 Purpose: Receipt and shipment of containerized and conventional general cargo and petroleum products; receipt of fruits, vegetables, automobiles; bunkering vessels at berth; and mooring vessels.  
 Depth Alongside (feet): 40 | | Latitude (decimal): 27.632222  
 Total Berthing Space (feet): 480 | | Longitude (decimal): -82.56361  
 Remarks: Coastal Fuels Marketing, Inc.: Two 12-/8-, two 10-/8-, and one 6-inch pipelines extend from wharf to 13 steel storage tanks located at rear, total capacity 1,338,000 barrels. Del Monte Tropical Fruit Co.: One 58,000-square-foot building (30,000 square feet chilled) is located at rear.

Year of Last Survey: 1995 Corps of Engrns Waterway Code: 14795 Dock Code: 002 Jacksonville District

---

**Port Series No. 17**  
**The Ports of Tampa and Port Manatee, FL**

---

Port: **Tampa/Port Manatee**  
Waterway: **Port Manatee Ship Basin** Mile: PWD: 1  
Name: **Manatee County Port Authority, Berth No. 12.**  
Location: Approximately 600 feet south of entrance to Port Manatee Ship Basin, Palmetto. Datum: MLW  
Operator: Manatee County Port Authority.  
Owner: Manatee County Port Authority.  
Address: 13231 Eastern Avenue Phone: 813-722-6621  
Town: Palmetto State: FL County: Manatee  
Railway Connection: None.  
Purpose: Mooring vessels.  
Depth Alongside (feet): 15 | 15 - 20 | Latitude (decimal): 27.631111  
Total Berthing Space (feet): 175 | 200 | Longitude (decimal): -82.56361  
Remarks: Barges berth end-to at bulkhead.□□  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14795 Dock Code: 001 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Port Manatee Ship Basin** Mile: PWD: 9  
Name: **Manatee County Port Authority, Berth No. 5.**  
Location: North of entrance to Port Manatee Ship Basin, Palmetto. Datum: MLW  
Operator: Manatee County Port Authority and Independent Aggregates.  
Owner: Manatee County Port Authority.  
Address: 13231 Eastern Avenue Phone: 813/723-3837  
Town: Palmetto State: FL County: Manatee  
Railway Connection: None.  
Purpose: Receipt of sand and gravel.  
Depth Alongside (feet): 13 - 18 | | Latitude (decimal): 27.636111  
Total Berthing Space (feet): 563 | | Longitude (decimal): -82.56333  
Remarks: Open storage area located at rear has capacity for approximately 10,000 tons. At time of survey, plans called for the berth to be dredged to a depth of 40 feet.  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14795 Dock Code: 009 Jacksonville District

---

## Port Series No. 17

### The Ports of Tampa and Port Manatee, FL

---

Port: **Tampa/Port Manatee**  
 Waterway: **Port Manatee Ship Basin** Mile: PWD: 8  
 Name: **Manatee County Port Authority, Berth No. 6.**  
 Location: Outer end, north side of Port Manatee Ship Basin, Palmetto. Datum: MLW  
 Operator: Manatee County Port Authority and Banana Services, Inc., d.b.a. Banacol.  
 Owner: Manatee County Port Authority.  
 Address: 13231 Eastern Avenue Phone: 813/729-5602  
 Town: Palmetto State: FL County: Manatee  
 Railway Connection: None.  
 Purpose: Receipt and shipment of conventional general cargo and automobiles in foreign and domestic trades; receipt of fruits, vegetables, and bananas.  
 Depth Alongside (feet): 40 | | Latitude (decimal): 27.635  
 Total Berthing Space (feet): 412 | - | Longitude (decimal): -82.56167  
 Remarks: Pipelines extending to storage tanks described under P.W.D. Ref. No. 2 were not in use at time of survey. Face of wharf is in line with face of P.W.D. Ref. No. 7. Banacol operates one 34,000-square-foot, steel frame, metal-covered building located at rear.  
 Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14795 Dock Code: 008 Jacksonville District

---

Port: **Tampa/Port Manatee**  
 Waterway: **Port Manatee Ship Basin** Mile: PWD: 7  
 Name: **Manatee County Port Authority, Berth No. 7.**  
 Location: Inner end, north side of Port Manatee Ship Basin, Palmetto. Datum: MLW  
 Operator: NationalPortlandCement Co.; PackhoedDryBulkTerminals, Inc., dba Manatee Terminals, In  
 Owner: Manatee County Port Authority.  
 Address: 13231 Eastern Avenue Phone: 813/722-7719  
 Town: Palmetto State: FL County: Manatee  
 Railway Connection: Port Manatee Terminal Railroad: Four surface tracks, one serving hopper car pit (five 80-ton cars per hour); connect with CSX Transportation, Inc.  
 Purpose: Receipt and shipment of miscellaneous dry bulk commodities and petroleum products; receipt of asphalt and cement; and bunkering vessels at berth.  
 Depth Alongside (feet): 40 | | Latitude (decimal): 27.635  
 Total Berthing Space (feet): 720 | | Longitude (decimal): -82.56  
 Remarks: Face of dock is in line with face of P.W.D. Ref. No. 8. At time of survey, plans called for the installation of a second shiploader. □Manatee Terminals, Inc. operates one steel frame, metal-covered, and 3 timber storage warehouses located at rear with total capacity for 130,000 tons of bulk materials (mostly phosphate fertilizer). Plans called for the construction of a 50,000-ton, timber storage warehouse. National Portland Cement Co. operates one 50,000-ton, steel frame, metal-covered, cement clinker storage shed located at rear. One truck-loading spout (rate 6 trucks per hour) serves the bulk storage pneumatic pipeline extends to 2 cement storage silos located at rear, total capacity 7,500 tons. □Coastal Fuels Marketing, Inc.: One 16-/8-inch asphalt, and one 16-/8-, two 10-, and one 8-inch petroleum products pipelines extend to storage tanks described under P.W.D. Ref. Nos. 2 and 6.  
 Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14795 Dock Code: 007 Jacksonville District

---

## Port Series No. 17

### The Ports of Tampa and Port Manatee, FL

---

Port: **Tampa/Port Manatee**  
 Waterway: **Port Manatee Ship Basin** Mile: PWD: 6  
 Name: **Manatee County Port Authority, Berth No. 8.**  
 Location: Head of Port Manatee Ship Basin, Palmetto. Datum: MLW  
 Operator: Manatee County Port Authority; Eastern Portland Cement Corp.; and Coastal Fuels Marke  
 Owner: Manatee County Port Authority.  
 Address: 13231 Eastern Avenue Phone: 813-729-7311  
 Town: Palmetto State: FL County: Manatee  
 Railway Connection: Port Manatee Terminal Railroad: One 400-foot surface track on apron connects with CSX Transportation, Inc.  
 Purpose: Receipt and shipment of containerized and conventional general cargo and petroleum products; receipt of cement and asphalt; and bunkering vessels at berth.  
 Depth Alongside (feet): 40 | | Latitude (decimal): 27.634167  
 Total Berthing Space (feet): 506 | | Longitude (decimal): -82.55889  
 Remarks: One 115,000-square-foot, steel frame, metal-covered building (Warehouse 2) is located at rear  
   □Coastal Fuels Marketing, Inc.: One 16-/8-inch pipeline extends to 3 asphalt storage tanks located at rear, total capacity 166,000 barrels; and one 18-/10-, one 12-/10-, and one 10-inch pipelines extend to petroleum products storage tanks described under P.W.D. Ref. No. 3. Eastern Portland Cement Corp.: Four 12-inch pneumatic pipelines extend from wharf to 4 storage silos located at rear, total capacity 44,000 tons.  
 Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14795 Dock Code: 006 Jacksonville District

---

Port: **Tampa/Port Manatee**  
 Waterway: **Port Manatee Ship Basin** Mile: PWD: 4  
 Name: **Manatee County Port Authority, Berth No. 9.**  
 Location: South side, inner end of Port Manatee Ship Basin, Palmetto. Datum: MLW  
 Operator: Manatee County Port Authority; Juice Farms, Inc.; Tropicana Products, Inc.; and Coast  
 Owner: Manatee County Port Authority.  
 Address: 13231 Eastern Avenue Phone: 813-722-7727  
 Town: Palmetto State: FL County: Manatee  
 Railway Connection: None.  
 Purpose: Receipt and shipment of containerized and conventional general cargo, petroleum products, and juice concentrate; receipt of automobiles; mooring cruise ships; and bunkering vessels at berth.  
 Depth Alongside (feet): 40 | | Latitude (decimal): 27.633333  
 Total Berthing Space (feet): 1,200 | | Longitude (decimal): -82.56  
 Remarks: Face of wharf is in line and contiguous with P.W.D. Ref. No. 3, providing continuous berthing space.  
   □Coastal Fuels Marketing, Inc.: One 18-/10-, one 12-/8-, two 10-/8-, and one 6-inch pipelines extend to petroleum products storage tanks described under P.W.D. Ref. No. 2. Pipelines also extend to Florida Power and Light Co.'s storage tanks described under P.W.D. Ref. No. 3. One 12,500-square-foot, cruise terminal building is located at rear. At time of survey, plans called for the construction of an additional 10,000- square-foot, cruise terminal building at rear. Parkirear.  
 Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14795 Dock Code: 004 Jacksonville District

---

**Port Series No. 17**  
**The Ports of Tampa and Port Manatee, FL**

---

Port: **Tampa/Port Manatee**  
Waterway: **Port Manatee Ship Basin** Mile: PWD: 5  
Name: **Manatee County Port Authority, RO-RO Berth No. 8A.**  
Location: South side, head of Port Manatee Ship Basin, Palmetto. Datum: MLW  
Operator: Manatee County Port Authority.  
Owner: Manatee County Port Authority.  
Address: 13231 Eastern Avenue Phone: 813-722-6621  
Town: Palmetto State: FL County: Manatee  
Railway Connection: None.  
Purpose: Receipt and shipment of roll-on, roll-off general cargo in foreign and domestic trades.  
Depth Alongside (feet): 40 | | Latitude (decimal): 27.633611  
Total Berthing Space (feet): 1,300 | | Longitude (decimal): -82.55889  
Remarks: Vessels berth stern-to ramp, and breast along Berths Nos. 9 and 10 (P.W.D. Ref. Nos. 4 and 3, respectively) as required.□  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14795 Dock Code: 005 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Port Tampa** Mile: PWD: 87  
Name: **Tampa Bulk Services, Port Tampa Wharf.**  
Location: North side of Port Tampa Slip, inside entrance, Tampa. Datum: MLW  
Operator: Tampa Bulk Services, Inc.  
Owner: Tampa Bulk Services, Inc.  
Address: 6101 Port Tampa Drive Phone: 813-837-0192  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: CSX Transportation, Inc.: Two surface tracks serve four covered hopper-car-receiving pits; connect with nearby Port Tampa railroad storage yard.  
Purpose: Shipment of animal feed and citrus pellets.  
Depth Alongside (feet): 34 | | Latitude (decimal): 27.862222  
Total Berthing Space (feet): 730 | | Longitude (decimal): -82.54833  
Remarks: Citrus pulp plant located at rear has 10 concrete silos and 2 steel storage warehouses with total capacity for 26,500 short tons.□  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 875 Jacksonville District

---

**Port Series No. 17**  
**The Ports of Tampa and Port Manatee, FL**

---

Port: **Tampa/Port Manatee**  
Waterway: **Port Tampa** Mile: PWD: 86  
Name: **The Hardaway Co., Port Tampa Slip Wharf.**  
Location: North side of Port Tampa Slip, approximately 0.5 mile above entrance to slip, Tampa. Datum: MLW  
Operator: The Hardaway Co.  
Owner: The Hardaway Co.  
Address: Phone: 813-831-9520  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Mooring company-owned barges and floating equipment.  
Depth Alongside (feet): 34 | | Latitude (decimal): 27.8625  
Total Berthing Space (feet): 50 | | Longitude (decimal): -82.54528  
Remarks: -□□  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 888 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Port Tampa Slip** Mile: PWD: 85  
Name: **Ashland Chemical Co., Port Tampa Wharf.**  
Location: South side of Port Tampa Slip, approximately 0.5 mile above entrance to slip, Tampa. Datum: MLW  
Operator: Not operated.  
Owner: Ashland Chemical Co., a division of Ashland Oil Co.  
Address: 5600 Commerce Street Phone: 813-884-1460  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: One surface track serving terminal at rear; connects with CSX Transportation, Inc.  
Purpose: Not used.  
Depth Alongside (feet): 34 | | Latitude (decimal): 27.861667  
Total Berthing Space (feet): 600 | | Longitude (decimal): -82.54417  
Remarks: Five 8- and five 6-inch pipelines extending from wharf to 10 steel storage tanks located in rear, total capacity 2,750,000 gallons, were not in use at time of survey. Wharf formerly was used for receipt of petro  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 860 Jacksonville District

---

## Port Series No. 17

### The Ports of Tampa and Port Manatee, FL

---

Port: **Tampa/Port Manatee**  
Waterway: **Port Tampa Slip** Mile: PWD: 83  
Name: **Chevron U.S.A. Products Co., Tampa Terminal Dock.**  
Location: South side of Port Tampa Slip, approximately 400 feet above entrance to slip, Tampa. Datum: MLW  
Operator: Chevron U.S.A. Products Co., Inc.; and U.S. Government, Defense Fuel Supply Center.  
Owner: Chevron U.S.A. Products Co., Inc.  
Address: 5500 Commerce Street Phone: 813-837-1945/15  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Receipt of petroleum products.  
Depth Alongside (feet): 34 | | Latitude (decimal): 27.860556  
Total Berthing Space (feet): 600 | - | Longitude (decimal): -82.54972  
Remarks: Chevron U.S.A. Products Co., Inc.: One 16-, three 12-, and one 8-inch pipelines extend from wharf to 15 steel storage tanks located at terminal in rear, total capacity 500,000 barrels. U.S. Government, Defense Fuel Supply Center: Pipelines extend from wharf to 7 steel storage tanks located at MacDill Air Force Base, total capacity 337,000 barrels. At time of survey, only two of the tanks with a tocapacity of 92,000 barrels were in use.  
Year of Last Survey: 1995 Corps of Engrns Waterway Code: 14790 Dock Code: 857 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Port Tampa Slip** Mile: PWD: 82  
Name: **Gold Bond Building Products, Tampa Plant Wharf.**  
Location: South side of Port Tampa Slip, approximately 100 feet above entrance to slip, Tampa. Datum: MLW  
Operator: Gold Bond Building Products, National Gypsum Co.  
Owner: Gold Bond Building Products, National Gypsum Co.  
Address: 6110 Commerce Street Phone: 813/839-2111  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: One surface track extends to plant in rear; connects with CSX Transportation, Inc.  
Purpose: Receipt of gypsum rock by self-unloading vessels.  
Depth Alongside (feet): 34 | | Latitude (decimal): 27.860278  
Total Berthing Space (feet): 650 | - | Longitude (decimal): -82.55139  
Remarks: Reciprocal berthing agreement between operators of P.W.D. Ref. Nos. 82, 83, and 84 provides for approximately 1,200 feet of continuous berthing space. □ Open storage area located at rear has capacity for approximat of gypsum rock.  
Year of Last Survey: 1995 Corps of Engrns Waterway Code: 14790 Dock Code: 842 Jacksonville District

---

## Port Series No. 17

### The Ports of Tampa and Port Manatee, FL

---

Port: **Tampa/Port Manatee**  
Waterway: **Port Tampa Slip** Mile: PWD: 84  
Name: **Shell Oil Co., Port Tampa Terminal Wharf.**  
Location: South side of Port Tampa Slip, approximately 1,000 feet above entrance to slip, Datum: MLW  
Tampa.  
Operator: Shell Oil Products Co. and BP Oil Co.  
Owner: Shell Oil Products Co.  
Address: 6500 Commerce Street Phone: 813/839-2327  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Receipt and occasional shipment of petroleum products.  
Depth Alongside (feet): 34 | | Latitude (decimal): 27.860833  
Total Berthing Space (feet): 650 | - | Longitude (decimal): -82.54806  
Remarks: Shell Oil Products Co.: Six 12-inch pipelines (reduced to 10- and 8-inch) extend from wharf to 10 steel storage tanks located at terminal in rear, total capacity 485,000 barrels. Gulf Oil Products Co.: One 8-inch pipeline and pipelines extending from connections with Shell Oil Products Co.'s pipelines at rear of wharf extend to 16 steel storage tanks located at terminal in rear, total capacity 485,000 barrels.  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 849 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Sparkman Channel** Mile: PWD: 58  
Name: **Amoco Oil Co., Tampa Terminal Wharf.**  
Location: Easterly side of Sparkman Channel, approximately 0.5 mile above foot of Shoreline Drive, Tampa, Datum: MLW  
Operator: Amoco Oil Co.  
Owner: Amoco Oil Co.  
Address: 848 McCloskey Boulevard Phone: 813/248-3191  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Receipt of petroleum products.  
Depth Alongside (feet): 32 | | Latitude (decimal): 27.930833  
Total Berthing Space (feet): 650 | - | Longitude (decimal): -82.44583  
Remarks: One 10- and four 8-inch pipelines extend from wharf to 13 steel storage tanks located in rear, total capacity 450,000 barrels. □  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 151 Jacksonville District

---

**Port Series No. 17**  
**The Ports of Tampa and Port Manatee, FL**

---

Port: **Tampa/Port Manatee**  
Waterway: **Sparkman Channel** Mile: PWD: 59  
Name: **Citgo Petroleum Corp., Tampa Terminal Wharf.**  
Location: Easterly side of Sparkman Channel, approximately 0.4 mile below foot of Hemlock Avenue extended, Tampa. Datum: MLW  
Operator: Citgo Petroleum Corp.  
Owner: Citgo Petroleum Corp.  
Address: 801 McCloskey Boulevard Phone: 813-247-3429  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Receipt of petroleum products.  
Depth Alongside (feet): 33 | | Latitude (decimal): 27.932778  
Total Berthing Space (feet): 550 | - | - Longitude (decimal): -82.44611  
Remarks: Two 10- and three 8-inch pipelines extend from wharf to 8 steel storage tanks located in rear, total capacity 762,000 barrels.□  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 154 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Sparkman Channel** Mile: PWD: 57  
Name: **Freeport Sulphur Co., Tampa Wharf.**  
Location: Easterly side of Sparkman Channel, approximately 0.4 mile above foot of Shoreline Drive, Tampa. Datum: MLW  
Operator: Freeport Sulphur Co., Division of Freeport-McMoRan Resource Partners, LP.  
Owner: Freeport Sulphur Co., Division of Freeport-McMoRan Resource Partners, LP.  
Address: 1015 McCloskey Boulevard Phone: 813/248-4949  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Receipt of molten sulphur.  
Depth Alongside (feet): 33 | | Latitude (decimal): 27.929167  
Total Berthing Space (feet): 650 | | Longitude (decimal): -82.44611  
Remarks: Two 10-inch pipelines extend from wharf to 8 molten sulphur storage tanks located in rear, total capacity 12,500,000 gallons.□  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 150 Jacksonville District

---

**Port Series No. 17**  
**The Ports of Tampa and Port Manatee, FL**

---

Port: **Tampa/Port Manatee**  
Waterway: **Sparkman Channel** Mile: PWD: 62  
Name: **International Ship Repair & Marine Services, South Slip Wharf.**  
Location: Easterly side of Sparkman Channel, south side of slip, approximately 300 feet above Datum: MLW  
foot of Hemlock Aven  
Operator: International Ship Repair & Marine Services, Inc.  
Owner: Tampa Electric Co.  
Address: Phone: 813-247-1118  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Mooring vessels.  
Depth Alongside (feet): 10 - 25 | | Latitude (decimal): 27.938889  
Total Berthing Space (feet): 830 | | Longitude (decimal): -82.4425  
Remarks: -□□  
Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 14790 Dock Code: 164 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Sparkman Channel** Mile: PWD: 60  
Name: **Lafarge Corp., Tampa Wharf.**  
Location: Easterly side of Sparkman Channel, approximately 0.1 mile below foot of Hemlock Datum: MLW  
Avenue extended, Tampa.  
Operator: Lafarge Corp.  
Owner: Lafarge Corp.  
Address: 2001 Maritime Boulevard Phone: 813-247-4831 e  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: Not in use at time of survey.  
Purpose: Receipt of cement.  
Depth Alongside (feet): 34 - 35 | | Latitude (decimal): 27.935278  
Total Berthing Space (feet): 1,200 | - | Longitude (decimal): -82.445  
Remarks: Two 10-inch, pneumatic pipelines extend from wharf to 8 silos with 3 interstices, and 18 silos with 10  
interstices located at plant in rear, total capacity approximately 89,000 tons of cement.  
Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 14790 Dock Code: 159 Jacksonville District

---

**Port Series No. 17**  
**The Ports of Tampa and Port Manatee, FL**

---

Port: **Tampa/Port Manatee**  
Waterway: **Sparkman Channel** Mile: PWD: 61  
Name: **Tampa Electric Co., Hookers Point Station Wharf.**  
Location: Easterly side of Sparkman Channel, foot of Hemlock Avenue extended, Tampa. Datum: MLW  
Operator: Tampa Electric Co.  
Owner: Tampa Electric Co.  
Address: 1700 Hemlock Avenue Phone: 813-228-4111-23  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: Two surface tracks serving power plant in rear, and connecting with CSX Transportation, Inc., were not in use at time of survey.  
Purpose: Receipt of fuel oil for plant consumption.  
Depth Alongside (feet): 40 | | Latitude (decimal): 27.937778  
Total Berthing Space (feet): 570 | | Longitude (decimal): -82.44417  
Remarks: Water intakes are located between sections of wharf. Two 10-inch pipelines extend from wharf to 4 steel storage tanks located in rear, total capacity 270,000 barrels.  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 163 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Sparkman Channel** Mile: PWD: 63  
Name: **Tampa Port Authority, South Slip Wharf.**  
Location: Easterly side of Sparkman Channel, head of slip, approximately 300 feet above foot of Hemlock Avenue ext Datum: MLW  
Operator: Tampa Electric Co. and Tampa Port Authority.  
Owner: Tampa Electric Co. and Tampa Port Authority.  
Address: Phone: 813-272-0535  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Occasional mooring of barges and small craft.  
Depth Alongside (feet): 10 - 15 | | Latitude (decimal): 27.939444  
Total Berthing Space (feet): 320 | | Longitude (decimal): -82.44083  
Remarks: -□□  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 165 Jacksonville District

---

**Port Series No. 17**  
**The Ports of Tampa and Port Manatee, FL**

---

Port: **Tampa/Port Manatee**  
Waterway: **Sparkman Channel** Mile: PWD: 56  
Name: **Tampa Shipbuilding Co., Pier A.**  
Location: Easterly side of Sparkman Channel, approximately 1,100 feet above foot of Shoreline Drive, Tampa. Datum: MLW  
Operator: Tampa Shipbuilding Co.  
Owner: Tampa Port Authority.  
Address: 1130 McCloskey Boulevard Phone: 813/247-1183  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: Trackage serving shipyard; connects with CSX Transportation, Inc.  
Purpose: Mooring vessels for conversion, outfitting, and repair.  
Depth Alongside (feet): 22 - 23 | | Latitude (decimal): 27.927222  
Total Berthing Space (feet): 600 | | Longitude (decimal): -82.44667  
Remarks: Wharf is equipped with lines for supplying air, water, acetylene gas, and oxygen; and has electrical connections for welding equipment. □  
Year of Last Survey: 1995 Corps of Engrns Waterway Code: 14790 Dock Code: 146 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Tampa Bay** Mile: PWD: 108  
Name: **Florida Power Corp., Bayboro Combustion Plant Wharf.**  
Location: West shore, Tampa Bay, south side of Bayboro Harbor at west side of entrance to Salt Creek, St. Petersburg. Datum: MLW  
Operator: Florida Power Corp.  
Owner: Florida Power Corp.  
Address: 1300 3rd Street South Phone: 813-866-5687  
Town: St. Petersburg State: FL County: Pinellas  
Railway Connection: None.  
Purpose: Receipt of fuel oil for plant consumption.  
Depth Alongside (feet): 7 - 8 | | Latitude (decimal): 27.758333  
Total Berthing Space (feet): 210 | | Longitude (decimal): -82.63417  
Remarks: One 4- to 8-inch pipeline extends from wharf to 2 steel storage tanks located at rear, total capacity 43,900 barrels. □  
Year of Last Survey: 1995 Corps of Engrns Waterway Code: 14785 Dock Code: 372 Jacksonville District

---

## Port Series No. 17

### The Ports of Tampa and Port Manatee, FL

---

Port: **Tampa/Port Manatee**  
 Waterway: **Tampa Bay** Mile: PWD: 109  
 Name: **General Mills Restaurants, St. Petersburg Wharf.**  
 Location: West shore, Tampa Bay, south side of Bayboro Harbor at east side of entrance to Salt Creek, St. Petersburg Datum: MLW  
 Operator: General Mills Restaurants, Inc.  
 Owner: General Mills Restaurants, Inc.  
 Address: 1301 Bay Street S.E. Phone: 813-823-4601  
 Town: St. Petersburg State: FL County: Pinellas  
 Railway Connection: None.  
 Purpose: Receipt of seafood; mooring and icing fishing boats.  
 Depth Alongside (feet): 13 | 13 | Latitude (decimal): 27.758611  
 Total Berthing Space (feet): 200 | 250 | Longitude (decimal): -82.63278  
 Remarks: Seafood-processing plant is located at rear with cooler and blast-freezing capability. One 5-inch blower pipeline extends to wharf for supplying ice to vessels.  
 Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14785 Dock Code: 399 Jacksonville District

---

Port: **Tampa/Port Manatee**  
 Waterway: **Tampa Bay** Mile: PWD: 104  
 Name: **Port of St. Petersburg Wharf.**  
 Location: West shore, Tampa Bay, north side of Bayboro Harbor, St. Petersburg. Datum: MLW  
 Operator: City of St. Petersburg.  
 Owner: City of St. Petersburg.  
 Address: 107 Eighth Avenue, SE Phone: 813-893-7053  
 Town: St. Petersburg State: FL County: Pinellas  
 Railway Connection: None.  
 Purpose: Mooring cruise vessels and fishing vessels; boarding passengers.  
 Depth Alongside (feet): 22 | | Latitude (decimal): 27.762222  
 Total Berthing Space (feet): 1,500 | | Longitude (decimal): -82.63028  
 Remarks: One 13,000-square-foot (Terminal 1), and one 8,000-square-foot (Terminal 2) passenger terminals are located at rear. One 30,000-square-foot (Warehouse 1), and one 10,000-square-foot (Warehouse 2) buildings are | Approximately 20,000 square feet of unpaved, open storage are available at rear.  
 Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14785 Dock Code: 317 Jacksonville District

---

## Port Series No. 17

### The Ports of Tampa and Port Manatee, FL

---

Port: **Tampa/Port Manatee**  
Waterway: **Tampa Bay** Mile: PWD: 107  
Name: **State of Florida, Department of Environmental Protection, St. Pete**  
Location: West shore, Tampa Bay, inner end of west side of Bayboro Harbor peninsula extension, St. Petersburg. Datum: MLW  
Operator: State of Florida, Department of Environmental Protection, Bureau of Marine Research.  
Owner: State of Florida.  
Address: 100 8th Avenue South Phone: 813-896-8626  
Town: St. Petersburg State: FL County: Pinellas  
Railway Connection: None.  
Purpose: Mooring marine science research vessels.  
Depth Alongside (feet): 12 | | Latitude (decimal): 27.761111  
Total Berthing Space (feet): 240 | | Longitude (decimal): -82.63361  
Remarks: The State of Florida, Marine Research Institute is located at rear.□□  
Year of Last Survey: 1995 Corps of Engrns Waterway Code: 14785 Dock Code: 366 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Tampa Bay** Mile: PWD: 110  
Name: **U. S. Coast Guard, St. Petersburg South Moorings Wharf.**  
Location: West shore, Tampa Bay, south side of outer end of Bayboro Harbor, St. Petersburg. Datum: MLW  
Operator: U. S. Coast Guard.  
Owner: U. S. Government.  
Address: 600 8th Avenue S.E. Phone: 813-824-7638  
Town: St. Petersburg State: FL County: Pinellas  
Railway Connection: None.  
Purpose: Mooring U. S. Coast Guard Vessels.  
Depth Alongside (feet): 13 | | Latitude (decimal): 27.758333  
Total Berthing Space (feet): 1,200 | | Longitude (decimal): -82.63056  
Remarks: U. S. Coast Guard vessels DECISIVE, DURABLE, WHITE SUMAC, and VISE are based at wharf.  
Reserve Group Florida West Coast and Reserve Training Center are located at rear.  
Year of Last Survey: 1995 Corps of Engrns Waterway Code: 14785 Dock Code: 862 Jacksonville District

---

## Port Series No. 17

### The Ports of Tampa and Port Manatee, FL

---

Port: **Tampa/Port Manatee**  
Waterway: **Tampa Bay** Mile: PWD: 103  
Name: **U.S. Coast Guard Station, St. Petersburg Pier.**  
Location: West shore, Tampa Bay, northeast side of entrance to Bayboro Harbor, St. Petersburg. Datum: MLW  
Operator: U.S. Coast Guard.  
Owner: U.S. Government.  
Address: 600 Eighth Avenue, SE Phone: 813-824-7670  
Town: St. Petersburg State: FL County: Pinellas  
Railway Connection: None.  
Purpose: Mooring U.S. Coast Guard small craft.  
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 27.762222  
Total Berthing Space (feet): 80 | | Longitude (decimal): -82.6275  
Remarks: Small craft berth end-to south side of extension. Vertical boat lift handles boats from two 110- by 2-foot, concrete runways spaced 18 feet apart extending from seawall southeast of pier. Additional mooring dol of each runway.  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14785 Dock Code: 862 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Tampa Bay** Mile: PWD: 105  
Name: **University of South Florida, St. Petersburg East Wharf.**  
Location: West shore, Tampa Bay, east side of Bayboro Harbor peninsula extension, east of 1st Street South extende Datum: MLW  
Operator: State of Florida and U. S. Army Reserve.  
Owner: State of Florida.  
Address: 830 First Street South Phone: 813-893-9130  
Town: St. Petersburg State: FL County: Pinellas  
Railway Connection: None.  
Purpose: Mooring government-owned small craft; and various types of vessels and research vessels.  
Depth Alongside (feet): 12 - 20 | | Latitude (decimal): 27.760833  
Total Berthing Space (feet): 970 | | Longitude (decimal): -82.63194  
Remarks: U. S. Army Reserve operates approximately 250 feet of wharf near inner end. □ □  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14785 Dock Code: 353 Jacksonville District

---

## Port Series No. 17

### The Ports of Tampa and Port Manatee, FL

---

Port: **Tampa/Port Manatee**  
Waterway: **Tampa Bay** Mile: PWD: 106  
Name: **University of South Florida, St. Petersburg West Piers.**  
Location: West shore, Tampa Bay, west side of Bayboro Harbor peninsula extension, foot of 1st Street South extends Datum: MLW  
Operator: University of South Florida, Marine Science Department, and Florida Institute of Oceanography  
Owner: State of Florida.  
Address: 830 First Street South Phone: 813-893-9130  
Town: St. Petersburg State: FL County: Pinellas  
Railway Connection: None.  
Purpose: Mooring oceanographic and marine science research vessels.  
Depth Alongside (feet): 6 - 9 | 6 - 9 | 6 - 9 Latitude (decimal): 27.827222  
Total Berthing Space (feet): 500 | 300 | 200 Longitude (decimal): -82.63333  
Remarks: -□□  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14785 Dock Code: 353 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Ybor Channel** Mile: PWD: 70  
Name: **Amerada Hess Corp., Tampa Terminal Wharf.**  
Location: Easterly side of Ybor Channel, approximately 0.2 mile below head of Ybor Channel, Tampa. Datum: MLW  
Operator: Amerada Hess Corp.  
Owner: Amerada Hess Corp.  
Address: 504 North 19th Street Phone: 813-248-1360  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Receipt of petroleum products.  
Depth Alongside (feet): 34 | | Latitude (decimal): 27.951111  
Total Berthing Space (feet): 600 | | Longitude (decimal): -82.44167  
Remarks: Two 12-, and one unused, 3-inch pipelines extend from wharf to 6 steel storage tanks located at terminal in rear, total capacity 383,000 barrels.□  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 177 Jacksonville District

---

## Port Series No. 17

### The Ports of Tampa and Port Manatee, FL

---

Port: **Tampa/Port Manatee**  
Waterway: **Ybor Channel** Mile: PWD: 68  
Name: **Cargill, Tampa Elevator Wharf.**  
Location: Easterly side of Ybor Channel, approximately 0.4 mile below head of Ybor Channel, Tampa. Datum: MLW  
Operator: Cargill, Inc.  
Owner: Cargill, Inc.  
Address: 200 North 19th Street Phone: 813-247-3602  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: Two surface tracks serving undertrack-receiving pit and loading spout at grain elevator at rear; connect with CSX Transportation, Inc.  
Purpose: Receipt and shipment of grain and citrus pellets.  
Depth Alongside (feet): 33 | | Latitude (decimal): 27.948056  
Total Berthing Space (feet): 756 | | Longitude (decimal): -82.44194  
Remarks: Grain elevator located at rear with 18 concrete silos and 8 interstices has capacity for 1,000,000 bushels. Two steel frame warehouses in rear have total capacity for 701,000 bushels of citrus pellets.  
Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 14790 Dock Code: 176 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Ybor Channel** Mile: PWD: 73  
Name: **Detsco Terminals, Tampa Wharf.**  
Location: Westerly side of Channel, at head of Ybor Channel, Tampa. Datum: MLW  
Operator: Not operated.  
Owner: Detsco Terminals, Inc.  
Address: 739 North 14th Street Phone: 813-223-9866  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Not used.  
Depth Alongside (feet): 30 - 31 | | Latitude (decimal): 27.953611  
Total Berthing Space (feet): 600 | | Longitude (decimal): -82.44333  
Remarks: A 280- by 80-foot storage building located at rear with capacity for 13,000 tons of phosphate and 8 adjacent storage silos with capacity for 20,000 tons of phosphate were not in use at time of survey. Phosphate received by truck at a receiving pit served by a 24-/36-inch, inclined belt conveyor extending to storage building and silos. One 6-inch pipeline extending from wharf to one 500,000-gallon, caustic soda storage tank was not in use at time of survey.  
Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 14790 Dock Code: 187 Jacksonville District

---

## Port Series No. 17

### The Ports of Tampa and Port Manatee, FL

---

Port: **Tampa/Port Manatee**  
Waterway: **Ybor Channel** Mile: PWD: 69  
Name: **E. A. Mariana Asphalt Co., Tampa Wharf.**  
Location: Easterly side of Ybor Channel, approximately 0.3 mile below head of Ybor Channel, Tampa. Datum: MLW  
Operator: E. A. Mariana Asphalt Co.  
Owner: E. A. Mariana Asphalt Co.  
Address: 500 North 19th Street Phone: 813/248-2189  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Receipt of asphalt by small tanker and barge.  
Depth Alongside (feet): 20 | | Latitude (decimal): 27.950278  
Total Berthing Space (feet): 410 | | Longitude (decimal): -82.44167  
Remarks: Two 8-inch pipelines extend from wharf to 7 steel, asphalt storage tanks located at rear, total capacity 107,000 barrels. Wharf also is equipped with one 2-inch steam line.  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 178 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Ybor Channel** Mile: PWD: 72  
Name: **International Ship Repair & Marine Services, Tampa Wharf.**  
Location: Easterly side of Channel, at head of Ybor Channel, Tampa. Datum: MLW  
Operator: International Ship Repair & Marine Services, Inc. and Lafarge Corp.  
Owner: International Ship Repair & Marine Services, Inc.  
Address: 1616 Penny Street Phone: 813/247-1118  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Mooring vessels for repair; mooring floating drydocks; and occasional receipt of cement.  
Depth Alongside (feet): 30 | | Latitude (decimal): 27.953889  
Total Berthing Space (feet): 750 | - | Longitude (decimal): -82.44167  
Remarks: Lafarge Corp.: Four 12-inch, pneumatic pipelines extend from wharf to 16 concrete, cement storage silos located 600 feet in rear, total capacity 30,000 tons. International Ship Repair & Marine Services, Inc.: Floating Drydock No. 1, capacity 7,800 long tons; Number 2, capacity 6,000 long tons; and Number 3, capacity for 12,000 long tons are moored at wharf and at MetroporBerths 263 and 264. Drydock Numbers 2 and 3 can be combined, and have a combined lifting capacity of 18,000 long tons. Offices, warehouses and shops are located in shipyard at rear.  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 184 Jacksonville District

---

**Port Series No. 17**  
**The Ports of Tampa and Port Manatee, FL**

---

Port: **Tampa/Port Manatee**  
Waterway: **Ybor Channel** Mile: PWD: 67  
Name: **Marathon Oil Co., Tampa Terminal Wharf.**  
Location: Easterly side of Ybor Channel, above foot of Thrace Street extended, Tampa. Datum: MLW  
Operator: Marathon Oil Co.  
Owner: Star Enterprise Corp. and Marathon Oil Co.  
Address: 425 South 20th Street Phone: 813-247-1549  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Receipt of petroleum products.  
Depth Alongside (feet): 33 | | Latitude (decimal): 27.946389  
Total Berthing Space (feet): 750 | | Longitude (decimal): -82.44222  
Remarks: Marathon Oil Co.: Seven 12-, one 10-, and two 8-inch pipelines extend from wharf to 30 steel storage tanks located at South 20th Street in rear, total capacity 1,200,000 barrels. Twelve of the storage tanks are Enterprise Corp.  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 174 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Ybor Channel** Mile: PWD: 71  
Name: **Sahlman Seafoods, Tampa Wharf.**  
Location: Easterly side of Ybor Channel, south side of slip, approximately 400 feet below head of Ybor Channel, Ta Datum: MLW  
Operator: Sahlman Seafoods, Inc.  
Owner: Sahlman Seafoods, Inc.  
Address: 1601 Sahlman Drive Phone: 813-248-5726  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Mooring shrimp boats; handling supplies and equipment for fishing vessels.  
Depth Alongside (feet): 15 | | Latitude (decimal): 27.952222  
Total Berthing Space (feet): 360 | | Longitude (decimal): -82.44167  
Remarks: -□□  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 182 Jacksonville District

---

## Port Series No. 17

### The Ports of Tampa and Port Manatee, FL

---

Port: **Tampa/Port Manatee**  
Waterway: **Ybor Channel** Mile: PWD: 76  
Name: **Tampa Port Authority, Cruise Terminal No. 6, Berths 267 and 268.**  
Location: Westerly side of Ybor Channel, between foot of McKay and York Streets, Tampa. Datum: MLW  
Operator: Tampa Port Authority and Royal Venture Cruise Line.  
Owner: Tampa Port Authority.  
Address: Phone: 813-272-0555  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Mooring cruise vessels; boarding passengers.  
Depth Alongside (feet): 34 | | Latitude (decimal): 27.947778  
Total Berthing Space (feet): 1,200 | | Longitude (decimal): -82.44361  
Remarks: One 400- by 80-foot, steel frame, metal-covered building located at rear is used as a passenger terminal. An asphalt-paved parking lot is located at rear of building.  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 194 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Ybor Channel** Mile: PWD: 74  
Name: **Tampa Port Authority, Metroport Terminal, Berths 263 and 264.**  
Location: Westerly side of Ybor Channel, upper side and head of slip, approximately 1,000 feet below head of chann Datum: MLW  
Operator: International Ship Repair & Marine Services, Inc.  
Owner: Tampa Port Authority.  
Address: Phone: 813-272-0555  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Mooring vessels for repair; mooring floating drydocks.  
Depth Alongside (feet): 25 - 27 | 20 - 25 | Latitude (decimal): 27.952778  
Total Berthing Space (feet): 680 | 350 | Longitude (decimal): -82.44417  
Remarks: Open steel frame, former banana-handling shed is located in rear on lower side near outer end of slip. □ Approximately one acre of open storage area is located in rear of upper side and at head of slip.  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 189 Jacksonville District

---

**Port Series No. 17**  
**The Ports of Tampa and Port Manatee, FL**

---

Port: **Tampa/Port Manatee**  
Waterway: **Ybor Channel** Mile: PWD: 75  
Name: **Tampa Port Authority, Metroport Terminal, Berths 265 and 266.**  
Location: Westerly side of Ybor Channel, lower side of slip, approximately 1,000 feet below head of channel, Tampa Datum: MLW  
Operator: International Ship Repair & Marine Services, Inc.  
Owner: Tampa Port Authority.  
Address: Phone: 813-272-0555  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Mooring vessels for repair.  
Depth Alongside (feet): 18 - 25 | 28 | Latitude (decimal): 27.951667  
Total Berthing Space (feet): 750 | 275 | Longitude (decimal): -82.44389  
Remarks: Channel side of wharf is in line and contiguous with P.W.D. Ref. No. 76. Approximately 1 acre of open storage area is located at rear. □ At time of survey, plans called for Berths 265 and 266 to become part of Port of Tampa, Cruise Terminal No. 6.  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 190 Jacksonville District

---

Port: **Tampa/Port Manatee**  
Waterway: **Ybor Channel** Mile: PWD: 77  
Name: **U.S. Naval Reserve Center, Tampa Wharf.**  
Location: Westerly side of Ybor Channel, approximately 200 feet below foot of York Street, Tampa. Datum: MLW  
Operator: United States Navy.  
Owner: United States Government.  
Address: 1325 York Street Phone: 813-228-2667  
Town: Tampa State: FL County: Hillsborough  
Railway Connection: None.  
Purpose: Mooring U.S. Navy vessels.  
Depth Alongside (feet): 22 | | Latitude (decimal): 27.946111  
Total Berthing Space (feet): 380 | - | Longitude (decimal): -82.44361  
Remarks: U.S. Naval Reserve Center is located at rear. □ □  
Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 196 Jacksonville District

---

## Port Series No. 17

### The Ports of Tampa and Port Manatee, FL

---

Port: **Tampa/Port Manatee**  
 Waterway: **Ybor Turning Basin** Mile: PWD: 66  
 Name: **Gulf Marine Repair Corp., George B. Howell Maritime Center, Wharf.**  
 Location: Easterly side of Ybor Turning Basin, foot of Thrace Street extended, Tampa. Datum: MLW  
 Operator: Gulf Marine Repair Corp.  
 Owner: Tampa Port Authority.  
 Address: 1200 Sertoma Drive Phone: 813/247-3153  
 Town: Tampa State: FL County: Hillsborough  
 Railway Connection: None.  
 Purpose: Mooring barges and vessels for repair; mooring floating drydocks and company-owned towboat and work barge.  
 Depth Alongside (feet): 23 | | Latitude (decimal): 27.945  
 Total Berthing Space (feet): 880 | | Longitude (decimal): -82.44222  
 Remarks: Floating Drydock No. 2, capacity 5,000 tons, and Drydock No. 1, capacity 1,400 tons, are moored at wharf. One 270- by 50-foot, steel frame, metal-covered building located in rear of upper portion of wharf contain shops. Shipyard has use of approximately 400 feet of adjacent Berth 252 for mooring when available.  
 Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 170 Jacksonville District

---

Port: **Tampa/Port Manatee**  
 Waterway: **Ybor Turning Basin** Mile: PWD: 64  
 Name: **Tampa Port Authority, George B. Howell Maritime Center, Berth 250.**  
 Location: Easterly side of Ybor Turning Basin, approximately 550 feet below foot of Flagler Street extended, Tampa Datum: MLW  
 Operator: Tampa Port Authority.  
 Owner: Tampa Port Authority.  
 Address: Phone: 813-272-0535  
 Town: Tampa State: FL County: Hillsborough  
 Railway Connection: None.  
 Purpose: Mooring vessels.  
 Depth Alongside (feet): 22 - 34 | | Latitude (decimal): 27.94  
 Total Berthing Space (feet): 700 | | Longitude (decimal): -82.4425  
 Remarks: Transit shed is used by Tampa Bay International Terminals, Inc. for storage of citrus pellets. □  
 Year of Last Survey: 1995 Corps of Engrs Waterway Code: 14790 Dock Code: 166 Jacksonville District

---

## Port Series No. 17

### The Ports of Tampa and Port Manatee, FL

---

Port: **Tampa/Port Manatee**

Waterway: **Ybor Turning Basin** Mile: PWD: 65

Name: **Tampa Port Authority, George B. Howell Maritime Center, Berths 251**

Location: Easterly side of Ybor Turning Basin, foot of Flagler Street extended, Tampa. Datum: MLW

Operator: Tampa Bay International Terminals, Inc.

Owner: Tampa Port Authority.

Address: 1201 King Road Phone: 813-248-6168

Town: Tampa State: FL County: Hillsborough

Railway Connection: None.

Purpose: Receipt and shipment of conventional general cargo, including steel and lumber products in foreign and domestic trades; shipment of miscellaneous dry bulk commodities and citrus pellets.

Depth Alongside (feet): 32 | | Latitude (decimal): 27.941667

Total Berthing Space (feet): 1,210 | | Longitude (decimal): -82.44306

Remarks: Buildings 33 (110' by 245'), 34 (100' by 180'), and 35 are used for storage of citrus pellets; total capacity is approximately 17,000 tons. Buildings 20, 29 (70' by 127'), and 42 (100' by 200') are used for stor general cargo. □ Approximately 5 acres of paved, open storage area are located at rear.

Year of Last Survey: 1995 Corps of Engnrs Waterway Code: 14790 Dock Code: 168 Jacksonville District

---