

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**
Waterway: **Neches River** Mile: PWD: 155
Name: **Bean Marine, Beaumont Terminal Wharf.**
Location: Right Bank, Neches River Old Channel, 900 ft below upper conjunction with main channel, which is below l Datum: MLLW
Operator: Bean Marine, Inc.
Owner: Bean Marine, Inc.
Address: Pine Street Phone: 409-833-8444
Town: Beaumont State: TX County: Jefferson
Railway Connection: One surface track in open storage area joins tracks serving adjacent Trinity Industries, Inc. plant (Ref. No. 154); connect with Union Pacific Railroad and Burlington Northern Santa Fe Railway
Purpose: Receipt of stone by barge.
Depth Alongside (feet): 11 | | Latitude (decimal): 30.091389
Total Berthing Space (feet): 300 | | Longitude (decimal): -94.09472
Remarks: Approximately 24 acres of open storage area at rear has capacity for 400,000 tons of stone. The Trotti and Thomson Division of APAC-Texas Inc. operates an aggregate mixing plant and an asphalt plant in open storage area.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 662 Galveston District

Port: **Beaumont**
Waterway: **Neches River** Mile: PWD: 156
Name: **Bo-Mac Contractors, Hot Mix Plant Wharf and Barge Mooring.**
Location: Left bank, Neches River, at conjunction of Bairds Bayou and Bairds Lake, approx. 1.1 miles above Interst Datum: MLLW
Operator: Bo-Mac Contractors, Inc.
Owner: Bo-Mac Contractors, Inc.
Address: Interstate Highway 10 West Phone: 409-769-8782
Town: Rose City State: TX County: Orange
Railway Connection: None.
Purpose: Receipt of stone by barge; mooring barges.
Depth Alongside (feet): 10 - 12 | 8 | 6 - 8 Latitude (decimal): 30.096111
Total Berthing Space (feet): 280 | 200 | 200 Longitude (decimal): -94.07778
Remarks: Mouth of Bairds Bayou is on southeast side of Bairds Lake, an old channel of the Neches River. Wharf, on left bank of mouth, is approximately 0.5 mile from conjunction of lake and main channel of the river. Approximately 3 acres of open storage area, one stabilized paving mix plant, and one hot-mix asphalt plant are located at rear.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 340

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**
Waterway: **Neches River** Mile: PWD: 157
Name: **Curtis Smith Estate, Rose City Landing**
Location: Left bank, Neches River, approximately 0.1 mile below Interstate Highway 10 Bridge, Rose City Datum: MLLW
Operator: Not operated.
Owner: Curtis Smith Estate
Address: Interstate Highway 10 Phone:
Town: Rose City State: TX County: Orange
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 26 | | Latitude (decimal): 30.093056
Total Berthing Space (feet): 1,500 | | Longitude (decimal): -94.08944
Remarks: Landing formerly was operated by Dravo Basic Materials Co. for receipt of sand and aggregate.
Approximately 32 acres of open storage area at rear. □
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 320 Galveston District

Port: **Beaumont**
Waterway: **Neches River** Mile: PWD: 152
Name: **Trinity Industries, Beaumont Yard Berth No. 4 Wharf.**
Location: Right bank, Neches River, approximately 0.5 mile above mouth of Brakes Bayou, Beaumont. Datum: MLLW
Operator: A & B Builders, Inc.
Owner: Trinity Industries, Inc.
Address: 850 Pine Street Phone: 409-842-9022 ex
Town: Beaumont State: TX County: Jefferson
Railway Connection: Plant trackage at rear joins tracks serving adjacent Trinity Industries, Inc. plant (Ref. No. 154); connect with Union Pacific Railroad and Burlington Northern Santa Fe Railway.
Purpose: Occasional mooring of oil-well service barges awaiting outfitting, and of cargo barges awaiting loading at operator's other berths.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.088611
Total Berthing Space (feet): 400 | | Longitude (decimal): -94.08694
Remarks: -□□
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 664

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**
Waterway: **Neches River** Mile: PWD: 153
Name: **Trinity Industries, Beaumont Yard Berths Nos. 5 and 6 Wharf.**
Location: Right bank, Neches River Old Channel, above lower conjunction with main channel, 0.2 mile below Interstate 10, Datum: MLLW
Operator: A & B Builders, Inc.
Owner: Trinity Industries, Inc.
Address: 850 Pine Street Phone: 409-842-9022 ex
Town: Beaumont State: TX County: Jefferson
Railway Connection: Plant trackage at rear joins tracks serving adjacent Trinity Industries, Inc. plant (Ref. No. 154); connect with Union Pacific Railroad and Burlington Northern Santa Fe Railway.
Purpose: Occasional mooring of oil-well service barges for outfitting and conversion, and of cargo barges awaiting loading at operator's other berths.
Depth Alongside (feet): 25 | | Latitude (decimal): 30.089722
Total Berthing Space (feet): 808 | | Longitude (decimal): -94.09083
Remarks: -□□
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 664

Port: **Beaumont**
Waterway: **Neches River** Mile: PWD: 154
Name: **Trinity Industries, Beaumont Yard Berths Nos. 7 and 8 Pier.**
Location: Right bank, Neches River Old Channel, 900 ft above lower conjunction with main channel, 0.2 mile below Interstate 10, Datum: MLLW
Operator: Trinity Industries, Inc. (See Remarks)
Owner: Trinity Industries, Inc.
Address: 850 Pine Street Phone: 409-654-3360
Town: Beaumont State: TX County: Jefferson
Railway Connection: One 550-foot surface track on pier joins additional plant trackage in rear; connects with Union Pacific Railroad and Burlington Northern Santa Fe Railway.
Purpose: Occasional mooring of barges awaiting unloading at Bean Marine, Inc. Beaumont Terminal Wharf (Ref. No. 155).
Depth Alongside (feet): 25 | 25 | 25 Latitude (decimal): 30.089167
Total Berthing Space (feet): | 510 | 555 Longitude (decimal): -94.09333
Remarks: At time of survey (1999), owner allowed Bean Marine, Inc. to moor barges awaiting unloading at the latter's Beaumont Terminal Wharf (Ref. No. 155). Trinity Industries, Inc. operates a rail car plant at rear, which uses track on pier to store parts.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 664

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**
 Waterway: **Neches River** Mile: 29,1 PWD: 91
 Name: **Fina Oil and Chemical Co., Port Arthur Terminal Fuel Dock.**
 Location: Right bank, Neches River, approximately 0.2 mile above the State Highway 87 Port Datum: MLLW
 Arthur-Orange Rainbow B
 Operator: Fina Oil and Chemical Co., Inc., a subsidiary of TotalFinaElf SA
 Owner: Fina Oil and Chemical Co., Inc., a subsidiary of TotalFinaElf SA
 Address: State Highway 366 and 32d Street Phone: 409-963-6979
 Town: Port Arthur State: TX County: Jefferson
 Railway Connection: Plant trackage serving oil refinery at rear connects with Kansas City Southern Railway.
 Purpose: Transient mooring of barges.
 Depth Alongside (feet): 12 | | Latitude (decimal): 29.979722
 Total Berthing Space (feet): 235 | | Longitude (decimal): -93.87611
 Remarks: Wharf was in deteriorated condition at time of survey (1999). Boathouse for terminal oil boom
 deployment boat is located below lower side of wharf.
 Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 972 Galveston District

Port: **Beaumont**
 Waterway: **Neches River** Mile: 29,2 PWD: 92
 Name: **Fina Oil and Chemical Co., Port Arthur Terminal, No. 1 Dock.**
 Location: Right bank, Neches River, approximately 0.3 mile above the State Highway 87 Port Datum: MLLW
 Arthur-Orange Rainbow B
 Operator: Fina Oil and Chemical Co., Inc., a subsidiary of TotalFinaElf SA
 Owner: Fina Oil and Chemical Co., Inc., a subsidiary of TotalFinaElf SA
 Address: State Highway 366 and 32d Street Phone: 409-963-6979
 Town: Port Arthur State: TX County: Jefferson
 Railway Connection: Plant trackage serving oil refinery at rear connects with Kansas City Southern Railway.
 Purpose: Receipt of crude oil and xylene; receipt and shipment of naptha; and shipment of petroleum products.
 Depth Alongside (feet): 40 | | Latitude (decimal): 29.980278
 Total Berthing Space (feet): 900 | | Longitude (decimal): -93.87778
 Remarks: Hosehandling tower is described as planned at time of survey (1999). The following tankage and
 pipelines serve wharf: Lines Product Tanks Capacity Units No. Size
 1 30-in. Petroleum products & Naptha 45 3,137,150 bbl 2
 24-in.) Crude oil (12 2,079,240 bbl 1 12-in.) (4 281,810 bbl (to be demolished by
 2005) 1 12-in. Ballast & Recovered Oil 1 76,290 bbl 1 12-in.) 1 8- to
 Xylene 4 3,137,000 gal 20-in.)
 Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 972 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**
 Waterway: **Neches River** Mile: 29,3 PWD: 93
 Name: **Fina Oil and Chemical Company, Port Arthur Terminal Dock A.**
 Location: Right bank, Neches River, approximately 0.4 mile above the State Highway 87 Port Datum: MLLW
 Arthur-Orange Rainbow B
 Operator: Fina Oil and Chemical Co., Inc., a subsidiary of TotalFinaElf SA
 Owner: Fina Oil and Chemical Co., Inc., a subsidiary of TotalFinaElf SA
 Address: State Highway 366 and 32d Street Phone: 409-963-6979
 Town: Port Arthur State: TX County: Jefferson
 Railway Connection: Plant trackage serving oil refinery at rear connects with Kansas City Southern Railway.
 Purpose: Receipt and shipment of benzene, toluene and petroleum products.
 Depth Alongside (feet): 35 | | Latitude (decimal): 29.980556
 Total Berthing Space (feet): 550 | | Longitude (decimal): -93.88
 Remarks: The following tankage and pipelines serve wharf: Lines Product Tanks Capacity Units No.
 Size 3 12-in.) Petroleum 2 10-in.) products 45) described under 1 8-
 in.)) No. 1 Dock1 8- to Ballast &) (Ref No. 92) 12-in. Recovered Oil 1
) 1 10-in.) Benzene 4 2,145,000 gal2 8-in.) Toluene 4 3,242,000 gal 1
 10-in. Vapor to combustion system
 Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 972 Galveston District

Port: **Beaumont**
 Waterway: **Neches River** Mile: 29,4 PWD: 94
 Name: **Fina Oil and Chemical Co., Port Arthur Terminal Dock B.**
 Location: Right bank, Neches River, approximately 0.5 mile above the State Highway 87 Port Datum: MLLW
 Arthur-Orange Rainbow B
 Operator: Fina Oil and Chemical Co., Inc., a subsidiary of TotalFinaElf SA
 Owner: Fina Oil and Chemical Co., Inc., a subsidiary of TotalFinaElf SA
 Address: State Highway 366 and 32d Street Phone: 409-963-6979
 Town: Port Arthur State: TX County: Jefferson
 Railway Connection: Plant trackage serving oil refinery at rear connects with Kansas City Southern Railway.
 Purpose: Receipt of asphaltene and xylene; receipt and shipment of benzene, toluene and petroleum products.
 Depth Alongside (feet): 30 | | Latitude (decimal): 29.980556
 Total Berthing Space (feet): 500 | | Longitude (decimal): -93.88167
 Remarks: The following tankage and pipelines serve wharf: Lines Product Tanks Capacity Units No.
 Size 1 10-in.) Asphaltenes 2 188,420 bbl 3 8-in.,) Petroleum each w/ 2)
 products 45) described underconnections) No. 1 Dock 1 8-in.)
) 1 6-in. Ballast &) (Ref No. 92) Recovered Oil 1) ()
 Xylene 4) 3 8-in. (Benzene 4) described under(Toluene 4) Dock A (Ref
 No. 93) 1 10-in. Vapor to combustion system
 Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 972 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**
Waterway: **Neches River** Mile: 30.4 PWD: 95
Name: **Associated Marine Services Slip**
Location: Right bank, Neches Butane Outfall Canal, 200 feet below Atlantic Road Bridge, 1.3 miles above junction w Datum: MLLW
Operator: Associated Marine Services
Owner: Associated Marine Services
Address: 5000 Atlantic Road Phone: 409-962-0924
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Mooring company-owned launch and line-service vessels for repair
Depth Alongside (feet): 3 | 3 | 3 Latitude (decimal): 29.969444
Total Berthing Space (feet): 145 | 195 | 195 Longitude (decimal): -93.91361
Remarks: Neches Butane Outfall Canal is approximately 50 to 80 feet wide and intersects the left bank of Molasses Bayou above the bayou's mouth. Office is located in building at rear of slip.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 950

Port: **Beaumont**
Waterway: **Neches River** Mile: 30.5 PWD: 163
Name: **Entergy Gulf States, Sabine Plant Fuel Wharf**
Location: Northwest side, power plant discharge canal, approximately 2.9 miles north of junction with left bank of Datum: MLLW
Operator: Not operated.
Owner: Entergy Gulf States Inc.
Address: West Round Bunch Road (Hwy FM 1442) Phone: 409-734-3443
Town: Bridge City State: TX County: Orange
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 8 | | Latitude (decimal): 30.019722
Total Berthing Space (feet): 250 | | Longitude (decimal): -93.87944
Remarks: Wharf formerly was used for receipt of fuel oil for plant consumption, and is maintained on a standby basis. Discharge canal is approximately 60 feet wide at face of wharf. Two 6-inch pipelines extending from wharf were blanked at time of survey (1999). One extended to 12-inch pipeline to 4 fuel oil storage tanks, total capacity 459,250 barrels, and the other extended to one, 209-barrel, igniter oil storage tank. Steam generating plant is located atrear.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 200

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**
 Waterway: **Neches River** Mile: 32,3 PWD: 96
 Name: **Huntsman Corp., Oxides and Olefins (O & O) Facility, Port Neches N**
 Location: Right bank, Neches River, 3.5 miles above the Port Arthur-Orange Rainbow Bridge, west of upper end of Cu Datum: MLLW
 Operator: Huntsman Corp.
 Owner: Huntsman Corp.
 Address: Port Neches Avenue at Orchard Street Phone: 409-724-4473
 Town: Port Neches State: TX County: Jefferson
 Railway Connection: None.
 Purpose: Shipment and occasional receipt of petrochemicals; receipt of liquid caustic soda.
 Depth Alongside (feet): 38 | | Latitude (decimal): 29.989444
 Total Berthing Space (feet): 800 | | Longitude (decimal): -93.92944
 Remarks: The following tankage and pipelines serve the wharf from chemical plant located approximately 1.3 miles in rear:

Lines	Product	Tanks	Capacity	No.	Size	(Tot. gals.)
1	Propylene glycol	6	3,801,000	2	6-in.	Amines to plant
1	6-in. Caustic Soda	1	1,099,980	1	3-in.	do.
2	2,000,000	1	6-in.	Propylene oxide	2	2,000,000
1	6-in.	Propyleneoxide vapor	vent to flare tower			

Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 911

Port: **Beaumont**
 Waterway: **Neches River** Mile: 32.7 PWD: 97
 Name: **Motiva Enterprises, Port Neches Terminal, No. 3 Dock Wharf**
 Location: Right bank, Neches River, approximately 0.4 mile west of upper end of Cut-off Channel, Port Neches. Datum: MLLW
 Operator: Motiva Enterprises LLC
 Owner: Motiva Enterprises LLC and Huntsman Corp.
 Address: Port Neches Avenue Phone: 409-721-8800
 Town: Port Neches State: TX County: Jefferson
 Railway Connection: Plant trackage serving oil refinery in rear connects with Kansas City Southern Railway.
 Purpose: Receipt of crude oil and gas oil; receipt of naptha and shipment of pyrolysis gasoline by barge.
 Depth Alongside (feet): 28 | | Latitude (decimal): 29.990556
 Total Berthing Space (feet): 600 | | Longitude (decimal): -93.93417
 Remarks: The following tankage and pipelines serve the wharf from Motiva Enterprises' and Huntsman Corp. terminals located at rear, and Huntsman Corp. Aromatics and Olefins (A & O) plant at State Highway 73 and Savanna Avenue in Port Arthur:

Lines	Product	Tanks	Capacity	No.	Size	(Tot. bbls.)
1	Crude oil	6	1,600,000	2	16-in.	Motiva Enterprises
4	Gas oil				10-in.	Huntsman Corp.
1	Pyrolysis gasoline	2	2,000,000		10-in.	Huntsman Corp.
1	Naptha	2	380,000		10-in.	Huntsman Corp.

Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 909 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**
 Waterway: **Neches River** Mile: 32.8 PWD: 98
 Name: **Motiva Enterprises, Port Neches Terminal, No. 2 Dock Wharf**
 Location: Right bank, Neches River, approximately 0.5 mile west of upper end of Cut-off Channel, Port Neches. Datum: MLLW
 Operator: Motiva Enterprises LLC
 Owner: Motiva Enterprises LLC and Huntsman Corp.
 Address: Port Neches Avenue Phone: 409-721-8800
 Town: Port Neches State: TX County: Jefferson
 Railway Connection: Plant trackage serving oil refinery in rear connects with Kansas City Southern Railway.
 Purpose: Receipt of crude oil, naphtha, petroleum products, and occasionally, gas oil.
 Depth Alongside (feet): 40 | | Latitude (decimal): 29.991667
 Total Berthing Space (feet): 950 | | Longitude (decimal): -93.93694
 Remarks: The following tankage and pipelines serve the wharf from Motiva Enterprises' and Huntsman Corp. terminals located at rear: Lines Product Tanks Capacity No. Size (Tot. bbls.)
 Motiva Enterprises: 3 16 to)1 30-in.) Crude oil 6) described 1 16-in.) Gas oil 4)
 under 2 10-in.)) No. 3 Dock Huntsman Corp.:) (Ref. No. 1 12-in. Naptha 2
) 97) 1 10-in. Reformate 1 125,510At time of survey (1999) one 12- and two 10-inch
 pipelines extending from wharf were unused and blanked.
 Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 909 Galveston District

Port: **Beaumont**
 Waterway: **Neches River** Mile: 33,2 PWD: 100
 Name: **Huntsman Petrochemical Corp., C4 Facility, Port Neches No. 2 Dock**
 Location: Right bank, Neches River, approximately 0.9 mile west of upper end of Cut-off Channel, Port Neches. Datum: MLLW
 Operator: Huntsman Petrochemical Corp.
 Owner: Ameripol Synpol Company and Huntsman Corp.
 Address: 2102 Spur 136 Phone: 409-724-4785
 Town: Port Neches State: TX County: Jefferson
 Railway Connection: None.
 Purpose: Receipt of crude butadiene, methanol, and styrene; occasional shipment of butadiene and other liquified petroleum gases.
 Depth Alongside (feet): 27 - 30 | | Latitude (decimal): 29.993611
 Total Berthing Space (feet): 500 | | Longitude (decimal): -93.9425
 Remarks: One 6-inch pipeline with 4-inch hose connection on wharf connects to three 6-inch pipelines extending from wharf to five pipelines connecting to tankage at operator's plant about 1.0 mile in rear, and to styrene storage tank at Ameripol Synpol Co. plant at 1215 Main Street, about 0.5 mile in rear:
 Lines Product Tanks Capacity UnitsNo. Size (*Spheres)1 10-in. Crude
 butadiene 10* 5,040,000 gal1 10-in. Butadiene 3* 1,512,000 gal1 8-in. C4 raffinate 6*
 36,000 bbl1 8-in. Methanol 3 840,000 gal1 6-in. Styrene 1 630,000 galOne 3-inch
 vapor pipeline extends from wharf to flare tower in rear.
 Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 911

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**
Waterway: **Neches River** Mile: 33,3 PWD: 101
Name: **Huntsman Petrochemical Corp., C4 Facility, Port Neches No. 3 Dock**
Location: Right bank, Neches River, approximately 1.0 mile west of upper end of Cut-off Channel, Port Neches. Datum: MLLW
Operator: Huntsman Petrochemical Corp.
Owner: Ameripol Synpol Company and Huntsman Corp.
Address: 2102 Spur 136 Phone: 409-724-4785
Town: Port Neches State: TX County: Jefferson
Railway Connection: None.
Purpose: Receipt of crude butadiene, methanol, and styrene; occasional shipment of butadiene and other liquified petroleum gases; all by barge.
Depth Alongside (feet): 24 | | Latitude (decimal): 29.994167
Total Berthing Space (feet): 310 | | Longitude (decimal): -93.94389
Remarks: One 10- and one 6-inch pipelines extend from unloading arms on wharf to appropriate crude butadiene, butadiene, C4 raffinate, and methanol pipelines connecting to tankage at operator's plant about 1.0 mile in rear, and extend to one styrene pipeline connecting to storage tank at Ameripol Synpol Co. plant at 1215 Main Street, about 0.5 mile in rear. All connecting pipelines and tanks are described under No. 2 Dock (Ref. No. 100). One hose extends from wharf to one 3-inch vapor pipeline serving flare tower described under No. 2 Dock.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 911

Port: **Beaumont**
Waterway: **Neches River** Mile: 33,4 PWD: 102
Name: **Port Neches Towing, Towboat Wharf.**
Location: Right bank, Neches River, approximately 1.1 miles west of upper end of Cut-off Channel, above foot of Ne Datum: MLLW
Operator: Port Neches Towing, Inc.
Owner: E. W. Barber.
Address: Foot of Neches Drive Phone: 409-722-9314
Town: Port Neches State: TX County: Jefferson
Railway Connection: None.
Purpose: Mooring company-owned towboats and barges.
Depth Alongside (feet): 13 | | Latitude (decimal): 29.995
Total Berthing Space (feet): 250 | | Longitude (decimal): -93.94639
Remarks: -□□
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 900 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**
Waterway: **Neches River** Mile: 33,5 PWD: 103
Name: **Transit Mix Concrete & Materials Co, Port Neches Landing.**
Location: Right bank, Neches River, approximately 1.1 miles west of upper end of Cut-off Channel, at foot of Main Datum: MLLW
Operator: Transit Mix Concrete & Materials Co., a subsidiary of Trinity Industries, Inc.
Owner: Transit Mix Concrete & Materials Co., a subsidiary of Trinity Industries, Inc.
Address: 901 Main Street Phone: 409-835-4933
Town: Port Neches State: TX County: Jefferson
Railway Connection: None.
Purpose: Receipt of sand and gravel by barge.
Depth Alongside (feet): 10 - 15 | | Latitude (decimal): 29.995278
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.9475
Remarks: Electric, belt-conveyor system extends from receiving hopper at open storage area to concrete ready-mix plant in rear. Approximately 4 acres of open storage area with capacity for 25,000 tons of aggregate are located at rear.
Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 60056 Dock Code: 899 Galveston District

Port: **Beaumont**
Waterway: **Neches River** Mile: 33,6 PWD: 104
Name: **Port Neches Towing, Repair Plant Wharf.**
Location: Right bank, Neches River, approximately 1.2 miles west of upper end of Cut-off Channel, at foot of Deari Datum: MLLW
Operator: Port Neches Towing, Inc.
Owner: Port Neches Towing, Inc.
Address: 723 Dearing Street. Phone: 409-722-9314
Town: Port Neches State: TX County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels and barges for repair; mooring floating drydock and company-owned floating equipment.
Depth Alongside (feet): 13 | 13 | 13 - 20 Latitude (decimal): 29.996111
Total Berthing Space (feet): 130 | 100 | 450 Longitude (decimal): -93.94944
Remarks: Trucks and cranes are transferred to and from barges and beach type landing craft via adjustable ramp. Barges 200 feet long can berth at ramp by mooring across entrance to slip. One 803-long ton floating drydock is berthed at wharf. One 2-inch compressed air line serves wharf. Marine repair plant is located at rear.
Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 60056 Dock Code: 900 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**
Waterway: **Neches River** Mile: 33.0 PWD: 99
Name: **Motiva Enterprises, Port Neches Terminal, No. 1 Dock Wharf**
Location: Right bank, Neches River, approximately 0.7 mile west of upper end of Cut-off Channel, Port Neches. Datum: MLLW
Operator: Motiva Enterprises LLC
Owner: Motiva Enterprises LLC and Huntsman Corp.
Address: Port Neches Avenue Phone: 409-721-8800
Town: Port Neches State: TX County: Jefferson
Railway Connection: Plant trackage serving oil refinery in rear connects with Kansas City Southern Railway.
Purpose: Receipt of crude oil and methanol; receipt and shipment of petroleum products.
Depth Alongside (feet): 40 | - | - Latitude (decimal): 29.992778
Total Berthing Space (feet): 800 | | Longitude (decimal): -93.93972
Remarks: The following tankage and pipelines serve the wharf from Motiva Enterprises' and Huntsman Corp. terminals located at rear: Lines Product Tanks Capacity Units No. Size
 Motiva Enterprises: (described under 1 30-in.) Crude oil 6 (No. 3 Dock1 16-in.) ((Ref. No. 97) 1 10-in. Gasoline 1 70,000 bbl Huntsman Corp.: 1 16-in. Methanol 1 8,400,000 gal connected to Huntsman Petrochemical Corp. C4 Facility (Ref. No. 100). At time of survey (1999) one 12- and two 10-inch pipelines extending from wharf were unused and blanked.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 909 Galveston District

Port: **Beaumont**
Waterway: **Neches River** Mile: 33.9 PWD: 105
Name: **Coastal Marine Service of Texas, Port Neches Dock.**
Location: Right bank, Neches River, approx 1.5 miles west of upper end of Cut-off Channel, Datum: MLLW
above foot of Merriman
Operator: Not operated.
Owner: Coastal Marine Service of Texas, Inc.
Address: Lee Avenue. Phone:
Town: Port Neches State: TX County: Jefferson
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 29.999444
Total Berthing Space (feet): 500 | 500 | 750 Longitude (decimal): -93.95417
Remarks: Wharf formerly was used to moor vessels and barges for repair and layup.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 897 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**
Waterway: **Neches River** Mile: 34.2 PWD: 106
Name: **Trans-Global Solutions, Port Neches Wharves.**
Location: Right bank, Neches River, approximately 1.8 miles west of upper end of Cut-off Channel, at foot of Mario Datum: MLLW
Operator: Trans-Global Solutions, Inc.
Owner: Trans-Global Solutions, Inc.
Address: Block Street at Lee Street Phone: 713-453-0341
Town: Port Neches State: TX County: Jefferson
Railway Connection: None.
Purpose: Occasional mooring of company-owned vessel.
Depth Alongside (feet): 20 | | Latitude (decimal): 30.002778
Total Berthing Space (feet): 400 | 235 | 235 Longitude (decimal): -93.955
Remarks: One low-level, 12- by 6-foot, steel-grate platform is mounted on Barge Wharf at rear of face. Two loading arms on Ship Wharf connect with one 24- becoming 16-inch pipeline extending from wharf to 2 steel storage tanks, total capacity 200,000 barrels, and with three 14-inch pipelines extending from wharf and from two loading arms on Barge Wharf to 8 steel storage tanks, total capacity 450,000 barrels, all unused in 2001.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 889 Galveston District

Port: **Beaumont**
Waterway: **Neches River** Mile: 35.4 PWD: 107
Name: **Union Oil Co. of California, Beaumont Terminal, Barge Crude Dock N**
Location: Right bank, Neches River, Smiths Bluff, approximately 1.1 miles below lower end of Smiths Bluff Cutoff, Datum: MLLW
Operator: Union Oil Co. of California
Owner: Union Oil Co. of California
Address: State Highway 366 Phone: 409-724-3209
Town: Nederland State: TX County: Jefferson
Railway Connection: Terminal trackage connects with Kansas City Southern Railway.
Purpose: Receipt and shipment of crude oil by barge; mooring barges awaiting loading and unloading.
Depth Alongside (feet): 15 | 15 | 15 Latitude (decimal): 30.011667
Total Berthing Space (feet): 650 | 350 | 350 Longitude (decimal): -93.96722
Remarks: One 12-inch pipeline extends from wharf to 18 steel, crude oil storage tanks, total capacity 3,300,000 barrels, at terminal in rear. One 36-inch pipeline extending from storage tanks connects to 24-inch pipeline extending to underground storage salt dome at U.S. Department of Energy, Strategic Petroleum Reserve, 'Big Hill Site.' Terminal receives and ships crude oil overland via 26-inch West Texas Gulf, 10-inch UNOCAL Corp., and 8-inch Koch Industries pipelines, and connects to local refineries via 10-inch pipeline.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 869

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**

Waterway: **Neches River** Mile: 35.6 PWD: 108

Name: **Union Oil Co. of California, Beaumont Terminal, Ship Crude Dock No**

Location: Right bank, Neches River, Smiths Bluff, approximately 0.9 mile below lower end of Smiths Bluff Cutoff, N Datum: MLLW

Operator: Union Oil Co. of California

Owner: Union Oil Co. of California

Address: State Highway 366 Phone: 409-724-3209

Town: Nederland State: TX County: Jefferson

Railway Connection: Terminal trackage at rear connects with Kansas City Southern Railway.

Purpose: Receipt of crude oil and ballast water. (See Remarks)

Depth Alongside (feet): 40 | | Latitude (decimal): 30.010278

Total Berthing Space (feet): 1,020 | | Longitude (decimal): -93.97

Remarks: Wharf is equipped to ship crude oil from U. S. Department of Energy, Strategic Petroleum Reserve, 'Big Hill Site.' One 36-inch pipeline extends from wharf to crude oil storage tanks described under Barge Crude Dock No. 3 (Ref. No. 107). One 12-inch ballast water pipeline extends from wharf to one 2,100,000-gallon steel storage tank at rear, serving water treatment plant. One 24-inch vapor recovery pipeline, blanked at time of survey (1999), can beconnected to two thermal oxidizers at rear to support shipment of crude oil.

Year of Last Survey: 2001 Corps of Engnr's Waterway Code: 60056 Dock Code: 869

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**

Waterway: **Neches River** Mile: 35.8 PWD: 109

Name: **Union Oil Co. of California. Beaumont Terminal, Main Dock, Berths**

Location: Right bank, Neches River, Smiths Bluff, approximately 0.6 mile below lower end of Smiths Bluff Cutoff, N Datum: MLLW

Operator: Union Oil Co. of California

Owner: Union Oil Co. of California

Address: State Highway 366 Phone: 409-724-3209

Town: Nederland State: TX County: Jefferson

Railway Connection: One surface track serving 16-car capacity tank car loading rack in terminal at rear; connects with Kansas City Southern Railway.

Purpose: Receipt and shipment of crude oil, petroleum products and petro- chemicals; receipt of ballast water; receipt of bunker fuel and other products by barge for bunkering and loading tankers berthed at wharf.

Depth Alongside (feet): 40 - - | 20 | Latitude (decimal): 30.008611

Total Berthing Space (feet): 1,170 | 325 | Longitude (decimal): -93.97389

Remarks: One 24-, one 12, and one 8-inch pipelines extend from wharf to crude oil storage tanks described under Barge Crude Dock No. 3 (Ref. No. 107). Three 16-, five 12-, three 10-, two 8-, and twenty-eight 6-inch pipelines extend to 69 steel, petroleum product and chemical storage tanks at rear, total capacity 3,350,000 barrels. One 6-inch ballast water pipeline extends to storage tank described under Ship Crude Dock No. 2 (Ref. No. 108). One 8- becoming 12-inch, vapor recovery pipeline, with three connections on wharf, extends to two thermal oxidizers at rear of Ship Crude Dock No. 2. One 6-inch pipeline transfers bunker fuel from a barge to a vessel berthed at wharf, and other pipelines are used similarly to transfer other products. One 500- by 150-foot warehouse is located at rear of apron. above slip. A pipeline extends from terminal to 8 steel petroleum product storage tanks at operator's Port Arthur Products Station, total capacity 800,000 barrels, which are connected to 36- and 40-inch, interstate pipelines operated by Colonial Pipeline Co.

Year of Last Survey: 2001 Corps of Eng'rs Waterway Code: 60056 Dock Code: 869

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**
Waterway: **Neches River** Mile: 36.2 PWD: 110
Name: **Associated Marine Services Dock No. 1.**
Location: Right bank, Neches River, Smiths Bluff, approximately 0.4 mile below lower end of Smiths Bluff Cutoff, N Datum: MLLW
Operator: Associated Marine Services.
Owner: Associated Marine Services.
Address: State Highway 366 Phone: 409-962-0924
Town: Nederland State: TX County: Jefferson
Railway Connection: None.
Purpose: Mooring company-owned launch and line-service vessels; landing for passengers; handling equipment and supplies.
Depth Alongside (feet): 6 | 6 | Latitude (decimal): 30.0075
Total Berthing Space (feet): 26 | 26 | Longitude (decimal): -93.97833
Remarks: Company performs mooring for Union Oil Co. of California Terminal wharves (Ref. Nos. 107 to 109) adjacent to lower side, and Sun Marine Terminals, Inc. wharves (Ref. Nos. 111 to 117) adjacent to upper side of dock.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 859 Galveston District

Port: **Beaumont**
Waterway: **Neches River** Mile: 36.3 PWD: 111
Name: **Sun Marine Terminals, Barge Dock 'C'.**
Location: Right bank, Neches River, Smith Bluff, approximately 0.3 mile below lower end of Smith Bluff Cutoff, Ned Datum: MLLW
Operator: Sun Marine Terminals, Inc.
Owner: Sun Marine Terminals, Inc.
Address: State Highway 347 North Phone: 409-721-4803
Town: Nederland State: TX County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Kansas City Southern Railway.
Purpose: Receipt and shipment of petroleum products, including bunker fuels and lubricating oils, and of petrochemicals; loading barges for bunkering vessels.
Depth Alongside (feet): 22 | | Latitude (decimal): 30.007222
Total Berthing Space (feet): 525 | | Longitude (decimal): -93.98
Remarks: Pipelines extend from wharf to following steel storage tanks at terminal in rear: Tanks Product
Total Capacity, approx. 5 Bunker No 6 372,000 bbl 82 Diesel/Lube oil 489,800 bbl
2 Petrochemical 3,297,000 gal
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 855 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**

Waterway: **Neches River** Mile: 36.4 PWD: 112

Name: **Sun Marine Terminals, Ship Dock No. 1.**

Location: Right bank, Neches River, Smith Bluff, approx. 800 feet below lower end of Smith Bluff Cutoff, on lower Datum: MLLW

Operator: Sun Marine Terminals, Inc.

Owner: Sun Marine Terminals, Inc.

Address: State Highway 347 North Phone: 409-721-4803

Town: Nederland State: TX County: Jefferson

Railway Connection: Trackage serving plant in rear connects with Kansas City Southern Railway.

Purpose: Receipt and shipment of crude oil, petroleum products, and petrochemicals; receipt of ballast water; bunkering tankers berthed at wharf.

Depth Alongside (feet): 40 | | Latitude (decimal): 30.0075

Total Berthing Space (feet): 875 | | Longitude (decimal): -93.98278

Remarks: Slip is approximately 300 feet wide at wharf. Two 20-, one 18-, four 8-, and five 6-inch pipelines extend from wharf to 61 steel crude oil storage tanks, total capacity 9,724,000 barrels, and to storage tanks described under Barge Dock 'C' (Ref. No. 111); one 16-inch pipeline extends from wharf to two ballast water tanks in rear, total capacity 4,620,000 gallons. Also, one 3-inch slop line serves wharf. One 42- and one 36-inch pipelines extend from terminal to Department of Energy Strategic Petroleum Reserves 'Hackberry Site' in Louisiana, and 'Big Hill Site' in Texas, respectively. One 32- and one 8-inch pipelines extend to Premcor Refining Group's Lucas Terminal at 9405 West Port Arthur Road. One 24- and one 8-inch pipelines extend to Exxon Mobil Corp.'s Beaumont Refinery (Ref. No. 136) and Magpetco tank farm. One 10- and one 8-inch pipelines extend to Fina Oil and Chemical Co. Port Arthur refinery (Ref.No. 92). Terminal connects with 26-inch West Texas Gulf, 10-inch Sun Oil Co. East Texas, 8-inch UNOCAL Corp., and 4-inch Sun Pipeline Co. overland pipelines

Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 855 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**
Waterway: **Neches River** Mile: 36.5 PWD: 113
Name: **Sun Marine Terminals, Barge Docks 'A' and 'B'.**
Location: Right bank, Neches River, Smith Bluff, at lower end of Smith Bluff Cutoff, above Sun Marine Terminals sl Datum: MLLW
Operator: Sun Marine Terminals, Inc.
Owner: Sun Marine Terminals, Inc.
Address: State Highway 347 North Phone: 409-721-4803
Town: Nederland State: TX County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Kansas City Southern Railway.
Purpose: Receipt and shipment of crude oil.
Depth Alongside (feet): 20 | | Latitude (decimal): 30.008333
Total Berthing Space (feet): 700 | | Longitude (decimal): -93.98472
Remarks: Three 12- and two 10-inch pipelines extend from wharf to crude oil storage tanks described under Ship Dock No. 1 (Ref. No. 112).□
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 855 Galveston District

Port: **Beaumont**
Waterway: **Neches River** Mile: 36.8 PWD: 114
Name: **Sun Marine Terminals, Ship Dock No. 2.**
Location: Right bank, Neches River, Smith Bluff, on Smith Bluff Cutoff, approximately 700 feet above lower end, Ne Datum: MLLW
Operator: Sun Marine Terminals, Inc.
Owner: Sun Marine Terminals, Inc.
Address: State Highway 347 North Phone: 409-721-4803
Town: Nederland State: TX County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Kansas City Southern Railway.
Purpose: Receipt and shipment of crude oil; receipt of ballast water; and bunkering tankers berthed at wharf.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.008889
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -93.98889
Remarks: Shore moorings allow berthing of vessels up to 1,000 feet in length. Two 30-, and one 16-inch pipelines extend from wharf to crude oil storage tanks, and one 16-inch pipeline extends to ballast water tanks described under Ship Dock No. 1 (Ref. No. 112). One 12-inch bunker line, and one 6-inch diesel fuel line extend to wharf from fuel storage tanks described under Barge Dock 'C' (Ref. No. 111).
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 855 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**
Waterway: **Neches River** Mile: 37.0 PWD: 115
Name: **Sun Marine Terminals, Ship Dock No. 3.**
Location: Right bank, Neches River, Smith Bluff, on Smith Bluff Cutoff, approximately 0.4 mile above lower end, Ne Datum: MLLW
Operator: Sun Marine Terminals, Inc.
Owner: Sun Marine Terminals, Inc.
Address: State Highway 347 North Phone: 409-721-4803
Town: Nederland State: TX County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Kansas City Southern Railway.
Purpose: Receipt and shipment of crude oil; receipt of ballast water; and bunkering tankers berthed at wharf.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.01
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -93.9925
Remarks: Shore moorings allow berthing of vessels up to 1,000 feet in length. Two 30-inch pipelines extend from wharf to crude oil storage tanks, and one 16-inch pipeline extends to ballast water tanks described under Ship Dock No. 1 (Ref. No. 112). One 12-inch bunker line, and one 6-inch diesel fuel line extend to wharf from fuel storage tanks described under Barge Dock 'C' (Ref. No. 111).
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 855 Galveston District

Port: **Beaumont**
Waterway: **Neches River** Mile: 37.3 PWD: 116
Name: **Sun Marine Terminals, Ship Dock No. 4**
Location: Right bank, Neches River, Smith Bluff, on Smith Bluff Cutoff, at upper end, Nederland. Datum: MLLW
Operator: Sun Marine Terminals, Inc.
Owner: Sun Marine Terminals, Inc.
Address: State Highway 347 North Phone: 409-721-4803
Town: Nederland State: TX County: Jefferson
Railway Connection: Trackage serving plant in rear connects with Kansas City Southern Railway.
Purpose: Receipt and shipment of crude oil; receipt of ballast water; and bunkering tankers berthed at wharf.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.010833
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -93.99611
Remarks: Shore moorings allow berthing of vessels up to 1,000 feet in length. Two 30-inch pipelines extend from wharf to crude oil storage tanks, and one 16-inch pipeline extends to ballast water tanks described under Ship Dock No. 1 (Ref. No. 112). One 12-inch bunker line, and one 6-inch diesel fuel line extend to wharf from fuel storage tanks described under Barge Dock 'C' (Ref. No. 111).
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 855 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**
 Waterway: **Neches River** Mile: 37.8 PWD: 117
 Name: **Sun Marine Terminals, Ship Dock No. 5.**
 Location: Right bank, Neches River, Smith Bluff, on McFadden Bend Cutoff, above lower end, Datum: MLLW
 Nederland.
 Operator: Sun Marine Terminals, Inc.
 Owner: Sun Marine Terminals, Inc.
 Address: State Highway 347 North Phone: 409-721-4803
 Town: Nederland State: TX County: Jefferson
 Railway Connection: Trackage serving plant in rear connects with Kansas City Southern Railway.
 Purpose: Receipt and shipment of crude oil; receipt of ballast water; and bunkering tankers berthed at wharf.
 Depth Alongside (feet): 40 | | Latitude (decimal): 30.013611
 Total Berthing Space (feet): 1,000 | | Longitude (decimal): -94.00528
 Remarks: Shore moorings allow berthing of vessels up to 1,000 feet in length. Two 30-inch pipelines extend from wharf to crude oil storage tanks, and one 16-inch pipeline extends to ballast water tanks described under Ship Dock No. 1 (Ref. No. 112). One 12-inch bunker line, and one 6-inch diesel fuel line extend to wharf from fuel storage tanks described under Barge Dock 'C' (Ref. No. 111).
 Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 855 Galveston District

Port: **Beaumont**
 Waterway: **Neches River** Mile: 39.0 PWD: 118
 Name: **Du Pont Beaumont Industrial Park, Main Wharf.**
 Location: Right bank, Neches River, approximately 0.3 mile below upper end of McFadden Bend Cutoff, Beaumont. Datum: MLLW
 Operator: E. I. du Pont de Nemours & Co., Inc.
 Owner: E. I. du Pont de Nemours & Co., Inc.
 Address: State Highway 347 South Phone: 409-727-9762
 Town: Beaumont State: TX County: Jefferson
 Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway.
 Purpose: Receipt and shipment of methanol and acrylonitrile; receipt of sulphuric acid; and shipment of anhydrous ammonia.
 Depth Alongside (feet): 36 | 36 | 36 Latitude (decimal): 30.019444
 Total Berthing Space (feet): 785 | | Longitude (decimal): -94.02444
 Remarks: The following tankage and pipelines serve wharf from plants at rear: Lines Product Tanks
 Capacity No. Size (Tot. Gal.) 1 16-in. Methanol 2 at BMLP (Ref.
 No. 120) 1 12-in. Anhydrous ammonia 1 6,000,000 1 6-in.) Ammonia (to
 recovery 1 4-in.) vapor (system & flare 1 6-in. Acrylonitrile 2 1,515,100 1 4-in.
 Acrylonitrile (to recovery & vapor (treatment systems 1 6-in.) Sulfuric Acid 2
 420,000 1 4-in.)
 Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 814 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**
 Waterway: **Neches River** Mile: 39.2 PWD: 120
 Name: **BMLP, Du Pont Beaumont Industrial Park Upper Barge Wharf**
 Location: Right bank, Neches River, lower side of upper portion of barge basin, approx. 0.2 mile below upper end o Datum: MLLW
 Operator: E. I. du Pont de Nemours & Co., Inc.
 Owner: Beaumont Methanol LP d.b.a. BMLP
 Address: State Highway 347 South Phone: 409-723-1900
 Town: Beaumont State: TX County: Jefferson
 Railway Connection: None.
 Purpose: Shipment of methanol by barge.
 Depth Alongside (feet): 13 | | Latitude (decimal): 30.02
 Total Berthing Space (feet): 356 | | Longitude (decimal): -94.02694
 Remarks: Slip is approximately 50 feet wide. One 16- becoming 8-inch methanol pipeline extends to one loading arm from 2 storage tanks at rear, total capacity 14,999,900 gallons. One 8-inch vapor pipeline extends from other loading arm to thermal combustor at rear.
 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 60056 Dock Code: 812

Port: **Beaumont**
 Waterway: **Neches River** Mile: 39.2 PWD: 119
 Name: **Du Pont Beaumont Industrial Park, Lower Barge Wharves**
 Location: Right bank, Neches River, inner end and lower side of barge basin, approx. 0.2 mile below upper end of M Datum: MLLW
 Operator: E. I. du Pont de Nemours & Co., Inc.
 Owner: E. I. du Pont de Nemours & Co., Inc.
 Address: State Highway 347 South Phone: 409-727-9762
 Town: Beaumont State: TX County: Jefferson
 Railway Connection: Plant trackage in rear connects with Kansas City Southern Railway.
 Purpose: Receipt and shipment of propylene; receipt of acetone and benzene; shipment of aniline, methanol, and methylmethacrylate; all by barge.
 Depth Alongside (feet): 13 | 13 | 13 Latitude (decimal): 30.019722
 Total Berthing Space (feet): 250 | 250 | 250 Longitude (decimal): -94.02667
 Remarks: Breasting dolphins in 2 rows are one concrete-capped steel, one steel caisson, and 3 timber, and form 2 slips, one 60 feet wide at lower side, and one 130 feet wide for mooring barges end-to the faces of inner platforms. The following tankage and pipelines serve wharves from plants at rear:

Product	Tanks	Capacity	No.	Size	(Tot., Gal.)
1 6-to 8-in. Benzene	1				
2,500,000 6-to 8-in. Aniline	2	1,140,000	1	6-in.	Propylene 7 390,600
1 8-to 6-in. Methylmeth-					
acrylate (1 * 637,000	1	4-in.	Vapor	(1 8-to 6-in. Acetone	
1 * 750,000					

 * at ICI Acrylics Inc., 6350 N. Twin City Highway (St Highway 347), Nederland.
 Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 60056 Dock Code: 814 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**
Waterway: **Neches River** Mile: 39.7 PWD: 121
Name: **Maritime Administration, Beaumont Reserve Fleet, Small Craft Basin**
Location: Right bank, Neches River, inner end of slip approximately 0.3 mile above upper end of McFadden Bend Cuto Datum: MLLW
Operator: U.S. Department of Transportation, Maritime Administration.
Owner: U.S. Government. (See Remarks)
Address: 2600 Amoco Road Phone: 409-722-3433
Town: Beaumont State: TX County: Jefferson
Railway Connection: None.
Purpose: Pier: handling equipment and supplies for vessel repair. All: mooring small U.S. Government-owned vessels.
Depth Alongside (feet): 16 - 18 | 18 - 20 | 12 - 20 Latitude (decimal): 30.024722
Total Berthing Space (feet): 90 | 208 | 230 Longitude (decimal): -94.03889
Remarks: Property around slip is owned by Amoco Pipeline Co. Slip is approximately 2,500 feet long and 300 feet wide, with timber bulkhead along lower side, natural bank on upper side. A 90- by 30-foot building is located on lower wharf. Only main pier supplies A.C., 480 volts, Small slips supply only A.C., 110 volts. Facility is base for service craft maintaining reserve fleet, which is moored in McFadden Bend on left bank of Neches River.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 803 Galveston District

Port: **Beaumont**
Waterway: **Neches River** Mile: 40.0 PWD: 122
Name: **Oiltanking Beaumont, South Wharf.**
Location: Right bank, Neches River, approximately 0.5 mile above upper end of McFadden Bend Cutoff, Beaumont. Datum: MLLW
Operator: Oiltanking Beaumont L.P.
Owner: Oiltanking Beaumont L.P.
Address: 6275 State Highway 347 Phone: 409-835-5381 ex
Town: Beaumont State: TX County: Jefferson
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.031389
Total Berthing Space (feet): 700 | | Longitude (decimal): -94.03361
Remarks: Three 16-, one 12- and two 10-inch pipelines extend from wharf to 7 steel storage tanks in rear, total capacity 435,000 barrels, and to 63 additional storage tanks on west side of Beaumont-Port Arthur Highway (U.S. Highway 69), total capacity 3,500,000 barrels. One 8-inch vapor recovery pipeline extends from wharf to flare tower at rear. At time of survey (1999), plans called for lengthening wharf, replacing breasting dolphins with concrete-filled caissons, and adding one 24-inch pipeline for crude oil.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 797 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**
Waterway: **Neches River** Mile: 40.1 PWD: 123
Name: **Oiltanking Beaumont, North Wharf.**
Location: Right bank, Neches River, approximately 0.6 mile above upper end of McFadden Bend Cutoff, Beaumont. Datum: MLLW
Operator: Oiltanking Beaumont L.P.
Owner: Oiltanking Beaumont L.P.
Address: 6275 State Highway 347 Phone: 409-835-5381 ex
Town: Beaumont State: TX County: Jefferson
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.033333
Total Berthing Space (feet): 800 | | Longitude (decimal): -94.03389
Remarks: One 16- and four 10-inch pipelines extend from wharf to steel storage tanks described under South Wharf (Ref. No. 122). One 8-inch vapor recovery pipeline extends from wharf to flare tower at rear. At time of survey (1999), plans called for lengthening wharf, replacing breasting dolphins with concrete-filled caissons, replacing loading arms with two 16-inch arms, and adding one 36-inch pipeline for crude oil.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 797 Galveston District

Port: **Beaumont**
Waterway: **Neches River** Mile: 40.6 PWD: 124
Name: **Buffalo Marine Service, Beaumont Mooring, Triangle Marine Industri**
Location: Right bank, Neches River, east side of private ship basin off cut-off bend, 1.1 miles above upper end of Datum: MLLW
Operator: Buffalo Marine Service, Inc.
Owner: Jefferson Triangle Marine L.P.
Address: Sulphur Plant Road Phone: 713-923-5571
Town: Beaumont State: TX County: Jefferson
Railway Connection: None.
Purpose: Occasional mooring of company-owned bunkering barges.
Depth Alongside (feet): 35 - 37 | | Latitude (decimal): 30.036944
Total Berthing Space (feet): 750 | | Longitude (decimal): -94.04306
Remarks: Ship basin is at end of 2,000- by 300-foot private channel from right side of dead-end extension of navigation channel into cut-off bend of river. Timber fender strips on outer sides of mooring dolphins. The 274-foot walkway is located approximately 13 feet in rear of the three 4.5-foot dolphins and a 13- by 3-foot steel catwalk extends from walkway to each of the 3 dolphins.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 788 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**
Waterway: **Neches River** Mile: 40.6 PWD: 127
Name: **Martin Gas Sales, Stanolind Cut Terminal, A and B Docks Wharves**
Location: Right bank, Neches River, southeast side of private barge basin off cut-off bend, 1.1 miles above upper Datum: MLLW
Operator: Martin Gas Sales Inc.
Owner: Martin Gas Sales Inc.
Address: No. 10 Sulphur Plant Road Phone: 409-835-6172
Town: Beaumont State: TX County: Jefferson
Railway Connection: None.
Purpose: Handling supplies and equipment; landing for tugboat crews.
Depth Alongside (feet): 15 - 17 | 15 - 17 | Latitude (decimal): 30.036944
Total Berthing Space (feet): 560 | | Longitude (decimal): -94.04722
Remarks: The outer portion of each wharf's deck is a 12- by 8-foot platform of steel grating. At time of survey (1999), remainder of each deck was deteriorated timbers. Barge basin is 250 to 300 feet wide at face of breasting dolphins.
Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 60056 Dock Code: 785

Port: **Beaumont**
Waterway: **Neches River** Mile: 40.6 PWD: 126
Name: **Martin Gas Sales, Stanolind Cut Terminal, D Dock Pier**
Location: Right bank, Neches River, northwest side of private ship basin off cut-off bend, 1.1 miles above upper e Datum: MLLW
Operator: Martin Gas Sales Inc.
Owner: Martin Gas Sales Inc.
Address: No. 10 Sulphur Plant Road Phone: 409-835-6172
Town: Beaumont State: TX County: Jefferson
Railway Connection: None.
Purpose: Receipt and shipment of liquid sulphur and sulfuric acid.
Depth Alongside (feet): | 35 | 25 Latitude (decimal): 30.038056
Total Berthing Space (feet): | 800 | 300 Longitude (decimal): -94.04611
Remarks: Southeast side of pier is on ship basin. Northwest side is on private barge basin which is accessed by same private channel and is approximately 300 feet wide at pier. One 14-inch sulfuric acid pipeline extends from pier to 2 steel storage tanks at rear, total capacity 6,578,900 gallons, and one 12-inch liquid sulphur pipeline extends from pier to 2 steel storage tanks, total capacity 4,480,000 gallons.
Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 60056 Dock Code: 785

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**
Waterway: **Neches River** Mile: 40.6 PWD: 128
Name: **Martin Marietta Materials, Beaumont Yard, Triangle Marine Industri**
Location: Right bank, Neches River, inner end of private barge basin off cut-off bend, 1.1 miles Datum: MLLW
above upper end o
Operator: Martin Marietta Materials, Inc.
Owner: Jefferson Triangle Marine L.P.
Address: Sulphur Plant Road Phone: 281-441-4671
Town: Beaumont State: TX County: Jefferson
Railway Connection: None.
Purpose: Receipt of crushed limestone by barge.
Depth Alongside (feet): 6 - 7 | | Latitude (decimal): 30.036667
Total Berthing Space (feet): 400 | | Longitude (decimal): -94.04833
Remarks: Approximately 5 acres of open storage area are located in nearby yard. □ □
Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 60056 Dock Code: 783

Port: **Beaumont**
Waterway: **Neches River** Mile: 40.6 PWD: 161
Name: **TE Products Pipeline Co., Beaumont Marine Terminal Ship Dock.**
Location: Left bank, Neches River, on cutoff channel, approximately 1.2 miles above upper end Datum: MLLW
of McFadden Bend Cut
Operator: TE Products Pipeline Co., a.k.a. TEPPCO
Owner: TE Products Pipeline Co.
Address: Mansfield Ferry Road Phone: 409-768-1033
Town: Vidor State: TX County: Orange
Railway Connection: None.
Purpose: Receipt and occasional shipment of petroleum products.
Depth Alongside (feet): 42 | | Latitude (decimal): 30.040556
Total Berthing Space (feet): 933 | | Longitude (decimal): -94.02889
Remarks: One 24-, one 20-, and one 12-inch pipelines extend from wharf to 16 steel storage tanks in rear, total capacity 1,600,000 barrels. Two 8-inch pipelines extend under river from tanks, one to TEPPCO Beaumont Terminal, which connects to company's 14- and 20-inch overland pipelines, and one to South Hampton Refining Company refinery located at Silsbee, Texas. One 8-inch vapor pipeline extends from wharf to control system at rear.
Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 60056 Dock Code: 215 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**
Waterway: **Neches River** Mile: 40.6 PWD: 129
Name: **Triangle Marine Industrial Park, Old Olin Barge Wharf.**
Location: Right bank, Neches River, northwest side of private barge basin off cut-off bend, 1.1 miles above upper Datum: MLLW
Operator: Not operated.
Owner: Jefferson Triangle Marine L.P.
Address: Phone: 713-974-1488
Town: Beaumont State: TX County: Jefferson
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 12 - 15 | | Latitude (decimal): 30.039167
Total Berthing Space (feet): 210 | | Longitude (decimal): -94.04583
Remarks: One 6-inch pipeline, blanked in 2001, extends to wharf from 5 steel, sulphuric acid storage tanks at Arch Chemicals, Inc. chemical plant at 1400 Olin Road, from Spur 380 north, total capacity 12,900 tons.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 787

Port: **Beaumont**
Waterway: **Neches River** Mile: 40.6 PWD: 125
Name: **Triangle Marine Industrial Park, South Wharf**
Location: Right bank, Neches River, south side of private ship basin off cut-off bend, 1.1 miles above upper end o Datum: MLLW
Operator: Not operated.
Owner: Jefferson Triangle Marine L.P.
Address: Sulphur Plant Road Phone: 713-974-1488
Town: Beaumont State: TX County: Jefferson
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 35 - 37 | | Latitude (decimal): 30.036667
Total Berthing Space (feet): 750 | | Longitude (decimal): -94.045
Remarks: -□□
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 787

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**
Waterway: **Neches River** Mile: 40.8 PWD: 160
Name: **TE Products Pipeline Co., Beaumont Marine Terminal Barge Dock.**
Location: Left bank, Neches River, on cutoff channel, approximately 1.3 miles above upper end of McFadden Bend Cut Datum: MLLW
Operator: TE Products Pipeline Co., a.k.a. TEPPCO
Owner: TE Products Pipeline Co.
Address: Mansfield Ferry Road Phone: 409-768-1033
Town: Vidor State: TX County: Orange
Railway Connection: None.
Purpose: Receipt and occasional shipment of petroleum products.
Depth Alongside (feet): 18 | | Latitude (decimal): 30.043333
Total Berthing Space (feet): 600 | | Longitude (decimal): -94.02806
Remarks: Two 8-inch pipelines extend from wharf to seven 8-inch pipelines connected to steel storage tanks described under Ship Dock (Ref. No. 161). One 8-inch vapor pipeline extends from wharf to recovery system at rear.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 215 Galveston District

Port: **Beaumont**
Waterway: **Neches River** Mile: 41.9 PWD: 131
Name: **Bo-Mac Contractors Mooring**
Location: Right bank, Neches River, on north side of plant outfall canal 1.2 miles below Smith Island, approx 0.4 Datum: MLLW
Operator: Bo-Mac Contractors, Inc.
Owner: Neches Industrial Park, Inc.
Address: No. 1 Gulf States Road Phone: 409-842-2125
Town: Beaumont State: TX County: Jefferson
Railway Connection: None.
Purpose: Handling construction materials; lifting out small company-owned vessels for repair; mooring company-owned floating equipment.
Depth Alongside (feet): 11 - 15 | | Latitude (decimal): 30.056944
Total Berthing Space (feet): 500 | | Longitude (decimal): -94.03833
Remarks: Canal is approximately 200 feet wide at facility. Approximately 1.3 acres of open storage area are located at rear. □
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 762

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**
 Waterway: **Neches River** Mile: 41.9 PWD: 130
 Name: **Equistar Chemicals, PD Glycol Beaumont Slip.**
 Location: Right bank, Neches River, on north side of plant outfall canal 1.2 miles below Smith Island, approx 0.8 Datum: MLLW
 Operator: Equistar Chemicals, L.P.
 Owner: PD Glycol Inc.
 Address: 3510 Gulf States Road Phone: 409-654-9268
 Town: Beaumont State: TX County: Jefferson
 Railway Connection: Plant trackage in rear connects with Union Pacific Railroad.
 Purpose: Shipment of monoethylene glycol by barge.
 Depth Alongside (feet): 9 | 9 | 9 Latitude (decimal): 30.0575
 Total Berthing Space (feet): - | 382 | 382 Longitude (decimal): -94.04639
 Remarks: Timber structures include two 78- by 24-foot platforms, one at the inner portion of each side, and three 8-foot wide walkways, one each along the remainder of the east side, the center portion of the west side, and the inner end of the slip, all accessed by 3-foot wide stairways. One 6-inch pipeline extends from west platform to 3 steel storage tanks in rear, total capacity 3,827,900 gallons.
 Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 763 Galveston District

Port: **Beaumont**
 Waterway: **Neches River** Mile: 42.2 PWD: 132
 Name: **Neches Industrial Park, Dock No. 1, Barge Wharf.**
 Location: Right bank, Neches River, approximately 1.0 mile below Smith Island, Beaumont. Datum: MLLW
 Operator: Neches Industrial Park, Inc., Martin Gas Sales, Inc., and A & A Fertilizer Ltd.
 Owner: Neches Industrial Park, Inc.
 Address: No. 1 Gulf States Road Phone: 409-835-2800 ex
 Town: Beaumont State: TX County: Jefferson
 Railway Connection: Four surface tracks serve 2 tank car loading racks in terminals in rear; connect with Union Pacific Railroad.
 Purpose: Receipt and shipment of ammonia and of ammonium biosulfate and thiosulfate fertilizers; receipt of sulfuric acid; shipment and occasional receipt of liquid sulphur, all by barge.
 Depth Alongside (feet): 34 | | Latitude (decimal): 30.061389
 Total Berthing Space (feet): 750 | | Longitude (decimal): -94.03583
 Remarks: The following tankage and pipelines serve wharf from terminals and plants at rear:

□	Lines	Product							
Tanks	Capacity	No. Size							
(Tot. Gal.)	□1	12-in. Ammonia	2	15,820,900	Neches				
Industrial Park, Inc. terminal	□1	10-in. Sulphur	1	1,493,300)1	10-in. Sulfuric)	Martin	
Gas Sales, Inc. terminal	□	acid	1	592,100)	□1	8-in. Ammonium	sulfates	4
1,456,900	A & A Fertilizer, Ltd. plant at rear	□1	8-in. Glycol	blanked (1999)	PD Glycol Inc. plant				
(Ref. No. 133)	□	Neches Industrial Park and Martin Gas Sales each operate a tank car loading rack at their terminals at rear.							

 Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 761 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**

Waterway: **Neches River** Mile: 42.4 PWD: 133

Name: **Neches Industrial Park, Dock No. 2, Ship Wharf.**

Location: Right bank, Neches River, approximately 0.8 mile below Smith Island, Beaumont. Datum: MLLW

Operator: Neches Industrial Park, Inc. and Equistar Chemicals, L.P.

Owner: Richard H. Cullifer

Address: No. 1 Gulf States Road Phone: 409-835-2800 ex

Town: Beaumont State: TX County: Jefferson

Railway Connection: Four surface tracks serving terminals in rear; connect with Union Pacific Railroad.

Purpose: Receipt and shipment of ammonia; shipment of glycol.

Depth Alongside (feet): 42 | | Latitude (decimal): 30.062778

Total Berthing Space (feet): 950 | | Longitude (decimal): -94.03778

Remarks: One 8-inch ammonia pipeline extends from wharf to 2 storage tanks operated by Neches Industrial Park, Inc. described under Dock No 1 (Ref. No. 132). One 8-inch glycol pipeline extends to wharf from 2 storage tanks, total capacity 3,458,400 gallons, operated by Equistar Chemicals, L.P. and located at PD Glycol, Inc. plant west of industrial park (Ref. No. 130).

Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 761 Galveston District

Port: **Beaumont**

Waterway: **Neches River** Mile: 43.9 PWD: 136

Name: **ExxonMobil Chemical Co., Beaumont Olefins/ Aromatics Plant, Wharve**

Location: Right bank, Neches River, approximately 0.2 mile above Smith Island, Beaumont. Datum: MLLW

Operator: ExxonMobil Chemical Co., Division of Exxon Mobil Corp.

Owner: ExxonMobil Chemical Co., Division of Exxon Mobil Corp.

Address: 2775 Gulf States Road Phone: 409-839-1711

Town: Beaumont State: TX County: Jefferson

Railway Connection: Plant trackage in rear connects with Union Pacific Railroad and Kansas City Southern Railway.

Purpose: Receipt of toluene, and shipment of benzene, cutter stock, paraxylene, and propylene. Mooring tugboat.

Depth Alongside (feet): 38 | | 13 Latitude (decimal): 30.073889

Total Berthing Space (feet): 650 | | 100 Longitude (decimal): -94.05861

Remarks: Tugboat Mooring is located below wharf, at rear of line of breasting dolphins. The four breasting dolphins with fender systems provide 255 feet of breasting distance for vessels. Berthing distance includes 90 feet shared with Wharf No. 1 (Ref. No. 137). The other breasting dolphins and those fronting Wharf No. 1 are in line, providing a total of 980 feet of breasting distance for barges. Catwalk extends from upper side of wharf to operation shelter described under Wharf No. 1. Six 8-inch product pipelines, including 2 for paraxylene and one for each other product, extend to loading arms on wharf from 9 steel storage tanks in rear, total capacity 26,157,800 gallons. One 10- and one 8-inch vaporrecovery pipelines extend from arms to combustor at rear.

Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 736 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**
Waterway: **Neches River** Mile: 43.9 PWD: 159
Name: **Sun Pipe Line Co., Rose City Wharf.**
Location: Left bank, Neches River, on loop channel opposite Smith Island, approx. 0.7 mile below upper conjunction Datum: MLLW
Operator: Sun Pipe Line Co.
Owner: Sun Pipe Line Co.
Address: Old Highway 90 Phone: 409-287-3528
Town: Rose City State: TX County: Orange
Railway Connection: None.
Purpose: Shipment of crude oil by barge.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 30.078611
Total Berthing Space (feet): 200 | | Longitude (decimal): -94.04972
Remarks: Highway access is via driveway to North Star Steel Texas, Inc. plant (Ref. No. 158). One 12-inch pipeline extends to wharf from 2 steel storage tanks at rear, total capacity 10,000 barrels, connected to pipelines from oil field at rear.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 275

Port: **Beaumont**
Waterway: **Neches River** Mile: 44.0 PWD: 137
Name: **ExxonMobil Chemical Co., Beaumont Olefins/ Aromatics Plant, Wharf**
Location: Right bank, Neches River, approximately 0.3 mile above Smith Island, Beaumont. Datum: MLLW
Operator: ExxonMobil Chemical Co., Division of Exxon Mobil Corp.
Owner: ExxonMobil Chemical Co., Division of Exxon Mobil Corp.
Address: 2775 Gulf States Road Phone: 409-839-1711
Town: Beaumont State: TX County: Jefferson
Railway Connection: Plant trackage in rear connects with Union Pacific Railroad and Kansas City Southern Railway.
Purpose: Receipt of toluene and decene; shipment of benzene and cyclohexane, all by barge and occasionally by vessel
Depth Alongside (feet): 25 | | Latitude (decimal): 30.074444
Total Berthing Space (feet): 380 | | Longitude (decimal): -94.06
Remarks: Berthing distance includes 90 feet shared with Wharves Nos. 2 and 3 (Ref. No. 136). Breasting dolphins are in line with those fronting the other wharf, providing a total of 980 feet of breasting distance for barges. A walkway extends from lower side of wharf to a 35- by 37-foot platform with 30- by 5-foot approach from shore, located at rear of line of dolphins and supporting operation shelter for Wharves Nos. 1, 2 and 3. Three 8-inch pipelines extend to loading arms on wharf from storage tanks described under Wharves Nos. 2 and 3, and one 8-inch vapor recovery pipeline extends from arm to combustor at rear.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 736 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**
Waterway: **Neches River** Mile: 44.3 PWD: 138
Name: **Exxon Mobil Corp., Beaumont Refinery Wharf No. 5.**
Location: Right bank, Neches River, approximately 0.6 mile above Smith Island, Beaumont. Datum: MLLW
Operator: ExxonMobil Refining & Supply Co., Division of Exxon Mobil Corp.
Owner: Exxon Mobil Corp.
Address: End of Burt Street Phone: 409-757-3544
Town: Beaumont State: TX County: Jefferson
Railway Connection: Trackage serving oil refinery connects with Kansas City Southern Railway, Union Pacific Railroad, and Burlington Northern Santa Fe Railway.
Purpose: Receipt of crude and lubricating oils and ballast water; shipment of petroleum products; occasional bunkering of tankers berthed at wharf; loading barges for bunkering vessels at berth.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.076111
Total Berthing Space (feet): 850 | | Longitude (decimal): -94.06444
Remarks: * hydrants and hose. □ One 30-inch crude oil pipeline extends from wharf to 10 steel storage tanks at rear, total capacity 2,225,000 barrels. One 24-, one 18-, three 16-, three 14-, eight 8-, and one 4-inch product pipelines extend to wharf from approximately 143 steel storage tanks at refinery in rear. One 10- and three 8-inch pipelines extend 8 miles from refinery tankage to approximately 37 product storage tanks at company's Magpetco Tank Farm on State Highway 366 in Port Neches. Total capacity of all product storage tanks is 10,276,200 barrels. One 12-inch ballast pipeline extends from wharf to 2 storage tanks at rear, total capacity 4,620,000 gallons. One 12-inch vapor recovery pipeline extends from one 10-inch arm on wharf to thermal combustor at rear.

Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 722 Galveston District

Port: **Beaumont**
Waterway: **Neches River** Mile: 44.5 PWD: 139
Name: **Exxon Mobil Corp., Beaumont Refinery Wharf No. 4.**
Location: Right bank, Neches River, approximately 0.8 mile above Smith Island, Beaumont. Datum: MLLW
Operator: ExxonMobil Refining & Supply Co., Division of Exxon Mobil Corp.
Owner: Exxon Mobil Corp.
Address: End of Burt Street Phone: 409-757-3544
Town: Beaumont State: TX County: Jefferson
Railway Connection: Trackage serving oil refinery connects with Kansas City Southern Railway, Union Pacific Railroad, and Burlington Northern Santa Fe Railway.
Purpose: Receipt of lubricating oil and ballast water; shipment of petroleum products; occasional bunkering of tankers berthed at wharf; loading barges for bunkering vessels at berth.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.076944
Total Berthing Space (feet): 750 | | Longitude (decimal): -94.06722
Remarks: * hose and chemical cart. □ The 2 breasting dolphins with fender systems provide 269 feet of breasting distance for vessels. The other dolphins are for breasting barges. One 24-inch crude oil pipeline, out of use at time of survey (1999), three 14-, two 12-, four 10-, and one 4-inch product pipelines, and one 12-inch ballast pipeline extend from wharf to appropriate storage tanks described under Wharf No. 5 (Ref. No. 138). In addition, one 12-inch vapor recovery pipeline extends from wharf to thermal combustor at rear.

Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 722 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**
Waterway: **Neches River** Mile: 44.7 PWD: 140
Name: **Exxon Mobil Corp., Beaumont Refinery Wharf No. 2.**
Location: Right bank, Neches River, approximately 1.0 mile above Smith Island, Beaumont. Datum: MLLW
Operator: ExxonMobil Refining & Supply Co., Division of Exxon Mobil Corp.
Owner: Exxon Mobil Corp.
Address: End of Burt Street Phone: 409-757-3544
Town: Beaumont State: TX County: Jefferson
Railway Connection: Trackage serving oil refinery connects with Kansas City Southern Railway, Union Pacific Railroad, and Burlington Northern Santa Fe Railway.
Purpose: Receipt of lubricating oil and ballast water; shipment of petroleum products and fresh caustic soda.
Depth Alongside (feet): 39 | | Latitude (decimal): 30.076944
Total Berthing Space (feet): 750 | | Longitude (decimal): -94.07139
Remarks: * hose and security patrol. □ The 2 breasting dolphins with fender systems provide 240 feet of breasting distance for vessels. The other dolphins are for breasting barges. Two 16-inch crude oil pipelines, out of use at time of survey (1999), three 12-, seven 10-, three 8-, six 6-, and one 4-inch product pipelines, and one 12-inch ballast pipeline extend from wharf to appropriate storage tanks described under Wharf No. 5 (Ref. No. 138). One 4-inch caustic soda pipeline extends to wharf from storage tanks included in those for petroleum products.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 722 Galveston District

Port: **Beaumont**
Waterway: **Neches River** Mile: 45.0 PWD: 158
Name: **North Star Steel Texas Wharf.**
Location: Left bank, Neches River, approximately 1.1 miles below Kansas City Southern Railway bridge, Rose City. Datum: MLLW
Operator: North Star Steel Texas, Inc.
Owner: North Star Steel Texas, Inc.
Address: Old Highway 90 Phone: 409-769-1066
Town: Rose City State: TX County: Orange
Railway Connection: Two surface tracks along face, spanned by straight-line crane, and two along rear of wharf; connect with Kansas City Southern Railway, Union Pacific Railroad, and Burlington Northern Santa Fe Railway.
Purpose: Receipt of scrap metal, pig iron, and alloy; shipment of steel products, all by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.078333
Total Berthing Space (feet): 450 | | Longitude (decimal): -94.07528
Remarks: Approximately 1.8 acres of open storage area are located at steel plant at rear. □
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 280 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**
Waterway: **Neches River** Mile: 45.1 PWD: 141
Name: **Louis Dreyfus Corp., Port of Beaumont Navigation District, Grain W**
Location: Right bank, Neches River, approximately 0.9 mile below Kansas City Southern Railway bridge, Beaumont. Datum: MLLW
Operator: Louis Dreyfus Corp.
Owner: Port of Beaumont Navigation District of Jefferson County, Texas.
Address: 1745 Buford Street Phone: 409-838-6251
Town: Beaumont State: TX County: Jefferson
Railway Connection: Two surface tracks serve 2 undertrack pits and loading spout, join with 296-car-capacity storage yard; connect with Union Pacific RR, Kansas City Southern Rwy and Burlington Northern Santa Fe Railway.
Purpose: Shipment of grain.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.075278
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -94.07778
Remarks: Face of wharf is in line and contiguous with Carroll Street Wharf (Ref. No. 142), and shares approximately 300 feet of berthing space with it. Grain elevator at rear has 60 concrete silos, with 36 interstices, and one steel storage tank, total capacity 3,500,000 bushels.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 718 Galveston District

Port: **Beaumont**
Waterway: **Neches River** Mile: 45.3 PWD: 142
Name: **Port of Beaumont Navigation District, Carroll Street Wharf.**
Location: Right bank, Neches River, approximately 0.7 mile below Kansas City Southern Railway bridge, Beaumont. Datum: MLLW
Operator: Port of Beaumont Navigation District of Jefferson Co, TX, & Trans-Global Solutions, I
Owner: Port of Beaumont Navigation District of Jefferson County, Texas
Address: 1225 Main Street Phone: 409-835-3995
Town: Beaumont State: TX County: Jefferson
Railway Connection: One platform-level track extends into interiors of transit sheds, and one surface track extends along rear of transit sheds; connect with Union Pacific, Kansas City Southern, & Burlington Northern Santa Fe
Purpose: Receipt and shipment of conventional and containerized general cargo, lumber, and steel products in foreign and domestic trade; receipt of aggregate by self-unloading vessel.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.075278
Total Berthing Space (feet): 950 | | Longitude (decimal): -94.08
Remarks: Face of wharf is in line and contiguous with Grain Wharf (Ref. No. 141) and Carroll Street Wharf Extension (Ref. No. 143), and shares approximately 185 feet of berthing space with them. Beaumont Bulk Terminal operates receiving hopper and approximately 5 acres of open storage area at rear of transit sheds, storing 77,160 tons of aggregate and, additionally, pig iron received at Carroll Street Wharf Extension.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 713

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**

Waterway: **Neches River** Mile: 45.4 PWD: 143

Name: **Port of Beaumont Navigation District, Carroll Street Wharf Extensi**

Location: Right bank, Neches River, approx 0.6 mile below Kansas City Southern Railway Datum: MLLW
bridge, at entrance to Beau

Operator: Trans-Global Solutions, Inc. d.b.a. Beaumont Bulk Terminal, and Port of Beaumont Navi

Owner: Port of Beaumont Navigation District of Jefferson County, Texas

Address: 1225 Main Street Phone: 409-833-5911

Town: Beaumont State: TX County: Jefferson

Railway Connection: One surface track at rear of apron, and two in open storage area, oneserving two
undertrack pits and one for storage; connect with Union Pacific RR, Kansas City Southern
Rwy, & Burlington Norther Santa Fe

Purpose: Receipt and shipment of dry bulk commodities, including receipt of pig iron and shipment of wood
chips, soda ash, and potash; receipt and shipment of conventional and containerized general cargo,

Depth Alongside (feet):	40		40		Latitude (decimal):	30.075
Total Berthing Space (feet):	950				Longitude (decimal):	-94.0825

Remarks: Face of wharf is in line and contiguous with Carroll Street Wharf (Ref. No. 142), contiguous with Barge
Wharf (Ref. No. 144) and shares approximately 280 feet of berthing space with them. Load capacity of
800 pounds per square foot is available on 60-foot wide concrete apron of 400-foot portion; remainder
of wharf has lower capacity. Beaumont Bulk Terminal operates shiploading tower, car pits, walking
cranes, and floating crane 'John McGrath' described under Barge Wharf, and stores up to 100,000 tons
of pig iron in open storage area at rear and in rear of Carroll Street Wharf. Trans-Global Solutions, Inc.
d.b.a. Neches River Terminal stores up to 120,000 tons of wood chips in 7-acre, concrete-paved, open
storage area in rear, and operates a hydraulic truck dumper serving a radial stacker in storage area.

Year of Last Survey: 2001 Corps of Engrns Waterway Code: 60056 Dock Code: 713

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**
Waterway: **Neches River** Mile: 45.5 PWD: 144
Name: **Port of Beaumont Navigation District, Barge Wharf.**
Location: Right bank, Neches River, on south side of Beaumont Maneuvering Area, approx. 0.5 mile below Kansas City Datum: MLLW
Operator: Port of Beaumont Navigation District of Jefferson County, Texas.
Owner: Port of Beaumont Navigation District of Jefferson County, Texas
Address: 1225 Main Street Phone: 409-835-3995
Town: Beaumont State: TX County: Jefferson
Railway Connection: One surface track at rear of apron joins terminal trackage; connects with Union Pacific Railroad, Kansas City Southern Railway, and Burlington Northern Santa Fe Railway.
Purpose: Mooring barges awaiting unloading; mooring floating crane.
Depth Alongside (feet): 13 | | Latitude (decimal): 30.075278
Total Berthing Space (feet): 150 | | Longitude (decimal): -94.08417
Remarks: Vessels berthed at lower side of Roll-on/Roll-off Terminal Wharf (Ref. No. 145) overlap part of Barge Wharf. Marshalling area described under Roll-on/Roll-off Terminal Wharf is located at rear.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 712

Port: **Beaumont**
Waterway: **Neches River** Mile: 45.6 PWD: 146
Name: **Port of Beaumont Navigation District, Harbor Island Marine Terminal**
Location: Right bank, Neches River, south side of Beaumont Turning Basin, approx. 0.5 mile below Kansas City South Datum: MLLW
Operator: Port of Beaumont Navigation District of Jefferson County, Texas.
Owner: Port of Beaumont Navigation District of Jefferson County, Texas.
Address: 1225 Main Street Phone: 409-835-3995
Town: Beaumont State: TX County: Jefferson
Railway Connection: Two surface tracks on apron; one platform-level track extends through interiors of transit sheds; and four surface tracks at rear; connect with Union Pacific, Kansas City Southern, & Burlington Northern SF
Purpose: Receipt and shipment of conventional, containerized, heavy lift, and roll-on/roll-off general cargo, and of project cargo, in foreign and domestic trade. (See Remarks.)
Depth Alongside (feet): 40 | | Latitude (decimal): 30.076111
Total Berthing Space (feet): 1,880 | | Longitude (decimal): -94.08833
Remarks: Upper 680 feet of wharf were constructed subsequent to survey (1999) and are described as planned. Roll-on/roll-off vessel moored at wharf transfers cargo via stern ramp to Roll-on/Roll-off Terminal Ramp Wharf at lower side (Ref. No. 145). One 3-truck capacity platform is located at rear of apron. Approximately 5 1/2 acres of open storage area are located on wharf as planned, and approximately 22 acres of asphalt-paved open storage area are located at rear.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 700

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**

Waterway: **Neches River** Mile: 45.6 PWD: 147

Name: **Port of Beaumont Navigation District, Wharf No. 1.**

Location: Right bank, Neches River, inner end of Beaumont Turning Basin, approx. 0.5 mile below Kansas City Southe Datum: MLLW

Operator: U.S. Maritime Administration and Port of Beaumont Navigation District of Jefferson Co

Owner: Port of Beaumont Navigation District of Jefferson County, Texas.

Address: 1225 Main Street Phone: 409-835-3995

Town: Beaumont State: TX County: Jefferson

Railway Connection: One surface track at rear joins terminal trackage; connects with Union Pacific Railroad, Kansas City Southern Railway, and Burlington Northern Santa Fe Railway.

Purpose: Mooring government-owned vessels; receipt and shipment of roll-on/roll-off general cargo in foreign and domestic trade. See Remarks.

Depth Alongside (feet):	30				38	Latitude (decimal):	30.077222
Total Berthing Space (feet):	576				75	Longitude (decimal):	-94.09111

Remarks: Northeast side extends perpendicular to inner end of Wharves Nos. 2, 3 and 4 (Ref. No. 148) allowing vessel moored at those Wharves to transfer roll-on/roll-off cargo via a stern ramp. Vessel moored at Wharf No. 1 can transfer roll-on/roll-off cargo via a stern ramp to Wharf No. 2. Wharf formerly was used for receipt and shipment of conventional and containerized general cargo and dry bulk commodities. Approximately one acre of open storage area is located on wharf.

Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 677 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**

Waterway: **Neches River** Mile: 45.6 PWD: 148

Name: **Port of Beaumont Navigation District, Wharves Nos. 2, 3 and 4.**

Location: Right bank, Neches River, north side of Beaumont Turning Basin, approx. 0.5 mile below Kansas City South Datum: MLLW

Operator: Port of Beaumont Navigation District of Jefferson County, Texas.

Owner: Port of Beaumont Navigation District of Jefferson County, Texas.

Address: 1225 Main Street Phone: 409-835-3995

Town: Beaumont State: TX County: Jefferson

Railway Connection: Two surface tracks on west 740 feet of apron, 2 platform-level and 2 surface tracks in rear of apron and transit shed, and one platform-level track serving end ramp at open storage area at rear; Remarks

Purpose: Receipt and shipment of conventional, containerized, and roll-on/roll-off general cargo in foreign and domestic trade; receipt and shipment of dry bulk commodities. (See Remarks.)

Depth Alongside (feet): 38 | | Latitude (decimal): 30.078056

Total Berthing Space (feet): 1,385 | | Longitude (decimal): -94.08806

Remarks: Vessel moored at west portion can transfer roll-on/roll-off cargo via a stern ramp to adjacent northeast side of Wharf No. 1 (Ref. No. 147), and vessel moored at Wharf No. 1 can lay stern ramp on west portion of Wharf No. 2. Easternmost 560 feet, Railroad tracks connect with Union Pacific Railroad, Kansas City Southern Railway, and Burlington Northern Santa Fe Railway. One 4- and one 3-truck capacity platforms are located at transit shed and one 150-foot truck-loading platform is located at rear of west portion of apron. Two car-floor level, concrete-surfaced, open storage areas adjacent to Wharves include approximately 2.7 acres on apron and approximately 3 acres shared with Wharves Nos. 5, 6 and 7 (Ref. No. 149) at rear.

Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 677 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**
Waterway: **Neches River** Mile: 45.7 PWD: 149
Name: **Port of Beaumont Navigation District, Wharves Nos. 5, 6 and 7.**
Location: Right bank, Neches River, approximately 300 feet below Kansas City Southern Railway bridge, Beaumont. Datum: MLLW
Operator: Port of Beaumont Navigation District of Jefferson County, Texas.
Owner: Port of Beaumont Navigation District of Jefferson County, Texas.
Address: 1225 Main Street Phone: 409-835-3995
Town: Beaumont State: TX County: Jefferson
Railway Connection: Two surface tracks on apron; two platform-level tracks at rear of transit shed, one extending through part of shed, and one platform-level track serving end ramp at open storage area at rear; Remarks
Purpose: Receipt and shipment of conventional and containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 36 | | Latitude (decimal): 30.080278
Total Berthing Space (feet): 1,450 | | Longitude (decimal): -94.08833
Remarks: Railroad tracks connect with Union Pacific Railroad, Kansas City Southern Railway, and Burlington Northern Santa Fe Railway. One 3- and one 2-truck capacity platforms are located at transit shed. A total of approximately 0.2 acre of open storage area is located on apron at ends of transit shed. A car-floor level, concrete-surfaced, open storage area described under Wharves Nos. 2, 3 and 4 (Ref. No. 148) is located at rear. Approximately 7 acres of open storage area are located at upper end of Wharf No. 7.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 677 Galveston District

Port: **Beaumont**
Waterway: **Neches River** Mile: 46.6 PWD: 150
Name: **Trinity Industries, Beaumont Yard Berths Nos. 1 and 2 Wharf.**
Location: Right bank, Neches River, approximately 0.2 mile above mouth of Brakes Bayou, Beaumont. Datum: MLLW
Operator: A & B Builders, Inc.
Owner: Trinity Industries, Inc.
Address: 850 Pine Street Phone: 409-842-9022 ex
Town: Beaumont State: TX County: Jefferson
Railway Connection: Plant trackage in rear joins tracks serving adjacent Trinity Industries, Inc. plant (Ref. No. 154); connect with Union Pacific Railroad and Burlington Northern Santa Fe Railway.
Purpose: Occasional shipment of fabricated steel storage tank and processing modules for oil-well platforms; occasional mooring of oil-well service barges for outfitting and conversion.
Depth Alongside (feet): 20 - 28 | | Latitude (decimal): 30.088889
Total Berthing Space (feet): 1,030 | | Longitude (decimal): -94.09028
Remarks: East portion of wharf forms 170-foot wide slip with north side of Berth No. 3 Pier (Ref. No. 151). Construction yard is located at rear of wharf. Shipbuilding and side-launching ways, unused at time of survey (1999), are located along river bank at west end of wharf. One 50-ton, electric, traveling, full-portal gantry crane with 82-foot boom was located on wharf but inoperable at time of survey.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 664

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**
Waterway: **Neches River** Mile: 46.7 PWD: 151
Name: **Trinity Industries, Beaumont Yard Berth No. 3 Pier.**
Location: Right bank, Neches River, approximately 0.3 mile above mouth of Brakes Bayou, Datum: MLLW
Beaumont.
Operator: A & B Builders, Inc.
Owner: Trinity Industries, Inc.
Address: 850 Pine Street Phone: 409-842-9022 ex
Town: Beaumont State: TX County: Jefferson
Railway Connection: One 600-foot surface track on pier joins tracks serving plant and adjacent Trinity Industries, Inc. plant (Ref. No. 154); connect with Union Pacific Railroad and Burlington Northern Santa Fe Railway.
Purpose: Occasional shipment of fabricated steel storage tank and processing modules for oil-well platforms by barge; occasional mooring of oil-well service barges for outfitting and conversion.
Depth Alongside (feet): 20 | 25 | 40 Latitude (decimal): 30.088611
Total Berthing Space (feet): 145 | 608 | 542 Longitude (decimal): -94.08944
Remarks: Bulkhead forms head of 170-foot wide slip between north side of pier and east portion of Berths Nos. 1 and 2 Wharf (Ref. No. 150). Buildings used as steel and pipe fabrication shops and as warehouses are located at rear.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 664

Port: **Beaumont**
Waterway: **Neches River, old channel** Mile: 36.6 PWD: 162
Name: **Sun Marine Terminals, Lay Berths, and Neches River Marine and Hous**
Location: Right bank, Neches River Old Channel around island formed by Smith Bluff Cutoff, Datum: MLLW
with Lay Berths at lowe
Operator: Sun Marine Terminals, Inc., Houston Marine Services, Inc., and Neches River Marine Se
Owner: Sun Marine Terminals, Inc., Houston Marine Services, Inc., and Tony Houseman.
Address: 5230 Church House Road Phone: 409-721-4803
Town: Nederland State: TX County: Jefferson
Railway Connection: None.
Purpose: Bunkering tankers moored in Lower Lay Berth; mooring tankers and company-owned barges; mooring barges for fleeting.
Depth Alongside (feet): 35 | 18 - 20 | 25 Latitude (decimal): 30.013889
Total Berthing Space (feet): 875 | 1,000 | 2,275 Longitude (decimal): -93.98389
Remarks: Lower Lay Berth is approximately 1,400 feet long, 280 to 380 feet wide, with additional 1,000-foot length in turning area, 750 to 1,200 feet wide at entrance. Upper Lay Berth is approximately 1,700 feet long, with a width of 200 feet, widening to 1,000 feet at entrance, and with a depth of 40 feet. Mooring anchors in Upper Lay Berth allow berthing of vessels up to 1,000 feet in length. Highway connections and address are for Neches River MarineService, LLC, barge fleet in Orange County near Vidor. In 2001, Houston Marine Services (Ref. No. 33) planned to install buoys for mooring company-owned bunkering barges and for fleeting barges. Buoys are described as planned.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 210

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Beaumont**
Waterway: **Neches River, Old River** Mile: 43.2 PWD: 134
Name: **Sabine Ship Services, Wharf and Landings.**
Location: Right bank, Neches River, on right bank of Old River south of Smith Island, approx. 0.6 mile above junct Datum: MLLW
Operator: Sabine Ship Services, Inc.
Owner: Sabine Ship Services, Inc.
Address: 2055 Gulf States Road Phone: 409-833-9288
Town: Beaumont State: TX County: Jefferson
Railway Connection: Tracks of Kansas City Southern Railway extend along Gulf States Road in rear.
Purpose: Occasional receipt and shipment of dry bulk materials, including steel products, scrap iron, grain, stone; mooring barges for repair, fleetting, and removal and replacement of hatch covers. See Remarks.
Depth Alongside (feet): 8 | 8 | 8 Latitude (decimal): 30.061667
Total Berthing Space (feet): 420 | 190 | 420 Longitude (decimal): -94.05722
Remarks: Operator services barges of scrap metal awaiting unloading at North Star Steel Texas Wharf (Ref. No 158), mooring them in fleet and handling their hatch covers. Old River is approximately 200 to 400 feet wide at facility, 160 feet wide between facility and Neches River, and 25 feet deep in channel. Up to forty-five barges can be moored in fleet at facility. An open storage area for approximately 10,000 tons of stone, and an additional 5 acres used for open storage and barge and boat construction, are located at rear.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 746 Galveston District

Port: **Beaumont**
Waterway: **Neches River, Old River** Mile: 43.7 PWD: 135
Name: **Beaumont Bulk Terminal, Exxon Mobil Corp. Coke Wharf**
Location: Right bank, Neches River, on west bank of Old River west of Smith Island, south of junction with Neches Datum: MLLW
Operator: Trans-Global Solutions, Inc. d.b.a. Beaumont Bulk Terminal
Owner: Exxon Mobil Corp.
Address: 2775 Gulf States Road Phone: 409-832-4536
Town: Beaumont State: TX County: Jefferson
Railway Connection: None.
Purpose: Shipment of petroleum coke.
Depth Alongside (feet): 40 | | Latitude (decimal): 30.071111
Total Berthing Space (feet): 800 | | Longitude (decimal): -94.05722
Remarks: Conveyor system extends through ExxonMobil Chemical Co. plant at rear of wharf from open storage area for a maximum of 100,000 tons of petroleum coke located at ExxonMobil Refining & Supply Co. coke plant, west of chemical plant wharves (Ref. Nos. 136 and 137).
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 738

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Adams Bayou Channel** Mile: 266.7 PWD: 172
Name: **Du Pont Sabine River Works, Barge Mooring Wharf.**
Location: West side, Adams Bayou Channel, approximately 0.9 mile above junction with Sabine River, Orange. Datum: MLLW
Operator: E. I. du Pont de Nemours & Co., Inc.
Owner: E. I. du Pont de Nemours & Co., Inc.
Address: Du Pont Drive (State Highway FM 1006) Phone: 409-886-6723
Town: Orange State: TX County: Orange
Railway Connection: Plant trackage in rear connects with Union Pacific Railroad.
Purpose: Mooring barges.
Depth Alongside (feet): 10 - 12 | | 12 Latitude (decimal): 30.058056
Total Berthing Space (feet): 865 | | 220 Longitude (decimal): -93.73861
Remarks: Face of wharf and row of dolphins are in line with face of Towboat Wharf (Ref. No. 171), providing a total of 1,025 feet of berthing space. □
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60050 Dock Code: 842 Galveston District

Port: **Port Arthur**
Waterway: **Adams Bayou Channel** Mile: 266.7 PWD: 169
Name: **Du Pont Sabine River Works, Berths Nos. 1 and 2 Slips**
Location: West side, Adams Bayou Channel, approximately 0.7 mile above junction with Sabine River, Orange. Datum: MLLW
Operator: E. I. du Pont de Nemours & Co., Inc.
Owner: E. I. du Pont de Nemours & Co., Inc.
Address: Du Pont Drive (State Highway FM 1006) Phone: 409-886-6723
Town: Orange State: TX County: Orange
Railway Connection: Plant trackage in rear connects with Union Pacific Railroad.
Purpose: Berth No. 1: receipt of vinyl acetate; both berths: receipt and shipment of petrochemicals, all by barge.
Depth Alongside (feet): 15 | 15 | 15 Latitude (decimal): 30.056389
Total Berthing Space (feet): 255 | 195 | Longitude (decimal): -93.73722
Remarks: Row of dolphins dividing slips provides 125 feet of breasting distance on upper side of Berth No. 1. Wave wall divides Berth No. 2 from Berth No. 3 (Ref. No. 170). Building at rear of inner end of upper slip is used as control tower for Sabine Works docks (Ref. Nos. 169 to 172). Berth No. 1: One 8-inch vinyl acetate pipeline extends from work platform to 2 storage tanks at rear, total capacity 1,000,000 gallons. One 6-inch petrochemical pipeline extends to platform from 3 storage tanks at rear, total capacity 1,350,000 gallons. Berth No. 2: One 8-inch petrochemical pipeline extends to work platform from 4 storage tanks at rear, total capacity 1,800,000 gallons.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60050 Dock Code: 842 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Adams Bayou Channel** Mile: 266.7 PWD: 170
Name: **Du Pont Sabine River Works, Berths Nos. 3 and 4 Slips**
Location: West side, Adams Bayou Channel, approximately 0.7 mile above junction with Sabine River, Orange. Datum: MLLW
Operator: E. I. du Pont de Nemours & Co., Inc.
Owner: E. I. du Pont de Nemours & Co., Inc.
Address: Du Pont Drive (State Highway FM 1006) Phone: 409-886-6723
Town: Orange State: TX County: Orange
Railway Connection: Plant trackage in rear connects with Union Pacific Railroad.
Purpose: Berth No. 3: receipt of petrochemical; Berth No. 4: shipment of recycled vinyl acetate and petrochemicals, all by barge.
Depth Alongside (feet): 15 | 15 | 15 Latitude (decimal): 30.056944
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -93.7375
Remarks: Row of dolphins dividing slips provides 125 feet of breasting distance on upper side of Berth No. 3. Lower wave wall divides Berth No. 3 from Berth No. 2 (Ref. No. 169). Berth No.3: One 8-inch petrochemical pipeline extends from work platform to 3 storage tanks at rear, total capacity 1,350,000 gallons. Berth No. 4: One 8-inch pipeline extends to work platform from 2 petrochemical storage tanks, total capacity 900,000 gallons, and one 450,000-gallon, recycled vinyl acetate storage tank; one 6-inch petrochemical pipeline extends to platform from 3 storage tanks, total capacity 225,000 gallons; and one 5-inch vapor recovery pipeline extends from platform to thermal abater at rear.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60050 Dock Code: 842 Galveston District

Port: **Port Arthur**
Waterway: **Adams Bayou Channel** Mile: 266.7 PWD: 171
Name: **Du Pont Sabine River Works, Towboat Wharf.**
Location: West side, Adams Bayou Channel, approximately 0.8 mile above junction with Sabine River, Orange. Datum: MLLW
Operator: E. I. du Pont de Nemours & Co., Inc.
Owner: E. I. du Pont de Nemours & Co., Inc.
Address: Du Pont Drive (State Highway FM 1006) Phone: 409-886-6723
Town: Orange State: TX County: Orange
Railway Connection: Plant trackage in rear connects with Union Pacific Railroad.
Purpose: Mooring towboats.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 30.057222
Total Berthing Space (feet): 160 | | Longitude (decimal): -93.73778
Remarks: Face of wharf is in line with face of Barge Mooring Wharf (Ref. No. 172) and its row of breasting dolphins, providing a total of 1,025 feet of berthing space.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60050 Dock Code: 842 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Adams Bayou Channel** Mile: 266.7 PWD: 173
Name: **Orange Marine Wharf.**
Location: North side, Adams Bayou Channel, east of Du Pont Drive bridge, on north side of the entrance to The Cove Datum: MLLW
Operator: James William Bryan d.b.a. Orange Marine
Owner: James William Bryan
Address: 2100 Du Pont Drive (State Hwy FM 1006) Phone:
Town: Orange State: TX County: Orange
Railway Connection: None.
Purpose: Mooring barges and small vessels for repair; mooring shrimp boat.
Depth Alongside (feet): 6 - 8 | 6 | 6 Latitude (decimal): 30.064444
Total Berthing Space (feet): 600 | 50 | 130 Longitude (decimal): -93.74694
Remarks: The Cove is approximately 80 feet wide between wharf and Emerald Island. Marine repair plant located at rear. □
Year of Last Survey: 2001 Corps of Engrns Waterway Code: 60050 Dock Code: 840

Port: **Port Arthur**
Waterway: **Adams Bayou Channel** Mile: 266.7 PWD: 174
Name: **Sneed Shipbuilding Wharf.**
Location: North side, Adams Bayou Channel, east of Du Pont Drive bridge, on north side of The Cove, approx. 500 feet Datum: MLLW
Operator: Sneed Shipbuilding, Inc.
Owner: Sneed Shipbuilding, Inc.
Address: 2011 Du Pont Drive (State Hwy FM 1006) Phone: 409-882-0284
Town: Orange State: TX County: Orange
Railway Connection: None.
Purpose: Mooring towboats, barges, and various types of small vessels for outfitting, repair, and salvage; mooring floating drydock.
Depth Alongside (feet): 10 - 19 | 10 | 10 Latitude (decimal): 30.065278
Total Berthing Space (feet): 140 | 140 | 140 Longitude (decimal): -93.74611
Remarks: The Cove is approximately 100 feet wide between wharf and Emerald Island. One 1,800-long ton, floating drydock is moored at west portion of face with 19-foot depth of water; marine repair plant is located at rear. Additional berthing is available in a 140- by 40-foot dredged slip with 5-foot depth of water at the west end of Emerald Island, located on the north side of the Channel, approximately 400 feet east of the Du Pont Drive bridge.
Year of Last Survey: 2001 Corps of Engrns Waterway Code: 60050 Dock Code: 830

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Alpha Portland Channel** Mile: PWD: 195
Name: **Engineered Carbons, Echo Carbon Black Plant Wharf.**
Location: Right bank, Sabine River, on north side of Alpha Portland Channel, approximately 1,400 feet below its head Datum: MLLW
Operator: Engineered Carbons, Inc., a subsidiary of Ameripol Synpol Inc.
Owner: Engineered Carbons, Inc., a subsidiary of Ameripol Synpol Inc.
Address: 1513 Echo Road Phone: 409-988-7713
Town: Echo State: TX County: Orange
Railway Connection: Plant trackage in rear connects with Union Pacific Railroad.
Purpose: Receipt of petroleum feed stock for manufacturing carbon black, by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.15
Total Berthing Space (feet): 195 | | Longitude (decimal): -93.71306
Remarks: One 12-inch pipeline with 4-inch steam trace line extends from wharf to 3 steel storage tanks in plant at rear, total capacity 75,000 barrels.□
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60050 Dock Code: 705

Port: **Port Arthur**
Waterway: **Alpha Portland Channel** Mile: PWD: 194
Name: **River Cement Co. Barge Slip.**
Location: Right bank, Sabine River, on north side of Alpha Portland Channel, approximately 600 feet below its head Datum: MLLW
Operator: River Cement Co., Inc.
Owner: River Cement Co., Inc.
Address: End of Echo Road Phone: 409-886-3661
Town: Echo State: TX County: Orange
Railway Connection: Plant trackage in rear connects with Union Pacific Railroad.
Purpose: Occasional receipt of cement by self-unloading barge, mooring barges awaiting unloading.
Depth Alongside (feet): 15 | 9 - 13 | 9 - 15 Latitude (decimal): 30.150556
Total Berthing Space (feet): 70 | 405 | 405 Longitude (decimal): -93.71417
Remarks: West side is served by two 6-inch compressed air pipelines.□□
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60050 Dock Code: 727

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**

Waterway: **Alpha Portland Channel** Mile: PWD: 193

Name: **River Cement Co. Marine Slip Wharf.**

Location: Right bank, Sabine River, on north side of Alpha Portland Channel, below its head, Datum: MLLW
Echo.

Operator: River Cement Co., Inc.

Owner: River Cement Co., Inc.

Address: End of Echo Road Phone: 409-886-3661

Town: Echo State: TX County: Orange

Railway Connection: Plant trackage in rear connects with Union Pacific Railroad.

Purpose: Receipt of cement by barge, mooring barges awaiting unloading. See Remarks.

Depth Alongside (feet): 9 - 14 | 9 - 14 | Latitude (decimal): 30.15

Total Berthing Space (feet): 400 | 460 | Longitude (decimal): -93.715

Remarks: Unloading equipment was not in place at time of survey (1999), Plans called for construction of it and two 6-inch compressed air lines at the inner portion, and for receipt of cement to commence in 2000. Outer portion, located adjacent to west side of entrance to Barge Slip (Ref. No. 194), is used for mooring barges. Channel is approximately 90 feet wide at Wharf. Cement is received to 20 concrete storage silos at rear, total capacity 30,000 tons. Three additional concrete, cement storage silos at rear of inner portion, total capacity 6,500 tons, were not in use at time of survey.

Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60050 Dock Code: 727

Port: **Port Arthur**

Waterway: **Cow Bayou Channel** Mile: 269.5 PWD: 164

Name: **Burton Shipyard, Inc., Wharf and Slip.**

Location: Right bank, Cow Bayou Channel, and south side of old channel, approx. 1,000 feet Datum: MLLW
above East Roundbunch R

Operator: Burton Shipyard, Inc.

Owner: Burton Shipyard, Inc.

Address: 2069 East Roundbunch Road Phone: 409-735-2491

Town: Bridge City State: TX County: Orange

Railway Connection: None.

Purpose: Mooring towboats, barges, and various types of small vessels for conversion, outfitting and repair; mooring floating drydocks.

Depth Alongside (feet): 20 | 20 | 15 - 18 Latitude (decimal): 30.036667

Total Berthing Space (feet): 140 | 140 | 900 Longitude (decimal): -93.79889

Remarks: One 1,800-, one 1,500-, and one 1,000-long ton floating drydocks are moored at wharf in old channel. Slip is approximately 95 feet wide at entrance. Shipyard for new construction and marine repair is located at rear of wharf and east side of slip. All berths are served by utilities above, and by 2-inch compressed air and 3/4-inch oxygen, acetylene and MAP gas lines. New vessels are launched via side-skid ways.

Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60050 Dock Code: 886 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Cow Bayou, old channel** Mile: 269.5 PWD: 167
Name: **Inland Boat Works Landing**
Location: Left bank, Cow Bayou Channel, on north side of old channel approx. 800 feet below East Roundbunch Road b Datum: MLLW
Operator: Inland Industries Inc. d.b.a. Inland Boat Works
Owner: Inland Industries Inc.
Address: 2682 East Roundbunch Road Phone: 409-988-0005
Town: Bridge City State: TX County: Orange
Railway Connection: None.
Purpose: Mooring small vessels for outfitting.
Depth Alongside (feet): 8 | | Latitude (decimal): 30.038611
Total Berthing Space (feet): 300 | | Longitude (decimal): -93.79278
Remarks: Marine construction yard is located at rear. Crawler crane is used to launch barges and small push boats at landing. □
Year of Last Survey: 2001 Corps of Engrns Waterway Code: 60050 Dock Code: 880

Port: **Port Arthur**
Waterway: **Cow Bayou, old channel** Mile: 269.5 PWD: 166
Name: **Quality Concrete & Materials Landing**
Location: Left bank, Cow Bayou Channel, on northwest side of old channel loop, approx. 600 feet below State Highwa Datum: MLLW
Operator: Quality Concrete & Materials
Owner: Dunham Price, Inc.
Address: 3116 Texas Avenue (State Highway 87) Phone: 409-842-2100
Town: Bridge City State: TX County: Orange
Railway Connection: None.
Purpose: Receipt of crushed stone and sand by barge.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.046667
Total Berthing Space (feet): 300 | | Longitude (decimal): -93.81806
Remarks: Open storage area at rear has capacity for 6,000 tons of stone and sand. A ready-mix concrete plant is located in yard. □
Year of Last Survey: 2001 Corps of Engrns Waterway Code: 60050 Dock Code: 882

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Cow Bayou, old channel** Mile: 269.5 PWD: 165
Name: **Transit Mix Concrete & Materials Co., Bridge City Facility Landing**
Location: Left bank, Cow Bayou Channel, on west side of old channel loop, approx. 600 feet below State Highway 87 Datum: MLLW
Operator: Not operated.
Owner: Curtis Smith Estate
Address: Texas Avenue (State Highway 87) Phone: 409-735-7121
Town: Bridge City State: TX County: Orange
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 30.045278
Total Berthing Space (feet): 200 | 400 | Longitude (decimal): -93.81806
Remarks: Formerly used for receipt of shell and crushed stone by barge. Approximately 10 acres of open storage area at rear. At time of survey (1999), an aggregate mixing mill owned by APAC-Texas Inc. was in yard but not operated.
Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 60050 Dock Code: 884

Port: **Port Arthur**
Waterway: **Gulf Intracoastal Waterway** Mile: 301.1 PWD: 35
Name: **PAPCO, Clam Lake Field Slip**
Location: South bank, Gulf Intracoastal Waterway, Mile 301.1 West of Harvey Lock, Jefferson County Datum: MLLW
Operator: PAPCO
Owner: PAPCO
Address: Clam Lake Road Phone: 409-971-2307
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Shipment of crude oil by barge.
Depth Alongside (feet): 3 | 3 - 8 | 3 - 8 Latitude (decimal): 29.7125
Total Berthing Space (feet): 85 | 350 | 350 Longitude (decimal): -94.12417
Remarks: One 10-inch pipeline extends to 6-inch hose on wharf from 3 steel storage tanks at rear, total capacity 20,000 barrels. □
Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66301 Dock Code: 101

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Gulf Intracoastal Waterway** Mile: 306.2 PWD: 36
Name: **Plains Marketing, Star Lake Terminal Slip**
Location: South bank, Gulf Intracoastal Waterway, Mile 306.3 West of Harvey Lock, Jefferson County. Datum: MLLW
Operator: Plains Marketing
Owner: Plains Marketing
Address: Clam Lake Road Phone: 409-971-2371
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Shipment of crude oil by barge.
Depth Alongside (feet): 5 | 5 - 6 | 5 - 6 Latitude (decimal): 29.679444
Total Berthing Space (feet): 100 | 240 | 192 Longitude (decimal): -94.19972
Remarks: One 12-inch pipeline extends to wharf from two steel storage tanks at rear, total capacity 50,000 barrels. One 6-inch pipeline extends to tanks from shore base for offshore oil fields.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66306 Dock Code: 301

Port: **Port Arthur**
Waterway: **Johnson Bayou** Mile: PWD: 198
Name: **Crain Brothers Ranch Corp. Landing**
Location: Right bank, Johnson Bayou, approximately 4.1 miles above conjunction with east side of Sabine Lake, Came Datum: MLLW
Operator: Crain Brothers Ranch Corp.
Owner: Crain Brothers Ranch Corp.
Address: Deep Bayou Road Phone: 318-538-2411
Town: Johnson Bayou State: LA County: Cameron Parish
Railway Connection: None.
Purpose: Shipment of drilling mud, steel pipe, and other offshore oil field and construction supplies; landing crew boats.
Depth Alongside (feet): 6 - 7 | 6 - 7 | Latitude (decimal): 29.805556
Total Berthing Space (feet): 60 | 200 | Longitude (decimal): -93.75639
Remarks: Contractors use wharf to service offshore oil well platforms in Sabine Lake. Approximately 2 acres of open storage area located at rear. □
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60002 Dock Code: 014

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Johnson Bayou** Mile: PWD: 199
Name: **Plains Marketing, Deep Bayou Terminal Wharf**
Location: Right bank, Johnson Bayou, 4.3 miles above conjunction with Sabine Lake, on south side of mouth of Deep Datum: MLLW
Operator: Not operated
Owner: Plains Marketing
Address: Deep Bayou Road Phone: 409-971-2371
Town: Johnson Bayou State: LA County: Cameron Parish
Railway Connection: None.
Purpose: Not used
Depth Alongside (feet): 5 - 7 | | Latitude (decimal): 29.802778
Total Berthing Space (feet): 125 | | Longitude (decimal): -93.75417
Remarks: Wharf formerly was used for shipment of crude oil by barge, and was maintained on standby basis at time of survey (1999). One blanked, 10-inch pipeline extended to wharf from 2 steel storage tanks at rear, total capacity 140,000 barrels. One 10-inch pipeline extends from storage tanks and oil field at rear approximately 11 miles to storage tanks located at company's Sabine Pass, Texas, District Office, described under Sabine Pass Wharf (Ref. No. 23).
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60002 Dock Code: 939

Port: **Port Arthur**
Waterway: **Neches River** Mile: 276.4 PWD: 90
Name: **Carotex Wharves**
Location: Right bank, Neches River, above mouth, approximately 1.1 miles below the State Highway 87 Bridges, Port Datum: MLLW
Operator: Carotex, Inc.
Owner: Carotex, Inc.
Address: 1500 Intracoastal Drive Phone: 409-962-0251
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Receipt of wastewater by barge; mooring vessels, towboats, and barges for repair; gas-freeing and cleaning tank barges.
Depth Alongside (feet): 16 - 18 | 12 | 8 Latitude (decimal): 29.969722
Total Berthing Space (feet): 300 | 660 | 300 Longitude (decimal): -93.85833
Remarks: Upper side of slip is approximately 260 feet long. Marine repair plant is at rear of inner portion of slip. Two 6-inch wastewater pipelines extend from wharf face to 6 water treatment tanks, total capacity 588,000 gallons, and settling basin at rear. Four 4-inch vacuum pipelines extend from wharf face and two cleaning stations at outer portion of lower side of slip to treatment plant and flare tower at rear. Vacuum trucks are used for removing slops, bilge water, and ballast water.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 637 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Neches River** Mile: 276.5 PWD: 89
Name: **Marine Fueling Service Terminal, Upper Slip**
Location: Right bank, Neches River, at mouth, on northwest side of cove above Pleasure Islet, Datum: MLLW
Port Arthur.
Operator: Marine Fueling Service, Inc.
Owner: Marine Fueling Service, Inc.
Address: 9000 Old Yacht Club Road Phone: 409-962-8424
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Receipt of liquid caustic soda, and stone; mooring company-owned towboats and tank barges for repair and storage, including midstream fueling and water-supply barges.
Depth Alongside (feet): 12 | 12 - 15 | 12 - 15 Latitude (decimal): 29.968889
Total Berthing Space (feet): 215 | 525 | 369 Longitude (decimal): -93.86028
Remarks: Slip is 200 feet wide at outer portion. Operator receives stone and performs repairs at south side. Stone is trucked to open storage area described under Bean's Fleet, West Fleet (Ref. No. 83). One 4-inch pipeline extends from south side to 4 steel, liquid caustic soda storage tanks operated by Reagent Chemical Co., Inc., total capacity 464,900 gallons.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 649

Port: **Port Arthur**
Waterway: **Neches River** Mile: 276.6 PWD: 88
Name: **Marine Fueling Service Terminal Wharf**
Location: Right bank, Neches River, at mouth, on west side of cove above Pleasure Islet, Port Datum: MLLW
Arthur.
Operator: Marine Fueling Service, Inc.
Owner: Marine Fueling Service, Inc.
Address: 9000 Old Yacht Club Road Phone: 409-962-8424
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Handling boat stores; fueling vessels; mooring company-owned towboats and tank barges, including midstream fueling and water-supply barges.
Depth Alongside (feet): 12 | 12 | Latitude (decimal): 29.967778
Total Berthing Space (feet): 170 | 290 | Longitude (decimal): -93.85972
Remarks: Vessels are fueled directly from company-owned bunkering barge berthed at upper portion of wharf. □
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 649

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Neches River** Mile: 276.6 PWD: 87
Name: **Marine Fueling Service Terminal, Lower Slip and Bean's Fleet, East**
Location: Right bank, Neches River, at mouth, on southwest side of cove above Pleasure Islet, Datum: MLLW Port Arthur.
Operator: Marine Fueling Service, Inc.
Owner: Marine Fueling Service, Inc.
Address: 9000 Old Yacht Club Road Phone: 409-962-8424
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Receipt and shipment of roll-on/roll-off cargo by barge; handling boat stores; mooring company-owned tank barges and launch for fueling and supplying towboats in midstream; mooring barges for fleetings.
Depth Alongside (feet): 8 | 8 | 8 Latitude (decimal): 29.9675
Total Berthing Space (feet): 60 | 250 | 250 Longitude (decimal): -93.86111
Remarks: Ramp extends from 70-foot portion of bulkhead at angle to lower side of slip, allowing barges moored end-to to extend outside slip. Barges are moored for fleetings at approximately 400 feet of natural bank with shore moorings east of slip. Capacity of Bean's Fleet is described under West Fleet (Ref. No. 83). Quality Boat Store operates a company-owned service launch from small slip on south side, and operates building at rear of slip for storing supplies.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 649

Port: **Port Arthur**
Waterway: **Neches River** Mile: 45.6 PWD: 145
Name: **Port of Beaumont Navigation District, Roll-on/Roll-off Terminal Ra**
Location: Right bank, Neches River, on south side of Beaumont Maneuvering Area, approx. Datum: MLLW 0.5 mile below Kansas City
Operator: Port of Beaumont Navigation District of Jefferson County, Texas.
Owner: Port of Beaumont Navigation District of Jefferson County, Texas
Address: 1225 Main Street Phone: 409-835-3995
Town: Beaumont State: TX County: Jefferson
Railway Connection: Five surface tracks in marshalling area at rear join tracks described under Harbor Island Marine Terminal Wharf; connect with Union Pacific RR, Kansas City Southern Rwy, & Burlington Northern Santa Fe Rwy.
Purpose: Receipt and shipment of roll-on roll-off, conventional, and containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | 30 - 35 | 40 Latitude (decimal): 30.075556
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -94.08472
Remarks: Upper side is located at lower side of Harbor Island Marine Terminal Wharf (Ref. No. 146), allowing vessel moored at that wharf to transfer roll-on/roll-off cargo via a straight stern ramp. Smaller vessels and barges moor at face, and end-to at lower side, overlapping concrete-capped, steel sheet pile bulkhead with asphalt-surfaced solid fill, fronted by rubber tire fenders, which extends to Barge Wharf (Ref. No. 144). Approximately 1.6 acres of marshalling area are located at rear and at rear of Barge Wharf.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60056 Dock Code: 711

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Port Arthur Canal** Mile: 10.0 PWD: 29
Name: **Pleasure Island Seafood Wharf**
Location: Left bank, Port Arthur Canal, mile 10.0 above outer end of jetties, on Pleasure Island Datum: MLLW
approx. 0.4 mile
Operator: Pleasure Island Seafood, Inc.
Owner: Pleasure Island Seafood, Inc.
Address: 3750 T.B. Ellison Parkway Phone: 409-983-4334
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Receipt of fish, shrimp, and other seafood; icing and mooring fishing boats.
Depth Alongside (feet): 10 | 10 | 0 - 10 Latitude (decimal): 29.762778
Total Berthing Space (feet): 600 | | 80 Longitude (decimal): -93.90528
Remarks: One 6-inch hose for icing fishing boats extends to outer end of shed barge from ice plant at rear.
Seafood processing plant is located at rear. □
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60020 Dock Code: 092

Port: **Port Arthur**
Waterway: **Port Arthur Canal** Mile: 10.2 PWD: 30
Name: **K & B Marine, Barge and Boat Repair Wharf**
Location: Left bank, Port Arthur Canal, mile 10.2 above outer end of jetties, on Pleasure Island Datum: MLLW
approx. 0.5 mile
Operator: K & B Marine Diesel Service & Supply
Owner: Khang T. Bui
Address: 3901 South Martin Luther King Blvd. Phone: 409-985-9925
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Mooring barges and shrimp boats for repair.
Depth Alongside (feet): 12 | 12 | 30 Latitude (decimal): 29.763889
Total Berthing Space (feet): 200 | 930 | 600 Longitude (decimal): -93.90778
Remarks: At time of survey (1999), site was natural bank fronted by grounded barges. Bulkheads and utilities
are described as planned. Also planned were an additional 1,300 feet of steel sheet pile bulkhead
above upper part of wharf, with water depths less than 10 feet, and a fabrication shop at rear.
Construction was scheduled for 2000.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60020 Dock Code: 090

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Port Arthur Canal** Mile: 11.7 PWD: 31
Name: **TDI-Halter, Central Yard, Wharf.**
Location: Right bank, Port Arthur Canal, mile 11.7 above outer end of jetties, approx 2.5 miles above lower end of Datum: MLLW
Operator: TDI-Halter, L.P.
Owner: TDI-Halter, L.P.
Address: 3750 South Gulfway Drive Phone: 409-882-9311
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Mooring offshore drilling rigs and service vessels for repair.
Depth Alongside (feet): 25 - 26 | 22 | Latitude (decimal): 29.77
Total Berthing Space (feet): 606 | 700 | Longitude (decimal): -93.93444
Remarks: Offshore rigs are jacked-up or anchored off bulkhead. Marine repair plant is located at rear. □
Year of Last Survey: 2001 Corps of Engrns Waterway Code: 60020 Dock Code: 085

Port: **Port Arthur**
Waterway: **Port Arthur Canal** Mile: 14.6 PWD: 32
Name: **Seafood Enterprise, Dock I Wharf.**
Location: Right bank, Port Arthur Canal, mile 14.6 above outer end of jetties, approx 1.3 miles below Gulf Intracoa Datum: MLLW
Operator: Seafood Enterprise, Inc.
Owner: Seafood Enterprise, Inc.
Address: 2904 South Gulfway Drive Phone: 409-971-2545
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Receipt of shrimp.
Depth Alongside (feet): 18 - 20 | | Latitude (decimal): 29.806944
Total Berthing Space (feet): 325 | | Longitude (decimal): -93.95667
Remarks: At time of survey (1999), deck was missing from approximately 50 feet of lower portion of wharf. Cold storage building is located at rear of upper portion. □
Year of Last Survey: 2001 Corps of Engrns Waterway Code: 60020 Dock Code: 070

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Port Arthur Canal** Mile: 15.3 PWD: 33
Name: **Houston Marine Services, Port Arthur Facility Wharf.**
Location: Right bank, Port Arthur Canal, mile 15.3 above outer end of jetties, approx 0.7 mile below Gulf Intracoas Datum: MLLW
Operator: Houston Marine Services, Inc.
Owner: Houston Marine Services, Inc.
Address: 2706 South Gulfway Drive Phone: 409-983-6625
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Receipt of bulk diesel fuel and packaged waste oil and used lube oil; shipment of packaged lube oil; loading tank barges for bunkering vessels at berth and fueling towboats in midstream; fueling vessels.*
Depth Alongside (feet): 20 - 22 | | Latitude (decimal): 29.815278
Total Berthing Space (feet): 580 | | Longitude (decimal): -93.95944
Remarks: * and mooring company-owned equipment for minor repairs. At time of survey (1999), lower pier was in deteriorated condition. One 8-inch pipeline extends to center and upper piers from 3 diesel fuel storage tanks at rear, total capacity 33,500 barrels. Five waste oil and used lube oil storage tanks, total capacity 1,309 barrels, and three, horizontal, lube oil storage tanks, total capacity 785 barrels, all located at rear, are used for storing productshandled in portable tanks.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 919 Galveston District

Port: **Port Arthur**
Waterway: **Port Arthur Canal** Mile: 15.7 PWD: 34
Name: **TDI-Halter, Dockyard Wharf.**
Location: Left bank, intersection of Port Arthur Canal and Sabine-Neches Canal, mile 15.7 above outer end of jetti Datum: MLLW
Operator: TDI-Halter, L.P.
Owner: City of Port Arthur
Address: 2500 Martin Luther King Boulevard. Phone: 409-882-9311
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Receipt of steel; mooring vessels and offshore drilling rigs for repair; mooring floating drydock.
Depth Alongside (feet): 62 | 25 | Latitude (decimal): 29.8225
Total Berthing Space (feet): 414 | 700 | Longitude (decimal): -93.95472
Remarks: * Floating drydock, capacity 64,000 long tons, consists of 8 modular sections providing clear docking areas of 829- by 122-feet, or 414- by 363-feet. Basin is dredged to 62 feet to accommodate either of the configurations, with remaining areas having a depth of 45 and 25 feet for anchoring vessels or offshore drilling rigs.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 921

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Port Arthur Canal** Mile: 9.9 PWD: 28
Name: **Pleasure Island Ice Co. Wharf**
Location: Left bank, Port Arthur Canal, mile 9.9 above outer end of jetties, on Pleasure Island Datum: MLLW
approximately 0.3
Operator: Pleasure Island Ice Co.
Owner: Pleasure Island Ice Co.
Address: 3860 T. B. Ellison Parkway. Phone: 409-983-1253
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Icing fishing boats.
Depth Alongside (feet): 15 | | Latitude (decimal): 29.762222
Total Berthing Space (feet): 235 | | Longitude (decimal): -93.90361
Remarks: Grounded barge is 235 by 42 feet and is missing most of its deck. Two 4-inch pipelines for delivering ice to fishing boats extend to wharf from ice plant at rear.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60020 Dock Code: 093

Port: **Port Arthur**
Waterway: **Port Arthur East Turning Basin** Mile: 288.6 PWD: 53
Name: **Chevron Phillips Chemical Co. Dock, Port Arthur.**
Location: Northwest side, Port Arthur East Turning Basin. on west side of Slip No. 1, at Datum: MLLW
entrance, Port Arthur.
Operator: Chevron Phillips Chemical Co. L.P.
Owner: Rice Carden Corp.
Address: Coke Dock Road Phone: 409-984-0160
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Receipt of liquefied petroleum gas and light blending aromatics by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 29.833611
Total Berthing Space (feet): 410 | | Longitude (decimal): -93.96056
Remarks: Wharf berths 250-foot barges. Slip No. 1 is approximately 250 feet wide and 700 feet long. One 8-
becoming 10-inch, aromatics pipeline extends from wharf to 2 steel, spheroid-shaped storage tanks,
total capacity 8,400,000 gallons. One 8-inch, liquefied petroleum gas pipeline extends from wharf to 2
steel storage tanks, total capacity 1,500 barrels, and one 6-inch vapor pipeline extends from the same
tanks to wharf. All tanks located on opposite side of Coke Dock Road.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 858 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Port Arthur East Turning Basin** Mile: 288.6 PWD: 54
Name: **Houston Marine Services, Port Arthur Slip No. 2 Mooring.**
Location: Northwest side, Port Arthur East Turning Basin, west side of Slip No. 2, Port Arthur. Datum: MLLW
Operator: Houston Marine Services, Inc.
Owner: Rice Carden Corp.
Address: 220 Coke Dock Road Phone: 409-983-6625
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Mooring company-owned bunkering barges.
Depth Alongside (feet): 15 - 20 | | Latitude (decimal): 29.834167
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -93.95889
Remarks: Operation commenced subsequent to survey (1999). Slip No. 2 is approximately 230 feet wide and 1,800 feet long. □
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 833 Galveston District

Port: **Port Arthur**
Waterway: **Port Arthur East Turning Basin** Mile: 288.6 PWD: 57
Name: **Kansas City Southern Railway Co., Port Arthur Slip No. 3 Grain Wha**
Location: Northwest side, Port Arthur East Turning Basin. middle portion of west side of Slip No. 3, Port Arthur. Datum: MLLW
Operator: Not operated.
Owner: Rice Carden Corp.
Address: Coke Dock Road Phone: 816-983-1244
Town: Port Arthur State: TX County: Jefferson
Railway Connection: Surface tracks at rear connect with Kansas City Southern Railway.
Purpose: Not used.
Depth Alongside (feet): 28 | 34 | Latitude (decimal): 29.839444
Total Berthing Space (feet): 600 | | Longitude (decimal): -93.95611
Remarks: Wharf formerly was used for shipping grain. At time of survey (1999), approximately 175 feet of inner portion was damaged and had no deck. Owner planned to rebuild wharf.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 832 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Port Arthur East Turning Basin** Mile: 288.6 PWD: 55
Name: **Kinder Morgan Bulk Terminals, Port Arthur Bulk Facility, Slip No**
Location: Northwest side, Port Arthur East Turning Basin. east side of Slip No. 2, Port Arthur. Datum: MLLW
Operator: Kinder Morgan Bulk Terminals, Inc.
Owner: Rice Carden Corp.
Address: Coke Dock Road Phone: 409-983-6271
Town: Port Arthur State: TX County: Jefferson
Railway Connection: Kansas City Southern Railway: storage yard in rear.
Purpose: Mooring office barge.
Depth Alongside (feet): 22 | 3 - 4 | 3 - 4 Latitude (decimal): 29.838056
Total Berthing Space (feet): 850 | 270 | 250 Longitude (decimal): -93.9575
Remarks: Operator planned to move barge from site in 2001. □ □
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 831 Galveston District

Port: **Port Arthur**
Waterway: **Port Arthur East Turning Basin** Mile: 288.6 PWD: 56
Name: **Kinder Morgan Bulk Terminals, Port Arthur Bulk Facility Wharf.**
Location: Northwest side, Port Arthur East Turning Basin. outer portion of west side of Slip No. 3, Port Arthur. Datum: MLLW
Operator: Not operated.
Owner: Rice Carden Corp.
Address: Coke Dock Road Phone: 409-983-6271
Town: Port Arthur State: TX County: Jefferson
Railway Connection: Two surface tracks serving 2 undertrack pits in rear of tower join tracks in 44-car-capacity storage yard at rear; connect with Kansas City Southern Railway.
Purpose: Not used.
Depth Alongside (feet): 34 - 35 | | Latitude (decimal): 29.836944
Total Berthing Space (feet): 700 | | Longitude (decimal): -93.95639
Remarks: Kinder Morgan Bulk Terminals, Inc. formerly operated wharf for shipping soda ash. Outer side of Kansas City Southern Railway Co., Port Arthur Slip No. 3 Grain Wharf (Ref. No. 57) extends from inner end of face of wharf. Deck of wharf was in deteriorated condition at time of survey (1999).
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 831 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Port Arthur East Turning Basin** Mile: 288.6 PWD: 60
Name: **Motiva Enterprises, Port Arthur Terminal, No. 1 Dock Wharf, Berths**
Location: Southeast side, Port Arthur East Turning Basin. inner portion, on Texaco (Terminal) Datum: MLLW
Island, Port Arthur.
Operator: Motiva Enterprises LLC
Owner: Motiva Enterprises LLC
Address: Terminal Road at Texaco Island Phone: 409-989-7661
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Receipt of methyl tertiary butyl ether and ballast water; shipment of petroleum products and cyclohexane; occasional loading of barges for bunkering vessels at berth.
Depth Alongside (feet): 37 | 37 | Latitude (decimal): 29.833056
Total Berthing Space (feet): 1,500 | 50 | Longitude (decimal): -93.95694
Remarks: Each berth handles a vessel up to 660 feet in length. Five 10-, fifteen 8-, and seventeen 6-inch pipelines extend to Berth No. 6, and three 10-, seventeen 8-, and ten 6-inch pipelines extend to Berth No. 7 from ten petroleum product storage tanks at rear, total capacity 413,400 barrels, and from storage tanks at West 7th Street Tank Farm: thirteen for petroleum products, total capacity 1,300,000 barrels, two for methyl tertiary butyl ether and cyclohexane, total capacity 8,400,000 gallons, and two for slops, total capacity 1,800 barrels. Two 10-inch ballast water pipelines, one from each berth, extend to two storage tanks at rear, total capacity 5,040,000 gallons.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 825 Galveston District

Port: **Port Arthur**
Waterway: **Port Arthur East Turning Basin** Mile: 288.6 PWD: 59
Name: **Motiva Enterprises, Port Arthur Terminal, Towboat Wharf.**
Location: Northeast side, Port Arthur East Turning Basin. Port Arthur. Datum: MLLW
Operator: Motiva Enterprises LLC
Owner: Motiva Enterprises LLC
Address: Terminal Road at Texaco Island Phone: 409-989-7661
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Mooring towboats.
Depth Alongside (feet): 37 | 37 | Latitude (decimal): 29.834722
Total Berthing Space (feet): 170 | 250 | Longitude (decimal): -93.95556
Remarks: -□□
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 825 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Port Arthur East Turning Basin** Mile: 288.6 PWD: 58
Name: **United Marine Enterprise, Port Arthur Shipyard, Motiva Enterprises**
Location: Northwest side, Port Arthur East Turning Basin. inner portion of east side of Slip No. 3, Port Arthur. Datum: MLLW
Operator: United Marine Enterprise, Inc.
Owner: Motiva Enterprises LLC
Address: Terminal Road at Texaco Island Phone: 409-833-7070
Town: Port Arthur State: TX County: Jefferson
Railway Connection: Kansas City Southern Railway: one surface track at inner end of yard.
Purpose: Mooring vessels and offshore drilling rigs for repair; mooring government-owned vessels for maintenance.
Depth Alongside (feet): 28 - 30 | | Latitude (decimal): 29.839722
Total Berthing Space (feet): 1,400 | | Longitude (decimal): -93.95556
Remarks: Approximately 4.8 acres of open storage and fabrication area are located on apron and in yard at rear. □
Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66288 Dock Code: 827

Port: **Port Arthur**
Waterway: **Port Arthur West Turning Basin** Mile: 288.6 PWD: 41
Name: **ASCO Oil & Gas Services, Beaumont Wharf**
Location: West side, Port Arthur West Turning Basin, at entrance, Port Arthur. Datum: MLLW
Operator: ASCO Oil & Gas Services, Inc.
Owner: ASCO Oil & Gas Services, Inc.
Address: 2400 South Highway 87 Phone: 409-985-3610
Town: Port Arthur State: TX County: Jefferson
Railway Connection: Union Pacific Railroad: surface tracks along rear of property.
Purpose: Receipt of diesel fuel by barge; mooring tank barges and towboats; and fueling small vessels.
Depth Alongside (feet): 24 | 21 | Latitude (decimal): 29.830833
Total Berthing Space (feet): 120 | 120 | Longitude (decimal): -93.9625
Remarks: One 4-inch pipeline extends from wharf to 2 steel, diesel fuel storage tanks in rear, total capacity 20,000 barrels. □
Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66288 Dock Code: 888 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Port Arthur West Turning Basin** Mile: 288.6 PWD: 52
Name: **Great Lakes Carbon Corp. Wharf.**
Location: Northeast side, Port Arthur West Turning Basin, approximately 750 feet north of entrance, Port Arthur. Datum: MLLW
Operator: Great Lakes Carbon Corp.
Owner: Rice Carden Corp.
Address: Foot of Coke Dock Road Phone: 409-983-8444
Town: Port Arthur State: TX County: Jefferson
Railway Connection: One surface track serving one car-receiving pit at rear of processing plant, and one surface track for storage: connect with Kansas City Southern Railway.
Purpose: Shipment of calcined petroleum coke.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.834167
Total Berthing Space (feet): 980 | | Longitude (decimal): -93.96417
Remarks: One 36-inch, electric, belt-conveyor system extends from processing plant at rear to ship-loading conveyor system, and to 4 concrete storage silos, one 1,800-ton storage dome, and one open storage area with capacity for 2,500 tons, all located at rear of apron. Front-end loaders recover calcined petroleum coke from storage dome and open storage area to ground-level hopper.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 839 Galveston District

Port: **Port Arthur**
Waterway: **Port Arthur West Turning Basin** Mile: 288.6 PWD: 42
Name: **TDI-Halter, North Yard Wharf.**
Location: Southwest side, Port Arthur West Turning Basin, approximately 400 feet north of entrance, Port Arthur. Datum: MLLW
Operator: TDI-Halter, L.P.
Owner: TDI-Halter, L.P.
Address: 2350 South Gulfway Drive Phone: 409-882-9311
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Mooring offshore drilling rigs for repair; mooring company-owned floating equipment.
Depth Alongside (feet): 32 - 37 | 32 | Latitude (decimal): 29.832778
Total Berthing Space (feet): 800 | 200 | Longitude (decimal): -93.96528
Remarks: Fabrication shop is located at rear. □□
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 886 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Sabine Pass Channel** Mile: 3.3 PWD: 1
Name: **Sabine Pilots Wharf.**
Location: Mile 3.3, right bank, Sabine Pass Jetty Channel, above outer end of jetties at Texas Point, Sabine Pass. Datum: MLLW
Operator: Sabine Pilots.
Owner: Sabine Pilots.
Address: End of Jetty Road. Phone: 409-722-1141
Town: Sabine State: TX County: Jefferson
Railway Connection: None.
Purpose: Mooring pilot boats; receipt of potable water.
Depth Alongside (feet): 8 - 9 | 7 | Latitude (decimal): 29.689167
Total Berthing Space (feet): 140 | 50 | Longitude (decimal): -93.84222
Remarks: Pilot vessels 'Sabine Bank Pilot', 'Sabine Pilot' and 'Sabine Pilot II' moor at wharf. One 1-inch potable water pipeline extends from wharf to one 200-gallon storage tank at pilot station in rear.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60020 Dock Code: 996 Galveston District

Port: **Port Arthur**
Waterway: **Sabine Pass Channel** Mile: 5.0 PWD: 2
Name: **Seafood Enterprise, Dock II Piers.**
Location: Mile 5.0, right bank, Sabine Pass Channel, above outer end of jetties, Sabine Pass. Datum: MLLW
Operator: Seafood Enterprise, Inc.
Owner: Seafood Enterprise, Inc.
Address: 8660 South First Avenue. Phone: 409-971-2545
Town: Sabine State: TX County: Jefferson
Railway Connection: None.
Purpose: Receipt of shrimp; icing and mooring fishing boats.
Depth Alongside (feet): 8 | 8 | 8 Latitude (decimal): 29.710556
Total Berthing Space (feet): 80 | 80 | 70 Longitude (decimal): -93.85778
Remarks: *Upper side of upper pier is in line with lower side of company's slip and is described under it (Ref. No. 3.) One 4-inch hose extends to lower pier from ice plant at rear.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60020 Dock Code: 973 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Sabine Pass Channel** Mile: 5.0 PWD: 3
Name: **Seafood Enterprise, Dock II Slip.**
Location: Mile 5.0, right bank, Sabine Pass Channel, above outer end of jetties, Sabine Pass. Datum: MLLW
Operator: Seafood Enterprise, Inc.
Owner: Seafood Enterprise, Inc.
Address: 8660 South First Avenue. Phone: 409-971-2545
Town: Sabine State: TX County: Jefferson
Railway Connection: None.
Purpose: Receipt of shrimp; mooring fishing boats.
Depth Alongside (feet): 8 | 8 | 8 Latitude (decimal): 29.710833
Total Berthing Space (feet): 120 | 450 | 400 Longitude (decimal): -93.85806
Remarks: Shrimp processing plant described under company's Dock II Piers (Ref. No. 2) is located at rear of lower side. □
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60020 Dock Code: 973 Galveston District

Port: **Port Arthur**
Waterway: **Sabine Pass Channel** Mile: 5.2 PWD: 4
Name: **Sabine Offshore Service, Texas Bayou Wharf.**
Location: Mile 5.2, right bank, Sabine Pass Channel, above outer end of jetties, at Texas Bayou, Sabine Pass. Datum: MLLW
Operator: Sabine Offshore Service, Inc.
Owner: Sabine Offshore Service, Inc.
Address: 8490 South First Avenue. Phone: 409-971-2377
Town: Sabine State: TX County: Jefferson
Railway Connection: None.
Purpose: Fueling small vessels; occasional mooring of offshore drilling rigs.
Depth Alongside (feet): 12 - 14 | 12 - 14 | 22 Latitude (decimal): 29.711944
Total Berthing Space (feet): 420 | 290 | 535 Longitude (decimal): -93.85972
Remarks: *Bulkhead on lower side of Texas Bayou also forms Lower Wharf, providing 210 feet of berthing space with 9 to 10 feet of water depth. One 8-inch, diesel fuel pipeline extends from 5 storage tanks at rear of lower side, total capacity 17,143 barrels, to two metered 6-inch pipelines, one on each side of slip. Three fueling stations, two on the lower side and one on the upper, are located at slip.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60020 Dock Code: 974 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Sabine Pass Channel** Mile: 5.4 PWD: 5
Name: **Rowan Co.'s, Sabine Pass Yard, Slip and Lower Wharf.**
Location: Mile 5.4, right bank, Sabine Pass Channel, above outer end of jetties, Sabine Pass. Datum: MLLW
Operator: Rowan Co.'s., Inc.
Owner: Rowan Co.'s., Inc.
Address: 8415 South First Avenue. Phone: 409-971-2691
Town: Sabine State: TX County: Jefferson
Railway Connection: None.
Purpose: Mooring company-owned offshore drilling rigs for maintenance and repair; shipment of drilling mud, chemicals, potable water, materials and supplies for offshore oil-well operations; fueling small vessels.
Depth Alongside (feet): 18 | 18 | 18 Latitude (decimal): 29.713611
Total Berthing Space (feet): 287 | 405 | 405 Longitude (decimal): -93.86139
Remarks: *Bulkhead extends 270+80+280 feet above slip to form Upper Berth with 16 feet of water depth. The 80+280-foot upper portion was adjacent to a heliport and not used for mooring at time of survey (1999). Ramp at slip has 10-ton capacity. One 6-inch, diesel fuel pipeline extends to connections at upper side of slip and Upper Berth from one 14,280-barrel storage tank at rear. Potable water pipelines extend from 2 storage tanks at rear, total capacity 420,000 gallons. Approximately 3 acres of open storage area are located at rear.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60020 Dock Code: 959 Galveston District

Port: **Port Arthur**
Waterway: **Sabine Pass Channel** Mile: 5.6 PWD: 6
Name: **Rowan Co.'s, Sabine Pass Yard, Upper Wharf.**
Location: Mile 5.6, right bank, Sabine Pass Channel, above outer end of jetties, Sabine Pass. Datum: MLLW
Operator: Rowan Co.'s., Inc.
Owner: Rowan Co.'s., Inc.
Address: 8010 South First Avenue. Phone: 409-971-2691
Town: Sabine State: TX County: Jefferson
Railway Connection: None.
Purpose: Mooring company-owned offshore drilling rigs for maintenance and repair; occasional shipment of heavy-lift components, drilling mud, chemicals, and materials and supplies for offshore oil-well operations.
Depth Alongside (feet): 15 - 20 | 15 - 20 | 15 - 20 Latitude (decimal): 29.717222
Total Berthing Space (feet): 300 | 600 | 600 Longitude (decimal): -93.8625
Remarks: A concrete-surfaced crane pad extends along 300 feet of middle portion. Approximately 20 acres of open storage area are located at rear. □
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60020 Dock Code: 950 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Sabine Pass Channel** Mile: 5.9 PWD: 7
Name: **ANR Pipeline Co., Sabine Pass Wharf.**
Location: Mile 5.9, right bank, Sabine Pass Channel, above outer end of jetties, outer portion of lower side of sl Datum: MLLW
Operator: ANR Pipeline Co., a subsidiary of the Coastal Corp.
Owner: ANR Pipeline Co., a subsidiary of the Coastal Corp.
Address: 7912 South First Avenue. Phone: 409-989-1231
Town: Sabine State: TX County: Jefferson
Railway Connection: None.
Purpose: Shipment of turbine fuel and corrosion inhibitors in portable storage tanks, and of other materials and supplies for offshore pipeline operations; fueling company-owned or operated vessels.
Depth Alongside (feet): 2 | 16 | Latitude (decimal): 29.720556
Total Berthing Space (feet): | 400 | Longitude (decimal): -93.86389
Remarks: One 3-inch diesel fuel pipeline extends to wharf from 4 steel storage tanks, total capacity 1,000 barrels. Potable water pipeline extends from one 11,000-gallon storage tank.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60020 Dock Code: 953 Galveston District

Port: **Port Arthur**
Waterway: **Sabine Pass Channel** Mile: 5.9 PWD: 9
Name: **Mr. Rudy's Seafood Wharf.**
Location: Mile 5.9, right bank, Sabine Pass Channel, above outer end of jetties, inner portion of upper side of sl Datum: MLLW
Operator: Mr. Rudy's Seafood, Inc.
Owner: Paul Piazza & Son of Texas, Inc.
Address: 7800 South First Avenue. Phone: 409-971-2797
Town: Sabine State: TX County: Jefferson
Railway Connection: None.
Purpose: Receipt of shrimp; mooring fishing boats.
Depth Alongside (feet): 9 - 10 | | Latitude (decimal): 29.720278
Total Berthing Space (feet): 550 | | Longitude (decimal): -93.86611
Remarks: Office and covered truckloading platform are located at rear.□□
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60020 Dock Code: 951

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Sabine Pass Channel** Mile: 5.9 PWD: 8
Name: **Paul Piazza & Son of Texas Slip.**
Location: Mile 5.9, right bank, Sabine Pass Channel, above outer end of jetties, inner portion of lower side and in Datum: MLLW
Operator: Paul Piazza & Son of Texas, Inc.
Owner: Paul Piazza & Son of Texas, Inc.
Address: 7904 South First Avenue. Phone: 409-971-2784
Town: Sabine State: TX County: Jefferson
Railway Connection: None.
Purpose: Fueling, icing, and mooring fishing boats.
Depth Alongside (feet): 10 - 11 | 2 - 11 | 2 - 11 Latitude (decimal): 29.719722
Total Berthing Space (feet): 435 | 100 | 100 Longitude (decimal): -93.86583
Remarks: One 1 1/4-inch fuel line extends to wharf from 2 steel storage tanks at rear, total capacity 800 barrels.
One 5-inch hose extends to wharf from an electric, ice-crushing machine with blower at ice house in rear.
Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 60020 Dock Code: 950 Galveston District

Port: **Port Arthur**
Waterway: **Sabine Pass Channel** Mile: 5.9 PWD: 10
Name: **Tesoro Marine Services, Sabine Pass Terminal, No. 1 Fueling Statio**
Location: Mile 5.9, right bank, Sabine Pass Channel, above outer end of jetties, outer portion of upper side of sl Datum: MLLW
Operator: Tesoro Marine Services, Inc.
Owner: Fred Rosen.
Address: 7680 South First Avenue. Phone: 409-971-2144
Town: Sabine State: TX County: Jefferson
Railway Connection: None.
Purpose: Fueling offshore service vessels and tugboats.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.720833
Total Berthing Space (feet): 150 | | Longitude (decimal): -93.86444
Remarks: One 2-inch pipeline with 1 1/2-inch metered connection extends to wharf from one 15,100-barrel diesel fuel storage tank at inner end of Rosen Slip (Ref. Nos. 11 and 12).
Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 60020 Dock Code: 949

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**

Waterway: **Sabine Pass Channel** Mile: 6.0 PWD: 12

Name: **Tesoro Marine Services, Sabine Pass Terminal, Rosen Slip Upper Wha**

Location: Mile 6.0, right bank, Sabine Pass Channel, above outer end of jetties, upper side of Rosen Slip, Sabine Datum: MLLW

Operator: Tesoro Marine Services, Inc.

Owner: Fred Rosen.

Address: 7680 South First Avenue. Phone: 409-971-2144

Town: Sabine State: TX County: Jefferson

Railway Connection: None.

Purpose: Shipment of bulk barite drilling mud, bagged chemicals, lube oils in drums, diesel fuel, pipe, and materials and supplies for offshore oil-well operations; fueling offshore service vessels and tugboats.

Depth Alongside (feet): 16 | 16 | 16 Latitude (decimal): 29.721389

Total Berthing Space (feet): 600 | | Longitude (decimal): -93.86611

Remarks: One 3- and one 2-inch diesel fuel pipelines extend to No. 3 Fueling Station, at the bulkhead, at the inner side of the crane platform, from diesel fuel storage tank described under No. 1 Fueling Station (Ref. No. 10). M.I. Drilling Fluid owns 9 horizontal, steel barite storage tanks, total capacity 650 tons, located at rear of bulkhead.

Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60020 Dock Code: 949

Port: **Port Arthur**

Waterway: **Sabine Pass Channel** Mile: 6.0 PWD: 11

Name: **Tesoro Marine Services, Sabine Pass Terminal, Rosen Slip, Lower Fu**

Location: Mile 6.0, right bank, Sabine Pass Channel, above outer end of jetties, lower side of Rosen Slip, Sabine Datum: MLLW

Operator: Tesoro Marine Services, Inc.

Owner: Fred Rosen.

Address: 7680 South First Avenue. Phone: 409-971-2144

Town: Sabine State: TX County: Jefferson

Railway Connection: None.

Purpose: Shipment of bulk cement and barite drilling mud, diesel fuel, lube oils in drums, bagged chemicals, and other supplies for offshore oil-well operations; fueling offshore service vessels and tugboats.

Depth Alongside (feet): 16 | 16 | Latitude (decimal): 29.720833

Total Berthing Space (feet): 600 | | Longitude (decimal): -93.86556

Remarks: Rosen Slip is approximately 180 to 190 feet wide. One 3-inch pipeline extends to both wharves and one 2-inch pipeline extends to outer wharf from diesel fuel storage tank described under No. 1 Fueling Station (Ref. No. 10). B.J. Services, Inc. owns four steel, cement storage silos, total capacity 200 tons, located at rear of outer wharf. Baker Hughes INTEQ owns four horizontal, steel, dry barite storage tanks, total capacity 415 tons, and two steel, gelbarite storage tanks, total capacity 150 tons, located at rear of inner wharf; one hose extends from gel barite storage tanks to wharf.

Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60020 Dock Code: 949

Port Series No. 22
The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Sabine Pass Channel** Mile: 6.0 PWD: 13
Name: **Tesoro Marine Services, Sabine Pass Terminal, Upper Wharf.**
Location: Mile 6.0, right bank, Sabine Pass Channel, above outer end of jetties, above Rosen Slip, Sabine Pass. Datum: MLLW
Operator: Tesoro Marine Services, Inc.
Owner: Fred Rosen.
Address: 7680 South First Avenue. Phone: 409-971-2144
Town: Sabine State: TX County: Jefferson
Railway Connection: None.
Purpose: Shipment of packaged drilling mud, lube oils, and diesel fuel, of bagged chemicals, and of materials and supplies for offshore oil-well operations.
Depth Alongside (feet): 20 | | Latitude (decimal): 29.721944
Total Berthing Space (feet): 500 | | Longitude (decimal): -93.86528
Remarks: -□□
Year of Last Survey: 2001 Corps of Engrns Waterway Code: 60020 Dock Code: 949

Port: **Port Arthur**
Waterway: **Sabine Pass Channel** Mile: 6.2 PWD: 14
Name: **TDI-Halter, Sabine Yard Slip and Wharf.**
Location: Mile 6.2, right bank, Sabine Pass Channel, above outer end of jetties, Sabine Pass. Datum: MLLW
Operator: TDI-Halter, LP.
Owner: TDI-Halter, LP.
Address: 7366 South First Avenue. Phone: 409-882-9311
Town: Sabine State: TX County: Jefferson
Railway Connection: None.
Purpose: Mooring offshore drilling rigs for outfitting and repair.
Depth Alongside (feet): 12 - 18 | 12 - 15 | 15 Latitude (decimal): 29.724167
Total Berthing Space (feet): 650 | 201 | 594 Longitude (decimal): -93.86833
Remarks: Water depth along 200 feet of berthing space at row of dolphins is 15 to 18 feet. Repair shops are located in yard.□
Year of Last Survey: 2001 Corps of Engrns Waterway Code: 60020 Dock Code: 944

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Sabine Pass Channel** Mile: 6.4 PWD: 15
Name: **Sabine Offshore Service, QCI Marine Offshore Wharf.**
Location: Right bank, Sabine Pass Channel, mile 6.4 above outer end of jetties, Sabine Pass. Datum: MLLW
Operator: QCI Marine Offshore, LLC
Owner: Sabine Offshore Service, Inc.
Address: 7266 South First Avenue. Phone: 409-971-2586
Town: Sabine State: TX County: Jefferson
Railway Connection: None.
Purpose: Occasional handling of anchor chain and other materials for offshore drilling rigs: occasional mooring of offshore drilling rigs.
Depth Alongside (feet): 16 | 16 | Latitude (decimal): 29.726111
Total Berthing Space (feet): 530 | 220 | Longitude (decimal): -93.87
Remarks: One blanked 3-inch pipeline extends to wharf from one unused, 10,000-barrel, steel, diesel fuel storage tank at rear. □
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60020 Dock Code: 946 Galveston District

Port: **Port Arthur**
Waterway: **Sabine Pass Channel** Mile: 6.5 PWD: 16
Name: **U.S. Coast Guard Sabine Pass Station Pier.**
Location: Right bank, Sabine Pass Channel, mile 6.5 above outer end of jetties, Sabine Pass. Datum: MLLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 7034 South First Avenue. Phone: 409-971-2195
Town: Sabine State: TX County: Jefferson
Railway Connection: None.
Purpose: Mooring and fueling U.S. Coast Guard vessels.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 29.727778
Total Berthing Space (feet): 132 | 125 | 125 Longitude (decimal): -93.87083
Remarks: Inner 2 finger piers form a 31- by 13-foot slip with 60 feet of breasting distance on the outer side. Inner 2 slips are covered by a concrete-framed shed. Innermost finger pier has a deck height of 4 feet and a breasting distance of 31 feet on its inner side. Adjacent upper side of main pier provides 20 feet of breasting distance at inner berth. One 2-inch pipeline extends to pier from one 950-barrel, steel, diesel fuel storage tank. USCGC'Point Baker' is stationed at base.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60020 Dock Code: 941 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Sabine Pass Channel** Mile: 6.7 PWD: 17
Name: **TDI-Halter, South Yard Wharf.**
Location: Right bank, Sabine Pass Channel, mile 6.7 above outer end of jetties, Sabine Pass. Datum: MLLW
Operator: TDI-Halter, L.P.
Owner: TDI-Halter, L.P.
Address: 6830 South First Avenue. Phone: 409-882-9311
Town: Sabine State: TX County: Jefferson
Railway Connection: None.
Purpose: Mooring offshore drilling rigs for repair.
Depth Alongside (feet): 28 | 28 | 28 Latitude (decimal): 29.731111
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.87194
Remarks: Two parallel, 8-foot wide, concrete-filled, steel caisson, steel-decked piers extend at angle from shore at upper end of wharf, forming a 110- by 36-foot slip. Wharf is served by 6-inch natural gas pipeline. Marine repair shops are located at rear.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60020 Dock Code: 944

Port: **Port Arthur**
Waterway: **Sabine Pass Channel** Mile: 7.4 PWD: 18
Name: **Sabine Pass Port Authority Wharves.**
Location: Right bank, Sabine Pass Old Channel, mile 7.4 above outer end of jetties, approx. Datum: MLLW
0.4 mile below foot of
Operator: Sabine Pass Port Authority and Jacks Shrimp House.
Owner: City of Sabine Pass.
Address: 5960 South First Avenue. Phone: 409-971-2411
Town: Sabine Pass State: TX County: Jefferson
Railway Connection: None.
Purpose: Mooring fishing boats; receipt of fish, shrimp and shellfish.
Depth Alongside (feet): 12 | 7 - 8 | 7 - 8 Latitude (decimal): 29.7375
Total Berthing Space (feet): 616 | 360 | 320 Longitude (decimal): -93.8825
Remarks: Jack's Shrimp House operates the lower 100 feet of bulkhead at rear of offshore wharf. Sides of approach to offshore wharf and pier extensions at rear of face provide 20 berths, each with 50 feet of breasting distance and 100 feet of berthing space in 8 to 9 feet of water depth. Lower side of slip at upper end is divided by a 50- by 6-foot, timber pier near entrance and a row of timber breasting piles into fifteen 50- by 18-foot wide berths in 5 feet of waterdepth. A basin with a 50-foot wide entrance channel, formed by steel sheet pile bulkheads with solid fill, providing 87 slips in 8 feet of water depth for recreational craft, was under construction at rear of upper portion of bulkhead at time of survey (1999).
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60020 Dock Code: 938

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Sabine Pass Channel** Mile: 7.5 PWD: 19
Name: **Offshore Marine Services Wharf.**
Location: Right bank, Sabine Pass Old Channel, mile 7.5 above outer end of jetties, 1,800 feet below foot of Broad Datum: MLLW
Operator: Offshore Marine Services, Inc.
Owner: City of Sabine Pass
Address: 5840 South First Avenue Phone: 409-971-2705
Town: Sabine Pass State: TX County: Jefferson
Railway Connection: None.
Purpose: Handling floating rubber cushion fenders by company-owned offshore service vessels; mooring company-owned vessels.
Depth Alongside (feet): 16 | 4 - 16 | Latitude (decimal): 29.7375
Total Berthing Space (feet): 396 | 340 | Longitude (decimal): -93.88444
Remarks: Operator provides fenders for tanker vessels lightering off the coast of Texas. Approximately 4 acres of open storage area are located at rear. □
Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 60020 Dock Code: 940 Galveston District

Port: **Port Arthur**
Waterway: **Sabine Pass Channel** Mile: 7.6 PWD: 20
Name: **Fishermen's Reef Shrimp Co. Offshore Wharf and Icing Pier**
Location: Right bank, Sabine Pass Old Channel, mile 7.6 above outer end of jetties, 1,600 feet below foot of Broad Datum: MLLW
Operator: Fishermen's Reef Shrimp Co., a subsidiary of Farmer Boy's Catfish Kitchens Internatio
Owner: Fishermen's Reef Shrimp Co., a subsidiary of Farmer Boy's Catfish Kitchens International, Inc.
Address: 5600 South First Avenue. Phone: 409-971-2112
Town: Sabine Pass State: TX County: Jefferson
Railway Connection: None.
Purpose: Mooring company-owned or operated shrimp boats for repair, icing and supplying water.
Depth Alongside (feet): 12 | 9 - 12 | 5 - 9 Latitude (decimal): 29.738056
Total Berthing Space (feet): 325 | 300 | 100 Longitude (decimal): -93.88528
Remarks: Fishing boats moor along both faces of wharf and sides of approach. Inner end of approach is covered by a shed. One 5-inch pipeline extends from ice house at rear of bulkhead to loading chute on platform.
Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 60020 Dock Code: 939

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Sabine Pass Channel** Mile: 7.6 PWD: 21
Name: **Fishermen's Reef Shrimp Co. Unloading and Mooring Piers**
Location: Right bank, Sabine Pass Old Channel, mile 7.6 above outer end of jetties, 1,400 feet below foot of Broad Datum: MLLW
Operator: Fishermen's Reef Shrimp Co., a subsidiary of Farmer Boy's Catfish Kitchens Internatio
Owner: Fishermen's Reef Shrimp Co., a subsidiary of Farmer Boy's Catfish Kitchens International, Inc.
Address: 5600 South First Avenue. Phone: 409-971-2112
Town: Sabine Pass State: TX County: Jefferson
Railway Connection: None.
Purpose: Receipt of shrimp; mooring company-owned or operated shrimp boats for repair and supplying water.
Depth Alongside (feet): 5 - 9 | 5 | 5 Latitude (decimal): 29.737778
Total Berthing Space (feet): 100 | 300 | 130 Longitude (decimal): -93.88611
Remarks: Covered truckloading platform is located at rear.□□
Year of Last Survey: 2001 Corps of Engrns Waterway Code: 60020 Dock Code: 939

Port: **Port Arthur**
Waterway: **Sabine Pass Channel** Mile: 7.7 PWD: 22
Name: **Neches-Gulf Marine Wharf.**
Location: Right bank, Sabine Pass Old Channel, mile 7.7 above outer end of jetties, approx. 800 feet below foot of Datum: MLLW
Operator: Neches-Gulf Marine, Inc.
Owner: Neches-Gulf Marine, Inc.
Address: 5500 South First Avenue. Phone: 409-971-2160
Town: Sabine Pass State: TX County: Jefferson
Railway Connection: None.
Purpose: Mooring offshore drilling rigs and small craft for repair, maintenance, and storage.
Depth Alongside (feet): 0 - 10 | 10 - 25 | 15 - 25 Latitude (decimal): 29.738889
Total Berthing Space (feet): 132 | 330 | 180 Longitude (decimal): -93.88722
Remarks: Timber pile, timber-decked, 3-foot wide walkways at upper end of upper side form one, covered, 20- by 10-foot, and one 25- by 18-foot slips for launches. At rear of walkways, bulkhead extends into the lower side of a drainage canal. Shop building is located at rear.
Year of Last Survey: 2001 Corps of Engrns Waterway Code: 60020 Dock Code: 920

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Sabine Pass Channel** Mile: 7.8 PWD: 23
Name: **Plains Marketing, Sabine Pass Wharf**
Location: Right bank, Sabine Pass Old Channel, mile 7.8 above outer end of jetties, approx. 500 feet below foot of Datum: MLLW
Operator: Plains Marketing
Owner: Plains Marketing
Address: 5432 South First Avenue. Phone: 409-971-2371
Town: Sabine Pass State: TX County: Jefferson
Railway Connection: None.
Purpose: Receipt and shipment of crude oil.
Depth Alongside (feet): 27 | | Latitude (decimal): 29.739167
Total Berthing Space (feet): 300 | | Longitude (decimal): -93.88861
Remarks: One 10-inch pipeline extends to wharf from 3 steel storage tanks, total capacity 215,000 barrels, located approximately 1.3 miles inland at 6700 South Gulfway Drive (State Highway 87). One 6-inch vapor recovery pipeline extends from wharf to flare tower at rear.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60020 Dock Code: 919

Port: **Port Arthur**
Waterway: **Sabine Pass Channel** Mile: 7.9 PWD: 24
Name: **H & N Seafood Wholesale & Distributor Corp. Piers**
Location: Right bank, Sabine Pass Old Channel, mile 7.9 above outer end of jetties, approx. 50 feet above foot of Datum: MLLW
Operator: H & N Seafood Wholesale & Distributor Corp.
Owner: Ocean Harvest Co.
Address: 5230 South First Avenue. Phone:
Town: Sabine Pass State: TX County: Jefferson
Railway Connection: None.
Purpose: Receipt of shrimp; mooring shrimp boats.
Depth Alongside (feet): 10 | 10 | 8 - 10 Latitude (decimal): 29.740278
Total Berthing Space (feet): 250 | 120 | 100 Longitude (decimal): -93.89083
Remarks: Shrimp is received at upper pier. Vessels moor at upper side of lower pier and at face of remains of barge. Upper side of lower pier and lower side of remains of barge form a slip approximately 60 feet wide. Open-sided shed is located at inner end of upper pier.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60020 Dock Code: 918

Port Series No. 22
The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Sabine Pass Channel** Mile: 8.0 PWD: 25
Name: **R.L. Eldridge Construction, Gabby's Dock Wharf.**
Location: Right bank, Sabine Pass Old Channel, mile 8.0 above outer end of jetties, approx. Datum: MLLW
450 feet above foot of
Operator: R. L. Eldridge Construction, Inc.
Owner: R. L. Eldridge Construction, Inc.
Address: 5121 South First Avenue. Phone: 409-971-2495
Town: Sabine Pass State: TX County: Jefferson
Railway Connection: None.
Purpose: Mooring offshore drilling rigs for repair, maintenance, and storage; mooring company-owned floating
equipment; handling construction materials and supplies.
Depth Alongside (feet): 18 | 5 - 6 | Latitude (decimal): 29.740833
Total Berthing Space (feet): 700 | 160 | Longitude (decimal): -93.89222
Remarks: Upper side of wharf is the side of a 60-foot wide drainage canal. Welding shop and approximately 19
acres of open storage area are located at rear. □
Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 60020 Dock Code: 916

Port: **Port Arthur**
Waterway: **Sabine Pass Channel** Mile: 8.1 PWD: 26
Name: **Butch Crain Construction, Sabine Slip**
Location: Left bank, Sabine Pass Channel, mile 8.1 above outer end of jetties, opposite Point Datum: MLLW
Hunt Island, Cameron
Operator: Butch Crain Construction, Inc.
Owner: Crain Land, LLC
Address: Gulf Beach Highway Phone: 409-842-1174
Town: Johnson Bayou State: LA County: Cameron Parish
Railway Connection: None.
Purpose: Shipment of pipe and other materials, equipment and supplies for offshore oil well operations.
Handling construction supplies and equipment.
Depth Alongside (feet): 24 | 24 | 24 Latitude (decimal): 29.748333
Total Berthing Space (feet): 650 | | Longitude (decimal): -93.87972
Remarks: Facilities had not been constructed at time of survey (2000), and are described as planned. Slip is
planned to be 24 feet deep for a width of 150 feet. Highway access is via driveway to Chevron, USA
Production Co., Sabine Terminal (Ref. No. 27). Approximately 14 acres of open storage area to be
located at rear.
Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 60020 Dock Code: 914

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**

Waterway: **Sabine Pass Channel** Mile: 8.8 PWD: 27

Name: **Chevron, USA Production Co., Sabine Terminal.**

Location: Left bank, Sabine Pass Channel, below entrance to Sabine Lake, approx 0.6 mile east of State Highway 82 Datum: MLLW

Operator: Chevron, USA Production Co. Inc.

Owner: Chevron, USA Production Co. Inc.

Address: 9231 Gulf Beach Highway Phone: 318-569-2572

Town: Johnson Bayou State: LA County: Cameron Parish

Railway Connection: None.

Purpose: Handling equipment and supplies for offshore oil well operations; mooring company-owned offshore service vessels.

Depth Alongside (feet): 10 | 10 | Latitude (decimal): 29.765

Total Berthing Space (feet): 110 | 180 | Longitude (decimal): -93.88333

Remarks: Two wharves are in line and provide approximately 400 feet of combined breasting distance. Lower wharf formerly was used for shipment of crude oil by barge. One blanked, 6-inch pipeline extends to lower wharf from one 10,000-barrel, steel storage tank at rear. One 50-foot wide, concrete launching and seaplane ramp is located at upper side of upper wharf.

Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60020 Dock Code: 095

Port: **Port Arthur**

Waterway: **Sabine River** Mile: PWD: 192

Name: **TDI-Halter, Pier One Yard, Port of Orange Pier 1.**

Location: Right bank, Sabine River, approximately 1.1 miles above foot of East Green Avenue extended, Orange. Datum: MLLW

Operator: TDI-Halter, L.P.

Owner: Orange County Navigation and Port District.

Address: End of Pier Road Phone: 409-882-9311

Town: Orange State: TX County: Orange

Railway Connection: None.

Purpose: Mooring vessels for repair, conversion and outfitting; mooring floating drydock.

Depth Alongside (feet): 20 | 30 | Latitude (decimal): 30.107222

Total Berthing Space (feet): 540 | 152 | Longitude (decimal): -93.71528

Remarks: One 10,000-long-ton floating drydock is moored at outer portion of upper side. Drydock and marine repair plant at rear are operated in conjunction with operator's Orange Plant (Ref. Nos. 184 to 189) and Childers Yard (Ref. No. 178).

Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60050 Dock Code: 715

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Sabine River** Mile: PWD: 191
Name: **U.S. Naval Reserve Center, Port of Orange Pier 10.**
Location: Right bank, Sabine River, approximately 0.3 mile above foot of East Green Avenue extended, Orange. Datum: MLLW
Operator: U.S. Naval Reserve.
Owner: United States Government.
Address: 915 Pier Road Phone: 409-883-5003
Town: Orange State: TX County: Orange
Railway Connection: None.
Purpose: Mooring government-owned vessels.
Depth Alongside (feet): | 0 - 35 | 0 - 35 Latitude (decimal): 30.097778
Total Berthing Space (feet): | 420 | 420 Longitude (decimal): -93.72139
Remarks: Naval Reserve Center is located on opposite side of Pier Road.□□
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60050 Dock Code: 720 Galveston District

Port: **Port Arthur**
Waterway: **Sabine River** Mile: 267.7 PWD: 168
Name: **Dynegy Midstream Services, Sabine River Wharf.**
Location: Right bank, Sabine River, approximately 2.0 miles above mouth of Cow Bayou, Orange. Datum: MLLW
Operator: Not operated.
Owner: Dynegy Midstream Services, LP
Address: Du Pont Drive (State Highway FM 1006) Phone: 713-507-6944
Town: Orange State: TX County: Orange
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 14 | | Latitude (decimal): 30.035833
Total Berthing Space (feet): 500 | | Longitude (decimal): -93.73917
Remarks: Portion of access to wharf is via private road owned by Entergy Gulf States Inc.□
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60050 Dock Code: 875

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Sabine River** Mile: 38.8 PWD: 175
Name: **Port of Orange, Alabama Street Terminal Wharf, Berths Nos. 1-4.**
Location: Right bank, Sabine River, below Berwick Cut, on south side of outer portion of Orange Municipal Slip, Or Datum: MLLW
Operator: Orange County Navigation and Port District.
Owner: Orange County Navigation and Port District.
Address: Foot of Alabama Street Phone: 409-883-4363
Town: Orange State: TX County: Orange
Railway Connection: Carfloor level tracks: one between transit sheds Nos. 6, 7, and 8, and at rear of Shed No. 4: one at rear of Sheds Nos 1 and 2; and two each at rear of Sheds Nos. 6 and 5; join one surface track; (Remarks)
Purpose: Mooring vessels.
Depth Alongside (feet): 30 | | Latitude (decimal): 30.066944
Total Berthing Space (feet): 2,300 | | Longitude (decimal): -93.72306
Remarks: Wharf formerly was used for receipt and shipment of general cargo. Dredged portion of slip is approximately 335 feet wide. Transit Sheds Nos. 1, 2, 3, and 4 are continuous; Shed No. 5 is adjacent to rear of Shed No. 3 and portion of Shed No. 4; Transit Sheds Nos. 7 and 8 are continuous; Shed No. 6 is located at rear of Sheds Nos. 7 and 8. At time of survey (1999), sheds were operated as warehouses by Sabine Warehouse Co. (S.W. Ref. No. 3). Railway track connects with Union Pacific Railroad.

Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60050 Dock Code: 820 Galveston District

Port: **Port Arthur**
Waterway: **Sabine River** Mile: 38.8 PWD: 176
Name: **Port of Orange, Alabama Street Terminal, Keystone Slip Moorings.**
Location: Right bank, Sabine River, below Berwick Cut, on south side of inner portion of Orange Municipal Slip, Or Datum: MLLW
Operator: Orange County Navigation and Port District.
Owner: Orange County Navigation and Port District.
Address: Foot of Alabama Street Phone: 409-883-4363
Town: Orange State: TX County: Orange
Railway Connection: One surface track at rear; connects with Union Pacific Railroad.
Purpose: Mooring barges.
Depth Alongside (feet): 34 | | Latitude (decimal): 30.070278
Total Berthing Space (feet): 1,400 | | Longitude (decimal): -93.72694
Remarks: Dredged portion of slip is approximately 334 feet wide. Barges are moored abreast across width of slip.□

Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60050 Dock Code: 820 Galveston District

Port Series No. 22
The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Sabine River** Mile: 39.7 PWD: 177
Name: **Crumpler's Shipbuilding Wharf.**
Location: Right bank, Sabine River, mile 39.7 above outer end of jetties, approximately 0.3 mile above Berwick Cut Datum: MLLW
Operator: Crumpler's Shipbuilding, Inc.
Owner: Crumpler's Shipbuilding, Inc.
Address: 1701 Childers Road Phone: 409-886-7934
Town: Orange State: TX County: Orange
Railway Connection: None.
Purpose: Mooring barges and small vessels for conversion, outfitting and repair; mooring floating drydocks.
Depth Alongside (feet): 10 - 16 | 10 - 20 | 10 - 20 Latitude (decimal): 30.073333
Total Berthing Space (feet): 245 | 330 | 180 Longitude (decimal): -93.72167
Remarks: Marine repair plant is located at rear. Two floating drydocks moor at wharf; one 1,428-long ton at lower bulkhead and one 400-long ton at upper bulkhead.□
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60050 Dock Code: 810 Galveston District

Port: **Port Arthur**
Waterway: **Sabine River** Mile: 39.9 PWD: 178
Name: **TDI-Halter, Childers Yard Wharves**
Location: Right bank, Sabine River, mile 39.9 above outer end of jetties, below lower entrance to Harbor Island Ch Datum: MLLW
Operator: TDI-Halter, L.P.
Owner: Jerry Weaver Harris
Address: 1601 South Childers Road Phone: 409-882-9311
Town: Orange State: TX County: Orange
Railway Connection: None.
Purpose: Occasional mooring of vessels for outfitting and repair.
Depth Alongside (feet): 18 | 18 | 18 Latitude (decimal): 30.075278
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.72333
Remarks: One 2 1/2-inch, compressed air line serves wharves. Marine repair plant located at rear is operated in conjunction with Orange Plant (Ref. Nos. 184 to 189), and 10,000-long ton floating drydock at Pier One Yard (Ref. No. 192).
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60050 Dock Code: 806 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Sabine River** Mile: 40.0 PWD: 197
Name: **Pharaoh Oil & Gas, Phoenix Lake Field Loading Dock Wharf.**
Location: Left bank, Sabine River, mile 40.0 above outer end of jetties, op- posite lower end of Orange Harbor Isl Datum: MLLW
Operator: Pharaoh Oil & Gas, Inc.
Owner: Pharaoh Oil & Gas, Inc.
Address: Phone: 915-682-5888
Town: Toomey State: LA County: Calcasieu
Railway Connection: None.
Purpose: Shipment of crude oil by barge.
Depth Alongside (feet): 16 | | Latitude (decimal): 30.078611
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.72278
Remarks: One 8-inch pipeline extends to wharf from one, 10,000-barrel, steel storage tank in rear.□
Year of Last Survey: 2001 Corps of Engrns Waterway Code: 60050 Dock Code: 205

Port: **Port Arthur**
Waterway: **Sabine River** Mile: 40.4 PWD: 196
Name: **Pharaoh Oil & Gas, Phoenix Lake Field Ramp Wharf.**
Location: Left bank, Sabine River, on west side of slip extending from northeast side of Phoenix Lake, Calcasieu P Datum: MLLW
Operator: Pharaoh Oil & Gas, Inc.
Owner: Pharaoh Oil & Gas, Inc.
Address: Phone: 915-682-5888
Town: Toomey State: LA County: Calcasieu
Railway Connection: None.
Purpose: Handling roll-on/roll-off oilfield equipment.
Depth Alongside (feet): 8 | | Latitude (decimal): 30.081389
Total Berthing Space (feet): 120 | | Longitude (decimal): -93.71361
Remarks: Slip is approximately 150 feet wide at wharf. Access to slip from Sabine River is via narrow channel, approximately 1.1 miles long, up drainage channel and along shoreline of south portion of Phoenix Lake. Ten-foot wide, shell-surfaced, timber road extends from wharf to oil field at rear.
Year of Last Survey: 2001 Corps of Engrns Waterway Code: 60050 Dock Code: 205

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Sabine River** Mile: 40.7 PWD: 188
Name: **TDI-Halter, Orange Plant, Central Wharf and Slips.**
Location: Right bank, Sabine River, mile 40.7 above outer end of jetties, approx. 0.3 mile below foot of East Gree Datum: MLLW
Operator: TDI-Halter, L.P.
Owner: TDI-Halter, L.P.
Address: 91 West Front Street. Phone: 409-882-9311
Town: Orange State: TX County: Orange
Railway Connection: One surface track, 70 to 30 feet in rear of face, joins additional plant trackage in rear; connect with Union Pacific Railroad.
Purpose: Mooring vessels and offshore drilling rigs for construction and outfitting; loading fabricated steel components for rigs onto barges.
Depth Alongside (feet): 12 - 15 | 12 - 32 | 12 - 32 Latitude (decimal): 30.087778
Total Berthing Space (feet): 880 | 150 | 150 Longitude (decimal): -93.72333
Remarks: Shop buildings are located at rear.□□
Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 60050 Dock Code: 740 Galveston District

Port: **Port Arthur**
Waterway: **Sabine River** Mile: 40.9 PWD: 189
Name: **TDI-Halter, Orange Plant, North Dock Wharf.**
Location: Right bank, Sabine River, mile 40.9 above outer end of jetties, approx. 800 feet below foot of East Gree Datum: MLLW
Operator: TDI-Halter, L.P.
Owner: TDI-Halter, L.P.
Address: 91 West Front Street. Phone: 409-882-9311
Town: Orange State: TX County: Orange
Railway Connection: Trackage in plant at rear connects with Union Pacific Railroad.
Purpose: Mooring vessels and offshore drilling rigs for construction and outfitting.
Depth Alongside (feet): 29 - 33 | 29 - 33 | Latitude (decimal): 30.090278
Total Berthing Space (feet): 650 | | Longitude (decimal): -93.72361
Remarks: -□□
Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 60050 Dock Code: 740 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Sabine River** Mile: 41.0 PWD: 190
Name: **CBH Services, Orange Yard Wharf.**
Location: Right bank, Sabine River, mile 41.0 above outer end of jetties, below foot of East Green Avenue extended Datum: MLLW
Operator: CBH Services, Inc.
Owner: CBH Services, Inc.
Address: 200 Pier Road Phone: 409-883-3300
Town: Orange State: TX County: Orange
Railway Connection: One marginal surface track 30 feet in rear of face; connects with Union Pacific Railroad.
Purpose: Mooring vessels and barges for repair.
Depth Alongside (feet): 24 | 24 | Latitude (decimal): 30.092222
Total Berthing Space (feet): 736 | | Longitude (decimal): -93.72444
Remarks: Face of timber wharf is in line and contiguous with TDI-Halter, L.P., Orange Plant, North Dock Wharf (Ref. No. 189). Two-inch compressed air, oxygen, and natural gas pipelines serve wharf. Shops and warehouse are located in marine repair plant at rear.
Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 60050 Dock Code: 730 Galveston District

Port: **Port Arthur**
Waterway: **Sabine River, Old Channel** Mile: 40.0 PWD: 182
Name: **Few Ready Mix Concrete Co. Wharf**
Location: Right bank, Sabine River, on west side of Harbor Island Channel, 0.8 mile north of lower entrance, above Datum: MLLW
Operator: Few Ready Mix Concrete Co.
Owner: Few Ready Mix Concrete Co.
Address: 401 Market Street Phone: 409-722-9131
Town: Orange State: TX County: Orange
Railway Connection: None.
Purpose: Receipt of limestone by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.084722
Total Berthing Space (feet): 200 | | Longitude (decimal): -93.73444
Remarks: Approximately 2 acres of open storage area and a ready-mix concrete plant are located at rear. □
Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 60050 Dock Code: 756

Port Series No. 22
The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Sabine River, Old Channel** Mile: 40.0 PWD: 183
Name: **Higman Towing Co. Wharf.**
Location: Right bank, Sabine River, on west side of Harbor Island Channel, approximately 0.9 mile north of lower e Datum: MLLW
Operator: Higman Towing Co., Inc.
Owner: Higman Towing Co., Inc.
Address: Jackson Avenue and Water Street Phone: 409-883-5636
Town: Orange State: TX County: Orange
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.086667
Total Berthing Space (feet): 420 | | Longitude (decimal): -93.735
Remarks: Five sheds used for storage are located along shore at rear of wharf and bulkheads.□
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60050 Dock Code: 755 Galveston District

Port: **Port Arthur**
Waterway: **Sabine River, Old Channel** Mile: 40.0 PWD: 179
Name: **Houston Ship Repair, Orange Division, Dock No. 2 Wharf.**
Location: Right bank, Sabine River, on west side of Harbor Island Channel, approximately 0.4 mile north of lower e Datum: MLLW
Operator: Houston Ship Repair, Inc.
Owner: Orange County Navigation and Port District.
Address: 615 West Georgia Street Phone: 409-883-6054
Town: Orange State: TX County: Orange
Railway Connection: None.
Purpose: Mooring barges and vessels for repair.
Depth Alongside (feet): 13 | | Latitude (decimal): 30.080556
Total Berthing Space (feet): 730 | | Longitude (decimal): -93.73083
Remarks: Barge is served by 4-inch compressed air line. Marine repair plant located at rear.□
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60050 Dock Code: 760 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
 Waterway: **Sabine River, Old Channel** Mile: 40.0 PWD: 181
 Name: **Orange Shipbuilding Co., Outfitting Dock.**
 Location: Right bank, Sabine River, on west side of Harbor Island Channel, 0.8 mile north of lower entrance, below Datum: MLLW
 Operator: Orange Shipbuilding Co., Inc., a Conrad Industries Co.
 Owner: Conrad Industries
 Address: 710 Market Street Phone: 409-883-6666
 Town: Orange State: TX County: Orange
 Railway Connection: Union Pacific Railroad: one surface track at rear of plant.
 Purpose: Shipment of small vessels by barge; mooring vessels, tugboats, towboats, supply boats and barges for conversion, outfitting, and repair.
 Depth Alongside (feet): 12 | 12 | Latitude (decimal): 30.084167
 Total Berthing Space (feet): 300 | 150 | Longitude (decimal): -93.73417
 Remarks: One 1,600-ton marine railway is located in 200- by 80-foot slip. One 1,200-ton, side-transfer system at rear of yard serves railway, two sets of transfer ways in yard, and two sets of 800-ton transfer ways extending to face for loading components onto barges under construction and loading completed, small vessels onto barges for shipment. One 800- and two 500-ton turntables in yard connect marine transfer ways in one 314- by 74- by 46-foot clear height, and two 364- by 60- by 40-foot clear height, construction and repair shops, respectively, to barge-loading ways and one set of yard ways. Two prefabrication shops are located at marine repair plant in rear. Dock is served by 1 1/2-inch compressed air line.
 Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60050 Dock Code: 757 Galveston District

Port: **Port Arthur**
 Waterway: **Sabine River, Old Channel** Mile: 40.0 PWD: 180
 Name: **Smith Industrial Cleaning, Dock No. 1 Wharf.**
 Location: Right bank, Sabine River, on west side of Harbor Island Channel, approximately 0.5 mile north of lower e Datum: MLLW
 Operator: Smith Industrial Cleaning, Inc.
 Owner: Orange County Navigation and Port District.
 Address: 615 West Georgia Street Phone: 409-883-3141
 Town: Orange State: TX County: Orange
 Railway Connection: None.
 Purpose: Mooring tank barges and tugboats for cleaning and gas-freeing.
 Depth Alongside (feet): 13 | | Latitude (decimal): 30.081389
 Total Berthing Space (feet): 650 | | Longitude (decimal): -93.73139
 Remarks: Barge is served by 2-inch compressed air line. Houston Ship Repair, Inc. Orange Division marine repair plant (Ref. No. 179) is located at rear. □
 Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60050 Dock Code: 758

Port Series No. 22
The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Sabine River, Old Channel** Mile: 40.3 PWD: 186
Name: **TDI-Halter, Orange Plant, 'C' Dock Wharf.**
Location: Right bank, Sabine River, on east side of Harbor Island Channel, north of upper entrance to Channel, Ora Datum: MLLW
Operator: TDI-Halter, L.P.
Owner: TDI-Halter, L.P.
Address: 91 West Front Street. Phone: 409-882-9311
Town: Orange State: TX County: Orange
Railway Connection: Trackage in plant at rear connects with Union Pacific Railroad.
Purpose: Mooring barges and company-owned floating equipment.
Depth Alongside (feet): 18 | | Latitude (decimal): 30.083611
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.72611
Remarks: Deck of wharf was in deteriorated condition at time of survey (1999). Warehouse and shop buildings are located at rear. □
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60050 Dock Code: 740 Galveston District

Port: **Port Arthur**
Waterway: **Sabine River, Old Channel** Mile: 40.3 PWD: 184
Name: **TDI-Halter, Orange Plant, O.P.I. Mooring.**
Location: Right bank, Sabine River, on east side of Harbor Island Channel, approximately 0.4 mile north of upper e Datum: MLLW
Operator: TDI-Halter, L.P.
Owner: J. Ray McDermott
Address: 91 West Front Street. Phone: 409-882-9311
Town: Orange State: TX County: Orange
Railway Connection: One surface track at center of wharf extends to plant trackage at rear; connects with Union Pacific Railroad.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 15 | 15 | Latitude (decimal): 30.089167
Total Berthing Space (feet): 400 | 200 | Longitude (decimal): -93.72889
Remarks: One 2 1/2-inch compressed air line serves wharf. □ □
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60050 Dock Code: 740 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Sabine River, Old Channel** Mile: 40.3 PWD: 185
Name: **TDI-Halter, Orange Plant, West Dock Wharf.**
Location: Right bank, Sabine River, on east side of Harbor Island Channel, approximately 0.1 mile north of upper e Datum: MLLW
Operator: TDI-Halter, L.P.
Owner: TDI-Halter, L.P.
Address: 91 West Front Street. Phone: 409-882-9311
Town: Orange State: TX County: Orange
Railway Connection: Trackage in plant at rear connects with Union Pacific Railroad.
Purpose: Mooring vessels and offshore drilling rigs for construction and outfitting.
Depth Alongside (feet): 18 | | Latitude (decimal): 30.085
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.72694
Remarks: One 2 1/2-inch compressed air line serves wharf. Shop buildings are located at rear. One 10,000-long ton floating drydock at operator's Pier One Yard (Ref. No. 192) is operated in conjunction with Orange Plant.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60050 Dock Code: 740 Galveston District

Port: **Port Arthur**
Waterway: **Sabine River, Old Channel** Mile: 40.4 PWD: 187
Name: **TDI-Halter, Orange Plant, 'A' and 'B' Docks Wharf.**
Location: Right bank, Sabine River, at upper entrance to Harbor Island Channel, approx. 0.6 mile below foot of Eas Datum: MLLW
Operator: TDI-Halter, L.P.
Owner: TDI-Halter, L.P.
Address: 91 West Front Street. Phone: 409-882-9311
Town: Orange State: TX County: Orange
Railway Connection: Trackage in plant at rear connects with Union Pacific Railroad.
Purpose: Occasional handling of fabricated steel offshore drilling rig components by floating derrick and cranes; mooring barges and company-owned floating equipment.
Depth Alongside (feet): 15 - 22 | 15 - 22 | Latitude (decimal): 30.084167
Total Berthing Space (feet): 800 | | Longitude (decimal): -93.72417
Remarks: Deck of wharf was in deteriorated condition at time of survey (1999). Three former shipbuilding and launching ways are located between north end of 'A' Dock and south end of Central Wharf (Ref. No. 188). Shop buildings are located at rear.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 60050 Dock Code: 740 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Sabine-Neches Canal** Mile: 276.9 PWD: 86
Name: **Scrap Marine Salvage Wharf.**
Location: Right bank, Sabine-Neches Canal, upper end of Pleasure Islet, approximately 0.5 mile below entrance to N Datum: MLLW
Operator: Scrap Marine Salvage and Roy Stanley
Owner: Chester Slay
Address: 8700 Old Yacht Club Road Phone: 409-963-3040
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Receipt of scrap offshore oil rig components by barge; mooring offshore service equipment barge.
Depth Alongside (feet): 14 | | Latitude (decimal): 29.961944
Total Berthing Space (feet): 920 | | Longitude (decimal): -93.85806
Remarks: At time of survey (1999), Scrap Marine Salvage received offshore drilling rig components for scrapping at upper portion, and offshore service equipment barge was moored at bulkhead. Bulkheaded portion formerly was used for barge cleaning. Equipment unused at time of survey included one 3-inch pipeline extending to a platform from 3 steel wash water storage tanks at rear, total capacity 630,000 gallons, and pipelines extending to 17 storage and processing tanks at rear.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 630

Port: **Port Arthur**
Waterway: **Sabine-Neches Canal** Mile: 278.0 PWD: 81
Name: **EcoWater Industries, Port Arthur Wastewater Reclamation Facility W**
Location: Right bank, Sabine-Neches Canal, on west side of Old River Abandoned Channel, approximately 0.7 mile abo Datum: MLLW
Operator: EcoWater Industries, LLC
Owner: Marine Ventures, Ltd.
Address: 8741 Old Yacht Club Road Phone: 409-962-7469
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Receipt of wastewater by barge.
Depth Alongside (feet): 20 | | 6 - 20 Latitude (decimal): 29.960833
Total Berthing Space (feet): 600 | | 200 Longitude (decimal): -93.86472
Remarks: Two 4- and two 3-inch pipelines extend from face to storage tank in 200-foot, south barge, total capacity 420,000 gallons. Wastewater treatment plant is located on 150-foot, north barge.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 645

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Sabine-Neches Canal** Mile: 278.0 PWD: 85
Name: **Horizon Offshore Contractors, Port Arthur Yard Wharf.**
Location: Right bank, Sabine-Neches Canal, on east side of entrance to Old River Abandoned Channel, Port Arthur. Datum: MLLW
Operator: Horizon Offshore Contractors, Inc.
Owner: Horizon Offshore Contractors, Inc.
Address: 8200 Old Yacht Club Road Phone: 409-962-6682
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for repair and storage; landing company-owned crewboats.
Depth Alongside (feet): 9 - 14 | 10 | 10 Latitude (decimal): 29.952778
Total Berthing Space (feet): 1,200 | 700 | 900 Longitude (decimal): -93.86333
Remarks: Vessels up to 800 feet in length moor at wharf and moorings. Buildings and yard at rear are used for repair of company-owned equipment. □
Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66288 Dock Code: 635

Port: **Port Arthur**
Waterway: **Sabine-Neches Canal** Mile: 278.0 PWD: 79
Name: **Marine Fabrication & Repair Wharf.**
Location: Right bank, Sabine-Neches Canal, on west side of entrance to Old River Abandoned Channel, Port Arthur. Datum: MLLW
Operator: Marine Fabrication & Repair, LLC, a division of Marine Ventures, Ltd.
Owner: Marine Ventures, Ltd.
Address: Old Yacht Club Road Phone: 409-962-8432
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels, towboats, tugboats and barges for outfitting, conversion and repair; mooring floating drydock.
Depth Alongside (feet): 18 | | 0 - 18 Latitude (decimal): 29.949444
Total Berthing Space (feet): 300 | | Longitude (decimal): -93.86556
Remarks: One 650-long-ton floating drydock moors end-to face of ramp, and pivots on one steel truss strut extending from structure on bank north of ramp. Ramp is also used for loading barges. One shop building and marine repair yard are located at rear.
Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66288 Dock Code: 659 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Sabine-Neches Canal** Mile: 278.0 PWD: 83
Name: **Marine Fueling Service, Inc., Bean's Fleet, West Fleet Area.**
Location: Right bank, Sabine-Neches Canal, at inner end of Old River Abandoned Channel, Datum: MLLW
Port Arthur.
Operator: Marine Fueling Service, Inc.
Owner: Marine Fueling Service, Inc.
Address: 9000 Old Yacht Club Road Phone: 409-962-8424
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Mooring and fleeting barges; loading barges for bunkering vessels at berth in harbor.
Depth Alongside (feet): | 12 | 12 Latitude (decimal): 29.961667
Total Berthing Space (feet): | 640 | 1,800 Longitude (decimal): -93.86194
Remarks: At time of survey (1999), inner end of Channel was shoaled. Bean's Fleet, including East Fleet (Ref. No. 87), has capacity for 80 barges. Houston Marine Services, Inc. (Ref. No. 33), moors barges loaded with heavy fuel oil in fleet, and uses them to load company-owned bunkering barges. Open storage area at rear of east side is used for storing up to approximately 50,000 tons of stone received at Marine Fueling Service Terminal's Upper Slip (Ref. No. 89).
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 649

Port: **Port Arthur**
Waterway: **Sabine-Neches Canal** Mile: 278.0 PWD: 82
Name: **Marine Fueling Service, Marine Ventures Barge Mooring**
Location: Right bank, Sabine-Neches Canal, on west side of Old River Abandoned Channel, Datum: MLLW
approximately 0.8 mile abo
Operator: Marine Fueling Service, Inc.
Owner: Marine Ventures, Ltd.
Address: Old Yacht Club Road Phone: 409-962-8432
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.962222
Total Berthing Space (feet): 500 | | Longitude (decimal): -93.86444
Remarks: At time of survey (1999), property was operated as part of Bean's Fleet, West Fleet Area (Ref. No. 83).
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 647

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Sabine-Neches Canal** Mile: 278.0 PWD: 80
Name: **Marine Ventures Layberth Wharves.**
Location: Right bank, Sabine-Neches Canal, on west side of Old River Abandoned Channel, Datum: MLLW
approximately 0.1 to 0.6 m
Operator: Marine Ventures, Ltd., and Marine Fabrication & Repair, LLC, a division of Marine Ven
Owner: Marine Ventures, Ltd.
Address: Old Yacht Club Road Phone: 409-962-8432
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels for storage and repair; occasional receipt of offshore drilling rig components for
scrapping.
Depth Alongside (feet): 22 | 22 | 22 Latitude (decimal): 29.955
Total Berthing Space (feet): 2,800 | | Longitude (decimal): -93.86528
Remarks: Berthing barges at least 25 feet wide are required at each section of bulkhead to reach water depths of
22 feet. Shore moorings allow berthing of vessels up to 800 feet in length at each berth. At time of
survey (1999), berths were for lease, Marine Fabrication & Repair, LLC (Ref. No. 79) operated berths
as needed to moor vessels too large to be repaired at their plant, and a company was leasing one
berth and adjacent open area to receive components of offshoredrilling rigs for scrapping.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 650

Port: **Port Arthur**
Waterway: **Sabine-Neches Canal** Mile: 278.0 PWD: 84
Name: **Newpark Environmental Services, Port Arthur Facility Wharf**
Location: Right bank, Sabine-Neches Canal, on left side of Old River Abandoned Channel, Datum: MLLW
approximately 0.6 mile abo
Operator: Newpark Environmental Services
Owner: Marine Fueling Service, Inc.
Address: 8300 Pleasure Islet Drive Phone: 409-963-3509
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Receipt of waste drilling fluids and mud.
Depth Alongside (feet): 10 - 12 | 10 - 12 | Latitude (decimal): 29.957222
Total Berthing Space (feet): 800 | | Longitude (decimal): -93.86306
Remarks: A timber craneway on apron extends along wharf. Backhoes recover sludge from pits to trucks. Three
4-inch pipelines, serving hose from portable pump used to unload hopper barges, extend from wharf to
6 steel storage tanks at rear, total capacity 189,000 gallons.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 639 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Sabine-Neches Canal** Mile: 278.3 PWD: 78
Name: **Lone Star Marine Services Dock Wharf.**
Location: Right bank, Sabine-Neches Canal, approximately 7.6 miles above Martin Luther King Bridge, Port Arthur. Datum: MLLW
Operator: Lone Star Marine Services, Inc., a subsidiary of Hvide Marine Co.
Owner: Lone Star Marine Services, Inc., a subsidiary of Hvide Marine Co.
Address: 7200 State Highway 87 Phone: 409-962-1801
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Mooring company-owned vessels, offshore supply vessels, and tugboats for repair and storage.
Depth Alongside (feet): 18 - 25 | | 0 - 25 Latitude (decimal): 29.942222
Total Berthing Space (feet): 685 | | 540 Longitude (decimal): -93.86639
Remarks: Buildings located at rear are used as machine, welding, carpenter, and electric shops for repair of company-owned vessels, as a warehouse for marine stores, and as an office. Hvide Marine Towing Services Inc., a subsidiary of Hvide Marine, Inc., uses wharf as base for company-owned tugboats.
Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66288 Dock Code: 666 Galveston District

Port: **Port Arthur**
Waterway: **Sabine-Neches Canal** Mile: 279.3 PWD: 77
Name: **Global Terminaling Services Wharf.**
Location: Right bank, Sabine-Neches Canal, approximately 6.7 miles above Martin Luther King Bridge, Port Arthur. Datum: MLLW
Operator: Global Terminaling Services, Inc.
Owner: Kansas City Southern Industries.
Address: 209 Taft Avenue Extension Phone: 409-962-8343
Town: Port Arthur State: TX County: Jefferson
Railway Connection: Two surface tracks forming loops, capacity 117 loaded cars, serve car dumper at rear; connect with Kansas City Southern Railway.
Purpose: Shipment of petroleum coke.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.930278
Total Berthing Space (feet): 800 | | Longitude (decimal): -93.87528
Remarks: One electric, traveling stacker-reclaimer, with a slewing boom equipped with a reversible, 72-inch belt conveyor served by a continuous bucket wheel, serves the conveyor system through the 500,000-ton capacity, open storage area at rear, stacking coke received by rail and recovering it for ship loading at a rate of 3,000 tons per hour. Coke is received by truck directly to ground.
Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66288 Dock Code: 675

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Sabine-Neches Canal** Mile: 279.6 PWD: 76
Name: **Atlantic Shippers of Texas Wharf**
Location: Right bank, Sabine-Neches Canal, approximately 6.4 miles above Martin Luther King Bridge, Port Arthur. Datum: MLLW
Operator: Atlantic Shippers of Texas, Inc., subsidiary of Animalfeeds International Corp.
Owner: Atlantic Shippers of Texas, Inc., subsidiary of Animalfeeds International Corp.
Address: Procter Street Extension Phone: 409-962-2457
Town: Port Arthur State: TX County: Jefferson
Railway Connection: One surface track serving one undertrack pit and one loading spout extends along northeast side of Shed No. 2; connects with Kansas City Southern Railway.
Purpose: Receipt and shipment of ingredients for livestock feed; occasional mooring of vessels.
Depth Alongside (feet): 4 - 5 | 4 - 5 | 28 Latitude (decimal): 29.926389
Total Berthing Space (feet): 140 | 200 | 700 Longitude (decimal): -93.87889
Remarks: Vessels up to 500 feet in length berth at wharf. Three transit sheds, joined in an L shape, provide 150,000 square feet of storage area for up to 27,000 tons of bulk feed ingredients. Part of Shed No. 3 provides 10,000 square feet of storage area for bagged ingredients. Rail receiving pit serves 2 screw conveyors extending to Shed No. 2, and one screw conveyor extends from shed to rail loading spout on northeast side. One screw conveyor system extends from Shed No. 1 to spout in truckloading shed at rear. Approximately 20 acres of open storage area are located at rear.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 677 Galveston District

Port: **Port Arthur**
Waterway: **Sabine-Neches Canal** Mile: 280.0 PWD: 75
Name: **Vessel Repair, North Wharf.**
Location: Right bank, Sabine-Neches Canal, approximately 6.0 miles above Martin Luther King Bridge, Port Arthur. Datum: MLLW
Operator: Vessel Repair, Inc.
Owner: Vessel Repair, Inc.
Address: 5848 Procter Street Extension Phone: 409-962-1302
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels, towboats, tugboats and barges for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 15 | 5 - 15 | Latitude (decimal): 29.922222
Total Berthing Space (feet): 920 | 215 | Longitude (decimal): -93.8825
Remarks: Lower 250 feet of bulkhead was missing above the waterline. The 2,000-long ton Floating Drydock No. 1 is moored at lower portion of remaining bulkhead, Marine Railway No. 2 is located at inner end of lower side, which forms a 50-foot wide slip with upper side of Marine Railway Pier (Ref. No. 74). Fabrication shop is located at rear.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 696 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Sabine-Neches Canal** Mile: 280.2 PWD: 74
Name: **Vessel Repair, Marine Railway Pier.**
Location: Right bank, Sabine-Neches Canal, approximately 5.9 miles above Martin Luther King Bridge, Port Arthur. Datum: MLLW
Operator: Vessel Repair, Inc.
Owner: Vessel Repair, Inc.
Address: 5848 Procter Street Extension Phone: 409-962-1302
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels, towboats, tugboats and barges for outfitting and repair.
Depth Alongside (feet): | 5 - 15 | 5 - 15 Latitude (decimal): 29.920556
Total Berthing Space (feet): | 100 | 215 Longitude (decimal): -93.88389
Remarks: Face and outer 30 feet of sides of pier were in deteriorated condition. The 560-ton Marine Railway No. 1 is located at inner end of lower side. The 448-ton Marine Railway No. 2 is located at inner end of upper side. Upper side forms a 50-foot wide slip with lower side of North Wharf (Ref. No. 75).
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 696 Galveston District

Port: **Port Arthur**
Waterway: **Sabine-Neches Canal** Mile: 280.2 PWD: 73
Name: **Vessel Repair, Slip.**
Location: Right bank, Sabine-Neches Canal, approximately 5.9 miles above Martin Luther King Bridge, Port Arthur. Datum: MLLW
Operator: Vessel Repair, Inc.
Owner: Vessel Repair, Inc.
Address: 5848 Procter Street Extension Phone: 409-962-1302
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels, towboats, tugboats and barges for outfitting and repair.
Depth Alongside (feet): 26 | 26 | Latitude (decimal): 29.920278
Total Berthing Space (feet): 145 | 320 | Longitude (decimal): -93.885
Remarks: Bulkhead at outer 270 feet of lower side had slumped into slip. Bulkhead at inner end was damaged and deteriorated. Marine Railway No. 1 and the Marine Railway Pier (Ref. No. 74) form upper side of slip.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 696 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Sabine-Neches Canal** Mile: 280.3 PWD: 72
Name: **Vessel Repair, South Wharf.**
Location: Right bank, Sabine-Neches Canal, approximately 5.7 miles above Martin Luther King Bridge, Port Arthur. Datum: MLLW
Operator: Vessel Repair, Inc., and Moran Towing Co. of Texas
Owner: Vessel Repair, Inc.
Address: 5848 Procter Street Extension Phone: 409-962-1302
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels, towboats, and barges; mooring company-owned tugboats.
Depth Alongside (feet): 15 | | Latitude (decimal): 29.918889
Total Berthing Space (feet): 1,055 | - | - Longitude (decimal): -93.88556
Remarks: Portions of bulkhead were in deteriorated condition. Moran Towing Co. of Texas operates lower 300 feet of wharf as base for company-owned tugboats. Trailer used as office is located at rear. Vessel Repair, Inc. operates shop buildings in rear.
Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66288 Dock Code: 696 Galveston District

Port: **Port Arthur**
Waterway: **Sabine-Neches Canal** Mile: 280.5 PWD: 71
Name: **R & R Marine Maintenance, Ship Berth Dock.**
Location: Right bank, Sabine-Neches Canal, approximately 5.6 miles above Martin Luther King Bridge, Port Arthur. Datum: MLLW
Operator: R & R Marine Maintenance, Inc.
Owner: Texas Intracoastal Marine Properties Inc.
Address: 5700 Procter Street Extension Phone: 409-963-0035
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Mooring vessels for repair and mooring company-owned floating equipment; receipt of slops.
Depth Alongside (feet): 23 | | Latitude (decimal): 29.916944
Total Berthing Space (feet): 850 | | Longitude (decimal): -93.88722
Remarks: Crane barge usually moors between rear of lower dolphin and bulkhead to provide access to vessel under repair. Slops are transferred directly to trucks. Welding, fabrication, and machine shops are located at rear.
Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66288 Dock Code: 703 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Sabine-Neches Canal** Mile: 280.7 PWD: 70
Name: **R & R Marine Maintenance, Drydock Berth Wharf.**
Location: Right bank, Sabine-Neches Canal, approximately 5.4 miles above Martin Luther King Bridge, Port Arthur. Datum: MLLW
Operator: R & R Marine Maintenance, Inc.
Owner: Texas Intracoastal Marine Properties Inc.
Address: 5700 Procter Street Extension Phone: 409-963-0035
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Mooring floating drydock, company-owned floating equipment, and vessels awaiting drydocking; occasional mooring of vessels for repair.
Depth Alongside (feet): 9 - 32 | | Latitude (decimal): 29.915833
Total Berthing Space (feet): 325 | | Longitude (decimal): -93.88917
Remarks: One 4,200-long ton floating drydock is moored at bulkhead, in a berth 300 feet long with 32 feet of water depth. Work floats moor below drydock, in water depths of 10 to 32 feet, and vessels awaiting drydocking moor at row of dolphins above drydock, in water depths of 9 to 32 feet.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 703 Galveston District

Port: **Port Arthur**
Waterway: **Sabine-Neches Canal** Mile: 284.9 PWD: 69
Name: **City of Port Arthur, Recreational Boat Dock**
Location: Right bank, Sabine-Neches Canal, approximately 1.3 miles above Martin Luther King Bridge, Port Arthur. Datum: MLLW
Operator: City of Port Arthur, Department of Public Works
Owner: City of Port Arthur
Address: Lake Shore Drive Phone: 409-983-8182
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Occasional mooring of cruise vessels for landing passengers; transient mooring of recreational craft.
Depth Alongside (feet): 10 - 15 | 7 - 8 | 7 - 8 Latitude (decimal): 29.869444
Total Berthing Space (feet): 700 | 35 | 35 Longitude (decimal): -93.93167
Remarks: Steel breasting dolphins were constructed and cruise vessel landings commenced subsequent to survey (1999) and are described as planned. Recreational craft moor at sides of wharf. A 400- by 6-foot, concrete walkway extends over levee at rear to parking lot.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 748

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Sabine-Neches Canal** Mile: 285.0 PWD: 67
Name: **City of Port Arthur, Commercial Dock Wharf**
Location: Right bank, Sabine-Neches Canal, approximately 1.1 miles above Martin Luther King Bridge, above foot of Datum: MLLW
Operator: JBS Packing Co. Inc. and City of Port Arthur, Department of Public Works
Owner: City of Port Arthur
Address: Foot of Houston Avenue Phone: 409-983-8182
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Mooring shrimp boats; mooring cruise vessels for landing passengers; occasional mooring of vessels on exhibition.
Depth Alongside (feet): 10 - 15 | | Latitude (decimal): 29.866667
Total Berthing Space (feet): 700 | | Longitude (decimal): -93.93361
Remarks: City of Port Arthur operates upper 100-foot portion, and part of remainder as needed, to land passengers from cruise vessels and to moor vessels on exhibition. JBS Packing Co. Inc. operates remainder for mooring shrimp vessels. Upper 48 feet of wharf is 40 feet wide.
Year of Last Survey: 2001 Corps of Engrns Waterway Code: 66288 Dock Code: 764

Port: **Port Arthur**
Waterway: **Sabine-Neches Canal** Mile: 285.0 PWD: 68
Name: **U.S. Army Corps of Engineers Slip.**
Location: Left bank, Sabine-Neches Canal, approximately 1.2 miles above Martin Luther King Bridge, on Pleasure Isl Datum: MLLW
Operator: U.S. Army Corps of Engineers and U.S. Coast Guard.
Owner: United States Government.
Address: 201 Pleasure Pier Road Phone: 409-985-4383
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Mooring government-owned vessels.
Depth Alongside (feet): 3 | 3 - 4 | 3 - 6 Latitude (decimal): 29.866667
Total Berthing Space (feet): 50 | 75 | 240 Longitude (decimal): -93.93083
Remarks: U.S. Army Corps of Engineers operates outer 185 feet of upper side, with 6 feet of water depth. U.S. Coast Guard operates remainder. Inner portion of upper side, boathouse, and rows of piles and dolphins divide inner end into four slips, three 50 by 15 feet, including one in boathouse, and one 85 by 20 feet. An 18-foot wide concrete launching ramp is located at outer end of lower side. One fueling hose extends to boathouse slip from 500-gallon storage tank atrear.
Year of Last Survey: 2001 Corps of Engrns Waterway Code: 66288 Dock Code: 750

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Sabine-Neches Canal** Mile: 285.1 PWD: 66
Name: **JBS Packing Co., Location 1 Wharf.**
Location: Right bank, Sabine-Neches Canal, approximately 1.0 mile above Martin Luther King Bridge, at foot of Hous Datum: MLLW
Operator: JBS Packing Co. Inc.
Owner: Port of Port Arthur Navigation District of Jefferson County, Texas.
Address: 101 Houston Avenue Phone: 409-982-3216
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Receipt of seafood; mooring shrimp boats.
Depth Alongside (feet): 10 - 15 | 10 - 15 | 12 Latitude (decimal): 29.865
Total Berthing Space (feet): 190 | 235 | 165 Longitude (decimal): -93.93444
Remarks: One 180- by 80-foot, steel frame, metal-covered building at rear, used as a shrimp processing plant, was burned at time of survey (1999), but plans called for it to be rebuilt. Shrimp is shipped by truck to operator's processing plant and cold storage warehouse at Location 2 (Ref. No. 44).
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 766 Galveston District

Port: **Port Arthur**
Waterway: **Sabine-Neches Canal** Mile: 285.4 PWD: 65
Name: **Port of Port Arthur, Public Ocean Terminal Upper Wharf, Berths Nos**
Location: Right bank, Sabine-Neches Canal, approximately 0.6 mile above Martin Luther King Bridge, Port Arthur. Datum: MLLW
Operator: Port of Port Arthur Navigation District of Jefferson County, Texas.
Owner: Port of Port Arthur Navigation District of Jefferson County, Texas.
Address: 221 Houston Avenue Phone: 409-983-2011
Town: Port Arthur State: TX County: Jefferson
Railway Connection: Three surface tracks on apron, and two, 48-car capacity, platform- level tracks along rear of transit shed, join 140-car capacity storage yard in rear; connect with Kansas City Southern Railway.
Purpose: Receipt and shipment of conventional, containerized, and roll-on/ roll-off general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | 40 | Latitude (decimal): 29.8625
Total Berthing Space (feet): 1,380 | 87 | Longitude (decimal): -93.93667
Remarks: Lower side can be used to support the ramp of a straight-ramp roll-on/roll-off vessel moored at upper portion of Lower Wharf (Ref. No. 64). Planned traveling container crane described under Lower Wharf will serve wharf. Shed has a 1,200-foot rail and truckloading platform at rear. Approximately 2.9 acres of asphalt-paved open storage area are located at rear.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 769 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Sabine-Neches Canal** Mile: 285.7 PWD: 64
Name: **Port of Port Arthur, Public Ocean Terminal Lower Wharf, Berths Nos**
Location: Right bank, Sabine-Neches Canal, approximately 0.3 mile above Martin Luther King Bridge, Port Arthur. Datum: MLLW
Operator: Port of Port Arthur Navigation District of Jefferson County, Texas.
Owner: Port of Port Arthur Navigation District of Jefferson County, Texas.
Address: 221 Houston Avenue Phone:
Town: Port Arthur State: TX County: Jefferson
Railway Connection: Three surface tracks on apron, and two, 40-car capacity, platform-level tracks in transit shed, join storage yard described under Upper Wharf (Ref. No. 65); connect with Kansas City Southern Railway.
Purpose: Receipt and shipment of conventional, containerized, and roll-on/roll-off general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 | | Latitude (decimal): 29.858889
Total Berthing Space (feet): 1,820 | | Longitude (decimal): -93.94028
Remarks: Construction of wharf and shed was completed subsequent to survey (1999). They are described as planned. A straight-ramp roll-on/roll-off vessel can moor at upper portion of wharf, Berth No. 3, and place its ramp on lower side of Upper Wharf (Ref. No. 65). Plans call for addition of one 40-ton, electric, traveling container crane. A 500-foot truck platform is located at rear of apron, on lower side of transit shed. Portions of a 1000-foot rail platform extending the length of transit shed are available to trucks through openings in rear of shed. Approximately 2.3 acres of concrete-paved open storage area are located below shed and 13 acres of asphalt-paved open storage area are at rear. Storage areas at rear of Lower and Upper Wharves have capacity for 450 containers (FEU's).
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 769 Galveston District

Port: **Port Arthur**
Waterway: **Sabine-Neches Canal** Mile: 286.0 PWD: 63
Name: **Kansas City Southern Railway Co., Port Arthur Upper Wharf**
Location: Right bank, Sabine-Neches Canal, approximately 0.2 mile above Martin Luther King Bridge, Port Arthur. Datum: MLLW
Operator: Not operated.
Owner: Kansas City Southern Railway.
Address: Phone: 816-983-1244
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 29.856389
Total Berthing Space (feet): 900 | | Longitude (decimal): -93.94278
Remarks: Facility formerly was used for receipt and shipment of dry bulk materials, and for mooring vessels for repair. Bulkhead was in deteriorated condition at time of survey (1999). Approximately 11 acres of open storage area are located at rear of wharf.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 789 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Sabine-Neches Canal** Mile: 286.4 PWD: 62
Name: **Kansas City Southern Railway Co., Port Arthur Lower Wharf and Moor**
Location: Right bank, Sabine-Neches Canal, approximately 0.3 and 0.1 mile below Martin Luther King Bridge, Port Ar Datum: MLLW
Operator: Not operated.
Owner: Kansas City Southern Railway.
Address: Phone: 816-983-1244
Town: Port Arthur State: TX County: Jefferson
Railway Connection: Kansas City Southern Railway: switching yard at rear of wharf.
Purpose: Not used.
Depth Alongside (feet): 20 | 20 | 10 Latitude (decimal): 29.851944
Total Berthing Space (feet): 550 | 190 | 1,000 Longitude (decimal): -93.94778
Remarks: Mooring, formerly used for fleeting barges, is downstream of wharf. Wharf formerly was used for mooring vessels and offshore drilling rigs for repair. Face of wharf has an irregular configuration for mooring offshore drilling rigs.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 789 Galveston District

Port: **Port Arthur**
Waterway: **Taylor Bayou** Mile: 290.3 PWD: 38
Name: **Equistar Chemicals, Port Arthur Plant Wharf.**
Location: Left bank, Taylor Bayou, approximately 0.5 mile above upper end of Taylor Bayou Outfall Canal, Port Arth Datum: MLLW
Operator: Not operated.
Owner: Equistar Chemicals, L.P.
Address: End of Highway FM 823 Phone: 409-724-3789
Town: Port Arthur State: TX County: Jefferson
Railway Connection: Plant trackage serving refinery in rear connects with Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 29.861111
Total Berthing Space (feet): 480 | | Longitude (decimal): -93.99194
Remarks: Part of deck was in deteriorated condition at time of survey (1999). Two blanked 8-inch pipelines extend to wharf from plant at rear. Access by water is via Gulf Intracoastal Waterway to Mile 290.3 West of Harvey Lock, thence through Taylor Bayou Outfall Canal to Taylor Bayou. Chevron Phillips Chemical Co. L.P. (Ref. Nos. 49 and 53) operates a cable ferry across Taylor Bayou Outfall Canal approximately 2.4 miles above its mouth.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66290 Dock Code: 402 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Taylor Bayou** Mile: 290.3 PWD: 37
Name: **Jack's Shrimp House, Taylor Bayou Wharf.**
Location: Left bank, Taylor Bayou, approximately 1.6 miles below State Highway 73 Bridge, in dredged basin off loo Datum: MLLW
Operator: Jack's Shrimp House.
Owner: Jack's Shrimp House.
Address: 5701 Jade Avenue Phone: 409-736-3900
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Receipt of shrimp and other seafood; mooring fishing boats.
Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 29.885278
Total Berthing Space (feet): 300 | 65 | 65 Longitude (decimal): -94.03278
Remarks: Shrimp-packing plant is located at rear of inner wharf. Access by water is via Gulf Intracoastal Waterway to Mile 290.3 West of Harvey Lock, thence through Taylor Bayou Outfall Canal to Taylor Bayou, and through Taylor Bayou Saltwater Barrier Lock.
Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66290 Dock Code: 301

Port: **Port Arthur**
Waterway: **Taylor Bayou Turning Basin** Mile: 288.6 PWD: 47
Name: **Aimcor Port Arthur Coke Wharf**
Location: West bank, Taylor Bayou Turning Basin, approximately 2,600 feet north of entrance, Port Arthur. Datum: MLLW
Operator: Applied Industrial Materials Corp., Carbon Products Group
Owner: Albright Picton Investment Co.
Address: 2010 South Gulfway Drive Phone: 409-982-2943
Town: Port Arthur State: TX County: Jefferson
Railway Connection: Union Pacific Railroad: One surface track serving unloading shed at rear extends to Gulf Copper Manufacture, Inc. yard (Ref. Nos. 45 and 46).
Purpose: Shipment of petroleum coke and wastewater by barge.
Depth Alongside (feet): 17 | | | Latitude (decimal): 29.848611
Total Berthing Space (feet): 900 | | | Longitude (decimal): -93.97139
Remarks: One 4-inch wastewater pipeline extends to wharf from drainage pits under rail-car receiving pit and conveyor system at rear. □
Year of Last Survey: 2001 Corps of Engnrs Waterway Code: 66288 Dock Code: 860

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Taylor Bayou Turning Basin** Mile: 288.6 PWD: 45
Name: **Gulf Copper & Manufacturing Corp., Berth 1 and Heavy-Lift Platform**
Location: West bank, Taylor Bayou Turning Basin, approximately 1,400 and 1,650 feet north of entrance, Port Arthur Datum: MLLW
Operator: Gulf Copper & Manufacturing Corp.
Owner: Albright Picton Investment Co.
Address: 2020 South Gulfway Drive Phone: 409-983-2028
Town: Port Arthur State: TX County: Jefferson
Railway Connection: Union Pacific Railroad: One surface track in yard at rear extends from adjacent Aimcor facility's unloading shed (Ref. No. 47).
Purpose: Mooring vessels and barges for repair; shipment of heavy-lift, fabricated steel structures; mooring company-owned floating equipment.
Depth Alongside (feet): 30 | 8 - 30 | 8 Latitude (decimal): 29.845278
Total Berthing Space (feet): 705 | 270 | 300 Longitude (decimal): -93.97028
Remarks: Berthing distance for vessel at face of Berth 1 overlaps berthing distances for barges at south side and extending from north side across Heavy-lift Platform. Heavy-lift Platform has capacity for 450 tons. Wharves are served by 6-inch compressed air lines.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 866 Galveston District

Port: **Port Arthur**
Waterway: **Taylor Bayou Turning Basin** Mile: 288.6 PWD: 46
Name: **Gulf Copper & Manufacturing Corp., Berth 2 and 'Phoenix' Dock Whar**
Location: West bank, Taylor Bayou Turning Basin, approximately 1,980 and 2,450 feet north of entrance, Port Arthur Datum: MLLW
Operator: Gulf Copper & Manufacturing Corp.
Owner: Albright Picton Investment Co.
Address: 2020 South Gulfway Drive Phone: 409-983-2028
Town: Port Arthur State: TX County: Jefferson
Railway Connection: Union Pacific Railroad: One surface track in yard at rear described under Berth 1 Wharf (Ref. No. 45).
Purpose: Mooring vessels and barges for repair; mooring company-owned towboat and floating equipment.
Depth Alongside (feet): 30 | 8 - 30 | 8 Latitude (decimal): 29.846944
Total Berthing Space (feet): 705 | 200 | 25 Longitude (decimal): -93.97056
Remarks: Berthing distance for vessel at face of Berth 2 overlaps berthing distances for barges at sides, and for company-owned towboat 'Phoenix' at its wharf. Wharves are served by 6-inch compressed air lines.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 866 Galveston District

Port Series No. 22
The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Taylor Bayou Turning Basin** Mile: 288.6 PWD: 44
Name: **JBS Packing Co., Location 2 Wharf.**
Location: West bank, Taylors Bayou Turning Basin, north of entrance, Port Arthur. Datum: MLLW
Operator: JBS Packing Co. Inc.
Owner: HHS Enterprises Inc.
Address: 2170 South Gulfway Drive Phone: 409-982-3216
Town: Port Arthur State: TX County: Jefferson
Railway Connection: Union Pacific Railroad: One surface track between plant and warehouse at rear.
Purpose: Mooring shrimp boats.
Depth Alongside (feet): 20 | 20 | Latitude (decimal): 29.843056
Total Berthing Space (feet): 1,000 | | Longitude (decimal): -93.97
Remarks: Shrimp processing plant is located at rear of wharf and adjacent cold storage warehouse is located at rear of walkway. At time of survey (1999), shrimp was received by truck from operator's Location 1 Wharf (Ref. No. 66).
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 873

Port: **Port Arthur**
Waterway: **Taylor Bayou Turning Basin** Mile: 288.6 PWD: 50
Name: **Premcor Refining Group. Port Arthur Refinery, Barge Mooring Wharf.**
Location: South side, Taylors Bayou Turning Basin, Port Arthur. Datum: MLLW
Operator: Premcor Refining Group Inc., subsidiary of Premcor Inc.
Owner: Premcor Refining Group Inc., subsidiary of Premcor Inc.
Address: 1801 South Gulfway Drive Phone: 409-985-1448
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Mooring towboats and barges awaiting loading at Refinery Wharf berths (Ref. No. 49).
Depth Alongside (feet): 15 | | Latitude (decimal): 29.843056
Total Berthing Space (feet): 1,120 | | Longitude (decimal): -93.96694
Remarks: Chevron Products Co., Port Arthur Distribution Center is located at rear, at end of West 7th Street. □
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 864 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Taylor Bayou Turning Basin** Mile: 288.6 PWD: 49
Name: **Premcor Refining Group. Port Arthur Refinery, Berths Nos. 0 to 6.**
Location: East side, Taylors Bayou Turning Basin, Port Arthur. Datum: MLLW
Operator: Premcor Refining Group Inc., subsidiary of Premcor Inc.
Owner: Premcor Refining Group Inc., subsidiary of Premcor Inc.
Address: 1801 South Gulfway Drive Phone: 409-985-1448
Town: Port Arthur State: TX County: Jefferson
Railway Connection: Trackage at rear serving oil refinery; connects with Union Pacific Railroad and Kansas City Southern Railway.
Purpose: Receipt and shipment of crude oil, petrochemicals, and petroleum products; Receipt of liquid caustic soda; shipment of spent liquid caustic soda; occasional loading of barges for bunkering vessels.
Depth Alongside (feet): 40 | 40 | 40 Latitude (decimal): 29.846389
Total Berthing Space (feet): 1,900 | | 850 Longitude (decimal): -93.96861
Remarks: Berths Nos. 0 to 3 are located at north and middle portions of wharf, and Berths Nos. 5 and 6 are located at south portion. Vessels up to 784 feet long can moor at wharf. Approximately one 30-, one 12-, seven 10-, eighteen 8-, twenty-nine 6-, twenty-three 4-, and seven 3-inch pipelines extend from wharf to storage tanks at oil refinery in rear, to chemical storage tanks at Chevron Phillips Chemical Co. L.P. plant at 2001 South Gulfway Drive, and to 7 lube oil storage tanks at Chevron Products Co., Port Arthur Distribution Center at end of West 7th Street, total capacity approximately 328,880 barrels. One 6-inch caustic soda pipeline extends from Berth 0 at north end of wharf, including barge berth at north side, to 3 steel storage tanks at rear, total capacity 697,200 gallons. Coking plant of Port Arthur Coker Co. L.P., a subsidiary of Premcor Inc., and shiploading towers were constructed subsequent to survey (1999) and scheduled to begin shipping petroleum coke in 2001.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 864 Galveston District

Port: **Port Arthur**
Waterway: **Taylor Bayou Turning Basin** Mile: 288.6 PWD: 48
Name: **Premcor Refining Group. Port Arthur Refinery, Tug Mooring Wharf.**
Location: Northeast side, Taylor Bayou Turning Basin, south of north end, Port Arthur. Datum: MLLW
Operator: Premcor Refining Group Inc., subsidiary of Premcor Inc.
Owner: Premcor Refining Group Inc., subsidiary of Premcor Inc.
Address: 1801 South Gulfway Drive Phone: 409-985-1448
Town: Port Arthur State: TX County: Jefferson
Railway Connection: Trackage at rear serving oil refinery; connects with Union Pacific Railroad and Kansas City Southern Railway.
Purpose: Occasional mooring of tugboats. (See Remarks)
Depth Alongside (feet): 17 | | Latitude (decimal): 29.851389
Total Berthing Space (feet): 300 | | Longitude (decimal): -93.97167
Remarks: At time of survey (1999), operator planned to construct a pipeline to wharf for shipping liquid sulphur by barge from coking plant of Port Arthur Coker Co. L.P., a subsidiary of Premcor Inc. Plant was constructed subsequent to survey and scheduled for operation in 2001. A concrete wall approximately 3 feet high extends along and 3 feet in rear of bulkhead.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 864 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Taylor Bayou Turning Basin** Mile: 288.6 PWD: 43
Name: **Transit Mix Concrete & Materials Co., Highway 87 Wharf.**
Location: West bank, channel connecting Port Arthur West Turning Basin and Taylor Bayou Turning Basin, Port Arthur Datum: MLLW
Operator: Transit Mix Concrete & Materials Co., a subsidiary of Trinity Industries, Inc.
Owner: Union Pacific Railroad
Address: 2190 South Gulfway Drive Phone: 800-835-4933
Town: Port Arthur State: TX County: Jefferson
Railway Connection: Union Pacific Railroad: One surface track in yard at rear.
Purpose: Receipt of sand, gravel and crushed rock by self-unloading vessel and by barge; handling barge-unloading equipment to and from barge.
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 29.838333
Total Berthing Space (feet): 986 | 480 | Longitude (decimal): -93.96861
Remarks: A gravel ramp is located at north end of wharf. A water depth of 38 feet is available 100 feet off bank, where self-unloading vessels up to 750 feet long moor to unload. A water depth of 10 feet is available 40 to 50 feet off bank, where barges being unloaded moor, adjacent to the outer side of sand supplier's equipment barge. Equipment barge supports a crawler excavator equipped with clamshell bucket serving a hopper and a conveyor to bank, and moors at cell to move excavator onto and off of barge. Approximately 12.5 acres of open storage area are located at rear.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 875

Port: **Port Arthur**
Waterway: **Turning Basins Entrance** Mile: 288.6 PWD: 39
Name: **KMTEX, Port Arthur Plant Wharf.**
Location: West side, entrance channel to Port Arthur East and West Turning Basins, north of entrance, Port Arthur. Datum: MLLW
Operator: KMCO, Inc., d.b.a. KMTEX, and Applied Industrial Materials Corp., Carbon Products Gro
Owner: KMCO, Inc., d.b.a. KMTEX
Address: 2450 South Gulfway Drive Phone: 409-985-4200
Town: Port Arthur State: TX County: Jefferson
Railway Connection: Two surface tracks serving loading and unloading racks in plant at rear join with two storage tracks at M & M Industrial Services plant (Ref. No. 40); connect with Union Pacific Railroad.
Purpose: Receipt of vegetable oil and fatty acids; occasional receipt and shipment of glycol and solvent; mooring barges awaiting loading at Aimcor Port Arthur Coke Wharf (Ref. No. 47).
Depth Alongside (feet): 13 | | Latitude (decimal): 29.8275
Total Berthing Space (feet): 1,200 | | Longitude (decimal): -93.96194
Remarks: KMTEX operates wharf for handling liquid products. Three 6-inch pipelines extend from wharf to steel storage tanks at distillation plant in rear, two to six tanks, total capacity 2,280,000 gallons, and one to six other tanks, total capacity 1,500,000 gallons, Applied Industrial Materials Corp. moors barges at dolphins.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 895

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**
Waterway: **Turning Basins Entrance** Mile: 288.6 PWD: 40
Name: **M & M Industrial Services, Marine Yard Wharf.**
Location: West side, entrance channel to Port Arthur East and West Turning Basins, south of West Turning Basin, Po Datum: MLLW
Operator: M & M Industrial Services, Inc.
Owner: M & M Industrial Services, Inc.
Address: 2420 South Gulfway Drive. Phone: 409-729-9488
Town: Port Arthur State: TX County: Jefferson
Railway Connection: Two surface tracks used by KMTEX (Ref. No. 39), adjacent to south side of building; connect with Union Pacific Railroad.
Purpose: Mooring offshore drilling rigs and vessels for conversion and repair.
Depth Alongside (feet): 30 | 0 - 30 | Latitude (decimal): 29.83
Total Berthing Space (feet): 300 | 100 | Longitude (decimal): -93.96222
Remarks: Operation commenced subsequent to survey (1999). One 100,000-square foot, steel fabrication shop and a sandblasting and painting yard are located at rear.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 890 Galveston District

Port: **Port Arthur**
Waterway: **Turning Basins Entrance** Mile: 288.6 PWD: 61
Name: **Motiva Enterprises, Port Arthur Terminal, No. 2 Dock Wharf, Berths**
Location: East side, entrance channel to Port Arthur East and West Turning Basins, on Texaco (Terminal) Island, Po Datum: MLLW
Operator: Motiva Enterprises LLC
Owner: Motiva Enterprises LLC
Address: Terminal Road at Texaco Island Phone: 409-989-7661
Town: Port Arthur State: TX County: Jefferson
Railway Connection: None.
Purpose: Receipt of ballast water; shipment of petroleum products; occasional loading of barges for bunkering vessels at berth, and mooring of barges; mooring vessels for transfer of plant equipment to barges.
Depth Alongside (feet): 37 | 37 | Latitude (decimal): 29.828611
Total Berthing Space (feet): 1,100 | 700 | Longitude (decimal): -93.96
Remarks: Each berth handles a vessel up to 700 feet in length. Barges awaiting loading and vessels transferring plant equipment moor at the fender dolphins fronting Berth No. 2. One 16- and one 12- becoming one 16-inch, one 12-inch, and two 10-inch pipelines extend to Berth No. 1 from petroleum product and slops storage tanks described under No. 1 Dock (Ref. No. 60). One 12-inch pipeline extends from wharf to ballast water storage tanks described under No. 1 Dock. One 8-inch benzene pipeline extends to wharf from one 3,360,000-gallon storage tank at rear.
Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 825 Galveston District

Port Series No. 22

The Ports Port Arthur, Beaumont, and Orange, TX

Port: **Port Arthur**

Waterway: **West Turning Basin** Mile: 288.6 PWD: 51

Name: **Kinder Morgan Bulk Terminals, Port Arthur Raw Petroleum Coke Wharf**

Location: Northeast side, channel connecting Port Arthur West Turning Basin and Taylor Bayou Turning Basin, north Datum: MLLW

Operator: Kinder Morgan Bulk Terminals, Inc.

Owner: Rice Carden Corp.

Address: Foot of Coke Dock Road Phone: 409-983-6271

Town: Port Arthur State: TX County: Jefferson

Railway Connection: One surface track at rear operated by Great Lakes Carbon Corp. for storage: connects with Kansas City Southern Railway.

Purpose: Receipt of green petroleum coke, and of wastewater from coke barges.

Depth Alongside (feet): 40 | | Latitude (decimal): 29.835278

Total Berthing Space (feet): 900 | | Longitude (decimal): -93.96583

Remarks: Total breasting distance available, including dolphins on north side of Great Lakes Carbon Corp. Wharf, is 665 feet. Berthing distance includes, by mutual agreement, 300 feet along these adjacent dolphins. Open storage area at rear, adjacent to Great Lakes Carbon Corp. processing plant, has capacity for 200,000 tons. Wastewater from unloaded coke barges is pumped into hopper barge. One 4-inch hose extends from hopper barge to Great Lakes Carbon Corp. watertreatment system.

Year of Last Survey: 2001 Corps of Engrs Waterway Code: 66288 Dock Code: 850
