

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Duwamish Waterway** Mile: PWD: 67
Name: **Alaska Marine Lines, Dock No. 1.**
Location: West side, Duwamish Waterway, approximately 0.9 mile above 1st Avenue South Datum: MLLW
Bridge.
Operator: Alaska Marine Lines, Inc.
Owner: Alaska Marine Lines, Inc.
Address: 5610 West Marginal Way S.W. Phone: 206-768-3351
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Receipt and shipment of conventional and containerized general cargo in domestic trade (Alaska).
Depth Alongside (feet): 20 - 25 | | Latitude (decimal): 47.552222
Total Berthing Space (feet): 325 | | Longitude (decimal): -122.3425
Remarks: Approximately 11 acres of paved, open storage area are located at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 228

Port: **Seattle**
Waterway: **Duwamish Waterway** Mile: PWD: 60
Name: **Alaska Marine Lines, Dock No. 2.**
Location: West side, Duwamish Waterway, approximately 300 feet south of 1st Avenue South Datum: MLLW
Bridge.
Operator: Alaska Marine Lines, Inc.
Owner: Lynden, Inc.
Address: 7100 2d Avenue S.W. Phone: 206-768-3353
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Occasional receipt and shipment of conventional and containerized general cargo in domestic trade
(Alaska); mooring vessels.
Depth Alongside (feet): 15 | | Latitude (decimal): 47.540556
Total Berthing Space (feet): 400 | | Longitude (decimal): -122.3333
Remarks: Approximately 3 acres of partly paved, open storage area and a 10,000-square-foot warehouse are
located at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 255 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Duwamish Waterway** Mile: PWD: 57
Name: **Alaska Washington Building Materials Co. Wharf.**
Location: West side, Duwamish Waterway, above foot of 5th Avenue South. Datum: MLLW
Operator: Not operated.
Owner: Alaska Washington Building Materials Co.
Address: 7410 5th Avenue South Phone: 206-525-0500
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 2 - 12 | | Latitude (decimal): 47.536667
Total Berthing Space (feet): 175 | | Longitude (decimal): -122.3278
Remarks: Open storage area with capacity for approximately 60,000 tons of material is located at rear. Property was for sale at time of survey.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 279 Seattle District

Port: **Seattle**
Waterway: **Duwamish Waterway** Mile: PWD: 37
Name: **Ash Grove Cement Co., North Wharf.**
Location: East side, Duwamish Waterway, approximately 850 feet south of S.W. Spokane Street Bridge. Datum: MLLW
Operator: Ash Grove Cement Co.
Owner: Ash Grove Cement Co.
Address: 3801 East Marginal Way South. Phone: 206-694-6210
Town: Seattle State: WA County: King
Railway Connection: Five surface tracks serve yard at rear; connect with joint tracks of Burlington Northern Santa Fe Railway and Union Pacific Railroad.
Purpose: Occasional shipment of bulk cement.
Depth Alongside (feet): 25 | - | Latitude (decimal): 47.568333
Total Berthing Space (feet): 600 | - | Longitude (decimal): -122.3456
Remarks: Seventeen cement storage silos, with 4 interstitial storage bins at cement plant located in rear, have total capacity for 54,500 tons of cement.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 813 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
 Waterway: **Duwamish Waterway** Mile: PWD: 38
 Name: **Ash Grove Cement Co., South Pier.**
 Location: East side, Duwamish Waterway, approximately 1,300 feet south of S.W. Spokane Street Bridge. Datum: MLLW
 Operator: Ash Grove Cement Co.
 Owner: Ash Grove Cement Co.
 Address: 3801 East Marginal Way South. Phone: 206-694-6210
 Town: Seattle State: WA County: King
 Railway Connection: Five surface tracks serve yard at rear; connect with joint tracks of Burlington Northern Santa Fe Railway and Union Pacific Railroad.
 Purpose: Receipt of coal, gypsum, gravel, and lime rock.
 Depth Alongside (feet): 25 | | Latitude (decimal): 47.5675
 Total Berthing Space (feet): 360 | | Longitude (decimal): -122.3458
 Remarks: Open storage area located at rear has capacity for 33,000 tons of lime rock, 15,000 tons of gravel, and 8,000 tons of coal. One silo has storage capacity for 4,500 tons of gypsum.
 Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 692 Seattle District

Port: **Seattle**
 Waterway: **Duwamish Waterway** Mile: PWD: 71
 Name: **Birmingham Steel Corp., Terminal 105, Berth No. 1 Wharf.**
 Location: West side, Duwamish Waterway, foot of S.W. Idaho Street. Datum: MLLW
 Operator: Birmingham Steel Corp.
 Owner: Port of Seattle.
 Address: 4620 West Marginal Way S.W. Phone: 206-933-9730
 Town: Seattle State: WA County: King
 Railway Connection: One surface track at rear of face; connects with Burlington Northern Santa Fe Railway.
 Purpose: Receipt of scrap metal by barge.
 Depth Alongside (feet): 40 | 40 | Latitude (decimal): 47.565
 Total Berthing Space (feet): 660 | - | Longitude (decimal): -122.3489
 Remarks: Approximately 3.7 acres of paved, open storage area are located in rear.
 Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 195 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Duwamish Waterway** Mile: PWD: 70
Name: **Birmingham Steel Corp., Terminal 105, Berth No. 2 Wharf.**
Location: West side, Duwamish Waterway, between foot of S.W. Idaho and S.W. Alaska Streets. Datum: MLLW
Operator: Birmingham Steel Corp.
Owner: Port of Seattle.
Address: 4620 West Marginal Way S.W. Phone: 206-933-9730
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring vessels.
Depth Alongside (feet): 15 | | Latitude (decimal): 47.562778
Total Berthing Space (feet): 450 | | Longitude (decimal): -122.3486
Remarks: Wharf was in poor condition at time of survey.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 195 Seattle District

Port: **Seattle**
Waterway: **Duwamish Waterway** Mile: PWD: 58
Name: **Boyer Alaska Barge Line, Seattle Wharf.**
Location: West side, Duwamish Waterway, foot of 4th Avenue South. Datum: MLLW
Operator: Boyer Alaska Barge Line, Inc.
Owner: Boyer Towing, Inc.
Address: 7318 4th Avenue South Phone: 206-763-8575
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Receipt and shipment of conventional and containerized general cargo in domestic trade (Alaska); receipt and shipment of lumber; mooring company-owned tugs and barges.
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 47.537778
Total Berthing Space (feet): 600 | | Longitude (decimal): -122.3289
Remarks: Approximately 6 1/2 acres of paved, open storage area are located at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 275 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Duwamish Waterway** Mile: PWD: 59
Name: **Boyer Towing Mooring.**
Location: West side, Duwamish Waterway, above foot of 2d Avenue South. Datum: MLLW
Operator: Boyer Alaska Barge Line, Inc.
Owner: Boyer Towing, Inc.
Address: 7318 4th Avenue South. Phone: 206-763-8575
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 10 | | Latitude (decimal): 47.539167
Total Berthing Space (feet): 175 | | Longitude (decimal): -122.3311
Remarks: Barges are moored at dolphins while awaiting tow, or loading/unloading, at adjacent wharf (Ref. No. 58).
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 271 Seattle District

Port: **Seattle**
Waterway: **Duwamish Waterway** Mile: PWD: 53
Name: **Delta Marine Industries Wharf.**
Location: West side, Duwamish Waterway, foot of South 96th Street. Datum: MLLW
Operator: Delta Marine Industries, Inc.
Owner: Delta Marine Industries, Inc.
Address: 1608 South 96th Street. Phone: 206-763-2383
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring company-built vessels for outfitting and repair. (See Remarks.)
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 47.518056
Total Berthing Space (feet): 284 | 160 | 230 Longitude (decimal): -122.3067
Remarks: Fiberglass boats for commercial and recreational use are manufactured at plant located in rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 300 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Duwamish Waterway** Mile: PWD: 65
Name: **Duwamish Shipyard Wharf.**
Location: West side, Duwamish Waterway, approximately 0.6 mile above 1st Avenue South Datum: MLLW
Bridge.
Operator: Duwamish Shipyard, Inc.
Owner: Duwamish Shipyard, Inc.
Address: 5658 West Marginal Way S.W. Phone: 206-767-4880
Town: Seattle State: WA County: King
Railway Connection: One surface track serving plant in rear; connects with Burlington Northern Santa Fe
Railway.
Purpose: Mooring vessels for conversion, outfitting, and repair; mooring floating drydocks.
Depth Alongside (feet): 25 | | 25 - 20 Latitude (decimal): 47.550556
Total Berthing Space (feet): 500 | - | Longitude (decimal): -122.3411
Remarks: Floating Drydock No. 3, capacity 1,000 tons, and Floating Drydock No. 1, capacity 850 tons, are
moored to breasting dolphins. The basin is dredged to 25 feet at rear of dolphins, thence 20, and 15
feet; mooring dolphins are located around periphery; movable floats provide berths for vessels under
repair.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 235 Seattle District

Port: **Seattle**
Waterway: **Duwamish Waterway** Mile: PWD: 66
Name: **Duwamish Shipyard, Graving Dock Pier.**
Location: West side, Duwamish Waterway, approximately 0.8 mile above 1st Avenue South Datum: MLLW
Bridge.
Operator: Duwamish Shipyard, Inc.
Owner: Alaska Marine Lines, Inc.
Address: 5658 West Marginal Way S.W. Phone: 206-767-4880
Town: Seattle State: WA County: King
Railway Connection: One surface track serving plant in rear; connects with Burlington Northern Santa Fe
Railway.
Purpose: Mooring vessels for conversion, outfitting, and repair.
Depth Alongside (feet): | 20 | Latitude (decimal): 47.551111
Total Berthing Space (feet): 400 | 60 | Longitude (decimal): -122.3419
Remarks: Entrance to graving dock is 105 feet wide.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 230 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Duwamish Waterway** Mile: PWD: 46
Name: **Filter Engineering Wharf.**
Location: East side, Duwamish Waterway, upper side of slip at foot of South Front Street. Datum: MLLW
Operator: Filter Engineering.
Owner: Filter Engineering.
Address: 6365 First Avenue South. Phone: 206-767-7642
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Handling construction equipment, materials, and supplies to and from barges.
Depth Alongside (feet): 12 | - | Latitude (decimal): 47.545556
Total Berthing Space (feet): 130 | - | Longitude (decimal): -122.3364
Remarks: Contractor's storage yard is located in rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 648 Seattle District

Port: **Seattle**
Waterway: **Duwamish Waterway** Mile: PWD: 43
Name: **General Construction Co. Mooring.**
Location: East side, Duwamish Waterway, approximately 1,500 feet south of Slip No. 1. Datum: MLLW
Operator: General Construction Co.
Owner: General Construction Co.
Address: Phone: 206-938-6200
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring company-owned floating equipment and barges.
Depth Alongside (feet): 17 | | Latitude (decimal): 47.548611
Total Berthing Space (feet): 800 | | Longitude (decimal): -122.3383
Remarks: -
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 663 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Duwamish Waterway** Mile: PWD: 73
Name: **General Construction Co., Terminal 103, North Wharf.**
Location: West side, Duwamish Waterway, adjacent to south side of Burlington Northern Santa Fe Railway bridge. Datum: MLLW
Operator: General Construction Co.
Owner: Port of Seattle.
Address: 3838 West Marginal Way S.W. Phone: 206-938-6750
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring and repairing company-owned floating equipment; handling construction equipment, materials, and supplies to and from barges.
Depth Alongside (feet): 10 | 0 - 10 | Latitude (decimal): 47.569444
Total Berthing Space (feet): 315 | - | Longitude (decimal): -122.3519
Remarks: Contractor's storage yard is located at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 179 Seattle District

Port: **Seattle**
Waterway: **Duwamish Waterway** Mile: PWD: 45
Name: **Glacier Northwest, Slip No. 2 Wharf.**
Location: East side, Duwamish Waterway, north side of Slip No. 2. Datum: MLLW
Operator: Glacier Northwest.
Owner: Glacier Northwest.
Address: 5975 East Marginal Way South Phone: 206-764-3000
Town: Seattle State: WA County: King
Railway Connection: One surface track serves plant at rear; connects with Union Pacific Railroad.
Purpose: Receipt of sand and gravel by barge.
Depth Alongside (feet): 16 - 17 | | Latitude (decimal): 47.546944
Total Berthing Space (feet): 325 | | Longitude (decimal): -122.3378
Remarks: Ready-mix concrete batch plant is located at rear of wharf. Storage area in rear has capacity for approximately 13,000 tons of material.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 652 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Duwamish Waterway** Mile: PWD: 72
Name: **Glacier Northwest, Terminal 103, South Wharf.**
Location: West side, Duwamish Waterway, approximately 570 feet south of Burlington Northern Santa Fe Railway bridge Datum: MLLW
Operator: Glacier Northwest.
Owner: Port of Seattle.
Address: 3838 West Marginal Way S.W. Phone: 206-764-3040
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Receipt of sand, gravel, and stone by barge.
Depth Alongside (feet): 10 | 0 - 10 | Latitude (decimal): 47.568056
Total Berthing Space (feet): 240 | | Longitude (decimal): -122.3503
Remarks: Approximately 5 acres of open storage area are located at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 179 Seattle District

Port: **Seattle**
Waterway: **Duwamish Waterway** Mile: PWD: 64
Name: **Glacier Northwest, West Terminal Wharf.**
Location: West side, Duwamish Waterway, approximately 0.6 mile above 1st Avenue South Bridge Datum: MLLW
Operator: Glacier Northwest.
Owner: Glacier Northwest.
Address: 5900 West Marginal Way S.W. Phone: 206-764-3075
Town: Seattle State: WA County: King
Railway Connection: One surface track serving receiving pit and car-loading spout at plant in rear; connects with Burlington Northern Santa Fe Railway.
Purpose: Receipt of bulk cement by vessel and barge.
Depth Alongside (feet): 34 - 40 | | Latitude (decimal): 47.548889
Total Berthing Space (feet): 467 | | Longitude (decimal): -122.3403
Remarks: Two 10-inch, pneumatic pipelines extend from wharf to 8 cement storage silos with 4 interstices, total capacity 50,000 tons. One 10-inch, compressed air pipeline serves wharf.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 240 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Duwamish Waterway** Mile: PWD: 56
Name: **Hurlen Construction Co. Mooring.**
Location: West side, Duwamish Waterway, foot of South Riverside Drive. Datum: MLLW
Operator: Hurlen Construction Co.
Owner: Harold L. Hurlen.
Address: 700 South Riverside Drive. Phone: 206-763-1230
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring company-owned floating equipment; handling construction equipment, materials, and supplies to and from barges.
Depth Alongside (feet): 8 - 20 | | Latitude (decimal): 47.535833
Total Berthing Space (feet): 200 | | Longitude (decimal): -122.3264
Remarks: Contractor's storage yard is located at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 283 Seattle District

Port: **Seattle**
Waterway: **Duwamish Waterway** Mile: PWD: 55
Name: **Hurlen Construction Co. Wharf.**
Location: West side, Duwamish Waterway, between foot of 7th Avenue South and 8th Avenue South. Datum: MLLW
Operator: Hurlen Construction Co.
Owner: Harold L. Hurlen.
Address: 700 South Riverside Drive. Phone: 206-763-1230
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring company-owned floating equipment; handling construction equipment, materials, and supplies to and from barges.
Depth Alongside (feet): 20 | | Latitude (decimal): 47.534722
Total Berthing Space (feet): 280 | | Longitude (decimal): -122.3247
Remarks: Contractor's storage yard is located at rear. Approximately 240 feet of additional berthing space is available at lower side of wharf at permanently moored offshore floats.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 285 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Duwamish Waterway** Mile: PWD: 63
Name: **International Terminal Co., Terminal 115, North Wharf.**
Location: West side, Duwamish Waterway, approximately 0.5 mile above 1st Avenue South Bridge. Datum: MLLW
Operator: International Terminal Co. and other stevedoring companies.
Owner: Port of Seattle.
Address: 6020 West Marginal Way S.W. Phone: 206-763-1130
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Receipt and shipment of conventional general cargo and heavy-lift items in foreign and domestic trade; receipt of steel products and receipt and shipment of forest products.
Depth Alongside (feet): 40 | 0 - 40 | Latitude (decimal): 47.548333
Total Berthing Space (feet): 925 | - | Longitude (decimal): -122.34
Remarks: Approximately 6.4 acres of paved, open storage area are located at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 245 Seattle District

Port: **Seattle**
Waterway: **Duwamish Waterway** Mile: PWD: 74
Name: **Island Tug & Barge Co., South Wharf.**
Location: West side, Duwamish Waterway, approximately 390 feet north of S.W. Spokane Street Bridge. Datum: MLLW
Operator: Island Tug & Barge Co.
Owner: Chester W. Whitman.
Address: 3546 West Marginal Way S.W. Phone: 206-938-0403
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring company-owned tugs and towboats.
Depth Alongside (feet): 10 | - | Latitude (decimal): 47.5725
Total Berthing Space (feet): 100 | - | Longitude (decimal): -122.3561
Remarks: Dispatch office is located at rear. Vessels moor perpendicular to face of wharf.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 171 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Duwamish Waterway** Mile: PWD: 42
Name: **J. A. Jack and Sons Wharf.**
Location: East side, Duwamish Waterway, approximately 1,100 feet south of Slip No. 1. Datum: MLLW
Operator: J. A. Jack and Sons, Inc.
Owner: King County.
Address: 5427 Ohio Avenue South. Phone: 206-762-7622
Town: Seattle State: WA County: King
Railway Connection: One surface track serving plant in rear; connects with joint tracks of Burlington Northern Santa Fe Railway and Union Pacific Railroad.
Purpose: Receipt of limestone by self-unloading barge.
Depth Alongside (feet): 20 | | Latitude (decimal): 47.553333
Total Berthing Space (feet): 250 | | Longitude (decimal): -122.3406
Remarks: Open storage area located in rear has capacity for approximately 40,000 tons of limestone. Limestone reduction plant is located in rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 665 Seattle District

Port: **Seattle**
Waterway: **Duwamish Waterway** Mile: PWD: 44
Name: **James Hardie Gypsum, Seattle Wharf.**
Location: East side, Duwamish Waterway, north of entrance to Slip No. 2. Datum: MLLW
Operator: Glacier Northwest and James Hardie Gypsum, Inc.
Owner: James Hardie Gypsum.
Address: 5931 East Marginal Way South Phone: 206-764-3025
Town: Seattle State: WA County: King
Railway Connection: One 1,200-foot surface track serves both plants at rear; connects with Union Pacific Railroad.
Purpose: Receipt of bulk cement; receipt of gypsum rock by self-unloading vessel.
Depth Alongside (feet): 30 - 31 | 6 - 32 | 11 - 32 Latitude (decimal): 47.546944
Total Berthing Space (feet): 710 | - | - Longitude (decimal): -122.3378
Remarks: Glacier Northwest: One 10-inch pneumatic pipeline extends from wharf to 5 cement storage silos at rear, total capacity 12,000 tons. James Hardie Gypsum, Inc.: Steel-domed storage building in rear has capacity for 60,000 tons of gypsum rock.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 654 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
 Waterway: **Duwamish Waterway** Mile: PWD: 62
 Name: **Jore Marine Services, Terminal 115, South Wharf.**
 Location: West side, Duwamish Waterway, opposite Slip No. 2. Datum: MLLW
 Operator: Jore Marine Services, Inc.
 Owner: Port of Seattle.
 Address: 6700 West Marginal Way S.W. Phone: 206-762-3035
 Town: Seattle State: WA County: King
 Railway Connection: One surface track joining additional trackage serving Terminal 115; connects with tracks of Burlington Northern Santa Fe Railway.
 Purpose: Receipt and shipment of conventional and containerized general cargo and heavy-lift items in domestic trade (Alaska and Hawaii).
 Depth Alongside (feet): 14 | | Latitude (decimal): 47.544167
 Total Berthing Space (feet): 490 | - | Longitude (decimal): -122.3381
 Remarks: Approximately 26 acres of paved, open storage area are located at rear. Transit shed serves as a container freight station. One 115- by 25-foot, steel transfer bridge is located adjacent to Ref. No. 63.
 Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 245 Seattle District

Port: **Seattle**
 Waterway: **Duwamish Waterway** Mile: PWD: 69
 Name: **Lafarge Corp., Seattle Plant, Cement Wharf.**
 Location: West side, Duwamish Waterway, opposite Slip No. 1. Datum: MLLW
 Operator: Lafarge Corp.
 Owner: Lafarge Corp.
 Address: 5400 West Marginal Way S.W. Phone: 206-937-8025 X
 Town: Seattle State: WA County: King
 Railway Connection: Two surface tracks serve plant and bulk-cement-loading station in rear; connect with Burlington Northern Santa Fe Railway.
 Purpose: Receipt and shipment of bulk cement by barge.
 Depth Alongside (feet): 32 | 32 | 32 Latitude (decimal): 47.555278
 Total Berthing Space (feet): - | 645 | - Longitude (decimal): -122.345
 Remarks: One timber turning dolphin at east end of approach to wharf is connected to east wharf by a timber catwalk. One 6-inch, compressed air pipeline serves wharf. Two 12- and one 8-inch pipelines are used for receiving cement, and one 12-inch pipeline may be used for shipping cement; pipelines extend from wharf to 22 concrete, cement storage silos with 10 interstices in rear, total capacity 68,250 tons; maximum unloading rate is 375 tons per hour.
 Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 225 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Duwamish Waterway** Mile: PWD: 68
Name: **Lafarge Corp., Seattle Plant, Raw Materials Wharf.**
Location: West side, Duwamish Waterway, approximately 1.0 mile above 1st Avenue South Datum: MLLW
Bridge.
Operator: Lafarge Corp.
Owner: Lafarge Corp.
Address: 5400 West Marginal Way S.W. Phone: 206-937-8025 X
Town: Seattle State: WA County: King
Railway Connection: Four surface tracks serving plant in rear; connect with Burlington Northern Santa Fe
Railway.
Purpose: Receipt of limestone, shale, coal, and slag.
Depth Alongside (feet): 30 | | Latitude (decimal): 47.553889
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -122.3431
Remarks: Open storage area in rear has capacity for approximately 50,000 tons of bulk material.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 225 Seattle District

Port: **Seattle**
Waterway: **Duwamish Waterway** Mile: PWD: 40
Name: **Manson Construction Co. Wharf.**
Location: East side, Duwamish Waterway, south side of Slip No. 1, foot of South Dawson Datum: MLLW
Street.
Operator: Manson Construction Co.
Owner: King County.
Address: 5209 East Marginal Way South. Phone: 206-762-0850
Town: Seattle State: WA County: King
Railway Connection: One 250-foot surface track on apron; connects with joint tracks of Burlington Northern
Santa Fe Railway and Union Pacific Railroad.
Purpose: Mooring company-owned floating equipment; handling construction equipment, materials, and supplies
to and from barges.
Depth Alongside (feet): 12 - 20 | 20 | Latitude (decimal): 47.556111
Total Berthing Space (feet): 550 | 300 | Longitude (decimal): -122.3417
Remarks: Contractor's storage yard is located at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 671 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Duwamish Waterway** Mile: PWD: 51
Name: **Northland Services, 8th Avenue Terminal Wharf.**
Location: East side, Duwamish Waterway, north side of Slip No. 4. Datum: MLLW
Operator: Northland Services, Inc.
Owner: Crowley Marine Services.
Address: 7400 8th Avenue South. Phone: 206-767-7820
Town: Seattle State: WA County: King
Railway Connection: One surface track along rear of face joins additional tracks serving open storage area at rear; connects with Union Pacific Railroad.
Purpose: Receipt and shipment of containerized and conventional general cargo in domestic trade (Alaska).
Depth Alongside (feet): 13 - 15 | | Latitude (decimal): 47.534722
Total Berthing Space (feet): 165 | | Longitude (decimal): -122.3211
Remarks: Approximately 20 acres of open storage area are located at rear.
Year of Last Survey: 2002 Corps of Engrns Waterway Code: 91209 Dock Code: 593 Seattle District

Port: **Seattle**
Waterway: **Duwamish Waterway** Mile: PWD: 48
Name: **Northland Services, Fox Avenue Terminal Wharf.**
Location: East side, Duwamish Waterway, south side of entrance to Slip No. 3. Datum: MLLW
Operator: Northland Services, Inc.
Owner: Northland Services, Inc.
Address: 6701 Fox Avenue South. Phone: 206-763-3000
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Receipt and shipment of containerized and conventional general cargo in domestic trade (Alaska).
Depth Alongside (feet): 18 | 18 | Latitude (decimal): 47.541389
Total Berthing Space (feet): 475 | 500 | Longitude (decimal): -122.3325
Remarks: Approximately 12 acres of open storage, including approximately 300 electrical outlets for refrigerated containers, are located at rear. A 400- by 105-foot building at rear is used as a short-term warehouse and as a shop building. Vessels utilize 400- by 90-foot slip south of Slip No. 3; face of river side has a 60-foot-long notch where steel ramps are utilized for access by forklift trucks.
Year of Last Survey: 2002 Corps of Engrns Waterway Code: 91209 Dock Code: 627 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Duwamish Waterway** Mile: PWD: 61
Name: **Seafreeze Limited Partnership, Terminal 115, Wharf.**
Location: West side, Duwamish Waterway, approximately 700 feet above 1st Avenue South Bridge. Datum: MLLW
Operator: Seafreeze Limited Partnership.
Owner: Port of Seattle.
Address: 206 S.W. Michigan Street. Phone: 206-767-7350
Town: Seattle State: WA County: King
Railway Connection: One 640- and one 300-foot, platform-level tracks on north side of warehouse at rear; connect with Burlington Northern Santa Fe Railway.
Purpose: Receipt of seafood.
Depth Alongside (feet): 20 | | Latitude (decimal): 47.543056
Total Berthing Space (feet): 220 | | Longitude (decimal): -122.3367
Remarks: Cold storage warehouse and seafood-processing plant are located at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 245 Seattle District

Port: **Seattle**
Waterway: **Duwamish Waterway** Mile: PWD: 49
Name: **Seattle Iron & Metals Corp., North Wharf.**
Location: East side, Duwamish Waterway, north of foot of South Garden Street. Datum: MLLW
Operator: Seattle Iron & Metals Corp.
Owner: Seattle Iron & Metals Corp.
Address: 601 South Myrtle Street. Phone: 206-682-0040
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Occasional receipt of scrap metal by barge.
Depth Alongside (feet): 12 - 13 | - | Latitude (decimal): 47.538611
Total Berthing Space (feet): 125 | - | Longitude (decimal): -122.3278
Remarks: -
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 620 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Duwamish Waterway** Mile: PWD: 50
Name: **Seattle Iron & Metals Corp., South Wharf.**
Location: East side, Duwamish Waterway, south of foot of South Garden Street. Datum: MLLW
Operator: Seattle Iron & Metals Corp.
Owner: Seattle Iron & Metals Corp.
Address: 601 South Myrtle Street. Phone: 206-682-0040
Town: Seattle State: WA County: King
Railway Connection: One surface track in yard connects with Union Pacific Railroad.
Purpose: Receipt of scrap metal by barge.
Depth Alongside (feet): 16 | | Latitude (decimal): 47.5375
Total Berthing Space (feet): 300 | | Longitude (decimal): -122.3267
Remarks: Approximately 6 acres of open storage area are located at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 620 Seattle District

Port: **Seattle**
Waterway: **Duwamish Waterway** Mile: PWD: 54
Name: **Silver Bay Logging, 8th Avenue Wharf.**
Location: West side, Duwamish Waterway, above foot of 8th Avenue South. Datum: MLLW
Operator: Silver Bay Logging, Inc.
Owner: Silver Bay Logging, Inc.
Address: 7760 8th Avenue South. Phone: 206-763-6885
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Receipt of lumber by barge.
Depth Alongside (feet): 18 | | Latitude (decimal): 47.533611
Total Berthing Space (feet): 400 | | Longitude (decimal): -122.3228
Remarks: Approximately 1 1/2 acres of open storage area are located at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 291 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Duwamish Waterway** Mile: PWD: 47
Name: **Silver Bay Logging, South River Street Wharf.**
Location: East side, Duwamish Waterway, north side of Slip No. 3. Datum: MLLW
Operator: Silver Bay Logging, Inc.
Owner: Silver Bay Logging, Inc.
Address: 121 South River Street. Phone:
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring barges.
Depth Alongside (feet): 15 | | Latitude (decimal): 47.540556
Total Berthing Space (feet): 215 | | Longitude (decimal): -122.3319
Remarks: -
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 643 Seattle District

Port: **Seattle**
Waterway: **Duwamish Waterway** Mile: PWD: 52
Name: **The Boeing Co., Seattle Wharf.**
Location: East side, Duwamish Waterway, south side of Slip No. 6. Datum: MLLW
Operator: The Boeing Co.
Owner: The Boeing Co.
Address: 9725 East Marginal Way South. Phone:
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring barges.
Depth Alongside (feet): 18 | | Latitude (decimal): 47.518611
Total Berthing Space (feet): 650 | | Longitude (decimal): -122.3039
Remarks:
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 578 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Duwamish Waterway** Mile: PWD: 41
Name: **Tilbury Cement Co., East Marginal Terminal Wharf.**
Location: East side, Duwamish Waterway, approximately 800 feet south of Slip No. 1. Datum: MLLW
Operator: Tilbury Cement Co. and Cadman, Inc.
Owner: King County.
Address: 5225 East Marginal Way South. Phone: 206-763-2525
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Receipt of bulk cement by self-unloading barge; receipt of gravel.
Depth Alongside (feet): 17 | | Latitude (decimal): 47.555
Total Berthing Space (feet): 300 | | Longitude (decimal): -122.3417
Remarks: Tilbury Cement Co.: Two 6-inch pneumatic pipelines extend from wharf to 5 cement storage silos in rear, total capacity 5,000 tons. Cadman, Inc.: Concrete batch plant and open storage area with capacity for approximately 20,000 tons of gravel are located at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 671 Seattle District

Port: **Seattle**
Waterway: **Duwamish Waterway** Mile: PWD: 39
Name: **U.S. Government, Seattle Wharf.**
Location: East side, Duwamish Waterway, north side of Slip No. 1, between foot of South Hudson and South Dawson St Datum: MLLW
Operator: U.S. Government.
Owner: U.S. Government.
Address: 4735 East Marginal Way South. Phone:
Town: Seattle State: WA County: King
Railway Connection: One 460-foot surface track on apron and additional tracks serve buildings in rear; connect with joint tracks of Burlington Northern Santa Fe Railway and Union Pacific Railroad.
Purpose: Mooring vessels.
Depth Alongside (feet): 26 | 0 - 26 | 15 - 26 Latitude (decimal): 47.556944
Total Berthing Space (feet): 642 | - | 165 Longitude (decimal): -122.3425
Remarks: Offices of the U.S. Army Corps of Engineers, Seattle District and other Federal agencies are located in buildings at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 674 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **East Waterway** Mile: PWD: 21
Name: **Olympic Tug & Barge, Pier 23.**
Location: West side, East Waterway, north of S.W. Spokane Street Bridge. Datum: MLLW
Operator: Harley Marine Services, Inc. dba Olympic Tug & Barge.
Owner: Duwamish Properties.
Address: 910 S.W. Spokane Street Phone: 206-628-0051
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring and repairing company-owned tugboats and barges.
Depth Alongside (feet): 6 - 15 | | Latitude (decimal): 47.572778
Total Berthing Space (feet): 700 | | Longitude (decimal): -122.3456
Remarks: Dispatch office is located in building at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91212 Dock Code: 813 Seattle District

Port: **Seattle**
Waterway: **East Waterway** Mile: PWD: 20
Name: **Rainier Cold Storage & Ice, Terminal 25 South Wharf.**
Location: East side, East Waterway, foot of South Hinds Street, approximately 300 feet north of S.W. Spokane Street Datum: MLLW
Operator: Rainier Cold Storage & Ice, Inc.
Owner: Port of Seattle.
Address: 3407 East Marginal Way South. Phone: 206-682-2840
Town: Seattle State: WA County: King
Railway Connection: One 700-foot, platform-level track along north side of warehouses in rear; connects with joint tracks of Burlington Northern Santa Fe Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of seafood.
Depth Alongside (feet): 12 - 25 | | Latitude (decimal): 47.573056
Total Berthing Space (feet): 300 | | Longitude (decimal): -122.3439
Remarks: Buildings located at rear are used for storage of seafood and as cold storage warehouses.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91212 Dock Code: 820 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **East Waterway** Mile: PWD: 22
Name: **SSA Terminals, Terminal 18, Berth 7.**
Location: Inner end, west side of East Waterway, foot of S.W. Hanford Street. Datum: MLLW
Operator: SSA Terminals and PM Ag Products, Inc.
Owner: Port of Seattle.
Address: 1002 S.W. Spokane Street. Phone: 206-622-4064
Town: Seattle State: WA County: King
Railway Connection: Two surface tracks on apron join additional trackage serving the molasses tank car racks; connect with Burlington Northern Santa Fe Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of conventional general cargo and heavy-lift items in foreign and domestic trade; and receipt of molasses.
Depth Alongside (feet): 36 - 40 | | Latitude (decimal): 47.576111
Total Berthing Space (feet): 1,216 | | Longitude (decimal): -122.3458
Remarks: PM Ag Products, Inc.: one 12-inch pipeline extends from 8-inch connection on wharf to 5 steel, molasses storage tanks at rear, total capacity 4,000,000 gallons.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91212 Dock Code: 803 Seattle District

Port: **Seattle**
Waterway: **East Waterway** Mile: PWD: 23
Name: **SSA Terminals, Terminal 18, Berths 2-6.**
Location: West side, East Waterway, between entrance and foot of S.W. Hanford Street. Datum: MLLW
Operator: SSA Terminals and Kinder Morgan Energy Partners LP.
Owner: Port of Seattle.
Address: 1131 S.W. Klickitat Street. Phone: 206-654-3724
Town: Seattle State: WA County: King
Railway Connection: On dock intermodal yard with loading capacity for 58 five-platform doublestack rail cars and adjacent storage of a similar number of cars; connect with Burlington Northern Santa Fe Railway.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trade; receipt and shipment of petroleum products; and loading barges for bunkering vessels at berth.
Depth Alongside (feet): 40 - 50 | | Latitude (decimal): 47.569722
Total Berthing Space (feet): 5,000 | | Longitude (decimal): -122.3458
Remarks: SSA Terminals: Approximately 196 acres of paved, open storage area including 908 electrical outlets for refrigerated containers are located at rear. Kinder Morgan Energy Partners, LP: Two 12- and four 10-inch pipelines extend from Berths 3-4 to 21 steel storage tanks on opposite side of 11th Avenue S.W. in rear, total capacity 850,000 barrels.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91212 Dock Code: 790 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **East Waterway** Mile: PWD: 19
Name: **SSA Terminals, Terminal 25 Wharf.**
Location: East side, East Waterway, between South Forest and South Hinds Streets extended. Datum: MLLW
Operator: SSA Terminals.
Owner: Port of Seattle.
Address: 3225 East Marginal Way South. Phone: 206-461-9169
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Receipt and shipment of containerized general cargo in domestic trade.
Depth Alongside (feet): 50 | | Latitude (decimal): 47.575556
Total Berthing Space (feet): 1,580 | | Longitude (decimal): -122.3431
Remarks: Approximately 37 acres of paved, open storage area including 225 electrical outlets for refrigerated containers are located at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91212 Dock Code: 820 Seattle District

Port: **Seattle**
Waterway: **East Waterway** Mile: PWD: 18
Name: **Trans Pacific Container Service Corp., Terminal 30 Wharf.**
Location: East side, East Waterway, between South Holgate and South Forest Streets extended. Datum: MLLW
Operator: Trans Pacific Container Service Corp.
Owner: Port of Seattle.
Address: 2431 East Marginal Way South. Phone: 206-340-0135 10
Town: Seattle State: WA County: King
Railway Connection: One surface track on apron; connects with joint tracks of Burlington Northern Santa Fe Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 40 - 44 | | Latitude (decimal): 47.580278
Total Berthing Space (feet): 1,812 | | - Longitude (decimal): -122.3431
Remarks: Northern 1,000 feet of berthing space has been dredged to 44 feet. Approximately 45 acres of paved, open storage area, including 300 electrical outlets for refrigerated containers, are located at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91212 Dock Code: 830 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **East Waterway** Mile: PWD: 17
Name: **U.S. Coast Guard, Pier 35.**
Location: East side, East Waterway, foot of South Massachusetts Street. Datum: MLLW
Operator: Not operated.
Owner: U.S. Government.
Address: 1519 Alaskan Way South. Phone: 206-217-6452
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 30 | 30 | Latitude (decimal): 47.589444
Total Berthing Space (feet): 150 | - | Longitude (decimal): -122.3431
Remarks: Vessels formerly berthed across face of piers. U.S. Coast Guard storage yard is located at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91212 Dock Code: 849 Seattle District

Port: **Seattle**
Waterway: **East Waterway** Mile: PWD: 16
Name: **U.S. Coast Guard, Pier 36 Slip.**
Location: East side, East Waterway, foot of South Atlantic Street. Datum: MLLW
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 1519 Alaskan Way South. Phone: 206-217-6452
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring U.S. Coast Guard vessels.
Depth Alongside (feet): 35 | 30 | 34 Latitude (decimal): 47.59
Total Berthing Space (feet): 1,050 | | 1,055 Longitude (decimal): -122.3419
Remarks: U.S. Coast Guard Integrated Support Command Seattle is located at rear. Former transit shed at rear of south side is used for storage and as repair shops. A 120- by 10-foot float is moored at head of slip, with one 50- by 10-foot, one 100- by 10-foot, and one 130- by 10-foot, parallel float extensions; a 70- by 60-foot, floating steel boathouse on pontoons with two slips is moored to dolphins at south side of south float.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91213 Dock Code: 851 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Elliott Bay** Mile: PWD: 81
Name: **Anmarco, Pier 1.**
Location: South shore, Elliott Bay, approximately 3,200 feet west of entrance to West Waterway. Datum: MLLW
Operator: Anmarco.
Owner: Anmarco.
Address: 2130 Harbor Avenue S.W. Phone: 206-762-9125
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring barges.
Depth Alongside (feet): 32 - 38 | 0 - 32 | 0 - 20 Latitude (decimal): 47.585278
Total Berthing Space (feet): 950 | | Longitude (decimal): -122.3742
Remarks: Wharf was in poor condition at time of survey.
Year of Last Survey: 2002 Corps of Engrns Waterway Code: 91208 Dock Code: 106 Seattle District

Port: **Seattle**
Waterway: **Elliott Bay** Mile: PWD: 8
Name: **Argosy Cruises, Pier 55 Landing.**
Location: Eastern shore, Elliott Bay, foot of Seneca Street extended. Datum: MLLW
Operator: Argosy Cruises.
Owner: Martin Smith Real Estate.
Address: 1101 Alaskan Way. Phone: 206-623-1445 10
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring harbor excursion vessels; landing for water taxis.
Depth Alongside (feet): 35 | | Latitude (decimal): 47.605278
Total Berthing Space (feet): 400 | | Longitude (decimal): -122.3414
Remarks: Floats are located at inner end of slip formed by Piers 56 and 55; a 50- by 50- foot, timber pile, covered platform is located at head of slip. Water taxis operate to Harbor Avenue S.W. in West Seattle. Excursion vessels 'Good Time,' 'Good Time II,' 'Good Time III' and 'Spirit of Seattle' are based at floats. Ticket office is located at rear.
Year of Last Survey: 2002 Corps of Engrns Waterway Code: 91213 Dock Code: 887 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Elliott Bay** Mile: PWD: 7
Name: **Argosy Cruises, Pier 57 Landing.**
Location: Eastern shore, Elliott Bay, foot of University Street extended. Datum: MLLW
Operator: Argosy Cruises.
Owner: Martin Smith Real Estate.
Address: 1301 Alaskan Way. Phone: 206-623-1445 10
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring harbor excursion vessels.
Depth Alongside (feet): 35 | 35 | Latitude (decimal): 47.605833
Total Berthing Space (feet): 150 | 95 | Longitude (decimal): -122.3417
Remarks: Ticket office is located at rear. Excursion vessel 'Royal Argosy' is based at Pier 57 float.
Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 91213 Dock Code: 888 Seattle District

Port: **Seattle**
Waterway: **Elliott Bay** Mile: PWD: 9
Name: **City of Seattle, Fire Station No. 5 Mooring.**
Location: Eastern shore, Elliott Bay, foot of Madison Street extended. Datum: MLLW
Operator: City of Seattle Fire Department.
Owner: City of Seattle Fire Department.
Address: 925 Alaskan Way. Phone: 206-386-1405
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring city fireboats.
Depth Alongside (feet): 20 - 30 | | Latitude (decimal): 47.603889
Total Berthing Space (feet): 120+ | | Longitude (decimal): -122.3397
Remarks: Fire Station No. 5 is located on pier. Fireboats 'Alki' and 'Chief Seattle' are based at float.
Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 91213 Dock Code: 882 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Elliott Bay** Mile: PWD: 5
Name: **Clipper Navigation, Pier 69.**
Location: Eastern shore, Elliott Bay, between foot of Clay and Vine Streets extended. Datum: MLLW
Operator: Clipper Navigation, Inc.
Owner: Port of Seattle.
Address: 2701 Alaskan Way. Phone: 206-443-2560
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring excursion vessels.
Depth Alongside (feet): 40 | 35 - 45 | 35 - 45 Latitude (decimal): 47.613889
Total Berthing Space (feet): - | 415 | 450 Longitude (decimal): -122.3556
Remarks: Offices and passenger waiting room are located on first floor of the building on the pier. Vessels 'Victoria Clipper I', 'Victoria Clipper III,' and 'Victoria Clipper IV' operate between Seattle, Washington and Victoria, British Columbia, Canada. General offices of the Port of Seattle are also located in the building.
Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 91213 Dock Code: 916 Seattle District

Port: **Seattle**
Waterway: **Elliott Bay** Mile: PWD: 80
Name: **Crowley Marine Services, Alaska Hydro-Train Car-Float Transfer Bri**
Location: South shore, Elliott Bay, approximately 0.5 mile west of entrance to West Waterway. Datum: MLLW
Operator: Crowley Marine Services, Inc.
Owner: Port of Seattle.
Address: Phone: 206-332-8215
Town: Seattle State: WA County: King
Railway Connection: Two surface tracks on transfer bridge join with tracks in storage yard at rear of causeway; connect with Burlington Northern Santa Fe Railway and Union Pacific Railroad.
Purpose: Transfer of railroad cars and trailer vans to and from car floats operating between Seattle and Alaska.
Depth Alongside (feet): 40 | | Latitude (decimal): 47.583611
Total Berthing Space (feet): 400 | | Longitude (decimal): -122.3708
Remarks: Two barges can be moored on west side of west dolphins.
Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 91208 Dock Code: 115 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Elliott Bay** Mile: PWD: 26
Name: **Crowley Marine Services, Car Float Transfer Bridge, Pier 15 1/2.**
Location: North side, Harbor Island, between foot of 11th and 13th Avenues S.W. Datum: MLLW
Operator: Crowley Marine Services, Inc.
Owner: Crowley Marine Services, Inc.
Address: 1810 13th Avenue S.W. Phone: 206-332-8235
Town: Seattle State: WA County: King
Railway Connection: Two surface tracks on transfer bridge connect with Burlington Northern Santa Fe Railway and Union Pacific Railroad.
Purpose: Transfer of railroad cars to and from car floats operating between Seattle and Alaskan ports.
Depth Alongside (feet): 25 | | Latitude (decimal): 47.587778
Total Berthing Space (feet): 230 | | Longitude (decimal): -122.3514
Remarks: -
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91211 Dock Code: 763 Seattle District

Port: **Seattle**
Waterway: **Elliott Bay** Mile: PWD: 24
Name: **Crowley Marine Services, Pier 17.**
Location: North side, Harbor Island, 1,000 feet west of entrance to East Waterway, foot of 11th Avenue S.W. Datum: MLLW
Operator: Crowley Marine Services, Inc.
Owner: Port of Seattle.
Address: 1100 S.W. Massachusetts Street. Phone: 206-332-8235
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring company-owned tugboats and barges.
Depth Alongside (feet): 35 | 35 | 35 Latitude (decimal): 47.59
Total Berthing Space (feet): - | 800 | 310 Longitude (decimal): -122.3497
Remarks: Dispatch office is located at inner end of pier.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91211 Dock Code: 765 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Elliott Bay** Mile: PWD: 3
Name: **Louis Dreyfus Corp., Terminal 86, Grain Wharf.**
Location: North shore, Elliott Bay, foot of 11th Avenue West extended. Datum: MLLW
Operator: Louis Dreyfus Corp.
Owner: Port of Seattle.
Address: 955 Alaskan Way West. Phone: 206-284-4851
Town: Seattle State: WA County: King
Railway Connection: Two tracks serve two receiving pits at rear of elevator, join with 9 track, 220-car-capacity storage yard in rear; connect with Burlington Northern Santa Fe Railway and Union Pacific Railroad.Railroad.Railroad
Purpose: Shipment of grain by vessel.
Depth Alongside (feet): 70 | | Latitude (decimal): 47.623333
Total Berthing Space (feet): 1,400 | | Longitude (decimal): -122.37
Remarks:
Year of Last Survey: 2002 Corps of Engrns Waterway Code: 91213 Dock Code: 942 Seattle District

Port: **Seattle**
Waterway: **Elliott Bay** Mile: PWD: 6
Name: **Port of Seattle, Bell Street Cruise Terminal, Pier 66.**
Location: Eastern shore, Elliott Bay, foot of Bell Street extended. Datum: MLLW
Operator: Port of Seattle.
Owner: Port of Seattle.
Address: 2203-2225 Alaskan Way. Phone: 206-615-3952
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Receipt of seafood; mooring cruise ships and vessels.
Depth Alongside (feet): 30 - 63 | | Latitude (decimal): 47.611111
Total Berthing Space (feet): 1,550 | 400 | Longitude (decimal): -122.35
Remarks: Passenger terminal includes approximately 56,000 square feet on two levels; an adjustable gangway extends from passenger terminal. Bell Harbor International Conference Center and Odyssey Maritime Discovery Center are also located at rear. Bell Harbor Marina located at rear of south side of wharf and operated by Port of Seattle includes 35 slips for transient moorage.
Year of Last Survey: 2002 Corps of Engrns Waterway Code: 91213 Dock Code: 905 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Elliott Bay** Mile: PWD: 25
Name: **Port of Seattle, Car Float Transfer Bridge, Pier 16.**
Location: North side, Harbor Island, between foot of 11th and 13th Avenues S.W. Datum: MLLW
Operator: Not operated.
Owner: Port of Seattle.
Address: Phone:
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 35 | | Latitude (decimal): 47.587778
Total Berthing Space (feet): 400 | | Longitude (decimal): -122.3511
Remarks: Transfer bridge was fenced off at time of survey; plans call for the removal of the transfer bridge.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91211 Dock Code: 763 Seattle District

Port: **Seattle**
Waterway: **Elliott Bay** Mile: PWD: 13
Name: **Port of Seattle, Pier 46.**
Location: Eastern shore, Elliott Bay, north side of Terminal 46, foot of South Jackson Street. Datum: MLLW
Operator: Port of Seattle.
Owner: Port of Seattle.
Address: 401 Alaskan Way South. Phone: 206-447-9422
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring vessels.
Depth Alongside (feet): 36 | | Latitude (decimal): 47.599167
Total Berthing Space (feet): 600 | | Longitude (decimal): -122.3383
Remarks:
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91213 Dock Code: 870 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Elliott Bay** Mile: PWD: 12
Name: **Port of Seattle, Pier 48.**
Location: Eastern shore, Elliott Bay, foot of South Main Street. Datum: MLLW
Operator: Port of Seattle.
Owner: Port of Seattle.
Address: 101 Alaskan Way South. Phone: 206-447-9422
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring vessels.
Depth Alongside (feet): 55 | 35 | 35 Latitude (decimal): 47.6
Total Berthing Space (feet): 250 | 520 | 520 Longitude (decimal): -122.3397
Remarks: Covered steel passenger ramp serving second floor of transit shed was not in use at time of survey.
Parking area is located at rear of pier.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91213 Dock Code: 875 Seattle District

Port: **Seattle**
Waterway: **Elliott Bay** Mile: PWD: 2
Name: **Port of Seattle, Terminal 91, Pier 90.**
Location: North shore, Elliott Bay, Smith Cove, at foot of 22d Avenue W. extended. Datum: MLLW
Operator: Port of Seattle, Foss Maritime Co., and Pacific Terminal Services, Inc.
Owner: Port of Seattle.
Address: 2001 West Garfield Street. Phone: 206-298-5267
Town: Seattle State: WA County: King
Railway Connection: Tracks serving storage area on north side of West Garfield Street Viaduct at rear; connect with Burlington Northern Santa Fe Railway.
Purpose: Receipt and shipment of fruit and petroleum products; occasional receipt and shipment of conventional general cargo; mooring company-owned floating equipment; and bunkering vessels.
Depth Alongside (feet): 35 | 35 | 35 Latitude (decimal): 47.626389
Total Berthing Space (feet): 295 | 2,222 | 1,875 Longitude (decimal): -122.38
Remarks:
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91213 Dock Code: 952 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
 Waterway: **Elliott Bay** Mile: PWD: 1
 Name: **Port of Seattle, Terminal 91, Pier 91.**
 Location: North shore, Elliott Bay, Smith Cove, at foot of 22d Avenue W. extended. Datum: MLLW
 Operator: Port of Seattle and Distribution and Auto Service, Inc. (See Remarks).
 Owner: Port of Seattle.
 Address: 2001 West Garfield Street. Phone: 206-283-6300
 Town: Seattle State: WA County: King
 Railway Connection: Tracks serving storage area on north side of West Garfield Street Viaduct at rear; connect with Burlington Northern Santa Fe Railway.
 Purpose: Occasional receipt and shipment of conventional and roll-on/roll-off general cargo; receipt of automobiles and seafood; and mooring vessels.
 Depth Alongside (feet): 35 | 35 | 35 Latitude (decimal): 47.626389
 Total Berthing Space (feet): 357 | 1,875 | 2,495 Longitude (decimal): -122.3828
 Remarks:
 Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91213 Dock Code: 957 Seattle District

Port: **Seattle**
 Waterway: **Elliott Bay** Mile: PWD: 27
 Name: **Rainier Petroleum Corp. and Equilon Enterprises, Pier 15.**
 Location: North side, Harbor Island, foot of 13th Avenue S.W. Datum: MLLW
 Operator: Rainier Petroleum Corp. and Equilon Enterprises, LLC.
 Owner: ExxonMobil Corp. and Equilon Enterprises, LLC.
 Address: 1711-2555 13th Avenue S.W. Phone: 206-224-0481
 Town: Seattle State: WA County: King
 Railway Connection: None.
 Purpose: Receipt and shipment of petroleum products; bunkering vessels; and loading barges for bunkering vessels at berth.
 Depth Alongside (feet): 35 | 35 - 40 | 35 - 40 Latitude (decimal): 47.588889
 Total Berthing Space (feet): - | 460 | 460 Longitude (decimal): -122.3533
 Remarks: Equilon Enterprises, LLC operates the east side of the pier; one 12-, four 8-, and eight 6-inch pipelines extend from pier to 36 steel storage tanks in rear, total capacity 555,000 barrels. Rainier Petroleum Corp. operates the west side of the pier; one 6-inch metered pipeline extends to west side of pier from one marine, diesel fuel storage tank at Equilon Enterprises terminal, capacity 30,000 barrels. A floating, oil-spill containment boom is available.
 Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91211 Dock Code: 762 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Elliott Bay** Mile: PWD: 4
Name: **Spirit of Puget Sound Harbor Cruises, Pier 70 Float.**
Location: Eastern shore, Elliott Bay, foot of Broad Street. Datum: MLLW
Operator: Spirit of Puget Sound Harbor Cruises.
Owner: Triad Development, Inc.
Address: 2801 Alaskan Way. Phone: 206-674-3499
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring harbor excursion vessels.
Depth Alongside (feet): 45 | 28 - 45 | 28 - 45 Latitude (decimal): 47.614722
Total Berthing Space (feet): 220 | 520 | 550 Longitude (decimal): -122.3569
Remarks:
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91213 Dock Code: 920 Seattle District

Port: **Seattle**
Waterway: **Elliott Bay** Mile: PWD: 15
Name: **SSA Terminals, Terminal 37 Wharf.**
Location: Eastern shore, Elliott Bay, foot of South Atlantic Street extended. Datum: MLLW
Operator: SSA Terminals.
Owner: Port of Seattle.
Address: 1201 Alaskan Way South. Phone: 206-623-0304x4
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Receipt and shipment of conventional general cargo, heavy lift items, and steel products in foreign and domestic trade.
Depth Alongside (feet): 29 - 40 | | Latitude (decimal): 47.592222
Total Berthing Space (feet): 850 | | Longitude (decimal): -122.3425
Remarks: Approximately 12 acres of paved, open storage area and one 12,000-square-foot storage warehouse are located at rear. Wharf is in line and contiguous with that of adjacent Terminal 46 (Ref. No. 14).
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91213 Dock Code: 854 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Elliott Bay** Mile: PWD: 29
Name: **Todd Pacific Shipyards Corp., Berth J, Pier No. 5.**
Location: North side, Harbor Island, 300 feet west of foot of 16th Avenue S.W. Datum: MLLW
Operator: Todd Pacific Shipyards Corp., Seattle Division.
Owner: Todd Pacific Shipyards Corp., Seattle Division.
Address: 1801 16th Avenue S.W. Phone: 206-623-1635 X
Town: Seattle State: WA County: King
Railway Connection: Surface tracks serving plant in rear; connect with joint tracks of Burlington Northern Santa Fe Railway and Union Pacific Railroad on 16th Avenue S.W.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 70 | 45 - 70 | 45 - 53 Latitude (decimal): 47.589167
Total Berthing Space (feet): - | 968 | Longitude (decimal): -122.3567
Remarks: Floating Drydock No. 3, capacity 30,000 long tons, is moored on west side of pier. See Remarks under Ref. No. 28.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91211 Dock Code: 754 Seattle District

Port: **Seattle**
Waterway: **Elliott Bay** Mile: PWD: 28
Name: **Todd Pacific Shipyards Corp., Berth K, Pier No. 6.**
Location: North side, Harbor Island, foot of 16th Avenue S.W. Datum: MLLW
Operator: Todd Pacific Shipyards Corp., Seattle Division.
Owner: Todd Pacific Shipyards Corp., Seattle Division.
Address: 1801 16th Avenue S.W. Phone: 206-623-1635 X
Town: Seattle State: WA County: King
Railway Connection: Surface tracks serving plant in rear; connect with joint tracks of Burlington Northern Santa Fe Railway and Union Pacific Railroad on 16th Avenue S.W.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 38 | 38 | 35 - 42 Latitude (decimal): 47.588333
Total Berthing Space (feet): - | 590 | Longitude (decimal): -122.3553
Remarks: Floating Drydock No. 2, capacity 4,200 long tons, is moored on west side of pier. All shipyard piers and drydocks are equipped with service lines for compressed air, water, electricity, and sewage. Natural gas and oxygen lines are available on floating drydocks.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91211 Dock Code: 754 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Elliott Bay** Mile: PWD: 30
Name: **Todd Pacific Shipyards Corp., Berths F, G, and H, Pier No. 4.**
Location: Harbor Island, north and east side of entrance to West Waterway, 700 feet west of foot of 16th Avenue S. Datum: MLLW
Operator: Todd Pacific Shipyards Corp., Seattle Division.
Owner: Todd Pacific Shipyards Corp., Seattle Division.
Address: 1801 16th Avenue S.W. Phone: 206-623-1635 X
Town: Seattle State: WA County: King
Railway Connection: Surface tracks serving plant in rear; connect with joint tracks of Burlington Northern Santa Fe Railway and Union Pacific Railroad on 16th Avenue S.W.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 45 | 30 - 45 | 45 - 34 Latitude (decimal): 47.586667
Total Berthing Space (feet): - | | 1,400 Longitude (decimal): -122.3583
Remarks: Floating Drydock No. 1, capacity 14,000 long tons, is moored on east side of pier. See Remarks under Ref. No. 28.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91211 Dock Code: 754 Seattle District

Port: **Seattle**
Waterway: **Elliott Bay** Mile: PWD: 14
Name: **Total Terminals, Terminal 46 Wharf.**
Location: Eastern shore, Elliott Bay, below foot of South Jackson Street. Datum: MLLW
Operator: Total Terminals, Inc.
Owner: Port of Seattle.
Address: 401 Alaskan Way South. Phone: 206-382-8255
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 50 | | Latitude (decimal): 47.596667
Total Berthing Space (feet): 1,874 | | Longitude (decimal): -122.3411
Remarks: Approximately 70 acres of paved, open storage area including 280 electrical outlets for refrigerated containers are located at rear. Wharf is in line and contiguous with that of adjacent Terminal 37 (Ref. No. 15).
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91213 Dock Code: 872 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Elliott Bay** Mile: PWD: 10
Name: **Washington State Ferries, Colman Ferry Terminal, Pier 52.**
Location: Eastern shore, Elliott Bay, between foot of Marion and Columbia Streets extended. Datum: MLLW
Operator: State of Washington, Department of Transportation.
Owner: State of Washington.
Address: 801 Alaskan Way. Phone: 206-464-6972/15
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Terminal for passenger and vehicular ferries operating between Seattle, Bainbridge Island, and Bremerton, WA.
Depth Alongside (feet): 35 - 50 | - | Latitude (decimal): 47.6025
Total Berthing Space (feet): 3 | - | Longitude (decimal): -122.3394
Remarks: Terminal building includes office space and rental areas. Overhead passenger ramps connect terminal building to slips. One 4-inch, sewer connection for vessels serves each ferry slip.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91213 Dock Code: 881 Seattle District

Port: **Seattle**
Waterway: **Elliott Bay** Mile: PWD: 11
Name: **Washington State Ferries, Seattle Ferry Terminal, Pier 50.**
Location: Eastern shore, Elliott Bay, foot of Yesler Way. Datum: MLLW
Operator: State of Washington, Department of Transportation.
Owner: State of Washington.
Address: 801 Alaskan Way. Phone: 206-464-6972/15
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Terminal for passenger ferries operating between Seattle, Bainbridge Island, and Bremerton, WA.
Depth Alongside (feet): 35 | | Latitude (decimal): 47.601389
Total Berthing Space (feet): 110 + | | Longitude (decimal): -122.3361
Remarks: Float is moored at south side of Pier 50.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91213 Dock Code: 876 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Lake Union** Mile: PWD: 149
Name: **Argosy Cruises, Lake Union Float.**
Location: East shore of Lake Union, at foot of Prospect Street extended. Datum: MWL
Operator: Argosy Cruises.
Owner: Argosy Cruises.
Address: Phone: 206-623-1445 10
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Landing for excursion vessels.
Depth Alongside (feet): 6 | | Latitude (decimal): 47.628333
Total Berthing Space (feet): 520 | | Longitude (decimal): -122.3378
Remarks: Ticket office and unpaved parking lot are located at rear. Float planes land at float south of pier on opposite side of fence line.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91218 Dock Code: 101

Port: **Seattle**
Waterway: **Lake Union** Mile: PWD: 116
Name: **City Dock Co. Pier.**
Location: North shore of Lake Union, approximately 0.2 mile above Aurora Avenue N. (George Washington Memorial) Br Datum: MWL
Operator: City Dock Co.
Owner: City of Seattle.
Address: 1301 N. Northlake Way. Phone: 206-236-7363
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring small vessels.
Depth Alongside (feet): 36 | 16 - 36 | 16 - 36 Latitude (decimal): 47.647222
Total Berthing Space (feet): 20 | 365 | 365 Longitude (decimal): -122.3411
Remarks: Series of 10- and 20-foot-wide concrete floats front entire length of lower side of pier. Property was for lease at time survey.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91218 Dock Code: 879 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Lake Union** Mile: PWD: 148
Name: **City of Seattle, Marine Heritage Center Wharf.**
Location: Southeast shore of Lake Union, approximately 1.9 miles below Interstate Highway 5 Bridge, at foot of Ter Datum: MWL
Operator: City of Seattle.
Owner: City of Seattle.
Address: 860 Terry Avenue N. Phone: 206-447-2622
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring vessels.
Depth Alongside (feet): 6 - 28 | 20 - 28 | 10 - 28 Latitude (decimal): 47.627778
Total Berthing Space (feet): 240 | 300 | 260 Longitude (decimal): -122.3353
Remarks: The concrete deck is the foundation of a concrete building. The former U.S. Naval Reserve Readiness Center, Seattle is located in rear. Plans call for the construction of piers where the following vessels will be moored: 'Swiftsure' - Lightship No. 83, 'Zodiak' - 2-masted timber schooner, 'Virginia V' - steam powered, part of the Mosquito Fleet, 'Wawona' - 1897 3-masted schooner, 'Arthur Foss' - 1889 tugboat, and 'Duwamish' - fireboat. Center for Wooden Boats, Puget Sound Maritime Museum, South Lake Union Park, and Maritime Heritage Park are located at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91218 Dock Code: 105 Seattle District

Port: **Seattle**
Waterway: **Lake Union** Mile: PWD: 126
Name: **D & V Boat Co. Wharf.**
Location: North shore of Lake Union, between Interstate Highway 5 and University Bridges. Datum: MWL
Operator: D & V Boat Co.; Dahl Tug & Barge; and others.
Owner: Dahl Family, LLC.
Address: 653-655 N.E. Northlake Way Phone: 206-632-7778
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring and repairing company-owned vessels; mooring vessels.
Depth Alongside (feet): 17 | 8 - 17 | 0 - 22 Latitude (decimal): 47.653611
Total Berthing Space (feet): 178 | 82 | 220 Longitude (decimal): -122.3189
Remarks: Buildings on pier are used for storage, repair shops, and offices.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91218 Dock Code: 842 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Lake Union** Mile: PWD: 114
Name: **Fremont Tugboat Co. Piers.**
Location: North shore of Lake Union, approximately 600 feet above Aurora Avenue N. (George Washington Memorial) Br Datum: MWL
Operator: Fremont Boat Co., Inc. and Fremont Tugboat Co.
Owner: Mark Freeman.
Address: 1059 N. Northlake Way. Phone: 206-632-0151
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring company-owned tugs; mooring vessels.
Depth Alongside (feet): 25 - 40 | 25 - 40 | 40 Latitude (decimal): 47.648056
Total Berthing Space (feet): 160 | 160 | 165 Longitude (decimal): -122.3439
Remarks: Upper side of short pier and lower side of long pier form a slip 65 feet wide. Moorings and boathouses for recreational craft are located along sides and at rear of face of long pier. Operator's office is located at inner end of short pier.
Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 91218 Dock Code: 882 Seattle District

Port: **Seattle**
Waterway: **Lake Union** Mile: PWD: 145
Name: **Lake Union Drydock Co., Center Pier.**
Location: East shore of Lake Union, approximately 1.4 miles below Interstate Highway 5 Bridge, between foot of E. Datum: MWL
Operator: Lake Union Drydock Co.
Owner: Lake Union Drydock Co.
Address: 1515 Fairview Avenue E. Phone: 206-323-6400
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydocks.
Depth Alongside (feet): 40 | 40 | 40 Latitude (decimal): 47.634167
Total Berthing Space (feet): 26 | | Longitude (decimal): -122.3281
Remarks: Floating Drydock No. 8, capacity 6,000 long tons, is moored at inner 480-foot section of upper side of pier. Floating Drydock No. 6 is moored to lower side of pier, and Floating Drydock No. 7 is moored outboard of Floating Drydock No. 6, capacities 1,400 long tons each. □ Pier is equipped with lines for supplying air, water, and steam, and electrical outlets for welding equipment. Several timber-frame sheds are located on pier.
Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 91218 Dock Code: 119 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Lake Union** Mile: PWD: 146
Name: **Lake Union Drydock Co., Center Wharf.**
Location: East shore of Lake Union, approximately 1.5 miles below Interstate Highway 5 Bridge, north of foot of E. Datum: MWL
Operator: Lake Union Drydock Co.
Owner: Lake Union Drydock Co.
Address: 1515 Fairview Avenue E. Phone: 206-323-6400
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydocks.
Depth Alongside (feet): 35 - 41 | 31 - 35 | Latitude (decimal): 47.633056
Total Berthing Space (feet): 530 | 80 | Longitude (decimal): -122.3269
Remarks: Floating Drydocks Nos. 6 and 7, capacities 1,400 long tons each, are moored end-to catwalk fronting outer end of wharf. Floating drydocks and outer portion of wharf form a slip approximately 80 to 140 feet wide with South Pier (Ref. No. 147). Wharf is equipped with lines for supplying compressed air, water, and steam, and electrical outlets for welding equipment. Several shops and sheds are located at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91218 Dock Code: 119 Seattle District

Port: **Seattle**
Waterway: **Lake Union** Mile: PWD: 144
Name: **Lake Union Drydock Co., North Pier.**
Location: East shore of Lake Union, approximately 1.4 miles below Interstate Highway 5 Bridge, between foot of E. Datum: MWL
Operator: Lake Union Drydock Co.
Owner: Lake Union Drydock Co.
Address: 1515 Fairview Avenue E. Phone: 206-323-6400
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 40 | 22 - 40 | 35 - 42 Latitude (decimal): 47.634167
Total Berthing Space (feet): 20 | 800 | 135 Longitude (decimal): -122.3269
Remarks: Lower side of outer portion of pier forms a slip approximately 120 feet wide with the Center Pier, Ref. No. 145. Floating Drydock No. 8, capacity 6,000 long tons, is moored at inner 480-foot portion of lower side of pier. Pier is equipped with lines for supplying air, water, and steam, and electrical outlets for welding equipment. Several timber-frame sheds are located on inner portion of pier.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91218 Dock Code: 119 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
 Waterway: **Lake Union** Mile: PWD: 147
 Name: **Lake Union Drydock Co., South Pier.**
 Location: East shore of Lake Union, approximately 1.5 miles below Interstate Highway 5 Bridge, south of foot of E. Datum: MWL
 Operator: Lake Union Drydock Co.
 Owner: Lake Union Drydock Co.
 Address: 1515 Fairview Avenue E. Phone: 206-323-6400
 Town: Seattle State: WA County: King
 Railway Connection: None.
 Purpose: Mooring miscellaneous vessels.
 Depth Alongside (feet): 35 | 32 - 35 | 32 - 35 Latitude (decimal): 47.6325
 Total Berthing Space (feet): | 750 | 850 Longitude (decimal): -122.3267
 Remarks: *Vessels moor alongside outer 255 feet of pier, and stern-to or in floating boathouses along remainder of pier. Additional berthing is available at an L-shaped, timber pile, timber-decked pier located at the inner end of the lower side; and at two rows of timber breasting piles parallel to pier, one 160 feet long located 50 feet above pier, and one 480 feet long located 90 feet below pier.
 Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91218 Dock Code: 119 Seattle District

Port: **Seattle**
 Waterway: **Lake Union** Mile: PWD: 117
 Name: **Lake Union Yacht Center Pier.**
 Location: North shore of Lake Union, approx. 0.2 mile above Aurora Avenue N. (George Washington Memorial) Bridge, Datum: MWL
 Operator: Lake Union Yacht Center.
 Owner: WoECK Family LP.
 Address: 1341 N. Northlake Way. Phone: 206-548-1578
 Town: Seattle State: WA County: King
 Railway Connection: None.
 Purpose: Mooring vessels for repair.
 Depth Alongside (feet): 10 - 35 | 10 - 40 | 0 - 35 Latitude (decimal): 47.646944
 Total Berthing Space (feet): 62 | 85 | 580 Longitude (decimal): -122.34
 Remarks: *An additional 100 feet of berthing space in water depths of 30 to 40 feet is available on the upper side of the float. A pair of steel runways form a 60- by 28-foot slip in the face, served by the mobile boat lift. A 120- by 30-foot, steel frame boathouse is located at the lower side of the pier. A warehouse, shops, and offices are located in a building on the pier.
 Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91218 Dock Code: 878 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
 Waterway: **Lake Union** Mile: PWD: 120
 Name: **Metro Lake Union Fuel Facility Piers.**
 Location: North shore of Lake Union, approximately 0.4 mile above Aurora Avenue N. (George Washington Memorial) Br Datum: MWL
 Operator: Not operated.
 Owner: Municipality of Metropolitan Seattle, King County.
 Address: 1475 N. Northlake Way. Phone: 206-684-1828
 Town: Seattle State: WA County: King
 Railway Connection: None.
 Purpose: Not used.
 Depth Alongside (feet): 5 - 40 | 5 - 40 | Latitude (decimal): 47.645833
 Total Berthing Space (feet): 127 | 122 | Longitude (decimal): -122.3372
 Remarks: Wharf was formerly used for receipt of diesel fuel. All pipelines were blanked at time of survey. A 14- by 29-foot platform located 11 feet above wharf deck extends from the rear of the wharf to the door of a warehouse located at rear. Warehouse is operated by the Transit Department of the Municipality of Metropolitan Seattle.
 Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91218 Dock Code: 872 Seattle District

Port: **Seattle**
 Waterway: **Lake Union** Mile: PWD: 143
 Name: **National Oceanic and Atmospheric Administration, Seattle Pier A.**
 Location: East shore of Lake Union, approximately 1.3 miles below Interstate Highway 5 Bridge, at foot of E. Blain Datum: MWL
 Operator: National Oceanic and Atmospheric Administration, Marine Operations Center Pacific.
 Owner: Elmer F. Edwards Co. and Haug Corp.
 Address: 1801 Fairview Avenue E. Phone: 206-553-4597
 Town: Seattle State: WA County: King
 Railway Connection: None.
 Purpose: Mooring and repairing oceanographic research vessels and associated craft; handling supplies.
 Depth Alongside (feet): | 26 - 49 | 26 - 49 Latitude (decimal): 47.634722
 Total Berthing Space (feet): | 335 | 340 Longitude (decimal): -122.3267
 Remarks: Lower side of outer portion of pier forms a slip approximately 210 feet wide with Lake Union Drydock Co., North Pier, Ref. No. 144. Two parallel, finger piers, each 100 by 6 feet, including a 20-foot approach ramp spaced 30 feet apart, extend from lower side of timber extension at shore end of pier, providing berthing space for small boats in depths of 30 to 33 feet. □ A 100- by 40-foot, boat shed is located 65 feet in rear of pier. One 4-inch, sewer and one 3-inch, steam lines serve pier.
 Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91218 Dock Code: 125 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Lake Union** Mile: PWD: 142
Name: **National Oceanic and Atmospheric Administration, Seattle Pier B.**
Location: East shore of Lake Union, approximately 1.3 miles below Interstate Highway 5 Bridge, between foot of E. Datum: MWL
Operator: National Oceanic and Atmospheric Administration, Marine Operations Center Pacific.
Owner: Elmer F. Edwards Co. and Haug Corp.
Address: 1801 Fairview Avenue E. Phone: 206-553-4597
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring and repairing oceanographic research vessels; handling supplies.
Depth Alongside (feet): 45 - 46 | 20 - 44 | 12 - 45 Latitude (decimal): 47.635556
Total Berthing Space (feet): | 510 | 530 Longitude (decimal): -122.3269
Remarks: Lower side of pier forms a slip approximately 170 feet wide with the outer portion of Pier A, Ref. No. 143. A 100- by 40-foot, shop building is located on shore at the rear of the inner wharf extension. One 4-inch, sewer and one 3-inch, steam lines serve pier.
Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 91218 Dock Code: 125 Seattle District

Port: **Seattle**
Waterway: **Lake Union** Mile: PWD: 141
Name: **National Oceanic and Atmospheric Administration, Seattle Wharf.**
Location: East shore of Lake Union, approximately 1.3 miles below Interstate Highway 5 Bridge, between foot of E. Datum: MWL
Operator: National Oceanic and Atmospheric Administration, Marine Operations Center Pacific.
Owner: Elmer F. Edwards Co. and Haug Corp.
Address: 1801 Fairview Avenue E. Phone: 206-553-4597
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Occasional mooring and repair of oceanographic research vessels; handling supplies.
Depth Alongside (feet): 10 - 17 | | Latitude (decimal): 47.636111
Total Berthing Space (feet): 150 | | Longitude (decimal): -122.3272
Remarks: Guard dolphins are used to moor a floating, oil-containment boom continuously in place around this wharf and adjacent Piers B and A, Ref. Nos. 142 and 143. Guard dolphins and outer portion of wharf form a slip approximately 90 to 100 feet wide with Pier B; inner portion of wharf curves south to intersect inner end of pier. One 200- by 60-foot, warehouse building; a 155- by 40-foot, asphalt-paved, open storage area; and a 2-story office building are located at the rear.
Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 91218 Dock Code: 125 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Lake Union** Mile: PWD: 119
Name: **Northlake Shipyard, East Pier.**
Location: North shore of Lake Union, approximately 0.3 mile above Aurora Avenue N. (George Washington Memorial) Br Datum: MWL
Operator: Northlake Shipyard, Inc.
Owner: Northlake Shipyard, Inc.
Address: 1445 N. Northlake Way. Phone: 206-632-1441
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring vessels for conversion and repair.
Depth Alongside (feet): 45 | 0 - 45 | 0 - 45 Latitude (decimal): 47.646111
Total Berthing Space (feet): | 435 | 435 Longitude (decimal): -122.3378
Remarks: SaniTug, Inc. moors vessel at upper side of steel barge.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91218 Dock Code: 874 Seattle District

Port: **Seattle**
Waterway: **Lake Union** Mile: PWD: 118
Name: **Northlake Shipyard, West Pier.**
Location: North shore of Lake Union, approximately 0.3 mile above Aurora Avenue N. (George Washington Memorial) Br Datum: MWL
Operator: Northlake Shipyard, Inc.
Owner: Northlake Shipyard, Inc.
Address: 1441 N. Northlake Way. Phone: 206-632-1441
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring vessels for conversion and repair; mooring floating drydocks.
Depth Alongside (feet): 45 | 10 - 45 | 17 - 45 Latitude (decimal): 47.646667
Total Berthing Space (feet): | 350 | Longitude (decimal): -122.3386
Remarks: Floating Drydock No. 2, capacity 1,200 tons, is moored at face of pier. A 110- by 32-foot, steel barge is permanently moored at the bulkhead on the upper side, with Floating Drydock No. 9, capacity 1,900 tons, moored end-to the upper portion of the barge. Drydocks are adjacent to each other.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91218 Dock Code: 878 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Lake Union** Mile: PWD: 123
Name: **Professional Marine Co., Wharf and Moorings.**
Location: North shore of Lake Union, approximately 0.2 mile below Interstate Highway 5 Bridge, at foot of 1st Aven Datum: MWL
Operator: Professional Marine Co. and others.
Owner: Daniel Federetto and Bob Reid.
Address: 2555 N. Northlake Way. Phone: 206-634-3080
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring fishing vessels and recreational craft; mooring vessels and barges for maintenance and repair; mooring floating drydock.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 47.652222
Total Berthing Space (feet): 95 | | 50 Longitude (decimal): -122.3264
Remarks: One 85-ton, floating drydock is moored along lower side of lower float. Recreational craft are lifted out by crane to open storage yard located at rear. Approximately 2 acres of open work and storage area are located in rear. Vessel 'Skansonian' is moored adjacent to wharf. Parking is available at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91218 Dock Code: 855 Seattle District

Port: **Seattle**
Waterway: **Lake Union** Mile: PWD: 121
Name: **Seattle Police Department, Lake Union Station, Harbor Patrol Unit**
Location: North shore of Lake Union, approximately 0.4 mile above Aurora Avenue N. (George Washington Memorial) Br Datum: MWL
Operator: Seattle Police Department, Harbor Patrol Unit.
Owner: City of Seattle.
Address: 1717 N. Northlake Place. Phone: 206-684-4071
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring harbor patrol craft and impounded vessels.
Depth Alongside (feet): 5 - 35 | 12 | 0 - 37 Latitude (decimal): 47.645278
Total Berthing Space (feet): 100 | 100 | 100 Longitude (decimal): -122.3364
Remarks: Three parallel, 20- to 30-foot, timber pile, timber-decked piers extending from lower side of upper pier form 3 boat stalls. Police station, helicopter landing pad, and repair shops are located at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91218 Dock Code: 870 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Lake Union** Mile: PWD: 122
Name: **Union Bay Fabrication Wharf and Mooring.**
Location: North shore of Lake Union, approximately 0.5 mile below Interstate Highway 5 Bridge, at foot of N. 34th Datum: MWL
Operator: Union Bay Fabrication and other tenants.
Owner: Emerald Landing.
Address: 2151-2171 N. Northlake Way. Phone: 206-545-0654
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring vessels for conversion and repair; mooring vessels.
Depth Alongside (feet): 9 - 19 | 15 | 13 - 35 Latitude (decimal): 47.6475
Total Berthing Space (feet): 375 | 110 | 335 Longitude (decimal): -122.3306
Remarks: Row of dolphins is located along upper side of pier in adjacent marina. Offices, shops, and storage facilities are located in marine repair plant at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91218 Dock Code: 861 Seattle District

Port: **Seattle**
Waterway: **Lake Union** Mile: PWD: 115
Name: **Vic Franck's Boat Co. Piers.**
Location: North shore of Lake Union, approximately 900 feet above Aurora Avenue N. (George Washington Memorial) Br Datum: MWL
Operator: Vic Franck's Boat Co., Inc.
Owner: Vic Franck's Boat Co., Inc.
Address: 1109 N. Northlake Way. Phone: 206-632-7000
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring fishing boats and small vessels for repair and outfitting.
Depth Alongside (feet): 12 - 40 | 20 - 40 | 20 - 40 Latitude (decimal): 47.6475
Total Berthing Space (feet): 260 | 160 | 220 Longitude (decimal): -122.3422
Remarks: *Upper side of upper pier is adjacent to neighboring pier and precluded from use. Each pier has an 80-foot-long boathouse located along its lower side, with a width of 24 and 22 feet for the lower and upper piers, respectively. One 100-ton, vertical boat lift is located at inner end of slip between piers, with one covered shed at rear served by transfer railway. Marine repair and vessel construction plant is located at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91218 Dock Code: 880 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Lake Union** Mile: PWD: 125
Name: **Wards Cove Packing Co., Seattle Yard '303' Wharf.**
Location: North shore of Lake Union, approximately 500 feet below Interstate Highway 5 Datum: MWL
Bridge, above foot of Laton
Operator: Wards Cove Packing Co.
Owner: Wards Cove Packing Co.
Address: 303 N.E. Northlake Way. Phone: 206-547-2100
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring and repairing company-owned fishing boats; occasional handling of supplies.
Depth Alongside (feet): 29 | 11 - 29 | 11 Latitude (decimal): 47.653333
Total Berthing Space (feet): 30 | 108 | 160 Longitude (decimal): -122.3242
Remarks: One 160- by 60-foot, timber frame, metal-covered building located in rear is used for storing fishing gear and supplies. Lower side of pier, providing 0 to 29 feet of water depth, is on property line and was not in use at time of survey. Vessels moor perpendicular to face of wharf.
Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 91218 Dock Code: 845 Seattle District

Port: **Seattle**
Waterway: **Lake Union** Mile: PWD: 139
Name: **Wards Cove Packing Co., Seattle Yard '88' Piers.**
Location: Northeast shore of Lake Union, approximately 0.4 mile below Interstate Highway 5 Datum: MWL
Bridge.
Operator: Wards Cove Packing Co.
Owner: Wards Cove Packing Co.
Address: 88 E. Hamlin Street. Phone: 206-323-3200
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring company-owned fishing boats.
Depth Alongside (feet): 5 - 30 | 5 - 30 | 3 - 30 Latitude (decimal): 47.647778
Total Berthing Space (feet): 220 | 206 | 45 Longitude (decimal): -122.3253
Remarks: Walkway along shore extends from inner end of upper side of operator's wharf, Ref. No. 140. A boathouse is located along face of walkway, 132 feet from lower pier, adjacent to upper side of wharf.
Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 91218 Dock Code: 131 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Lake Union** Mile: PWD: 140
Name: **Wards Cove Packing Co., Seattle Yard '88' Wharf.**
Location: Northeast shore of Lake Union, approximately 0.5 mile below Interstate Highway 5 Datum: MWL
Bridge, above foot of E
Operator: Wards Cove Packing Co.
Owner: Wards Cove Packing Co.
Address: 88 E. Hamlin Street. Phone: 206-323-3200
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring and repairing company-owned fishing boats; handling supplies and equipment.
Depth Alongside (feet): 10 - 30 | 10 - 19 | 8 - 19 Latitude (decimal): 47.646389
Total Berthing Space (feet): 680 | 190 | 155 Longitude (decimal): -122.3261
Remarks: An additional 90 feet of berthing space is available along a 5-foot-wide, timber walkway at the upper side of the wharf, between the rear of the extension and the boathouse described under Ref. No. 139. Buildings on the wharf are used for storage, offices, and machine, carpenter, and repair shops.
Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 91218 Dock Code: 131 Seattle District

Port: **Seattle**
Waterway: **Lake Union** Mile: PWD: 124
Name: **Waterfront Construction, Dock.**
Location: North shore of Lake Union, approximately 700 feet below Interstate Highway 5 Datum: MWL
Bridge, below foot of Laton
Operator: Waterfront Construction, Inc. and others.
Owner: Northlake Associates.
Address: 205 N.E. Northlake Way. Phone: 888-827-7784
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Handling construction materials, supplies, and equipment to and from barges; mooring company-owned floating equipment; mooring recreational craft.
Depth Alongside (feet): | 10 - 16 | 10 - 16 Latitude (decimal): 47.652778
Total Berthing Space (feet): | 160 | 160 Longitude (decimal): -122.3247
Remarks: One floating steel work barge is moored perpendicular to bulkhead at lower side of pier; access is via 10-foot-wide steel ramp. Contractor's storage yard is located at rear of bulkhead. Kendon Yacht Service moors pleasure craft along upper side of pier.
Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 91218 Dock Code: 849 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Lake Washington** Mile: PWD: 133
Name: **Alaskan General Seafoods, Kenmore Wharf.**
Location: North shore of Lake Washington, inner portion of south side of 150-foot-wide, Datum: MWL
dredged slip at head of La
Operator: Alaska General Seafoods.
Owner: Pioneer Towing Co., Inc.
Address: 6425 N.E. 175th Street. Phone: 425-485-7755
Town: Kenmore State: WA County: King
Railway Connection: None.
Purpose: Handling fishing gear and supplies; mooring vessels for maintenance and storage.
Depth Alongside (feet): 12 - 14 | 0 - 14 | Latitude (decimal): 47.756944
Total Berthing Space (feet): 400 | 120 | Longitude (decimal): -122.2544
Remarks: Two steel frame, metal-covered warehouses, each with 15,000 square feet of storage space, are located at rear. Alaska General Seafoods uses one for storing canned salmon and supplies. Open storage area located at rear is used by Glacier Northwest, as described under Ref. No. 131.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91221 Dock Code: 794 Seattle District

Port: **Seattle**
Waterway: **Lake Washington** Mile: PWD: 138
Name: **Barbee Mill Co., Log Lift and Wharf.**
Location: Southeast shore of Lake Washington, approximately 300 feet north of mouth of May Creek, Renton. Datum: MWL
Operator: Barbee Mill Co., Inc.
Owner: Barbee Mill Co., Inc.
Address: 4101 Lake Washington Boulevard N. Phone: 425-226-3900
Town: Renton State: WA County: King
Railway Connection: One surface track in yard; connects with Burlington Northern Santa Fe Railway.
Purpose: Mooring company-owned equipment.
Depth Alongside (feet): 8 | | Latitude (decimal): 47.528611
Total Berthing Space (feet): 150 | | Longitude (decimal): -122.2042
Remarks: Two log bronks moor at lift wharf. Lumber mill located at rear was not in operation at time of survey.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91220 Dock Code: 175 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Lake Washington** Mile: PWD: 136
Name: **Carillon Properties, Excursion Boat Landings.**
Location: East shore of Lake Washington, on east side of entrance to Yarrow Bay, Kirkland. Datum: MWL
Operator: Carillon Properties.
Owner: Carillon Properties.
Address: 3240 Carillon Point. Phone: 425-822-1700
Town: Kirkland State: WA County: King
Railway Connection: None.
Purpose: Landing for excursion vessels.
Depth Alongside (feet): 10 - 12 | 10 - 16 | 16 - 22 Latitude (decimal): 47.656944
Total Berthing Space (feet): 80 | 142 | 152 Longitude (decimal): -122.2064
Remarks: South side of pier is used as landing for recreational craft. A marina is located south of the pier. Office buildings, restaurants, and shopping center are located at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91221 Dock Code: 855 Seattle District

Port: **Seattle**
Waterway: **Lake Washington** Mile: PWD: 135
Name: **City of Kirkland, Commercial Tour Pier.**
Location: East shore of Lake Washington, on northeast side of Moss Bay, Kirkland. Datum: MWL
Operator: Argosy Cruises; and City of Kirkland, Parks and Recreation Department.
Owner: City of Kirkland.
Address: 1 Kirkland Avenue Phone: 425-828-1222
Town: Kirkland State: WA County: King
Railway Connection: None.
Purpose: Mooring excursion vessel; landing for excursion vessels.
Depth Alongside (feet): 26 | 20 - 26 | 20 - 26 Latitude (decimal): 47.674722
Total Berthing Space (feet): | 133 | 133 Longitude (decimal): -122.2067
Remarks: Argosy Cruises moors vessel 'Kirkland' on north side of the Commercial Tour Pier, which extends from the outer end of the City Pier. Three piers extending from the north side of the inner portion of the City Pier form a marina providing berths for 65 recreational vessels, moored in 35- by 15- and 20- by 10-foot slips with water depths of 7 to 25 feet.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91221 Dock Code: 850 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Lake Washington** Mile: PWD: 131
Name: **Glacier Northwest, Kenmore Wharf.**
Location: North shore of Lake Washington, on north side of 150-foot-wide, dredged slip at head of Lake Washington, Datum: MWL
Operator: Glacier Northwest.
Owner: Pioneer Towing Co., Inc.
Address: 6423 N.E. 175th Street. Phone: 425-489-0230
Town: Kenmore State: WA County: King
Railway Connection: None.
Purpose: Receipt of sand and gravel by barge.
Depth Alongside (feet): 12 | | Latitude (decimal): 47.7575
Total Berthing Space (feet): 540 | | Longitude (decimal): -122.2544
Remarks: Two rows of bunkers located at the rear have total capacity for approximately 37,500 tons of sand and gravel. A receiving hopper located at the rear of the timber extension serves a conveyor system extending to 2 ready-mix concrete plants (only one was in use at time of survey). An asphalt batch plant is also located at rear. □An additional open storage area located at the rear of Ref. No. 133 has capacity for approximately 200,000 tons of material.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91221 Dock Code: 794 Seattle District

Port: **Seattle**
Waterway: **Lake Washington** Mile: PWD: 130
Name: **National Oceanic and Atmospheric Administration, Sand Point Stagin**
Location: West shore of Lake Washington, approximately 0.7 mile north of Sand Point. Datum: MWL
Operator: National Oceanic and Atmospheric Administration.
Owner: United States Government.
Address: 7600 Sand Point Way N.E. Phone: 206-526-6163
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring oceanic research and other vessels.
Depth Alongside (feet): 30 | 30 | 30 Latitude (decimal): 47.688056
Total Berthing Space (feet): 252 | 208 | 194 Longitude (decimal): -122.2589
Remarks: Additional berthing and vertical lift service is available at two parallel, 70- by 12-foot, steel pile, concrete-decked piers, spaced 15 feet apart, which extend from natural bank at the inner side of the basin, 120 feet above the approach portion of pier. One 4-inch, sewer line serves pier. Offices of the National Oceanic and Atmospheric Administration U.S. Department of Commerce are located in buildings at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91221 Dock Code: 807 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Lake Washington** Mile: PWD: 132
Name: **Pioneer Towing Co. Wharf.**
Location: North shore of Lake Washington, at head of slip, at head of Lake Washington, Datum: MWL
Kenmore.
Operator: Pioneer Towing Co., Inc.
Owner: Pioneer Towing Co., Inc.
Address: 6423 N.E. 175th Street. Phone: 425-486-2756
Town: Kenmore State: WA County: King
Railway Connection: None.
Purpose: Mooring tugs and floating equipment.
Depth Alongside (feet): 10 | | Latitude (decimal): 47.7575
Total Berthing Space (feet): 110 | | Longitude (decimal): -122.2533
Remarks: -
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91221 Dock Code: 794 Seattle District

Port: **Seattle**
Waterway: **Lake Washington** Mile: PWD: 137
Name: **Quendall Terminals, Renton Pier.**
Location: Southeast shore of Lake Washington, approximately 0.3 mile north of mouth of May Datum: MWL
Creek, Renton.
Operator: Quendall Terminals.
Owner: Quendall Terminals.
Address: 4503 Lake Washington Boulevard N. Phone: 425-226-3900
Town: Renton State: WA County: King
Railway Connection: One surface track of Burlington Northern Santa Fe Railway is located at rear of property.
Purpose: Mooring vessels; handling construction materials, supplies, and equipment.
Depth Alongside (feet): 13 | 5 - 13 | Latitude (decimal): 47.532222
Total Berthing Space (feet): 46 | 50 | Longitude (decimal): -122.2022
Remarks: Pier was in deteriorated condition at time of survey, with outer portion of deck supported by floats and logs.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91220 Dock Code: 178 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Lake Washington** Mile: PWD: 134
Name: **Waterfront Construction, Kenmore Wharf.**
Location: North shore of Lake Washington, outer portion of south side of 150-foot-wide, Datum: MWL
dredged slip at head of La
Operator: Waterfront Construction, Inc.
Owner: Pioneer Towing Co., Inc.
Address: 6425 N.E. 175th Street. Phone: 888-827-7784
Town: Kenmore State: WA County: King
Railway Connection: None.
Purpose: Handling stone and other construction materials, and scrap timber; mooring company-owned floating equipment.
Depth Alongside (feet): 14 | - - | Latitude (decimal): 47.755833
Total Berthing Space (feet): 200 | | Longitude (decimal): -122.2561
Remarks: Approximately 0.85 acre of unpaved, open storage area is located at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91221 Dock Code: 794 Seattle District

Port: **Seattle**
Waterway: **Lake Washington Ship Canal** Mile: PWD: 157
Name: **Foss Maritime Co., Bulkhead C.**
Location: South side of Lake Washington Ship Canal, approximately 0.4 mile above Ballard Datum: MWL
Bridge.
Operator: Foss Maritime Co.
Owner: Foss Maritime Co.
Address: 660 W. Ewing Street. Phone: 206-270-4888
Town: Seattle State: WA County: King
Railway Connection: Two surface tracks, one at rear of face and one at rear of apron; connect with Burlington Northern Santa Fe Railway.
Purpose: Occasional receipt and shipment of conventional and containerized general cargo by barge in domestic trade; mooring company-owned floating crane, tugs, and floating equipment.
Depth Alongside (feet): 16 | | Latitude (decimal): 47.654444
Total Berthing Space (feet): 600 | | Longitude (decimal): -122.3681
Remarks: Wharf is base for the company-owned, floating crane 'Foss 300'. Approximately 2 acres of asphalt-paved, open storage area are located in rear. A row of timber breasting dolphins extend perpendicular to shore from the remains of a timber wharf located 100 feet below the bulkhead, providing 400 feet of berthing in water depths up to 10.5 feet.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 062 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Lake Washington Ship Canal** Mile: PWD: 156
Name: **Foss Maritime Co., Pier D.**
Location: South side of Lake Washington Ship Canal, approximately 0.5 mile above Ballard Bridge. Datum: MWL
Operator: Foss Maritime Co.
Owner: Foss Maritime Co.
Address: 660 W. Ewing Street. Phone: 206-270-4888
Town: Seattle State: WA County: King
Railway Connection: One surface track terminating at rear extends from track serving rear of Wharf B and C (Ref. No. 157); connects with Burlington Northern Santa Fe Railway.
Purpose: Mooring and repairing tugs and floating equipment; mooring floating drydock.
Depth Alongside (feet): 24 | 16 - 24 | 16 - 24 Latitude (decimal): 47.654444
Total Berthing Space (feet): | 80 | 395 Longitude (decimal): -122.3667
Remarks: Floating Drydock No. 1, capacity 1,200 long tons, is moored along upper side of pier.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 062 Seattle District

Port: **Seattle**
Waterway: **Lake Washington Ship Canal** Mile: PWD: 155
Name: **Foss Maritime Co., Pier E.**
Location: South side of Lake Washington Ship Canal, approximately 0.5 mile above Ballard Bridge. Datum: MWL
Operator: Foss Maritime Co.
Owner: Foss Maritime Co.
Address: 660 W. Ewing Street. Phone: 206-270-4888
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring and repairing tugs and floating equipment; mooring floating drydock.
Depth Alongside (feet): 24 | 16 - 24 | 16 - 24 Latitude (decimal): 47.654167
Total Berthing Space (feet): | 435 | Longitude (decimal): -122.3658
Remarks: Floating Drydock No. 2, capacity 2,000 long tons, is moored along lower side of pier.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 062 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Lake Washington Ship Canal** Mile: PWD: 154
Name: **Foss Maritime Co., Pier F.**
Location: South side of Lake Washington Ship Canal, approximately 0.6 mile above Ballard Datum: MWL
Bridge.
Operator: Foss Maritime Co.
Owner: Foss Maritime Co.
Address: 660 W. Ewing Street. Phone: 206-270-4888
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring company-owned tugs and floating equipment.
Depth Alongside (feet): 16 - 18 | 16 | Latitude (decimal): 47.653611
Total Berthing Space (feet): 160 | 70 | Longitude (decimal): -122.3661
Remarks: -
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 062 Seattle District

Port: **Seattle**
Waterway: **Lake Washington Ship Canal** Mile: PWD: 153
Name: **Foss Maritime Co., Pier G.**
Location: South side of Lake Washington Ship Canal, approximately 0.6 mile above Ballard Datum: MWL
Bridge.
Operator: Foss Maritime Co.
Owner: Foss Maritime Co.
Address: 660 W. Ewing Street. Phone: 206-270-4888
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring company-owned tugs and floating equipment.
Depth Alongside (feet): | 15 - 24 | 15 - 24 | Latitude (decimal): 47.653889
Total Berthing Space (feet): | 225 | 240 | Longitude (decimal): -122.3653
Remarks: An additional 60 feet of berthing space is available along bulkhead at inner end of lower side of pier.
An office building is located at the rear of the bulkhead.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 062 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Lake Washington Ship Canal** Mile: PWD: 152
Name: **Foss Maritime Co., Pier H.**
Location: South side of Lake Washington Ship Canal, approximately 0.6 mile above Ballard Datum: MWL
Bridge.
Operator: Foss Maritime Co.
Owner: Foss Maritime Co.
Address: 660 W. Ewing Street. Phone: 206-270-4888
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring company-owned tugs and floating equipment.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 47.653333
Total Berthing Space (feet): 100 | 24 | Longitude (decimal): -122.3656
Remarks: Two rows of timber breasting dolphins above wharf provide berthing space in water depths of 12 feet. One extends perpendicular to shore approximately 500 feet above wharf, adjacent to Ref. No. 151, and provides 400 feet of berthing space on its lower side. The other is parallel to shore, on the outer side of a marina located above the wharf, and provides 270 feet of berthing space.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 062 Seattle District

Port: **Seattle**
Waterway: **Lake Washington Ship Canal** Mile: PWD: 150
Name: **King County Department of Natural Resources, Environmental Laborat**
Location: South side of Lake Washington Ship Canal, approximately 0.9 mile above Ballard Datum: MWL
Bridge, below foot of 3d
Operator: King County, Department of Natural Resources, Environmental Laboratory.
Owner: King County.
Address: 322 West Ewing Street. Phone: 206-684-2365
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring government-owned, environmental sampling vessels.
Depth Alongside (feet): 5 | 5 | 5 Latitude (decimal): 47.6525
Total Berthing Space (feet): 8 | 60 | 60 Longitude (decimal): -122.3617
Remarks: Pier forms two 14-foot-wide slips with laboratory building on upper side and marina on lower side. Environmental monitoring vessels 'Chinook' and 'Liberty' moor at pier.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 061 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Lake Washington Ship Canal** Mile: PWD: 112
Name: **Kvichak Marine Industries Wharf.**
Location: North side of Lake Washington Ship Canal, approximately 0.6 mile above Ballard Datum: MWL
Bridge, above foot of 6th
Operator: Kvichak Marine Industries, Inc.
Owner: Kvichak Marine Industries, Inc.
Address: 469 N.W. Bowdoin Place. Phone: 206-545-8485
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring newly constructed vessels.
Depth Alongside (feet): 4 | | Latitude (decimal): 47.654444
Total Berthing Space (feet): 350 | | Longitude (decimal): -122.3642
Remarks: Vessels are constructed in a steel frame, metal-covered building located at rear. Approximately 6,000 square feet of open storage area is available on apron.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 908 Seattle District

Port: **Seattle**
Waterway: **Lake Washington Ship Canal** Mile: PWD: 113
Name: **Lakeside Industries, N.W. 39th Street Plant Wharf.**
Location: North side of Lake Washington Ship Canal, approximately 0.8 mile above Ballard Datum: MWL
Bridge, at foot of N.W. 3
Operator: Lakeside Industries.
Owner: Lee Family.
Address: 309 N.W. 39th Street. Phone: 206-632-2709
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Receipt of sand and gravel by barge.
Depth Alongside (feet): 9 - 11 | - | Latitude (decimal): 47.653611
Total Berthing Space (feet): 380 | - | Longitude (decimal): -122.3631
Remarks: Open storage area located at rear has capacity for 54,000 tons of sand and gravel. An electric, belt conveyor in tunnel under stockpiles extends to asphalt plant at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 903 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Lake Washington Ship Canal** Mile: PWD: 158
Name: **LeClercq Marine Construction Pier.**
Location: South side of Lake Washington Ship Canal, approximately 0.3 mile above Ballard Datum: MWL
Bridge.
Operator: LeClercq Marine Construction, Inc.
Owner: Sam LeClercq.
Address: 1080 W. Ewing Street. Phone: 206-283-8555
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring small vessels for outfitting and repair.
Depth Alongside (feet): 20 | 17 | 6 - 15 Latitude (decimal): 47.656667
Total Berthing Space (feet): 35 | 60 | 60 Longitude (decimal): -122.3689
Remarks: Vessel construction and a marine repair plant are located in 285- by 100-foot, concrete-walled, timber-roofed building located at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 060 Seattle District

Port: **Seattle**
Waterway: **Lake Washington Ship Canal** Mile: PWD: 106
Name: **Marine Fluid Systems, North Wharf.**
Location: North side of Lake Washington Ship Canal, approximately 0.4 mile above Ballard Datum: MWL
Bridge.
Operator: Marine Fluid Systems, Inc.
Owner: Marine Fluid Systems, Inc.
Address: 801 N.W. 42d Street. Phone: 206-706-0858
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 13 | 13 - 15 | 9 - 15 Latitude (decimal): 47.657222
Total Berthing Space (feet): 150 | 150 | 100 Longitude (decimal): -122.3675
Remarks: One 600-ton marine railway is located on upper side, adjacent to Ref. No. 107. Marine repair plant is located at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 915 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Lake Washington Ship Canal** Mile: PWD: 107
Name: **Marine Fluid Systems, South Wharf.**
Location: North side of Lake Washington Ship Canal, approximately 0.4 mile above Ballard Datum: MWL
Bridge, below foot of N.W.
Operator: Marine Fluid Systems, Inc.
Owner: Florence Evans and Bridge Ltd. Partnership.
Address: 801 N.W. 42d Street. Phone: 206-706-0858
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring vessels for repair and maintenance; handling supplies and equipment.
Depth Alongside (feet): 13 | 10 - 15 | Latitude (decimal): 47.656944
Total Berthing Space (feet): 160 | 80 | Longitude (decimal): -122.3669
Remarks: The marine railway described under the North Wharf (Ref. No. 106) is located at the lower side.
Vessels moor at the upper side of the dolphin, stern-to the lower end of the face of the wharf.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 915 Seattle District

Port: **Seattle**
Waterway: **Lake Washington Ship Canal** Mile: PWD: 151
Name: **McMurray Manufacturing Co. Moorings.**
Location: South side of Lake Washington Ship Canal, approximately 0.8 mile above Ballard Datum: MWL
Bridge, foot of 6th Avenue
Operator: McMurray Manufacturing Co.
Owner: Don McMurray.
Address: 3629 6th Avenue W. Phone: 206-282-9412
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring miscellaneous small vessels and floating equipment.
Depth Alongside (feet): | 10 | 10 | Latitude (decimal): 47.653056
Total Berthing Space (feet): | 340 | 340 | Longitude (decimal): -122.3636
Remarks: Row of dolphins, described under Ref. No. 152, is owned by Foss Maritime Co. and upper side is used
for mooring a timber drydock. A houseboat is moored between the lower side of the pier and the row
of dolphins.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 063 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Lake Washington Ship Canal** Mile: PWD: 159
Name: **Ocean Beauty Seafoods, Upper Wharf.**
Location: South side of Lake Washington Ship Canal, approximately 1,500 feet above Ballard Bridge. Datum: MWL
Operator: Ocean Beauty Seafoods, Inc.
Owner: Ocean Beauty Seafoods, Inc.
Address: 1100 W. Ewing Street. Phone: 206-286-2569
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Receipt of seafood; mooring fishing vessels.
Depth Alongside (feet): 15 | | Latitude (decimal): 47.656944
Total Berthing Space (feet): 520 | | Longitude (decimal): -122.3703
Remarks: Seafood processing plant and offices are located in building at rear of east portion.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 058 Seattle District

Port: **Seattle**
Waterway: **Lake Washington Ship Canal** Mile: PWD: 174
Name: **Salmon Bay Boatyard Moorings.**
Location: South shore of Salmon Bay, approximately 1,500 feet below Ballard Bridge, at east of foot of W. Commodore Datum: MWL
Operator: Salmon Bay Boatyard, Inc.
Owner: Port of Seattle.
Address: 2100 West Commodore Way. Phone: 206-282-5555
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring small vessels for maintenance and repair.
Depth Alongside (feet): 10 - 22 | 10 - 22 | 14 - 22 Latitude (decimal): 47.659444
Total Berthing Space (feet): 50 | 75 | 130 Longitude (decimal): -122.3825
Remarks: Lower side of lower floating pier is adjacent to neighboring marina's pier and is precluded from use. Inner 55 feet of upper side forms a slip 14 feet wide with lower boatlift runway pier, and outer 75 feet of floating piers and lower boathouse form a slip 45 feet wide. Boatlift runways form a slip 16 feet wide and 14 feet deep. Asphalt-surfaced repair yard is located at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 050 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Lake Washington Ship Canal** Mile: PWD: 108
Name: **Trident Seafoods Corp., Lower Wharf.**
Location: North side of Lake Washington Ship Canal, approximately 0.5 mile above Ballard Datum: MWL
Bridge, above foot of N.W
Operator: Trident Seafoods Corp.
Owner: Trident Seafoods Corp.
Address: 653 N.W. 41st Street. Phone: 206-789-8542
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring company-owned equipment for maintenance and repair; receipt and occasional shipment of containerized and unitized general cargo in domestic trade (Alaska).
Depth Alongside (feet): 3 - 13 | - | Latitude (decimal): 47.656389
Total Berthing Space (feet): 200 | | Longitude (decimal): -122.3664
Remarks: *Face is in line and contiguous with the Upper Wharf (Ref. No. 109), providing 415 feet of continuous berthing space.
Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 91217 Dock Code: 915 Seattle District

Port: **Seattle**
Waterway: **Lake Washington Ship Canal** Mile: PWD: 109
Name: **Trident Seafoods Corp., Upper Wharf.**
Location: North side of Lake Washington Ship Canal, approximately 0.5 mile above Ballard Datum: MWL
Bridge, below foot of N.W
Operator: Trident Seafoods Corp.
Owner: Trident Seafoods Corp.
Address: 653 N.W. 41st Street. Phone: 206-789-8542
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring company-owned equipment for maintenance and repair; receipt and occasional shipment of containerized and unitized general cargo in domestic trade (Alaska).
Depth Alongside (feet): 3 - 13 | | Latitude (decimal): 47.656111
Total Berthing Space (feet): 215 | | Longitude (decimal): -122.3661
Remarks: *Face is in line and contiguous with the Lower Wharf (Ref. No. 108), providing 415 feet of continuous berthing space. □ Approximately 2 acres of open storage area are located at the rear of the wharves.
Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 91217 Dock Code: 915 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Lake Washington Ship Canal** Mile: PWD: 110
Name: **Western Towboat Co. Lower Wharf.**
Location: North side of Lake Washington Ship Canal, approximately 0.5 mile above Ballard Datum: MWL
Bridge, above foot of N.W
Operator: Western Towboat Co., Inc.
Owner: City of Seattle and Robert Shrewsbury.
Address: 617 N.W. 40th Street. Phone: 206-789-9000
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring company-owned tugs for maintenance and repair.
Depth Alongside (feet): 8 - 20 | | Latitude (decimal): 47.655556
Total Berthing Space (feet): 240 | | Longitude (decimal): -122.3658
Remarks: *Lower 80 feet of wharf is owned by the City of Seattle. Face is in line and contiguous with Trident Seafoods Corp., Upper Wharf (Ref. No. 109). □ Office building and approximately 1.4 acres of paved, open storage area are located at the rear.
Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 91217 Dock Code: 915 Seattle District

Port: **Seattle**
Waterway: **Lake Washington Ship Canal** Mile: PWD: 111
Name: **Western Towboat Co., Upper Wharf.**
Location: North side of Lake Washington Ship Canal, approximately 0.6 mile above Ballard Datum: MWL
Bridge, below foot of 6th
Operator: Western Towboat Co., Inc.
Owner: Westaland Corp., LLC.
Address: 617 N.W. 40th Street. Phone: 206-789-9000
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring company-owned tugs for maintenance and repair.
Depth Alongside (feet): 17 - 20 | - | Latitude (decimal): 47.655
Total Berthing Space (feet): 260 | - | Longitude (decimal): -122.3642
Remarks: Approximately 2 acres of paved, open storage area are located at rear.
Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 91217 Dock Code: 915 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Portage Bay** Mile: PWD: 127
Name: **University of Washington, Applied Physics Laboratory, Floating Pie**
Location: North shore of Portage Bay, under University Bridge. Datum: MWL
Operator: University of Washington, Applied Physics Laboratory.
Owner: City of Seattle and University of Washington.
Address: 1013 N.E. 40th Street. Phone: 206-685-1971
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring university-owned oceanographic research vessels.
Depth Alongside (feet): 14 | 3 - 14 | 6 - 14 Latitude (decimal): 47.653611
Total Berthing Space (feet): 72 | 60 | 60 Longitude (decimal): -122.3183
Remarks: *One 16-, and one 12- by 8-foot floats moored to east side of outer pontoon serve as landing for floatplanes. Research vessel 'Henderson' is moored along face.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91219 Dock Code: 840 Seattle District

Port: **Seattle**
Waterway: **Portage Bay** Mile: PWD: 129
Name: **University of Washington, Fisheries Wharf.**
Location: North shore of Portage Bay, approximately 0.5 mile above University Bridge. Datum: MWL
Operator: University of Washington, School of Fisheries.
Owner: State of Washington.
Address: Phone: 206-543-4270/68
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring university-owned fisheries research vessels.
Depth Alongside (feet): 12 | | Latitude (decimal): 47.648611
Total Berthing Space (feet): 125 | | Longitude (decimal): -122.3097
Remarks: A 55- by 28-foot, timber storage building is located on wharf. Two 20- by 8-foot, timber floats at east side of wharf are used for mooring small vessels.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91219 Dock Code: 830 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Portage Bay** Mile: PWD: 128
Name: **University of Washington, School of Oceanography Wharf.**
Location: North shore of Portage Bay, approximately 0.4 mile above University Bridge, at foot of 15th Avenue N.E. Datum: MWL
Operator: University of Washington, School of Oceanography.
Owner: State of Washington.
Address: 49 Marine Sciences Building. Phone: 206-543-5648
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring oceanographic research vessels; handling supplies.
Depth Alongside (feet): 20 | 12 - 20 | 12 - 20 Latitude (decimal): 47.649444
Total Berthing Space (feet): 300 | 50 | 100 Longitude (decimal): -122.3119
Remarks: Marine Sciences Building is located on wharf. □The Jensen Motor Boat Co. hauls-out recreational craft on a 50-ton, marine railway at their plant located below the wharf, at 1417 N.E. Boat Street.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91219 Dock Code: 830 Seattle District

Port: **Seattle**
Waterway: **Puget Sound** Mile: PWD: 192
Name: **Chevron U.S.A., Point Wells Terminal Wharf.**
Location: East shore of Puget Sound, approximately 8 miles north of entrance to Salmon Bay and Lake Washington Shi Datum: MLLW
Operator: Chevron U.S.A., Inc.
Owner: Chevron U.S.A., Inc.
Address: 20555 Richmond Beach Drive N.W. Phone: 206-546-0503
Town: Woodway State: WA County: Snohomish
Railway Connection: Two surface tracks serve 4 loading racks at plant in rear; connect with Burlington Northern Santa Fe Railway.
Purpose: Receipt and shipment of petroleum products; loading harbor bunkering barges; and handling supplies.
Depth Alongside (feet): 32 - 70 | 30 | 30 Latitude (decimal): 47.781667
Total Berthing Space (feet): 32-70 | 250 | 250 Longitude (decimal): -122.3981
Remarks: Marine diesel fuels are furnished to vessels alongside wharf or via barges to vessels at berths in Puget Sound. Three 12-and one 6-inch pipelines extend from wharf to 63 steel storage tanks in terminal at rear, total capacity 866,000 barrels. A 120- by 40-foot, steel frame, metal-covered storage building is located on wharf.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91215 Dock Code: 992 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Puget Sound** Mile: PWD: 190
Name: **Shilshole Bay Marina, Central Pier.**
Location: East side of Shilshole Bay, north of entrance to Salmon Bay, approx- imately 0.3 mile north of the south Datum: MLLW
Operator: Port of Seattle and Shilshole Texaco Marine, Inc.
Owner: Port of Seattle.
Address: 7029 Seaview Avenue N.W. Phone: 206-783-7555
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Fueling small vessels; transient mooring of fishing vessels and recreational craft.
Depth Alongside (feet): 15 | 7 - 15 | 7 - 15 Latitude (decimal): 47.680833
Total Berthing Space (feet): 50 | 200 | 200 Longitude (decimal): -122.4069
Remarks: One 3- and four 2-inch, fueling pipelines extend to 9 metered pumps on floating pier from 2 storage tanks at rear, capacity 475 barrels each. A store building is located on the outer end of the floating pier and a maintenance and security office is located at the outer end of the fixed pier. Marina offices are located in a building adjacent to the inner end of the pier. Eight floating piers located between the south side of the pier and the Seafood Landing (Ref.No. 189) provide moorings for recreational craft.
Year of Last Survey: 2002 Corps of Engrns Waterway Code: 91214 Dock Code: 030 Seattle District

Port: **Seattle**
Waterway: **Puget Sound** Mile: PWD: 188
Name: **Shilshole Bay Marina, Pier A, Fishing Vessel and Repair Moorings.**
Location: East side of Shilshole Bay, north of entrance to Salmon Bay, on the east side of the south entrance to S Datum: MLLW
Operator: Port of Seattle and Seaview Boatyard, Inc.
Owner: Port of Seattle.
Address: 6701 Seaview Avenue N.W. Phone: 206-783-6550
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring small vessels for engine repair, and awaiting haul-out; transient mooring of fishing vessels.
Depth Alongside (feet): 16 | 15 | Latitude (decimal): 47.676667
Total Berthing Space (feet): 410 | 100 | Longitude (decimal): -122.4086
Remarks: Seaview Boatyard, Inc. performs engine removal and installation at float, and hauls-out vessels to its West Yard, located at the rear. Company uses the mobile vertical lift on a pair of parallel, timber pile, steel frame, timber- decked runways, spaced 20 feet apart, extending at an angle from the face of the inner wharf. The face of the wave screen wharf provides transient mooring for fishing vessels. Concrete floats along the rear of the face and the north side of the approach form finger piers used for mooring recreational craft.
Year of Last Survey: 2002 Corps of Engrns Waterway Code: 91214 Dock Code: 030 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
 Waterway: **Puget Sound** Mile: PWD: 191
 Name: **Shilshole Bay Marina, Piers J and W, Fishing Vessel Moorings.**
 Location: East side of Shilshole Bay, no. of entrance to Salmon Bay (Pier J), approx 0.4 mile north of the south en Datum: MLLW
 Operator: Port of Seattle.
 Owner: Port of Seattle.
 Address: 7001 Seaview Avenue N.W. Phone: 206-728-3388
 Town: Seattle State: WA County: King
 Railway Connection: None.
 Purpose: Transient mooring of fishing vessels and recreational craft.
 Depth Alongside (feet): 15 | 7 - 15 | 15 Latitude (decimal): 47.681111
 Total Berthing Space (feet): 125 | 60 | 100 Longitude (decimal): -122.4061
 Remarks: A 10-foot-wide, concrete float extends from the south side of Pier J to the floats along the north side of the Central Pier (Ref. No. 190), providing an additional 150 feet of berthing in 7 feet of water depth. Pier W is located approximately 0.4 mile north of Pier J, inside the north entrance to the marina. In addition to the berths available to fishing vessels described above, 12 berths along the sides of Pier J, all berths on the remainder of Pier W, and 12 floating piers between Piers J and W, are reserved for recreational craft.

Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91214 Dock Code: 030 Seattle District

Port: **Seattle**
 Waterway: **Puget Sound** Mile: PWD: 189
 Name: **Shilshole Bay Marina, Seafood Landing.**
 Location: East side of Shilshole Bay, north of entrance to Salmon Bay, approx- imately 500 feet east of the south Datum: MLLW
 Operator: Port of Seattle.
 Owner: Port of Seattle.
 Address: 7001 Seaview Avenue N.W. Phone: 206-728-3388
 Town: Seattle State: WA County: King
 Railway Connection: None.
 Purpose: Receipt of seafood; transient mooring of fishing vessels.
 Depth Alongside (feet): 15 | 15 | Latitude (decimal): 47.676944
 Total Berthing Space (feet): 140 | 135 | Longitude (decimal): -122.4083
 Remarks: -

Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91214 Dock Code: 030 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Puget Sound** Mile: PWD: 193
Name: **UNOCAL Corp., Edmonds Terminal Wharf.**
Location: East shore of Puget Sound, approximately 1.6 miles north of Point Wells, Edwards Point, Edmonds. Datum: MLLW
Operator: Not operated.
Owner: UNOCAL Corp.
Address: 11720 Unoco Road. Phone: 425-640-7610
Town: Edmonds State: WA County: Snohomish
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 30 - 40 | 30 | Latitude (decimal): 47.803889
Total Berthing Space (feet): 700 | 165 | Longitude (decimal): -122.3983
Remarks: Two 12-, two 10-, and three 6-inch pipelines extending from wharf to 23 steel storage tanks at terminal in rear, total capacity 719,000 barrels, were not in use at time of survey. Plans called for the ultimate removal of the storage tanks and disposal of the property.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91215 Dock Code: 995 Seattle District

Port: **Seattle**
Waterway: **Puget Sound** Mile: PWD: 194
Name: **Washington State Ferries, Edmonds Ferry Terminal.**
Location: East shore of Puget Sound, approximately 0.7 mile north of Edwards Point, Edmonds. Datum: MLLW
Operator: State of Washington, Department of Transportation.
Owner: Port of Edmonds.
Address: Foot of Main Street. Phone: 206-464-6972/15
Town: Edmonds State: WA County: Snohomish
Railway Connection: None.
Purpose: Terminal for passenger and vehicular ferries operating across Puget Sound to Kingston, WA.
Depth Alongside (feet): 28 | | Latitude (decimal): 47.813056
Total Berthing Space (feet): 440 | | Longitude (decimal): -122.3842
Remarks: Ferries operate to a similar facility at Kingston on the Kitsap Peninsula, approximately 5 miles west, at the continuation of State Highway 104.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91215 Dock Code: 996 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 99
Name: **Alaska Diesel Electric Float.**
Location: North shore of Salmon Bay, approximately 700 feet above Ballard Bridge, above foot of 14th Avenue N.W. Datum: MWL
Operator: Alaska Diesel Electric, Inc.
Owner: Commercial Marine Construction, Inc.
Address: 4420 14th Avenue N.W. Phone: 206-789-3880
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring small vessels for engine repair.
Depth Alongside (feet): 16 - 22 | 16 - 22 | Latitude (decimal): 47.660278
Total Berthing Space (feet): 148 | 148 | Longitude (decimal): -122.3731
Remarks: Above and below the float, vessels moor stern-to a 4-foot-high bulkhead in a water depth of 7 feet.
Marine engine repair shop and sales room are located at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 923 Seattle District

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 164
Name: **Bakketun & Thomas Boat Co., West Pier.**
Location: South shore of Salmon Bay, above Ballard Bridge. Datum: MWL
Operator: Bakketun & Thomas Boat Co.
Owner: Salmon Bay Terminals, Inc.
Address: 4027 13th Avenue W. Phone: 206-282-8790
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 15 | 15 | 15 Latitude (decimal): 47.658056
Total Berthing Space (feet): 130 | 173 | 161 Longitude (decimal): -122.3758
Remarks: Access to pier is via a 4-foot-wide ramp from woodworking shop in 80- by 60-foot, elevated building.
Small vessels moor at floats under shop building.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 056 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 88
Name: **Ballard Docks, East Pier.**
Location: North shore of Salmon Bay, approximately 1,250 feet northeast of entrance to north Hiram M. Chittenden L Datum: MWL
Operator: Ballard Oil Co., Inc.
Owner: Ballard Oil Co., Inc.
Address: 5300 26th Avenue N.W. Phone: 206-783-0241
Town: Seattle State: WA County: King
Railway Connection: One surface track of Burlington Northern Santa Fe Railway is located at rear of property.
Purpose: Mooring miscellaneous, floating equipment; occasionally mooring fishing boats for maintenance and repair.
Depth Alongside (feet): 24 | 16 - 24 | 16 - 24 Latitude (decimal): 47.666944
Total Berthing Space (feet): | 80 | 270 Longitude (decimal): -122.3894
Remarks: The slip between piers provides berthing space with water depths of 20 to 23 feet alongside.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 970 Seattle District

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 86
Name: **Ballard Docks, West Pier.**
Location: North shore of Salmon Bay, approximately 950 feet northeast of entrance to north Hiram M. Chittenden Loc Datum: MWL
Operator: Ballard Oil Co., Inc.
Owner: Ballard Oil Co., Inc.
Address: 5300 26th Avenue N.W. Phone: 206-784-0854
Town: Seattle State: WA County: King
Railway Connection: One surface track of Burlington Northern Santa Fe Railway is located at rear of property.
Purpose: Mooring miscellaneous, floating equipment; mooring fishing boats for maintenance and repair.
Depth Alongside (feet): 24 | 20 - 24 | 18 - 24 Latitude (decimal): 47.666944
Total Berthing Space (feet): - | 300 | 285 Longitude (decimal): -122.3908
Remarks: The users of the Ballard Docks West Pier share 210 feet of the 300 feet of mooring space at the lower side of the dolphins with Barnacle Point (Ref. No. 85). Gardner Boat Repair, Inc. and Paul Pipes Marine Repair perform mechanical and carpentry work, respectively, at the upper side of the pier.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 970 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
 Waterway: **Salmon Bay** Mile: PWD: 95
 Name: **Ballard Mill Marina Wharf.**
 Location: North shore of Salmon Bay, approximately 1,800 feet below Ballard Bridge. Datum: MWL
 Operator: Ballard Mill Marina, Division of Ballard Canal Co.
 Owner: Ballard Canal Co.
 Address: 4733 Shilshole Avenue N.W. Phone: 206-789-4777
 Town: Seattle State: WA County: King
 Railway Connection: One surface track of Burlington Northern Santa Fe Railway is located at rear of property.
 Purpose: Mooring fishing vessels for maintenance and repair.
 Depth Alongside (feet): 12 - 15 | - | Latitude (decimal): 47.662778
 Total Berthing Space (feet): 265 | - | Longitude (decimal): -122.3819
 Remarks: Vessels moor stern-to wharf. Approximately 0.3 acre of paved, open storage area is located at rear. Seaview Boatyard, Inc. repairs small vessels at their East Yard, located approximately 400 feet above wharf. The company hauls-out vessels using a 88-ton, diesel, mobile, vertical boat lift with a 22-foot span, operated at a 60-foot slip with a 17-foot depth of water. A 120- by 6-foot, concrete floating pier with water depths of 12 to 35 feet along its sides is located above slip and serves vessels awaiting haul-out.

Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 945 Seattle District

Port: **Seattle**
 Waterway: **Salmon Bay** Mile: PWD: 87
 Name: **Ballard Oil Co., Fuel Pier.**
 Location: North shore of Salmon Bay, approximately 1,100 feet northeast of entrance to north Hiram M. Chittenden L Datum: MWL
 Operator: Ballard Oil Co., Inc.
 Owner: Ballard Oil Co., Inc.
 Address: 5300 26th Avenue N.W. Phone: 206-783-0241
 Town: Seattle State: WA County: King
 Railway Connection: One surface track of Burlington Northern Santa Fe Railway is located at rear of property.
 Purpose: Fueling fishing boats, tugs, and small vessels; supplying vessels with drummed lube oil.
 Depth Alongside (feet): 23 | 21 - 23 | 21 - 23 Latitude (decimal): 47.666389
 Total Berthing Space (feet): | 400 | 400 Longitude (decimal): -122.3903
 Remarks: Marine diesel fuel is available for fueling vessels. One 3-inch and two 2-inch, metered pipelines extend to pier from 4 steel storage tanks located at rear, total capacity 2,400 barrels. An additional 105 feet of berthing space is available alongside timber pile, timber-decked extension between inner ends of Fuel Pier and West Pier (Ref. No. 86).

Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 970 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 85
Name: **Barnacle Point, West Pier.**
Location: North shore of Salmon Bay, approximately 700 feet northeast of entrance to north Hiram M. Chittenden Lock Datum: MWL
Operator: Barnacle Point.
Owner: Barnacle Point, a subsidiary of All Alaska Seafood Ventures..
Address: 2629 N.W. 54th Street. Phone: 206-706-9690
Town: Seattle State: WA County: King
Railway Connection: One surface track serving plant at rear connects with tracks of Burlington Northern Santa Fe Railway.
Purpose: Mooring small vessels for outfitting and repair; mooring floating drydock.
Depth Alongside (feet): 23 | 15 - 22 | 16 - 23 Latitude (decimal): 47.666667
Total Berthing Space (feet): | 390 | 420 Longitude (decimal): -122.3917
Remarks: Floating Drydock No. 1, capacity 1,200 tons, is moored above West Pier. Pier is equipped with 3-inch, compressed air and 1 1/2-inch, natural gas and oxygen lines. Approximately 200 feet of berthing space is available along the walkway, and another 210 feet, shared with the users of the Ballard Docks pier, is available along the lower side of a row of timber breasting dolphins at the outer portion of that pier, all in 15 to 24 feet of water depth.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 974 Seattle District

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 104
Name: **Canal Boat Yard Wharf.**
Location: North shore of Salmon Bay, approximately 1,400 feet above Ballard Bridge, above foot of 11th Avenue N.W. Datum: MWL
Operator: Coastal Marine Engine, Inc. and Canal Boat Yard, Inc.
Owner: Canal Boat Yard, Inc.
Address: 4300 11th Avenue N.W. Phone: 206-784-3703
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring small vessels for engine repair, and awaiting haul-out.
Depth Alongside (feet): 7 | - | Latitude (decimal): 47.658889
Total Berthing Space (feet): 230 | - | Longitude (decimal): -122.37
Remarks: Coastal Marine Engine, Inc. performs minor repairs to engines at wharf. Canal Boat Yard, Inc. hauls-out vessels using the mobile vertical lift on the runways. Both companies operate shops located at rear. Fishing vessel owners perform repairs to their own vessels in yard at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 922 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 161
Name: **Coastal Transportation, Seattle Mooring, Piers Nos. 1 and 2.**
Location: South shore of Salmon Bay, approximately 700 feet above Ballard Bridge. Datum: MWL
Operator: Coastal Transportation, Inc.
Owner: Salmon Bay Terminals, Inc.
Address: 4025 13th Avenue W. Phone: 206-282-9979
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring miscellaneous vessels.
Depth Alongside (feet): 17 | 17 | 19 Latitude (decimal): 47.657778
Total Berthing Space (feet): 200 | 200 | 200 Longitude (decimal): -122.3731
Remarks: Pier No. 1 extends from the outer end of the operator's East Cargo Wharf (Ref. No. 162) and forms a slip 100 feet wide.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 055 Seattle District

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 162
Name: **Coastal Transportation, Seattle Terminal, Pier No. 1 and Cargo Wharf**
Location: South shore of Salmon Bay, approximately 400 feet above Ballard Bridge. Datum: MWL
Operator: Coastal Transportation, Inc. and Icicle Seafoods, Inc.
Owner: Salmon Bay Terminals, Inc.
Address: 4025 13th Avenue W. Phone: 206-282-9979
Town: Seattle State: WA County: King
Railway Connection: One carfloor-level track serving warehouse at rear; connects with Burlington Northern Santa Fe Railway.
Purpose: Receipt and shipment of conventional general cargo in foreign and domestic trades; mooring company-owned vessels for maintenance and repair.
Depth Alongside (feet): 17 | 17 | 17 Latitude (decimal): 47.656944
Total Berthing Space (feet): 475 | 390 | 275 Longitude (decimal): -122.3744
Remarks: Icicle Seafoods, Inc. moors company-owned vessels at West Wharf. Access to wharves is via timber wharf and transit shed at South Wharf. Upper side of East Wharf is a 275-foot-long, truckloading platform. Approximately 1.6 acres of open storage area and a 7,500-square-foot warehouse are located at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 055 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 94
Name: **Covich-Williams Co., Ballard Marine Plant Piers.**
Location: North shore of Salmon Bay, approximately 0.4 mile east of entrance to north Hiram M. Chittenden Lock. Datum: MWL
Operator: Covich-Williams Co., Inc.
Owner: Covich-Williams Co., Inc.
Address: 5219 Shilshole Avenue N.W. Phone: 206-784-0171
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Fueling fishing boats, tugs, and other vessels with gasoline and diesel fuel; supplying vessels with drummed and tanked lube oil.
Depth Alongside (feet): 13 - 25 | 13 - 29 | Latitude (decimal): 47.664167
Total Berthing Space (feet): 98 | 158 | Longitude (decimal): -122.3839
Remarks: Two 3-inch pipelines on lower pier and two 3-inch pipelines on upper pier extend from 4 steel storage tanks at rear, total capacity 1,900 barrels.
Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 91217 Dock Code: 955 Seattle District

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 103
Name: **Divers Institute of Technology Wharf.**
Location: North shore of Salmon Bay, approximately 1,200 feet above Ballard Bridge, below Datum: MWL
foot of 11th Avenue N.W.
Operator: Divers Institute of Technology, Inc.
Owner: Divers Institute of Technology, Inc.
Address: 4315 11th Avenue N.W. Phone: 206-783-5542
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring company-owned diving barges and service boats.
Depth Alongside (feet): 0 - 12 | | Latitude (decimal): 47.659722
Total Berthing Space (feet): 69 | | Longitude (decimal): -122.3708
Remarks: Lower side of approach provides 135 feet of berthing in 15 feet of water depth, and upper side of approach provides 80 feet of berthing in water depths of 0 to 4 feet; numerous permanently moored barges perpendicular to face of wharf and along upper side of approach are used for training divers. Office and classroom buildings are located at rear of inner end of slip.
Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 91217 Dock Code: 921 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 102
Name: **Duncan Engine Co. Wharf.**
Location: North shore of Salmon Bay, approximately 1,050 feet above Ballard Bridge. Datum: MWL
Operator: Duncan Engine Co., Inc.
Owner: Commercial Marine Construction, Inc.
Address: 1121 N.W. 45th Street. Phone: 206-784-7173
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring vessels for engine repair.
Depth Alongside (feet): 11 | | Latitude (decimal): 47.659722
Total Berthing Space (feet): 180 | | Longitude (decimal): -122.3714
Remarks: Marine diesel engines and transmissions are repaired in shop at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 923 Seattle District

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 105
Name: **Ferguson Terminals Wharf.**
Location: North shore of Salmon Bay, approximately 0.3 mile above Ballard Bridge. Datum: MWL
Operator: Ferguson Terminals.
Owner: Ferguson Terminals.
Address: 4207 9th Avenue N.W. Phone: 206-789-8700
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Shipment of general cargo in domestic trade (Alaska); receipt of canned and frozen seafood.
Depth Alongside (feet): 13 - 20 | | Latitude (decimal): 47.657778
Total Berthing Space (feet): 540 | | Longitude (decimal): -122.3686
Remarks: Approximately 3 1/2 acres of paved open storage area are located at rear. One 500- by 100-foot, concrete and steel frame, metal-covered warehouse is located at rear of open storage area; two 10-ton, overhead cranes serve warehouse
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 917

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 165
Name: **Fishermen's Terminal, Marine Railway, Floats Nos. 1 and 2 Piers.**
Location: South shore of Salmon Bay, below Ballard Bridge. Datum: MWL
Operator: Fishing Vessel Owners Marine Ways, Inc.
Owner: Port of Seattle.
Address: 1511 W. Thurman Street. Phone: 206-282-6421
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring and repairing fishing vessels.
Depth Alongside (feet): 12 - 16 | 12 - 16 | 12 - 16 Latitude (decimal): 47.656944
Total Berthing Space (feet): 500 | 500 | 311 Longitude (decimal): -122.3764
Remarks: Lower pier, No. 2, and adjacent timber bulkhead form a 90-foot-wide slip with Pier No. 3 (Ref. No. 166). Upper pier, No. 1, has one 450- and one 250-ton, marine railways located on its upper and lower sides, respectively. Lower marine railway precludes the use of the upper side of Float No. 2, and serves a transfer railway extending to the rear. Buildings located at rear are used for offices, storage, and marine repair shops.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 050 Seattle District

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 172
Name: **Fishermen's Terminal, Northwest Dock, Docks Nos. 1 and 2.**
Location: South shore of Salmon Bay, approximately 1,350 feet below Ballard Bridge, at outer side of Fishermen's T Datum: MWL
Operator: Port of Seattle.
Owner: Port of Seattle.
Address: 1735 W. Thurman Street. Phone: 206-728-3712
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring fishing vessels.
Depth Alongside (feet): 18 | 18 | Latitude (decimal): 47.659167
Total Berthing Space (feet): 52 | 17 | Longitude (decimal): -122.3817
Remarks: Pier extends from outer end of West Wall Wharf (Ref. No. 171) and with Loading Pier (Ref. No. 173), and forms the outer side of Fishermen's Terminal basin. Each side of approach provides 170 feet of berthing space between the West Wall and Dock No. 1, the inner wharf; and 172 feet between Docks Nos. 1 and 2.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 050 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 173
Name: **Fishermen's Terminal, Northwest Dock, Loading Pier.**
Location: South shore of Salmon Bay, approximately 530 feet below Ballard Bridge, at outer side of Fishermen's Ter Datum: MWL
Operator: Port of Seattle.
Owner: Port of Seattle.
Address: 1735 W. Thurman Street. Phone: 206-728-3712
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring and repairing fishing vessels; handling supplies and equipment for fishing vessels.
Depth Alongside (feet): 16 - 26 | 14 - 16 | 24 - 26 Latitude (decimal): 47.658889
Total Berthing Space (feet): 110 | 140 | 620 Longitude (decimal): -122.3797
Remarks: See Remarks under Ref. No. 172.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 050 Seattle District

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 166
Name: **Fishermen's Terminal, Pier No. 3.**
Location: South shore of Salmon Bay, approximately 200 feet below Ballard Bridge. Datum: MWL
Operator: Port of Seattle and Fishing Vessel Owners Marine Ways, Inc.
Owner: Port of Seattle.
Address: 1511 W. Thurman Street. Phone: 206-282-6421
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring and repairing fishing vessels.
Depth Alongside (feet): 16 | 14 - 18 | 14 - 18 Latitude (decimal): 47.657222
Total Berthing Space (feet): 60 | 360 | 320 Longitude (decimal): -122.3772
Remarks: Inner portion of pier and adjacent timber bulkhead form a 125-foot-wide slip with Pier No. 4 (Ref. No. 167). □ Fishing Vessel Owners Marine Ways, Inc. operates inner portion for repairing fishing vessels.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 050 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 167
Name: **Fishermen's Terminal, Pier No. 4.**
Location: South shore of Salmon Bay, approximately 400 feet below Ballard Bridge. Datum: MWL
Operator: Port of Seattle and Rainier Petroleum Corp.
Owner: Port of Seattle.
Address: 1735 W. Thurman Street. Phone: 206-282-1567
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Shipment of general cargo and cannery equipment in domestic trade (Alaska); fueling and mooring fishing vessels.
Depth Alongside (feet): 20 | 15 - 20 | 17 - 25 Latitude (decimal): 47.657222
Total Berthing Space (feet): 60 | 320 | 360 Longitude (decimal): -122.3778
Remarks: Inner portion of pier and adjacent bulkheads form 125- and 90-foot-wide slips with Pier No. 3 (Ref. No. 166) and Pier No. 5 (Ref. No. 168), respectively. □ Rainier Petroleum Corp. fuels vessels at face of pier. One 4- becoming 3-inch, and one 3-inch pipelines extend to metered pumps from one 475-barrel, dual-compartment storage tank at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 050 Seattle District

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 168
Name: **Fishermen's Terminal, Pier No. 5.**
Location: South shore of Salmon Bay, approximately 570 feet below Ballard Bridge. Datum: MWL
Operator: Port of Seattle.
Owner: Port of Seattle.
Address: 1735 W. Thurman Street. Phone: 206-728-3712
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring fishing vessels.
Depth Alongside (feet): 18 | 15 - 18 | 15 - 18 Latitude (decimal): 47.656667
Total Berthing Space (feet): | 505 | 505 Longitude (decimal): -122.3783
Remarks: Net sheds Nos. 3 and 4 are located on shore at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 050 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 169
Name: **Fishermen's Terminal, Piers Nos. 6 and 7.**
Location: South shore of Salmon Bay (Pier No. 7), approximately 800 feet below Ballard Bridge. Datum: MWL
Operator: Port of Seattle
Owner: Port of Seattle.
Address: 1735 W. Thurman Street. Phone: 206-728-3712
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring fishing vessels.
Depth Alongside (feet): 10 - 14 | 10 - 14 | 10 - 14 Latitude (decimal): 47.656667
Total Berthing Space (feet): | 100 | 100 Longitude (decimal): -122.3794
Remarks: Automobile parking lot and net areas are located at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 050 Seattle District

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 170
Name: **Fishermen's Terminal, Piers Nos. 8, 9, and 10.**
Location: South shore of Salmon Bay, (Pier No. 10) approximately 1,350 feet below Ballard Bridge. Datum: MWL
Operator: Port of Seattle
Owner: Port of Seattle.
Address: 1735 W. Thurman Street. Phone: 206-728-3712
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring fishing vessels.
Depth Alongside (feet): 10 - 14 | 10 - 14 | 10 - 14 Latitude (decimal): 47.656667
Total Berthing Space (feet): | | 100 Longitude (decimal): -122.3817
Remarks: Inner portion of Pier No. 10 and adjacent bulkhead form a 160-foot-wide slip with West Wall Wharf (Ref. No. 171). Additional berthing space is available end-to bulkhead. A 132- by 8-foot, concrete float along bulkhead between Piers Nos. 9 and 10 serves as a public landing. Administration building and restaurant are located at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 050 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 171
Name: **Fishermen's Terminal, West Wall Wharf.**
Location: South shore of Salmon Bay, approximately 1,500 feet below Ballard Bridge. Datum: MWL
Operator: Port of Seattle.
Owner: Port of Seattle.
Address: 1735 W. Thurman Street. Phone: 206-728-3712
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Occasional shipment of general cargo and cannery equipment in domestic trade (Alaska); handling supplies and equipment for fishing vessels; mooring fishing vessels for repair.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 47.6575
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -122.3822
Remarks: Pier No. 10 (Ref. No. 170) and southern portion of Northwest Dock, Wharf No. 1 (Ref. No. 172) are parallel to the face of the wharf, forming a basin 160 to 170 feet wide with a 180-foot-wide entrance. Automobile parking areas and approximately 1.6 acres of open storage area are located at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 050 Seattle District

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 163
Name: **Icicle Seafoods, West Pier.**
Location: South shore of Salmon Bay, approximately 250 feet above Ballard Bridge. Datum: MWL
Operator: Icicle Seafoods, Inc. and Bakketon & Thomas Boat Co.
Owner: Salmon Bay Terminals, Inc.
Address: 4025 13th Avenue W. Phone: 206-285-7536
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring vessels for maintenance and repair; mooring vessels.
Depth Alongside (feet): | 15 | 15 Latitude (decimal): 47.658056
Total Berthing Space (feet): | 450 | 450 Longitude (decimal): -122.3756
Remarks: Icicle Seafoods, Inc. moors company-owned vessels at upper side of pier and at 70 feet of bulkhead between pier and lower side of West Cargo Wharf (Ref. No. 162). Bakketon & Thomas Boat Co. moors vessels at lower side of pier. Lower side of pier forms a 70-foot-wide slip with Bakketun & Thomas Boat Co. Pier (Ref. No. 164).
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 055 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 83
Name: **Jacobson Terminals, Piers and Wharf.**
Location: North shore of Salmon Bay, approximately 500 feet north of entrance to north lock. Datum: MWL
Operator: Jacobson Terminals, Inc. and various lessees.
Owner: Jacobson Terminals, Inc.
Address: 5350 30th Avenue N.W. Phone: 206-782-1618
Town: Seattle State: WA County: King
Railway Connection: One surface track of Burlington Northern Santa Fe Railway is located at rear of property.
Purpose: Mooring miscellaneous floating equipment; mooring small vessels.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 47.666389
Total Berthing Space (feet): 240 | 220 | 200 Longitude (decimal): -122.3936
Remarks: Approximately 1.1 acres of open storage area are located at rear of bulkheads.
Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 91217 Dock Code: 978 Seattle District

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 178
Name: **Marco Seattle, Floating Drydock No. 2 Wharf.**
Location: South shore of Salmon Bay, approximately 0.5 mile east of entrance to north Hiram M. Chittenden Lock. Datum: MWL
Operator: Marco Seattle, Inc.
Owner: Marco Seattle, Inc.
Address: 2300 W. Commodore Way. Phone: 206-285-3200 E
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring vessels for repair; mooring floating drydock.
Depth Alongside (feet): 5 - 30 | 5 - 15 | 5 - 15 Latitude (decimal): 47.661667
Total Berthing Space (feet): 40 | 140 | 108 Longitude (decimal): -122.3856
Remarks: Floating Drydock No. 2, capacity 500 long tons, is moored end-to at face of lower portion of wharf, in slip with 30 feet of water depth between floats. Lower float forms a 30-foot-wide slip with float alongside upper side of Floating Drydock No. 3 (Ref. No. 179).
Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 91217 Dock Code: 035 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 179
Name: **Marco Seattle, Floating Drydock No. 3 Wharf.**
Location: South shore of Salmon Bay, approximately 0.4 mile east of entrance to north Hiram M. Chittenden Lock, ab Datum: MWL
Operator: Marco Seattle, Inc.
Owner: Marco Seattle, Inc.
Address: 2300 W. Commodore Way. Phone: 206-285-3200 E
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring floating drydock.
Depth Alongside (feet): 5 - 35 | 35 | 5 - 15 Latitude (decimal): 47.661944
Total Berthing Space (feet): 30 | | 100 Longitude (decimal): -122.3861
Remarks: Floating Drydock No. 3, capacity 1,800 long tons, is moored in corner of wharf, against 73- and 44-foot sections, and alongside lower side of float, in berth providing 35 feet of water depth and is also used for launching vessels built in construction yard located at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 035 Seattle District

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 175
Name: **Marco Seattle, Outfitting Apron and Pier.**
Location: South shore of Salmon Bay, approximately 0.6 mile east of entrance to north Hiram M. Chittenden Lock, at Datum: MWL
Operator: Marco Seattle, Inc.
Owner: Marco Seattle, Inc.
Address: 2300 W. Commodore Way. Phone: 206-285-3200 E
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 15 | 17 | 15 Latitude (decimal): 47.660833
Total Berthing Space (feet): 140 | 142 | 160 Longitude (decimal): -122.3844
Remarks: Pier forms 40-foot-wide slip with upper side of repair apron and float (Ref. No. 176).
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 035 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 176
Name: **Marco Seattle, Repair Apron and Float.**
Location: South shore of Salmon Bay, approximately 0.5 mile east of entrance to north Hiram M. Chittenden Lock, at Datum: MWL
Operator: Marco Seattle, Inc.
Owner: Marco Seattle, Inc.
Address: 2300 W. Commodore Way. Phone: 206-285-3200 E
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 15 | 15 | 15 Latitude (decimal): 47.661389
Total Berthing Space (feet): 110 | 165 | 85 Longitude (decimal): -122.3847
Remarks: Upper side and float extension form a 40-foot-wide slip with Outfitting Pier (Ref. No. 175).
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 035 Seattle District

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 177
Name: **Marco Seattle, Vertical Boat Lift Piers.**
Location: South shore of Salmon Bay, approximately 0.5 mile east of entrance to north Hiram M. Chittenden Lock, be Datum: MWL
Operator: Marco Seattle, Inc.
Owner: Marco Seattle, Inc.
Address: 2300 W. Commodore Way. Phone: 206-285-3200 E
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring vessels for repair.
Depth Alongside (feet): 15 | 5 - 21 | Latitude (decimal): 47.661667
Total Berthing Space (feet): 108 | 125 | Longitude (decimal): -122.385
Remarks: Lower pier forms a 40-foot-wide slip with the upper float alongside Floating Drydock No. 2 (Ref. No. 178). One 70-ton vertical boat lift and lateral transfer bridge at rear allows transfer to 5 sets of parallel tracks extending into repair yard.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 035 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 180
Name: **Maritime Commerce Center, East Pier.**
Location: South shore of Salmon Bay, approximately 0.4 mile east of entrance to north Hiram M. Chittenden Lock, at Datum: MWL
Operator: Anderson Marine Repair, Inc. and Mariner Properties.
Owner: Sutter Estate.
Address: 2408 W. Commodore Way. Phone: 206-283-8795
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring and repairing fishing vessels and recreational craft; handling supplies and equipment.
Depth Alongside (feet): 35 | 8 - 35 | 8 - 35 Latitude (decimal): 47.661944
Total Berthing Space (feet): 24 | 170 | 170 Longitude (decimal): -122.3864
Remarks: Upper side of pier forms a 30-foot-wide slip with Marco Seattle, Inc., Floating Drydock No. 3 (Ref. No. 179). An additional 120 feet of berthing space in 8 feet of water depth is available along bulkhead below pier. Anderson Marine Repair, Inc. operates carpenter and machine shops in building located at rear. Office and storage facilities are located in additional buildings at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 031 Seattle District

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 181
Name: **Maritime Commerce Center, West Pier.**
Location: South shore of Salmon Bay, approximately 0.4 mile east of entrance to north Hiram M. Chittenden Lock. Datum: MWL
Operator: Mariner Properties.
Owner: Mariner Properties.
Address: 2408 W. Commodore Way. Phone: 206-283-8795
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring fishing vessels for maintenance and repair; mooring recreational craft; handling supplies and equipment.
Depth Alongside (feet): 33 | 8 - 33 | 8 - 33 Latitude (decimal): 47.662222
Total Berthing Space (feet): 12 | 157 | 157 Longitude (decimal): -122.3869
Remarks: An L-shaped, 146- by 8-foot, timber float used for mooring recreational craft extends perpendicular to bulkhead 50 feet above pier.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 031 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 185
Name: **Maritime Industrial Center, Center Pier.**
Location: South shore of Salmon Bay, approximately 850 feet east of entrance to north Hiram M. Chittenden Lock, at Datum: MWL
Operator: Port of Seattle.
Owner: Port of Seattle.
Address: 2700 W. Commodore Way. Phone: 206-728-3174
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Receipt of seafood; shipment of general cargo in domestic trade (Alaska); handling supplies and equipment; mooring and repairing fishing vessels, tugboats, and other floating equipment.
Depth Alongside (feet): 24 - 30 | 16 - 19 | 14 - 22 Latitude (decimal): 47.663611
Total Berthing Space (feet): 180 | 110 | 140 Longitude (decimal): -122.3911
Remarks: Inner portion of lower side of pier, and bulkhead below pier, provide 80 and 185 feet of berthing space, respectively, in water depths of 12 to 16 and 12 to 19 feet, respectively. Lower side of pier and West Pier (Ref. No. 186) form an L-shaped basin with a 75-foot-wide entrance.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 029 Seattle District

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 184
Name: **Maritime Industrial Center, East Pier.**
Location: South shore of Salmon Bay, approximately 1,000 feet east of entrance to north Hiram M. Chittenden Lock, Datum: MWL
Operator: Port of Seattle.
Owner: Port of Seattle.
Address: 2700 W. Commodore Way. Phone: 206-728-3174
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring and repairing fishing vessels, tugboats, and other floating equipment.
Depth Alongside (feet): 13 - 21 | 8 - 21 | 12 - 13 Latitude (decimal): 47.663333
Total Berthing Space (feet): | 108 | 108 Longitude (decimal): -122.3906
Remarks: Bulkhead provides 66 and 83 feet of berthing space above and below pier, respectively, in 8 to 14 feet of water depth. Lower bulkhead forms inner end of slip with Center Pier (Ref. No. 185).
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 029 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 186
Name: **Maritime Industrial Center, West Pier.**
Location: South shore of Salmon Bay, approximately 750 feet east of entrance to north Hiram M. Chittenden Lock. Datum: MWL
Operator: Port of Seattle.
Owner: Port of Seattle.
Address: 2700 W. Commodore Way. Phone: 206-728-3174
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Receipt of seafood; shipment of general cargo in domestic trade (Alaska); handling supplies and equipment; mooring and repairing fishing vessels, tugboats, and other floating equipment.
Depth Alongside (feet): 22 - 24 | 19 - 22 | 19 - 24 Latitude (decimal): 47.663611
Total Berthing Space (feet): | 133 | 154 Longitude (decimal): -122.3922
Remarks: -
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 029 Seattle District

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 182
Name: **New Hope Marine, East Wharf.**
Location: South shore of Salmon Bay, approximately 0.3 mile east of entrance to north Hiram M. Chittenden Lock. Datum: MWL
Operator: New Hope Marine, Inc. and Anderson Marine Repair, Inc.
Owner: New Hope Marine, Inc.
Address: 2440 W. Commodore Way. Phone: 206-286-6683
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring fishing vessels.
Depth Alongside (feet): 16 - 20 | 20 | - Latitude (decimal): 47.662778
Total Berthing Space (feet): 502 | - | - Longitude (decimal): -122.3878
Remarks: Anderson Marine Repair, Inc. operates a 120-ton, marine railway located at the rear of, and parallel to, the wharf and the lower pier extension, with tracks crossing the lower approach. Elevated platform was formerly used for the receipt of seafood. □ Shining Ocean, Inc. operates a 180,000-cubic foot, cold storage warehouse adjacent to its seafood processing plant at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 031 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 183
Name: **New Hope Marine, West Wharf.**
Location: South shore of Salmon Bay, approximately 1,300 feet east of entrance to north Hiram M. Chittenden Lock, Datum: MWL
Operator: New Hope Marine, Inc.
Owner: New Hope Marine, Inc.
Address: 2440 W. Commodore Way. Phone: 206-286-6683
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring fishing vessels for repair; handling supplies and equipment.
Depth Alongside (feet): 12 - 16 | | Latitude (decimal): 47.663333
Total Berthing Space (feet): 340 | | Longitude (decimal): -122.3897
Remarks: Parallel piers for vertical boat lift are located at lower side of wharf fronting concrete bulkhead with concrete- and asphalt-surfaced solid fill. Paved open storage area located at rear has capacity for approximately 25 vessels undergoing repair.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 031 Seattle District

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 101
Name: **Norquest Seafoods, Pier.**
Location: North shore of Salmon Bay, approximately 950 feet above Ballard Bridge. Datum: MWL
Operator: Norquest Seafoods, Inc.
Owner: Commercial Marine Construction, Inc.
Address: 1111 N.W. 45th Street. Phone: 206-782-1723
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring fishing vessels; handling supplies and equipment.
Depth Alongside (feet): 13 | - | Latitude (decimal): 47.659722
Total Berthing Space (feet): 96 | - | Longitude (decimal): -122.3719
Remarks: An additional 145 and 120 feet of berthing space is available on lower and upper sides of approach, respectively, and along 90 feet of face of bulkhead above approach.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 923 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 100
Name: **Norquest Seafoods, Piers Nos. 1 and 2, and Wharf.**
Location: North shore of Salmon Bay, approximately 800 feet above Ballard Bridge. Datum: MWL
Operator: Norquest Seafoods, Inc. and Kris Poulsen & Associates.
Owner: Commercial Marine Construction, Inc.
Address: 1111-1143 N.W. 45th Street. Phone: 206-352-2241
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring miscellaneous vessels; mooring fishing boats for maintenance and repair; and handling supplies and equipment.
Depth Alongside (feet): 16 | 16 | 11 Latitude (decimal): 47.66
Total Berthing Space (feet): 240 | 250 | 75 Longitude (decimal): -122.3725
Remarks: Upper section of bulkhead and two piers form two slips varying from 60 to 70 feet wide.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 923 Seattle District

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 160
Name: **Ocean Beauty Seafoods, Lower Wharf.**
Location: South side of Salmon Bay, approximately 1,100 feet above Ballard Bridge. Datum: MWL
Operator: Ocean Beauty Seafoods, Inc.
Owner: Ocean Beauty Seafoods, Inc.
Address: 1100 W. Ewing Street. Phone: 206-286-2569
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring vessels.
Depth Alongside (feet): 15 | | Latitude (decimal): 47.6575
Total Berthing Space (feet): 330 | | Longitude (decimal): -122.3717
Remarks: Upper end of wharf is contiguous with, and at angle to Ref. No. 159. Western end of wharf is a 60-foot-long, elevated, truckloading platform. Former transit shed was under lease at time of survey. Recreational craft are moored along pier.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 058 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 90
Name: **Pacific Fishermen, Center Pier.**
Location: North shore of Salmon Bay, approximately 1,450 feet northeast of entrance to north Hiram M. Chittenden L Datum: MWL
Operator: Pacific Fishermen, Inc.
Owner: Pacific Fishermen, Inc.
Address: 5351 24th Avenue N.W. Phone: 206-784-2562
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring fishing boats, tugs, barges, and small vessels for repair.
Depth Alongside (feet): 24 | 19 - 24 | 21 Latitude (decimal): 47.666944
Total Berthing Space (feet): | 220 | 200 Longitude (decimal): -122.3886
Remarks: Lower side of pier forms a 38-foot-wide slip with upper side of pier along upper side of vertical boat lift (Ref. No. 89).
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 966 Seattle District

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 91
Name: **Pacific Fishermen, East Pier.**
Location: North shore of Salmon Bay, approx. 1,550 feet northeast of entrance to north Hiram M. Chittenden Lock; b Datum: MWL
Operator: Pacific Fishermen, Inc.
Owner: Pacific Fishermen, Inc.
Address: 5351 24th Avenue N.W. Phone: 206-784-2562
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring fishing boats, tugs, barges, and small vessels for repair.
Depth Alongside (feet): 19 - 21 | 0 - 21 | 19 Latitude (decimal): 47.666667
Total Berthing Space (feet): 300 | 260 | 146 Longitude (decimal): -122.3883
Remarks: One 600- and one 150-ton, marine railways are located adjacent to upper side of pier. The upper marine railway is served by a 250-foot, timber pile, timber-decked walkway extending along its upper side. Marine repair plant is located at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 966 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 89
Name: **Pacific Fishermen, West Pier.**
Location: North shore of Salmon Bay, approximately 1,350 feet northeast of entrance to north Hiram M. Chittenden L Datum: MWL
Operator: Ballard Oil Co., Inc. and Pacific Fishermen, Inc.
Owner: Pacific Fishermen, Inc.
Address: 5351 24th Avenue N.W. Phone: 206-784-2562
Town: Seattle State: WA County: King
Railway Connection: One surface track of Burlington Northern Santa Fe Railway is located at rear of property.
Purpose: Mooring fishing boats, tugs, barges, and small vessels for storage and repair.
Depth Alongside (feet): 24 | 15 | 15 Latitude (decimal): 47.666667
Total Berthing Space (feet): | 150 | 150 Longitude (decimal): -122.3892
Remarks: Ballard Oil Co., Inc. moors fishing vessels along inner 320-foot portion of lower side of pier. □ Pacific Fishermen, Inc. repairs vessels at rest of pier. A 600-ton, electric, screw-type, vertical boat lift (140 by 35.5 feet) is located adjacent to inner portion of upper side; 80 feet of additional berthing space is available along a timber pile, timber-decked pier on the upper side of the lift. Marine repair plant is located at rear.

Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 967 Seattle District

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 93
Name: **Salmon Bay Sand & Gravel Co. Wharf.**
Location: North shore of Salmon Bay, approximately 0.4 mile east of entrance to north Hiram M. Chittenden Lock Datum: MLLW
Operator: Salmon Bay Sand & Gravel Co., Inc.
Owner: Salmon Bay Sand & Gravel Co., Inc.
Address: 5229 Shilshole Avenue N.W. Phone: 206-784-1234
Town: Seattle State: WA County: King
Railway Connection: One carfloor-level track at rear of warehouse connects with Ballard Terminal Railroad.
Purpose: Receipt of sand and gravel by barge.
Depth Alongside (feet): 21 | 13 - 21 | Latitude (decimal): 47.664444
Total Berthing Space (feet): 150 | 300 | Longitude (decimal): -122.3842
Remarks: *A 50- by 14-foot, concrete settling basin is located at the face of the wharf. The row of dolphins extends 62 feet out from the lower end of the basin. Upper side forms 50-foot-wide slip with lower side of Covich-Williams Co. wharf (Ref. No. 94). □ Crane unloads material into an adjacent 1,200-ton open storage area, served by a 24-inch, electric, belt-conveyor system, extending through a reclaiming tunnel to 2 storage silos with a total capacity of approximately 800 tons, located at a ready-mix concrete plant at rear. Crane also unloads into a storage hopper serving the conveyor system; a receiving hopper serving abagging plant and the concrete plant; or 4 truckloading hoppers, all at the rear of the apron.

Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 957 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 84
Name: **Seaborn Marine Terminal Wharf.**
Location: North shore of Salmon Bay, approximately 800 feet north of entrance to north lock, Datum: MWL
west of foot of 28th
Operator: Seaborn Marine Terminal and various lessees.
Owner: Seaborn Marine Terminal.
Address: 5355 28th Avenue N.W. Phone: 206-585-2346
Town: Seattle State: WA County: King
Railway Connection: One surface track of Burlington Northern Santa Fe Railway is located at rear of property.
Purpose: Mooring miscellaneous, floating equipment; mooring fishing boats for maintenance and repair.
Depth Alongside (feet): 8 - 10 | 8 - 10 | 8 - 23 Latitude (decimal): 47.666944
Total Berthing Space (feet): 70 | 137 | 500 Longitude (decimal): -122.3928
Remarks: *Vessels moor stern-to the wharf, the inner end of the slip, and a 30-foot-long wharf with 8 feet of water depth located below the pier. Recreational craft moor to the upper side of the row of floats. An office building is located at the rear of the apron, and a shed is located on the east end of the wharf.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 977 Seattle District

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 98
Name: **Seattle Central Community College, Seattle Maritime Academy, Float**
Location: North shore of Salmon Bay, approximately 400 feet above Ballard Bridge; below foot Datum: MWL
of 14th Avenue N.W.
Operator: Seattle Central Community College, Seattle Maritime Academy.
Owner: State of Washington.
Address: 4455 Shilshole Avenue N.W. Phone: 206-782-2647
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring training vessels and tugs.
Depth Alongside (feet): 18 - 20 | 6 - 18 | Latitude (decimal): 47.660278
Total Berthing Space (feet): 125 | 56 | Longitude (decimal): -122.3742
Remarks: An additional 85 feet of berthing space in 2- to 3-foot, water depths is available along bulkhead between float and lower approach to barge. Building on barge houses a machine shop used for training. Classrooms and shops are located at rear of bulkhead.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 923 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 97
Name: **Seattle Central Community College, Seattle Maritime Academy, Pier**
Location: North shore of Salmon Bay, approximately 300 feet above Ballard Bridge. Datum: MWL
Operator: Seattle Central Community College, Seattle Maritime Academy.
Owner: State of Washington.
Address: 4455 Shilshole Avenue N.W. Phone: 206-782-2647
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring training vessels and tugs.
Depth Alongside (feet): 18 - 21 | 13 - 21 | 12 - 18 Latitude (decimal): 47.660278
Total Berthing Space (feet): | 200 | 175 Longitude (decimal): -122.375
Remarks: A fiberglass and timber float fronted by a row of timber breasting dolphins is located below the pier and provides 60 feet of berthing space in 4 to 5 feet of water depth. The bulkhead above the pier provides 110 feet of additional berthing space adjacent to 6-foot-wide timber floats in 1- to 4-foot depths of water. Classrooms and shops are located at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 923 Seattle District

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 92
Name: **Stimson Marina and Hydroacoustic Technology, F Dock.**
Location: North shore of Salmon Bay, approximately 0.4 mile east of entrance to north Hiram M. Chittenden Lock. Datum: MWL
Operator: Stimson Marina, a subsidiary of C.D. Stimson Co. and Hydroacoustic Technology.
Owner: C. D. Stimson Co.
Address: 5265 Shilshole Avenue N.W. Phone: 206-784-1000
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring miscellaneous small boats and company-owned research vessel.
Depth Alongside (feet): 36 | 6 - 36 | 5 - 35 Latitude (decimal): 47.664167
Total Berthing Space (feet): 10 | 289 | 249 Longitude (decimal): -122.3853
Remarks: Hydroacoustic Technology research barge 'Impulse' moors along lower side of outer end of pier; pleasure craft moor along remainder.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 960 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 187
Name: **Time Oil Co., Seattle Wharf.**
Location: South shore of Salmon Bay, approximately 450 feet southeast of entrance to north Hiram M. Chittenden Lock Datum: MWL
Operator: Time Oil Co.
Owner: Time Oil Co.
Address: 2737 W. Commodore Way. Phone: 206-285-2400
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products; fueling small vessels; loading harbor bunkering barges; mooring small vessels and floating equipment for maintenance and repair.
Depth Alongside (feet): 31 - 34 | 18 | 31 Latitude (decimal): 47.663889
Total Berthing Space (feet): 350 | 325 | 206 Longitude (decimal): -122.3936
Remarks: Rear of face is used for mooring fishing vessels and other floating equipment. Such vessels moor for maintenance and repairs at 3 timber, 80-foot-long floats, spaced 80 feet apart, extending from bank at rear of wharf, in water depths up to 16 feet. Upper side of wharf is used for mooring recreational craft for repairs. One 10-, one 8-, two 6-, and three 4-inch pipelines extend from wharf to 14 steel storage tanks located at terminal on opposite side of W. Commodore Way, total capacity 187,000 barrels. □ Burlington Northern Santa Fe Railway: One 10-inch pipeline extends from wharf to one 55,000-barrel storage tank located in rail yard approximately one mile east.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 027 Seattle District

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 82
Name: **U.S. Army Corps of Engineers, Hiram M. Chittenden Locks Wharf.**
Location: North shore of Salmon Bay, north of Hiram M. Chittenden Locks. Datum: MWL
Operator: U.S. Army Corps of Engineers.
Owner: United States Government.
Address: 3015 N.W. 54th Street. Phone: 206-783-7001
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Mooring government-owned vessels and floating equipment.
Depth Alongside (feet): 12 | | Latitude (decimal): 47.666111
Total Berthing Space (feet): 200 | | Longitude (decimal): -122.3953
Remarks: At the south end of the wharf, additional mooring space is available inside a concrete boat house and along the outside of its 80-foot, north wall. Another 600 feet of berthing space in 12 feet of water depth is available along the north side of the timber pile, timber-decked, north lock guide wall.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 981 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **Salmon Bay** Mile: PWD: 96
Name: **Western Pioneer, Seattle Wharf.**
Location: North shore of Salmon Bay, approximately 850 feet below Ballard Bridge. Datum: MWL
Operator: Western Pioneer, Inc.
Owner: Ballard Canal Co.
Address: 4601 Shilshole Avenue N.W. Phone: 206-781-4741
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Receipt and shipment of conventional general cargo in domestic trade (Alaska); receipt of canned and frozen seafood.
Depth Alongside (feet): 22 | 14 | Latitude (decimal): 47.661111
Total Berthing Space (feet): 230 | 300 | Longitude (decimal): -122.3794
Remarks: Rear of wharf is at truck-bed level, providing loading stations for 17 trucks. Office and approximately 2 acres of paved, open storage area are located at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91217 Dock Code: 945 Seattle District

Port: **Seattle**
Waterway: **West Waterway** Mile: PWD: 79
Name: **American President Lines, Terminal 5, Wharf.**
Location: West side, West Waterway, south of entrance to West Waterway. Datum: MLLW
Operator: American President Lines.
Owner: Port of Seattle.
Address: 3443 West Marginal Way S.W. Phone: 206-933-4557
Town: Seattle State: WA County: King
Railway Connection: On-dock intermodal yard with capacity of 54 five-platform doublestack rail cars with adjacent storage facility of equal size; connects with Burlington Northern Santa Fe Railway and Union Pacific Railroad.
Purpose: Receipt and shipment of containerized general cargo in foreign and domestic trade.
Depth Alongside (feet): 45 - 50 | | Latitude (decimal): 47.576944
Total Berthing Space (feet): 2,900 | | Longitude (decimal): -122.3614
Remarks: Approximately 130 acres of paved, open storage area with capacity for 3,208 TEUs parked and 2,470 TEUs grounded including 650 electrical outlets for refrigerated containers are located at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91210 Dock Code: 146 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
 Waterway: **West Waterway** Mile: PWD: 34
 Name: **BP Oil Co., Seattle Terminal, Pier No. 11.**
 Location: East side, West Waterway, south of foot of S.W. Florida Street extended. Datum: MLLW
 Operator: BP Oil Co.
 Owner: BP Oil Co.
 Address: 1652 S.W. Lander Street. Phone: 206-623-4635
 Town: Seattle State: WA County: King
 Railway Connection: One surface track on east side of property serves 6-car-capacity, tank car loading rack; connects with Burlington Northern Santa Fe Railway.
 Purpose: Receipt and shipment of petroleum products; bunkering vessels; and loading barges for bunkering vessels at berth.
 Depth Alongside (feet): 32 | - | Latitude (decimal): 47.5825
 Total Berthing Space (feet): 460 | - | Longitude (decimal): -122.3583
 Remarks: Four 8- and one 6-inch pipelines extend from wharf to 23 steel storage tanks at 3 separate locations in rear, total capacity 617,800 barrels. Floating, oil-spill containment booms are available as required.
 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 91210 Dock Code: 737 Seattle District

Port: **Seattle**
 Waterway: **West Waterway** Mile: PWD: 75
 Name: **Island Tug & Barge Co., North Wharf.**
 Location: West side, Duwamish Waterway, approximately 450 feet north of S.W. Spokane Street Bridge. Datum: MLLW
 Operator: Island Tug & Barge Co.
 Owner: Chester W. Whitman.
 Address: 3546 West Marginal Way S.W. Phone: 206-938-0403
 Town: Seattle State: WA County: King
 Railway Connection: None.
 Purpose: Mooring company-owned tugs and towboats.
 Depth Alongside (feet): 10 | 10 | Latitude (decimal): 47.572778
 Total Berthing Space (feet): 145 | - | Longitude (decimal): -122.3564
 Remarks: -
 Year of Last Survey: 2002 Corps of Engnrs Waterway Code: 91209 Dock Code: 170 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **West Waterway** Mile: PWD: 77
Name: **Pacific Terminals Ltd., East Wharf.**
Location: West side, at head of West Waterway, north of foot of Chelan Avenue S.W. Datum: MLLW
Operator: Pacific Terminals Ltd.
Owner: Puget Sound Freight Lines.
Address: 3480 West Marginal Way S.W. Phone: 206-612-1455
Town: Seattle State: WA County: King
Railway Connection: Surface trackage serving warehouses join additional trackage serving yard in rear;
connect with Burlington Northern Santa Fe Railway.
Purpose: Receipt and occasional shipment of lumber; receipt of wood pulp and paper products.
Depth Alongside (feet): 15 | 15 | Latitude (decimal): 47.573889
Total Berthing Space (feet): 450 | - | Longitude (decimal): -122.3589
Remarks: Warehouse located at rear is used by Pacific Terminals Ltd. for storage of wood pulp and paper
products. Face of wharf is in line with Ref. No. 78.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 161 Seattle District

Port: **Seattle**
Waterway: **West Waterway** Mile: PWD: 78
Name: **Pacific Terminals Ltd., West Wharf.**
Location: West side, at head of West Waterway, north of foot of Chelan Avenue S.W. Datum: MLLW
Operator: Pacific Terminals Ltd.
Owner: Puget Sound Freight Lines.
Address: 3480 West Marginal Way S.W. Phone: 206-612-1455
Town: Seattle State: WA County: King
Railway Connection: Surface trackage serving warehouses join additional trackage serving yard in rear;
connect with Burlington Northern Santa Fe Railway.
Purpose: Receipt and occasional shipment of lumber; receipt of wood pulp and paper products.
Depth Alongside (feet): 15 | 15 | Latitude (decimal): 47.573889
Total Berthing Space (feet): 220 | - | Longitude (decimal): -122.3606
Remarks: Warehouse located at rear is used by Pacific Terminals Ltd. for storage of wood pulp and paper
products. Face of wharf is in line with Ref. No. 77.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91210 Dock Code: 161 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **West Waterway** Mile: PWD: 35
Name: **Pendleton Flour Mills, Seattle Wharf.**
Location: East side, West Waterway, south of foot of S.W. Hanford Street. Datum: MLLW
Operator: Not operated.
Owner: Pendleton Flour Mills LLC.
Address: 3235 16th Avenue S.W. Phone: 206-622-4430
Town: Seattle State: WA County: King
Railway Connection: Four tracks serve warehouse and grain elevators at rear; all connect with joint tracks of Union Pacific Railroad and Burlington Northern Santa Fe Railway.
Purpose: Not used.
Depth Alongside (feet): 32 | 32 | Latitude (decimal): 47.575278
Total Berthing Space (feet): 700 | 635 | Longitude (decimal): -122.3583
Remarks: A one-story, 95,000-square-foot, concrete building at rear of face is used as a storage warehouse for bagged flour. Two grain elevators with a total capacity of 2,000,000 bushels are located at the rear of this concrete building. Facility was formerly used for shipment of bagged flour.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91210 Dock Code: 721 Seattle District

Port: **Seattle**
Waterway: **West Waterway** Mile: PWD: 36
Name: **Tilbury Cement Co., Harbor Island Terminal Wharf.**
Location: East side, West Waterway, north of S.W. Spokane Street Bridge. Datum: MLLW
Operator: Not operated.
Owner: Tilbury Cement Co.
Address: 3423 Klickitat Avenue S.W. Phone: 206-623-7664
Town: Seattle State: WA County: King
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 13 | - | Latitude (decimal): 47.571944
Total Berthing Space (feet): 220 | - | Longitude (decimal): -122.3536
Remarks: Facility was formerly used for receipt of bulk cement by self-unloading barges. One 8-inch, pneumatic pipeline extending from wharf to four cement storage silos in rear, total capacity 7,400 tons, was not in use at time of survey. Plant is equipped to supply bulk cement to trucks at 2 truck-loading stations, each equipped with scale and one spout.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91210 Dock Code: 710 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **West Waterway** Mile: PWD: 33
Name: **Todd Pacific Shipyards Corp., Berth B, Pier No. 1.**
Location: East side, West Waterway, north of foot of S.W. Florida Street extended. Datum: MLLW
Operator: Todd Pacific Shipyards Corp., Seattle Division.
Owner: Todd Pacific Shipyards Corp., Seattle Division.
Address: 1801 16th Avenue S.W. Phone: 206-623-1635 X
Town: Seattle State: WA County: King
Railway Connection: Surface tracks serving plant in rear; connect with joint tracks of Burlington Northern Santa Fe Railway and Union Pacific Railroad on 16th Avenue S.W.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 25 - 33 | 33 | - Latitude (decimal): 47.583611
Total Berthing Space (feet): 545 | - | Longitude (decimal): -122.3583
Remarks: Shipbuilding Ways Nos. 2 and 1 are located parallel to, and in rear of face of wharf, respectively. One 45-ton, electric, traveling, revolving, full-portal gantry crane with 108-foot boom located on Pier 1A, serves south side of Shipbuilding Way No. 1. See Remarks under Ref. No. 28.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91210 Dock Code: 747 Seattle District

Port: **Seattle**
Waterway: **West Waterway** Mile: PWD: 31
Name: **Todd Pacific Shipyards Corp., Berth E, Pier No. 3.**
Location: East side, West Waterway, approximately 1,150 feet south of entrance. Datum: MLLW
Operator: Todd Pacific Shipyards Corp., Seattle Division.
Owner: Todd Pacific Shipyards Corp., Seattle Division.
Address: 1801 16th Avenue S.W. Phone: 206-623-1635 X
Town: Seattle State: WA County: King
Railway Connection: Surface tracks serving plant in rear; connect with joint tracks of Burlington Northern Santa Fe Railway and Union Pacific Railroad on 16th Avenue S.W.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 20 - 35 | | Latitude (decimal): 47.584722
Total Berthing Space (feet): 460 | | Longitude (decimal): -122.3578
Remarks: See Remarks under Ref. No. 28.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91210 Dock Code: 747 Seattle District

Port Series No. 36 The Ports of Seattle, WA

Port: **Seattle**
Waterway: **West Waterway** Mile: PWD: 32
Name: **Todd Pacific Shipyards Corp., Berths C and D, Pier No. 2.**
Location: East side, West Waterway, approximately 1,300 feet south of entrance. Datum: MLLW
Operator: Todd Pacific Shipyards Corp., Seattle Division.
Owner: Todd Pacific Shipyards Corp., Seattle Division.
Address: 1801 16th Avenue S.W. Phone: 206-623-1635 X
Town: Seattle State: WA County: King
Railway Connection: Surface tracks serving plant in rear; connect with joint tracks of Burlington Northern Santa Fe Railway and Union Pacific Railroad on 16th Avenue S.W.
Purpose: Mooring vessels for outfitting and repair.
Depth Alongside (feet): 35 | 26 - 35 | 26 - 35 Latitude (decimal): 47.584444
Total Berthing Space (feet): - | 500 | 500 Longitude (decimal): -122.3583
Remarks: See Remarks under Ref. No. 28.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91210 Dock Code: 747 Seattle District

Port: **Seattle**
Waterway: **West Waterway** Mile: PWD: 76
Name: **West Waterway Co. Wharf.**
Location: West side, Duwamish Waterway, approximately 650 feet north of S.W. Spokane Street Bridge. Datum: MLLW
Operator: West Waterway Co.
Owner: Chester W. Whitman.
Address: 3546 West Marginal Way S.W. Phone: 206-932-2595
Town: Seattle State: WA County: King
Railway Connection: Surface trackage serving warehouses join additional trackage serving yard in rear; connect with Burlington Northern Santa Fe Railway.
Purpose: Mooring vessels.
Depth Alongside (feet): 35 | - | Latitude (decimal): 47.573333
Total Berthing Space (feet): 160 | - | Longitude (decimal): -122.3572
Remarks: Approximately 2 acres of open storage area are located at rear.
Year of Last Survey: 2002 Corps of Engrs Waterway Code: 91209 Dock Code: 165 Seattle District
