

Port Series No. 44 Port of Toledo, OH

Port: **Toledo**
Waterway: **Maumee Bay** Mile: PWD: 3
Name: **CSX Toledo Lakefront Ore Docks, Slip No. 2.**
Location: South shore, Maumee Bay, approximately 800 east of mouth of Otter Creek. Datum: LWD
Operator: CSX Transportation-Toledo Docks.
Owner: CSX Transportation Co.
Address: Otter Creek Road. Phone: 419/697-2354
Town: Oregon State: OH County: Lucas
Railway Connection: Tracks serving wharf connect with CSX Transportation Co. Rail car capacity for entire complex is 250 cars at ore unloading area and an additional 3,000 cars in yard located at rear of wharves.
Purpose: Mooring vessels.
Depth Alongside (feet): 27 | 27 | Latitude (decimal): 41.698611
Total Berthing Space (feet): 1,080 | 1,202 | Longitude (decimal): -83.45
Remarks: -□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72014 Dock Code: 999 Buffalo District

Port: **Toledo**
Waterway: **Maumee Bay** Mile: PWD: 4
Name: **CSX Toledo Lakefront Ore Docks, Slip No. 3 (Lakefront Frog Pond SI**
Location: South shore, Maumee Bay, approximately 400 east of mouth of Otter Creek. Datum: LWD
Operator: CSX Transportation-Toledo Docks.
Owner: CSX Transportation Co.
Address: Otter Creek Road. Phone: 419/697-2354
Town: Oregon State: OH County: Lucas
Railway Connection: None.
Purpose: Mooring vessels.
Depth Alongside (feet): 27 | | Latitude (decimal): 41.698611
Total Berthing Space (feet): 1,054 | | Longitude (decimal): -83.45111
Remarks: -□□
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72014 Dock Code: 999 Buffalo District

Port Series No. 44 Port of Toledo, OH

Port: **Toledo**
Waterway: **Maumee Bay** Mile: PWD: 2
Name: **CSX Toledo Lakefront Ore Docks, □ TORCO Slip No.1**
Location: South shore, Maumee Bay, approximately 1,200 east of mouth of Otter Creek. Datum: LWD
Operator: TORCO, a subsidiary of CSX Transportation Co.
Owner: CSX Transportation, Inc.
Address: Otter Creek Road. Phone: 419/697-2354
Town: Oregon State: OH County: Lucas
Railway Connection: TORCO: One surface track at iron ore pellet loading tower extends to storage tracks with capacity for approximately 250 cars. (See Remarks).
Purpose: Receipt of iron ore pellets by self-unloading vessel.
Depth Alongside (feet): 27 | 27 | Latitude (decimal): 41.697222
Total Berthing Space (feet): 1,133 | 1,815 | Longitude (decimal): -83.44861
Remarks: Tracks serving entire terminal connect with CSX Transportation Co. Temporary storage area at rear of face has capacity for 123,000 tons of iron ore pellets; permanent storage area in rear has capacity for 800,00
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72014 Dock Code: 999 Buffalo District

Port: **Toledo**
Waterway: **Maumee Bay** Mile: PWD: 5
Name: **CSX Toledo Presque Isle Coal Docks, □ Slip No. 1.**
Location: South shore, Maumee Bay, approximately 1,600 west of mouth of Otter Creek. Datum: LWD
Operator: CSX Transportation-Toledo Docks.
Owner: Toledo-Lucas County Port Authority.
Address: Otter Creek Road. Phone: 419/697-2354
Town: Oregon State: OH County: Lucas
Railway Connection: One surface loop track serving tandem rotary dumper connects with separate loaded and empty car storage yards in rear. (See Remarks.)
Purpose: Shipment of coal and petroleum coke; occasional bunkering.
Depth Alongside (feet): 27 | 27 | 27 Latitude (decimal): 41.694444
Total Berthing Space (feet): 1,760 | 1,398 | 300 Longitude (decimal): -83.45833
Remarks: Tracks serving entire terminal connect with CSX Transportation Co. Toledo office of Great Lakes Towing Company is located in building at rear of inner end of slip.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72014 Dock Code: 963 Buffalo District

Port Series No. 44 Port of Toledo,OH

Port: **Toledo**
Waterway: **Maumee Bay** Mile: PWD: 6
Name: **CSX Toledo Presque Isle Coal Docks, □ Slip No. 2**
Location: South shore, Maumee Bay, approximately 2,300 west of mouth of Otter Creek. Datum: LWD
Operator: CSX Transportation-Toledo Docks.
Owner: Toledo-Lucas County Port Authority.
Address: Otter Creek Road. Phone: 419/697-2354
Town: Oregon State: OH County: Lucas
Railway Connection: Tracks serving wharf connect with CSX Transportation Co. Rail car capacity for entire complex is 250 cars at ore unloading area and an additional 3,000 cars in yard located at rear of wharves.
Purpose: Mooring vessels, occasional receipt of coke, limestone, and ore by self-unloading vessels; occasional bunkering vessels.
Depth Alongside (feet): 27 | 27 | Latitude (decimal): 41.693889
Total Berthing Space (feet): 1,502 | 1,124 | Longitude (decimal): -83.46083
Remarks: - □ □
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72014 Dock Code: 963 Buffalo District

Port: **Toledo**
Waterway: **Maumee Bay** Mile: PWD: 7
Name: **CSX Toledo Presque Isle Coal Docks, □ Slip No. 3 (Presque Isle Frog**
Location: South shore, Maumee Bay, approximately 2,800 west of mouth of Otter Creek. Datum: LWD
Operator: CSX Transportation-Toledo Docks.
Owner: Toledo-Lucas County Port Authority.
Address: Otter Creek Road. Phone: 419/697-2354
Town: Oregon State: OH County: Lucas
Railway Connection: Tracks serving wharf connect with CSX Transportation Co.
Purpose: Mooring vessels; bunkering vessels.
Depth Alongside (feet): 27 | 11 - 15 | Latitude (decimal): 41.691667
Total Berthing Space (feet): 475 + | 550 | Longitude (decimal): -83.46333
Remarks: Slip is adjacent to rear of Toledo-Lucas County Port Authority Terminal No. 1 complex. Idle lake freighters are moored 2- and 3- abreast in slip. □
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72014 Dock Code: 963 Buffalo District

Port Series No. 44 Port of Toledo, OH

Port: **Toledo**
Waterway: **Maumee Bay** Mile: PWD: 1
Name: **Toledo Edison Co., Bay Shore Station Wharf.**
Location: Inner portion of east side of private slip, south shore, Maumee Bay, approximately 2,000 east of mouth o Datum: LWD
Operator: Not operated.
Owner: The Toledo Edison Co., a subsidiary of First Energy Co.
Address: 4701 Bayshore Road Phone: 419/249-5731
Town: Oregon State: OH County: Lucas
Railway Connection: Surface tracks serve rotary car dumper, adjacent open storage area, and electric power plant; connect with CSX Transportation.
Purpose: Not used.
Depth Alongside (feet): 15 - 20 | - | Latitude (decimal): 41.695556
Total Berthing Space (feet): 613 | | Longitude (decimal): -83.43944
Remarks: A 300,000-ton, open coal storage area located on opposite side of Bay Shore Road is served by rail. Two 48-inch electric belt conveyors extend to plant from storage area, rates 600 and 1,000 tons per hour. Chann also serves as water intake for power plant located at rear of head of slip.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72014 Dock Code: 990 Buffalo District

Port: **Toledo**
Waterway: **Maumee River** Mile: PWD: 20
Name: **ADM/Countrymark, Inc., Toledo Elevator Wharf.**
Location: Right bank, Maumee River, approximately 0.5 miles below Interstate 75 Bridge. Datum: LWD
Operator: ADM/Countrymark, Inc., a subsidiary of Archer Daniels Midland Co.
Owner: ADM/Countrymark, Inc., a subsidiary of Archer Daniels Midland Co.
Address: 1301 Miami Street. Phone: 419/691-5703
Town: Toledo State: OH County: Lucas
Railway Connection: Four surface tracks at rear of elevator, total capacity 70 cars, join with 2 tracks serving 2 car pits and 3 carloading spouts in car shed; connect with CSX Transportation Co.
Purpose: Shipment of grain.
Depth Alongside (feet): 27 | | Latitude (decimal): 41.625833
Total Berthing Space (feet): 120 + | | Longitude (decimal): -83.53306
Remarks: At time of survey (1999), upper and center sections of wharf were primarily used for mooring vessels. Grain elevator located at rear consists of one unit with 96 concrete silos and 68 interstitial bins and one u silos and 30 interstitial bins, total capacity 9,000,000 bushels.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72014 Dock Code: 652

Port Series No. 44 Port of Toledo, OH

Port: **Toledo**
Waterway: **Maumee River** Mile: PWD: 29
Name: **Arms/Criscione Grain Co. Wharf.**
Location: Left bank, Maumee River, below Craig Memorial (Interstate Highway 280) Bridge. Datum: LWD
Operator: Arms Dock Co. and Criscione Grain Co., Inc.
Owner: Arms Dock Co. and Criscione Grain Co., Inc.
Address: 1800 Water Street. Phone: 419/243-8251
Town: Toledo State: OH County: Lucas
Railway Connection: Two surface tracks at rear; connect with Norfolk Southern Railway.
Purpose: Receipt of stone, salt, fertilizer, and oats by self-unloading vessel.
Depth Alongside (feet): 26 | | Latitude (decimal): 41.662778
Total Berthing Space (feet): 900 | | Longitude (decimal): -83.51111
Remarks: Wharf is co-managed by Arms Dock Co. and Criscione Grain Co., Inc. Steel frame, metal-covered, storage buildings at rear have storage capacity for approximately 75,000 tons of miscellaneous dry bulk materials and bushels of oats. Open storage area has normal capacity for approximately 500,000 tons of dry bulk material.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72014 Dock Code: 220 Buffalo District

Port: **Toledo**
Waterway: **Maumee River** Mile: PWD: 9
Name: **BP Oil Co., Toledo Refinery Marine Dock.**
Location: Right bank, Maumee River, approximately 800 feet above CSX Railroad bridge. Datum: LWD
Operator: BP Oil Co.
Owner: Norfolk Southern Railway Co.
Address: Jessie Street and Millard Avenue. Phone: 419/698-6475
Town: Toledo State: OH County: Lucas
Railway Connection: None.
Purpose: Shipment and occasional receipt of petroleum products.
Depth Alongside (feet): 21 | 13 | 10 - 20 Latitude (decimal): 41.680556
Total Berthing Space (feet): 300 | 351 | 500 Longitude (decimal): -83.48194
Remarks: Three 12- and two 10-inch pipelines with 8-inch connections at two loading stations at face extend to pier from 21 steel storage tanks at company-owned refinery approximately 1 1/2 miles inland, total capacity 1,
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72014 Dock Code: 882 Buffalo District

Port Series No. 44 Port of Toledo,OH

Port: **Toledo**
Waterway: **Maumee River** Mile: PWD: 33
Name: **City of Toledo Mooring Basin.**
Location: Left bank, Maumee River, approximately 0.5 mile below CSX Transportation Bridge. Datum: LWD
Operator: Not operated.
Owner: City of Toledo.
Address: Bayview Park Phone: 419/727-2612
Town: Toledo State: OH County: Lucas
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 8 - 9 | 8 - 9 | 8 - 9 Latitude (decimal): 41.691111
Total Berthing Space (feet): - | - | - Longitude (decimal): -83.47639
Remarks: At time of survey (1999), plans call for filling basin to accomodate water reclamation plant expansion. □
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72014 Dock Code: 070 Buffalo District

Port: **Toledo**
Waterway: **Maumee River** Mile: PWD: 34
Name: **City of Toledo Naval Armory Wharf.**
Location: Left bank, Maumee River, on upper side of entrance to Bay View Park Yacht Basin. Datum: LWD
Operator: City of Toledo
Owner: City of Toledo
Address: 3900 Summit Street, Bayview Park. Phone: 419/727-2612
Town: Toledo State: OH County: Lucas
Railway Connection: None.
Purpose: Occasional receipt of harbor debris.
Depth Alongside (feet): 12 | 12 | Latitude (decimal): 41.693056
Total Berthing Space (feet): 115 | 70 + | Longitude (decimal): -83.47222
Remarks: Bay View Park Yacht Basin at inner end of lower side includes recreational craft moorings of Toledo Yacht Club and Bay View Yacht Club. □
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72014 Dock Code: 066 Buffalo District

Port Series No. 44 Port of Toledo, OH

Port: **Toledo**
Waterway: **Maumee River** Mile: PWD: 27
Name: **City of Toledo Salt Wharf.**
Location: Left bank, Maumee River, approximately 2,200 feet above Craig Memorial (Interstate Highway 280) Bridge. Datum: LWD
Operator: City of Toledo Dept. of Streets, Bridges, and Harbor.
Owner: Norfolk Southern Railway.
Address: Foot of Magnolia St. extended. Phone: 419/936-2508
Town: Toledo State: OH County: Lucas
Railway Connection: One marginal surface track, approximately 100 feet in rear of face; connects with Norfolk Southern Railway.
Purpose: Receipt of salt.
Depth Alongside (feet): 12 | | Latitude (decimal): 41.658333
Total Berthing Space (feet): 1,280 | | Longitude (decimal): -83.51972
Remarks: At time of survey (1999), bulkhead was in disrepair. Structure located at rear is used for storage of City-owned vehicles and equipment. Asphalt-surfaced open storage area at rear has capacity for approximately At time of survey (1999), plans call for construction of a salt storage shed on apron of wharf below the abandoned railroad bridge abutment.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72014 Dock Code: 225

Port: **Toledo**
Waterway: **Maumee River** Mile: PWD: 18
Name: **City of Toledo, International Park Lower Mooring Wharves.**
Location: Right bank, Maumee River, approximately 0.5 mile below Anthony Wayne Bridge. Datum: LWD
Operator: City of Toledo Parks, Recreation, and Forestry Dept. and Maumee River Star II, Inc.
Owner: City of Toledo.
Address: International Park. Phone: 419/9936-2875
Town: Toledo State: OH County: Lucas
Railway Connection: None.
Purpose: Mooring city-owned, excursion and miscellaneous vessels.
Depth Alongside (feet): 15 | 8 - 14 | Latitude (decimal): 41.648056
Total Berthing Space (feet): 1,042 | 35+50 | Longitude (decimal): -83.53028
Remarks: At time of survey, former transit shed was being converted into waterside restaurants. A brick structure on lower side is used as office by the City of Toledo Parks, Recreation and Forestry Department. Small ve taxis berth at lower side against timber float. Excursion vessel 'Arawanna Belle' berths against river bank at upper end. A rowing club float is located in cove adjacent to lower side of wharf.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72014 Dock Code: 700 Buffalo District

Port Series No. 44 Port of Toledo, OH

Port: **Toledo**
Waterway: **Maumee River** Mile: PWD: 19
Name: **City of Toledo, International Park Upper Mooring Wharf.**
Location: Right bank, Maumee River, below Anthony Wayne Bridge. Datum: LWD
Operator: City of Toledo Parks, Recreation, and Forestry Dept.
Owner: City of Toledo.
Address: International Park. Phone: 419/9936-2875
Town: Toledo State: OH County: Lucas
Railway Connection: None.
Purpose: Mooring for retired lake freighter 'Willis B. Boyer' on exhibition.
Depth Alongside (feet): 16 - 21 | | Latitude (decimal): 41.643889
Total Berthing Space (feet): 2,807 | | Longitude (decimal): -83.53278
Remarks: Ticket office and parking lot located at rear of wharf. □ □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72014 Dock Code: 700 Buffalo District

Port: **Toledo**
Waterway: **Maumee River** Mile: PWD: 32
Name: **Clark Refining and Marketing Co. Wharf.**
Location: Left bank, Maumee River, above Norfolk Southern Railway Bridge. Datum: LWD
Operator: Clark Refining and Marketing Co.
Owner: Clark Refining and Marketing Co.
Address: 2844 Summit Street. Phone: 419/726-9741
Town: Toledo State: OH County: Lucas
Railway Connection: Two surface tracks serving 5-car-capacity tank car loading rack connect with Norfolk Southern Railway.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 18 | 18 | Latitude (decimal): 41.675278
Total Berthing Space (feet): - | 557 | Longitude (decimal): -83.49194
Remarks: Two 8-inch pipelines extend from wharf to 8 steel storage tanks in rear, total capacity 216,000 barrels. Storage tanks also receive petroleum products by Trans-Montaigne Pipeline, Inc.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72014 Dock Code: 141 Buffalo District

Port Series No. 44 Port of Toledo, OH

Port: **Toledo**
Waterway: **Maumee River** Mile: PWD: 31
Name: **H. Hansen Industries Slip.**
Location: Left bank, Maumee River, approximately 700 feet above Norfolk Southern Railway Bridge. Datum: LWD
Operator: Riverside Marine Industries Inc. d.b.a. H. Hansen Industries.
Owner: Riverside Marine Industries Inc. d.b.a. H. Hansen Industries.
Address: 2824 Summit Street. Phone: 419/729-1621
Town: Toledo State: OH County: Lucas
Railway Connection: None.
Purpose: Mooring vessels for repair; mooring company-owned floating equipment and harbor tugs.
Depth Alongside (feet): 8 | 8 - 13 | 12 Latitude (decimal): 41.675278
Total Berthing Space (feet): 107 | 500 | 304 Longitude (decimal): -83.49444
Remarks: Electric boat hoist can lift small vessels up to 75 feet in length and 24 feet in width. Marine repair plant located in rear at head of slip. One 1 1/2-inch compressed air line serves slip. Gaelic Tug Boat Co. outer end of lower side of slip.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72014 Dock Code: 142 Buffalo District

Port: **Toledo**
Waterway: **Maumee River** Mile: PWD: 25
Name: **Harbor Light Cruise Lines Dock.**
Location: Left bank, Maumee River, below mouth of Swan Creek. Datum: LWS
Operator: Harbor Light Cruise Lines.
Owner: City Of Toledo.
Address: Foot of Jefferson Ave. Phone: 419/537-1212
Town: Toledo State: OH County: Lucas
Railway Connection: None.
Purpose: Mooring of excursion vessel; boarding and discharge of excursion vessel passengers.
Depth Alongside (feet): 4 - 5 | | Latitude (decimal): 41.649167
Total Berthing Space (feet): 24 | | Longitude (decimal): -83.53333
Remarks: M/V 'Sandpiper' provides harbor tours. Ticket booth is located in brick structure at rear. □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72014 Dock Code: 400

Port Series No. 44 Port of Toledo, OH

Port: **Toledo**
Waterway: **Maumee River** Mile: PWD: 22
Name: **Kuhlman Corp., Upper Dock.**
Location: Left bank, Maumee River, approximately 1,500 feet below Interstate Highway 75 Bridge. Datum: LWD
Operator: Kuhlman Corp.
Owner: Kuhlman Corp.
Address: 444 Kuhlman Drive. Phone: 419/897-6000
Town: Toledo State: OH County: Lucas
Railway Connection: One surface track serving undertrack pit and loading spout in rear connects with Norfolk Southern Railway.
Purpose: Receipt of dry bulk fertilizer, salt, stone, and petroleum coke by self-unloading vessel; mooring grain vessels awaiting shipping berths; mooring miscellaneous vessels.
Depth Alongside (feet): 22 | | Latitude (decimal): 41.627778
Total Berthing Space (feet): 340 | | Longitude (decimal): -83.53667
Remarks: Timber storage building at rear has storage capacity for 136,500 tons of fertilizer. Concrete-paved open storage area has capacity for 150,000 tons of miscellaneous dry bulk material.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72014 Dock Code: 446 Buffalo District

Port: **Toledo**
Waterway: **Maumee River** Mile: PWD: 23
Name: **Kuhlman Corp., Yard No. 1 Dock.**
Location: Left bank, Maumee River, approximately 0.3 mile below Interstate Highway 75 Bridge. Datum: LWD
Operator: Not operated.
Owner: Kuhlman Corp.
Address: 444 Kuhlman Drive. Phone: 419/897-6000
Town: Toledo State: OH County: Lucas
Railway Connection: One surface track serving plant located in rear connects with Norfolk Southern Railway.
Purpose: Not used.
Depth Alongside (feet): 18 | 3 - 3 | Latitude (decimal): 41.628889
Total Berthing Space (feet): 265 | 230 | Longitude (decimal): -83.53472
Remarks: Rear of face forms 60-foot wide slip with stone-revetted bank. At time of survey (1999), slip inside wharf has silted to 3 feet depth and plans call for converting slip to solid fill and reactivation of facility has capacity for 100,000 tons of miscellaneous dry bulk material.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72014 Dock Code: 446 Buffalo District

Port Series No. 44 Port of Toledo, OH

Port: **Toledo**
Waterway: **Maumee River** Mile: PWD: 26
Name: **Lafarge Cement, Toledo Terminal Wharf.**
Location: Left bank, Maumee River, approximately 700 feet below Cherry Street Bridge. Datum: LWD
Operator: Lafarge Corp., Great Lakes Region.
Owner: Lafarge Corp., Great Lakes Region.
Address: 840 Water St. Phone: 419/241-5256
Town: Toledo State: OH County: Lucas
Railway Connection: None.
Purpose: Receipt of bulk cement.
Depth Alongside (feet): 18 - 22 | | Latitude (decimal): 41.654444
Total Berthing Space (feet): 1,061 | | Longitude (decimal): -83.52722
Remarks: The contiguous 137-foot concrete bulkhead at lower side is owned by The Toledo Edison Co. and fronts their Locust Street Substation, providing for additional berthing space. Two 10-inch unloading pipelines at fa concrete, cement storage silos with 3 interstitial bins, total capacity 13,020 tons, unloading rate for self-unloading vessels is 550 to 700 tons per hour. Plant is equipped to load trucks with bulk and bagged cement
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72014 Dock Code: 258 Buffalo District

Port: **Toledo**
Waterway: **Maumee River** Mile: PWD: 14
Name: **Nabisco, Inc., Toledo Flour Mill Wharf.**
Location: Right bank, Maumee River, approximately 0.8 mile above Norfolk Southern Railway Datum: LWD
Operator: Toledo Shiprepair Co.
Owner: Nabisco, Inc.
Address: 2221 Front Street. Phone: 419/697-6610
Town: Toledo State: OH County: Lucas
Railway Connection: Sixteen surface tracks serve car dumper and carloading spouts at grain elevator in rear; connect with Norfolk Southern Railway.
Purpose: Mooring vessels for outfitting, conversion, and repair.
Depth Alongside (feet): 17 | - | Latitude (decimal): 41.666389
Total Berthing Space (feet): 85 | - | Longitude (decimal): -83.49778
Remarks: Toledo Shiprepair Co. occasionally uses wharf for berthing vessels undergoing repairs at adjacent shipyard. Wharf is fenced. Nabisco, Inc. owns and operates a flour mill and grain elevator with storage capacity located in rear; grain is received by rail and truck and flour is shipped by truck.
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72014 Dock Code: 812 Buffalo District

Port Series No. 44 Port of Toledo, OH

Port: **Toledo**
Waterway: **Maumee River** Mile: PWD: 17
Name: **Seneca Petroleum Co., Edison Acme Station Slip.**
Location: Right bank, Maumee River, lower side of slip, approximately 0.2 mile above Craig Memorial (Interstate Hi) Datum: LWD
Operator: Seneca Petroleum Co. Inc.
Owner: The Toledo Edison Co.
Address: 1401 Front Street. Phone: 419/691-3581
Town: Toledo State: OH County: Lucas
Railway Connection: Trackage at electric power plant in rear connects with Norfolk Southern Railway.
Purpose: Receipt of asphalt by barge.
Depth Alongside (feet): 17 - 18 | | Latitude (decimal): 41.656944
Total Berthing Space (feet): 200 | | Longitude (decimal): -83.51583
Remarks: One 8-inch steam-traced pipeline extends from dolphin along approach to two steel storage tanks located in rear, combined capacity 200,000 barrels. □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72014 Dock Code: 748 Buffalo District

Port: **Toledo**
Waterway: **Maumee River** Mile: PWD: 12
Name: **Southdown Cement Co., Todedo Terminal Dock.**
Location: Right bank, Maumee River, approximately 0.6 miles above Norfolk Southern Railway Bridge. Datum: LWD
Operator: Southdown Cement Co., a division of Southdown, Inc.
Owner: Toledo-Lucas County Port Authority.
Address: 2301 Front Street. Phone: 419/697-1141
Town: Toledo State: OH County: Lucas
Railway Connection: None.
Purpose: Receipt of bulk cement.
Depth Alongside (feet): 21 | | Latitude (decimal): 41.667778
Total Berthing Space (feet): 900 | | Longitude (decimal): -83.49639
Remarks: Two concrete silos at rear have total capacity for 14,000 tons. □ □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72014 Dock Code: 828 Buffalo District

Port Series No. 44 Port of Toledo, OH

Port: **Toledo**
Waterway: **Maumee River** Mile: PWD: 15
Name: **Sunoco MidAmerica Marketing and Refining Co., Downstream Hocking V**
Location: Right bank, Maumee River, approximately 700 feet below Craig Memorial (Interstate Highway 280) Bridge. Datum: LWD
Operator: Toledo Shiprepair Co., a division of Manitowoc Marine Group.
Owner: Sunoco MidAmerica Marketing and Refining Co.
Address: 1761 Front Street. Phone: 419/697-6431
Town: Toledo State: OH County: Lucas
Railway Connection: None.
Purpose: Mooring vessels for storage, maintenance, and repair.
Depth Alongside (feet): 8 | 18 - 27 | 13 Latitude (decimal): 41.659722
Total Berthing Space (feet): - | 850 + | 840 Longitude (decimal): -83.50833
Remarks: Three blanked, 8-inch petroleum products pipeline connections at 4 separate locations on upper side. In addition, one 6-inch ballast pipeline, with 6-inch connection, connects with ballast pipeline serving Ref. one 5,000-barrel storage tank at rear of lower side of Ref. No. 16.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72014 Dock Code: 777 Buffalo District

Port: **Toledo**
Waterway: **Maumee River** Mile: PWD: 16
Name: **Sunoco MidAmerica Marketing and Refining Co., Upstream Hocking Val**
Location: Right bank, Maumee River, approximately 100 feet below Craig Memorial (Interstate Highway 280) Bridge. Datum: LWD
Operator: Sunoco MidAmerica Marketing and Refining Co.
Owner: Sunoco MidAmerica Marketing and Refining Co.
Address: 1641 Front Street. Phone: 419/697-6431
Town: Toledo State: OH County: Lucas
Railway Connection: None.
Purpose: Occasional receipt of refinery feed stock; shipment of fuel oil and carbon oil black.
Depth Alongside (feet): 27 - 27 | 18 | Latitude (decimal): 41.659444
Total Berthing Space (feet): 918 | 557 + | Longitude (decimal): -83.50972
Remarks: One 12-, one 10-, one 8-, and one 6-inch pipeline connection at 4 separate locations on lower side of slip connect with pipelines serving Ref. No. 16 at manifold located in rear. One 12-, one 8-, and one 6-inch p manifold to 28 steel storage tanks at company-owned refinery, approximately 2 miles inland, total capacity 2,300,000 barrels. In addition, one 12-inch pipeline extends from manifold from 3 storage tanks located 600 Front and Consaul Streets, total capacity 175,000 barrels. One 6-inch ballast pipeline with one 6-inch connection at each of the 4 locations joins ballast pipeline described under Ref. No. 15.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72014 Dock Code: 777 Buffalo District

Port Series No. 44 Port of Toledo, OH

Port: **Toledo**
Waterway: **Maumee River** Mile: PWD: 21
Name: **The Andersons, Inc., Toledo Edwin Drive Elevator Dock.**
Location: Left bank, Maumee River, below Interstate Highway 75 Bridge. Datum: LWD
Operator: The Andersons, Inc.
Owner: The Andersons, Inc.
Address: 125 Edwin Drive. Phone: 419/243-6800
Town: Toledo State: OH County: Lucas
Railway Connection: Two surface tracks, total capacity 100 cars, serve undertrack pit and loading spout in car shed at rear of grain elevator; connect with Norfolk Southern Railway.
Purpose: Shipment of grain.
Depth Alongside (feet): 28 | | Latitude (decimal): 41.627222
Total Berthing Space (feet): 730 | | Longitude (decimal): -83.54111
Remarks: Grain elevator at rear consists of 12 concrete silos with 5 interstitial bins and 7 steel storage tanks, total capacity 5,800,000 bushels. Additional 4,400,000 bushels of grain storage is available at elevator I Ohio, approximately 8 miles distant.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72014 Dock Code: 454

Port: **Toledo**
Waterway: **Maumee River** Mile: PWD: 24
Name: **The Andersons, Inc., Toledo Kuhlman Drive Terminal Wharf.**
Location: Left bank, Maumee River, above CSX Transportation bridge. Datum: LWD
Operator: The Andersons, Inc.
Owner: The Andersons, Inc.
Address: 440 Kuhlman Drive. Phone: 419/241-8943
Town: Toledo State: OH County: Lucas
Railway Connection: One surface track serves car pit, carloading spout, and fertilizer loading facility, joins with 3 storage tracks, total capacity 80 cars; connects with Norfolk Southern Railway.
Purpose: Shipment and receipt of grain; receipt of dry bulk and liquid fertilizer.
Depth Alongside (feet): 27 | | Latitude (decimal): 41.631111
Total Berthing Space (feet): 1,100 | | Longitude (decimal): -83.53333
Remarks: Grain elevator located at rear of lower section of wharf consists of 16 concrete silos with 10 interstitial and 13 peripheral bins and 5 steel tanks and has a total storage capacity for 7,000,000 bushels of grain 17,000,000 bushels of grain storage is available at The Andersons Elevator at Maumee, Ohio, approximately 8 miles distant. Three concrete storage domes at rear have total capacity for 60,000 tons of fertilizer. One extends from wharf to 2 steel, liquid fertilizer storage tanks, total capacity 5,480,000 gallons.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72014 Dock Code: 442 Buffalo District

Port Series No. 44 Port of Toledo, OH

Port: **Toledo**
Waterway: **Maumee River** Mile: PWD: 28
Name: **Toledo Harbor Warehousing Corp. Wharf.**
Location: Left bank, Maumee River, above Craig Memorial (Interstate Highway 280) Bridge. Datum: LWD
Operator: Not operated.
Owner: Norfolk Southern Railway.
Address: 1500 Water Street. Phone: 419/241-2118
Town: Toledo State: OH County: Lucas
Railway Connection: One marginal surface track along rear of face serves platform along front of Warehouse No. 5 and one platform-level track serves Warehouse No. 3; connect with Norfolk Southern Railway.
Purpose: Not used.
Depth Alongside (feet): 20 | | Latitude (decimal): 41.660556
Total Berthing Space (feet): 750 | | Longitude (decimal): -83.51611
Remarks: Two steel frame, metal-covered buildings, located at rear of lower portion of wharf, are used as storage warehouses (S.W. Ref. No. 2). □
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72014 Dock Code: 222 Buffalo District

Port: **Toledo**
Waterway: **Maumee River** Mile: PWD: 10
Name: **Toledo Shiprepair Co., Lower Mooring Dock.**
Location: Right bank, Maumee River, approximately 0.4 miles above Norfolk Southern Railway Bridge. Datum: LWD
Operator: Toledo Shiprepair Co., a division of Manitowoc Marine Group.
Owner: Toledo-Lucas County Port Authority.
Address: 2401 Front Street Phone: 419/698-8081 ex
Town: Toledo State: OH County: Lucas
Railway Connection: None.
Purpose: Mooring vessels; occasional shipment of miscellaneous dry bulk commodities.
Depth Alongside (feet): 20 - 22 | - | Latitude (decimal): 41.670556
Total Berthing Space (feet): 1,727 | - | Longitude (decimal): -83.49306
Remarks: Vessels are moored awaiting repairs at adjacent ship yard (Ref. Nos. 11 and 13). At time of survey (1999), plans called for development as a petroleum products terminal.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72014 Dock Code: 818 Buffalo District

Port Series No. 44 Port of Toledo, OH

Port: **Toledo**
Waterway: **Maumee River** Mile: PWD: 13
Name: **Toledo Shiprepair Co., Shipyard Dock.**
Location: Right bank, Maumee River, approximately 0.7 mile above Norfolk Southern Railway Datum: LWD
bridge.
Operator: Toledo Shiprepair Co., a division of Manitowoc Marine Group.
Owner: Toledo-Lucas County Port Authority.
Address: 2245 Front Street. Phone: 419/698-8081 ex
Town: Toledo State: OH County: Lucas
Railway Connection: None.
Purpose: Mooring vessels for outfitting, conversion, and repair.
Depth Alongside (feet): 19 | | Latitude (decimal): 41.667222
Total Berthing Space (feet): 900 | | Longitude (decimal): -83.49694
Remarks: Berthing space includes widths of entrances to graving dock No. 1 between wharf sections, and
graving dock No.2 between upper section and adjacent wharf (Ref No. 12) as well as wharves on
upper side (Ref. No. 12) 14) which are used by reciprocal berthing arrangement. Wharf is equipped
with lines for supplying compressed air, oxygen, and acetylene gas.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72014 Dock Code: 818 Buffalo District

Port: **Toledo**
Waterway: **Maumee River** Mile: PWD: 11
Name: **Toledo Shiprepair Co., Shipyard Slip.**
Location: Right bank, Maumee River, approximately 0.6 miles above Norfolk Southern Railway Datum: LWD
Bridge.
Operator: Toledo Shiprepair Co., a division of Manitowoc Marine Group.
Owner: Toledo-Lucas County Port Authority.
Address: 2245 Front Street. Phone: 419/698-8081 ex
Town: Toledo State: OH County: Lucas
Railway Connection: None.
Purpose: Mooring vessels for outfitting and repair; mooring company-owned floating equipment.
Depth Alongside (feet): 12 - 15 | 12 - 15 | Latitude (decimal): 41.667778
Total Berthing Space (feet): 445 | 290 + | Longitude (decimal): -83.495
Remarks: Slip is 230 feet wide at the entrance and approximately 70 feet wide at the inner end. Sides of slip are
equipped with lines for supplying compressed air, oxygen, and acetylene gas.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72014 Dock Code: 818 Buffalo District

Port Series No. 44 Port of Toledo, OH

Port: **Toledo**
Waterway: **Maumee River** Mile: PWD: 8
Name: **Toledo-Lucas County Port Authority, Facility No. 1 Wharf.**
Location: Right bank of Maumee River at mouth. Datum: LWD
Operator: Toledo World Industries, Inc.
Owner: Toledo-Lucas County Port Authority.
Address: 3319 St. Lawrence Drive Phone: 419/698-8171
Town: Toledo State: OH County: Lucas
Railway Connection: Two surface tracks on apron; one platform-level track along rear of each transit shed; connect with CSX Transportation Co.
Purpose: Receipt and shipment of conventional and containerized general cargo and miscellaneous dry bulk materials, metal products, and processed foods.
Depth Alongside (feet): 27 | | Latitude (decimal): 41.688611
Total Berthing Space (feet): 4,200 | | Longitude (decimal): -83.46889
Remarks: Shed C, a steel-frame, metal-covered storage building located adjacent to Shed B, has capacity for 50,000 tons of magnacite. Rail cars and trucks are loaded via a 36-inch inclined conveyor extending from building rate 6,000 tons per hour. Shed D, a concrete storage building, has approx. 40,000 square feet of storage area for alfalfa. An additional 30,000 square foot steel storage warehouse is used for storing steel coils. Westway Trading Corp.: Two 6-inch pipelines (not in use at time of survey (1999), extend from south portion of wharf to 4 steel storage tanks for vegetable oil and caustic soda, capacity 2,500,000 gallons. Bituminous Products Co.: One 10-inch oil-traced pipeline extends from wharf to 4 steel asphalt storage tanks, total capacity 113,600 barrels. International Warehouse Services operates Foreign-Trade Z1) approximately 300 feet in rear of transit shed A. Approximately 85 acres of open storage area is available at terminal.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72014 Dock Code: 920 Buffalo District

Port: **Toledo**
Waterway: **Maumee River** Mile: PWD: 35
Name: **U.S. Coast Guard, Toledo Station Wharf.**
Location: Left bank, Maumee River, on lower side of entrance to Bay View Park Yacht Basin. Datum: LWD
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 3900 Summit Street, Bayview Park. Phone: 419/729-203425
Town: Toledo State: OH County: Lucas
Railway Connection: None.
Purpose: Mooring U.S. Coast Guard and other government-owned vessels; handling navigation buoys and equipment.
Depth Alongside (feet): 16 | | Latitude (decimal): 41.693333
Total Berthing Space (feet): 430 | | Longitude (decimal): -83.47194
Remarks: Wharf is equipped with a 4-inch sewage line and a 1 1/2-inch fueling pipeline from one 23-barrel diesel fuel storage tank. Toledo Projects Office of the District Engineer, Buffalo District, Corps of Engineers, is on opposite side of Coast Guard Drive. U.S. Coast Guard Reserve, City of Toledo Police Department, and U.S. Army Corps of Engineers moor at 4 parallel 60- by 4-foot timber pile, timber-decked piers in yacht basin adjacent of wharf.
Year of Last Survey: 1999 Corps of Engrs Waterway Code: 72014 Dock Code: 065 Buffalo District

Port Series No. 44 Port of Toledo, OH

Port: **Toledo**
Waterway: **Maumee River** Mile: PWD: 30
Name: **Wohlleb-Socie Slip.**
Location: Left bank, Maumee River, approximately 0.5 miles above Norfolk Southern Railway Bridge. Datum: LWD
Operator: Wohlleb-Socie Co.
Owner: Wohlleb-Socie Co.
Address: Foot of Columbus Street. Phone: 419/726-7141
Town: Toledo State: OH County: Lucas
Railway Connection: None.
Purpose: Mooring company-owned floating equipment. Handling contractor's supplies and equipment.
Depth Alongside (feet): 8 | 8 | 8 Latitude (decimal): 41.6725
Total Berthing Space (feet): - | 505 | 460 Longitude (decimal): -83.49778
Remarks: Slip is approximately 700 feet long with widths of 60 and 97 feet at inner portion and approximately 200 feet at outer portion. Marine contractor's 220- by 50-foot shop and maintenance building and storage yard
Year of Last Survey: 1999 Corps of Engnrs Waterway Code: 72014 Dock Code: 159 Buffalo District
