

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 10.9 PWD: 97
Name: **Port of Keota Slip and Mooring.**
Location: Left bank of San Bois Creek, mile 10.9, below Oklahoma State Highway 9 Bridge. Datum: CRP
Operator: Not operated.
Owner: Port of Keota Corp.
Address: State Hwy 9 Phone: 918-966-3242
Town: Keota State: OK County: Haskell
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 13 | 13 | Latitude (decimal): 35.261944
Total Berthing Space (feet): 2 | 2 | Longitude (decimal): -94.96889
Remarks: Facility formerly was used for shipment of coal and miscellaneous bulk materials. Open storage area at rear for approximately 6,000 tons of material. San Bois Creek Channel enters the right bank of the Arkansas River at mile 342.3.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 61211 Dock Code: 013 Tulsa District

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 11.0 PWD: 98
Name: **Port Carl Albert Slip.**
Location: Left bank of San Bois Creek, mile 11.0, above Oklahoma State Highway 9 Bridge. Datum: CRP
Operator: Not operated.
Owner: K & R Coal Co.
Address: State Hwy 9 Phone: 918/967-8432
Town: Keota State: OK County: Haskell
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 35.256944
Total Berthing Space (feet): 250 | 200 | 300 Longitude (decimal): -94.97139
Remarks: Former coal handling facility was inactive at time of survey (1999). Open storage area at rear of concrete bulkhead at head of slip has capacity for approximately 4,500 tons of coal and is served by conveyor described above.
Year of Last Survey: 1987 Corps of Engrs Waterway Code: 61211 Dock Code: 012

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 112.8 PWD: 63
Name: **Little Rock Port Authority. Dock.**
Location: Right bank, Arkansas River, mile 112.8, approximately 1,000 feet below Interstate Highway 44 Bridge. Datum: CRP
Operator: Logistic Services Inc., dba Arkansas River Terminal Co.
Owner: Little Rock Port Authority.
Address: 9001 Lindsey Road Phone:
Town: Little Rock State: AR County: Pulaski
Railway Connection: Little Rock Port Terminal Railroad: Two surface tracks on apron, one platform-level track serving rear of transit shed and one surface track serving open storage area and two serving bulk transfer pit.
Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials; receipt of fertilizer and steel and paper products; shipment of grain and scrap metal.
Depth Alongside (feet): 10 | | Latitude (decimal): 34.719444
Total Berthing Space (feet): 830 | | Longitude (decimal): -92.17694
Remarks: Open storage area in rear consists of 2 concrete-surfaced storage pads, total area 45,000 square feet, 2 acres of improved gravel-surfaced area and approximately 15 acres unimproved. 8-inch pipeline connections are available at wharf for direct transfer of bulk liquids. One 30,000-, and one 20,000-square foot, steel frame, metal-covered transit sheds are located at rear. A 6,000-ton capacity, timber fertilizer storage warehouse is located at rupper portion of wharf. Little Rock Harbor Service, Inc. maintains 2 right bank fleets at shore moorings near the terminal: Lower fleet at mile 11.6 with capacity for 50 barges in tiers up to 4 wide, and upper fleet at mile 113.2 onopposite side of Interstate Highway 440 Bridge with capacity for 20 barges arranged in tiers 2 and 3 wide.
Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 64112 Dock Code: 811 Little Rock District

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 112.9 PWD: 64
Name: **Little Rock Port Authority Oil Pier.**
Location: Right bank, Arkansas River, mile 112.9, approximately 500 feet below Interstate Highway 440 Bridge. Datum: CRP
Operator: Safety-Kleen Corp. and River Cement Co.
Owner: Little Rock Port Authority.
Address: Lindsey Road Phone: 501/490-1613
Town: Little Rock State: AR County: Pulaski
Railway Connection: None.
Purpose: Receipt of fuel oil; receipt of bulk cement.
Depth Alongside (feet): 12 | | Latitude (decimal): 34.719722
Total Berthing Space (feet): 225 | | Longitude (decimal): -92.17806
Remarks: Safety-Kleen Corp.: Three 10-inch pipelines extend from wharf to 5 steel storage tanks at terminal 2,500 feet in rear, total capacity 198,000 barrels. River Co.: One 8- and one 6-inch pneumatic pipelines extend from wharf to 2 cement storage tanks at rear, total capacity 3,400 tons, unloading rate 80 tons.
Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 64112 Dock Code: 911 Little Rock District

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 114.5 PWD: 65
Name: **Arkansas Valley Dredging Co. Dock.**
Location: Left bank, Arkansas River, mile 114.5, approximately 1.3 miles above Interstate Highway 440 Bridge. Datum: CRP
Operator: Arkansas Valley Dredging Co., Inc.
Owner: Arkansas Valley Dredging Co., Inc.
Address: 6510 Baucom Pike Phone: 501/955-2729
Town: North Little Rock State: AR County: Pulaski
Railway Connection: None.
Purpose: Mooring company-owned equipment for maintenance and repair.
Depth Alongside (feet): 9 | 9 | 9 Latitude (decimal): 34.741111
Total Berthing Space (feet): 195 | 30-50 | 6-10 Longitude (decimal): -92.19361
Remarks: A 260 ton floating drydock is located in slip. Dredging contractors storage and maintenance yard located at rear. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64113 Dock Code: 501 Little Rock District

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 115.3 PWD: 66
Name: **Entergy, Cecil Lynch Plant Oil Dock.**
Location: Left bank, Arkansas River, mile 115.3, approximately 2 miles above Interstate Highway 440 Bridge. Datum: CRP
Operator: Not used.
Owner: System Fuels, Inc.
Address: 5800 Lynch Drive Phone: 501/945-4695
Town: North Little Rock State: AR County: Pulaski
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 34.744444
Total Berthing Space (feet): 400 | | Longitude (decimal): -92.20444
Remarks: One 12-inch steam-bracketed pipeline (blanked at time of survey - 1999) extends from wharf to 6 steel storage tanks at power plant in rear, total capacity 490,000 barrels.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64115 Dock Code: 312 Little Rock District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 116.2 PWD: 67
Name: **Farmland Industries North Little Rock Dock.**
Location: Left bank, Arkansas River, mile 116.2, approximately 2 miles below lower Union Pacific Railroad bridge. Datum: CRP
Operator: Farmland Industries.
Owner: Farmland Industries.
Address: 300 River Park Road Phone: 501/945-7002
Town: North Little Rock State: AR County: Pulaski
Railway Connection: None.
Purpose: Receipt of dry bulk and liquid fertilizer.
Depth Alongside (feet): 15 | | Latitude (decimal): 34.748333
Total Berthing Space (feet): 195 | | Longitude (decimal): -92.22222
Remarks: Concrete and timber fertilizer storage building at rear has capacity for 18,500 tons. Material also is trucked to processing plant located at 824 North Palm Street, approximately one mile north of wharf. One 6-inch extends from a dolphin on downstream side to one 12,000 ton liquid fertilizer storage tank in rear.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64116 Dock Code: 200 Little Rock District

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 116.3 PWD: 68
Name: **Bruce Oakley North Little Rock Terminal, Lower Dock.**
Location: Left bank, Arkansas River, mile 116.3, approximately 1.9 miles below lower Union Pacific Railroad bridge. Datum: CRP
Operator: Bruce Oakley, Inc.
Owner: Bruce Oakley, Inc.
Address: 3700 Lincoln Avenue Phone: 501/945-0875
Town: North Little Rock State: AR County: Pulaski
Railway Connection: One surface track serves warehouse in rear connects with Union Pacific Railroad.
Purpose: Receipt of fertilizer and shipment of grain.
Depth Alongside (feet): 9 - 10 | | Latitude (decimal): 34.748611
Total Berthing Space (feet): 400 | | Longitude (decimal): -92.22361
Remarks: Grain elevator at rear consisting of 3 steel storage tanks has total capacity for 800,000 bushels. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64116 Dock Code: 312 Little Rock District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 116.3 PWD: 69
Name: **Bruce Oakley North Little Rock Terminal, Upper Fertilizer Dock.**
Location: Left bank, Arkansas River, mile 116.3, approximately 1.9 miles below lower Union Pacific Railroad bridge Datum: CRP
Operator: Bruce Oakley, Inc.
Owner: Bruce Oakley, Inc.
Address: 3700 Lincoln Avenue Phone: 501/945-0875
Town: North Little Rock State: AR County: Pulaski
Railway Connection: One surface track serves warehouse in rear connects with Union Pacific Railroad.
Purpose: Receipt of dry bulk fertilizer.
Depth Alongside (feet): 9 - 10 | | Latitude (decimal): 34.748333
Total Berthing Space (feet): 195 | | Longitude (decimal): -92.22472
Remarks: Concrete fertilizer storage building at rear has capacity for 26,000 tons. □□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64116 Dock Code: 312 Little Rock District

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 116.4 PWD: 70
Name: **Bruce Oakley North Little Rock Terminal, Cargo Dock.**
Location: Left bank, Arkansas River, mile 116.4, approximately 1.8 miles below lower Union Pacific Railroad bridge Datum: CRP
Operator: Bruce Oakley, Inc.
Owner: Bruce Oakley, Inc.
Address: 3700 Lincoln Avenue Phone: 501/945-0875
Town: North Little Rock State: AR County: Pulaski
Railway Connection: One surface track serves terminal in rear connects with Union Pacific Railroad.
Purpose: Receipt of general cargo, steel and miscellaneous bulk materials.
Depth Alongside (feet): 10 | | Latitude (decimal): 34.748333
Total Berthing Space (feet): 195 | | Longitude (decimal): -92.22583
Remarks: -□□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64116 Dock Code: 312 Little Rock District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 116.6 PWD: 71
Name: **Petroleum Fuel and Terminal Co., North Little Rock Division Dock.**
Location: Left bank, Arkansas River, mile 116.6, approximately 1.6 miles below lower Union Pacific Railroad bridge Datum: CRP
Operator: Petroleum Fuel and Terminal Co., a subsidiary of Apex Oil Co.
Owner: Petroleum Fuel and Terminal Co., a subsidiary of Apex Oil Co.
Address: 3206 Gribble Street Phone: 501/945-7497
Town: North Little Rock State: AR County: Pulaski
Railway Connection: None.
Purpose: Receipt of caustic soda.
Depth Alongside (feet): 14 | | Latitude (decimal): 34.748333
Total Berthing Space (feet): 195 | | Longitude (decimal): -92.23
Remarks: Three 8-inch pipelines extend from wharf, each to a separate steel storage tank: Commodity Capacity No. 6 fuel oil 68,000 barrels (empty at time of survey-1999) Liquid fertilizer 10,400 tons (empty at time of survey-1999) Caustic soda 1,050,000 gallons
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64116 Dock Code: 601 Little Rock District

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 117.2 PWD: 72
Name: **Jeffrey Sand Co., Lincoln Avenue Lower Dock.**
Location: Left bank, Arkansas River, mile 117.2, approximately one mile below lower Union Pacific Railroad bridge. Datum: CRP
Operator: Jeffrey Sand Co., Inc.
Owner: Jeffrey Sand Co., Inc.
Address: 2200 East Lincoln Avenue Phone: 501/945-4161
Town: North Little Rock State: AR County: Pulaski
Railway Connection: None.
Purpose: Receipt of sand, gravel and miscellaneous bulk materials.
Depth Alongside (feet): 8 - 14 | 8 - 14 | Latitude (decimal): 34.748889
Total Berthing Space (feet): 355 | | Longitude (decimal): -92.24111
Remarks: Open storage at rear has capacity for approximately 100,000 tons of material.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64117 Dock Code: 312 Little Rock District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 117.3 PWD: 73
Name: **Jeffrey Sand Co., Lincoln Avenue Upper Dock.**
Location: Left bank, Arkansas River, mile 117.3, approximately one mile below lower Union Pacific Railroad bridge. Datum: CRP
Operator: Jeffrey Sand Co., Inc.
Owner: Jeffrey Sand Co., Inc.
Address: 2200 East Lincoln Avenue Phone: 501/945-4161
Town: North Little Rock State: AR County: Pulaski
Railway Connection: None.
Purpose: Receipt of sand, gravel and miscellaneous bulk materials.
Depth Alongside (feet): 8 - 14 | 8 - 14 | Latitude (decimal): 34.750278
Total Berthing Space (feet): 120 | | Longitude (decimal): -92.25694
Remarks: Open storage at rear is described under PWD Ref. No. 72.□□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64117 Dock Code: 312 Little Rock District

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 118.1 PWD: 74
Name: **North Little Rock Port Dock.**
Location: Left bank, Arkansas River, mile 118.1, above lower Union Pacific Railroad bridge. Datum: CRP
Operator: Various lessees.
Owner: Brainard Partnership.
Address: Foot of Cedar Street Phone: 501/664-5354
Town: North Little Rock State: AR County: Pulaski
Railway Connection: None.
Purpose: Receipt and shipment of miscellaneous bulk materials, various aggregates and steel products; mooring barges for fleeting. (See Remarks).
Depth Alongside (feet): 10 | | Latitude (decimal): 34.752778
Total Berthing Space (feet): 350 | | Longitude (decimal): -92.27028
Remarks: Oakley Barge Line, Inc. maintains a fleeting area at shore moorings below wharf with capacity for 8 barges, 4-long by 2-wide.□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64118 Dock Code: 112 Little Rock District

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 119.0 PWD: 75
Name: **Arkansas Riverboat Co. Dock.**
Location: Left bank, Arkansas River, mile 119.0, between Main Street and Broadway bridges. Datum: CRP
Operator: Arkansas Riverboat Co.
Owner: Arkansas Riverboat Co.
Address: 108 Riverfront Place. Phone: 501-376-4150
Town: North Little Rock State: AR County: Pulaski
Railway Connection: None.
Purpose: Landing for river excursion vessel 'Spirit'.
Depth Alongside (feet): 10 - 20 | 20 | 20 Latitude (decimal): 34.752778
Total Berthing Space (feet): 80 | 100 | 60 Longitude (decimal): -92.27028
Remarks: Riverfront Park located at rear.□□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64119 Dock Code: 001

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 157.0 PWD: 76
Name: **Sun Pipeline Co., Toad Suck Dock.**
Location: Left bank, Arkansas River, mile 157.0, approximately one mile above Toad Suck Ferry Lock and Dam. Datum: CRP
Operator: Not operated.
Owner: Sun Pipeline Co.
Address: 645 South Harkrider Street. Phone: 405/382-2085
Town: Toad Suck State: AR County: Faulkner
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 35.1025
Total Berthing Space (feet): 265 | | Longitude (decimal): -92.54389
Remarks: Facility has been out of service since 1995.□□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64157 Dock Code: 302

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 157.8 PWD: 77
Name: **Jeffrey Sand Co., Dock No. 3.**
Location: Left bank, Arkansas River, mile 157.8, approximately 1.7 miles above Toad Suck Datum: CRP
Ferry Lock and Dam.
Operator: Jeffrey Sand Co., Inc.
Owner: Jeffrey Sand Co., Inc.
Address: 6511 Arkansas State Highway 319 West. Phone: 501/945-4161
Town: Conway State: AR County: Faulkner
Railway Connection: None.
Purpose: Receipt of sand, gravel and miscellaneous bulk materials.
Depth Alongside (feet): 12 | 14 | Latitude (decimal): 35.102222
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -92.54444
Remarks: Open storage area at rear for approximately 50,000 tons of material.□□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64157 Dock Code: 812 Little Rock District

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 158.7 PWD: 79
Name: **Cadron Creek Fibre Corp., Dock.**
Location: Right bank, Cadron Creek, approximately 1.7 miles above mile 158.7, Arkansas Datum: CRP
River.
Operator: Cadron Creek Fibre Corp.
Owner: Canal Industries
Address: 115 Canal Road. Phone: 501/354-1324
Town: Menifee State: AR County: Conway
Railway Connection: None.
Purpose: Shipment of wood chips.
Depth Alongside (feet): 12 | | Latitude (decimal): 35.120833
Total Berthing Space (feet): 600 | | Longitude (decimal): -92.53972
Remarks: Open storage area in rear has capacity for 9,000 tons of wood chips.□□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64158 Dock Code: 114

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 158.7 PWD: 78
Name: **Souter Construction Co., Conway Dock.**
Location: Right bank, Cadron Creek, approximately 1.9 miles above mile 158.7, Arkansas Datum: CRP River.
Operator: Souter Construction Co., Inc.
Owner: Souter Construction Co., Inc.
Address: 117 Canal Road. Phone: 501/354-0137
Town: Meniffee State: AR County: Conway
Railway Connection: None.
Purpose: Handling contractors supplies and equipment; mooring floating equipment.
Depth Alongside (feet): 3 - 6 | | Latitude (decimal): 35.118611
Total Berthing Space (feet): 200 | | Longitude (decimal): -92.53694
Remarks: Contractors office, storage yard, and staging area located in rear. □ □
Year of Last Survey: 2000 Corps of Engrns Waterway Code: 64158 Dock Code: 112

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 172.5 PWD: 80
Name: **Bruce Oakley Morrilton Grain Dock.**
Location: Left bank, Arkansas River, mile 172.5, approximately 1,200 feet below Arkansas State Highway 9 Bridge. Datum: CRP
Operator: Bruce Oakley, Inc.
Owner: Bruce Oakley, Inc.
Address: 1110 Arkansas State Highway 9. Phone: 501/354-4684
Town: Morrilton State: AR County: Conway
Railway Connection: None.
Purpose: Shipment of grain; receipt of fertilizer and grain.
Depth Alongside (feet): 13 | | Latitude (decimal): 35.123056
Total Berthing Space (feet): 6 | | Longitude (decimal): -92.72833
Remarks: Wharf is located inside a 125-foot-wide rectangular basin formed by an 800-foot-long rubble mound breakwater constructed parallel to shore. Grain elevator has capacity for 500,000 bushels and fertilizer storage dome has capacity for 6,000 tons.
Year of Last Survey: 2000 Corps of Engrns Waterway Code: 64172 Dock Code: 712 Little Rock District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 203.4 PWD: 81
Name: **Mobley Construction Co. North Dardanelle Dock.**
Location: Left bank, Arkansas River, mile 203.4, approximately 1,000 feet below State Highway 7 Datum: CRP
7 bridge.
Operator: Mobley Construction Co., Inc.
Owner: Mobley Construction Co., Inc.
Address: 4419 South Arkansas Street Phone: 501/968-5664
Town: Russelville State: AR County: Pope
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 35.223333
Total Berthing Space (feet): 525 | | Longitude (decimal): -93.14722
Remarks: Open storage area at rear has capacity for 50,000 tons. Concrete batch plant is located in rear. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64203 Dock Code: 212 Little Rock District

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 203.5 PWD: 82
Name: **Port of Dardanelle Dock.**
Location: Left bank, Arkansas River, mile 203.5, approximately 500 feet below State Highway 7 Datum: CRP
Bridge.
Operator: Bruce Oakley, Inc.
Owner: Bruce Oakley, Inc.
Address: 4435 South Arkansas Street Phone: 501/968-3059
Town: Russelville State: AR County: Pope
Railway Connection: One surface track serves undertrack receiving pit and loading spout, connects with
Dardanelle and Russellville Railroad.
Purpose: Receipt and shipment of grain; receipt of feed additive (phosphatic substance).
Depth Alongside (feet): 10 | | Latitude (decimal): 35.225
Total Berthing Space (feet): 640 | | Longitude (decimal): -93.14806
Remarks: Grain elevator in rear consisting of 2 steel flat storage buildings and 3 steel tanks has total capacity for
650,000 bushels. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64203 Dock Code: 312 Little Rock District

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 205.5 PWD: 83
Name: **U.S. Army Corps of Engineers, Dardanelle Marine Terminal Wharf and**
Location: Left bank, Arkansas River, mile 205.5, adjacent to upper side of Dardanelle Lock and Dam. Datum: CRP
Operator: U.S. Army Corps of Engineers.
Owner: U.S. Government.
Address: Phone: 501/968-5008
Town: Russelville State: AR County: Pope
Railway Connection: None.
Purpose: Handling lock and dam apparatus for repair and maintenance; mooring and fueling government-owned floating equipment.
Depth Alongside (feet): 12 - 15 | | 12 - 15 Latitude (decimal): 35.2525
Total Berthing Space (feet): 510 | | 200 Longitude (decimal): -93.16944
Remarks: Maintenance and service facilities located in rear. Fuel is supplied from 2 steel storage tanks, total capacity 16,000 gallons. □
Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 64205 Dock Code: 622 Little Rock District

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 21.6 PWD: 43
Name: **Pendleton Warehouse Lower Dock.**
Location: Arkansas River, right bank, mile 21.5, approximately one mile below Pendleton (U.S. Highway 165) Bridge. Datum: CRP
Operator: Pendleton Warehouse, Inc.
Owner: Jack Whitmore.
Address: Route 1 Box 201A Phone: 501/382-5100
Town: Dumas State: AR County: Desha
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 15 | | Latitude (decimal): 33.984722
Total Berthing Space (feet): 420 | | Longitude (decimal): -91.36611
Remarks: -□□
Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 64022 Dock Code: 011 Little Rock District

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 21.6 PWD: 44
Name: **Pendleton Warehouse Upper Dock.**
Location: Arkansas River, right bank, mile 21.6, approximately one mile below Pendleton (U.S. Datum: CRP Highway 165) Bridge.
Operator: Pendleton Warehouse, Inc.
Owner: Jack Whitmore.
Address: Route 1 Box 201A Phone: 870/382-5100
Town: Dumas State: AR County: Desha
Railway Connection: None.
Purpose: Receipt of dry bulk and liquid fertilizer; shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 33.984444
Total Berthing Space (feet): 540 | | Longitude (decimal): -91.3725
Remarks: Concrete storage warehouse at rear has capacity for 20,000 tons of fertilizer. One 8-inch pipeline extends from lower dolphin to one 4,000-ton liquid fertilizer storage tank at rear.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64022 Dock Code: 011 Little Rock District

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 22.0 PWD: 45
Name: **Riceland Foods, Pendleton Export Terminal Dock.**
Location: Arkansas River, right bank, mile 22.0, approximately 0.6 mile below Pendleton (U.S. Datum: CRP Highway 65) Bridge.
Operator: Riceland, Inc.
Owner: Riceland, Inc.
Address: 271 State Highway 212E Phone: 870/382-2198
Town: Dumas State: AR County: Desha
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 18 | | Latitude (decimal): 33.981111
Total Berthing Space (feet): 680 | | Longitude (decimal): -91.37667
Remarks: Grain elevator at rear consisting of five steel tanks has capacity for 592,000 bushels. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64022 Dock Code: 012 Little Rock District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 22.5 PWD: 46
Name: **Taylor Farms & Trucking Dock.**
Location: Arkansas River, right bank, mile 22.5, immediately below Pendleton (U.S. Highway 165) Bridge. Datum: CRP
Operator: Taylor Farms & Trucking, Inc.
Owner: A. G. Taylor
Address: Pendleton Lane Phone: 870/588-1595
Town: Dumas State: AR County: Desha
Railway Connection: None.
Purpose: Mooring and fueling company-owned vessels.
Depth Alongside (feet): 10 | | Latitude (decimal): 33.9775
Total Berthing Space (feet): 120 | | Longitude (decimal): -91.38417
Remarks: Property was for sale at time of survey (1999). One 3-inch pipeline extends to float from 3 diesel fuel storage tanks, total capacity 16,000 gallons, and one 2-inch pipeline extends from one 3,000-gallon lubricating oil storage tank.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64022 Dock Code: 501 Little Rock District

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 232.6 PWD: 84
Name: **Arkansas Valley Port Terminal Dock.**
Location: Right bank, Arkansas River, mile 232.6, approximately 1.4 miles below Clarksville (State Highway 109) So Datum: CRP
Operator: Arkansas Valley Port Terminals, division of Pine Bluff Warehouse Co.
Owner: Arkansas Valley Port Terminals, division of Pine Bluff Warehouse Co.
Address: 1575 River Port Road Phone:
Town: Paris State: AR County: Logan
Railway Connection: None.
Purpose: Occasional receipt and shipment of miscellaneous dry bulk materials.
Depth Alongside (feet): 30 | | Latitude (decimal): 35.391944
Total Berthing Space (feet): 120 | | Longitude (decimal): -93.50722
Remarks: -□□
Year of Last Survey: 1987 Corps of Engrs Waterway Code: 64233 Dock Code: 251 Little Rock District

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 255.9 PWD: 85
Name: **Arkansas Electric Cooperative, Fitzhugh Plant Dock.**
Location: Left bank, Arkansas River, mile 255.9, approximately 0.9 mile below Jeta Taylor Lock and Dam. Datum: CRP
Operator: Not operated.
Owner: Arkansas Electric Cooperative Corp.
Address: 6006 Jeta Taylor Lock & Dam Access Ro Phone: 501/667-2134
Town: Ozark State: AR County: Franklin
Railway Connection: Two surface tracks serve power plant in rear, connect with Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 35.461944
Total Berthing Space (feet): 195 | | Longitude (decimal): -93.80472
Remarks: At time of survey (1999), wharf intended for receipt of fuel oil was being maintained in operational status. One 8-inch pipeline with 6-inch wharf connection extends to 3 steel storage tanks at plant in rear, total capacity 50,000 barrels. One 2<-inch steam line serves wharf.
Year of Last Survey: 1987 Corps of Engrs Waterway Code: 64255 Dock Code: 912

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 296.3 PWD: 86
Name: **Jeffrey Point Dock.**
Location: Right bank, Arkansas River, mile 296.3, approximately 3.5 miles above Lock and Dam No. 13. Datum: CRP
Operator: Not operated.
Owner: Arkhola Sand & Gravel Co.
Address: Foot of Grand Avenue Phone: 501/474-3796
Town: Fort Smith State: AR County: Sebastian
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 18 | | Latitude (decimal): 35.378889
Total Berthing Space (feet): 175 | | Longitude (decimal): -94.35056
Remarks: Facility formerly was used for receipt of sand.□□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64296 Dock Code: 211 Little Rock District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 296.7 PWD: 87
Name: **Arkholo Sand & Gravel Co. Grand Avenue Dock.**
Location: Right bank, Arkansas River, mile 296.7, north side of company slip, approximately 4 miles above Lock and Datum: CRP
Operator: Arkholo Sand & Gravel Co.
Owner: Arkholo Sand & Gravel Co.
Address: Foot of Grand Avenue Phone: 501/474-3796
Town: Fort Smith State: AR County: Sebastian
Railway Connection: None.
Purpose: Receipt of sand.
Depth Alongside (feet): 8 | 8 | Latitude (decimal): 35.384722
Total Berthing Space (feet): 8-10 | | Longitude (decimal): -94.35306
Remarks: Open storage area at rear served by two radial stackers has capacity for 100,000 tons of material. Slip is approximately 1,200 feet long and 250 feet wide at angle to channel.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64296 Dock Code: 701 Little Rock District

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 298.9 PWD: 89
Name: **Consolidated Grain & Barge Co., Dock No.3**
Location: Left bank, Arkansas River, 298.9, approximately 3,000 feet below Interstate Highway 540 bridge. Datum: CRP
Operator: Consolidated Grain & Barge Co.
Owner: Consolidated Grain & Barge Co.
Address: 1800 Riverfront Road. Phone: 501/474-7931
Town: Van Buren State: AR County: Crawford
Railway Connection: One surface track serving open storage area in rear, connects with Arkansas and Missouri Railroad.
Purpose: Receipt of steel, fertilizer and fish meal.
Depth Alongside (feet): 10 | | Latitude (decimal): 35.417222
Total Berthing Space (feet): 400 | | Longitude (decimal): -94.34056
Remarks: Two steel frame, metal-covered warehouses are located in the rear: one with capacity for approximately 4,500 tons of fish meal and an 8,000 square foot warehouse for steel products.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64299 Dock Code: 012 Little Rock District

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 298.9 PWD: 88
Name: **Consolidated Grain & Barge Co., Dock No.3**
Location: Left bank, Arkansas River, mile 298.9, approximately 3,200 feet below Interstate Highway 540 bridge. Datum: CRP
Operator: Consolidated Grain & Barge Co.
Owner: West-Ark Export Elevator Inc.
Address: 1800 Riverfront Road. Phone: 501/474-7931
Town: Van Buren State: AR County: Crawford
Railway Connection: None.
Purpose: Shipment of gravel; mooring barges for fleetings. (See Remarks.)
Depth Alongside (feet): 15 | | Latitude (decimal): 35.416111
Total Berthing Space (feet): 195 | | Longitude (decimal): -94.33944
Remarks: Daily & Son's Marine operates a fleetings area at shore moorings below wharf with capacity for 12 barges in tiers 1- and 2-wide and maintains a crane platform and crane for handling hatch covers and miscellaneous supplies and equipment.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64299 Dock Code: 012 Little Rock District

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 299.1 PWD: 90
Name: **Consolidated Grain & Barge Co., Dock No.1**
Location: Left bank, Arkansas River, mile 299.1, approximately 2,000 feet below Interstate 540 Highway Bridge. Datum: CRP
Operator: Consolidated Grain & Barge Co.
Owner: Consolidated Grain & Barge Co.
Address: 1800 Riverfront Road. Phone: 501/474-7931
Town: Van Buren State: AR County: Crawford
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 35.418611
Total Berthing Space (feet): 275 | | Longitude (decimal): -94.34167
Remarks: Grain elevator in rear, consisting of 3 steel tanks, has capacity for 850,000 bushels.□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64299 Dock Code: 012 Little Rock District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 300.4 PWD: 91
Name: **Arkhola Sand & Gravel Co. Van Buren Dock.**
Location: Left bank, Arkansas River, mile 300.4, approximately 1,000 feet below U.S. Highway 64/71 Bridge. Datum: CRP
Operator: Arkhola Sand & Gravel Co.
Owner: Arkhola Sand & Gravel Co.
Address: 402 Riverfront Road. Phone: 501/474-3796
Town: Van Buren State: AR County: Crawford
Railway Connection: One surface track with capacity for 30 cars serves open storage area, connects with Arkansas and Missouri Railroad.
Purpose: Receipt of sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 35.428333
Total Berthing Space (feet): 800 | | Longitude (decimal): -94.35361
Remarks: Open storage area at rear for approximately 90,000 tons of material. □ □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64300 Dock Code: 412 Little Rock District

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 308.7 PWD: 92
Name: **Fort Smith Port Authority Docks Nos. 1 and 2.**
Location: Right bank, Poteau River, approximately 1.7 miles above mile 308.7, Arkansas River. Datum: CRP
Operator: Global Materials Services LLC.
Owner: City of Fort Smith.
Address: 200 Navy Road Phone: 501/785-2837
Town: Fort Smith State: AR County: Sebastian
Railway Connection: One surface track extending to the face of Dock No. 1 joins a track serving warehouse in rear, connects with Arkansas and Missouri Railroad.
Purpose: Receipt and shipment of general cargo, steel products, scrap metal, and coal.
Depth Alongside (feet): 12 | 12 | Latitude (decimal): 35.372778
Total Berthing Space (feet): 535 | | Longitude (decimal): -94.3075
Remarks: Two steel frame, metal-covered warehouses at rear have a total of 78,000 square feet of storage space. Two similar warehouses located approximately one mile in rear have a total of 120,000 square feet of storage space.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 61101 Dock Code: 711 Tulsa District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 308.8 PWD: 93
Name: **Yaffe Iron & Metal Corp. Dock.**
Location: Right bank, Poteau River, approximately 1.8 miles above mile 308.8, Arkansas River. Datum: CRP
Operator: Yaffe Iron & Metal Corp.
Owner: Yaffe Iron & Metal Corp.
Address: 200 State Line Road. Phone: 501/782-8294
Town: Fort Smith State: AR County: Sebastian
Railway Connection: None.
Purpose: Shipment of scrap metal.
Depth Alongside (feet): 8 - 12 | | Latitude (decimal): 35.371667
Total Berthing Space (feet): 260 | | Longitude (decimal): -94.30694
Remarks: Stacker serving open storage space in rear has capacity for approximately 1,500 tons of scrap metal. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 61103 Dock Code: 723 Tulsa District

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 337.3 PWD: 94
Name: **Jeffrey Sand Co. Plant No. 10 Dock.**
Location: Left bank, Arkansas River, mile 337.3, approximately 1.5 miles above Robert S. Kerr Lock and Dam. Datum: CRP
Operator: Not operated.
Owner: Jeffrey Sand Co., Inc.
Address: Applegate Cove Road Phone: 501/945-4161
Town: Sallislaw State: OK County: Sequoyah
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 35.356389
Total Berthing Space (feet): 380 | 14000 | Longitude (decimal): -94.80333
Remarks: Facility once used essentially for repairing company-owned equipment has not been in use since 1990. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64337 Dock Code: 302 Tulsa District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 341.0 PWD: 96
Name: **U.S. Army Corps of Engineers, Robert S. Kerr Marine Terminal Whar**
Location: Left bank, Arkansas River, mile 341.0, approximately 5 miles above Robert S. Kerr Lock and Dam. Datum: CRP
Operator: U.S. Army Corps of Engineers.
Owner: U.S. Government.
Address: Foot of Applegate Cove Road Phone: 918/775-9791
Town: Sallislaw State: OK County: Sequoyah
Railway Connection: None.
Purpose: Mooring and fueling government-owned floating equipment; handling supplies and equipment.
Depth Alongside (feet): 14 | 14 | Latitude (decimal): 35.369167
Total Berthing Space (feet): 335 | 540 | Longitude (decimal): -94.82611
Remarks: One 4-ton-capacity electric boat hoist for launching and hauling out small vessels located at inner end of outer bulkhead. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64341 Dock Code: 014 Tulsa District

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 341.0 PWD: 95
Name: **U.S. Coast Guard, Sallislaw Mooring Dock.**
Location: Left bank, Arkansas River, mile 341.0, approximately 5 miles above Robert S. Kerr Lock and Dam. Datum: CRP
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: Foot of Applegate Cove Road Phone: 918/776-0122
Town: Sallislaw State: OK County: Sequoyah
Railway Connection: None.
Purpose: Handling navigation aids; mooring USCG Tender 'Muskingum'.
Depth Alongside (feet): 14 | | Latitude (decimal): 35.369444
Total Berthing Space (feet): 200 | | Longitude (decimal): -94.82778
Remarks: Approximately 3,000 square feet of open storage area for navigation aids located in rear. One 4-inch sewage line serves wharf. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64341 Dock Code: 024 Tulsa District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 362.4 PWD: 99
Name: **Jeffrey Sand Co., Sand Plant No. 5 Dock.**
Location: Left bank, Arkansas River, mile 362.4, approximately 0.6 mile below U.S. Highway 64 Bridge. Datum: CRP
Operator: Not operated.
Owner: Jeffrey Sand Co., Inc.
Address: Phone: 501/945-4161
Town: Gore State: OK County: Sequoyah
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 6 | | Latitude (decimal): 35.517222
Total Berthing Space (feet): 100 | | Longitude (decimal): -95.10194
Remarks: Facility formerly was used for receipt of sand and gravel.□□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64362 Dock Code: 412 Tulsa District

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 363.2 PWD: 100
Name: **Consolidated Grain and Barge Co., Webbers Falls Dock.**
Location: Right bank, Arkansas River, mile 363.2, above Oklahoma State Highway No. 64 Bridge. Datum: CRP
Operator: Consolidated Grain and Barge Co.
Owner: Consolidated Grain and Barge Co.
Address: Oklahoma State Highway No.64. Phone: 918/464-2296
Town: Webbers Falls State: OK County: Muskogee
Railway Connection: None.
Purpose: Shipment of grain; receipt of fertilizer and feed ingredients.
Depth Alongside (feet): 12 | 12 - 13 | Latitude (decimal): 35.518889
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -95.13028
Remarks: Grain elevator at rear, consisting of 4 steel tanks, has capacity for 1,100,000 bushels. Flat storage building has storage capacity for 18,000 tons of material. Slip is 120 feet wide between breasting dolphins and has capacity for 6 barges.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64363 Dock Code: 221

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 390.3 PWD: 101
Name: **Fort James Corp., Muskogee Plant Dock.**
Location: Right bank, Arkansas River, mile 390.3, approximately 2.2 miles below U.S. Highway 62 Twin Bridges. Datum: CRP
Operator: Fort James Corp.
Owner: Fort James Corp.
Address: 4901 Chandler Road Phone: 918/683-7671
Town: Muskogee State: OK County: Muskogee
Railway Connection: Trackage serving plant in rear connects with Burlington Northern - Santa Fe Railway.
Purpose: Receipt of coal, salt, and plant machinery.
Depth Alongside (feet): 10 | | Latitude (decimal): 35.74
Total Berthing Space (feet): 200 | | Longitude (decimal): -95.28694
Remarks: Paper mill located in rear.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64390 Dock Code: 201 Tulsa District

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 390.8 PWD: 102
Name: **Frontier Terminal Bulk Material Dock.**
Location: Right bank, Arkansas River, mile 390.8, approximately 1.7 miles below U.S. Highway 62 Twin Bridges. Datum: CRP
Operator: Frontier Terminal LLC.
Owner: Frontier Terminal LLC.
Address: 4511 Callery Road Phone: 918/683-2827
Town: Muskogee State: OK County: Muskogee
Railway Connection: Trackage with capacity for 150 cars serving terminal in rear connects with Burlington Northern-Santa Fe Railway.
Purpose: Receipt and shipment of miscellaneous dry bulk materials, fuel oil, and petroleum products.
Depth Alongside (feet): 15 | | Latitude (decimal): 35.748889
Total Berthing Space (feet): 700 | | Longitude (decimal): -95.295
Remarks: Pipelines extend from wharf to storage tanks at terminal in rear. Pipelines No. Size
Commodity Tanks Capacity 3 10' Fuel oil. 8 205,000 bbls. 1 8'
Petroleum Products. 4 110,000 bbls.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64391 Dock Code: 011 Tulsa District

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 390.9 PWD: 103
Name: **Frontier Terminal Liquid Loading Dock.**
Location: Right bank, Arkansas River, mile 390.3, approximately 1.6 miles below U.S. Highway 62 Twin Bridges. Datum: CRP
Operator: Not operated.
Owner: Frontier Terminal LLC.
Address: 4511 Callery Road Phone: 918/683-2827
Town: Muskogee State: OK County: Muskogee
Railway Connection: Trackage with capacity for 150 cars serving terminal in rear connects with Burlington Northern-Santa Fe Railway.
Purpose: Not used.
Depth Alongside (feet): 15 | | Latitude (decimal): 35.749444
Total Berthing Space (feet): 100 | | Longitude (decimal): -95.29583
Remarks: Two 10-inch fuel oil and one 8-inch product pipelines, blanked at time of survey (1999) extend from wharf to appropriate tankage described under Ref. No. 102.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64391 Dock Code: 011 Tulsa District

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 393.1 PWD: 104
Name: **Koch Pavement Solutions Muskogee Dock.**
Location: Right bank, Arkansas River, mile 393.1, approximately 0.6 mile above U.S. Highway 62 Twin Bridges. Datum: CRP
Operator: Koch Pavement Solutions Inc.
Owner: Muskogee City-County Port Authority.
Address: 2501 Port Place. Phone: 918/683-1732
Town: Muskogee State: OK County: Muskogee
Railway Connection: One 6-car-capacity surface track serves unloading facility in rear; connects with Union Pacific Railroad through Muskogee City-County Port Railroad.
Purpose: Receipt and shipment of asphalt.
Depth Alongside (feet): 15 | | Latitude (decimal): 35.778333
Total Berthing Space (feet): 300 | | Longitude (decimal): -95.3
Remarks: One 12-inch, hot oil-traced pipeline with 8-inch hose connection extends from wharf to 3 steel storage tanks at terminal in rear, total capacity 177,000 barrels.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64393 Dock Code: 811 Tulsa District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 393.2 PWD: 105
Name: **Quality Liquid Feeds, Muskogee Dock.**
Location: Right bank, Arkansas River, mile 393.2, approximately 0.7 mile above U.S. Highway 62 Twin Bridges. Datum: CRP
Operator: Quality Liquid Feeds.
Owner: Muskogee City-County Port Authority.
Address: 2530 Port Place. Phone: 918/683-7215
Town: Muskogee State: OK County: Muskogee
Railway Connection: None.
Purpose: Receipt of molasses.
Depth Alongside (feet): 10 | | Latitude (decimal): 35.780556
Total Berthing Space (feet): 195 | | Longitude (decimal): -95.2975
Remarks: One 8-inch steam traced pipeline extends from platform to 2 steel storage tanks at terminal in rear, total capacity 680,000 gallons. One 2-inch auxiliary steam line also serves work platform. An additional 9 steel breasting dolphins located between lower dolphin and Ref. No. 104 are owned and controlled by the Muskogee City-County Port Authority.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64393 Dock Code: 512 Tulsa District

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 393.3 PWD: 106
Name: **Consolidated Grain and Barge Co., Muskogee Dock.**
Location: Right bank, Arkansas River, mile 393.3, approximately 0.8 mile above U.S. Highway 62 Twin Bridges. Datum: CRP
Operator: Consolidated Grain and Barge Co.
Owner: Muskogee City-County Port Authority.
Address: 2600 Port Place. Phone: 918/485-5711
Town: Muskogee State: OK County: Muskogee
Railway Connection: One 9-car-capacity surface track serves undertrack pit in rear; connects with Union Pacific Railroad through Muskogee City-County Port Railroad.
Purpose: Shipment of grain and grain by-products.
Depth Alongside (feet): 10 | | Latitude (decimal): 35.780833
Total Berthing Space (feet): 150 | | Longitude (decimal): -95.29778
Remarks: Grain elevator at rear, consisting of 2 steel tanks, has capacity for 200,000 bushels. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64393 Dock Code: 511 Tulsa District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 393.5 PWD: 107
Name: **Johnston Terminal, Muskogee Steel Dock.**
Location: Right bank, Arkansas River, mile 393.5, approximately one mile above U.S. Highway 62 Twin Bridges. Datum: CRP
Operator: Johnston Terminal, Muskogee.
Owner: Muskogee City-County Port Authority.
Address: 4901 Harold Scoggins Drive. Phone: 918/682-7883
Town: Muskogee State: OK County: Muskogee
Railway Connection: One surface track on apron joins additional terminal trackage serving Ref. No. 108 connects with Union Pacific Railroad through Muskogee City-County Port Railroad.
Purpose: Receipt and shipment of unitized general cargo and steel products.
Depth Alongside (feet): 10 | | Latitude (decimal): 35.783056
Total Berthing Space (feet): 150 | | Longitude (decimal): -95.29833
Remarks: A 76,000-square foot, steel frame, metal-covered warehouse is located at rear. A row of 20 steel breasting dolphins including those described under Ref. Nos. 104, 105 and 106 extend in line with inshore dolphins along natural bank below terminal providing a total of 2,850 feet of continuous berthing space.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64394 Dock Code: 801

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 393.6 PWD: 108
Name: **Johnston Terminal, Muskogee Bulk Material Dock.**
Location: Right bank, Arkansas River, mile 393.6, approximately 1.1 miles above U.S. Highway 62 Twin Bridges. Datum: CRP
Operator: Johnston Terminal, Muskogee.
Owner: Muskogee City-County Port Authority.
Address: 4901 Harold Scoggins Drive. Phone: 918/682-7883
Town: Muskogee State: OK County: Muskogee
Railway Connection: One surface track on apron serving undertrack pit and one platform- level track at rear of transit shed connects with Union Pacific Railroad through Muskogee City-County Port Railroad.
Purpose: Receipt and shipment of miscellaneous bulk materials including coal, coke and fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 35.785556
Total Berthing Space (feet): 340 | | Longitude (decimal): -95.29806
Remarks: One 18,000 square foot steel frame, metal-covered transit shed is located at rear. Approximately 39 acres of open storage area are located at terminal. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64394 Dock Code: 801

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 393.7 PWD: 109
Name: **Johnston Terminal, Muskogee Pneumatic Loading Dock.**
Location: Right bank, Arkansas River, mile 393.7, approximately 1.2 miles above U.S. Highway 62 Twin Bridges. Datum: CRP
Operator: Johnston Terminal, Muskogee.
Owner: Muskogee City-County Port Authority.
Address: 4901 Harold Scoggins Drive. Phone: 918/682-7883
Town: Muskogee State: OK County: Muskogee
Railway Connection: None.
Purpose: Shipment of fly ash.
Depth Alongside (feet): 12 | | Latitude (decimal): 35.786667
Total Berthing Space (feet): 195 | | Longitude (decimal): -95.2975
Remarks: One 3-inch, diesel fuel pipeline extends to berth from 11 steel storage tanks on shore at rear, total capacity 180,000 gallons.□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64394 Dock Code: 801

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 412.5 PWD: 110
Name: **Port of Dunkin Grain Loading Dock.**
Location: Left bank, Verdigris River, mile 412.5, approximately 1,700 feet above Oklahoma State Highway 51 Bridge. Datum: CRP
Operator: Consolidated Grain and Barge Co.
Owner: Consolidated Grain and Barge Co.
Address: Foot of Elevator Road Phone: 918-485-5711
Town: Wagoner State: OK County: Wagoner
Railway Connection: None.
Purpose: Shipment of grain; Receipt and shipment of miscellaneous bulk materials; Mooring barges for fleeting. (See Remarks.)
Depth Alongside (feet): 10 | | Latitude (decimal): 35.960278
Total Berthing Space (feet): 4 | | Longitude (decimal): -95.49556
Remarks: Grain elevator at rear consisting of 4 steel tanks, has total capacity for 1,000,000 bushels. Fleeting area for 12 barges, 2 and 3 wide, is available at shore moorings on left bank of oxbow located approximately 2 1/4 miles downstream off left bank of Verdigris River (Choteau Lake) Channel.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 61315 Dock Code: 212 Tulsa District

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 54.5 PWD: 47
Name: **Bunge Corp., Linwood Grain Elevator Dock.**
Location: Arkansas River, right bank, mile 54.5, foot of Blankenship Road. Datum: CRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: 2235 Tamo River Road Phone: 870/479-3379
Town: Linwood State: AR County: Jefferson
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 35 | | Latitude (decimal): 34.168889
Total Berthing Space (feet): 320 | | Longitude (decimal): -91.74667
Remarks: Grain elevator at rear, consisting of 2 steel tanks, has capacity for 2,296,000 bushels. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64054 Dock Code: 511 Little Rock District

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 64.6 PWD: 48
Name: **International Paper Co., Victoria Bend Fuel Oil Dock.**
Location: Right bank, Arkansas River, mile 64.6, approximately 1.5 mile below Lock and Dam No. 4. Datum: CRP
Operator: Pickett-Davison Fuel Service.
Owner: International Paper Co.
Address: 1700 Celia Road. Phone: 870/536-3461
Town: Pine Bluff State: AR County: Jefferson
Railway Connection: None.
Purpose: Receipt of No. 6 fuel oil.
Depth Alongside (feet): 20 | | Latitude (decimal): 34.2475
Total Berthing Space (feet): 400 | | Longitude (decimal): -91.89139
Remarks: One 10-inch pipeline extends from wharf to one 100,000-barrel storage tank in rear. One 8-inch steam tracer line also serves wharf. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64064 Dock Code: 511 Little Rock District

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 71.0 PWD: 50
Name: **Century Tube Corp., Dock.**
Location: Right bank, Lake Langhofer, 2 miles above mile 71.0, Arkansas River. Datum: CRP
Operator: Century Tube Corp.
Owner: Century Tube Corp.
Address: 4215 Emmett Sanders Road Phone: 870/535-6200
Town: Pine Bluff State: AR County: Jefferson
Railway Connection: One surface track serving plant in rear connects with Union Pacific Railroad.
Purpose: Receipt of steel products (coils and pipe).
Depth Alongside (feet): 15 | | Latitude (decimal): 34.258889
Total Berthing Space (feet): 165 | | Longitude (decimal): -91.94278
Remarks: Plant in rear manufactures steel tubing products. □ □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64071 Dock Code: 213 Little Rock District

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 71.0 PWD: 53
Name: **Global Materials Services Liquid Facility Dock.**
Location: Right bank, Lake Langhofer, Pine Bluff Harbor, 2.2 miles above mile 71.0 Arkansas River. Datum: CRP
Operator: Global Materials Services LLC
Owner: Global Materials Services LLC
Address: 4113 Emmett Sanders Road Phone: 870/535-6480
Town: Pine Bluff State: AR County: Jefferson
Railway Connection: None.
Purpose: Receipt of liquid fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 34.254167
Total Berthing Space (feet): 250 | | Longitude (decimal): -91.94556
Remarks: Four 8-inch pipelines extend from float to 5 steel storage tanks at rear, total capacity 2,254,000 gallons. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64071 Dock Code: 233 Little Rock District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 71.0 PWD: 54
Name: **Global Materials Services, Port of Pine Bluff General Cargo Wharf.**
Location: Right bank, Lake Langhofer, Pine Bluff Harbor, 2.3 miles above mile 71.0 Arkansas Datum: CRP River.
Operator: Global Materials Services LLC.
Owner: Global Materials Services LLC.
Address: 4113 Emmett Sanders Road Phone: 870/535-6480
Town: Pine Bluff State: AR County: Jefferson
Railway Connection: One surface track along rear of face continues along rear of Ref. No. 24, connects with Union Pacific Railroad.
Purpose: Receipt and shipment of containerized and conventional general cargo and miscellaneous bulk materials; receipt of fertilizer and steel and aluminum products; shipment of paper products and lumber.
Depth Alongside (feet): 10 | | Latitude (decimal): 34.253611
Total Berthing Space (feet): 380 | | Longitude (decimal): -91.94611
Remarks: Wharf is in line with PWD Ref. Nos. 53 and 55 providing a total of 1,000 feet of continuous berthing space. A 110,000-square foot, steel frame, metal-covered storage warehouse is located at rear of the lower wharf section and a 16,000 ton-capacity concrete and timber A-frame fertilizer storage warehouse is located at rear of the upper section. A total of approximately 20 acres of open storage is located at terminal.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64071 Dock Code: 233 Little Rock District

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 71.0 PWD: 55
Name: **Global Materials Services, Port of Pine Bluff Grain Wharf.**
Location: Right bank, Lake Langhofer, Pine Bluff Harbor, 2.4 miles above mile 71.0 Arkansas Datum: CRP River.
Operator: Global Materials Services LLC.
Owner: Global Materials Services LLC.
Address: 4113 Emmett Sanders Road Phone: 870/535-6480
Town: Pine Bluff State: AR County: Jefferson
Railway Connection: One surface track serves undertrack pit at rear connects with Union Pacific Railroad.
Purpose: Shipment of grain.
Depth Alongside (feet): 9 | | Latitude (decimal): 34.2525
Total Berthing Space (feet): 250 | | Longitude (decimal): -91.94667
Remarks: Berthing space includes dolphin fronting receiving hopper at upper end of Ref. No. 54. One 12,000 bushel capacity steel storage tank is located at rear.□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64071 Dock Code: 233 Little Rock District

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 71.0 PWD: 51
Name: **Petroleum Fuel and Terminal Co., Pine Bluff Terminal Dock.**
Location: Right bank, Lake Langhofer, 2.1 miles above mile 71.0, Arkansas River. Datum: CRP
Operator: Petroleum Fuel and Terminal Co., a subsidiary of Apex Oil.
Owner: Petroleum Fuel and Terminal Co., a subsidiary of Apex Oil Co.
Address: 4302 Emmett Sanders Road Phone: 870/535-5030
Town: Pine Bluff State: AR County: Jefferson
Railway Connection: One surface track serving 2 loading stations connects with Union Pacific Railroad.
Purpose: Receipt of diesel fuel and caustic soda.
Depth Alongside (feet): 13 - 15 | | Latitude (decimal): 34.257222
Total Berthing Space (feet): 300 | | Longitude (decimal): -91.94361
Remarks: One 8-inch pipeline extends from wharf to 2 diesel fuel storage tanks, total capacity 75,000 barrels,
and one 8-inch pipeline extends to 2 caustic soda storage tanks, total capacity 2,100,000 gallons.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64071 Dock Code: 214 Little Rock District

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 71.0 PWD: 59
Name: **Pine Bluff Sand & Gravel Co.; Pine Bluff Sand Plant, Dock and Repa**
Location: Lake Langhofer, 4.4 miles above mile 71.0, Arkansas River. Datum: CRP
Operator: Pine Bluff Sand & Gravel Co.
Owner: Pine Bluff Sand & Gravel Co.
Address: Foot of Kansas Street Phone: 870/534-7120
Town: Pine Bluff State: AR County: Jefferson
Railway Connection: None.
Purpose: Receipt of sand; Mooring company-owned vessels and barges for maintenance and repair.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 34.233056
Total Berthing Space (feet): 780 | 195 | Longitude (decimal): -91.97194
Remarks: Ready-mix concrete and asphalt plants and open storage area for 12,000 tons of sand located in rear.
Fleeting area at shore moorings adjacent to wharf has capacity for 20 barges moored 5 long by 4 wide.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64071 Dock Code: 273 Little Rock District

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 71.0 PWD: 58
Name: **Turner Marine Service Dock.**
Location: Right bank, Lake Langhofer, Pine Bluff Harbor, 4.1 miles above mile 71.0 Arkansas River. Datum: CRP
Operator: Turner Marine Service, Inc.
Owner: Turner Marine Service, Inc.
Address: 2905 Port Road. Phone: 870/535-0062
Town: Pine Bluff State: AR County: Jefferson
Railway Connection: None.
Purpose: Mooring barges for fleeting, maintenance and cleaning.
Depth Alongside (feet): 15 | | 3 - 20 Latitude (decimal): 34.234167
Total Berthing Space (feet): 195 | | Longitude (decimal): -91.96778
Remarks: Fleeting area has capacity for up to 40 barges depending upon size, arranged in tiers 2 and 3 wide. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64071 Dock Code: 263 Little Rock District

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 71.0 PWD: 49
Name: **Tyson Foods Pine Bluff Feed Mill Dock.**
Location: Right bank, Lake Langhofer, 1.9 miles above mile 71.0, Arkansas River. Datum: CRP
Operator: Tyson Foods Inc.
Owner: Tyson Foods Inc.
Address: 4601 Emmett Sanders Road Phone: 870/534-5652
Town: Pine Bluff State: AR County: Jefferson
Railway Connection: Three surface tracks with total capacity for 36 cars, connects with Union Pacific Railroad.
Purpose: Receipt of grain.
Depth Alongside (feet): 14 | | Latitude (decimal): 34.260556
Total Berthing Space (feet): 335 | | Longitude (decimal): -91.94278
Remarks: Grain elevator serving feed mill in rear consists of 4 concrete silos with 3 interstices and has capacity for 428,000 bushels. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64071 Dock Code: 030

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 71.0 PWD: 52
Name: **Tyson Foods, Milling and Warehouse Dock.**
Location: Right bank, Lake Langhofer, 2.2 miles above mile 71.0, Arkansas River. Datum: CRP
Operator: Not operated.
Owner: Tyson Foods Inc.
Address: 4211 Emmett Sanders Road. Phone: 870/534-7276
Town: Pine Bluff State: AR County: Jefferson
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 34.255278
Total Berthing Space (feet): 195 | | Longitude (decimal): -91.94583
Remarks: Wharf was used for receipt of grain prior to the construction of more permanent facility at Tyson Foods, Pine Bluff Feed Mill Dock (PWD Ref. No. 49).
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64071 Dock Code: 030

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 71.0 PWD: 57
Name: **U.S. Army Corps of Engineers Pine Bluff Marine Terminal Dock.**
Location: Right bank, Lake Langhofer, Pine Bluff Harbor, 2.6 miles above mile 71.0 Arkansas River. Datum: CRP
Operator: U.S. Army Corps of Engineers.
Owner: U.S. Government.
Address: 4001 Port Road Phone: 870/535-0768
Town: Pine Bluff State: AR County: Jefferson
Railway Connection: None.
Purpose: Handling lock and dam apparatus for repair and maintenance; mooring and fueling government-owned floating equipment.
Depth Alongside (feet): 19 | | Latitude (decimal): 34.249444
Total Berthing Space (feet): 935 | | Longitude (decimal): -91.94889
Remarks: Maintenance and service facilities located in rear. Fuel is supplied from 2 steel storage tanks total capacity 16,000 gallons. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64071 Dock Code: 253 Little Rock District

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 71.0 PWD: 56
Name: **U.S. Coast Guard Depot Pine Bluff Dock.**
Location: Right bank, Lake Langhofer, Pine Bluff Harbor, 2.5 miles above mile 71.0 Arkansas River. Datum: CRP
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: 4101 Port Road Phone: 870/850-0548
Town: Pine Bluff State: AR County: Jefferson
Railway Connection: None.
Purpose: Handling navigation aids; mooring U.S. Coast Guard vessels.
Depth Alongside (feet): 7 | | Latitude (decimal): 34.250833
Total Berthing Space (feet): 180 | | Longitude (decimal): -91.9475
Remarks: One 4-inch sanitary sewer line serves wharf. □ □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64071 Dock Code: 243 Little Rock District

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 73.4 PWD: 60
Name: **Rasmusson Group, Dock.**
Location: Right bank, Arkansas River, mile 73.4, approximately 0.7 mile below U.S. Highway 79 Bridge. Datum: CRP
Operator: The Rasmusson Group Inc.
Owner: The Rasmusson Group Inc.
Address: 611 Island Harbor Road Phone: 870/536-6038
Town: Pine Bluff State: AR County: Jefferson
Railway Connection: None.
Purpose: Handling construction materials and equipment.
Depth Alongside (feet): 8 | | Latitude (decimal): 34.274167
Total Berthing Space (feet): 195 | | Longitude (decimal): -91.97667
Remarks: Construction company equipment storage and maintenance yard is located in rear. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64073 Dock Code: 211 Little Rock District

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 73.5 PWD: 61
Name: **73 River Terminal Dock.**
Location: Right bank, Arkansas River, mile 73.5, approximately 0.6 mile below U.S. Highway 79 Bridge. Datum: CRP
Operator: Not operated.
Owner: T.W. Pelton & Co.
Address: 509 Island Harbor Road Phone: 870/535-1871
Town: Pine Bluff State: AR County: Jefferson
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 34.275278
Total Berthing Space (feet): 100 | | Longitude (decimal): -91.98167
Remarks: A 35,000-square foot, steel frame, metal-covered warehouse with concrete floor is located at rear.
Property was vacant at time of survey (1999).
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64073 Dock Code: 501 Little Rock District

Port: **Missouri/Arkansas R.**
Waterway: **Arkansas River** Mile: 75.2 PWD: 62
Name: **Bunge Corp. Pine Bluff Grain Elevator Dock.**
Location: Left bank, Arkansas River, mile 75.2, approximately 1,500 feet above U.S. Highway 79 Bridge. Datum: CRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: 8900 Trulock Bay Road. Phone: 870/535-3335
Town: Pine Bluff State: AR County: Jefferson
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 34.293889
Total Berthing Space (feet): 600 | | Longitude (decimal): -91.99806
Remarks: Grain elevator at rear consisting of 9 steel tanks has capacity for 4,200,000 bushels.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 64075 Dock Code: 212 Little Rock District

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Atchafalaya River** Mile: 4.5 PWD: 2
Name: **Bunge Corp., Lettsworth Grain Elevator Dock.**
Location: Mile 4.5; left bank, Atchafalaya River, approximately 0.5 mile above Louisiana State Highway 1 Bridge. Datum: CRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: 17783 Louisiana State Highway 418 Phone: 225-492-2186
Town: Lettsworth State: LA County: Pointe Coupee
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 15 | | Latitude (decimal): 30.977778
Total Berthing Space (feet): 500 | | Longitude (decimal): -91.78833
Remarks: Grain elevator at rear, consisting of 10 concrete silos, 15 interstices, has total capacity for 1,500,000 bushels. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20799 Dock Code: 004 New Orleans District

Port: **Missouri/Arkansas R.**
Waterway: **Atchafalaya River** Mile: 5.0 PWD: 3
Name: **Moreau's Material Yard Dock**
Location: Mile 5.0; left bank, Atchafalaya River, below Kansas City Southern Railroad Bridge Datum: CRP
Operator: Moreau's Material Yard
Owner: Rickey Moreau
Address: 586 Peacock Lane Phone: 225-492-3339
Town: Lettsworth State: LA County: Pointe Coupee
Railway Connection: None.
Purpose: Receipt of crushed aggregate.
Depth Alongside (feet): - | | Latitude (decimal): 30.975555
Total Berthing Space (feet): 400 | | Longitude (decimal): -91.79639
Remarks: Open storage area at rear has capacity for 50,000 tons of material. □ □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20799 Dock Code: 005

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Black River** Mile: 7.9 PWD: 18
Name: **Bunge Corp. Book Grain Elevator Dock.**
Location: Right bank, Black River, mile 7.9, approximately 8 miles above juncture with Red River. Datum: CRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: State Highway 124 Phone: 318-339-2217
Town: Acme State: LA County: Catahoula
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 5 | | Latitude (decimal): 31.346944
Total Berthing Space (feet): 675 | | Longitude (decimal): -91.86611
Remarks: Grain elevator at rear, consisting of 9 concrete silos, 14 interstices, and 13 steel tanks, has total capacity for 2,600,000 bushels. □
Year of Last Survey: 1987 Corps of Engrs Waterway Code: 21872 Dock Code: 007 Vicksburg District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 104.5 PWD: 137
Name: **U.S. Army Corps of Engineers, Gasconade Harbor Fuel Dock and Moori**
Location: Left bank, Gasconade River, approximately 0.5 mile above mile 104.5, right bank, Missouri River. Datum: CRP
Operator: U.S. Army Corps of Engineers.
Owner: United States Government.
Address: Foot of Second Street Phone:
Town: Gasconade State: MO County: Gasconade
Railway Connection: None.
Purpose: Mooring government floating equipment; fueling government vessels (See Remarks).
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 38.671667
Total Berthing Space (feet): 460 | | Longitude (decimal): -91.55222
Remarks: Facility is operated on a seasonal basis as necessary. One 2-inch, diesel fuel pipeline extends to bulkhead from one 10,000-gallon storage tank at rear. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50104 Dock Code: 403 St. Louis District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 117.1 PWD: 138
Name: **Central Electric Power Cooperative, Chamois Power Plant Dock.**
Location: Right bank, Missouri River, mile 117.1, approximately 0.8 mile below Chamois, Datum: CRP
Missouri.
Operator: Central Electric Power Cooperative.
Owner: Central Electric Power Cooperative.
Address: Missouri State Highway 100 East Phone: 573/763-5314
Town: Chamois State: MO County: Osage
Railway Connection: Two surface tracks with total capacity for 34 cars serve undertrack pit at open storage
area; connect with Union Pacific Railroad.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.684167
Total Berthing Space (feet): 500 | | Longitude (decimal): -91.75722
Remarks: Open storage area has capacity for 100,000 tons of coal.□□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50117 Dock Code: 001 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 143.0 PWD: 139
Name: **Jefferson City River Terminal Dock.**
Location: Left bank, Missouri River, mile 143.0, approximately 0.8 mile below Jefferson City Datum: CRP
(U.S. Highway 54-63)
Operator: Jefferson City River Terminal, Inc.
Owner: Jefferson City River Terminal, Inc.
Address: 700 Mokane Road. Phone: 573/634-4880
Town: Jefferson City State: MO County: Callaway
Railway Connection: None.
Purpose: Receipt of cement; shipment of grain; mooring barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.584167
Total Berthing Space (feet): 325 | | Longitude (decimal): -92.16861
Remarks: Approximately 80 acres of open area are located in rear of which 4 acres were developed for storage
at time of survey (2000). Ancillary facilities include a 15,000 square foot steel frame metal-covered
warehouse and 2 steel storage silos total capacity 15,000 tons for storage of cement. Operators
fleeting area located at shore moorings below wharf has capacity for 50 barges arranged in tiers 2- and
3-wide.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50143 Dock Code: 602 St. Louis District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 143.4 PWD: 140
Name: **Capital Sand Co. Jefferson City Lower Dock.**
Location: Left bank, Missouri River, mile 143.4, approximately 0.5 mile below Jefferson City Datum: CRP
(U.S. Highway 54-63)
Operator: Capital Sand Co., Inc.
Owner: Capital Sand Co., Inc.
Address: 700 Mokane Road. Phone: 573/634-3020
Town: Jefferson City State: MO County: Callaway
Railway Connection: None.
Purpose: Receipt of sand.
Depth Alongside (feet): 13 | | Latitude (decimal): 38.585
Total Berthing Space (feet): 175 | | Longitude (decimal): -92.17028
Remarks: Open storage area at rear has capacity for 80,000 tons of sand.□□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50143 Dock Code: 601 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 143.8 PWD: 141
Name: **Capital Sand Co. Jefferson City Upper Dock.**
Location: Left bank, Missouri River, mile 143.8, below Jefferson City (U.S. Highway 54-63) Datum: CRP
Bridge.
Operator: Callaway County Sand Co.
Owner: Laughlin Bros.
Address: 700 Mokane Road. Phone: 573/634-3020
Town: Jefferson City State: MO County: Callaway
Railway Connection: None.
Purpose: Mooring vessels and barges.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.586667
Total Berthing Space (feet): 150 | | Longitude (decimal): -92.17444
Remarks: -□□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50143 Dock Code: 601 St. Louis District

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 148.6 PWD: 142
Name: **Amoco Oil Co., Cedar City Wharf.**
Location: Left bank, Missouri River, mile 148.6, approximately 4.5 miles above Jefferson City Datum: CRP
(U.S. Highway 54-63)
Operator: Not operated.
Owner: Amoco Oil Co.
Address: U.S. Highway 63. Phone: 816/252-4800
Town: Cedar City State: MO County: Callaway
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.642778
Total Berthing Space (feet): 280 | | Longitude (decimal): -92.21611
Remarks: Facility formerly was used for handling petroleum products. Two 8-inch pipelines on wharf were blanked at time of survey (2000). Former access road was impassable at time of survey due to a deteriorated bridge.
Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 50148 Dock Code: 602 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 186.4 PWD: 143
Name: **Columbia Sand co., Rocheport Dock.**
Location: Left bank, Missouri River, mile 186.4, Rocheport, approximately 1.3 miles above Datum: CRP
Interstate Highway 70 Br
Operator: Capital Sand Co., Inc.
Owner: William Sapp.
Address: Foot of Pike Street Phone: 573/634-3020
Town: Rocheport State: MO County: Howard
Railway Connection: None.
Purpose: Receipt of sand.
Depth Alongside (feet): 14 | | Latitude (decimal): 38.973056
Total Berthing Space (feet): 195 | | Longitude (decimal): -92.56194
Remarks: Open storage area in rear has capacity for 65,000 tons of sand.□□
Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 50186 Dock Code: 302 St. Louis District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 196.4 PWD: 144
Name: **Interstate Marine Terminals Dock.**
Location: Left bank, Missouri River, mile 196.4, approximately 0.3 mile below Boonville (U.S. Highway 40) Bridge. Datum: CRP
Operator: Interstate Marine Terminals, Inc.
Owner: Howard Cooper Regional Port Authority.
Address: 103 Howard County Road 463. Phone: 660/882-6369
Town: Boonville State: MO County: Howard
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk materials including fertilizer and salt. Receipt of liquid fertilizer and molasses; shipment of grain.
Depth Alongside (feet): 18 | | Latitude (decimal): 38.981944
Total Berthing Space (feet): 300 | | Longitude (decimal): -92.7425
Remarks: One 8-inch pipeline extends from wharf to one 1,500,000 gallon liquid fertilizer storage tank and one 12-inch pipeline with two 6-inch barge connections extends to one 1,500,000 gallon molasses storage tank. Dry bulk fertilizer is stored in one timber and concrete A-frame building and one storage dome, total capacity 11,000 tons. A paved open storage area has capacity for 10,000 tons of salt. In addition, 2 acres of open storage areawere undeveloped at time of survey (2000).
Year of Last Survey: 2000 Corps of Engrns Waterway Code: 50196 Dock Code: 302

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 197.0 PWD: 145
Name: **Capital Sand Co. Boonville Dock.**
Location: Left bank, Missouri River, mile 196.4, below Boonville (U.S. Highway 40) Bridge. Datum: CRP
Operator: Capital Sand Co.
Owner: Howard Cooper Regional Port Authority.
Address: 103 Howard County Road 463. Phone: 573/634-3020
Town: Boonville State: MO County: Cooper
Railway Connection: None.
Purpose: Receipt of sand.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.978889
Total Berthing Space (feet): 175 | | Longitude (decimal): -92.75
Remarks: Open storage area at rear has capacity for 30,000 tons of sand.□□
Year of Last Survey: 2000 Corps of Engrns Waterway Code: 50197 Dock Code: 001 St. Louis District

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 226.2 PWD: 146
Name: **Capital Sand Co., Glasgow Sand Plant Dock.**
Location: Left bank, Missouri River, mile 226.2, below Glasgow (State Highway 240) Bridge. Datum: CRP
Operator: Glasgow Sand Plant.
Owner: Capital Sand Co., Inc.
Address: Old Missouri State Highway 87. Phone: 660/338-2900
Town: Glasgow State: MO County: Chariton
Railway Connection: None.
Purpose: Receipt of sand.
Depth Alongside (feet): 5 | 5 | Latitude (decimal): 39.221111
Total Berthing Space (feet): 250 | - | Longitude (decimal): -92.84833
Remarks: Open storage area at rear has capacity for 31,000 tons of sand.□□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50227 Dock Code: 002 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 226.4 PWD: 147
Name: **Glasgow Cooperative Association Dock.**
Location: Left bank, Missouri River, mile 226.4, above Gateway Western Railway Bridge. Datum: CRP
Operator: Glasgow Cooperative Association.
Owner: Glasgow Cooperative Association.
Address: 102 Second Street Phone: 660/338-2251
Town: Glasgow State: MO County: Howard
Railway Connection: One surface track with capacity for 15 cars serves loading spout, connects with Gateway Western Railway.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.223333
Total Berthing Space (feet): 200 | | Longitude (decimal): -92.84806
Remarks: Grain elevator at rear, consisting of 63 concrete silos and interstices, has capacity for 1,220,000 bushels.□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50226 Dock Code: 402 St. Louis District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 226.5 PWD: 148
Name: **U.S. Army Corps of Engineers Glasgow Project Office Dock.**
Location: Left bank, Missouri River, mile 226.5, Glasgow, approximately 1,000 feet above Datum: CRP
above Gateway Western Rai
Operator: U.S. Army Corps of Engineers.
Owner: United States Government.
Address: Waterfront Street Phone:
Town: Glasgow State: MO County: Howard
Railway Connection: None.
Purpose: Mooring government floating equipment; handling supplies and equipment.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.224167
Total Berthing Space (feet): 110 | | Longitude (decimal): -92.84806
Remarks: U.S. Army Corps of Engineers field office and storage shed located at rear. □ □
Year of Last Survey: 2000 Corps of Engrns Waterway Code: 50226 Dock Code: 401 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 256.2 PWD: 149
Name: **AgriServices of Brunswick Dock.**
Location: Left bank, Missouri River, mile 256.2, approximately 6 miles above mouth of Grand Datum: CRP
River.
Operator: AgriServices of Brunswick LLC.
Owner: Brunswick River Terminal, Inc.
Address: U.S, Highway 24 West. Phone: 660/549-3351
Town: Brunswick State: MO County: Carroll
Railway Connection: Two surface tracks with total capacity for 24 cars serve 2 undertrack pits; connect with
Norfolk Southern Railway.
Purpose: Receipt of dry bulk and liquid fertilizer. Occasional shipment of grain. (See Remarks).
Depth Alongside (feet): 30 | | Latitude (decimal): 39.406389
Total Berthing Space (feet): 910 | | Longitude (decimal): -93.1975
Remarks: Steel and concrete A-frame storage building at rear has capacity for 45,000 tons of fertilizer. One 6-
inch pipeline extends from wharf to 3 steel liquid fertilizer storage tanks, total capacity 15,000 tons.
Grain elevator consisting of 9 steel tanks with total capacity of 900,000 bushels is not physically
connected to wharf; however, grain is shipped via direct transfer between truck and barge. At time of
survey (2000), approximately 5 acres of open storage area was undeveloped.
Year of Last Survey: 2000 Corps of Engrns Waterway Code: 50256 Dock Code: 402 St. Louis District

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 262.8 PWD: 150
Name: **Cooperative Association Miami Elevator Dock.**
Location: Right bank, Missouri River, mile 262.8, above Miami (Missouri State Highway 41) Datum: CRP
Bridge.
Operator: Cooperative Association.
Owner: Cooperative Association.
Address: 308 North Bluff Street Phone: 660/852-3381
Town: Miami State: MO County: Saline
Railway Connection: None.
Purpose: Shipment of grain (See Remarks).
Depth Alongside (feet): 18 | | Latitude (decimal): 39.3275
Total Berthing Space (feet): 195 | | Longitude (decimal): -93.22556
Remarks: At time of survey (2000), barge loading facility was inactive, however plans called for reactivation within the year. Grain elevator at rear consisting of 18 concrete silos with 20 interstices and two steel tanks has total capacity for 741,000 bushels.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50262 Dock Code: 801 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 27.8 PWD: 130
Name: **St. Charles Sand Co., Plant No. 1B, Dock.**
Location: Mile 27.8, Missouri River, St. Charles, approximately 2,000 feet below St. Charles Datum: CRP
Rock Highway (Missour
Operator: St. Charles Sand Co., Inc.
Owner: St. Charles Sand Co., Inc.
Address: 14580 Missouri Bottom Road Phone: 314/739-0169
Town: Bridgeton State: MO County: St. Louis
Railway Connection: None.
Purpose: Receipt of sand and lightweight aggregate (haydite and arcolite).
Depth Alongside (feet): 15 | | Latitude (decimal): 38.806667
Total Berthing Space (feet): 465 | | Longitude (decimal): -90.45333
Remarks: Open storage area at rear for approximately 50,000 tons of material is located in rear. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50028 Dock Code: 001 St. Louis District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 28.0 PWD: 131
Name: **St. Charles Sand Co., Plant No. 1, Dock.**
Location: Mile 28.0, Missouri River, St. Charles, below St. Charles Rock Highway (State Highway 115) Bridge. Datum: CRP
Operator: St. Charles Sand Co., Inc.
Owner: St. Charles Sand Co., Inc.
Address: Phone: 314/739-0169
Town: Bridgeton State: MO County: St. Louis
Railway Connection: None.
Purpose: Receipt of sand.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.8025
Total Berthing Space (feet): 310 | | Longitude (decimal): -90.45667
Remarks: Open storage area in rear has capacity for approximately 20,000 tons of material. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50028 Dock Code: 001 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 286.9 PWD: 151
Name: **Capital Sand Co., Carrollton Dock.**
Location: Left bank, Missouri River, mile 286.9, approximately 6.5 miles below Waverly (U.S. Highway 24-65) Bridge. Datum: CRP
Operator: Capital Sand Co., Inc.
Owner: Capital Sand Co., Inc.
Address: Phone: 573/634-3020
Town: Carrollton State: MO County: Carroll
Railway Connection: None.
Purpose: Receipt of sand.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.274444
Total Berthing Space (feet): 175 | | Longitude (decimal): -93.48667
Remarks: Open storage area at rear has capacity for 30,000 tons of sand. □□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50286 Dock Code: 902 St. Louis District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 293.2 PWD: 152
Name: **Bartlett and Co., Waverly Dock.**
Location: Right bank, Missouri River, mile 293.2, approximately 1,500 feet below Waverly (U.S. Highway 24-65) Bridge Datum: CRP
Operator: Bartlett and Co.
Owner: Bartlett and Co.
Address: 325 Thomas Drive Phone: 660/493-2294
Town: Waverly State: MO County: LaFayette
Railway Connection: One surface track with capacity for five cars serves undertrack pit and loading spouts; connects with Union Pacific Railroad.
Purpose: Shipment of grain; receipt of liquid fertilizer.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.214444
Total Berthing Space (feet): 800 | | Longitude (decimal): -93.50917
Remarks: Grain elevator at rear, consisting of 20 concrete silos and 7 interstices has total capacity for 1,380,000 bushels. One 6-inch pipeline extends from upper dolphin to one 5,500-ton-capacity liquid fertilizer storage tank.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50293 Dock Code: 001 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 293.4 PWD: 153
Name: **Mid-Missouri Cooperative, Waverly Dock.**
Location: Right bank, Missouri River, mile 293.4, below Waverly (U.S. Highway 24-65) Bridge. Datum: CRP
Operator: Mid-Missouri Cooperative.
Owner: Mid-Missouri Cooperative.
Address: 215 Thomas Drive Phone: 660/493-2218
Town: Waverly State: MO County: LaFayette
Railway Connection: One surface track with capacity for 12 cars serves loading spout; connects with Union Pacific Railroad.
Purpose: Shipment of grain.
Depth Alongside (feet): 13 - 14 | | Latitude (decimal): 39.213611
Total Berthing Space (feet): 195 | | Longitude (decimal): -93.51417
Remarks: Grain elevator at rear, consisting of 29 concrete silos and interstices, three steel tanks, and one flat storage building has total capacity for 1,100,000 bushels.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50293 Dock Code: 301 St. Louis District

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 31.5 PWD: 132
Name: **LaFarge Corp., St Charles, Dock.**
Location: Left bank, Missouri River, mile 31.5, St. Charles, approximately 1.6 miles above Interstate Highway 70 B Datum: CRP
Operator: LaFarge Construction Materials Group/Missouri Division
Owner: LaFarge Construction Materials Group/Missouri Division
Address: 2115 South River Road Phone: 636/940-0073
Town: St. Charles State: MO County: St. Charles
Railway Connection: None.
Purpose: Receipt of sand.
Depth Alongside (feet): 17 - 20 | | Latitude (decimal): 38.77
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.49
Remarks: Barges anchor 40 feet offshore crane moors inboard of barges and unloads into hopper on shore.
Limestone quarry and open storage area for 80,000 tons of sand located in rear.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50031 Dock Code: 602 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 317.2 PWD: 154
Name: **Lexington Sand Co., Dock.**
Location: Left bank, Missouri River, mile 317.2, below Lexington (Missouri State Highway 13) Bridge Datum: CRP
Operator: Lexington Sand Co., division of Capital Sand Co., Inc.
Owner: Lexington Sand Co., division of Capital Sand Co., Inc.
Address: Missouri State Highway 13 Phone: 573/634-3020
Town: Lexington State: MO County: Ray
Railway Connection: None.
Purpose: Receipt of sand.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.1875
Total Berthing Space (feet): 175 | | Longitude (decimal): -93.89639
Remarks: Open storage area at rear has capacity for 70,000 tons of sand. □ □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50317 Dock Code: 201 St. Louis District

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 318.2 PWD: 155
Name: **MFA Lexington Grain Elevator Dock.**
Location: Right bank, Missouri River, mile 318.2, approximately one mile above Lexington Datum: CRP
(Missouri State Highway 1)
Operator: MFA, Inc.
Owner: MFA, Inc.
Address: 23rd and Monroe Streets Phone: 816/259-2261
Town: Lexington State: MO County: Lafayette
Railway Connection: One surface track with capacity for 5 cars serves loading spout; connects with Union Pacific Railroad.
Purpose: Shipment of grain; receipt of dry bulk fertilizer.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.175278
Total Berthing Space (feet): 180 | | Longitude (decimal): -93.90556
Remarks: Grain elevator at rear consisting of three steel tanks has total capacity for 450,000 bushels. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50318 Dock Code: 201 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 345.3 PWD: 156
Name: **City of Independence, Missouri City Power Station Dock.**
Location: Left bank, Missouri River, mile 345.3, approximately 7.5 miles below Liberty Bend Datum: CRP
(U.S. Highway (91) Bri
Operator: Not operated.
Owner: City of Independence.
Address: 22225 Missouri State Highway 210 Phone: 573/325-7510
Town: Missouri City State: MO County: Clay
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.231667
Total Berthing Space (feet): 75 | | Longitude (decimal): -94.30667
Remarks: At time of survey (2000) facility formerly used for receipt of fuel oil had not been used for 15 years. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50345 Dock Code: 302 St. Louis District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 354.7 PWD: 157
Name: **LaFarge Corp., Sugar Creek Plant Cement Dock.**
Location: Right bank, Missouri River, mile 354.7, approximately 2 miles above Liberty Bend Datum: CRP
(Missouri State Highway)
Operator: LaFarge Corp., Cement Group.
Owner: LaFarge Corp., Cement Group.
Address: 4201 North River Boulevard Phone: 816/252-0333
Town: Sugar Creek State: MO County: Jackson
Railway Connection: Two surface tracks serve cement plant in rear; connect with Burlington Northern Santa Fe Railway.
Purpose: Shipment of cement.
Depth Alongside (feet): 23 | | Latitude (decimal): 39.145833
Total Berthing Space (feet): 400 | | Longitude (decimal): -94.41917
Remarks: Two 10-inch pneumatic pipelines extend to wharf from 20 concrete silos with 8 interstices at cement plant in rear, total capacity 55,000 tons. A 60-foot long steel sheet pile bulkhead located upstream of wharf formerly was used for receipt of coal, but was inactive at time of survey.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50366 Dock Code: 978 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 355.8 PWD: 158
Name: **Sugar Creek River Terminal Dock.**
Location: Right bank, Missouri River, mile 355.8, approximately 3 miles above Liberty Bend Datum: CRP
(Missouri State Highway)
Operator: Farmland Industries Inc.
Owner: Farmland Industries Inc.
Address: 4200 North Cement City Road Phone: 816/461-3570
Town: Sugar Creek State: MO County: Jackson
Railway Connection: Two surface tracks with total capacity for 25 cars serve undertrack pit at bulk storage buildings in rear; connect with Burlington Northern Santa Fe Railway.
Purpose: Receipt of dry bulk fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.135
Total Berthing Space (feet): 715 | | Longitude (decimal): -94.43056
Remarks: Storage dome served from wharf has capacity for 9,000 tons of bulk fertilizer. Two A-frame bulk storage buildings at site, total capacity 8,000 tons are served only by rail and truck.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50366 Dock Code: 955 St. Louis District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 356.5 PWD: 159
Name: **Amoco Oil Co., Sugar Creek Terminal Dock.**
Location: Right bank, Missouri River, mile 356.5, approximately three miles below Harry S. Datum: CRP
Truman Railway Bridge.
Operator: Not operated.
Owner: Amoco Oil Co.
Address: 1000 North Sterling Road Phone: 816/836-6040
Town: Sugar Creek State: MO County: Jackson
Railway Connection: Trackage serving terminal at rear connects with Burlington Northern Santa Fe Railway.
Purpose: Not used.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 39.128056
Total Berthing Space (feet): 428 | | Longitude (decimal): -94.44278
Remarks: Two 8-inch pipelines (not in use at time of survey) extend from wharf to 14 steel storage tanks at terminal in rear; total capacity 1,200,000 barrels. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50366 Dock Code: 917

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 357.6 PWD: 160
Name: **Sheffield Station Industrial Park Barge Wharf.**
Location: Right bank, Missouri River, mile 357.6, approximately 1.8 miles below Harry S. Datum: CRP
Truman Railway Bridge.
Operator: Not operated.
Owner: AK Asset Management Co. dba. Sheffield Station Industrial Park.
Address: 7000 Winner Road Phone: 816/242-5659
Town: Independence State: MO County: Jackson
Railway Connection: Plant trackage connects with Kansas City Terminal Railway; Kansas City Southern Railway; Union Pacific Railway; and Burlington Northern Santa Fe Railway.
Purpose: Not used.
Depth Alongside (feet): 11 | | Latitude (decimal): 39.126389
Total Berthing Space (feet): 480 | | Longitude (decimal): -94.46028
Remarks: Five acres of open storage area are located at rear. At time of survey (2000) entire area was undergoing redevelopment. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50366 Dock Code: 898 St. Louis District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 360.0 PWD: 161
Name: **Holliday Sand and Gravel Co., Lower and Upper Docks.**
Location: Left bank, Missouri River, mile 360.0, approximately 0.3 miles below Interstate Highway 435 Bridge. Datum: CRP
Operator: Holliday Sand and Gravel Co.
Owner: Holliday Sand and Gravel Co.
Address: 7801 N.E. Birmingham Road Phone: 816/454-5250
Town: Randolph State: MO County: Clay
Railway Connection: None.
Purpose: Lower Dock: Receipt of sand and gravel. Upper Dock: Mooring barges.
Depth Alongside (feet): 12 | 10 - 12 | Latitude (decimal): 39.150556
Total Berthing Space (feet): 400 | 300 | Longitude (decimal): -94.49111
Remarks: Open storage area at rear has capacity for 100,000 tons of material. □ □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50366 Dock Code: 150 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 360.6 PWD: 162
Name: **HCI Chemtech Corp., Kansas City Dock.**
Location: Left bank, Missouri River, mile 360.6, approximately 1,500 feet above Interstate Highway 435 Bridge. Datum: CRP
Operator: HCI Chemtech Corp.
Owner: HCI Chemtech Corp.
Address: 6301 N.E. Birmingham Road Phone: 816/454-2418
Town: Kansas City State: MO County: Clay
Railway Connection: One 6-car-capacity surface track serves terminal in rear; connects with Burlington Northern Santa Fe Railway.
Purpose: Receipt of asphalt and caustic soda.
Depth Alongside (feet): 9 | | Latitude (decimal): 39.152778
Total Berthing Space (feet): 300 | | Longitude (decimal): -94.50611
Remarks: One 10-inch pipeline extends from wharf to 5 steel, asphalt storage tanks, total capacity 170,000 barrels. Two 6-inch pipelines extend to 2 caustic soda storage tanks, total capacity 1,276,000 gallons.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50366 Dock Code: 175 St. Louis District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 361.1 PWD: 163
Name: **Harvest States Cooperative, Kansas City Terminal Elevator Dock.**
Location: Left bank, Missouri River, mile 361.1, approximately 0.7 mile below Chouteau Datum: CRP
(Missouri State Highway 269)
Operator: Harvest States Cooperative.
Owner: Harvest States Cooperative.
Address: 5801 N.E. Birmingham Road Phone: 816/452-3122
Town: Kansas City State: MO County: Clay
Railway Connection: Four surface tracks with total capacity for 65 cars serve undertrack pit and loading spouts;
connect with Burlington Northern Santa Fe Railway.
Purpose: Occasional shipment of grain.
Depth Alongside (feet): 8 - 10 | | Latitude (decimal): 39.152222
Total Berthing Space (feet): 850 | | Longitude (decimal): -94.51139
Remarks: Grain elevator at rear consisting of 16 concrete silos with 23 interstices and 126 bins has total capacity
for 3,824,000 bushels.□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50366 Dock Code: 180 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 361.6 PWD: 164
Name: **Cargill Inc., Chouteau Elevator Dock.**
Location: Left bank, Missouri River, mile 361.6, approximately 0.7 mile below Chouteau Datum: CRP
(Missouri State Highway 269)
Operator: Cargill Inc.
Owner: Cargill Inc.
Address: 4801 N.E. Birmingham Road Phone: 816/452-4917
Town: Kansas City State: MO County: Clay
Railway Connection: Four surface tracks with total capacity for 45 cars serve undertrack pit and loading spouts;
connect with Norfolk Southern Railway and Burlington Northern Santa Fe Railway.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.150556
Total Berthing Space (feet): 430 | | Longitude (decimal): -94.52389
Remarks: Grain elevator at rear consisting of 6 concrete silos with 34 interstices and bins and one steel tank
has total capacity for 900,000 bushels.□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50366 Dock Code: 200 St. Louis District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 366.8 PWD: 165
Name: **American Compressed Steel Dock.**
Location: Right bank, Missouri, mile 366.8, approximately 0.5 miles above Broadway Bridge. Datum: CRP
Operator: Not operated.
Owner: American Compressed Steel, Inc.
Address: 1420 Woodswether Road Phone: 816/842-7372
Town: Kansas City State: MO County: Jackson
Railway Connection: One surface track serves facility in rear; connects with Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.11
Total Berthing Space (feet): 36 | | Longitude (decimal): -94.60278
Remarks: Scrap metal processing facility located in rear. □ □
Year of Last Survey: 2000 Corps of Engrns Waterway Code: 50366 Dock Code: 657 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 367.1 PWD: 166
Name: **Mid-West Terminal Warehouse Co. Wharf.**
Location: Right bank, Missouri River, mile 367.1, approximately 0.4 miles below mouth of Kansas River. Datum: CRP
Operator: Mid-West Terminal Warehouse Co.
Owner: Mid-West Terminal Warehouse Co.
Address: 1851 Woodswether Road Phone: 816/474-6895
Town: Kansas City State: MO County: Jackson
Railway Connection: Trackage serving terminal in rear has capacity for 49 cars; connects with Union Pacific Railroad.
Purpose: Receipt of salt and dry bulk fertilizer; receipt and shipment of miscellaneous bulk materials.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.111389
Total Berthing Space (feet): 1,200 | | Longitude (decimal): -94.60528
Remarks: Seven compartmented storage buildings and one storage dome in rear have total capacity for 60,000 tons of bulk materials. □
Year of Last Survey: 2000 Corps of Engrns Waterway Code: 50366 Dock Code: 655 St. Louis District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 367.6 PWD: 167
Name: **Kansas City-Wyandotte County Joint Port Authority Wharf.**
Location: Right bank, Missouri River, mile 367.6 above mouth of Kansas River. Datum: CRP
Operator: Bartlett and Company.
Owner: The Kansas City-Wyandotte County Joint Port Authority.
Address: 1310 Fairfax Trafficway Phone: 913/281-3227
Town: Kansas City State: KS County: Wyandotte
Railway Connection: Trackage with capacity for 72 cars serving undertrack pits and loading spouts at grain elevator in rear connects with Union Pacific Railroad.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.118611
Total Berthing Space (feet): 600 | | Longitude (decimal): -94.60944
Remarks: Grain elevator on opposite side of Fairfax Trafficway in rear consisting of 492 concrete silos and interstices and 7 steel tanks has total capacity for 10,000,000 bushels.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50366 Dock Code: 635 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 368.3 PWD: 168
Name: **Williams Energy Services Co., Kansas City Dock.**
Location: Right bank, Missouri River, mile 368.3 approximately 0.8 above mouth of Kansas River. Datum: CRP
Operator: Not operated.
Owner: Williams Energy Services Co.
Address: 401 East Dovovan Road. Phone: 913/281-0771
Town: Kansas City State: KS County: Wyandotte
Railway Connection: Trackage at terminal in rear connects with Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.126111
Total Berthing Space (feet): 480 | | Longitude (decimal): -94.60361
Remarks: One 8-inch pipeline on wharf was blanked at time of survey (2000). □ □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50366 Dock Code: 621 St. Louis District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 371.8 PWD: 169
Name: **Holliday Sand and Gravel Co.**
Location: Left bank, Missouri River, mile 371.8 below Fairfax (U.S. Highways 69-169) Bridge. Datum: CRP
Operator: Holliday Sand and Gravel Co.
Owner: Holliday Sand and Gravel Co.
Address: 3501 Zeke Road Phone: 816/741-6466
Town: Riverside State: MO County: Platte
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 39.151111
Total Berthing Space (feet): 175 | | Longitude (decimal): -94.49361
Remarks: Open storage area at rear has capacity for 100,000 tons of material. □ □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50366 Dock Code: 508

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 373.0 PWD: 170
Name: **Farmland Industries; Grain Elevator 'X' Dock.**
Location: Right bank, Missouri River, mile 373.3 above Fairfax (U.S. Highways 69-169) Bridge. Datum: CRP
Operator: Farmland Industries.
Owner: Farmland Industries.
Address: 940 Kindelberger Road Phone: 913/321-1696
Town: Kansas City State: KS County: Wyandotte
Railway Connection: Three surface tracks with total capacity for 62 cars serve 2 undertrack pits and 2 loading spouts; connects with Union Pacific Railroad.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.153889
Total Berthing Space (feet): 900 | | Longitude (decimal): -94.63
Remarks: Grain elevator at rear consisting of 220 concrete silos and interstices and 7 steel tanks has total capacity for 10,000,000 bushels. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50366 Dock Code: 520 St. Louis District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 376.7 PWD: 171
Name: **Intercontinental Engineering-Manufacturing Corp. Wharf.**
Location: Left bank, Missouri River, mile 376.7, approximately 2.5 miles above Interstate Highway 635 Bridge. Datum: CRP
Operator: Intercontinental Engineering-Manufacturing Corp.
Owner: Intercontinental Engineering-Manufacturing Corp.
Address: 1000 N.W. Intercon Drive Phone: 816/741-0700
Town: Riverside State: KS County: Platte
Railway Connection: One surface track at rear of wharf joins additional plant trackage; connects with Burlington Northern Santa Fe Railway.
Purpose: Shipment of heavy duty winch equipment; handling miscellaneous heavy lift items.
Depth Alongside (feet): 20 - 25 | | Latitude (decimal): 39.171111
Total Berthing Space (feet): 195 | | Longitude (decimal): -94.65778
Remarks: Fabrication plant for winch equipment and heavy machinery predominately for offshore oil industry located in rear. Five barges can be moored at shore moorings along bank at upper side of wharf.
Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 50375 Dock Code: 602 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 385.0 PWD: 172
Name: **Massman Construction Co., Missouri River Dock.**
Location: Left bank, Missouri River, mile 385.0, above the mouth of Ellis Branch. Datum: CRP
Operator: Massman Construction Co., Inc.
Owner: Massman Construction Co., Inc.
Address: N.W. Missouri State Highway 45 Phone: 816-891-1011
Town: Waldron State: MO County: Platte
Railway Connection: One surface track serves storage yard in rear; connects with Burlington Northern Santa Fe Railway.
Purpose: Handling contractor's supplies and equipment.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.208889
Total Berthing Space (feet): 150 | | Longitude (decimal): -94.78889
Remarks: Contractors equipment storage yard is located in rear.□□
Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 50385 Dock Code: 020 St. Louis District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 386.4 PWD: 173
Name: **Westway Terminal Co. Wolcott Dock.**
Location: Right bank, Missouri River, mile 386.4, above the mouth of Island Creek. Datum: CRP
Operator: Westway Terminal Co.
Owner: Westway Terminal Co.
Address: 10520 Wolcott Drive Phone: 913/299-4334
Town: Wolcott State: KS County: Leavenworth
Railway Connection: One surface track serving 2 loading spouts connects with Union Pacific Railroad.
Purpose: Receipt of calcium chloride and asphalt.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.206111
Total Berthing Space (feet): 400 | | Longitude (decimal): -94.815
Remarks: One 6-inch calcium chloride pipeline extends from wharf to 2 steel storage tanks, total capacity 275,000 gallons, and one 8-inch, asphalt, pipeline extends to 7 steel storage tanks; total capacity 162,820 barrels. One 4-inch pipeline extends from wharf to truck loading station at rear and one 2-inch auxiliary steam line serves wharf. Additional tankage at terminal is not connected to wharf.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50386 Dock Code: 301 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 386.6 PWD: 174
Name: **ADM/Growmark, Wolcott Elevator Dock.**
Location: Right bank, Missouri River, mile 386.6, approximately 2,000 feet above the mouth of Island Creek. Datum: CRP
Operator: ADM/Growmark, subsidiary of Archer-Daniels-Midland Co.
Owner: ADM/Growmark, subsidiary of Archer-Daniels-Midland Co.
Address: 10520 Wolcott Drive Phone: 913/788-7226
Town: Wolcott State: KS County: Leavenworth
Railway Connection: Three surface tracks, total capacity 60 cars, serve 3 undertrack pits and loading spout, connect with Union Pacific Railroad.
Purpose: Shipment of grain.
Depth Alongside (feet): 9 | | Latitude (decimal): 39.207778
Total Berthing Space (feet): 250 | | Longitude (decimal): -94.81972
Remarks: Grain elevator at rear consisting of 73 concrete silos and interstices and 2 steel tanks has total capacity for 2,300,000 bushels. Additional berthing space for 4 empty and 4 loaded barges is available at shore moorings located above and below wharf respectively.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50386 Dock Code: 401

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 395.9 PWD: 175
Name: **Chemtronics Dock.**
Location: Right bank, Missouri River, mile 395.9, approximately 1.5 miles below Leavenworth Datum: CRP
(Kansas State Highway)
Operator: Chemtronics, Inc.
Owner: Chemtronics, Inc.
Address: 1600 South Second Street Phone: 419/651-3900
Town: Leavenworth State: KS County: Leavenworth
Railway Connection: One surface track, capacity 5 cars, serves terminal at rear, connects with Union Pacific Railroad.
Purpose: Receipt of liquid fertilizer.
Depth Alongside (feet): 9 | | Latitude (decimal): 39.306111
Total Berthing Space (feet): 275 | | Longitude (decimal): -94.90472
Remarks: One 6-inch pipeline extends from work platform to 4 steel storage tanks at rear, total capacity 1,3286,000 gallons.□
Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 50396 Dock Code: 901 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 421.0 PWD: 176
Name: **AGP Grain Cooperative, Barge Dock.**
Location: Right bank, Missouri River, mile 421.0, approximately 1.5 miles below Atchison (U.S. Highway 59) Bridge. Datum: CRP
Operator: AGP Grain Cooperative.
Owner: AGP Grain Cooperative.
Address: 320 Riverfront Road Phone: 913/367-0303
Town: Atchison State: KS County: Atchison
Railway Connection: Three surface tracks, total capacity 81 cars serve undertrack pits, and loading spouts; connect with Union Pacific Railroad.
Purpose: Shipment of grain.
Depth Alongside (feet): 8 - 9 | | Latitude (decimal): 39.536667
Total Berthing Space (feet): 175 | | Longitude (decimal): -95.1075
Remarks: Grain elevator at rear consisting of 36 concrete silos and interstices has capacity for 950,000 bushels.□
Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 50421 Dock Code: 201 St. Louis District

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 421.1 PWD: 177
Name: **AGP Grain Cooperative, North Dock.**
Location: Right bank, Missouri River, mile 421.1, approximately 1.5 miles below Atchison (U.S. Highway 59) Bridge. Datum: CRP
Operator: Not operated
Owner: AGP Grain Cooperative.
Address: 320 Riverfront Road Phone: 913/367-0303
Town: Atchison State: KS County: Atchison
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 8 | | Latitude (decimal): 39.538611
Total Berthing Space (feet): 36 | | Longitude (decimal): -95.10861
Remarks: -□□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50421 Dock Code: 201 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 423.1 PWD: 178
Name: **Maczuk, Industries, Atchison Terminal Dock.**
Location: Right bank, Missouri River, mile 423.1, approximately 0.5 mile above Union Pacific Railroad Bridge. Datum: CRP
Operator: Maczuk, Industries, Inc.
Owner: Maczuk, Industries, Inc.
Address: 800 North River Road Phone: 913/367-2272
Town: Atchison State: KS County: Atchison
Railway Connection: None.
Purpose: Receipt of liquid fertilizer.
Depth Alongside (feet): 9 | | Latitude (decimal): 39.568056
Total Berthing Space (feet): 200 | | Longitude (decimal): -95.11111
Remarks: One 8-inch pipeline extends from wharf to 5 steel storage tanks at rear, total capacity 1,965,000 gallons.□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50423 Dock Code: 101 St. Louis District

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 43.8 PWD: 133
Name: **St. Charles Sand Co., Plant No. 2, Wharf.**
Location: Right bank, Missouri River, mile 43.8, Weldon Spring, below Weldon Spring Highway Datum: CRP
(U.S. Highway 40-61) B
Operator: St. Charles Sand Co., Inc.
Owner: St. Charles Sand Co., Inc.
Address: 17971 North Outer U.S. Highway 40 Phone: 314/739-0169
Town: Weldon Spring State: MO County: Jefferson
Railway Connection: None.
Purpose: Receipt of sand.
Depth Alongside (feet): 7 - 9 | | Latitude (decimal): 38.685833
Total Berthing Space (feet): 300 | - | Longitude (decimal): -90.66139
Remarks: Open storage area has capacity for approximately 80,000 tons of material.□□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50043 Dock Code: 801 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 446.0 PWD: 179
Name: **Ag Processing, St. Joseph Dock.**
Location: Left bank, Missouri River, mile 446.0, approximately 2 miles below St. Joseph (U.S. Highway 36) Bridge. Datum: CRP
Operator: Not operated
Owner: Ag Processing, Inc.
Address: 900 Lower Lake Road Phone: 816/233-1700
Town: St. Joseph State: MO County: Buchanan
Railway Connection: Plant trackage in rear connects with Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.7275
Total Berthing Space (feet): 697 | | Longitude (decimal): -94.87778
Remarks: One 6-inch pipeline extends to wharf from 2 steel, soybean oil, storage tanks at processing plant in rear, total capacity 11,750 tons; in addition one 200-ton soybean meal storage tank is located at plant.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50446 Dock Code: 002 St. Louis District

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 446.6 PWD: 180
Name: **Bartlett and Co., St. Joseph Wharf.**
Location: Left bank, Missouri River, mile 446.6, approximately 1.3 miles below St. Joseph (U.S. Datum: CRP Highway 36) Bridge
Operator: Bartlett and Co.
Owner: Bartlett and Co.
Address: 1005 Lake Road Phone: 816/238-4561
Town: St. Joseph State: MO County: Buchanan
Railway Connection: Four surface tracks with total capacity for 75 empty and 40 loaded cars serve 4 undertrack pits, and 3 loading spouts connect with Union Pacific Railroad.
Purpose: Shipment of grain.
Depth Alongside (feet): 9 - 13 | | Latitude (decimal): 39.733056
Total Berthing Space (feet): 190 | | Longitude (decimal): -94.86917
Remarks: Grain elevator at rear consisting of 69 concrete silos with 44 interstices and three steel tanks has capacity for 3,944,000 bushels.□
Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 50446 Dock Code: 602 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 447.5 PWD: 181
Name: **Holliday Sand and Gravel Co., St. Joseph Plant 8, Dock.**
Location: Left bank, Missouri River, mile 447.5, approximately 0.5 mile below St. Joseph (U.S. Datum: CRP Highway 36) Bridge.
Operator: Holliday Sand and Gravel Co.
Owner: Holliday Sand and Gravel Co.
Address: Second and Walnut Streets Phone: 816/232-7771
Town: St. Joseph State: MO County: Buchanan
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.745556
Total Berthing Space (feet): 100 | | Longitude (decimal): -94.85889
Remarks: Open storage area at rear has capacity for 75,000 tons of material.□□
Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 50447 Dock Code: 002 St. Louis District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 488.0 PWD: 182
Name: **White Cloud Grain Co. Dock.**
Location: Right bank, Missouri River, mile 488.0, approximately 2 miles below Kansas-
Nebraska State line Datum: CRP
Operator: White Cloud Grain Co., Inc.
Owner: White Cloud Grain Co., Inc.
Address: 101 Kansas State Highway 7 Phone: 785/742-3000
Town: White Cloud State: KS County: Doniphan
Railway Connection: None.
Purpose: Shipment of grain; receipt of dry bulk and liquid fertilizer.
Depth Alongside (feet): 6 | | Latitude (decimal): 39.978611
Total Berthing Space (feet): 195 | | Longitude (decimal): -95.29278
Remarks: Grain elevator at rear consisting of 12 concrete silos with 16 interstices has total capacity for 800,000 bushels. One 6-inch pipeline extends from wharf to 5 steel, liquid fertilizer, storage tanks at rear, total capacity 9,600 tons. One concrete and timber storage building in rear has capacity for 10,000 tons of dry bulk fertilizer.
Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 50488 Dock Code: 001 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 503.0 PWD: 183
Name: **Maczuk Industries, Craig Terminal Dock.**
Location: Left bank, Missouri River, mile 503.0, approximately 5 miles above Rulo (U.S.
Highway 159) Bridge. Datum: CRP
Operator: Maczuk, Industries, Inc.
Owner: Maczuk, Industries,
Address: 19654 Candle Road Phone: 816/683-5341
Town: Craig State: MO County: Holt
Railway Connection: None.
Purpose: Receipt of liquid fertilizer.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.1175
Total Berthing Space (feet): 210 | | Longitude (decimal): -95.39139
Remarks: One 6-inch pipeline on loading platform connects with four 6-inch pipelines extending to 5 steel storage tanks at terminal in rear, total capacity 2,529,800 gallons.
Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 51503 Dock Code: 022 St. Louis District

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 535.1 PWD: 184
Name: **Brownville Development Corp. Riverboat Dock.**
Location: Right bank, Missouri River, mile 535.1, approximately 1000 feet below Brownville Datum: CRP
(U.S. Highway 136) Brid
Operator: Brownville Development Corp.
Owner: Brownville Development Corp.
Address: Phone: 402/825-6441
Town: Brownville State: NE County: Nemaha
Railway Connection: None.
Purpose: Landing for excursion vessels.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.396389
Total Berthing Space (feet): 175 | | Longitude (decimal): -95.65111
Remarks: MV 'Spirit of Brownville' and MV 'Belle of Brownville' operate summer river cruise schedule from wharf.
Brownville Recreation Area at rear is administered by State of Nebraska Game and Parks Department.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51535 Dock Code: 001 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 535.2 PWD: 185
Name: **Searcy Grain, Dock.**
Location: Right bank, Missouri River, mile 535.2, below Brownville (U.S. Highway 136) Bridge. Datum: CRP
Operator: Searcy Grain
Owner: Searcy Grain
Address: East Main Street at Missouri River Phone: 402/825-3351
Town: Brownville State: NE County: Nemaha
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.398056
Total Berthing Space (feet): 195 | | Longitude (decimal): -95.65222
Remarks: Grain elevator in rear consisting of a concrete storage building with 7 bins and 7 steel storage tanks
has total capacity for 357,000 bushels. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51535 Dock Code: 201 St. Louis District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 535.4 PWD: 186
Name: **Bunge Corp., Brownville Elevator Dock.**
Location: Right bank, Missouri River, mile 535.4, above Brownville (U.S. Highway 136) Bridge. Datum: CRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: 415 North First Street Phone: 402/825-3661
Town: Brownville State: NE County: Nemaha
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.400833
Total Berthing Space (feet): 280 | | Longitude (decimal): -95.655
Remarks: Grain elevator atop hill at rear consisting of 8 concrete silos with 10 interstices and 17 steel tanks has capacity for 842,000 bushels.□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51535 Dock Code: 501 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 561.8 PWD: 187
Name: **DeBruce Grain, Nebraska City Elevator Dock.**
Location: Right bank, Missouri River, mile 561.8, below Old State Highway 2 Bridge. Datum: CRP
Operator: DeBruce Grain, Inc.
Owner: DeBruce Grain, Inc.
Address: 500 First Terrace Phone: 402/873-6684
Town: Nebraska City State: NE County: Otoe
Railway Connection: Two surface tracks, total capacity 75 cars, serves undertrack pits and loading spouts; connects with Union Pacific Railroad.
Purpose: Shipment of grain.
Depth Alongside (feet): 8 | | Latitude (decimal): 40.672778
Total Berthing Space (feet): 550 | | Longitude (decimal): -95.83667
Remarks: Grain elevator at rear consisting of 42 concrete silos with 12 interstices has capacity for 956,000 bushels.□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51562 Dock Code: 101 St. Louis District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 562.3 PWD: 189
Name: **Bartlett and Co., Nebraska City Dock.**
Location: Right bank, Missouri River, mile 562.3, approximately 0.5 miles below Old Nebraska State Highway 2 Bridge Datum: CRP
Operator: Bartlett and Co.
Owner: Bartlett and Co.
Address: North First Street Phone: 402/873-3465
Town: Nebraska City State: NE County: Otoe
Railway Connection: One 9-car-capacity surface track serves undertrack pit and loading spout; connects with Union Pacific Railroad.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.678333
Total Berthing Space (feet): 200 | | Longitude (decimal): -95.84472
Remarks: Grain elevator at rear consisting of 18 concrete bins and 2 steel tanks has capacity for 900,000 bushels. □
Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 51562 Dock Code: 401 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 562.3 PWD: 188
Name: **DeBruce Ag Service, Dock.**
Location: Right bank, Missouri River, mile 562.3, approximately 0.5 mile above Old State Highway 2 Bridge. Datum: CRP
Operator: DeBruce Ag Service, Inc.
Owner: City of Nebraska City.
Address: 200 East Central Avenue Phone: 402/873-3434
Town: Nebraska City State: NE County: Otoe
Railway Connection: One surface track on apron and one at rear of storage building, total capacity 8 cars, connects with Union Pacific Railroad.
Purpose: Receipt of dry bulk fertilizer and steel products; receipt and shipment of miscellaneous dry bulk materials and occasionally general cargo.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.677222
Total Berthing Space (feet): 590 | | Longitude (decimal): -95.84389
Remarks: Three bulk fertilizer storage buildings at rear have total capacity for 102,000 tons of fertilizer. □
Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 51562 Dock Code: 301 St. Louis District

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 562.7 PWD: 190
Name: **American Commercial Terminals, Nebraska City, Tank Farm Dock.**
Location: Right bank, Missouri River, mile 562.7, approximately 0.9 mile below Old Nebraska State Highway 2 Bridge Datum: CRP
Operator: American Commercial Terminals, LLC.
Owner: City of Nebraska City.
Address: 600 North First Street Phone: 402/341-1300
Town: Nebraska City State: NE County: Otoe
Railway Connection: One 10-car-capacity surface track serves terminal at rear, connects with Union Pacific Railroad.
Purpose: Receipt of liquid livestock feed.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.682778
Total Berthing Space (feet): 130 | | Longitude (decimal): -95.84694
Remarks: Two 6-inch pipelines connect dolphins with 4 steel storage tanks, total capacity 15,000 tons. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51562 Dock Code: 601 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 584.5 PWD: 191
Name: **Haveman Grain Co., Rock Bluff Grain Elevator, Dock.**
Location: Right bank, Missouri River, mile 584.5, approximately 6 miles below Plattsmouth (U.S. Highway 34) Bridge Datum: CRP
Operator: Haveman Grain Co.
Owner: Haveman Grain Co.
Address: 4414 Rock Bluff Road. Phone: 402/235-2549
Town: Rock Bluff State: NE County: Cass
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.931111
Total Berthing Space (feet): 825 | | Longitude (decimal): -95.84056
Remarks: Grain elevator at rear consisting of 8 concrete silos with 4 interstices has capacity for 250,000 bushels. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51584 Dock Code: 501 St. Louis District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 595.3 PWD: 192
Name: **PCS Nitrogen, Bellevue Plant Dock.**
Location: Right bank, Missouri River, mile 595.3, above mouth of Platte River. Datum: CRP
Operator: Not operated
Owner: PCS Nitrogen Fertilizer LP
Address: 202 Allied Road Phone: 402/491-0227
Town: Bellevue State: NE County: Sarpy
Railway Connection: Trackage serving plant in rear connects with Burlington Northern Santa Fe Railway.
Purpose: Not used.
Depth Alongside (feet): 14 | | Latitude (decimal): 41.065
Total Berthing Space (feet): 360 | | Longitude (decimal): -95.88306
Remarks: At time of survey (2000) plant had ceased operation and the future of the plant and wharf facility was not known. One 8-inch pipeline extends to wharf from 6 steel storage tanks at plant in rear, total capacity 12,922,000 gallons.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51595 Dock Code: 301 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 612.1 PWD: 193
Name: **Westway Feed Products Co. South Omaha Plant Wharf.**
Location: Right bank, Missouri River, mile 612.1, approximately 500 feet below South Omaha Datum: CRP
(U.S. Highway 275) Brid
Operator: Not operated.
Owner: Westway Feed Products Co.
Address: 1201 M Street Phone: 402/733-7377
Town: Omaha State: NE County: Douglas
Railway Connection: One surface track serves 6 loading stations at terminal in rear; connects with Burlington Northern Santa Fe Railway.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.21
Total Berthing Space (feet): 260 | | Longitude (decimal): -95.9275
Remarks: One 12-inch pipeline extends from pier to 9 steel storage tanks at terminal in rear, total capacity 25,000 tons. One 4-inch steam line serves pier.□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51612 Dock Code: 201 St. Louis District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 614.3 PWD: 194
Name: **AGRI Grain Marketing, Council Bluffs Terminal Dock.**
Location: Left bank, Missouri River, mile 614.3, approximately 0.5 mile above Interstate Highway 80 Bridge. Datum: CRP
Operator: AGRI Grain Marketing.
Owner: AGRI Grain Marketing.
Address: 2401 South 37th Street Phone: 712/325-7201
Town: Council Bluffs State: IA County: Pottawattamie
Railway Connection: Nine surface tracks, total capacity 104 cars, serve undertrack pit and loading spout; connect with Union Pacific Railroad.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.237778
Total Berthing Space (feet): 700 | | Longitude (decimal): -95.90972
Remarks: Grain elevator at rear, consisting of 24 concrete silos and interstices and 7 steel tanks, has capacity for 1,600,000 bushels. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51614 Dock Code: 402 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 614.5 PWD: 195
Name: **Agriliance Co., Council Bluffs Terminal Dock.**
Location: Left bank, Missouri River, mile 614.5, approximately 0.6 mile above Interstate Highway 80 Bridge. Datum: CRP
Operator: Agriliance Co.
Owner: Agriliance Co.
Address: 2301 South 37th Street Phone: 712/322-8287
Town: Council Bluffs State: IA County: Pottawattamie
Railway Connection: Two surface tracks, total capacity 10 cars, serve 2 undertrack pits at storage building in rear; connect with Union Pacific Railroad.
Purpose: Receipt of dry bulk fertilizer.
Depth Alongside (feet): 9 - 10 | | Latitude (decimal): 41.240278
Total Berthing Space (feet): 360 | | Longitude (decimal): -95.91
Remarks: Timber and concrete storage building at rear has capacity for 25,000 tons. □ □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51614 Dock Code: 452 St. Louis District

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 614.6 PWD: 196
Name: **Ameristar Casino Boat Slip.**
Location: Right bank, Missouri River, mile 614.6, approximately 0.7 mile above Interstate Highway 80 Bridge. Datum: CRP
Operator: Ameristar Casino.
Owner: Ameristar Casino.
Address: 2200 River Road Phone: 712/329-4560
Town: Council Bluffs State: IA County: Pottawattamie
Railway Connection: None.
Purpose: Mooring Casino Boat 'Ameristar II'.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.241667
Total Berthing Space (feet): 300 | | Longitude (decimal): -95.91056
Remarks: Casino boat provides periodic river excursions. □ □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51614 Dock Code: 601 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 616.2 PWD: 197
Name: **American Commercial Terminals, Omaha Terminal Dock.**
Location: Right bank, Missouri River, mile 616.2, approximately 1,700 feet above Interstate Highway 480 Bridge. Datum: CRP
Operator: American Commercial Terminals, LLC.
Owner: City of Omaha.
Address: 701 Abbott Drive Phone: 402/341-1300
Town: Omaha State: NE County: Douglas
Railway Connection: One surface track on apron joins additional terminal trackage in rear; connects with Union Pacific Railroad.
Purpose: Receipt of steel and paper products, baler twine and miscellaneous general cargo.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.264444
Total Berthing Space (feet): 575 | | Longitude (decimal): -95.92306
Remarks: Two steel-frame, clear span, metal-covered storage warehouses, each with 20,000-square feet of storage space located at rear. Approximately 20,000 square feet of open storage area located at rear of lower end.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51616 Dock Code: 301 St. Louis District

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 616.3 PWD: 198
Name: **American Commercial Terminals, Omaha Grain Dock.**
Location: Right bank, Missouri River, mile 616.3, approximately 2,100 feet above Interstate Highway 480 Bridge. Datum: CRP
Operator: American Commercial Terminals, LLC.
Owner: City of Omaha.
Address: Phone: 402/341-1300
Town: Omaha State: NE County: Douglas
Railway Connection: One surface track serves undertrack pit at rear; joins additional terminal trackage; connects with Union Pacific Railroad.
Purpose: Shipment of grain, alfalfa pellets, and bone meal.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.265278
Total Berthing Space (feet): 150 | | Longitude (decimal): -95.92361
Remarks: -□□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51616 Dock Code: 301 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 616.4 PWD: 199
Name: **American Commercial Terminals, Omaha Loading Platform Dock.**
Location: Right bank, Missouri River, mile 616.4, approximately 2,200 feet above Interstate Highway 480 Bridge. Datum: CRP
Operator: American Commercial Terminals, LLC.
Owner: City of Omaha.
Address: Phone: 402/341-1300
Town: Omaha State: NE County: Douglas
Railway Connection: Trackage serving terminal in rear connects with Union Pacific Railroad.
Purpose: Occasional receipt and shipment of dry bulk fertilizer and other miscellaneous dry bulk materials.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.266111
Total Berthing Space (feet): 180 | | Longitude (decimal): -95.92306
Remarks: -□□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51616 Dock Code: 301 St. Louis District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 616.4 PWD: 200
Name: **Carbogen, North Omaha Plant, Dock.**
Location: Right bank, Missouri River, mile 616.4, approximately 2,500 feet above Interstate Highway 480 Bridge. Datum: CRP
Operator: Not operated.
Owner: City of Omaha.
Address: 701 Abbott Drive Phone: 402/341-1300
Town: Omaha State: NE County: Douglas
Railway Connection: Two surface tracks, total capacity 14 cars, serve terminal at rear; connect with Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 11 | | Latitude (decimal): 41.266389
Total Berthing Space (feet): 175 | | Longitude (decimal): -95.92278
Remarks: Wharf formerly was used for receipt of molasses and livestock feed. One 12-inch, pipeline blanked at time of survey (2000) extends from wharf to 18 steel storage tanks at terminal in rear, total capacity 52,060 tons. Storage tanks are being used for storage of asphalt in a land-based operation.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51616 Dock Code: 401 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 616.5 PWD: 201
Name: **American Commercial Terminals, Omaha Fertilizer Dock.**
Location: Right bank, Missouri River, mile 616.5, approximately 2,800 feet above Interstate Highway 480 Bridge. Datum: CRP
Operator: American Commercial Terminals, LLC.
Owner: City of Omaha.
Address: 701 Abbott Drive Phone: 402/341-1300
Town: Omaha State: NE County: Douglas
Railway Connection: Two marginal surface tracks, total capacity 11 cars, serve undertrack pit at rear, join additional terminal trackage; connect with Union Pacific Railroad.
Purpose: Receipt of dry bulk fertilizer and livestock feed.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.267222
Total Berthing Space (feet): 235 | | Longitude (decimal): -95.92222
Remarks: Two timber A-frame storage buildings at rear have total capacity for 49,200 tons of material. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51616 Dock Code: 301 St. Louis District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 624.0 PWD: 202
Name: **American Commercial Terminals, Heartland Terminal Dock.**
Location: Right bank, Missouri River, mile 624.0, approximately 2.5 mile below Mormon Datum: CRP
(Interstate Highway 680) Bri
Operator: American Commercial Terminals, LLC.
Owner: American Commercial Terminals, LLC.
Address: 6801 North 9th Street Phone: 402/341-1300
Town: Omaha State: NE County: Douglas
Railway Connection: Two surface tracks, total capacity 8 cars serve undertrack pit in rear; connect with Union Pacific Railroad.
Purpose: Receipt of dry bulk fertilizer and livestock feed.
Depth Alongside (feet): 9 | | Latitude (decimal): 41.32
Total Berthing Space (feet): 400 | | Longitude (decimal): -95.92417
Remarks: Two steel A-frame, metal-covered storage buildings at rear have total capacity for 33,000 tons of dry bulk material. In addition, two 60,000-square foot, asphalt-paved, open storage areas are located adjacent to buildings.
Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 51624 Dock Code: 001 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 624.2 PWD: 203
Name: **LaFarge Corp., Omaha Terminal Dock.**
Location: Right bank, Missouri River, mile 624.2, approximately 2.3 miles below Mormon Datum: CRP
(Interstate Highway 680) Br
Operator: LaFarge Corp.
Owner: LaFarge Corp.
Address: 1106 Ida Street Phone: 402/453-6433
Town: Omaha State: NE County: Douglas
Railway Connection: One surface track, total capacity 13 cars, connects with Union Pacific Railroad.
Purpose: Receipt of cement.
Depth Alongside (feet): 16 | | Latitude (decimal): 41.321389
Total Berthing Space (feet): 300 | | Longitude (decimal): -95.92806
Remarks: Cement distribution terminal in rear consisting of 4 concrete silos with one interstice has capacity for 19,800 tons. □
Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 51624 Dock Code: 201 St. Louis District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 626.8 PWD: 205
Name: **U.S. Coast Guard Moorings - Omaha.**
Location: Right bank, mile 626.8 lower side of rectangular basin located 2,000 feet above Mormon (Interstate Highw Datum: CRP
Operator: U.S. Coast Guard.
Owner: United States Government.
Address: 9801 Pershing Drive Phone: 402/451-7083
Town: Omaha State: NE County: Douglas
Railway Connection: None.
Purpose: Handling navigational aids, supplies and equipment; mooring U.S. Coast Guard Cutter 'Gasconade'.
Depth Alongside (feet): 8 | | Latitude (decimal): 41.350556
Total Berthing Space (feet): 175 | | Longitude (decimal): -95.95083
Remarks: One 4-inch sewer line serves wharf. U.S. Coast Guard Equipment repair maintenance and storage facilities located at rear.□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51626 Dock Code: 901

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 626.9 PWD: 206
Name: **U.S. Army Corps of Engineers, Missouri River Project Office, Dock.**
Location: Right bank, Missouri River, mile 626.9, inner side of rectangular basin located 2,000 feet above Mormon Datum: CRP
Operator: U.S. Army Corps of Engineers, Omaha District.
Owner: United State Government.
Address: 9901 Pershing Drive Phone: 402/453-9202
Town: Omaha State: NE County: Douglas
Railway Connection: None.
Purpose: Handling construction supplies and equipment; mooring government floating equipment.
Depth Alongside (feet): 8 | | Latitude (decimal): 41.351944
Total Berthing Space (feet): 150 | | Longitude (decimal): -95.95167
Remarks: U.S. Army Corps of Engineers heavy equipment repair maintenance and storage facilities located at rear.□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51626 Dock Code: 801 St. Louis District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 640.5 PWD: 207
Name: **Fort Calhoun Stone Co., Quarry Dock.**
Location: Right bank, Missouri River, mile 640.5, approximately 8 miles below Blair (U.S. Highway 30) Bridge. Datum: CRP
Operator: Fort Calhoun Stone Co.
Owner: Fort Calhoun Stone Co.
Address: Phone: 402/468-5153
Town: Fort Calhoun State: NE County: Washington
Railway Connection: None.
Purpose: Shipment of stone, predominantly for bank protection.
Depth Alongside (feet): 10 | | Latitude (decimal): 41.4725
Total Berthing Space (feet): 195 | | Longitude (decimal): -96.0075
Remarks: Open storage area at quarry in rear has capacity for 50,000 tons of stone.□□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51640 Dock Code: 501 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 646.5 PWD: 204
Name: **Pentzien Omaha Dock.**
Location: Right bank, Missouri River, mile 624.5, approximately 2 miles below Mormon (Interstate Highway 680) Brid Datum: CRP
Operator: Pentzien, Inc.
Owner: Pentzien, Inc.
Address: 1500 Read Street Phone: 402/451-2838
Town: Omaha State: NE County: Douglas
Railway Connection: None.
Purpose: Handling construction materials and equipment.
Depth Alongside (feet): 16 | | Latitude (decimal): 41.324167
Total Berthing Space (feet): 300 | | Longitude (decimal): -95.93278
Remarks: Approximately 2.2 acres of storage area for supplies located at rear. Additional storage area for equipment and supplies and equipment maintenance facilities located on opposite side of levee.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51624 Dock Code: 801 St. Louis District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 647.7 PWD: 208
Name: **Terra Nitrogen Corp., Blair Terminal Dock.**
Location: Right bank, Missouri River, mile 647.7, approximately 0.5 mile below Blair (U.S. Highway 30) Bridge. Datum: CRP
Operator: Not operated.
Owner: Terra Nitrogen Corp.
Address: 250 Industrial Park Road Phone: 402/426-4164
Town: Blair State: NE County: Washington
Railway Connection: Two surface tracks, total capacity 25 cars, serve 4 loading stations at terminal in rear; connect with Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 12 - 16 | | Latitude (decimal): 41.5425
Total Berthing Space (feet): 475 | | Longitude (decimal): -96.09611
Remarks: Wharf formerly was used for receipt of anhydrous ammonia and liquid fertilizer. Pipelines have been removed. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51647 Dock Code: 701 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 648.2 PWD: 209
Name: **Consolidated Blenders, Blair Terminal Dock.**
Location: Right bank, Missouri River, mile 648.2, below Blair (U.S. Highway 30) Bridge. Datum: CRP
Operator: Consolidated Blenders, Inc.
Owner: Consolidated Blenders, Inc.
Address: 650 Marina Road Phone: 402/426-4504
Town: Blair State: NE County: Washington
Railway Connection: None.
Purpose: Shipment of dehydrated alfalfa.
Depth Alongside (feet): 8 | | Latitude (decimal): 41.548889
Total Berthing Space (feet): 350 | | Longitude (decimal): -96.09667
Remarks: Alfalfa storage elevator at rear consisting of 5 steel tanks has capacity for 10,000 tons. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51648 Dock Code: 151 St. Louis District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 68.2 PWD: 134
Name: **Washington Sand Co. Dock.**
Location: Right bank, Missouri River, mile 68.2, Washington, approximately 0.6 mile above Washington Highway (Stat Datum: MLW
Operator: Washington Sand Co., LLC
Owner: Capital Sand Co.
Address: Front and Walnut Streets. Phone: 636/239-6638
Town: Washington State: MO County: Franklin
Railway Connection: None.
Purpose: Receipt of sand.
Depth Alongside (feet): 6 | | Latitude (decimal): 38.564167
Total Berthing Space (feet): 250 | | Longitude (decimal): -91.00583
Remarks: Open storage area has capacity for 20,000 tons of material. □ □
Year of Last Survey: 2000 Corps of Engrns Waterway Code: 50068 Dock Code: 101 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 716.9 PWD: 210
Name: **Ag Processing, Sergeant Bluff Grain Elevator Dock.**
Location: Left bank, Missouri River, mile 716.9, approximately 11.5 miles below Sioux City. Datum: CRP
Operator: Ag Processing, Inc.
Owner: Ag Processing, Inc.
Address: 2753 Port Neal Circle. Phone: 712/943-4282
Town: Sergeant Bluff State: IA County: Woodbury
Railway Connection: Six surface tracks, total capacity 150 cars serves undertrack pit and loading spout at elevator in rear connect with Union Pacific Railroad.
Purpose: Shipment of soybean meal and hulls.
Depth Alongside (feet): 8 | | Latitude (decimal): 42.297778
Total Berthing Space (feet): 1,019 | | Longitude (decimal): -96.35056
Remarks: Soybean meal elevator at rear consisting of 22 concrete silos with 28 interstices and 8 head house bins has total capacity for 3,500,000 bushels. □
Year of Last Survey: 2000 Corps of Engrns Waterway Code: 51717 Dock Code: 602 St. Louis District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 717.0 PWD: 211
Name: **Farmland Industries; Sergeant Bluff, Dock.**
Location: Left bank, Missouri River, mile 717.0, approximately 11.5 miles below Sioux City. Datum: CRP
Operator: Farmland Industries.
Owner: Farmland Industries.
Address: 2735 Port Neal Circle. Phone: 712/943-5624
Town: Sergeant Bluff State: IA County: Woodbury
Railway Connection: Four surface tracks, total capacity 60 cars serves loading spout in rear connects with Union Pacific Railroad.
Purpose: Receipt of dry bulk and liquid fertilizer.
Depth Alongside (feet): 9 | | Latitude (decimal): 42.299167
Total Berthing Space (feet): 350 | | Longitude (decimal): -96.35111
Remarks: Two concrete storage domes at rear have total capacity for 20,000 tons of dry bulk fertilizer. One 10-inch pipeline extends from wharf to one 3,640,000 gallon liquid fertilizer storage tank.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51717 Dock Code: 012

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 727.0 PWD: 212
Name: **Sioux By-Products Dock.**
Location: Left bank, Missouri River, mile 727.0, approximately 1.5 miles below Interstate Highway 129 Bridge. Datum: CRP
Operator: Not operated.
Owner: Sioux By-Products Division of Darling-Delaware, Inc.
Address: 1900 Murray Road Phone: 712/258-7524
Town: Sioux City State: IA County: Woodbury
Railway Connection: One surface track serving 3 loading stations at plant in rear connects with Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 42.425556
Total Berthing Space (feet): 150 | | Longitude (decimal): -96.39111
Remarks: Wharf formerly was used for the shipment of tallow. One 8-inch pipeline extends to wharf from 2 steel storage tanks at plant in rear, total capacity 2,200 tons.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51727 Dock Code: 012 St. Louis District

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 727.4 PWD: 213
Name: **Jebro Dock.**
Location: Left bank, Missouri River, mile 727.4, approximately 1.2 miles below Interstate Highway 129 Bridge. Datum: CRP
Operator: Jebro, Inc.
Owner: Jebro, Inc.
Address: 2303 Bridgeport Drive Phone: 712/277-8855
Town: Sioux City State: IA County: Woodbury
Railway Connection: One 22-car-capacity surface track serves plant in rear; connects with Union Pacific Railroad.
Purpose: Receipt of asphalt.
Depth Alongside (feet): 9 | | Latitude (decimal): 42.431667
Total Berthing Space (feet): 300 | | Longitude (decimal): -96.39472
Remarks: One 8-inch pipeline extends from wharf to 25 steel storage tanks at ready-mix asphalt plant in rear, total capacity 200,000 barrels. One 2-inch auxiliary steam line serves wharf.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51727 Dock Code: 803 St. Louis District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**

Waterway: **Missouri River** Mile: 727.8 PWD: 214

Name: **Big Soo Terminal Dock.**

Location: Left bank, Missouri River, mile 727.8, approximately 0.7 mile below Interstate Highway 129 Bridge. Datum: CRP □

Operator: Terminal Grain Corp. d.b.a. Big Soo Terminal.

Owner: Terminal Grain Corp.

Address: 4101 Harbor Drive Phone: 712/258-0537

Town: Sioux City State: IA County: Woodbury

Railway Connection: Four surface tracks, total capacity 48 cars, serving 5 loading spouts and one undertrack pit connect with Union Pacific Railroad.

Purpose: Handling general cargo; receipt of liquid and dry fertilizer; soybean oil, tallow, paper and steel products, scrap metal, and miscellaneous dry bulk materials, including, salt and feed; Shipment of grain.

Depth Alongside (feet): 8 | | Latitude (decimal): 42.436944

Total Berthing Space (feet): 12 | | Longitude (decimal): -96.38222

Remarks: One 8-inch pipeline extends from lower end of berth to 2 steel, soybean oil storage tanks, total capacity 2,000,000 gallons, and one 8-inch pipeline extends from upper dolphin to 3 steel liquid fertilizer storage tanks, total capacity 2,400,000 gallons and 4 liquid tallow storage tanks total capacity 10,18,7000 gallons. One 3-inch steam line serves upper dolphin. Four, timber, and one steel A-frame fertilizer storage warehouses have total capacity for 129,000 tons. Grain elevator at rear consisting of 6 concrete silos and 2 interstices has total capacity for 200,000 bushels. Approximately 25,000 square feet of asphalt paved, open storage area is located at terminal. One 17,000-square foot, concrete block, transit shed is located at rear of lower end. Fleeting area located at shore moorings above wharf has capacity for 12 barges berthed 2-abreast.

Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51727 Dock Code: 802 St. Louis District

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 731.2 PWD: 215
Name: **Nutra-Flo Co. Dock.**
Location: Left bank, Missouri River, mile 731.2, above mouth of Floyd River. Datum: CRP
Operator: Not operated.
Owner: Kay-Flo Industries.
Address: 514 South Floyd Boulevard Phone: 712/279-1938
Town: Sioux City State: IA County: Woodbury
Railway Connection: Two surface tracks with total capacity for 20 cars serve plant on opposite side of Interstate Highway 29; connect with Union Pacific Railroad.
Purpose: Not used.
Depth Alongside (feet): 8 | | Latitude (decimal): 42.483889
Total Berthing Space (feet): 250 | | Longitude (decimal): -96.39194
Remarks: One 8- and one 6-inch pipelines disconnected at time of survey (2000) extend from center platform to one 300,000-gallon storage tank at plant on opposite side of Interstate Highway 29.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51731 Dock Code: 014 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 731.4 PWD: 216
Name: **Argosy's Belle of Sioux City Casino Boat Dock.**
Location: Left bank, Missouri River, mile 731.4, approximately 1,000 feet above mouth of Floyd River. Datum: CRP
Operator: Argosy's Belle of Sioux City.
Owner: City of Sioux City.
Address: 100 Larsen Park Road Phone: 712/255-0552
Town: Sioux City State: IA County: Woodbury
Railway Connection: None.
Purpose: Landing for Casino Boat 'Belle of Sioux City'.
Depth Alongside (feet): 8 | 8 | Latitude (decimal): 42.484722
Total Berthing Space (feet): 285 | | Longitude (decimal): -96.39389
Remarks: Vessel berths end-to upper side of float and provides periodic river excursions. Larsen Park parking lot located at rear. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 51731 Dock Code: 012 St. Louis District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 8.5 PWD: 129
Name: **Fort Bellefontaine Quarry Dock.**
Location: Right bank, Missouri River, mile 8.5, Fort Bellefontaine, approximately 2,000 feet above Burlington Nort Datum: CRP*
Operator: Fort Bellefontaine Quarry Co.
Owner: Fort Bellefontaine Quarry Co.
Address: 14201 Lewis and Clark Road Phone: 314/741-0700
Town: Ft. Bellefontaine State: MO County: St. Louis
Railway Connection: None.
Purpose: Receipt of sand, occasional shipment of stone.
Depth Alongside (feet): 8 - 9 | 8 - 9 | Latitude (decimal): 38.843333
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -90.24083
Remarks: *Gage 0 = 379.94 MSL (St. Louis). Sand is received at shore moorings along bank approximately 400 feet above wharf. Open storage area in rear has capacity for approximately 15,000 tons of sand. Additional open storage area for stone is available at quarry in rear.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50008 Dock Code: 501 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 81.7 PWD: 135
Name: **Maczuk Industries New Haven Dock.**
Location: Right bank, Missouri River, mile 81.7, New Haven, approximately 0.8 mile below mouth of Big Berger Creek Datum: CRP
Operator: Maczuk Industries, Inc.
Owner: Maczuk Industries, Inc.
Address: 1000 Olive Street Phone: 573/237-2232
Town: New Haven State: MO County: Franklin
Railway Connection: One 10-car-capacity surface track serves terminal in rear; connects with Union Pacific Railroad.
Purpose: Receipt of liquid fertilizer.
Depth Alongside (feet): 8 | | Latitude (decimal): 38.616111
Total Berthing Space (feet): 400 | | Longitude (decimal): -91.21528
Remarks: Two 6-inch pipelines extend from wharf to 21 steel storage tanks at terminal in rear, total capacity 2,247,700 gallons. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50081 Dock Code: 601 St. Louis District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Missouri River** Mile: 96.9 PWD: 136
Name: **Hermann Sand & Gravel Dock.**
Location: Left bank, Missouri River, mile 96.9 approximately one mile below Hermann (U.S. Highway 19) Bridge. Datum: CRP
Operator: Hermann Sand & Gravel, Inc.
Owner: Hermann Sand & Gravel, Inc.
Address: Sand Plant Lane. Phone: 573/486-2913
Town: Hermann State: MO County: Montgomery
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 0 - 7 | | Latitude (decimal): 38.711667
Total Berthing Space (feet): 195 | | Longitude (decimal): -91.42
Remarks: Open storage area at rear has capacity for 30,000 tons of sand.□□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 50096 Dock Code: 902 St. Louis District

Port: **Missouri/Arkansas R.**
Waterway: **Old River** Mile: 4.5 PWD: 1
Name: **Pointe Coupee Parish Port Dock.**
Location: South bank, Lower Old River, mile 4.6; approximately 3 miles west of Old River Lock. Datum: CRP
Operator: ADM/Growmark Inc. and Terral RiverService Inc.
Owner: Pointe Coupee Parish Port.
Address: 19255 Port Road Phone: 225/492-2192
Town: Lettsworth State: LA County: Pointe Coupee
Railway Connection: None.
Purpose: Receipt of aggregate, receipt and shipment of general cargo and miscellaneous dry bulk materials; receipt of liquid fertilizer; shipment of grain and cottonseed.
Depth Alongside (feet): 12 | | Latitude (decimal): 31.002778
Total Berthing Space (feet): 200 | | Longitude (decimal): -91.71444
Remarks: Open storage area in the rear has capacity for approximately 12,000 tons of aggregate. Grain elevator at rear, consisting of 4 concrete silos, with 3 interstices, has total capacity for 250,000 bushels. Ouachita Fertilizer Co., Inc.: One 8-inch pipeline extends from pier to three steel storage tanks at terminal in rear, total capacity 2,565,000 gallons.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20799 Dock Code: 002 New Orleans District

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Ouachita** Mile: 117.7 PWD: 22
Name: **Port of Columbia Dock.**
Location: Left bank, Ouachita River, mile 117.7 on oxbow, 0.5 mile above Columbia Lock and Datum: CRP
Dam.
Operator: Not operated. (See Remarks.)
Owner: Caldwell Parish.
Address: U.S. Highway 165 Phone: 318/649-0101
Town: Riverton State: LA County: Caldwell
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 7 | 3 | Latitude (decimal): 31.633889
Total Berthing Space (feet): 210 | 75 | Longitude (decimal): -91.81333
Remarks: Grain elevator at rear leased by Great River Grain Corp. consisting of 5 steel tanks has capacity for 106,800 bushels. Steel flat storage building in rear leased by Kennedy Rice Dryers, Inc. has capacity for 700,000 bushels. At time of survey (1999), all grain was being handled by truck.
Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 21872 Dock Code: 117

Port: **Missouri/Arkansas R.**
Waterway: **Ouachita** Mile: 142.1 PWD: 23
Name: **International Paper Co. Logtown Fuel Oil Dock.**
Location: Left bank, Ouachita River, mile 142.1, approximately 7 highway miles south of Datum: CRP
Monroe city limit.
Operator: Pickett-Davison Fuel Service.
Owner: International Paper Co.
Address: 3671 Louisiana State Highway 165 Phone: 318/388-3930
Town: Logtown State: LA County: Ouachita
Railway Connection: None.
Purpose: Receipt of No. 6 fuel oil.
Depth Alongside (feet): 17 | | Latitude (decimal): 32.328889
Total Berthing Space (feet): 480 | | Longitude (decimal): -92.08667
Remarks: Two 10-inch pipelines extend from wharf to one 125,000-barrel storage tank in rear. One 8-inch steam line serves wharf. □
Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 21872 Dock Code: 142

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Ouachita** Mile: 150.5 PWD: 24
Name: **Sunshine Oil & Storage Dock.**
Location: Left bank, Ouachita River, mile 150.5, approximately 3 highway miles south of Monroe city limit. Datum: CRP
Operator: Pickett-Davison Fuel Service.
Owner: Sunshine Oil & Storage Inc.
Address: 486 U.S. Highway 165 Phone: 318/387-9467
Town: Rilla State: LA County: Ouachita
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 19 | | Latitude (decimal): 32.410833
Total Berthing Space (feet): 195 | | Longitude (decimal): -92.08833
Remarks: One 10- four 8 and two 6-inch pipelines extend to wharf from 8 steel storage tanks at rear, total capacity 500,000 barrels.□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 21872 Dock Code: 150 Vicksburg District

Port: **Missouri/Arkansas R.**
Waterway: **Ouachita** Mile: 161.8 PWD: 25
Name: **Corps of Engineers Monroe Navigation Field Office Wharf and Moorin**
Location: Left bank, Ouachita River, mile 161.8, left bank, approximately 5 miles below Interstate Highway 20 Brid Datum: CRP
Operator: U.S. Army Corps of Engineers.
Owner: United States Government.
Address: 3505 South Grand Street Phone: 318/322-7880
Town: Monroe State: LA County: Ouachita
Railway Connection: None.
Purpose: Mooring Corps of Engineers floating equipment for maintenance, repair and storage; handling construction materials and supplies.
Depth Alongside (feet): 15 | 15 | 9 - 12 Latitude (decimal): 32.465278
Total Berthing Space (feet): 200 | 500 | 1,000 Longitude (decimal): -92.11556
Remarks: Small boat launch ramp located at lower end. U.S. Army Corps of Engineers Navigation Field Office is located on opposite side of Grand Street in rear.□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 21872 Dock Code: 161

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Ouachita** Mile: 167.1 PWD: 26
Name: **Cornerstone Welding and Boat Yard Dock.**
Location: Right bank, Ouachita River, mile 167.1, right bank, above Illinois Central Railroad Datum: CRP
bridge.
Operator: Not operated.
Owner: Cornerstone Welding and Boat Yard.
Address: 108 North Riverfront Street Phone: 318/324-0504
Town: Monroe State: LA County: Ouachita
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 32.501111
Total Berthing Space (feet): 100 | | Longitude (decimal): -92.12111
Remarks: At time of survey the 300-ton marine railway was inoperative and the property was in litigation.□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 21872 Dock Code: 167 Vicksburg District

Port: **Missouri/Arkansas R.**
Waterway: **Ouachita** Mile: 191.3 PWD: 27
Name: **Koch Nitrogen Co., Sterlington Plant Dock.**
Location: Left bank, Ouachita River, mile 191.3, approximately 1,800 feet below State Highway Datum: CRP
2 Bridge.
Operator: Davison Petroleum Products.
Owner: Koch Nitrogen Co.
Address: 6310 Horseshoe Lake Road Phone: 318/665-4250
Town: Sterlington State: LA County: Ouachita
Railway Connection: Trackage serving plant in rear connects with Union Pacific Railroad.
Purpose: Receipt of caustic soda; Shipment of anhydrous ammonia.
Depth Alongside (feet): 10 | | Latitude (decimal): 32.699444
Total Berthing Space (feet): 400 | | Longitude (decimal): -92.08722
Remarks: One 8-inch pipeline becoming two 6-inch pipelines extends to cell from 3 ammonia storage tanks, total
capacity 50,000 tons and one 10-inch pipeline extends to one 4,000,000-gallon caustic soda storage
tank. One 2-inch compressed air pipeline serves wharf.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 21872 Dock Code: 191

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Ouachita** Mile: 232.6 PWD: 28
Name: **Port of Crosset Public Wharf.**
Location: Mile 232.6, left bank, Ouachita River, approximately < mile below U.S. Highway Bridge. Datum: CRP
Operator: City of Crosset, Arkansas.
Owner: City of Crosset, Arkansas.
Address: U.S. Highway 85, West Phone: 870/364-4830
Town: Sterlington State: AR County: Bradley-Union
Railway Connection: None.
Purpose: Occasional receipt and shipment of general cargo and miscellaneous bulk materials.
Depth Alongside (feet): 9 | | Latitude (decimal): 33.154444
Total Berthing Space (feet): 90 | | Longitude (decimal): -92.10972
Remarks: A 16,000 square foot steel frame, metal-covered warehouse is located at rear.□□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 21872 Dock Code: 232

Port: **Missouri/Arkansas R.**
Waterway: **Ouachita** Mile: 283.2 PWD: 29
Name: **Lion Oil Co., Champagnolle Landing Dock.**
Location: Right bank, Ouachita River, mile 283.2, approximately 2.5 miles above Calion Lock and Dam. Datum: CRP
Operator: Not operated.
Owner: Lion Oil Co.
Address: Champagnolle Landing Phone: 870/864-1372
Town: Calion State: AR County: Union
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 8 - 9 | | Latitude (decimal): 33.313333
Total Berthing Space (feet): 450 | | Longitude (decimal): -92.51972
Remarks: One 8-inch pipeline extends to wharf from 2 calcium chloride storage tanks at rear, total capacity 420,000 gallons. One 8-inch pipeline, formerly used for shipment of crude oil, extends to wharf from 3 steel storage tanks at rear, total capacity 24,000 barrels.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 21872 Dock Code: 283 Vicksburg District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Ouachita** Mile: 81.0 PWD: 21
Name: **Duty Ferry Landings.**
Location: Ouachita River, mile 81.0. Datum: CRP
Operator: State of Louisiana, Department of Transportation and Development.
Owner: State of Louisiana, Department of Transportation and Development.
Address: Phone:
Town: Duty State: LA County: Catahoula
Railway Connection: None.
Purpose: Landings for vehicular ferry.
Depth Alongside (feet): 8 | 8 | Latitude (decimal): 31.633889
Total Berthing Space (feet): 24 | 24 | Longitude (decimal): -91.81333
Remarks: Free ferry operates daily during daylight hours. □ □
Year of Last Survey: 1987 Corps of Engrs Waterway Code: 21872 Dock Code: 081 Vicksburg District

Port: **Missouri/Arkansas R.**
Waterway: **Ouachita River** Mile: 305.4 PWD: 30
Name: **Cross Oil Refining & Marketing Co. Ouachita Terminal, Dock.**
Location: Right bank, Ouachita River, mile 305.4, Millers Bluff. Datum: CRP
Operator: Cross Oil Refining & Marketing Co.
Owner: Cross Oil Refining & Marketing Co.
Address: 477 Ouachita County Highway 71 Phone: 501/725-2236
Town: Luann State: AR County: Ouachita
Railway Connection: None.
Purpose: Receipt and shipment of crude oil and lubricating oil.
Depth Alongside (feet): 12 | | Latitude (decimal): 33.397778
Total Berthing Space (feet): 200 | | Longitude (decimal): -92.63583
Remarks: Four 6- inch pipelines extend from wharf to 2 steel storage tanks, total capacity 80,000 barrels. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 21872 Dock Code: 305

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Ouachita River** Mile: 329.4 PWD: 31
Name: **Camden Port Authority Dock.**
Location: Right bank, Ouachita River, mile 329.4, approximately 1.5 miles above State Highway 45 Bridge. Datum: CRP
Operator: Camden Port Authority.
Owner: City of Camden.
Address: 1 Port of Camden Drive Phone: 870/837-5500
Town: Camden State: AR County: Ouachita
Railway Connection: Trackage serving warehouse in rear connects with Union Pacific Railroad.
Purpose: Occasional receipt and shipment of miscellaneous bulk materials and general cargo.
Depth Alongside (feet): 12 | | Latitude (decimal): 33.581667
Total Berthing Space (feet): 250 | | Longitude (decimal): -92.82611
Remarks: At time of survey (1999), port-owned 29,000-square foot, steel frame, metal-covered warehouse in rear was leased to private operators handling shipment only by truck and rail. Approximately 10,000 square feet of gravel-surfaced open storage area is located adjacent to warehouse.
Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 21872 Dock Code: 329 Vicksburg District

Port: **Missouri/Arkansas R.**
Waterway: **Ouachita River** Mile: 41.9 PWD: 19
Name: **Bunge Corp., Jonesville Grain Elevator Dock.**
Location: Right bank, Ouachita River, mile 41.9, approximately 2,500 feet above junction with Black River. Datum: CRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: State Highway 124 Phone: 318/339-8555
Town: Jonesville State: LA County: Catahoula
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 30 | | Latitude (decimal): 31.633889
Total Berthing Space (feet): 390 | | Longitude (decimal): -91.81333
Remarks: Grain elevator at rear, consisting of 9 steel tanks, has total capacity for 3,000,000 bushels. □
Year of Last Survey: 1987 Corps of Engnrs Waterway Code: 21872 Dock Code: 041

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Ouachita River** Mile: 42.1 PWD: 20
Name: **Eott Energy Corp. Dock.**
Location: Right bank, Ouachita River, mile 42.1, approximately 3,000 feet above junction with Black River. Datum: CRP
Operator: Not operated.
Owner: Eott Energy Corp. Dock.
Address: Phone: 318/534-6203
Town: Jonesville State: LA County: Catahoula
Railway Connection: None.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 25 | | Latitude (decimal): 31.633889
Total Berthing Space (feet): 400 | | Longitude (decimal): -91.81333
Remarks: Wharf was formerly used for shipment of crude oil. One 12-inch pipeline extends to wharf from 3 steel storage tanks in rear, total capacity 20,000 barrels.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 21872 Dock Code: 042 Vicksburg District

Port: **Missouri/Arkansas R.**
Waterway: **Port Channel** Mile: 446.1 PWD: 126
Name: **Catoosa Fertilizer Co. Lower Dock.**
Location: Right side of Port Channel, Mile 446.2, approximately 1,000 feet below head of channel. Datum: CRP
Operator: Catoosa Fertilizer Co.
Owner: The City of Tulsa-Rogers County Port Authority.
Address: 5640 West Channel Road. Phone: 918/266-1244
Town: Catoosa State: OK County: Rogers
Railway Connection: Five surface tracks, total capacity 50 cars, serving undertrack pit and loading spout connect with major carriers through South Kansas and Oklahoma Railroad.
Purpose: Shipment of dry miscellaneous bulk materials including fertilizer.
Depth Alongside (feet): 9 | | Latitude (decimal): 36.240556
Total Berthing Space (feet): 260 | | Longitude (decimal): -95.73833
Remarks: -□□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 61350 Dock Code: 351 Tulsa District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Port Channel** Mile: 446.2 PWD: 127
Name: **Catoosa Fertilizer Co. Dock.**
Location: Right side of Port Channel, Mile 446.3, approximately 800 feet below head of channel. Datum: CRP
Operator: Catoosa Fertilizer Co.
Owner: The City of Tulsa-Rogers County Port Authority.
Address: 5640 West Channel Road Phone: 918/266-1244
Town: Catoosa State: OK County: Rogers
Railway Connection: Five surface tracks, total capacity 50 cars, serving undertrack pit and loading spout connect with major carriers through South Kansas and Oklahoma Railroad.
Purpose: Receipt of dry bulk fertilizer; and other miscellaneous bulk materials; mooring barges for fleeting. (See Remarks.)
Depth Alongside (feet): 9 | | Latitude (decimal): 36.240833
Total Berthing Space (feet): 375 | | Longitude (decimal): -95.73806
Remarks: Concrete and timber A-frame storage building and 6 concrete storage domes in rear have total capacity for 70,000 tons. Turning basin area above wharf is used for fleeting barges end-to bank 2 and 3 wide with capacity for approximately 25 barges.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 61350 Dock Code: 351 Tulsa District

Port: **Missouri/Arkansas R.**
Waterway: **Port Channel** Mile: 446.3 PWD: 128
Name: **Port of Catoosa Upper Liquid Bulk Terminal Dock.**
Location: Mile 446.3, left side at head of Port Channel. Datum: CRP
Operator: Southern Missouri Oil Co. Inc, and Summit Industries, Division of Advance Chemical Di
Owner: The City of Tulsa-Rogers County Port Authority.
Address: 620 North Channel Road Phone: 918/266-1584
Town: Catoosa State: OK County: Rogers
Railway Connection: Separate trackage serving each terminal connects with major carriers through South Kansas and Oklahoma Railroad.
Purpose: Receipt of asphalt, fuel oil, and caustic soda.
Depth Alongside (feet): 12 | | Latitude (decimal): 36.242222
Total Berthing Space (feet): 275 | | Longitude (decimal): -95.73722
Remarks: Upper 3 dolphins have work platforms built into framework. Center dolphin: Southern Missouri Oil Co. - Four 8-inch pipelines extend from wharf to 8 steel storage tanks, total capacity 138,750 barrels. Upper dolphin: Summit Industries, Division of Advance Chemical Distribution, Inc.- Two 6-inch pipelines extend from wharf to 5 steel caustic soda storage tanks, total capacity 43,000 barrels, and one 3-inch pipeline extends to truck loadingstation at rear.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 61350 Dock Code: 340 Tulsa District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Red River** Mile: 152.5 PWD: 10
Name: **Natchitoches Parish Port Commission General Cargo Dock.**
Location: Mile 152.5, left bank, Red River, approximately 0.5 mile above Louisiana State Highway 6 Bridge. Datum: NPL
Operator: Natchitoches Parish Port Commission.
Owner: Natchitoches Parish Port Commission.
Address: Louisiana State Highways 6 and 486. Phone: 318/356-9686
Town: Natchitoches State: LA County: Natchitoches
Railway Connection: One platform level track at the rear of warehouse joins additional terminal trackage, connects with Kansas City Southern Railway.
Purpose: Receipt and shipment of general cargo; Shipment of paper, lumber and other forest products; receipt of sand and crushed stone (See Remarks).
Depth Alongside (feet): 9 | | Latitude (decimal): 31.830833
Total Berthing Space (feet): 230 | | Longitude (decimal): -93.08556
Remarks: Entire facility was under construction at time of survey (1999). A 62,000 square foot steel frame, metal-covered warehouse for general cargo; and approximately 50 acres of undeveloped open storage area are located at rear. Pine Bluff Sand & Gravel Co. utilizes bank below wharf for receipt of sand and crushed stone.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Dock Code: 152

Port: **Missouri/Arkansas R.**
Waterway: **Red River** Mile: 152.6 PWD: 11
Name: **Natchitoches Parish Port Commission Wood Chip Dock.**
Location: Mile 152.6, left bank, Red River, approximately 0.5 mile above Louisiana State Highway 6 Bridge. Datum: NPL
Operator: Natchitoches Parish Port Commission.
Owner: Natchitoches Parish Port Commission.
Address: Louisiana State Highways 6 and 486. Phone: 318/356-9686
Town: Natchitoches State: LA County: Natchitoches
Railway Connection: Trackage serving wood chip mill in rear, connects with Kansas City Southern Railway.
Purpose: Shipment of wood chips.
Depth Alongside (feet): 9 | | Latitude (decimal): 31.831111
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.08556
Remarks: Facility was under construction at time of survey (1999). A wood chip storage area at rear is served by a radial stacker and has capacity for 7,800 tons. A wood chipping mill operated by Price Companies located on property in rear has open storage area for an additional 2,600 tons of wood chips.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Dock Code: 152

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Red River** Mile: 211.0 PWD: 13
Name: **Caddo/Bossier port Commission Liquid Commodities Dock.**
Location: Mile 211.2, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL
Operator: Omni Terminal System.
Owner: Caddo/Bossier Port Commission.
Address: 11110 Doug Attaway Boulevard Phone: 318/524-1100
Town: Shreveport State: LA County: Caddo
Railway Connection: One surface track serving tankage in at rear connects with Union Pacific Railroad.
Purpose: Receipt of petroleum products, caustic soda and ethylene glycol.
Depth Alongside (feet): 12 | | Latitude (decimal): 32.353889
Total Berthing Space (feet): 500 | | Longitude (decimal): -93.62417
Remarks: Two 12- and one 6- inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 127,000 barrels. One 4-inch compressed air pipeline also serves wharf.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Dock Code: 211

Port: **Missouri/Arkansas R.**
Waterway: **Red River** Mile: 211.0 PWD: 12
Name: **Oakley Louisiana Fertilizer Dock**
Location: Mile 211.0, right bank Red River, approximately 14 miles below city of Shreveport Datum: NPL
Operator: Oakley Louisiana Inc.
Owner: Oakley Louisiana Inc.
Address: 11210 Doug Attaway Boulevard Phone: 318/798-1728
Town: Shreveport State: LA County: Caddo
Railway Connection: One surface track serving storage building at rear connects with Union Pacific Railroad.
Purpose: Receipt of bulk fertilizer.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 32.354722
Total Berthing Space (feet): 400 | | Longitude (decimal): -93.62028
Remarks: Storage building in rear has capacity for 27,000 tons of assorted fertilizer materials. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Dock Code: 211

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Red River** Mile: 211.4 PWD: 14
Name: **Caddo/Bossier Port Commission Mooring Dock.**
Location: Mile 211.4, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL
Operator: Caddo/Bossier Port Commission.
Owner: Caddo/Bossier Port Commission.
Address: 11101 Doug Attaway Boulevard Phone: 318/861-4981
Town: Shreveport State: LA County: Caddo
Railway Connection: None.
Purpose: Mooring vessels.
Depth Alongside (feet): 20 | | Latitude (decimal): 32.359167
Total Berthing Space (feet): 325 | | Longitude (decimal): -93.62528
Remarks: At time of survey plans called for eventual use of wharf for handling liquid commodities. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Dock Code: 211

Port: **Missouri/Arkansas R.**
Waterway: **Red River** Mile: 211.5 PWD: 15
Name: **Caddo/Bossier Port Commission Petroleum Dock.**
Location: Mile 211.5, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL
Operator: Red River Terminals.
Owner: Caddo/Bossier Port Commission.
Address: 10921 Doug Attaway Boulevard Phone: 318/797-1311
Town: Shreveport State: LA County: Caddo
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 21 | | Latitude (decimal): 32.36
Total Berthing Space (feet): 430 | | Longitude (decimal): -93.6175
Remarks: Four 12-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 340,000 barrels. One 6-inch slop-; one 3-inch steam- and one 1-inch nitrogen lines also serves wharf.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Dock Code: 211

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Red River** Mile: 211.8 PWD: 16
Name: **Caddo/Bossier Port Commission General Cargo Dock.**
Location: Mile 211.8, right bank Red River, approximately 14 miles below the city of Shreveport. Datum: NPL
Operator: Caddo/Bossier Port Commission and Shreveport Fabricators. (See Remarks)
Owner: Caddo/Bossier Port Commission.
Address: 10905 Doug Attaway Boulevard Phone: 318/861-4981
Town: Shreveport State: LA County: Caddo
Railway Connection: One surface track on apron and one platform level in rear of building connect with Union Pacific Railroad.
Purpose: Receipt and shipment of general cargo and miscellaneous bulk materials including fertilizer and crushed stone; Receipt of steel and other fabrication materials.
Depth Alongside (feet): 22 | | Latitude (decimal): 32.36
Total Berthing Space (feet): 600 | | Longitude (decimal): -93.6175
Remarks: Approximately 3.5 acres of paved open storage are located at rear of upper portion of wharf. The 29,000 square foot steel frame metal-covered building at rear of lower portion was intended for use as a transit shed/warehouse, however at time of survey (1999) was under lease to Shreveport Fabricators for constructing fabrications to be used in the shipbuilding industry. Plans called for construction of a custom built fabrication facility (PWD Ref. No. 18) to be operational in 2001, at which time the building would revert to its intended use.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Dock Code: 211

Port: **Missouri/Arkansas R.**
Waterway: **Red River** Mile: 212.6 PWD: 17
Name: **Caddo/Bossier Port Commission Slack Water Harbor**
Location: Mile 212.6, right bank, Red River, approximately 13 miles below the city of Shreveport. Datum: NPL
Operator: Shreveport Fabricators. (See Remarks)
Owner: Caddo/Bossier Port Commission.
Address: Doug Attaway Boulevard Phone: 318/861-4981
Town: Shreveport State: LA County: Caddo
Railway Connection: None.
Purpose: Receipt of steel and other fabrication materials.
Depth Alongside (feet): 12 | | Latitude (decimal): 32.363333
Total Berthing Space (feet): - | | Longitude (decimal): -93.62028
Remarks: At time of survey (1999), plans called for the facility to be operational in 2001. Details of the wharves and cranes were not available, however similar facilities to those described under PWD Ref. No. 17 were anticipated.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Dock Code: 211

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Red River** Mile: 84.8 PWD: 4
Name: **Luhr Bros., Alexandria Dock**
Location: Mile 84.8, right bank, Red River. Datum: NPL
Operator: Luhr Bros., Inc.
Owner: Luhr Bros., Inc.
Address: 5311 Third Street Phone: 318/487-9263
Town: Alexandria State: LA County: Rapides
Railway Connection: None.
Purpose: Receipt of crushed aggregate.
Depth Alongside (feet): 12 | | Latitude (decimal): 31.273611
Total Berthing Space (feet): 150 | | Longitude (decimal): -92.39694
Remarks: Open storage area at rear has capacity for 80,000 tons of material.□□
Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Dock Code: 084

Port: **Missouri/Arkansas R.**
Waterway: **Red River** Mile: 90.9 PWD: 6
Name: **Alexandria Regional Port Authority POL Dock**
Location: Mile 90.9, right bank, Red River, approximately one mile above Union Pacific Railroad Bridge. Datum: NPL
Operator: Petron, Inc
Owner: Alexandria Regional Port Authority.
Address: Port Road Phone: 318/339-7933
Town: Alexandria State: LA County: Rapides
Railway Connection: One tank at terminal is served by Union Pacific Railroad.
Purpose: Receipt of creosote.
Depth Alongside (feet): 10 - 15 | | Latitude (decimal): 31.339444
Total Berthing Space (feet): 300 | | Longitude (decimal): -92.46167
Remarks: Seven 8-inch pipelines extend from wharf to 3 steel storage tanks total capacity 110,000 barrels.
Facility is capable of handling other liquid cargo, however at time of survey (1999) was handling only creosote.
Year of Last Survey: 2000 Corps of Engnrs Waterway Code: 20870 Dock Code: 091

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Red River** Mile: 91.1 PWD: 7
Name: **Alexandria Regional Port Authority General Cargo Dock.**
Location: Mile 91.1, right bank, Red River, approximately 1.2 miles above Union Pacific Railroad Bridge. Datum: NPL
Operator: Alexandria Regional Port Authority.
Owner: Alexandria Regional Port Authority.
Address: 600 Port Road Phone: 318/473-1848
Town: Alexandria State: LA County: Rapides
Railway Connection: None.
Purpose: Receipt and shipment of heavy-lift items; containers, lumber, and miscellaneous bulk materials including fertilizer, grain and crushed stone.
Depth Alongside (feet): 10 - 15 | | Latitude (decimal): 31.340278
Total Berthing Space (feet): 165 | | Longitude (decimal): -92.46806
Remarks: One 15,000 square steel frame, metal-covered warehouse building and 5 acres of open storage/staging area is located at rear. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Dock Code: 091

Port: **Missouri/Arkansas R.**
Waterway: **Red River** Mile: 91.4 PWD: 8
Name: **Alexandria Regional Port Authority Fertilizer Dock.**
Location: Mile 91.4, right bank, Red River, approximately 1.5 miles above Union Pacific Railroad Bridge. Datum: NPL
Operator: Terral RiverService Inc.
Owner: Alexandria Regional Port Authority.
Address: Port Road Phone: 318/445-7759
Town: Alexandria State: LA County: Rapides
Railway Connection: None.
Purpose: Receipt of bulk fertilizer (ammonium nitrate).
Depth Alongside (feet): 10 - 15 | | Latitude (decimal): 31.341111
Total Berthing Space (feet): 300 | | Longitude (decimal): -92.47028
Remarks: Storage building has storage capacity for 13,000 tons and storage dome for 2,800 tons of material. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Dock Code: 091

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Red River** Mile: 91.5 PWD: 5
Name: **Alexandria Regional Port Authority Lower Dock**
Location: Mile 91.4, right bank, Red River, approximately < mile above Union Pacific Railroad Datum: NPL Bridge.
Operator: Alexandria Regional Port Authority.
Owner: Alexandria Regional Port Authority.
Address: 600 Port Road Phone: 318/473-1848
Town: Alexandria State: LA County: Rapides
Railway Connection: None.
Purpose: Receipt and shipment of vehicles, roll on-roll off cargo; receipt of crushed stone.
Depth Alongside (feet): 10 - 15 | | Latitude (decimal): 31.339444
Total Berthing Space (feet): 110 | | Longitude (decimal): -92.45889
Remarks: Diamond B Construction Co. and B & J Construction Co. each maintain open storage areas of 20- and 10- acres, respectively, for crushed stone at their facilities in port complex. The Alexandria Regional Port Authority maintains open storage/ staging area for other cargo at the nearby General Cargo Dock (PWD Ref No.7).
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Dock Code: 091

Port: **Missouri/Arkansas R.**
Waterway: **Red River** Mile: 92.2 PWD: 9
Name: **Pine Bluff Sand & Gravel Co. Docks**
Location: Mile 92.2, right bank, Red River, approximately two miles above Union Pacific Datum: NPL Railroad Bridge.
Operator: Pine Bluff Sand & Gravel Co.
Owner: Alexandria Regional Port Authority.
Address: Louisiana State Highway 1 North Phone: 318/448-0536
Town: Alexandria State: LA County: Rapides
Railway Connection: None.
Purpose: Receipt of crushed aggregate.
Depth Alongside (feet): 20 | 20 | | Latitude (decimal): 31.331944
Total Berthing Space (feet): 195 | 195 | | Longitude (decimal): -92.48194
Remarks: Approximately 4 acres of open storage area with capacity for 300,000 tons of material is located at rear. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 20870 Dock Code: 092

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Verdigris River** Mile: 426.5 PWD: 111
Name: **Public Service Co. of Oklahoma, Inola Station Slip.**
Location: Left bank, Verdigris River, mile 426.5, approximately five miles above Newt Graham Datum: CRP
Lock and Dam.
Operator: Not operated.
Owner: Public Service Co. of Oklahoma.
Address: Phone: 918/599-2040
Town: Inola State: OK County: Rogers
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 36.118889
Total Berthing Space (feet): | | Longitude (decimal): -95.56806
Remarks: Slip was constructed in 1980 for handling supplies and equipment for construction of a nuclear power generating station; however, the project was cancelled and the slip has remained inactive.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 61326 Dock Code: 501

Port: **Missouri/Arkansas R.**
Waterway: **Verdigris River** Mile: 431.7 PWD: 112
Name: **Johnston Barge Terminal Dock.**
Location: Right bank, Verdigris River, mile 431.7, above Oklahoma State Highway 412 Bridges. Datum: CRP
Operator: Johnston Barge Terminal.
Owner: W.B. Johnston Grain Co.
Address: 328 N. 321E Avenue Phone: 918/266-5494
Town: Inola State: OK County: Rogers
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 36.165556
Total Berthing Space (feet): 400 | | Longitude (decimal): -95.6275
Remarks: Grain elevator at rear consisting of 6 concrete silos with 2 interstices and 4 steel tanks has capacity for 850,000 bushels. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 61337 Dock Code: 811 Tulsa District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Verdigris River** Mile: 431.8 PWD: 113
Name: **Johnston's Port 33 Fertilizer Dock.**
Location: Right bank, Verdigris River (Newt Graham Lake), mile 431.8, approximately 700 feet Datum: CRP
above Oklahoma State
Operator: Johnston's Port 33, Inc.
Owner: Johnston's Port 33, Inc.
Address: 328 N. 321E Avenue Phone: 918/266-1490
Town: Inola State: OK County: Rogers
Railway Connection: None.
Purpose: Receipt of miscellaneous dry bulk materials including fertilizer.
Depth Alongside (feet): 12 | | Latitude (decimal): 36.166389
Total Berthing Space (feet): 260 | | Longitude (decimal): -95.6275
Remarks: Steel and concrete A-frame fertilizer warehouse in rear has capacity for 51,000 tons and an adjacent
concrete dome has capacity for an additional 9,000 tons. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 61337 Dock Code: 821 Tulsa District

Port: **Missouri/Arkansas R.**
Waterway: **Verdigris River** Mile: 431.8 PWD: 114
Name: **Johnston's Port 33, Conveyor Dock.**
Location: Right bank, Verdigris River (Newt Graham Lake), mile 431.8, approximately 1,000 Datum: CRP
feet above Oklahoma Stat
Operator: Johnston's Port 33, Inc.
Owner: Johnston's Port 33, Inc.
Address: 328 N. 321E Avenue Phone: 918/266-1490
Town: Inola State: OK County: Rogers
Railway Connection: None.
Purpose: Shipment of coal and other miscellaneous bulk materials.
Depth Alongside (feet): 12 | | Latitude (decimal): 36.1675
Total Berthing Space (feet): 175 | | Longitude (decimal): -95.62722
Remarks: Concrete-surfaced open storage area in rear has capacity for 30,000 tons of bulk materials.
Continuous steel breasting structure extends from downstream of Ref. No. 115 providing a total of 940
feet of breasting distance. Total in line breasting distance including Ref. No. 112 through Ref. No. 116
is approximately 1,450 feet.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 61337 Dock Code: 821 Tulsa District

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Verdigris River** Mile: 431.9 PWD: 115
Name: **Johnston's Port 33 Bulk Material Dock.**
Location: Right bank, Verdigris River (Newt Graham Lake) mile 431.9, approximately 1,500 feet above Oklahoma State Datum: CRP
Operator: Johnston's Port 33, Inc.
Owner: Johnston's Port 33, Inc.
Address: 328 N. 321E Avenue Phone: 918/266-1490
Town: Inola State: OK County: Rogers
Railway Connection: None.
Purpose: Receipt and shipment of miscellaneous dry bulk materials, including aggregates, and ores; mooring barges for fleeting. (See Remarks.)
Depth Alongside (feet): 12 | 12 | Latitude (decimal): 36.168056
Total Berthing Space (feet): 200 | | Longitude (decimal): -95.6275
Remarks: Operator fleets 24 barges each 2- and 3-wide at shore moorings in oxbows located on right bank approximately < and 1< miles above wharf, and an additional 30 barges, 2- and 4-wide in a right bank oxbow located approximately 3< miles downstream.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 61337 Dock Code: 821 Tulsa District

Port: **Missouri/Arkansas R.**
Waterway: **Verdigris River** Mile: 431.9 PWD: 116
Name: **Total Petroleum, Port 33 Terminal Wharf.**
Location: Right bank, Verdigris River (Newt Graham Lake) mile 431.9, approximately 1,500 feet above Oklahoma State Datum: CRP
Operator: Total Petroleum, Port 33.
Owner: Ultramar Diamond-Shamrock Inc.
Address: 100 N. 321E Avenue Phone: 918/266-5343
Town: Inola State: OK County: Rogers
Railway Connection: None.
Purpose: Receipt and shipment of asphalt.
Depth Alongside (feet): 12 | | Latitude (decimal): 36.168889
Total Berthing Space (feet): 300 | | Longitude (decimal): -95.6275
Remarks: One 14- and one 12- inch pipelines extend from wharf to 8 steel storage tanks at terminal in rear; total capacity 294,000 barrels. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 61337 Dock Code: 831 Tulsa District

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Verdigris River** Mile: 444.0 PWD: 117
Name: **Mid-America Port Wharf.**
Location: Right bank, Old Verdigris River Channel mile 443.8, approximately 900 feet below U.S. Highway 66 Bridges Datum: CRP
Operator: Tuloma Stevedoring Inc.
Owner: Tuloma Stevedoring Inc.
Address: Phone: 918/830-5020
Town: Catoosa State: OK County: Rogers
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 36.208333
Total Berthing Space (feet): 195 | | Longitude (decimal): -95.72083
Remarks: Open storage area for 200,000 tons of coal is located in rear.□□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 61349 Dock Code: 401

Port: **Missouri/Arkansas R.**
Waterway: **Verdigris River** Mile: 445.1 PWD: 118
Name: **Bayou Steel Corp., Dock**
Location: Right side of Port Channel, above Head of Navigation, mile 445.1, approximately 0.8 mile above U.S. High Datum: CRP
Operator: Bayou Steel Corp.
Owner: The City of Tulsa - Rogers County Port Authority.
Address: 790 Fort Gibson Road Phone: 918/266-3145
Town: Catoosa State: OK County: Rogers
Railway Connection: None.
Purpose: Receipt of steel products.
Depth Alongside (feet): 12 | | Latitude (decimal): 36.224722
Total Berthing Space (feet): 195 | | Longitude (decimal): -95.73028
Remarks: A 63,000 square foot warehouse and fabrication facility is located in rear.□□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 61350 Dock Code: 375

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Verdigris River** Mile: 445.2 PWD: 120
Name: **Terra Nitrogen Corp., Verdigris Plant Dock.**
Location: Left side of Port Channel, above Head of Navigation, mile 445.2, approximately 0.8 mile above U.S. Highw Datum: CRP
Operator: Terra Nitrogen Corp.
Owner: The City of Tulsa - Rogers County Port Authority.
Address: 5250 East Channel Road Phone: 918/266-9623
Town: Catoosa State: OK County: Rogers
Railway Connection: Trackage serving plant in rear connects with Burlington Northern-Santa Fe Railway.
Purpose: Shipment of liquid fertilizer (urea ammonium nitrate) and anhydrous ammonia.
Depth Alongside (feet): 12 | | Latitude (decimal): 36.226111
Total Berthing Space (feet): 430 | | Longitude (decimal): -95.74583
Remarks: One 10-inch pipeline extends to wharf from 3 liquid fertilizer storage tanks at plant in rear, total capacity 50,000 tons, and one 6-inch pipeline extends from one 30,000-ton ammonia storage tank. One 2-inch compressed air and one 3-inch vapor return pipelines also serve wharf.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 61350 Dock Code: 321 Tulsa District

Port: **Missouri/Arkansas R.**
Waterway: **Verdigris River** Mile: 445.2 PWD: 119
Name: **Tulsa Port of Catoosa, Low Water Wharf.**
Location: Right side of Port Channel, above Head of Navigation, mile 445.2, approximately 0.8 mile above U.S. High Datum: CRP
Operator: The City of Tulsa - Rogers County Port Authority; Tuloma Stevedoring Inc.; and Peavey
Owner: The City of Tulsa - Rogers County Port Authority.
Address: Foot of Fort Gibson Road Phone: 918/266-2291
Town: Catoosa State: OK County: Rogers
Railway Connection: One surface track extends to face of wharf, joins additional trackage in rear, connects with Union Pacific Railroad through South Kansas and Oklahoma Railroad.
Purpose: Receipt and shipment of roll-on roll-off general cargo; receipt of scrap metal and miscellaneous dry bulk materials including grain; mooring barges for fleeting. (See Remarks.)
Depth Alongside (feet): 12 | | Latitude (decimal): 36.225
Total Berthing Space (feet): 180 | | Longitude (decimal): -95.72972
Remarks: Occasionally port-owned locomotives are used for handling heavily laden rail cars directly between wharf and barge. Eight acres of open storage area are located off Fort Gibson Road, approximately ? mile in rear. Port-owned barge fleeting areas located at shore moorings along both banks below Ref. No. 118 have total capacity for 50 barges arranged in tiers 3- and 4-wide.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 61350 Dock Code: 311 Tulsa District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Verdigris River** Mile: 445.3 PWD: 121
Name: **Peavey Co, Port of Catoosa Grain Elevator**
Location: Left side of Port Channel, above Head of Navigation, mile 445.2, approximately 0.9 mile above U.S. Highw Datum: CRP
Operator: Peavey Co.
Owner: The City of Tulsa - Rogers County Port Authority.
Address: 5301 West Channel Road. Phone: 918/266-1991
Town: Catoosa State: OK County: Rogers
Railway Connection: Two surface tracks, total capacity 26 cars, serve undertrack pit and loading spout; join additional trackage connecting with major carriers through South Kansas and Oklahoma Railroad.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 36.228611
Total Berthing Space (feet): 195 | | Longitude (decimal): -95.73
Remarks: Grain elevator at rear, consisting of 9 concrete silos, 4 steel tanks, and one concrete flat storage building has total capacity for 4,000,000 bushels.□
Year of Last Survey: 2000 Corps of Engrns Waterway Code: 61349 Dock Code: 013 Tulsa District

Port: **Missouri/Arkansas R.**
Waterway: **Verdigris River** Mile: 445.5 PWD: 122
Name: **Tulsa Port of Catoosa General Cargo Wharf.**
Location: Right side of Port Channel, Mile 445.2, approximately one mile below head of channel. Datum: CRP
Operator: Tuloma Stevedoring Co.
Owner: The City of Tulsa - Rogers County Port Authority.
Address: 5204 West Channel Road. Phone: 918/830-5020
Town: Catoosa State: OK County: Rogers
Railway Connection: Two surface tracks on apron and 2 platform-level and 1 parallel tracks in rear of transit shed join additional trackage connecting with major carriers through South Kansas and Oklahoma Railroad.
Purpose: Receipt and shipment of general cargo, heavy lift items, steel products, and unitized cargoes; mooring tugs.
Depth Alongside (feet): 12 | | 9 - 12 Latitude (decimal): 36.23
Total Berthing Space (feet): 830 | | 90 Longitude (decimal): -95.73028
Remarks: A 40,000 square-foot, concrete transit shed is located at rear. Tugs berth at float and fender extension at upper side. Approximately 2.5 acres of open storage area is located at rear of craneway, approximately 2.3 acres on opposite side of West Channel Road and 3.3 acres located 1,000 feet in rear of lower end off Arkansas Road. Foreign Trade Zone No. 53 operates at the port complex.
Year of Last Survey: 2000 Corps of Engrns Waterway Code: 61350 Dock Code: 311 Tulsa District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Verdigris River** Mile: 446.0 PWD: 123
Name: **Westway Terminal Co. Catoosa Terminal, Dock.**
Location: Left side of Port Channel, Mile 446.0, approximately < mile below head of channel. Datum: CRP
Operator: Westway Terminal Co.
Owner: The City of Tulsa - Rogers County Port Authority.
Address: 5250 East Channel Road. Phone: 918/266-5911
Town: Catoosa State: OK County: Rogers
Railway Connection: Two surface tracks with capacity for 12 cars serves terminal in rear, connects with major carriers through South Kansas and Oklahoma Railroad.
Purpose: Receipt of molasses and caustic soda; fleeting barges (See Remarks).
Depth Alongside (feet): 12 | | Latitude (decimal): 36.238056
Total Berthing Space (feet): 230 | | Longitude (decimal): -95.73278
Remarks: One 8-inch pipeline extends from wharf to 2 molasses storage tanks, total capacity 1,280,000 gallons and one 6-inch pipeline extends to 2 caustic soda storage tanks, total capacity 1,200,000 gallons. In addition one 3-inch compressed air and one 3-inch steam lines serve wharf. Port-owned barge fleeting area consisting of a total of 12 breasting dolphins extends along bank and includes berthing area.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 61349 Dock Code: 020

Port: **Missouri/Arkansas R.**
Waterway: **Verdigris River** Mile: 446.1 PWD: 124
Name: **Safety Kleen Corp., Wharf.**
Location: Left side of Port Channel, Mile 446.1, approximately 2,000 feet below head of channel. Datum: CRP
Operator: Safety Kleen Corp. and Royal Trading Co.
Owner: The City of Tulsa-Rogers County Port Authority.
Address: 5563 East Channel Road. Phone: 918/266-1923
Town: Catoosa State: OK County: Rogers
Railway Connection: Two surface tracks with capacity for 12 cars serves terminal in rear, connects with major carriers through South Kansas and Oklahoma Railroad.
Purpose: Receipt and shipment of fuel oil and asphalt.
Depth Alongside (feet): 12 | | Latitude (decimal): 36.245278
Total Berthing Space (feet): 600 | | Longitude (decimal): -95.73472
Remarks: Safety Kleen Corp.: Four 8-inch pipelines extend from wharf to 10 steel storage tanks at terminal in rear, total capacity 450,000 barrels. Royal Trading Co.: One 8-inch pipeline extends from wharf to 20 steel storage tanks, total capacity 240,000-barrels. One 3/4-hot oil line serves wharf.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 61349 Dock Code: 300

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **Verdigris River** Mile: 446.4 PWD: 125
Name: **Frontier Terminal & Trading Co., Wharf.**
Location: Left side of Port Channel, Mile 446.4, approximately 1,000 feet below head of channel. Datum: CRP
Operator: Frontier Terminal & Trading Co.
Owner: The City of Tulsa-Rogers County Port Authority.
Address: 5645 East Channel Road. Phone: 918/266-1606
Town: Catoosa State: OK County: Rogers
Railway Connection: Two surface tracks with capacity for 8 cars serves terminal in rear, connects with major carriers through South Kansas and Oklahoma Railroad.
Purpose: Receipt and shipment of petroleum products, specifically fuel oil and asphalt; fueling vessels.
Depth Alongside (feet): 10 | | Latitude (decimal): 36.240556
Total Berthing Space (feet): 475 | | Longitude (decimal): -95.73556
Remarks: Three 6- and one 8-inch pipelines extend from wharf to 12 steel storage tanks at terminal in rear, total capacity 291,000 barrels. In addition one 6-inch diesel fueling pipeline extends to wharf from one 1,500 barrel storage tank.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 61349 Dock Code: 313 Tulsa District

Port: **Missouri/Arkansas R.**
Waterway: **White River** Mile: 143.2 PWD: 35
Name: **Bunge Corp. Des Arc Grain Elevator Dock.**
Location: White River, Arkansas, left bank, mile 143.2 Des Arc, approximately 750 feet below Des Arc (State Highway) Datum: CRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: Below State Highway 38) Bridge Phone: 870/256-4187
Town: Des Arc State: AR County: Prairie
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 8 | | Latitude (decimal): 34.978611
Total Berthing Space (feet): 380 | | Longitude (decimal): -91.49889
Remarks: Grain elevator at rear consisting of 3 steel tanks has capacity for 2,100,000 bushels. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 22100 Dock Code: 143

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **White River** Mile: 197.6 PWD: 36
Name: **Bunge Corp., Agricultural Services Dock.**
Location: White River, Arkansas, left bank, mile 197.6, approximately 1.2 miles above Union Datum: CRP
Pacific Railroad Bridg
Operator: Bunge Corp., Agricultural Services.
Owner: Bunge Corp.
Address: 200 Campbell Street Phone: 870/347-2574
Town: Augusta State: AR County: Woodruff
Railway Connection: None.
Purpose: Receipt of dry bulk and liquid fertilizer; receipt of grain.
Depth Alongside (feet): 8 - 9 | | Latitude (decimal): 35.275833
Total Berthing Space (feet): 200 | | Longitude (decimal): -91.37028
Remarks: Timber fertilizer storage warehouse at rear has capacity for 20,000 tons one 8-inch pipeline extends from pier to one 6,000-ton-capacity liquid fertilizer storage tank in rear.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 22100 Dock Code: 197 Memphis District

Port: **Missouri/Arkansas R.**
Waterway: **White River** Mile: 197.7 PWD: 37
Name: **Bunge Corp., Augusta South Port Dock.**
Location: White River, Arkansas, left bank, mile 197.7, approximately 1.3 miles above Union Datum: CRP
Pacific Railroad Bridg
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: Foot of Campbell Street Phone: 870/347-2574
Town: Augusta State: AR County: Woodruff
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 5 | | Latitude (decimal): 35.277222
Total Berthing Space (feet): 200 | | Longitude (decimal): -91.36944
Remarks: Grain elevator at rear, consisting of 3 steel tanks, has total capacity for 1,400,000 bushels. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 22100 Dock Code: 197 Memphis District

Port Series No. 68
Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **White River** Mile: 198.5 PWD: 38
Name: **Bunge Corp., Port Augusta Grain Dock.**
Location: White River, Arkansas, left bank, mile 198.5, approximately 3 miles below U.S. Highway 64 Bridge. Datum: CRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: U.S. Highway 64 West Phone: 870/347-2574
Town: Augusta State: AR County: Woodruff
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 14 | | Latitude (decimal): 35.288056
Total Berthing Space (feet): 335 | | Longitude (decimal): -91.37139
Remarks: Grain elevator at rear, consisting of 12 steel tanks and one steel flat storage building, has capacity for 1,020,000 bushels.□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 22100 Dock Code: 198 Memphis District

Port: **Missouri/Arkansas R.**
Waterway: **White River** Mile: 198.6 PWD: 39
Name: **Bunge Corp., Port Augusta Mooring Dock and Fleet Mooring.**
Location: White River, Arkansas, left bank, mile 198.6, approximately 3 miles above Union Pacific Railroad bridge. Datum: CRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: U.S. Highway 64 West Phone: 870/347-2574
Town: Augusta State: AR County: Woodruff
Railway Connection: None.
Purpose: Mooring barges for maintenance and storage; handling barge hatch covers.
Depth Alongside (feet): 17 | 8 - 10 | Latitude (decimal): 35.288333
Total Berthing Space (feet): 200 | 9 | Longitude (decimal): -91.37194
Remarks: -□□
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 22100 Dock Code: 198 Memphis District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **White River** Mile: 198.8 PWD: 40
Name: **Bunge Corp., Augusta North Port Grain Dock.**
Location: White River, Arkansas, left bank, mile 198.8, approximately 2.7 miles below U.S. Highway 64 Bridge. Datum: CRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: Highway 64 West Phone: 870/347-2574
Town: Augusta State: AR County: Woodruff
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 26 | | Latitude (decimal): 35.289444
Total Berthing Space (feet): 285 | | Longitude (decimal): -91.38028
Remarks: Grain elevator at rear consisting of 3 steel tanks, has capacity for 2,200,000 bushels. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 22100 Dock Code: 198 Memphis District

Port: **Missouri/Arkansas R.**
Waterway: **White River** Mile: 254.5 PWD: 41
Name: **Bunge Corp.**
Location: White River, Arkansas, right bank, mile 254.5, approximately 1,300 feet below Newport (U.S. Highway 67) Datum: CRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: U.S. Highway 67 South Phone: 870/523-6526
Town: Newport State: AR County: Jackson
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 35.607778
Total Berthing Space (feet): 390 | | Longitude (decimal): -91.29222
Remarks: Grain elevator at rear consisting of 4 steel tanks has capacity for 1,500,000 bushels. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 22100 Dock Code: 254

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **White River** Mile: 254.8 PWD: 42
Name: **Mobley Construction Co. Newport Dock.**
Location: White River, left bank, mile 254.8, approximately 400 feet above Newport (U.S. Highway 67) Bridge. Datum: CRP
Operator: Mobley Construction Co., Inc.
Owner: Mobley Construction Co., Inc.
Address: Front Street Phone: 870/523-2276
Town: Newport State: AR County: Jackson
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 35.605833
Total Berthing Space (feet): 160 | | Longitude (decimal): -91.28639
Remarks: Ready-mix concrete plant and open storage area for 150,000 tons of material located in rear. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 22100 Dock Code: 255 Memphis District

Port: **Missouri/Arkansas R.**
Waterway: **White River** Mile: 57.3 PWD: 32
Name: **Bunge Corp. St. Charles Grain Elevator Dock.**
Location: White River, Arkansas, right bank, mile 57.3, approximately 2,000 feet above St. Charles (State Highways) Datum: CRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: 101 Broadway Phone: 501-282-3745
Town: St Charles State: AR County: Arkansas
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 15 | | Latitude (decimal): 34.379167
Total Berthing Space (feet): 400 | | Longitude (decimal): -91.12917
Remarks: Grain elevator at rear, consisting of 4 steel tanks, has capacity for 3,000,000 bushels. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 22100 Dock Code: 057 Memphis District

Port Series No. 68

Ports on the Arkansas, Red, and Ouachita Rivers Systems and Missouri River

Port: **Missouri/Arkansas R.**
Waterway: **White River** Mile: 99.1 PWD: 33
Name: **Jimmy Sanders Dock.**
Location: White River, Arkansas, left bank, mile 99.1 Clarendon, approximately 1,200 feet above Clarendon (U.S. Hi) Datum: CRP
Operator: Jimmy Sanders Inc.
Owner: Jimmy Sanders Inc.
Address: 405 South Second Street Phone: 870/747-3877
Town: Clarendon State: AR County: Monroe
Railway Connection: None.
Purpose: Receipt of dry bulk and liquid fertilizer (urea and potash).
Depth Alongside (feet): 16 | | Latitude (decimal): 34.688611
Total Berthing Space (feet): 130 | | Longitude (decimal): -91.31528
Remarks: One 8-inch pipeline extends from wharf to one 4,200-ton-capacity fertilizer storage tank at plant in rear. Storage building in rear has capacity for 12,000 tons.
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 22100 Dock Code: 099 Memphis District

Port: **Missouri/Arkansas R.**
Waterway: **White River** Mile: 99.2 PWD: 34
Name: **Bunge Corp. Clarendon Grain Elevator Dock.**
Location: White River, Arkansas, left bank, mile 99.2 Clarendon, approximately 700 feet above Clarendon (U.S. High) Datum: CRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: 317 South Second Street Phone: 870/747-3877
Town: Clarendon State: AR County: Monroe
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 16 | | Latitude (decimal): 34.688889
Total Berthing Space (feet): 210 | | Longitude (decimal): -91.31528
Remarks: Grain elevator at rear, consisting of one steel flat storage building and one steel tank has capacity for 1,600,000 bushels. □
Year of Last Survey: 2000 Corps of Engrs Waterway Code: 22100 Dock Code: 096 Memphis District
