

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Lake Village**
Waterway: **Mississippi River** Mile: 531 PWD: 91
Name: **Garnac Grain Co., Lake Village Dock.**
Location: Right bank, Mississippi River, mile 531.0 A.H.P., below Greenville Highway Bridge, Datum: LWRP
Lake Village.
Operator: Garnac Grain Co., Inc.
Owner: Garnac Grain Co., Inc.
Address: U.S. Highway 82. Phone: 501/265-5301
Town: Lake Village State: AR County: Chicot
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 33.271389
Total Berthing Space (feet): 325 | | Longitude (decimal): -91.15944
Remarks: Grain elevator in rear consisting of 5 steel storage tanks has total capacity for 1,000,000 bushels. □
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21531 Dock Code: 101 Vicksburg District

Port: **Angola**
Waterway: **Mississippi River** Mile: 301 PWD: 4
Name: **Angola Ferry Landings.**
Location: Mile 300.5 A.H.P, left bank, Mississippi River, Angola; right bank, approximately, 1.0 mile below Red Ri Datum: LWRP
Operator: Department of Transportation and Development, State of Louisiana.
Owner: Department of Transportation and Development, State of Louisiana.
Address: State Highway 3190. Phone: -----
Town: Angola State: LA County: West Feliciana
Railway Connection: None.
Purpose: Landings for passenger and vehicular ferry.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 30.943611
Total Berthing Space (feet): 60 | | Longitude (decimal): -91.64667
Remarks: Ferry provides service between State Highway 418 on right bank and Angola Landing on left bank.
Used primarily for accommodation of workmen and handlingsupplies for Louisiana State Penitentiary at Angola.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 20300 Dock Code: 101 New Orleans District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Arkansas City**
Waterway: **Mississippi River** Mile: 554 PWD: 88
Name: **Texas Eastern Products Pipeline Co., Arkansas City Wharf.**
Location: Right bank, Mississippi River, mile 554.0 A.H.P., Arkansas City. Datum: LWRP
Operator: Not operated.
Owner: Texas Eastern Products Pipeline Co.
Address: State Highway 4. Phone: 501/338-3428
Town: Arkansas City State: AR County: Desha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 30 | | Latitude (decimal): 33.554444
Total Berthing Space (feet): 450 | | Longitude (decimal): -91.23583
Remarks: Three 12-inch and one 4-inch pipelines, blanked at time of survey extend from wharf to 9 steel storage tanks at rear, total capacity 750,000 barrels. □
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21554 Dock Code: 101 Vicksburg District

Port: **Belzoni**
Waterway: **Yazoo River** Mile: 116 PWD: 50
Name: **Farmers Grain Terminal, Belzoni Dock.**
Location: Mile 116.3, right bank of Yazoo River, Belzoni. Datum: LWRP
Operator: Farmers Grain Terminal, Inc.
Owner: Farmers Grain Terminal, Inc.
Address: 503 Silver City Road. Phone: 601/247-3828
Town: Belzoni State: MS County: Humphreys
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 33.165
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.49472
Remarks: Grain elevator at rear consisting of 24 concrete silos and 5 steel tanks has total capacity for 655,000 bushels. □
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21600 Dock Code: 116 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **DeSoto Landing**
Waterway: **Mississippi River** Mile: 571 PWD: 87
Name: **Bunge Corp., DeSoto Landing Wharf.**
Location: Right bank, Mississippi River, mile 570.6 A.H.P., DeSoto Landing. Datum: LWRP
Operator: Bunge Corp. and Potlatch Corp.
Owner: Bunge Corp.
Address: State Highway 4. Phone: 501/877-2312
Town: DeSoto Landing State: AR County: Desha
Railway Connection: None.
Purpose: Shipment of grain and receipt of fuel oil (see Remarks).
Depth Alongside (feet): 15 | | Latitude (decimal): 33.692222
Total Berthing Space (feet): 425 | | Longitude (decimal): -91.22889
Remarks: Bunge Corp.: Grain elevator in rear consisting of 5 steel storage tanks has total capacity for 900,000 bushels. □ Potlatch Corp.: Two 8-inch pipelines extend from wharf to one 95,200-barrel steel storage tank at rear, maintained on stand-by basis.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21570 Dock Code: 601 Vicksburg District

Port: **Grand Gulf Island**
Waterway: **Mississippi River** Mile: 405 PWD: 11
Name: **Claiborne County Port Commission Wharf.**
Location: Lower side of rectangular dredged basin, mile 404.8 A.H.P, left bank, Mississippi River, Grand Gulf Isla Datum: LWRP
Operator: Claiborne County Port Commission.
Owner: Claiborne County Port Commission.
Address: Claiborne County Port Road. Phone: 601/833-2342
Town: Grand Gulf Is. State: MS County: Claiborne
Railway Connection: None.
Purpose: Receipt and shipment of general cargo and miscellaneous dry bulk materials.
Depth Alongside (feet): 12 | | Latitude (decimal): 31.994167
Total Berthing Space (feet): 290 | | Longitude (decimal): -91.0775
Remarks: Facility was under construction at time of survey (1989). A truck dump and barge-loading chute are built into wharf. Approximately 10 acres of open storage area is located in rear.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21404 Dock Code: 801 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Grand Gulf Island**
Waterway: **Mississippi River** Mile: 406 PWD: 12
Name: **Grand Gulf Nuclear Station, Slip.**
Location: Mile 406.4 A.H.P, left bank, Mississippi River, Grand Gulf Island. Datum: LWRP
Operator: System Energy Resources, Inc.
Owner: System Energy Resources, Inc.
Address: Grand Gulf Road. Phone: 601/437-2438
Town: Grand Gulf Isl. State: MS County: Claiborne
Railway Connection: None.
Purpose: Occasional receipt of plant equipment; deployment of company-owned surveillance craft.
Depth Alongside (feet): - 12 | | Latitude (decimal): 32.018056
Total Berthing Space (feet): 1000 | | Longitude (decimal): -91.06889
Remarks: Slip formerly was used for handling heavy construction materials and equipment when plant was under construction. A barge-grounding platform of crushed stone was constructed as required, corresponding to river stable platform for transfer operations.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21406 Dock Code: 401 Vicksburg District

Port: **Greenville**
Waterway: **Lake Ferguson** Mile: 1 PWD: 55
Name: **Comet Rice Delta Wharf.**
Location: Southeast side, inner end of Greenville Harbor Basin off Lake Ferguson, 0.6 mile above Mile 537.0, left Datum: LWRP
Operator: Comet Rice, Inc.
Owner: Comet Rice, Inc.
Address: Comet Ways Drive. Phone: 601/335-0800
Town: Greenville State: MS County: Washington
Railway Connection: Two surface tracks in rear connect with Columbus and Greenville Railroad.
Purpose: Shipment of rice.
Depth Alongside (feet): 12 | | Latitude (decimal): 33.355278
Total Berthing Space (feet): 180 | | Longitude (decimal): -91.11028
Remarks: Grain elevator in rear consisting of 20 concrete silos and 43 steel tanks, has total capacity for 1,750,000 bushels. Rice is received by truck at pit served by a 30-inch, electric, belt-conveyor system.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21537 Dock Code: 195 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Greenville**
Waterway: **Lake Ferguson** Mile: 1 PWD: 54
Name: **Gerald Andrus, Steam Electric Station Wharf.**
Location: Southwest side, inner end of Greenville Harbor Basin off Lake Ferguson, 0.6 mile above Mile 537.0, left Datum: LWRP
Operator: Mississippi Power and Light Co.
Owner: System Fuels, Inc.
Address: M.P.N L. Road. Phone: 601/335-6086
Town: Greenville State: MS County: Washington
Railway Connection: One surface track in rear connects with Columbus and Greenville Railroad.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 20 | | Latitude (decimal): 33.354722
Total Berthing Space (feet): 490 | | Longitude (decimal): -91.11306
Remarks: One 20-inch and one 12-inch pipelines extend from wharf to 8 steel storage tanks at rear, total capacity 1,850,000 barrels.□
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21537 Dock Code: 020 Vicksburg District

Port: **Greenville**
Waterway: **Lake Ferguson** Mile: 1 PWD: 57
Name: **Greenville Port Commission, Public Terminal - South Wharf.**
Location: North side, at entrance to Greenville Harbor Basin off Lake Ferguson, 0.6 mile above Mile 537.0, left ban Datum: LWRP
Operator: Greenville Port Commission.
Owner: Greenville Port Commission.
Address: Industrial Harbor Road. Phone: 601/335-2683
Town: Greenville State: MS County: Washington
Railway Connection: Two parallel surface tracks on apron and one platform-level track at rear of transit shed connect with Columbus and Greenville Railroad.
Purpose: Receipt and shipment of conventional and containerized general cargo, heavy-lift items, scrap metal, and miscellaneous dry bulk commodities.
Depth Alongside (feet): 20 | | Latitude (decimal): 33.358333
Total Berthing Space (feet): 480 | | Longitude (decimal): -91.10972
Remarks: Transit shed also serves as a storage warehouse (S.W. Ref. No 7). Approximately 1.6 acres of, paved, open storage area is located at rear.□
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21537 Dock Code: 037 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Greenville**
Waterway: **Lake Ferguson** Mile: 1 PWD: 58
Name: **Mississippi Limestone Corp. Dock.**
Location: Southerly shore of Lake Ferguson, 1.2 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
Operator: Mississippi Limestone Corp.
Owner: Mississippi Limestone Corp.
Address: Industrial Harbor Road. Phone: 601/335-9620
Town: Greenville State: MS County: Washington
Railway Connection: None.
Purpose: Receipt of sand, stone, and gravel.
Depth Alongside (feet): 2 - 8 | | Latitude (decimal): 33.363889
Total Berthing Space (feet): 195 | | Longitude (decimal): -91.1075
Remarks: Approximately 11.8 acres of open storage area located at rear.□□
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21537 Dock Code: 051 Vicksburg District

Port: **Greenville**
Waterway: **Lake Ferguson** Mile: 1 PWD: 56
Name: **Mississippi Marine Corp., South Yard Wharf.**
Location: Northeast side, inner end of Greenville Harbor Basin off Lake Ferguson, 0.6 mile above Mile 537.0, left Datum: LWRP
Operator: Mississippi Marine Corp.
Owner: Mississippi Marine Corp.
Address: Industrial Harbor Road. Phone: 601/332-5457
Town: Greenville State: MS County: Washington
Railway Connection: None.
Purpose: Mooring barges for cleaning and maintenance; mooring floating drydock.
Depth Alongside (feet): 10 | | Latitude (decimal): 33.358056
Total Berthing Space (feet): 520 | | Longitude (decimal): -91.10889
Remarks: One 1,750-ton floating drydock is morred at wharf. Facilities are supplemented by those at Main Yard (Ref No. 62).□
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21537 Dock Code: 071 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Greenville**
Waterway: **Lake Ferguson** Mile: 1 PWD: 60
Name: **Precision Marine Engineering Wharf.**
Location: Southerly shore of Lake Ferguson, 1.4 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
Operator: Precision Marine Engineering, Inc..
Owner: Precision Marine Engineering, Inc..
Address: Industrial Harbor Road. Phone: 601/378-2288
Town: Greenville State: MS County: Washington
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for cleaning, maintenance, and repair.
Depth Alongside (feet): 9 | | Latitude (decimal): 33.365278
Total Berthing Space (feet): 195 | | Longitude (decimal): -91.10583
Remarks: -□□
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21537 Dock Code: 216 Vicksburg District

Port: **Greenville**
Waterway: **Lake Ferguson** Mile: 1 PWD: 59
Name: **Waterways Marine Barge Cleaning Plant Dock.**
Location: Southerly shore of Lake Ferguson, 1.3 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
Operator: Waterways Marine of Greenville, Inc.
Owner: Waterways Marine of Greenville, Inc.
Address: Industrial Harbor Road. Phone: 601/335-2526
Town: Greenville State: MS County: Washington
Railway Connection: None.
Purpose: Mooring barges for cleaning, maintenance, and minor repair.
Depth Alongside (feet): 9 | | Latitude (decimal): 33.364722
Total Berthing Space (feet): 195 | | Longitude (decimal): -91.10667
Remarks: -□□
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21537 Dock Code: 055 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Greenville**
Waterway: **Lake Ferguson** Mile: 2 PWD: 63
Name: **Air Products & Chemicals, Greenville Dock.**
Location: Southerly shore of Lake Ferguson, 1.9 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
Operator: Air Products & Chemicals, Inc.
Owner: Air Products & Chemicals, Inc.
Address: Industrial Harbor Road. Phone: 601/335-2433
Town: Greenville State: MS County: Washington
Railway Connection: None.
Purpose: Receipt of liquid urea.
Depth Alongside (feet): 5 | | Latitude (decimal): 33.369722
Total Berthing Space (feet): 200 | | Longitude (decimal): -91.09861
Remarks: Temporary pipelines, placed when required, extend to 5 steel storage tanks, total capacity 5,000 tons.□
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21537 Dock Code: 085 Vicksburg District

Port: **Greenville**
Waterway: **Lake Ferguson** Mile: 2 PWD: 64
Name: **Delta/Ergon, Greenville Harbor Wharf.**
Location: Southerly shore of Lake Ferguson, 2.0 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
Operator: Delta Terminals, Inc. and Ergon, Inc.
Owner: Delta Terminals, Inc. and Ergon, Inc.
Address: Industrial Harbor Road. Phone: 601/332-4849
Town: Greenville State: MS County: Washington
Railway Connection: None.
Purpose: Receipt of petroleum products and liquid urea.
Depth Alongside (feet): 15 | | Latitude (decimal): 33.371389
Total Berthing Space (feet): 275 | | Longitude (decimal): -91.0975
Remarks: Ergon, Inc. One 12- and one 8-inch pipelines extend from wharf to 3 steel storage tanks at rear; total capacity 190,000 barrels. Delta Terminals, Inc. Three 6-inch pipelines extend from wharf to 8 steel storag total capacity 235,660 barrels. Walker Ag Services: One 6-inch pipeline extends from lower dolphin to one 5,000-ton urea storage tank at rear.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21537 Dock Code: 095 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Greenville**
Waterway: **Lake Ferguson** Mile: 2 PWD: 65
Name: **Farmers Grain Terminal Wharf.**
Location: Southerly shore of Lake Ferguson, 2.2 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
Operator: Farmers Grain Terminal, Inc.
Owner: Farmers Grain Terminal, Inc.
Address: Industrial Harbor Road. Phone: 601/332-0987
Town: Greenville State: MS County: Washington
Railway Connection: One surface track serving undertrack pit and loading spout at grain elevator in rear connects with Columbus and Greenville Railroad.
Purpose: Shipment of grain.
Depth Alongside (feet): 14 | | Latitude (decimal): 33.373056
Total Berthing Space (feet): 176 | | Longitude (decimal): -91.095
Remarks: Grain elevator in rear consisting of 10 concrete silos and 6 steel tanks, has total capacity for 4,800,000 bushels. □
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21537 Dock Code: 101 Vicksburg District

Port: **Greenville**
Waterway: **Lake Ferguson** Mile: 2 PWD: 66
Name: **Farmers Grain Terminal, Greenville Unloading Dock.**
Location: Southerly shore of Lake Ferguson, 2.3 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
Operator: Farmers Grain Terminal, Inc.
Owner: Farmers Grain Terminal, Inc.
Address: Industrial Harbor Road. Phone: 601/332-0987
Town: Greenville State: MS County: Washington
Railway Connection: None.
Purpose: Receipt of grain.
Depth Alongside (feet): 14 | | Latitude (decimal): 33.373333
Total Berthing Space (feet): 165 | | Longitude (decimal): -91.09472
Remarks: Grain is transferred by truck to grain elevator described under Ref. No. 65. □ □
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21537 Dock Code: 105 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Greenville**
Waterway: **Lake Ferguson** Mile: 2 PWD: 61
Name: **Greenville Shipbuilding Corp. Wharf.**
Location: Southerly shore of Lake Ferguson, 1.6 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
Operator: Greenville Shipbuilding Corp.
Owner: Greenville Shipbuilding Corp.
Address: Industrial Harbor Road. Phone: 601/335-1175
Town: Greenville State: MS County: Washington
Railway Connection: None.
Purpose: Mooring barges and towboats for repair; mooring floating drydocks.
Depth Alongside (feet): 22 | | Latitude (decimal): 33.366667
Total Berthing Space (feet): 200 | | Longitude (decimal): -91.10306
Remarks: One 2,900-, one 2,000-, and one 1,200-ton floating drydocks moored at upper end. Wharf is equipped with outlets for fresh water, steam, oxygen, and welding gas. Vickers Towing Co. moors floating equipment at wh on upper side of wharf.
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21537 Dock Code: 070 Vicksburg District

Port: **Greenville**
Waterway: **Lake Ferguson** Mile: 2 PWD: 62
Name: **Mississippi Marine Corp., Main Yard Wharf.**
Location: Southerly shore of Lake Ferguson, 1.7 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
Operator: Mississippi Marine Corp.
Owner: Mississippi Marine Corp.
Address: Industrial Harbor Road. Phone: 601/332-5457
Town: Greenville State: MS County: Washington
Railway Connection: None.
Purpose: Mooring barges and towboats for repair; mooring floating drydocks.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 33.368056
Total Berthing Space (feet): 218 | 240 | 300 Longitude (decimal): -91.10167
Remarks: One 2,500-ton floating drydock is moored at wharf and one 3,600-ton floating drydock is moored at lower end. Wharf is equipped with outlets for oxygen and compressed air.
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21537 Dock Code: 073 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Greenville**
Waterway: **Lake Ferguson** Mile: 2 PWD: 67
Name: **The Valley Line Co., Greenville Mooring Wharf.**
Location: Southerly shore of Lake Ferguson, 2.4 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
Operator: The Valley Line Co.
Owner: The Valley Line Co.
Address: Industrial Harbor Road. Phone: 601/378-3500
Town: Greenville State: MS County: Washington
Railway Connection: None.
Purpose: Mooring company-owned towboats.
Depth Alongside (feet): 10 | | Latitude (decimal): 33.373889
Total Berthing Space (feet): 6 | | Longitude (decimal): -91.09417
Remarks: Dispatch and general offices are located in building in rear.□□
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21537 Dock Code: 299 Vicksburg District

Port: **Greenville**
Waterway: **Lake Ferguson** Mile: 3 PWD: 69
Name: **Superior Boat Works, Outfitting Wharf.**
Location: Easterly shore of Lake Ferguson, 2.8 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
Operator: Superior Boat Works, Inc.
Owner: Superior Boat Works, Inc.
Address: Industrial Harbor Road. Phone: 601/378-4700
Town: Greenville State: MS County: Washington
Railway Connection: None.
Purpose: Mooring barges and towboats for outfitting.
Depth Alongside (feet): 15 | | Latitude (decimal): 33.371944
Total Berthing Space (feet): 240 | | Longitude (decimal): -91.08833
Remarks: Wharf is equipped with outlets for welding gas. Boat building plant is located at rear.□
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21537 Dock Code: 135 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Greenville**
Waterway: **Lake Ferguson** Mile: 3 PWD: 68
Name: **Superior Boat Works, Repair Wharf.**
Location: Easterly shore of Lake Ferguson, 2.7 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
Operator: Superior Boat Works, Inc.
Owner: Lea and Howard Brent.
Address: Industrial Harbor Road. Phone: 601/378-4700
Town: Greenville State: MS County: Washington
Railway Connection: Two surface tracks in rear connect with Columbus and Greenville Railroad.
Purpose: Mooring barges and towboats for repair; mooring floating drydocks.
Depth Alongside (feet): 13 | | 13 Latitude (decimal): 33.378889
Total Berthing Space (feet): 550 | | 1750 Longitude (decimal): -91.08889
Remarks: One 1,500- and one 1,200-ton floating drydocks are moored at face and one 600-ton floating drydock is moored at rear of face. Wharf is equipped with outlets for compressed air, welding gas, and oxygen. Natural extends below wharf to Ref. No. 67.
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21537 Dock Code: 127 Vicksburg District

Port: **Greenville**
Waterway: **Lake Ferguson** Mile: 5 PWD: 73
Name: **Greenville City Wharf.**
Location: Easterly shore of Lake Ferguson, 5.3 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
Operator: City of Greenville.
Owner: City of Greenville.
Address: Foot of Central Avenue. Phone: 601/378-1554
Town: Greenville State: MS County: Washington
Railway Connection: None.
Purpose: Mooring miscellaneous vessels; launching recreational craft.
Depth Alongside (feet): 11 | | Latitude (decimal): 33.412222
Total Berthing Space (feet): 450 | | Longitude (decimal): -91.06722
Remarks: The Marina, Inc. operates a yacht club on floats extending from the lower end and a floating restaurant at the upper end. A public launching ramp is located near the lower end.
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21537 Dock Code: 272 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Greenville**
Waterway: **Lake Ferguson** Mile: 5 PWD: 71
Name: **Greenville Republic Terminal Wharf.**
Location: Easterly shore of Lake Ferguson, 4.7 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
Operator: Greenville Republic Terminal, Inc.
Owner: Greenville Republic Terminal, Inc.
Address: 310 Walthall Street. Phone: 601/332-2692
Town: Greenville State: MS County: Washington
Railway Connection: One surface track serves terminal on opposite side of levee; connects with Columbus and Greenville Railroad.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 8 | | Latitude (decimal): 33.403889
Total Berthing Space (feet): 200 | | Longitude (decimal): -91.07306
Remarks: One 8- and five 6-inch pipelines extend from wharf to 11 steel storage tanks at terminal in rear, total capacity 237,000 barrels.□
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21537 Dock Code: 224 Vicksburg District

Port: **Greenville**
Waterway: **Lake Ferguson** Mile: 5 PWD: 72
Name: **Itapco - Greenville, Terminal Wharf.**
Location: Easterly shore of Lake Ferguson, 4.8 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
Operator: Itapco - Greenville, Terminal Inc.
Owner: Independent Terminal & Pipeline Co., Inc.
Address: 208 Short Clay Street. Phone: 601/335-1264
Town: Greenville State: MS County: Washington
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 12 | | Latitude (decimal): 33.406389
Total Berthing Space (feet): 125 | | Longitude (decimal): -91.07167
Remarks: Three 6-inch pipelines extend from wharf to 12 steel storage tanks at rear, total capacity 160,000 barrels.□
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21537 Dock Code: 225 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Greenville**
Waterway: **Lake Ferguson** Mile: 5 PWD: 70
Name: **U.S. Army Corps of Engineers, Greenville Mooring.**
Location: Easterly shore of Lake Ferguson, 4.5 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
Operator: U.S. Army Corps of Engineers, Vicksburg District.
Owner: U.S. Government.
Address: Foot of Deaton Street. Phone: 601/335-1137
Town: Greenville State: MS County: Washington
Railway Connection: None.
Purpose: Mooring government-owned mat construction units and other floating equipment.
Depth Alongside (feet): 15 | 15 | Latitude (decimal): 33.402222
Total Berthing Space (feet): 600 | 400 | Longitude (decimal): -91.07361
Remarks: Additional berthing space is available along 7,000 feet of adjacent natural bank below wharf and adjacent to the U.S. Army Corps of Engineers mat casting field. Mat loading areas are established, as required.
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21537 Dock Code: 218 Vicksburg District

Port: **Greenville**
Waterway: **Lake Ferguson** Mile: 6 PWD: 75
Name: **Arkansas River Co. Dock.**
Location: Easterly shore of Lake Ferguson, 5.8 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
Operator: Arkansas River Co.
Owner: Arkansas River Co.
Address: Lake Ferguson Road. Phone: 601/332-4473
Town: Greenville State: MS County: Washington
Railway Connection: None.
Purpose: Mooring barges and towboats for storage and occasional repair.
Depth Alongside (feet): 6 | | Latitude (decimal): 33.417222
Total Berthing Space (feet): 55 | | Longitude (decimal): -91.0625
Remarks: -□□
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21537 Dock Code: 289 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Greenville**
Waterway: **Lake Ferguson** Mile: 6 PWD: 78
Name: **Greenville Gravel Co. Wharf.**
Location: Easterly shore of Lake Ferguson, 6.1 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
Operator: Greenville Gravel Co.
Owner: Greenville Gravel Co.
Address: 200 Belle Aire Street. Phone: 601/332-8039
Town: Greenville State: MS County: Washington
Railway Connection: One surface track serves open storage area in rear of levee, connects with Columbus and Greenville Railroad.
Purpose: Receipt of sand, gravel, crushed stone, and bulk lime.
Depth Alongside (feet): 12 | | Latitude (decimal): 33.420833
Total Berthing Space (feet): 175 | | Longitude (decimal): -91.05972
Remarks: Approximately 5.4 acres of open storage area located at rear. □□
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21537 Dock Code: 300 Vicksburg District

Port: **Greenville**
Waterway: **Lake Ferguson** Mile: 6 PWD: 74
Name: **Greenville Port Commission, Public Terminal, North Wharf.**
Location: Easterly shore of Lake Ferguson, 5.7 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
Operator: Greenville Port Commission.
Owner: Greenville Port Commission.
Address: Lake Ferguson Road. Phone: 601/335-2683
Town: Greenville State: MS County: Washington
Railway Connection: Two carfloor-level tracks serve buildings in rear; connect with Columbus and Greenville Railroad.
Purpose: Receipt and shipment of miscellaneous dry bulk materials and occasional general cargo.
Depth Alongside (feet): 15 | | Latitude (decimal): 33.416667
Total Berthing Space (feet): 250 | | Longitude (decimal): -91.06361
Remarks: At time of survey, two storage warehouses at rear of transit shed were under lease to Southern Marine Equipment Co. Approximately 0.5 acre of paved open storage area also located at rear.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21537 Dock Code: 287 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Greenville**
Waterway: **Lake Ferguson** Mile: 6 PWD: 76
Name: **Mississippi Marine Corp., North Yard Wharf.**
Location: Easterly shore of Lake Ferguson, 5.9 miles above Mile 537.0, left bank Mississippi River. Datum: LWRP
Operator: Mississippi Marine Corp.
Owner: Mississippi Marine Corp.
Address: Lake Ferguson Road. Phone: 601/332-5457
Town: Greenville State: MS County: Washington
Railway Connection: None.
Purpose: Mooring barges and towboats for storage and occasional repair.
Depth Alongside (feet): 10 | | Latitude (decimal): 33.418889
Total Berthing Space (feet): 175 | | Longitude (decimal): -91.06111
Remarks: -□□
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21537 Dock Code: 293 Vicksburg District

Port: **Greenville**
Waterway: **Lake Ferguson** Mile: 6 PWD: 77
Name: **Scott Petroleum Corp. Wharf.**
Location: Easterly shore of Lake Ferguson, 6.0 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
Operator: Scott Petroleum Corp., Fertilizer Division.
Owner: Scott Petroleum Corp.
Address: 100 Belle Aire Street. Phone: 601/332-3670
Town: Greenville State: MS County: Washington
Railway Connection: None.
Purpose: Receipt of liquid fertilizer.
Depth Alongside (feet): 12 | | Latitude (decimal): 33.420833
Total Berthing Space (feet): 125 | | Longitude (decimal): -91.05917
Remarks: Three 6-inch pipelines extend from wharf to 9 steel storage tanks at terminal in rear of levee; total capacity 4,000,000 gallons.□
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21537 Dock Code: 296 Vicksburg District

Port Series No. 72
Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi
River Miles 255-620 AHP

Port: **Greenville**
Waterway: **Lake Ferguson** Mile: 7 PWD: 79
Name: **Bunge Corp., Greenville Harbor Wharf.**
Location: Easterly shore of Lake Ferguson, 6.8 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: North Broadway. Phone: 601/378-8135
Town: Greenville State: MS County: Washington
Railway Connection: One surface track serving undertrack pit and loading spout at grain elevator in rear connects with Columbus and Greenville Railroad.
Purpose: Receipt and shipment of grain.
Depth Alongside (feet): 13 | | Latitude (decimal): 33.432222
Total Berthing Space (feet): 470 | | Longitude (decimal): -91.055
Remarks: Grain elevator in rear consisting of 3 steel tanks and 10 concrete silos with 18 interstices has total capacity for 2,150,000 bushels.□
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21537 Dock Code: 340 Vicksburg District

Port: **Greenville**
Waterway: **Lake Ferguson** Mile: 7 PWD: 81
Name: **U.S. Coast Guard, Greenville Moorings.**
Location: Easterly shore of Lake Ferguson, 7.0 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: Lake Ferguson Road. Phone: 601/332-1044
Town: Greenville State: MS County: Washington
Railway Connection: None.
Purpose: Mooring U.S. Coast Guard vessels; handling navigation aids.
Depth Alongside (feet): 5 | | Latitude (decimal): 33.434722
Total Berthing Space (feet): 200 | | Longitude (decimal): -91.05472
Remarks: At time of survey, plans called for facility to be moved to a site near the mouth of Lake Ferguson in 1991.□
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21537 Dock Code: 342 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Greenville**
Waterway: **Lake Ferguson** Mile: 7 PWD: 80
Name: **Warren Petroleum Co., Greenville Wharf.**
Location: Easterly shore of Lake Ferguson, 6.9 miles above Mile 537.0, left bank, Mississippi River. Datum: LWRP
Operator: Warren Petroleum Co., Division of Chevron USA, Inc.
Owner: Warren Petroleum Co., Division of Chevron USA, Inc.
Address: Lake Ferguson Road. Phone: 601/335-4846
Town: Greenville State: MS County: Washington
Railway Connection: None.
Purpose: Receipt of liquefied petroleum gas.
Depth Alongside (feet): 14 | | Latitude (decimal): 33.433333
Total Berthing Space (feet): 140 | | Longitude (decimal): -91.05472
Remarks: One 8- becoming 10-inch pipeline extends from wharf to 14 steel storage tanks at terminal on opposite side of levee in rear, total capacity 35,700 barrels. □
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21537 Dock Code: 341 Vicksburg District

Port: **Greenville**
Waterway: **Mississippi River** Mile: 537 PWD: 53
Name: **Waterways Marine of Greenville, Warfield Point Wharf.**
Location: Mile 536.8, left bank of Mississippi River, Greenville. Datum: LWRP
Operator: Waterways Marine of Greenville, Inc.
Owner: Waterways Marine of Greenville, Inc.
Address: Foot of Power Plant Road. Phone: 601/335-2526
Town: Greenville State: MS County: Washington
Railway Connection: None.
Purpose: Receipt of diesel fuel; loading midstream fueling barges; fueling towboats; mooring barges for fleetling. (See Remarks.)
Depth Alongside (feet): 9 | 9 | Latitude (decimal): 33.353333
Total Berthing Space (feet): 125 | 90 | Longitude (decimal): -91.12861
Remarks: Storage barges 'GWG 202' and 'WWG 3' have capacities for 21,400- and 16,700 barrels, respectively. Midstream fueling barges 'WWG 1' and 'WWG 2' are based at wharf. Company-operated 'Greenville Fleet' with capacity to 4-abreast extends approximately 5,000 feet along west side of Lake Ferguson above wharf.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21537 Dock Code: 010 Vicksburg District

Port Series No. 72
Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Hurricane Point**
Waterway: **Mississippi River** Mile: 609 PWD: 86
Name: **Bunge Corp., Hurricane Point Terminal Wharf.**
Location: Left bank, Mississippi River, mile 609.0 A.H.P., Hurricane Point. Datum: LWRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: Bunge Road, Hurricane Point. Phone: 601/747-2238
Town: Hurricane Point State: MS County: Bolivar
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 15 | | Latitude (decimal): 34.016944
Total Berthing Space (feet): 300 | | Longitude (decimal): -91.04028
Remarks: Grain elevator in rear consisting of 5 steel storage tanks has total capacity for 1,390,000 bushels. □
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 22609 Dock Code: 702 Vicksburg District

Port: **Lake Providence**
Waterway: **Hagaman Chute** Mile: 2 PWD: 93
Name: **Bunge Corp., Lake Providence Elevator Dock.**
Location: Right bank, Hagaman Chute, approximately 2.0 miles above Mile 483.0 A.H.P., right bank, Mississippi Rive Datum: LWRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: Port Access Road. Phone: 318/559-2175
Town: Hagaman Chute State: LA County: East Carroll
Railway Connection: None.
Purpose: Shipment of grain and soybeans.
Depth Alongside (feet): 9 | | Latitude (decimal): 32.756389
Total Berthing Space (feet): 350 | | Longitude (decimal): -91.17167
Remarks: Grain elevator at rear consisting of 8 concrete silos and 12 metal bins, has total capacity for 1,400,000 bushels. □
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21484 Dock Code: 402 New Orleans District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Lake Providence**
Waterway: **Hagaman Chute** Mile: 2 PWD: 95
Name: **Lake Providence Port Commission Ramp.**
Location: Right bank, Hagaman Chute, approximately 1.8 miles above Mile 483.0 A.H.P., right bank, Mississippi Rive Datum: LWRP
Operator: Lake Providence Port Commission.
Owner: Lake Providence Port Commission.
Address: Port Access Road. Phone: 318/559-2365
Town: Hagaman Chute State: LA County: East Carroll
Railway Connection: None.
Purpose: Mooring towboats and barges; occasional receipt of agricultural limestone. (See Remarks.)
Depth Alongside (feet): - 9 | | Latitude (decimal): 32.753889
Total Berthing Space (feet): 100 | | Longitude (decimal): -91.17056
Remarks: At higher river stages, increased depth alongside bulkhead allows for greater berthing distance to moor barges for unloading agricultural limestone to be stored at Ref. No. 92.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21484 Dock Code: 404 New Orleans District

Port: **Lake Providence**
Waterway: **Hagaman Chute** Mile: 2 PWD: 94
Name: **Lake Providence Port Commission, General Cargo Pier.**
Location: Right bank, Hagaman Chute, approximately 1.9 miles above Mile 483.0 A.H.P., right bank, Mississippi Rive Datum: LWRP
Operator: Cobra Resources, Inc.
Owner: Lake Providence Port Commission.
Address: Port Access Road. Phone: 318/559-2365
Town: Hagaman Chute State: LA County: East Carroll
Railway Connection: One surface track on pier joins 2 platform-level tracks serving transit sheds in rear, connects with 40-car capacity yard of Delta Southern Railroad.
Purpose: Receipt and shipment of general cargo, machinery, and heavy-lift items; receipt of coal and miscellaneous bulk materials.
Depth Alongside (feet): 9 | | Latitude (decimal): 32.755278
Total Berthing Space (feet): 220 | | Longitude (decimal): -91.17139
Remarks: Open coal storage area in rear has capacity for 20,000 tons. Approximately 10 acres of additional open storage area is available as required. At time of survey, transit sheds were under lease to private operato
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21484 Dock Code: 403 New Orleans District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Lake Providence**
Waterway: **Hagaman Chute** Mile: 2 PWD: 92
Name: **Terral Barge Line Dock.**
Location: Right bank, Hagaman Chute, approximately 2.1 miles above Mile 483.0 A.H.P., right bank, Mississippi River Datum: LWRP
Operator: Terral Barge Line, Inc.
Owner: Terral Barge Line, Inc.
Address: Port Access Road. Phone: 318/559-2175
Town: Lake Providence State: LA County: East Carroll
Railway Connection: None.
Purpose: Receipt of fertilizer, limestone, and agricultural limestone; mooring barges for fleetings (See Remarks).
Depth Alongside (feet): 9 | | Latitude (decimal): 32.757222
Total Berthing Space (feet): 295 | | Longitude (decimal): -91.17222
Remarks: Timber storage building at rear has capacity for 24,000 tons of fertilizer; open storage area has capacity for approximately 50,000 tons of limestone. □ Operator maintains a public fleetings area with capacity for 3 2-abreast at shore moorings along opposite bank of Hagaman Chute.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21484 Dock Code: 401 New Orleans District

Port: **LeTourneau**
Waterway: **Mississippi River** Mile: 426 PWD: 13
Name: **Marathon-LeTourneau Company Landing.**
Location: Mile 406.4 A.H.P, left bank, Mississippi River, LeTourneau. Datum: LWRP
Operator: Marine Division of Marathon-LeTourneau Company.
Owner: Marathon-LeTourneau Company.
Address: LeTourneau Drive. Phone: 601/636-4132
Town: LeTourneau State: MS County: Warren
Railway Connection: Unused surface tracks serving yard and plant at rear, connect with Mid-South Rail.
Purpose: Mooring offshore, oil, well-drilling platforms for outfitting.
Depth Alongside (feet): - 40 | | Latitude (decimal): 32.1975
Total Berthing Space (feet): 5280 | | Longitude (decimal): -90.98667
Remarks: Offshore platforms constructed in yard, at rear, are launched by 'walking' down bank into river. □
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21406 Dock Code: 001 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Mayersville**
Waterway: **Mississippi River** Mile: 494 PWD: 51
Name: **Koch Pipelines, Mayersville Dock.**
Location: Mile 494.4, left bank of Mississippi River, Mayersville. Datum: LWRP
Operator: Koch Pipelines, Inc.
Owner: Koch Pipelines, Inc.
Address: State Highway No. 1. Phone: 601/873-4073
Town: Mayersville State: MS County: Issaquena
Railway Connection: None.
Purpose: Receipt and shipment of crude oil.
Depth Alongside (feet): 25 | | Latitude (decimal): 32.876111
Total Berthing Space (feet): 350 | | Longitude (decimal): -91.07861
Remarks: One 12- becoming 20-inch pipeline extends from wharf to 10 steel storage tanks approximately 1 1/4 miles in rear, total capacity 800,000 barrels. □
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21494 Dock Code: 402 Vicksburg District

Port: **Mayersville**
Waterway: **Mississippi River** Mile: 497 PWD: 52
Name: **Bunge Corp., Mayersville Wharf.**
Location: Mile 497.4, left bank of Mississippi River, Mayersville. Datum: LWRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: State Highway No. 1. Phone: 601/873-6266
Town: Mayersville State: MS County: Issaquena
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 17 | | Latitude (decimal): 32.916667
Total Berthing Space (feet): 420 | | Longitude (decimal): -91.06167
Remarks: Grain elevator in rear consisting of 2 steel storage tanks, has total capacity for 1,028,000 bushels. □
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21497 Dock Code: 402 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Natchez**
Waterway: **Mississippi River** Mile: 362 PWD: 5
Name: **Natchez Boat Store Wharf.**
Location: Mile 361.5 A.H.P, left bank, Mississippi River, Natchez, approximately 1.8 miles below Natchez-Vidalia Datum: LWRP
Operator: Natchez Boat Store, Inc.
Owner: Natchez Boat Store, Inc.
Address: River Terminal Road. Phone: 601/442-1474
Town: Natchez State: MS County: Adams
Railway Connection: None.
Purpose: Mooring company-owned towboats and barges for repair.
Depth Alongside (feet): 50 | | Latitude (decimal): 31.538889
Total Berthing Space (feet): 590 | | Longitude (decimal): -91.44056
Remarks: Barges house office and repair shops. Vidalia Dock and Storage Co. (Vidalia Fleeting Service, Inc.) operates its 'Natchez Fleet' with capacity for 10 barges, 2 abreast at shore moorings located 1,200 feet below w
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21360 Dock Code: 349 Vicksburg District

Port: **Natchez**
Waterway: **Mississippi River** Mile: 362 PWD: 6
Name: **Natchez-Adams County Port Commission, General Cargo Wharf.**
Location: Mile 361.5 A.H.P, left bank, Mississippi River, Natchez, approximately, 1.7 miles below Natchez-Vidalia (U) Datum: LWRP
Operator: Natchez-Adams County Port Commission.
Owner: Natchez-Adams County Port Commission.
Address: River Terminal Road. Phone: 601/442-2561
Town: Natchez State: MS County: Adams
Railway Connection: One marginal surface track along rear of face extending from lower approach; and two surface tracks on upper approach; serve transit sheds and yard at rear; connect with Illinois Central Railroad.
Purpose: Receipt and shipment of general cargo including heavy-lift items and miscellaneous bulk materials by conventional and vessel-borne barges.
Depth Alongside (feet): 26 | | Latitude (decimal): 31.540278
Total Berthing Space (feet): 650 | | Longitude (decimal): -91.43944
Remarks: Paved 3-acre open storage area located at rear. Riverside Central Services, Inc. warehouse is located at rear on opposite side of River Terminal Road. □
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21360 Dock Code: 357 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Natchez**
Waterway: **Mississippi River** Mile: 362 PWD: 7
Name: **Natchez-Adams County Port Commission, Liquid Products Wharf.**
Location: Mile 361.7 A.H.P.,left bank, Mississippi River, Natchez, approximately, 1.7 miles below Datum: LWRP
Natchez-Vidalia (U)
Operator: Mid-Continent Systems Terminal, Inc. and Amoco Chemicals Corp.
Owner: Natchez-Adams County Port Commission.
Address: - Phone: 601/442-2561
Town: Natchez State: MS County: Adams
Railway Connection: None.
Purpose: Receipt of crude oil and shipment of petroleum products; receipt of neutral oil, black liquor, and green liquor (chemicals).
Depth Alongside (feet): 26 | | Latitude (decimal): 31.540556
Total Berthing Space (feet): 300 | | Longitude (decimal): -91.43778
Remarks: Mid-Continent Systems Terminal, Inc. services Natchez Refining, Inc. via four 12-, and two 8-inch pipelines extending from wharf to 28 steel storage tanks at rear, total capacity 810,600 barrels. Amoco Chemicals pipeline extends from wharf to 6 steel storage tanks at rear, total capacity approximately 75,000 barrels. Two additional 8-inch pipelines were inactive at time of survey.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21360 Dock Code: 358 Vicksburg District

Port: **Natchez**
Waterway: **Mississippi River** Mile: 362 PWD: 9
Name: **River Cement Company, Natchez Dock.**
Location: Mile 362.2 A.H.P.,left bank, Mississippi River, Natchez, approximately, 1.1 miles below Datum: LWRP
Natchez-Vidalia (U)
Operator: River Cement Co.
Owner: River Cement Co.
Address: 250 River Terminal Road. Phone: 601/442-4881
Town: Natchez State: MS County: Adams
Railway Connection: One unused surface track at cement storage silo in rear connects with Illinois Central Railroad.
Purpose: Receipt of cement.
Depth Alongside (feet): 21 | | Latitude (decimal): 31.545278
Total Berthing Space (feet): 355 | | Longitude (decimal): -91.43139
Remarks: One 10-inch, pneumatic pipeline extends from wharf to one cement storage silo at rear divided into 6 compartments, total capacity 8,100 tons. Silo is served by a truck-loading station.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21360 Dock Code: 359 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Natchez**
Waterway: **Mississippi River** Mile: 362 PWD: 8
Name: **U.S. Coast Guard, Natchez Landing.**
Location: Mile 362.0 A.H.P.,left bank, Mississippi River, Natchez, approximately, 1.3 miles below Datum: LWRP
Natchez-Vidalia (U)
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: River Terminal Road. Phone: 601/445-5436 44
Town: Natchez State: MS County: Adams
Railway Connection: None.
Purpose: Mooring U.S. Coast Guard vessels; handling navigation aids.
Depth Alongside (feet): - 10 | | Latitude (decimal): 31.543889
Total Berthing Space (feet): 270 | | Longitude (decimal): -91.43389
Remarks: U.S. Coast Guard Base located in building at rear with repair and maintenance facilities. One 4-inch sewage pipeline serves vessels. Open area located in rear is used for storing navigation aids.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21360 Dock Code: 350 Vicksburg District

Port: **Natchez**
Waterway: **Mississippi River** Mile: 363 PWD: 10
Name: **J.M. Jones Lumber Company, Landing.**
Location: Mile 362.5 A.H.P.,left bank, Mississippi River, Natchez, approximately, 0.8 mile below Datum: LWRP
Natchez-Vidalia (U.
Operator: J.M. Jones Lumber Company, Inc.
Owner: J.M. Jones Lumber Company, Inc.
Address: Government Fleet Road. Phone: 601/442-7471
Town: Natchez State: MS County: Adams
Railway Connection: Two surface tracks serving yard at rear connect with Illinois Central Railroad.
Purpose: Occasional receipt of logs.
Depth Alongside (feet): - 20 | | Latitude (decimal): 31.549722
Total Berthing Space (feet): 800 | | Longitude (decimal): -91.42583
Remarks: Open storage area at rear has capacity for approximately 800,000 board feet of lumber. □
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21360 Dock Code: 245 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **New Roads**
Waterway: **Mississippi River** Mile: 263 PWD: 107
Name: **Cajun Electric Power Cooperative, Big Cajun No. 2 Power Plant Whar**
Location: Right bank, Mississippi River, Mile 262.7 A.H.P., New Roads. Datum: LWRP
Operator: Cajun Electric Power Cooperative, Inc.
Owner: Cajun Electric Power Cooperative, Inc.
Address: State Highway 981. Phone: 504/638-3773 ex
Town: New Roads State: LA County: Pointe Coupee
Railway Connection: One surface track serving plant in rear connects with Kansas City Southern Railroad.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 30.730278
Total Berthing Space (feet): 2435 | | Longitude (decimal): -91.35861
Remarks: Barges are positioned at unloader by a shuttle barge controlled by cables and winches attached to breasting dolphins. A 140- by 70-foot platform at outer end of approach, also serves as work area for servicing u plant water intake built into substructure. Open storage area at plant in rear has capacity for 2,000,000 tons of coal, which is reclaimed via ground-level hoppers served by an underground 72-inch electric belt-convehas capacity for storing 25 loaded- and 25 empty barges.
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 20262 Dock Code: 001 New Orleans District

Port: **Rosedale**
Waterway: **Rosedale Harbor** Mile: 2 PWD: 82
Name: **Jan Tran, Inc., Rosedale Dock and Fleeting Area.**
Location: Easterly shore of Rosedale Harbor, 1.8 miles above Mile 584.5, left bank, Mississippi River. Datum: LWRP
Operator: Jan Tran, Inc.
Owner: Jan Tran, Inc.
Address: Foot of Terminal Road. Phone: 601/759-6841
Town: Rosedale State: MS County: Bolivar
Railway Connection: None.
Purpose: Mooring barges and towboats for repair; mooring floating drydock; mooring barges for fleeting (see Remarks).
Depth Alongside (feet): 11 | | Latitude (decimal): 33.811389
Total Berthing Space (feet): 70 | | Longitude (decimal): -91.02028
Remarks: Wharf is equipped with outlets for compressed air, oxygen, and welding gas. One 2,300- and one 1,800-ton floating drydocks are moored at wharf. Barge fleeting areas are located along both banks of Mississippi R moorings between Miles 585.8 and 586.9 A.H.P, approximately 1.5 miles above entrance to Rosedale Harbor and have combined capacity for 175 barges arranged in tiers up to 6 abreast.
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21585 Dock Code: 005 Memphis District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Rosedale**
Waterway: **Rosedale Harbor** Mile: 3 PWD: 83
Name: **Rosedale-Bolivar County Port Commission, Public Dock.**
Location: Easterly shore of Rosedale Harbor, 2.6 miles above Mile 584.5, left bank Mississippi River. Datum: LWRP
Operator: Rosedale-Bolivar County Port Commission.
Owner: Rosedale-Bolivar County Port Commission.
Address: Terminal Road. Phone: 601/759-6212
Town: Rosedale State: MS County: Bolivar
Railway Connection: One carfloor-level track serves transit shed/warehouse in rear, connects with Great River Railroad.
Purpose: Receipt and shipment of general cargo, including steel products, cottonseed, soybeans, and miscellaneous dry bulk commodities.
Depth Alongside (feet): 9 | | Latitude (decimal): 33.8225
Total Berthing Space (feet): 540 | | Longitude (decimal): -91.02194
Remarks: Transit shed also serves as a storage warehouse (S.W. Ref. No 7). Approximately 15 acres of open storage area is located at rear. □
Year of Last Survey: 1991 Corps of Engrns Waterway Code: 21585 Dock Code: 050 Memphis District

Port: **Rosedale**
Waterway: **Rosedale Harbor** Mile: 3 PWD: 85
Name: **Sanders Elevator Corp. Wharf.**
Location: Easterly shore of Rosedale Harbor, 2.8 miles above Mile 584.5, left bank, Mississippi River. Datum: LWRP
Operator: Sanders Elevator Corp.
Owner: Sanders Elevator Corp.
Address: Terminal Road. Phone: 601/759-3532
Town: Rosedale State: MS County: Bolivar
Railway Connection: One surface track in rear connects with Great River Railroad.
Purpose: Shipment of grain.
Depth Alongside (feet): 15 | | Latitude (decimal): 33.825
Total Berthing Space (feet): 170 | | Longitude (decimal): -91.02361
Remarks: Grain elevator in rear consisting of 16 steel storage tanks has total capacity for 2,250,000 bushels. □
Year of Last Survey: 1991 Corps of Engrns Waterway Code: 21585 Dock Code: 060 Memphis District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Rosedale**
Waterway: **Rosedale Harbor** Mile: 3 PWD: 84
Name: **Sanders Elevator Corp., Fertilizer Dock.**
Location: Easterly shore of Rosedale Harbor, 2.7 miles above Mile 584.5, left bank, Mississippi River. Datum: LWRP
Operator: Sanders Elevator Corp.
Owner: Sanders Elevator Corp.
Address: Terminal Road. Phone: 601/846-1395
Town: Rosedale State: MS County: Bolivar
Railway Connection: None.
Purpose: Receipt of dry and liquid fertilizer.
Depth Alongside (feet): 15 | | Latitude (decimal): 33.823611
Total Berthing Space (feet): 110 | | Longitude (decimal): -91.0225
Remarks: Concrete storage building at rear has capacity for 25,000 tons of bulk fertilizer. One 8-inch pipeline extends from wharf to 3 steel storage tanks in rear, total capacity 2,150,000 gallons.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21585 Dock Code: 054 Memphis District

Port: **Satartia**
Waterway: **Yazoo River** Mile: 45 PWD: 46
Name: **Dixie Farms Elevator Wharf.**
Location: Mile 45.0, left bank of Yazoo River, Satartia. Datum: LWRP
Operator: Dixie Farms Elevator.
Owner: Morrison Enterprises.
Address: Dixie Farms and Levee Roads. Phone: 601/746-4625
Town: Sartaria State: MS County: Yazoo
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 32.633333
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.58333
Remarks: Grain elevator at rear consisting of 5 steel silos has total capacity for 455,000 bushels.□
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21600 Dock Code: 037 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **St. Joseph**
Waterway: **Mississippi River** Mile: 396 PWD: 102
Name: **Bunge Corp., St. Joseph Elevator Dock.**
Location: Right bank, Mississippi River, Mile 396.4 A.H.P., St. Joseph. Datum: LWRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: State Highway 3078. Phone: 318/766-3204
Town: St. Joseph State: LA County: Tensas
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 31.923056
Total Berthing Space (feet): 300 | | Longitude (decimal): -91.19556
Remarks: Grain elevator in rear consisting of 40 concrete silos with 16 interstices and 6 steel tanks, has total capacity for 3,600,000 bushels.□
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21396 Dock Code: 401 New Orleans District

Port: **St. Francisville**
Waterway: **Mississippi River** Mile: 263 PWD: 1
Name: **Gulf States Utilities Company, River Bend Station, Barge Slip.**
Location: Mile 262.4 A.H.P., left bank, Mississippi River, St. Francisville, approximately 3.5 miles below St. Fra Datum: LWRP
Operator: Not operated.
Owner: Gulf States Utilities Company.
Address: State Highway 965. Phone: 504/381-4692
Town: St. Francisville State: LA County: West Feliciana
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): - 12 | | Latitude (decimal): 30.728056
Total Berthing Space (feet): 645 | | Longitude (decimal): -91.3375
Remarks: Slip formerly was used for handling heavy construction materials and equipment when plant was under construction. A barge-grounding platform of crushed stone was constructed as required, corresponding to river stable platform for transfer operations.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 20262 Dock Code: 502 New Orleans District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **St.Francisville**
Waterway: **Mississippi River** Mile: 265 PWD: 2
Name: **U.S. Army Corps of Engineers, St. Francisville Casting Field Landi**
Location: Mile 265.3 A.H.P., left bank, Mississippi River, St. Francisville, approximately 0.5 miles below St. Fra Datum: LWRP
Operator: U.S. Army Corps of Engineers.
Owner: U.S. Government.
Address: State Highway 10. Phone: -----
Town: St.Francisville State: LA County: West Feliciana
Railway Connection: None.
Purpose: Loading precast, concrete, articulated mattress blocks; mooring government-owned floating equipment.
Depth Alongside (feet): | | Latitude (decimal): 30.763611
Total Berthing Space (feet): 300 | | Longitude (decimal): -91.37667
Remarks: Sections of articulated concrete mattresses are cast in field at rear, loaded onto trucks, transported to bank and loaded by crane onto barges. Facility is operated on an as required basis.
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 20265 Dock Code: 302 New Orleans District

Port: **St.Francisville**
Waterway: **Mississippi River** Mile: 266 PWD: 3
Name: **St. Francisville Ferry Landings.**
Location: Mile 266.0 A.H.P., left and right banks, Mississippi River, St. Francisville, below mouth of Bayou Sara. Datum: LWRP
Operator: Department of Transportation and Development, State of Louisiana.
Owner: Department of Transportation and Development, State of Louisiana.
Address: State Highway 10 at Mississippi River Phone: -----
Town: St.Francisville State: LA County: West Feliciana
Railway Connection: None.
Purpose: Landings for passenger and vehicular ferry.
Depth Alongside (feet): 12 | | Latitude (decimal): 30.7625
Total Berthing Space (feet): 40 | | Longitude (decimal): -91.38583
Remarks: Ferry provides service between St. Francisville and Pointe Coupee Parish on State Highway 10. □
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 20266 Dock Code: 101 New Orleans District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Tallulah**
Waterway: **Mississippi River** Mile: 438 PWD: 101
Name: **U.S. Army Corps of Engineers, Delta Point Casting Field Landing.**
Location: Mile 437.5, A.H.P., right bank, Mississippi River, mile 437.5 Delta, approximately 1.7 miles above Inter Datum: LWRP
Operator: U.S. Army Corps of Engineers.
Owner: U.S. Government.
Address: Foot of St. Martin Street. Phone: 601/633-9733
Town: Delta State: MS County: Madison
Railway Connection: None.
Purpose: Loading precast, concrete, articulated mattress blocks; mooring government-owned floating equipment.
Depth Alongside (feet): 10 - 45 | | Latitude (decimal): 32.335833
Total Berthing Space (feet): 3200 | | Longitude (decimal): -90.92167
Remarks: Bulldozer constructs causeways for truck access to floating equipment moored along bank as required.□
Year of Last Survey: 1991 Corps of Engrns Waterway Code: 21431 Dock Code: 252 Vicksburg District

Port: **Tallulah**
Waterway: **Mississippi River** Mile: 442 PWD: 100
Name: **Farmers Grain Terminal, Tallulah Elevator Wharf.**
Location: Right bank, Mississippi River, Mile 442.0 A.H.P., Tallulah. Datum: LWRP
Operator: Farmers River Terminal, Inc.
Owner: Farmers Grain Terminal, Inc.
Address: U.S. Highway 80. Phone: 318/574-0564
Town: Tallulah State: LA County: Madison
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 40 | | Latitude (decimal): 32.347778
Total Berthing Space (feet): 250 | | Longitude (decimal): -90.98
Remarks: Grain elevator at rear consists of 10 steel storage tanks, total capacity 1,208,000 bushels.□
Year of Last Survey: 1991 Corps of Engrns Waterway Code: 21442 Dock Code: 101 New Orleans District

Port Series No. 72
Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Tallulah**
Waterway: **Mississippi River** Mile: 457 PWD: 98
Name: **Bunge Corp., Tallulah Grain Elevator Dock.**
Location: Right bank, Mississippi River, Mile 457.3 A.H.P., Tallulah. Datum: LWRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: Port Road. Phone: 318/574-2441
Town: Tallulah State: LA County: Madison
Railway Connection: None.
Purpose: Receipt and shipment of grain; receipt of liquid fertilizer.
Depth Alongside (feet): 10 - 15 | | Latitude (decimal): 32.538889
Total Berthing Space (feet): 300 | | Longitude (decimal): -91.12167
Remarks: One 12-inch pipeline extends from lower platform to 2 steel liquid fertilizer storage tanks at rear, total capacity 4,800,000 gallons. Grain elevator at rear consists of 16 concrete silos with 13 interstices, an has capacity for 3,100,000 bushels.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21457 Dock Code: 201 New Orleans District

Port: **Tallulah**
Waterway: **Mississippi River** Mile: 457 PWD: 99
Name: **Madison Parish Port Commission Wharf.**
Location: Right bank, Mississippi River, Mile 457.2 A.H.P., Tallulah. Datum: LWRP
Operator: Madison Parish Port Commission.
Owner: Madison Parish Port Commission.
Address: Port Road. Phone: 318/574-2181
Town: Tallulah State: LA County: Madison
Railway Connection: One surface track extending to face of wharf, joins additional tracks serving transit sheds and open storage area in rear; connects with Union Pacific Railroad.
Purpose: Receipt and shipment of general cargo, machinery, heavy-lift items, and dry bulk commodities; mooring barges for fleeting (See Remarks).
Depth Alongside (feet): 9 | | Latitude (decimal): 32.536944
Total Berthing Space (feet): 300 | | Longitude (decimal): -91.12222
Remarks: Four acres of paved- and 11 acres of unpaved open storage area are located at rear. Terral Barge Line, Inc. maintains their 'Tallulah Fleet' with capacity for approximately 30 barges moored up to 2-abreast at sh below wharf.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21457 Dock Code: 202 New Orleans District

Port Series No. 72
Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi
River Miles 255-620 AHP

Port: **Transylvania**
Waterway: **Mississippi River** Mile: 468 PWD: 97
Name: **Monticello Gin & Elevator Co. Dock.**
Location: Right bank, Mississippi River, Mile 468.2 A.H.P., Transylvania. Datum: LWRP
Operator: Monticello Gin and Elevator Co.
Owner: Monticello Gin and Elevator Co.
Address: Goodrich Landing Road. Phone: 318/552-6315
Town: Transylvania State: LA County: East Carroll
Railway Connection: None.
Purpose: Receipt of liquid fertilizer.
Depth Alongside (feet): 15 | | Latitude (decimal): 32.638056
Total Berthing Space (feet): 530 | | Longitude (decimal): -91.16389
Remarks: At time of survey grain elevator at rear, consisting of 3 steel storage tanks, total capacity 200,000 bushels, was not in use. One 6-inch pipeline extends from center dolphin along approach to one 5,000-ton liqu tank at rear served by one truck-loading station.
Year of Last Survey: 1991 Corps of Engrns Waterway Code: 21468 Dock Code: 501 New Orleans District

Port: **Transylvania**
Waterway: **Mississippi River** Mile: 469 PWD: 96
Name: **Bunge Corporation, Goodrich Landing Elevator Dock.**
Location: Right bank, Mississippi River, Mile 468.6 A.H.P., Transylvania. Datum: LWRP
Operator: Bunge Corporation.
Owner: Bunge Corporation.
Address: Goodrich Landing Road. Phone: 318/552-8823
Town: Transylvania State: LA County: East Carroll
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 15 | | Latitude (decimal): 32.641389
Total Berthing Space (feet): 530 | | Longitude (decimal): -91.16472
Remarks: Grain elevator at rear consisting of 2 concrete silos and one steel tank has total capacity for 1,846,000 bushels.□
Year of Last Survey: 1991 Corps of Engrns Waterway Code: 21468 Dock Code: 901 New Orleans District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Vicksburg**
Waterway: **Mississippi River** Mile: 433 PWD: 14
Name: **Baxter Wilson, Steam Electric Station Wharf.**
Location: Mile 433.1 A.H.P, left bank, Mississippi River, Vicksburg, approximately 2.6 miles below Interstate Hi Datum: LWRP
Operator: Mississippi Power and Light Co.
Owner: System Fuels, Inc.
Address: U.S. Highway Business 61. Phone: 601/636-4254
Town: Vicksburg State: MS County: Warren
Railway Connection: One surface track serving plant at rear connects with Mid-South Rail.
Purpose: Receipt and occasional shipment of fuel oil by barge.
Depth Alongside (feet): 15 | | Latitude (decimal): 32.284444
Total Berthing Space (feet): 550 | | Longitude (decimal): -90.93167
Remarks: One 12- and one 24-inch pipeline, becoming respectively two 12- and two 16-inch pipelines, extend from wharf to 9 steel storage tanks at rear, total capacity 1,550,000 barrels. Three steel dolphins for debris de upper end.
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21431 Dock Code: 110 Vicksburg District

Port: **Vicksburg**
Waterway: **Mississippi River** Mile: 435 PWD: 15
Name: **PetroSource Resources Wharf.**
Location: Mile 434.5 A.H.P, left bank, Mississippi River, Vicksburg, approximately one mile below Interstate Hig Datum: LWRP
Operator: PetroSource Resources.
Owner: PetroSource Resources.
Address: U.S. Highway Business 61. Phone: 601/638-1405
Town: Vicksburg State: MS County: Warren
Railway Connection: None.
Purpose: Receipt of crude oil; shipment of petroleum products.
Depth Alongside (feet): 7 | | Latitude (decimal): 32.296944
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.9175
Remarks: One 10- and two 8-inch pipelines extend from wharf to one 100,000-barrel crude oil storage tank and 8 product storage tanks, total capacity 228,000 barrels. * A berthing depth of 7 feet is attainable with use of
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21431 Dock Code: 120 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Vicksburg**
Waterway: **Mississippi River** Mile: 436 PWD: 17
Name: **Mid-Continent Systems, Wharf.**
Location: Mile 436.2 A.H.P, left bank, Mississippi River, Vicksburg, approximately 0.5 mile above Interstate Highway Datum: LWRP
Operator: Ergon, Inc.
Owner: Mid-Continent Systems, Inc.
Address: 4106 Warrenton Road. Phone: 601/636-9491
Town: Vicksburg State: MS County: Warren
Railway Connection: None.
Purpose: Shipment of crude oil.
Depth Alongside (feet): 20 | | Latitude (decimal): 32.319444
Total Berthing Space (feet): 260 | | Longitude (decimal): -90.89889
Remarks: One 8-inch pipeline with two 6-inch connections on wharf extends to 9 steel storage tanks at rear, total capacity 179,000 barrels. □
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21431 Dock Code: 253 Vicksburg District

Port: **Vicksburg**
Waterway: **Mississippi River** Mile: 436 PWD: 16
Name: **Vicksburg Terminal Co., Wharf.**
Location: Mile 435.6 A.H.P, left bank, Mississippi River, Vicksburg, below Interstate Highway 20 Bridge Datum: LWRP
Operator: Vicksburg Terminal Co., Inc.
Owner: Vicksburg Terminal Co., Inc.
Address: 4212 Warrenton Road. Phone: 601/636-1946
Town: Vicksburg State: MS County: Warren
Railway Connection: None.
Purpose: Receipt and shipment of crude oil; receipt of petroleum products and ethanol.
Depth Alongside (feet): 10 | | Latitude (decimal): 32.311667
Total Berthing Space (feet): 250 | | Longitude (decimal): -90.90278
Remarks: Three 6-inch pipelines extend from wharf to one 672,000-gallon ethanol storage tank and to 6 crude oil storage tanks at rear, total capacity 184,000 barrels. □
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21431 Dock Code: 240 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Vicksburg**
Waterway: **Mississippi River** Mile: 437 PWD: 19
Name: **Central Waterway Terminal, Wharf.**
Location: Mile 437.0 A.H.P., left bank, Mississippi River, foot of Dorsey Street. Datum: LWRP
Operator: Central Waterway Terminal, Inc.
Owner: Central Waterway Terminal, Inc.
Address: 375 Dorsey Street. Phone: 601/636-7510
Town: Vicksburg State: MS County: Warren
Railway Connection: Two surface tracks in rear connect with Mid-South Rail.
Purpose: Receipt and shipment of fish meal, lumber, coal, zircon sand, and other miscellaneous bulk materials; shipment of grain.
Depth Alongside (feet): 1 | | Latitude (decimal): 32.333333
Total Berthing Space (feet): 250 | | Longitude (decimal): -90.89611
Remarks: A 3,000-ton capacity steel frame, metal-covered fish meal storage building, two storage warehouses, and approximately 15 acres of unpaved open storage area are located at rear.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21431 Dock Code: 280 Vicksburg District

Port: **Vicksburg**
Waterway: **Mississippi River** Mile: 437 PWD: 18
Name: **Ergon Marine and Industrial Supplies, Fueling Wharf.**
Location: Mile 436.6 A.H.P, left bank, Mississippi River, Vicksburg, approxi-mately 0.9 mile Datum: LWRP
above Interstate High
Operator: Ergon Marine and Industrial Supplies.
Owner: Ergon Marine and Industrial Supplies.
Address: - Phone: 601/638-8415
Town: Vicksburg State: MS County: Warren
Railway Connection: None.
Purpose: Receipt of petroleum products; fueling vessels.
Depth Alongside (feet): 11 | | Latitude (decimal): 32.325833
Total Berthing Space (feet): 100 | | Longitude (decimal): -90.89639
Remarks: Fuel is delivered to barges by truck, from 8 steel storage tanks located approximately 0.7 mile upstream, total capacity 116,000 barrels. □
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21431 Dock Code: 001 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Vicksburg**
Waterway: **Vicksburg Harbor** Mile: 1 PWD: 34
Name: **Big River, Ship Builders Dock.**
Location: Vicksburg Harbor, approximately 1.4 miles above mile 2.7, Yazoo River Diversion Datum: LWRP Canal.
Operator: Big River Shipbuilders, Inc.
Owner: Big River Shipbuilders, Inc.
Address: Haining Drive. Phone: 601/636-9161
Town: Vicksburg State: MS County: Warren
Railway Connection: One surface track serves shipyard in rear; connects with Mid-South Rail.
Purpose: Mooring barges and towboats for repair; mooring floating drydock.
Depth Alongside (feet): 9 | | Latitude (decimal): 32.387222
Total Berthing Space (feet): 800 | | Longitude (decimal): -90.88472
Remarks: Wharf equipped with outlets for oxygen, water, and natural gas. One 1,650-, one 1,000-, and one 700-ton floating drydocks are moored at wharf. □
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21599 Dock Code: 196 Vicksburg District

Port: **Vicksburg**
Waterway: **Vicksburg Harbor** Mile: 1 PWD: 31
Name: **Ergon Marine & Industrial Supply Mooring Dock.**
Location: Vicksburg Harbor, approximately 1.1 miles above mile 2.7, Yazoo River Diversion Datum: LWRP Canal.
Operator: Ergon Marine & Industrial Supply.
Owner: Ergon Marine & Industrial Supply.
Address: Haining Drive. Phone: 601/638-5921
Town: Vicksburg State: MS County: Warren
Railway Connection: None.
Purpose: Mooring company-owned floating equipment.
Depth Alongside (feet): 9 | | Latitude (decimal): 32.384167
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.88
Remarks: -□□
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21599 Dock Code: 193 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Vicksburg**
Waterway: **Vicksburg Harbor** Mile: 1 PWD: 29
Name: **GRF Terminal Wharf.**
Location: Vicksburg Harbor, approximately 0.8 mile above mile 2.7 Yazoo River Diversion Datum: LWRP Canal.
Operator: GRF Terminal, Inc.
Owner: GRF Terminal, Inc.
Address: Haining Drive. Phone: 601/636-3144
Town: Vicksburg State: MS County: Warren
Railway Connection: One surface track at rear connects with Mid-South Rail.
Purpose: Receipt of dry and liquid fertilizer, lime, limestone, and miscellaneous granular dry bulk commodities.
Depth Alongside (feet): 14 | | Latitude (decimal): 32.381667
Total Berthing Space (feet): 160 | | Longitude (decimal): -90.87611
Remarks: One 10-inch pipeline extends from wharf to one 500,000-gallon fertilizer storage tank. Dry bulk storage facilities at terminal include one 8,000-ton capacity concrete storage dome; one 11,000-ton capacity, steel building, and open storage area for 10,000 tons of limestone.
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21599 Dock Code: 190 Vicksburg District

Port: **Vicksburg**
Waterway: **Vicksburg Harbor** Mile: 1 PWD: 32
Name: **Holnam, Vicksburg Terminal Dock.**
Location: Vicksburg Harbor, approximately 1.2 miles above mile 2.7, Yazoo River Diversion Datum: LWRP Canal.
Operator: Holnam, Inc.
Owner: Holnam, Inc.
Address: Haining Road. Phone: 601/636-4911
Town: Vicksburg State: MS County: Warren
Railway Connection: Two surface tracks serve terminal in rear; connect with Mid-South Rail.
Purpose: Receipt of bulk cement by barge.
Depth Alongside (feet): 8 | | Latitude (decimal): 32.385
Total Berthing Space (feet): 175 | | Longitude (decimal): -90.88083
Remarks: One 12-inch pneumatic pipeline extends from wharf to 2 concrete, cement storage silos in rear, total capacity 2,100 tons. □
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21599 Dock Code: 194 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Vicksburg**
Waterway: **Vicksburg Harbor** Mile: 1 PWD: 30
Name: **Quaker State Corp., Vicksburg Wharf.**
Location: Vicksburg Harbor, approximately 0.9 mile above mile 2.7, Yazoo River Diversion Datum: LWRP Canal.
Operator: Quaker State Corp.
Owner: Quaker State Corp.
Address: Haining Drive. Phone: 601/634-0311
Town: Vicksburg State: MS County: Warren
Railway Connection: Two surface tracks at rear connect with Mid-South Rail.
Purpose: Receipt and shipment of petroleum products.
Depth Alongside (feet): 8 | | Latitude (decimal): 32.382222
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.86917
Remarks: One 8-inch pipeline extends from platform to 34 steel storage tanks at terminal in rear, total capacity 163,500 barrels. One 3-inch steam pipeline serves wharf. Blending and packaging plants located at terminal
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21599 Dock Code: 191 Vicksburg District

Port: **Vicksburg**
Waterway: **Vicksburg Harbor** Mile: 1 PWD: 33
Name: **U.S. Coast Guard, Vicksburg, Moorings.**
Location: Vicksburg Harbor, approximately 1.2 miles above mile 2.7, Yazoo River Diversion Datum: LWRP Canal.
Operator: U.S. Coast Guard.
Owner: U.S. Government.
Address: Haining Drive. Phone: 601/636-8304
Town: Vicksburg State: MS County: Warren
Railway Connection: None.
Purpose: Mooring U.S. Coast Guard vessels.
Depth Alongside (feet): 9 | | Latitude (decimal): 32.385833
Total Berthing Space (feet): 200 | | Longitude (decimal): -90.88222
Remarks: One 4-inch sewage pipeline extends to holding tank on shore at rear.□□
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21599 Dock Code: 195 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Vicksburg**
Waterway: **Vicksburg Harbor** Mile: 2 PWD: 39
Name: **Bunge Corp., Soybean Processing Division, Vicksburg Wharf.**
Location: Vicksburg Harbor, approximately 2 miles above mile 2.7, Yazoo River Diversion Datum: LWRP Canal.
Operator: Bunge Corp., Soybean Processing Division.
Owner: Bunge Corp., Soybean Processing Division.
Address: Haining Drive. Phone: 601/638-3824
Town: Vicksburg State: MS County: Warren
Railway Connection: Two surface tracks, undertrack receiving pit and loading spout at elevator in rear, connect with Mid-South Rail.
Purpose: Receipt of soybeans; shipment of soybean meal and soybean oil.
Depth Alongside (feet): 12 | | Latitude (decimal): 32.3875
Total Berthing Space (feet): 450 | | Longitude (decimal): -90.895
Remarks: Grain elevator in rear consists of 4, steel, seed storage buildings, total capacity 6,000,000 bushels. Soybean meal storage building at rear has capacity for 5,000 tons. One 4-inch pipeline extends to wharf for storage tanks at processing plant in rear, total capacity 4,500 tons.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21599 Dock Code: 200 Vicksburg District

Port: **Vicksburg**
Waterway: **Vicksburg Harbor** Mile: 2 PWD: 38
Name: **Citgo Petroleum Corp., Vicksburg Dock.**
Location: Vicksburg Harbor, approximately 1.8 miles above mile 2.7, Yazoo River Diversion Datum: LWRP Canal.
Operator: Citgo Petroleum Corp.
Owner: Citgo Petroleum Corp.
Address: Haining Drive. Phone: 601/636-2061
Town: Vicksburg State: MS County: Warren
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 8 | | Latitude (decimal): 32.388056
Total Berthing Space (feet): 75 | | Longitude (decimal): -90.89028
Remarks: Three 8-inch pipelines extend from platform to 7 steel storage tanks at rear, total capacity 152,000 barrels. One steel, 8- by 30-foot, steel work float moored at rear and one at lower side of platform.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21599 Dock Code: 199 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Vicksburg**
Waterway: **Vicksburg Harbor** Mile: 2 PWD: 40
Name: **Ergon, Vicksburg Bulk Terminal, No. 11, Lower Dock.**
Location: Vicksburg Harbor, approximately 2.2 miles above mile 2.7, Yazoo River Diversion Canal. Datum: LWRP
Operator: Ergon, Inc.
Owner: Ergon, Inc.
Address: Haining Drive. Phone: 601/636-7561
Town: Vicksburg State: MS County: Warren
Railway Connection: Four surface tracks serving terminal in rear, connect with Mid-South Rail.
Purpose: Receipt and shipment of naphtha and petroleum products.
Depth Alongside (feet): 9 | | Latitude (decimal): 32.386667
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.89778
Remarks: Two 8-inch pipelines extend from wharf to one 840,000-gallon capacity, naphtha, storage tank and 14 product storage tanks, total capacity 495,900 barrels, located at terminal in rear.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21599 Dock Code: 202 Vicksburg District

Port: **Vicksburg**
Waterway: **Vicksburg Harbor** Mile: 2 PWD: 42
Name: **Ergon, Vicksburg Bulk Terminal, No. 11, Upper Dock.**
Location: Vicksburg Harbor, approximately 2.3 miles above mile 2.7, Yazoo River Diversion Canal. Datum: LWRP
Operator: Ergon, Inc.
Owner: Ergon, Inc.
Address: Haining Drive. Phone: 601/636-7561
Town: Vicksburg State: MS County: Warren
Railway Connection: Four surface tracks serving terminal in rear, connect with Mid-South Rail.
Purpose: Receipt and shipment of naphtha and petroleum products.
Depth Alongside (feet): 9 | | Latitude (decimal): 32.386111
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.90028
Remarks: Three 12-inch pipelines extend from wharf to tankage described under Ref. No. 40. □
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21599 Dock Code: 202 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Vicksburg**
Waterway: **Vicksburg Harbor** Mile: 2 PWD: 37
Name: **Falco Lime Dock.**
Location: Vicksburg Harbor, approximately 1.7 miles above mile 2.7, Yazoo River Diversion Canal. Datum: LWRP
Operator: Falco Lime, Inc.
Owner: Falco Lime, Inc.
Address: Haining Drive. Phone: 601/636-0932
Town: Vicksburg State: MS County: Warren
Railway Connection: Two surface tracks serving terminal at rear connect with Mid-South Rail.
Purpose: Receipt and shipment of lime.
Depth Alongside (feet): 10 | | Latitude (decimal): 32.387778
Total Berthing Space (feet): 140 | | Longitude (decimal): -90.88917
Remarks: Two steel storage tanks at terminal in rear have total capacity for 900 tons.□□
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21599 Dock Code: 198 Vicksburg District

Port: **Vicksburg**
Waterway: **Vicksburg Harbor** Mile: 2 PWD: 41
Name: **Magnolia Marine Transport Co. Dock.**
Location: Vicksburg Harbor, approximately 2.25 miles above mile 2.7, Yazoo River Diversion Canal. Datum: LWRP
Operator: Magnolia Marine Transport Co. Dock.
Owner: Magnolia Marine Transport Co.
Address: Haining Drive. Phone: 601/638-5921
Town: Vicksburg State: MS County: Warren
Railway Connection: None.
Purpose: Mooring company-owned floating equipment; mooring company-owned tank barges for cleaning and repair.
Depth Alongside (feet): 9 | | Latitude (decimal): 32.386389
Total Berthing Space (feet): 270 | | Longitude (decimal): -90.89778
Remarks: -□□
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21599 Dock Code: 203 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Vicksburg**
Waterway: **Vicksburg Harbor** Mile: 2 PWD: 35
Name: **Port of Vicksburg Terminal, Lower Dock.**
Location: Vicksburg Harbor, approximately 1.5 miles above mile 2.7, Yazoo River Diversion Datum: LWRP Canal.
Operator: The River Transportation Co., Division of Boswell Oil Co.
Owner: Warren County Port Commission.
Address: Port Terminal Circle. Phone: 601/636-6643
Town: Vicksburg State: MS County: Warren
Railway Connection: Two surface tracks serve terminal in rear; connect with Mid-South Rail.
Purpose: Receipt and shipment of general cargo, heavy equipment, paper products, machinery, steel and concrete pipe, fertilizer, and other miscellaneous dry bulk materials.
Depth Alongside (feet): 15 | | Latitude (decimal): 32.3875
Total Berthing Space (feet): 360 | | Longitude (decimal): -90.88611
Remarks: Approximately 0.7 acres paved, and 4 1/2 acres of unpaved open storage area are located at rear. Four buildings at rear are used as storage warehouses (S.W. Ref. Nos. 2, 3, 4, and 5).
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21599 Dock Code: 197 Vicksburg District

Port: **Vicksburg**
Waterway: **Vicksburg Harbor** Mile: 2 PWD: 36
Name: **Port of Vicksburg, Upper Dock.**
Location: Vicksburg Harbor, approximately 1.6 miles above mile 2.7, Yazoo River Diversion Datum: LWRP Canal.
Operator: The River Transportation Co., Division of Boswell Oil Co.
Owner: Warren County Port Commission.
Address: Port Terminal Circle. Phone: 601/636-6643
Town: Vicksburg State: MS County: Warren
Railway Connection: Two surface tracks serve terminal in rear; connect with Mid-South Rail.
Purpose: Receipt and shipment of general cargo, heavy equipment, paper products, machinery, steel and concrete pipe, fertilizer, and other miscellaneous dry bulk materials.
Depth Alongside (feet): 15 | | Latitude (decimal): 32.387778
Total Berthing Space (feet): 160 | | Longitude (decimal): -90.88806
Remarks: -□□
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21599 Dock Code: 197 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Vicksburg**
Waterway: **Vicksburg Harbor** Mile: 3 PWD: 43
Name: **U.S. Army Corps of Engineers, Vicksburg District, Repair and Suppl**
Location: Vicksburg Harbor, approximately 2.6 miles above mile 2.7, Yazoo River Diversion Canal. Datum: LWRP
Operator: U.S. Army Corps of Engineers.
Owner: U.S. Government.
Address: Haining Drive. Phone: 601/636-5156
Town: Vicksburg State: MS County: Warren
Railway Connection: One surface track at rear connects with Mid-South Rail.
Purpose: Mooring and repairing government-owned floating equipment; mooring floating drydock.
Depth Alongside (feet): 14 | 14 | Latitude (decimal): 32.385
Total Berthing Space (feet): 850 | | Longitude (decimal): -90.90417
Remarks: One 500-ton floating drydock moored against outer end of upper approach barge. Additional 2,300 feet of mooring space along south side of harbor is used by Corps' MAT Placement Unit.
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21599 Dock Code: 205 Vicksburg District

Port: **Vicksburg**
Waterway: **Vicksburg Harbor** Mile: 4 PWD: 44
Name: **Ergon Refining, Vicksburg Wharf.**
Location: Mile 5.0 A.H.P., left bank of Yazoo River Diversion Canal, Vicksburg Harbor. Datum:
Operator: Ergon Refining, Inc.
Owner: Ergon Refining, Inc.
Address: Haining Drive. Phone: 601/638-4960
Town: Vicksburg State: MS County: Warren
Railway Connection: None.
Purpose: Receipt of crude oil; shipment of asphalt.
Depth Alongside (feet): 2 - 10 | | Latitude (decimal): 32.384722
Total Berthing Space (feet): 408 | | Longitude (decimal): -90.91028
Remarks: One 12-inch pipeline extends from wharf to 3 crude oil storage tanks, total capacity 240,000 barrels; and one 12-inch pipeline extends to wharf from 10 asphalt storage tanks, total capacity 250,000 barrels.
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21599 Dock Code: 210 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Vicksburg**
Waterway: **Vicksburg Harbor** Mile: 4 PWD: 45
Name: **Vicksburg Plant Food Dock.**
Location: Inner end, east side of slip extending from mile 5.1, left bank, Yazoo River Diversion Canal; Vicksburg Datum: LWRP
Operator: Vicksburg Plant Food, Inc.
Owner: Vicksburg Plant Food, Inc.
Address: Industrial Road. Phone: 601/636-7781
Town: Vicksburg State: MS County: Warren
Railway Connection: One surface track at rear connects with Mid-South Rail.
Purpose: Receipt of dry bulk fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 32.393889
Total Berthing Space (feet): 150 | | Longitude (decimal): -90.91389
Remarks: Storage building with 4 individual bins at rear has capacity for approximately 2,000 tons of fertilizer. □
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21599 Dock Code: 215 Vicksburg District

Port: **Vicksburg**
Waterway: **Yazoo River Diversion Canal** Mile: PWD: 20
Name: **Southland Oil Co., Vicksburg Terminal Wharf.**
Location: Left bank, Yazoo River Diversion Canal, Vicksburg, approximately 0.3 mile above Mile 437 A.H.P, left ban Datum: LWRP
Operator: Southland Oil Co.
Owner: Southland Oil Co.
Address: Dorsey Street. Phone: 601/634-1361
Town: Vicksburg State: MS County: Warren
Railway Connection: One surface track in rear connects with Mid-South Rail.
Purpose: Receipt of asphalt; receipt and shipment of petroleum products.
Depth Alongside (feet): 6 | | Latitude (decimal): 32.338333
Total Berthing Space (feet): 125 | | Longitude (decimal): -90.89444
Remarks: One 10-inch pipeline extends from wharf to 4 asphalt storage tanks, total capacity 125,500 barrels and, one 8-, and one 6-inch pipelines extend to 13 product storage tanks at rear, total capacity 278,000 barrels.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21599 Dock Code: 008 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Vicksburg**
Waterway: **Yazoo River Diversion Canal** Mile: 1 PWD: 22
Name: **Anderson-Tully Lumber Co. Dock.**
Location: Left bank, Yazoo River Diversion Canal, Vicksburg, approximately 0.7 mile above Mile 437 A.H.P, left ban Datum: LWRP
Operator: Anderson-Tully Lumber Co.
Owner: Anderson-Tully Lumber Co.
Address: Levee Street. Phone: 601/636-5842
Town: Vicksburg State: MS County: Warren
Railway Connection: One surface track at rear connects with Mid-South Rail.
Purpose: Receipt of logs by barge.
Depth Alongside (feet): 9 | | Latitude (decimal): 32.343333
Total Berthing Space (feet): 100 | | Longitude (decimal): -90.89028
Remarks: Lumber mill, open storage area for 500,000 board feet of logs and 3 stations for loading wood chips on trucks located in rear. □
Year of Last Survey: 1991 Corps of Engrns Waterway Code: 21599 Dock Code: 035 Vicksburg District

Port: **Vicksburg**
Waterway: **Yazoo River Diversion Canal** Mile: 1 PWD: 23
Name: **Bunge Corp., Vicksburg, River Elevator Wharf.**
Location: Left bank, Yazoo River Diversion Canal, Vicksburg, approximately one mile above Mile 437 A.H.P, left ban Datum: LWRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: Levee Street. Phone: 601/638-9967
Town: Vicksburg State: MS County: Warren
Railway Connection: One surface track serving car receiving pit and car-loading spout at rear of grain elevator, connects with Mid-South Rail.
Purpose: Receipt and shipment of grain.
Depth Alongside (feet): | | Latitude (decimal): 32.3475
Total Berthing Space (feet): 195 | | Longitude (decimal): -90.8875
Remarks: Grain elevator in rear consisting of 20 concrete silos and 1 steel storage tank has capacity for 1,000,000 bushels. □
Year of Last Survey: 1991 Corps of Engrns Waterway Code: 21599 Dock Code: 050 Vicksburg District

Port Series No. 72
Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi
River Miles 255-620 AHP

Port: **Vicksburg**
Waterway: **Yazoo River Diversion Canal** Mile: 1 PWD: 21
Name: **Patton-Tully Transportation Co. Dock.**
Location: Left bank, Yazoo River Diversion Canal, Vicksburg, approximately 0.6 mile above Mile 437 A.H.P, left ban Datum: LWRP
Operator: Patton-Tully Transportation Co.
Owner: Patton-Tully Transportation Co.
Address: 2200 Levee Street. Phone: 601/636-7203
Town: Vicksburg State: MS County: Warren
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for repair, maintenance and storage, mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 32.342778
Total Berthing Space (feet): 250 | | Longitude (decimal): -90.89111
Remarks: Barge fleeting area extends approximately 1,000 feet along opposite bank and has capacity for 75 barges.□
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21599 Dock Code: 010 Vicksburg District

Port: **Vicksburg**
Waterway: **Yazoo River Diversion Canal** Mile: 1 PWD: 26
Name: **Smith Towing Co., Dock.**
Location: Left bank, Yazoo River Diversion Canal, Vicksburg, approximately 1.4 miles above Mile 437 A.H.P, left ba Datum: LWRP
Operator: Smith Towing Co., Inc.
Owner: Smith Towing Co., Inc.
Address: Foot of Clay Street. Phone: 601/636-2454
Town: Vicksburg State: MS County: Warren
Railway Connection: None.
Purpose: Mooring company-owned vessels.
Depth Alongside (feet): 10 | | Latitude (decimal): 32.351667
Total Berthing Space (feet): 90 | | Longitude (decimal): -90.88444
Remarks: -□□
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21599 Dock Code: 070 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Vicksburg**
Waterway: **Yazoo River Diversion Canal** Mile: 1 PWD: 25
Name: **Vicksburg City, Wharf.**
Location: Left bank, Yazoo River Diversion Canal, Vicksburg, approximately 1.3 miles above Mile 437 A.H.P, left ba Datum: LWRP
Operator: City of Vicksburg.
Owner: City of Vicksburg.
Address: Foot of Clay Street. Phone: 601/634-6059
Town: Vicksburg State: MS County: Warren
Railway Connection: None.
Purpose: Landing for harbor excursion vessels; mooring miscellaneous vessels.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 32.351389
Total Berthing Space (feet): 250 | | Longitude (decimal): -90.885
Remarks: Harbor excursion vessel, 'Spirit of Vicksburg' berths here. The riverboat, 'Mamie S. Barnett' serves as a restaurant. □
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21599 Dock Code: 070 Vicksburg District

Port: **Vicksburg**
Waterway: **Yazoo River Diversion Canal** Mile: 1 PWD: 24
Name: **Vicksburg Terminal Elevators, Wharf.**
Location: Left bank, Yazoo River Diversion Canal, Vicksburg, approximately 1.1 miles above Mile 437 A.H.P, left ba Datum: LWRP
Operator: Not operated.
Owner: First National Bank of Vicksburg.
Address: Levee Street. Phone: 601/636-1151
Town: Vicksburg State: MS County: Warren
Railway Connection: One surface track at rear connects with Mid-South Rail.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 32.349167
Total Berthing Space (feet): 130 | | Longitude (decimal): -90.88611
Remarks: Grain elevator in rear consisting of 14 steel storage tanks, has total capacity for 250,000 bushels. Storage tanks were empty at time of survey (1989). □
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21599 Dock Code: 062 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Vicksburg**
Waterway: **Yazoo River Diversion Canal** Mile: 2 PWD: 28
Name: **Patton-Tully Transportation Co., Mooring.**
Location: Left bank, Yazoo River Diversion Canal, Vicksburg, approximately 2.4 miles above Mile 437 A.H.P, left ba Datum: LWRP
Operator: Patton-Tully Transportation Co.
Owner: Patton-Tully Transportation Co.
Address: North Washington Street. Phone: 601/636-7203
Town: Vicksburg State: LA County: Warren
Railway Connection: None.
Purpose: Mooring barges for scrapping.
Depth Alongside (feet): | | Latitude (decimal): 32.364167
Total Berthing Space (feet): 400 | | Longitude (decimal): -90.8775
Remarks: Salvage yard located at rear. □ □
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21599 Dock Code: 168 Vicksburg District

Port: **Vicksburg**
Waterway: **Yazoo River Diversion Canal** Mile: 2 PWD: 27
Name: **West Mississippi Materials Co., Wharf.**
Location: Left bank, Yazoo River Diversion Canal, Vicksburg, approximately 1.8 miles above Mile 437 A.H.P, left ba Datum: LWRP
Operator: West Mississippi Materials Co., Inc.
Owner: Lewis Miller Construction Co., Inc.
Address: 622 North Washington Street. Phone: 601/636-7130
Town: Vicksburg State: MS County: Warren
Railway Connection: None.
Purpose: Receipt of crushed stone.
Depth Alongside (feet): 10 | | Latitude (decimal): 32.358056
Total Berthing Space (feet): 100 | | Longitude (decimal): -90.88139
Remarks: A portable steel ramp is used for access to barge for unloading. Open storage area at rear has capacity for approximately 25,000 tons of crushed stone. □
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21599 Dock Code: 080 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Vidalia**
Waterway: **Mississippi River** Mile: 362 PWD: 106
Name: **Bunge Corp., Vidalia Dock.**
Location: Right bank, Mississippi River, Mile 361.8 A.H.P., approximately 1.3 miles below Natchez-Vidalia (U.S Hig) Datum: LWRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: Deer Park Road. Phone: 318/336-5253
Town: Vidalia State: LA County: Concordia
Railway Connection: None.
Purpose: Shipment of grain; receipt of liquid fertilizer.
Depth Alongside (feet): 20 | 35 | Latitude (decimal): 31.549722
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -91.43944
Remarks: Grain elevator in rear consisting of 12 concrete silos with 16 interstices, and 2 steel tanks has total capacity for 2,000,000 bushels. One 8-inch pipeline extends from berth to one 1,020,000-gallon steel storag
Year of Last Survey: 1991 Corps of Engrns Waterway Code: 21360 Dock Code: 158 New Orleans District

Port: **Vidalia**
Waterway: **Mississippi River** Mile: 363 PWD: 105
Name: **U.S. Army Corps of Engineers, Vidalia Casting Field Landing.**
Location: Right bank, Mississippi River, Mile 363.1 A.H.P., beneath Natchez -Vidalia (U.S Highways 65 and 84) Brid Datum: LWRP
Operator: U.S. Army Corps of Engineers.
Owner: U.S. Government.
Address: Levee Street. Phone: 318/336-7393
Town: Vidalia State: LA County: Concordia
Railway Connection: None.
Purpose: Handling precast concrete articulated mattress blocks; mooring government-owned floating equipment.
Depth Alongside (feet): - 15 | | Latitude (decimal): 31.561111
Total Berthing Space (feet): 4600 | | Longitude (decimal): -91.42278
Remarks: Bulldozer constructs causeways for truck access to deck barges for loading mattress blocks as required. □
Year of Last Survey: 1991 Corps of Engrns Waterway Code: 21360 Dock Code: 693 New Orleans District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Vidalia**
Waterway: **Mississippi River** Mile: 364 PWD: 104
Name: **Vidalia Dock & Storage Co. Mooring.**
Location: Right bank, Mississippi River, Mile 364.0 A.H.P., approximately 0.5 mile above Natchez-Vidalia (U.S High) Datum: LWRP
Operator: Vidalia Dock & Storage Co.
Owner: Vidalia Dock & Storage Co.
Address: Riverside Street. Phone: 601/442-6812
Town: Vidalia State: MS County: Concordia
Railway Connection: None.
Purpose: Receipt of lime and limestone: mooring barges for fleeting.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 31.567222
Total Berthing Space (feet): 1500 | | Longitude (decimal): -91.41556
Remarks: Approximately 2.3 acres of open storage area are located in rear. Fleeting areas are located below Mooring fronting adjacent Corps of Engineers Vidalia Casting Field and below Natchez Boat Store Wharf (Ref No. 5 approximately 2.5 miles below Mooring. Each has capacity for 10 barges arranged 2- and 3- abreast.
Year of Last Survey: 1991 Corps of Engrns Waterway Code: 21360 Dock Code: 653 Vicksburg District

Port: **Waterproof**
Waterway: **Mississippi River** Mile: 382 PWD: 103
Name: **Goldman Grain Co. Dock.**
Location: Right bank, Mississippi River, Mile 381.8 A.H.P., Waterproof. Datum: LWRP
Operator: Goldman Grain Co., Inc.
Owner: Goldman Grain Co., Inc.
Address: State Highway 568. Phone: 318/749-3320
Town: Waterproof State: LA County: Tensas
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 8 | | Latitude (decimal): 31.830556
Total Berthing Space (feet): 195 | | Longitude (decimal): -91.35833
Remarks: Grain elevator in rear consisting of 16 concrete silos with 14 interstices, has total capacity for 940,000 bushels.□
Year of Last Survey: 1991 Corps of Engrns Waterway Code: 21381 Dock Code: 812 New Orleans District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Yazoo City**
Waterway: **Yazoo River** Mile: 74 PWD: 47
Name: **Bunge Corp., Yazoo City, Grain Elevator Dock.**
Location: Mile 74.1, left bank of Yazoo River, Yazoo City. Datum: LWRP
Operator: Bunge Corp.
Owner: Bunge Corp.
Address: Levee Road. Phone: 601/746-5663
Town: Yazoo City State: MS County: Yazoo
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 10 | | Latitude (decimal): 32.840556
Total Berthing Space (feet): 650 | | Longitude (decimal): -90.44194
Remarks: Grain elevator at rear consisting of one concrete silo and 5 steel tanks has total capacity for 2,430,000 bushels. □
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21600 Dock Code: 073 Vicksburg District

Port: **Yazoo City**
Waterway: **Yazoo River** Mile: 74 PWD: 48
Name: **Yazoo County Port Commission, Liquid Dock.**
Location: Mile 74.4, left bank of Yazoo River, Yazoo City. Datum: LWRP
Operator: Mississippi Chemical Corp.
Owner: Yazoo County Port Commission.
Address: Levee Road. Phone: 601/746-4131 ex
Town: Yazoo City State: MS County: Yazoo
Railway Connection: None.
Purpose: Shipment of liquid fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 32.845278
Total Berthing Space (feet): 300 | | Longitude (decimal): -90.44222
Remarks: One 8-inch pipeline extends to pier from 3 steel storage tanks in rear, total capacity 14,100 tons. □
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21600 Dock Code: 075 Vicksburg District

Port Series No. 72

Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi River Miles 255-620 AHP

Port: **Yazoo City**
Waterway: **Yazoo River** Mile: 75 PWD: 49
Name: **Yazoo County Port Commission, Bulk Material Dock.**
Location: Mile 74.5, left bank of Yazoo River, Yazoo City. Datum: LWRP
Operator: Mississippi Chemical Corp.
Owner: Yazoo County Port Commission.
Address: Levee Road. Phone: 601/746-4131 ex
Town: Yazoo City State: MS County: Yazoo
Railway Connection: One surface track extending to inner end of pier connects with Illinois Central Railroad.
Purpose: Receipt of lime, fertilizer, and other miscellaneous bulk materials.
Depth Alongside (feet): 10 | | Latitude (decimal): 32.843611
Total Berthing Space (feet): 360 | | Longitude (decimal): -90.4425
Remarks: Concrete storage building at rear has capacity for approximately 11,000 tons of material, adjacent open storage area has capacity for 3,000 tons of bulk material.
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21600 Dock Code: 076 Vicksburg District

Port: **Yellow Bend**
Waterway: **Mississippi River** Mile: 553 PWD: 90
Name: **Producers Rice Mill, Yellow Bend Wharf.**
Location: Right bank, Mississippi River, mile 552.7 A.H.P., Yellow Bend. Datum: LWRP
Operator: Producers Rice Mill, Inc.
Owner: Producers Rice Mill, Inc.
Address: State Highway 208. Phone: 501/877-2362
Town: Yellow Bend State: AR County: Chicot
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 6 | | Latitude (decimal): 33.538889
Total Berthing Space (feet): 360 | | Longitude (decimal): -91.22833
Remarks: Grain elevator in rear consisting of 4 steel tanks has total capacity for 490,000 bushels. □
Year of Last Survey: 1991 Corps of Engrs Waterway Code: 21552 Dock Code: 601 Vicksburg District

Port Series No. 72
Ports of Natchez, Vicksburg, and Greenville, MS, and Ports on Lower Mississippi
River Miles 255-620 AHP

Port: **Yellow Bend**
Waterway: **Mississippi River** Mile: 557 PWD: 89
Name: **Yellow Bend River Port Wharf.**
Location: Right bank, Mississippi River, mile 553.6 A.H.P., Yellow Bend. Datum: LWRP
Operator: Yellow Bend Port, Inc.
Owner: Chicot-Desha Metropolitan Port Authority.
Address: - Phone: 501/222-3732
Town: Arkansas City State: AR County: Chicot
Railway Connection: In planning stage at time of survey.
Purpose: Receipt and shipment of general cargo, steel products, cottonseed, soybeans, rice and miscellaneous dry bulk commodities (see Remarks).
Depth Alongside (feet): 10 | | Latitude (decimal): 33.583333
Total Berthing Space (feet): 235 | | Longitude (decimal): -91.16667
Remarks: *Slip was dredged and facility was scheduled for construction subsequent to field survey and is described as planned. Type of construction, dimensions, and details of handling equipment and terminal facilities ha 1991.
Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 21553 Dock Code: 501 Vicksburg District
