




# Coastal South Carolina Hurricane Evacuation Restudy

Storm Surge Heights at Time History Points  
in Feet Above National Geodetic Vertical Datum (NGVD), 1929

Point	Basin	Cat 1	Cat 2	Cat 3	Cat 4	Cat 5
S12	Savannah			20	22	24
S11	Savannah	10	17	22	24	27
S10	Savannah	10	16	20	23	26
S9	Savannah	10	16	20	23	25
S8	Savannah	10	16	20	23	26
S7	Savannah	10	15	19	23	26
S6	Savannah		15	19	22	25
S30	Savannah	11	15	19	23	26


**Notes:**

1. Surge Limits are based on still-water total storm surge heights at mean high tide with no wave setup included (Elevations above National Geodetic Vertical Datum).
2. Source of Base Mapping is USGS Quadrangle Maps.
3. Total storm surge limits were determined by interpolating still-water total surge elevations at high tide onto the most current 7.5 minute USGS quadrangle maps. Accuracy and precision of surge limits are governed by the currency, accuracy, and tolerance of the quadrangle maps.
4. This set of maps is to be used in connection with analyzing risks for emergency management and evacuation purposes. They should not be used as a basis for permitting.



- Category 1
- Category 2
- Category 3
- Category 4
- Category 5
- FEMA Q3 Area
- Open Water
- Interstate
- Primary Road
- Secondary Road
- Light Duty Road
- County Boundary

SCALE 1:48,000  
One Inch Equals App. 1219 Meters



The black numbered grid around the map neartline indicates the 1000 meter State Plane Coordinate Grid, FIPSZONE 3900, NAD83 Datum for South Carolina. The last three digits of the grid numbers are omitted.

Fast (25-35 MPH) Moving Hurricanes  
Category 1 Surge Areas

JASPER/HAMPTON COUNTY, SOUTH CAROLINA

Source: National Hurricane Center (NHC) SLOSH model results and USGS 1:24000 scale topographic data Plate 2



This product represents a combined effort by the Federal Emergency Management Agency, the U.S. Army Corps of Engineers - Charleston District, and the South Carolina Emergency Preparedness Division




# Coastal South Carolina Hurricane Evacuation Restudy

Storm Surge Heights at Time History Points  
in Feet Above National Geodetic Vertical Datum (NGVD), 1929

Point	Basin	Cat 1	Cat 2	Cat 3	Cat 4	Cat 5
S12	Savannah			20	22	24
S11	Savannah	10	17	22	24	27
S10	Savannah	10	16	20	23	26
S9	Savannah	10	16	20	23	25
S8	Savannah	10	16	20	23	26
S7	Savannah	10	15	19	23	26
S6	Savannah		15	19	22	25
S30	Savannah	11	15	19	23	26

**Notes:**

1. Surge Limits are based on still-water total storm surge heights at mean high tide with no wave setup included (Elevations above National Geodetic Vertical Datum).
2. Source of Base Mapping is USGS Quadrangle Maps.
3. Total storm surge limits were determined by interpolating still-water total surge elevations at high tide onto the most current 7.5 minute USGS quadrangle maps. Accuracy and precision of surge limits are governed by the currency, accuracy, and tolerance of the quadrangle maps.
4. This set of maps is to be used in connection with analyzing risks for emergency management and evacuation purposes. They should not be used as a basis for permitting.



- Category 1
- Category 2
- Category 3
- Category 4
- Category 5
- FEMA Q3 Area
- Open Water
- Interstate
- Primary Road
- Secondary Road
- Light Duty Road
- County Boundary



The black numbered grid around the map neartline indicates the 1000 meter State Plane Coordinate Grid, FIPSZONE 3900, NAD83 Datum for South Carolina. The last three digits of the grid numbers are omitted.

**Fast (25-35 MPH) Moving Hurricanes  
Category 2 Surge Areas**




# Coastal South Carolina Hurricane Evacuation Restudy

Storm Surge Heights at Time History Points  
in Feet Above National Geodetic Vertical Datum (NGVD), 1929

Point	Basin	Cat 1	Cat 2	Cat 3	Cat 4	Cat 5
S12	Savannah			20	22	24
S11	Savannah	10	17	22	24	27
S10	Savannah	10	16	20	23	26
S9	Savannah	10	16	20	23	25
S8	Savannah	10	16	20	23	26
S7	Savannah	10	15	19	23	26
S6	Savannah		15	19	22	25
S30	Savannah	11	15	19	23	26

**Notes:**

1. Surge Limits are based on still-water total storm surge heights at mean high tide with no wave setup included (Elevations above National Geodetic Vertical Datum).
2. Source of Base Mapping is USGS Quadrangle Maps.
3. Total storm surge limits were determined by interpolating still-water total surge elevations at high tide onto the most current 7.5 minute USGS quadrangle maps. Accuracy and precision of surge limits are governed by the currency, accuracy, and tolerance of the quadrangle maps.
4. This set of maps is to be used in connection with analyzing risks for emergency management and evacuation purposes. They should not be used as a basis for permitting.



- Category 1
- Category 2
- Category 3
- Category 4
- Category 5
- FEMA Q3 Area
- Open Water
- Interstate
- Primary Road
- Secondary Road
- Light Duty Road
- County Boundary



The black numbered grid around the map neartline indicates the 1000 meter State Plane Coordinate Grid, FIPSZONE 3900, NAD83 Datum for South Carolina. The last three digits of the grid numbers are omitted.

**Fast (25-35 MPH) Moving Hurricanes  
Category 3 Surge Areas**




# Coastal South Carolina Hurricane Evacuation Restudy

Storm Surge Heights at Time History Points  
in Feet Above National Geodetic Vertical Datum (NGVD), 1929

Point	Basin	Cat 1	Cat 2	Cat 3	Cat 4	Cat 5
S12	Savannah			20	22	24
S11	Savannah	10	17	22	24	27
S10	Savannah	10	16	20	23	26
S9	Savannah	10	16	20	23	25
S8	Savannah	10	16	20	23	26
S7	Savannah	10	15	19	23	26
S6	Savannah		15	19	22	25
S30	Savannah	11	15	19	23	26


**Notes:**

1. Surge Limits are based on still-water total storm surge heights at mean high tide with no wave setup included (Elevations above National Geodetic Vertical Datum).
2. Source of Base Mapping is USGS Quadrangle Maps.
3. Total storm surge limits were determined by interpolating still-water total surge elevations at high tide onto the most current 7.5 minute USGS quadrangle maps. Accuracy and precision of surge limits are governed by the currency, accuracy, and tolerance of the quadrangle maps.
4. This set of maps is to be used in connection with analyzing risks for emergency management and evacuation purposes. They should not be used as a basis for permitting.



- Category 1
- Category 2
- Category 3
- Category 4
- Category 5
- FEMA Q3 Area
- Open Water
- Interstate
- Primary Road
- Secondary Road
- Light Duty Road
- County Boundary

SCALE 1:48,000  
One Inch Equals App. 1219 Meters



The black numbered grid around the map neckline indicates the 1000 meter State Plane Coordinate Grid, FIPSZONE 3900, NAD83 Datum for South Carolina. The last three digits of the grid numbers are omitted.

Fast (25-35 MPH) Moving Hurricanes  
Category 4 Surge Areas

JASPER/HAMPTON COUNTY, SOUTH CAROLINA

Source: National Hurricane Center (NHC) SLOSH model results and USGS 1:24000 scale topographic data Plate 2




# Coastal South Carolina Hurricane Evacuation Restudy

Storm Surge Heights at Time History Points  
in Feet Above National Geodetic Vertical Datum (NGVD), 1929

Point	Basin	Cat 1	Cat 2	Cat 3	Cat 4	Cat 5
S12	Savannah			20	22	24
S11	Savannah	10	17	22	24	27
S10	Savannah	10	16	20	23	26
S9	Savannah	10	16	20	23	25
S8	Savannah	10	16	20	23	26
S7	Savannah	10	15	19	23	26
S6	Savannah		15	19	22	25
S30	Savannah	11	15	19	23	26

**Notes:**

1. Surge Limits are based on still-water total storm surge heights at mean high tide with no wave setup included (Elevations above National Geodetic Vertical Datum).
2. Source of Base Mapping is USGS Quadrangle Maps.
3. Total storm surge limits were determined by interpolating still-water total surge elevations at high tide onto the most current 7.5 minute USGS quadrangle maps. Accuracy and precision of surge limits are governed by the currency, accuracy, and tolerance of the quadrangle maps.
4. This set of maps is to be used in connection with analyzing risks for emergency management and evacuation purposes. They should not be used as a basis for permitting.



- Category 1
- Category 2
- Category 3
- Category 4
- Category 5
- FEMA Q3 Area
- Open Water
- Interstate
- Primary Road
- Secondary Road
- Light Duty Road
- County Boundary

SCALE 1:48,000  
One Inch Equals App. 1219 Meters



The black numbered grid around the map neartline indicates the 1000 meter State Plane Coordinate Grid, FIPSZONE 3900, NAD83 Datum for South Carolina. The last three digits of the grid numbers are omitted.

Fast (25-35 MPH) Moving Hurricanes  
Category 5 Surge Areas

JASPER/HAMPTON COUNTY, SOUTH CAROLINA

Source: National Hurricane Center (NHC) SLOSH model results and USGS 1:24000 scale topographic data Plate 2



This product represents a combined effort by the Federal Emergency Management Agency, the U.S. Army Corps of Engineers - Charleston District, and the South Carolina Emergency Preparedness Division




# Coastal South Carolina Hurricane Evacuation Restudy

Storm Surge Heights at Time History Points  
in Feet Above National Geodetic Vertical Datum (NGVD), 1929

Point	Basin	Cat 1	Cat 2	Cat 3	Cat 4	Cat 5
S12	Savannah			18	20	23
S11	Savannah	9	14	19	22	24
S10	Savannah	10	15	18	22	25
S9	Savannah	10	15	18	21	24
S8	Savannah	9	14	19	21	24
S7	Savannah	10	14	18	21	24
S6	Savannah		14	17	21	24
S30	Savannah	10	14	18	21	24

**Notes:**

1. Surge Limits are based on still-water total storm surge heights at mean high tide with no wave setup included (Elevations above National Geodetic Vertical Datum).
2. Source of Base Mapping is USGS Quadrangle Maps.
3. Total storm surge limits were determined by interpolating still-water total surge elevations at high tide onto the most current 7.5 minute USGS quadrangle maps. Accuracy and precision of surge limits are governed by the currency, accuracy, and tolerance of the quadrangle maps.
4. This set of maps is to be used in connection with analyzing risks for emergency management and evacuation purposes. They should not be used as a basis for permitting.



- Category 1
- Category 2
- Category 3
- Category 4
- Category 5
- FEMA Q3 Area
- Open Water
- Interstate
- Primary Road
- Secondary Road
- Light Duty Road
- County Boundary



Normal (5-15 MPH) Moving Hurricanes  
Category 1 Surge Areas

This product represents a combined effort by the Federal Emergency Management Agency, the U.S. Army Corps of Engineers - Charleston District, and the South Carolina Emergency Preparedness Division




# Coastal South Carolina Hurricane Evacuation Restudy

Storm Surge Heights at Time History Points  
in Feet Above National Geodetic Vertical Datum (NGVD), 1929

Point	Basin	Cat 1	Cat 2	Cat 3	Cat 4	Cat 5
S12	Savannah			18	20	23
S11	Savannah	9	14	19	22	24
S10	Savannah	10	15	18	22	25
S9	Savannah	10	15	18	21	24
S8	Savannah	9	14	19	21	24
S7	Savannah	10	14	18	21	24
S6	Savannah		14	17	21	24
S30	Savannah	10	14	18	21	24

**Notes:**

1. Surge Limits are based on still-water total storm surge heights at mean high tide with no wave setup included (Elevations above National Geodetic Vertical Datum).
2. Source of Base Mapping is USGS Quadrangle Maps.
3. Total storm surge limits were determined by interpolating still-water total surge elevations at high tide onto the most current 7.5 minute USGS quadrangle maps. Accuracy and precision of surge limits are governed by the currency, accuracy, and tolerance of the quadrangle maps.
4. This set of maps is to be used in connection with analyzing risks for emergency management and evacuation purposes. They should not be used as a basis for permitting.



- Category 1
- Category 2
- Category 3
- Category 4
- Category 5
- FEMA Q3 Area
- Open Water
- Interstate
- Primary Road
- Secondary Road
- Light Duty Road
- County Boundary

SCALE 1:48,000  
One Inch Equals App. 1219 Meters



The black numbered grid around the map neartline indicates the 1000 meter State Plane Coordinate Grid, FIPSZONE 3900, NAD83 Datum for South Carolina. The last three digits of the grid numbers are omitted.

Normal (5-15 MPH) Moving Hurricanes  
Category 2 Surge Areas

JASPER/HAMPTON COUNTY, SOUTH CAROLINA

Source: National Hurricane Center (NHC) SLOSH model results and USGS 1:24000 scale topographic data  
Plate 2



This product represents a combined effort by the Federal Emergency Management Agency, the U.S. Army Corps of Engineers - Charleston District, and the South Carolina Emergency Preparedness Division




# Coastal South Carolina Hurricane Evacuation Restudy

Storm Surge Heights at Time History Points  
in Feet Above National Geodetic Vertical Datum (NGVD), 1929

Point	Basin	Cat 1	Cat 2	Cat 3	Cat 4	Cat 5
S12	Savannah			18	20	23
S11	Savannah	9	14	19	22	24
S10	Savannah	10	15	18	22	25
S9	Savannah	10	15	18	21	24
S8	Savannah	9	14	19	21	24
S7	Savannah	10	14	18	21	24
S6	Savannah		14	17	21	24
S30	Savannah	10	14	18	21	24

**Notes:**

1. Surge Limits are based on still-water total storm surge heights at mean high tide with no wave setup included (Elevations above National Geodetic Vertical Datum).
2. Source of Base Mapping is USGS Quadrangle Maps.
3. Total storm surge limits were determined by interpolating still-water total surge elevations at high tide onto the most current 7.5 minute USGS quadrangle maps. Accuracy and precision of surge limits are governed by the currency, accuracy, and tolerance of the quadrangle maps.
4. This set of maps is to be used in connection with analyzing risks for emergency management and evacuation purposes. They should not be used as a basis for permitting.



- Category 1
  - Category 2
  - Category 3
  - Category 4
  - Category 5
  - FEMA Q3 Area
  - Open Water
- Interstate
  - Primary Road
  - Secondary Road
  - Light Duty Road
  - County Boundary

SCALE 1:48,000  
One Inch Equals App. 1219 Meters



The black numbered grid around the map neartline indicates the 1000 meter State Plane Coordinate Grid, FIPS3000, NAD83 Datum for South Carolina. The last three digits of the grid numbers are omitted.

Normal (5-15 MPH) Moving Hurricanes  
Category 3 Surge Areas

JASPER/HAMPTON COUNTY, SOUTH CAROLINA

Source: National Hurricane Center (NHC) SLOSH model results and USGS 1:24000 scale topographic data  
Plate 2



This product represents a combined effort by the Federal Emergency Management Agency, the U.S. Army Corps of Engineers - Charleston District, and the South Carolina Emergency Preparedness Division




# Coastal South Carolina Hurricane Evacuation Restudy

Storm Surge Heights at Time History Points  
in Feet Above National Geodetic Vertical Datum (NGVD), 1929

Point	Basin	Cat 1	Cat 2	Cat 3	Cat 4	Cat 5
S12	Savannah			18	20	23
S11	Savannah	9	14	19	22	24
S10	Savannah	10	15	18	22	25
S9	Savannah	10	15	18	21	24
S8	Savannah	9	14	19	21	24
S7	Savannah	10	14	18	21	24
S6	Savannah		14	17	21	24
S30	Savannah	10	14	18	21	24

**Notes:**

1. Surge Limits are based on still-water total storm surge heights at mean high tide with no wave setup included (Elevations above National Geodetic Vertical Datum).
2. Source of Base Mapping is USGS Quadrangle Maps.
3. Total storm surge limits were determined by interpolating still-water total surge elevations at high tide onto the most current 7.5 minute USGS quadrangle maps. Accuracy and precision of surge limits are governed by the currency, accuracy, and tolerance of the quadrangle maps.
4. This set of maps is to be used in connection with analyzing risks for emergency management and evacuation purposes. They should not be used as a basis for permitting.



- Category 1
- Category 2
- Category 3
- Category 4
- Category 5
- FEMA Q3 Area
- Open Water
- Interstate
- Primary Road
- Secondary Road
- Light Duty Road
- County Boundary

SCALE 1:48,000  
One Inch Equals App. 1219 Meters



The black numbered grid around the map neckline indicates the 1000 meter State Plane Coordinate Grid, FIPSZONE 3900, NAD83 Datum for South Carolina. The last three digits of the grid numbers are omitted.

Normal (5-15 MPH) Moving Hurricanes  
Category 4 Surge Areas

JASPER/HAMPTON COUNTY, SOUTH CAROLINA

Source: National Hurricane Center (NHC) SLOSH model results and USGS 1:24000 scale topographic data Plate 2



This product represents a combined effort by the Federal Emergency Management Agency, the U.S. Army Corps of Engineers - Charleston District, and the South Carolina Emergency Preparedness Division




# Coastal South Carolina Hurricane Evacuation Restudy

Storm Surge Heights at Time History Points  
in Feet Above National Geodetic Vertical Datum (NGVD), 1929

Point	Basin	Cat 1	Cat 2	Cat 3	Cat 4	Cat 5
S12	Savannah			18	20	23
S11	Savannah	9	14	19	22	24
S10	Savannah	10	15	18	22	25
S9	Savannah	10	15	18	21	24
S8	Savannah	9	14	19	21	24
S7	Savannah	10	14	18	21	24
S6	Savannah		14	17	21	24
S30	Savannah	10	14	18	21	24

**Notes:**

1. Surge Limits are based on still-water total storm surge heights at mean high tide with no wave setup included (Elevations above National Geodetic Vertical Datum).
2. Source of Base Mapping is USGS Quadrangle Maps.
3. Total storm surge limits were determined by interpolating still-water total surge elevations at high tide onto the most current 7.5 minute USGS quadrangle maps. Accuracy and precision of surge limits are governed by the currency, accuracy, and tolerance of the quadrangle maps.
4. This set of maps is to be used in connection with analyzing risks for emergency management and evacuation purposes. They should not be used as a basis for permitting.



- Category 1
- Category 2
- Category 3
- Category 4
- Category 5
- FEMA Q3 Area
- Open Water
- Interstate
- Primary Road
- Secondary Road
- Light Duty Road
- County Boundary

SCALE 1:48,000  
One Inch Equals App. 1219 Meters



The black numbered grid around the map neartline indicates the 1000 meter State Plane Coordinate Grid, FIPSZONE 3900, NAD83 Datum for South Carolina. The last three digits of the grid numbers are omitted.

Normal (5-15 MPH) Moving Hurricanes  
Category 5 Surge Areas

JASPER/HAMPTON COUNTY, SOUTH CAROLINA

Source: National Hurricane Center (NHC) SLOSH model results and USGS 1:24000 scale topographic data Plate 2






This product represents a combined effort by the Federal Emergency Management Agency, the U.S. Army Corps of Engineers - Charleston District, and the South Carolina Emergency Preparedness Division

# Coastal South Carolina Hurricane Evacuation Restudy

Storm Surge Heights at Time History Points  
in Feet Above National Geodetic Vertical Datum (NGVD), 1929


**Notes:**

1. Surge Limits are based on still-water total storm surge heights at mean high tide with no wave setup included (Elevations above National Geodetic Vertical Datum).
2. Source of Base Mapping is USGS Quadrangle Maps.
3. Total storm surge limits were determined by interpolating still-water total surge elevations at high tide onto the most current 7.5 minute USGS quadrangle maps. Accuracy and precision of surge limits are governed by the currency, accuracy, and tolerance of the quadrangle maps.
4. This set of maps is to be used in connection with analyzing risks for emergency management and evacuation purposes. They should not be used as a basis for permitting.



- Category 1
- Category 2
- Category 3
- Category 4
- Category 5
- FEMA Q3 Area
- Open Water
- Interstate
- Primary Road
- Secondary Road
- Light Duty Road
- County Boundary

SCALE 1:48,000  
One Inch Equals App. 1219 Meters



The black numbered grid around the map neckline indicates the 1000 meter State Plane Coordinate Grid, FIPSZONE 3900, NAD83 Datum for South Carolina. The last three digits of the grid numbers are omitted.

FEMA Q3 Areas  
Combined A, AE, and VE Flood Hazard Zones