




Coastal South Carolina Hurricane Evacuation Restudy

Storm Surge Heights at Time History Points
in Feet Above National Geodetic Vertical Datum (NGVD), 1929


Notes:

1. Surge Limits are based on still-water total storm surge heights at mean high tide with no wave setup included (Elevations above National Geodetic Vertical Datum).
2. Source of Base Mapping is USGS Quadrangle Maps.
3. Total storm surge limits were determined by interpolating still-water total surge elevations at high tide onto the most current 7.5 minute USGS quadrangle maps. Accuracy and precision of surge limits are governed by the currency, accuracy, and tolerance of the quadrangle maps.
4. This set of maps is to be used in connection with analyzing risks for emergency management and evacuation purposes. They should not be used as a basis for permitting.



- Category 1
- Category 2
- Category 3
- Category 4
- Category 5
- FEMA Q3 Area
- Open Water
- Interstate
- Primary Road
- Secondary Road
- Light Duty Road
- County Boundary

SCALE 1:48,000
One Inch Equals App. 1219 Meters



The black numbered grid around the map neartline indicates the 1000 meter State Plane Coordinate Grid, FIPS2000, NAD83 Datum for South Carolina. The last three digits of the grid numbers are omitted.




Fast (25-35 MPH) Moving Hurricanes
Category 1 Surge Areas

Coastal South Carolina Hurricane Evacuation Restudy

Storm Surge Heights at Time History Points
in Feet Above National Geodetic Vertical Datum (NGVD), 1929

Notes:

1. Surge Limits are based on still-water total storm surge heights at mean high tide with no wave setup included (Elevations above National Geodetic Vertical Datum).
2. Source of Base Mapping is USGS Quadrangle Maps.
3. Total storm surge limits were determined by interpolating still-water total surge elevations at high tide onto the most current 7.5 minute USGS quadrangle maps. Accuracy and precision of surge limits are governed by the currency, accuracy, and tolerance of the quadrangle maps.
4. This set of maps is to be used in connection with analyzing risks for emergency management and evacuation purposes. They should not be used as a basis for permitting.



- Category 1
- Category 2
- Category 3
- Category 4
- Category 5
- FEMA Q3 Area
- Open Water
- Interstate
- Primary Road
- Secondary Road
- Light Duty Road
- County Boundary

SCALE 1:48,000
One Inch Equals App. 1219 Meters



The black numbered grid around the map neartline indicates the 1000 meter State Plane Coordinate Grid, FIPSZONE 3900, NAD83 Datum for South Carolina. The last three digits of the grid numbers are omitted.

Fast (25-35 MPH) Moving Hurricanes
Category 2 Surge Areas

HAMPTON/COLLETON COUNTY, SOUTH CAROLINA
Source: National Hurricane Center (NHC) SLOSH model results and USGS 1:24000 scale topographic data Plate 3




This product represents a combined effort by the Federal Emergency Management Agency, the U.S. Army Corps of Engineers - Charleston District, and the South Carolina Emergency Preparedness Division

Coastal South Carolina Hurricane Evacuation Restudy

Storm Surge Heights at Time History Points
in Feet Above National Geodetic Vertical Datum (NGVD), 1929


Notes:

1. Surge Limits are based on still-water total storm surge heights at mean high tide with no wave setup included (Elevations above National Geodetic Vertical Datum).
2. Source of Base Mapping is USGS Quadrangle Maps.
3. Total storm surge limits were determined by interpolating still-water total surge elevations at high tide onto the most current 7.5 minute USGS quadrangle maps. Accuracy and precision of surge limits are governed by the currency, accuracy, and tolerance of the quadrangle maps.
4. This set of maps is to be used in connection with analyzing risks for emergency management and evacuation purposes. They should not be used as a basis for permitting.



- Category 1
- Category 2
- Category 3
- Category 4
- Category 5
- FEMA Q3 Area
- Open Water
- Interstate
- Primary Road
- Secondary Road
- Light Duty Road
- County Boundary

SCALE 1:48,000
One Inch Equals App. 1219 Meters



The black numbered grid around the map neartline indicates the 1000 meter State Plane Coordinate Grid, FIPSZONE 3900, NAD83 Datum for South Carolina. The last three digits of the grid numbers are omitted.

Fast (25-35 MPH) Moving Hurricanes
Category 3 Surge Areas

HAMPTON/COLLETON COUNTY, SOUTH CAROLINA
Source: National Hurricane Center (NHC) SLOSH model results and USGS 1:24000 scale topographic data Plate 3




This product represents a combined effort by the Federal Emergency Management Agency, the U.S. Army Corps of Engineers - Charleston District, and the South Carolina Emergency Preparedness Division

Coastal South Carolina Hurricane Evacuation Restudy

Storm Surge Heights at Time History Points
in Feet Above National Geodetic Vertical Datum (NGVD), 1929

Notes:

1. Surge Limits are based on still-water total storm surge heights at mean high tide with no wave setup included (Elevations above National Geodetic Vertical Datum).
2. Source of Base Mapping is USGS Quadrangle Maps.
3. Total storm surge limits were determined by interpolating still-water total surge elevations at high tide onto the most current 7.5 minute USGS quadrangle maps. Accuracy and precision of surge limits are governed by the currency, accuracy, and tolerance of the quadrangle maps.
4. This set of maps is to be used in connection with analyzing risks for emergency management and evacuation purposes. They should not be used as a basis for permitting.



- Category 1
- Category 2
- Category 3
- Category 4
- Category 5
- FEMA Q3 Area
- Open Water
- Interstate
- Primary Road
- Secondary Road
- Light Duty Road
- County Boundary

SCALE 1:48,000
One Inch Equals App. 1219 Meters



The black numbered grid around the map neartline indicates the 1000 meter State Plane Coordinate Grid, FIPSZONE 3900, NAD83 Datum for South Carolina. The last three digits of the grid numbers are omitted.




Fast (25-35 MPH) Moving Hurricanes
Category 4 Surge Areas

Coastal South Carolina Hurricane Evacuation Restudy

Storm Surge Heights at Time History Points
in Feet Above National Geodetic Vertical Datum (NGVD), 1929


Notes:

1. Surge Limits are based on still-water total storm surge heights at mean high tide with no wave setup included (Elevations above National Geodetic Vertical Datum).
2. Source of Base Mapping is USGS Quadrangle Maps.
3. Total storm surge limits were determined by interpolating still-water total surge elevations at high tide onto the most current 7.5 minute USGS quadrangle maps. Accuracy and precision of surge limits are governed by the currency, accuracy, and tolerance of the quadrangle maps.
4. This set of maps is to be used in connection with analyzing risks for emergency management and evacuation purposes. They should not be used as a basis for permitting.



- Category 1
- Category 2
- Category 3
- Category 4
- Category 5
- FEMA Q3 Area
- Open Water
- Interstate
- Primary Road
- Secondary Road
- Light Duty Road
- County Boundary

SCALE 1:48,000
One Inch Equals App. 1219 Meters



The black numbered grid around the map neartline indicates the 1000 meter State Plane Coordinate Grid, FIPSZONE 3900, NAD83 Datum for South Carolina. The last three digits of the grid numbers are omitted.

Fast (25-35 MPH) Moving Hurricanes
Category 5 Surge Areas




HAMPTON/COLLETON COUNTY, SOUTH CAROLINA
Source: National Hurricane Center (NHC) SLOSH model results and USGS 1:24000 scale topographic data Plate 3

Coastal South Carolina Hurricane Evacuation Restudy

Storm Surge Heights at Time History Points
in Feet Above National Geodetic Vertical Datum (NGVD), 1929


Notes:

1. Surge Limits are based on still-water total storm surge heights at mean high tide with no wave setup included (Elevations above National Geodetic Vertical Datum).
2. Source of Base Mapping is USGS Quadrangle Maps.
3. Total storm surge limits were determined by interpolating still-water total surge elevations at high tide onto the most current 7.5 minute USGS quadrangle maps. Accuracy and precision of surge limits are governed by the currency, accuracy, and tolerance of the quadrangle maps.
4. This set of maps is to be used in connection with analyzing risks for emergency management and evacuation purposes. They should not be used as a basis for permitting.



- Category 1
- Category 2
- Category 3
- Category 4
- Category 5
- FEMA Q3 Area
- Open Water
- Interstate
- Primary Road
- Secondary Road
- Light Duty Road
- County Boundary

SCALE 1:48,000
One Inch Equals App. 1219 Meters



The black numbered grid around the map neartline indicates the 1000 meter State Plane Coordinate Grid, FIPSZONE 3900, NAD83 Datum for South Carolina. The last three digits of the grid numbers are omitted.

Normal (5-15 MPH) Moving Hurricanes
Category 1 Surge Areas

HAMPTON/COLLETON COUNTY, SOUTH CAROLINA

Source: National Hurricane Center (NHC) SLOSH model results and USGS 1:24000 scale topographic data Plate 3




This product represents a combined effort by the Federal Emergency Management Agency, the U.S. Army Corps of Engineers - Charleston District, and the South Carolina Emergency Preparedness Division

Coastal South Carolina Hurricane Evacuation Restudy

Storm Surge Heights at Time History Points
in Feet Above National Geodetic Vertical Datum (NGVD), 1929

Notes:

1. Surge Limits are based on still-water total storm surge heights at mean high tide with no wave setup included (Elevations above National Geodetic Vertical Datum).
2. Source of Base Mapping is USGS Quadrangle Maps.
3. Total storm surge limits were determined by interpolating still-water total surge elevations at high tide onto the most current 7.5 minute USGS quadrangle maps. Accuracy and precision of surge limits are governed by the currency, accuracy, and tolerance of the quadrangle maps.
4. This set of maps is to be used in connection with analyzing risks for emergency management and evacuation purposes. They should not be used as a basis for permitting.



- Category 1
- Category 2
- Category 3
- Category 4
- Category 5
- FEMA Q3 Area
- Open Water
- Interstate
- Primary Road
- Secondary Road
- Light Duty Road
- County Boundary

SCALE 1:48,000
One Inch Equals App. 1219 Meters



The black numbered grid around the map neartline indicates the 1000 meter State Plane Coordinate Grid, FIPSZONE 3900, NAD83 Datum for South Carolina. The last three digits of the grid numbers are omitted.

Normal (5-15 MPH) Moving Hurricanes
Category 3 Surge Areas




This product represents a combined effort by the Federal Emergency Management Agency, the U.S. Army Corps of Engineers - Charleston District, and the South Carolina Emergency Preparedness Division

Coastal South Carolina Hurricane Evacuation Restudy

Storm Surge Heights at Time History Points
in Feet Above National Geodetic Vertical Datum (NGVD), 1929


Notes:

1. Surge Limits are based on still-water total storm surge heights at mean high tide with no wave setup included (Elevations above National Geodetic Vertical Datum).
2. Source of Base Mapping is USGS Quadrangle Maps.
3. Total storm surge limits were determined by interpolating still-water total surge elevations at high tide onto the most current 7.5 minute USGS quadrangle maps. Accuracy and precision of surge limits are governed by the currency, accuracy, and tolerance of the quadrangle maps.
4. This set of maps is to be used in connection with analyzing risks for emergency management and evacuation purposes. They should not be used as a basis for permitting.



- Category 1
- Category 2
- Category 3
- Category 4
- Category 5
- FEMA Q3 Area
- Open Water
- Interstate
- Primary Road
- Secondary Road
- Light Duty Road
- County Boundary

SCALE 1:48,000
One Inch Equals App. 1219 Meters



The black numbered grid around the map neartline indicates the 1000 meter State Plane Coordinate Grid, FIPSZONE 3900, NAD83 Datum for South Carolina. The last three digits of the grid numbers are omitted.

Normal (5-15 MPH) Moving Hurricanes
Category 4 Surge Areas

HAMPTON/COLLETON COUNTY, SOUTH CAROLINA

Source: National Hurricane Center (NHC) SLOSH model results and USGS 1:24000 scale topographic data Plate 3




This product represents a combined effort by the Federal Emergency Management Agency, the U.S. Army Corps of Engineers - Charleston District, and the South Carolina Emergency Preparedness Division

Coastal South Carolina Hurricane Evacuation Restudy

Storm Surge Heights at Time History Points
in Feet Above National Geodetic Vertical Datum (NGVD), 1929

Notes:

1. Surge Limits are based on still-water total storm surge heights at mean high tide with no wave setup included (Elevations above National Geodetic Vertical Datum).
2. Source of Base Mapping is USGS Quadrangle Maps.
3. Total storm surge limits were determined by interpolating still-water total surge elevations at high tide onto the most current 7.5 minute USGS quadrangle maps. Accuracy and precision of surge limits are governed by the currency, accuracy, and tolerance of the quadrangle maps.
4. This set of maps is to be used in connection with analyzing risks for emergency management and evacuation purposes. They should not be used as a basis for permitting.



- Category 1
- Category 2
- Category 3
- Category 4
- Category 5
- FEMA Q3 Area
- Open Water
- Interstate
- Primary Road
- Secondary Road
- Light Duty Road
- County Boundary

SCALE 1:48,000
One Inch Equals App. 1219 Meters



The black numbered grid around the map neartline indicates the 1000 meter State Plane Coordinate Grid, FIPS2000, NAD83 Datum for South Carolina. The last three digits of the grid numbers are omitted.




Normal (5-15 MPH) Moving Hurricanes
Category 5 Surge Areas

Coastal South Carolina Hurricane Evacuation Restudy

Storm Surge Heights at Time History Points
in Feet Above National Geodetic Vertical Datum (NGVD), 1929


Notes:

1. Surge Limits are based on still-water total storm surge heights at mean high tide with no wave setup included (Elevations above National Geodetic Vertical Datum).
2. Source of Base Mapping is USGS Quadrangle Maps.
3. Total storm surge limits were determined by interpolating still-water total surge elevations at high tide onto the most current 7.5 minute USGS quadrangle maps. Accuracy and precision of surge limits are governed by the currency, accuracy, and tolerance of the quadrangle maps.
4. This set of maps is to be used in connection with analyzing risks for emergency management and evacuation purposes. They should not be used as a basis for permitting.



- Category 1
- Category 2
- Category 3
- Category 4
- Category 5
- FEMA Q3 Area
- Open Water
- Interstate
- Primary Road
- Secondary Road
- Light Duty Road
- County Boundary

SCALE 1:48,000
One Inch Equals App. 1219 Meters



The black numbered grid around the map neartline indicates the 1000 meter State Plane Coordinate Grid, FIPSZONE 3900, NAD83 Datum for South Carolina. The last three digits of the grid numbers are omitted.

FEMA Q3 Areas
Combined A, AE, and VE Flood Hazard Zones

HAMPTON/COLLETON COUNTY, SOUTH CAROLINA
Source: Federal Emergency Management Agency (FEMA) Flood Hazard Mapping Program Plate 3

This product represents a combined effort by the Federal Emergency Management Agency, the U.S. Army Corps of Engineers - Charleston District, and the South Carolina Emergency Preparedness Division