BIG SANDY RIVER, TUG AND LEVISA FORKS, KY AND WV

Section Included: Big Sandy, mouth to mile 26.83; Tug Fork, 12.47 miles above confluence; Levisa Fork, 17.47 miles above confluence. Maintained Depth: A slack water channel from the Ohio River providing a 9-foot depth for 8.67 miles is presently being maintained. High water navigation only beyond mile 8.67.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	22,400	1995	20,817	1998	19,800	**2001**	**24,156**
1993	23,471	1996	17,674	1999	20,895		
1994	22,177	1997	18,170	2000	23,451		

Freight Traffic, 2001 (thousand short tons)

Commodity		Grand Total	Internal Inbound Upbound	Internal Outbound Downbnd	Internal Intra Upbound
Total, all commodities		**24,156**	**1,601**	**22,125**	**430**
Total coal		**20,427**	**344**	**19,654**	**430**
1100	coal lignite	20,423	344	19,650	430
1200	coal coke	4	—-	4	—-
Total petroleum and petroleum products		**2,972**	**805**	**2,167**	**—-**
Subtotal crude petroleum		**102**	**100**	**1**	**—-**
2100	crude petroleum	102	100	1	—-
Subtotal petroleum products		**2,870**	**704**	**2,166**	**—-**
2211	gasoline	499	62	437	—-
2221	kerosene	1	1	—-	—-
2330	distillate fuel oil	578	294	284	—-
2340	residual fuel oil	515	204	311	—-
2350	lube oil & greases	164	—-	164	—-
2410	petro. jelly & waxes	32	—-	32	—-
2429	naphtha & solvents	145	—-	145	—-
2430	asphalt, tar & pitch	829	37	792	—-
2640	liquid natural gas	52	52	—-	—-
2990	petro. products nec	54	54	—-	—-
Total chemicals and related products		**500**	**196**	**304**	**—-**
Subtotal fertilizers		**58**	**58**	**—-**	**—-**
3110	nitrogenous fert.	58	58	—-	—-
Subtotal other chemicals and related products		**442**	**138**	**304**	**—-**
3212	benzene & toluene	100	93	7	—-
3219	other hydrocarbons	307	10	297	—-
3220	alcohols	22	22	—-	—-
3297	chemical additives	12	12	—-	—-
Total crude materials, inedible except fuels		**171**	**171**	**—-**	**—-**
Subtotal iron ore and scrap		**171**	**171**	**—-**	**—-**
4410	iron ore	171	171	—-	—-
Total waste and scrap nec		**85**	**85**	**—-**	**—-**
8900	waste and scrap nec	85	85	—-	—-
Ton-miles (x1000)		**159,136**	**7,526**	**150,869**	**741**

Tons All Traffic (x1000)	**24,156**
Ton-miles All Traffic (x1000)	**159,136**

KANAWHA RIVER, WV

Section Included: Ohio River to head of navigation, mile 90.57 above mouth. Maintained Depth: 9 feet.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	21,827	1995	23,059	1998	22,965	**2001**	**22,151**
1993	22,318	1996	24,794	1999	21,377		
1994	22,284	1997	24,793	2000	22,463		

Freight Traffic, 2001 (thousand short tons)

Commodity		Grand Total	Internal			
			Inbound	Outbound	Intra	
			Upbound	Downbnd	Upbound	Downbnd
Total, all commodities		**22,151**	**4,054**	**16,894**	**346**	**856**
Total coal		**17,995**	**3**	**16,790**	**345**	**856**
1100	coal lignite	17,995	3	16,790	345	856
Total petroleum and petroleum products		**890**	**889**	**1**	**—-**	**—-**
Subtotal petroleum products		**890**	**889**	**1**	**—-**	**—-**
2211	gasoline	557	557	—	—	—
2330	distillate fuel oil	322	322	—	—	—
2340	residual fuel oil	1	—	1	—	—
2430	asphalt, tar & pitch	9	9	—	—	—
Total chemicals and related products		**486**	**432**	**54**	**—-**	**—-**
Subtotal other chemicals and related products		**486**	**432**	**54**	**—-**	**—-**
3219	other hydrocarbons	5	5	—	—	—
3220	alcohols	285	245	40	—	—
3230	carboxylic acids	80	78	2	—	—
3260	organic comp. nec	23	11	12	—	—
3273	ammonia	35	35	—	—	—
3274	sodium hydroxide	58	57	1	—	—
Total crude materials, inedible except fuels		**2,686**	**2,661**	**25**	**—-**	**—-**
Subtotal soil, sand, gravel, rock and stone		**2,518**	**2,518**	**—-**	**—-**	**—-**
4322	limestone	1,517	1,517	—	—	—
4331	sand & gravel	1,001	1,001	—	—	—
Subtotal iron ore and scrap		**105**	**82**	**23**	**—-**	**—-**
4410	iron ore	82	82	—	—	—
4420	iron & steel scrap	23	—	23	—	—
Subtotal slag		**11**	**10**	**2**	**—-**	**—-**
4860	slag	11	10	2	—	—
Subtotal other non-metal. min.		**51**	**51**	**—-**	**—-**	**—-**
4900	non-metal. min. nec	51	51	—	—	—
Total primary manufactured goods		**93**	**69**	**24**	**0**	**—-**
Subtotal lime, cement and glass		**58**	**58**	**—-**	**—-**	**—-**
5220	cement & concrete	58	58	—	—	—
Subtotal primary iron and steel products		**23**	**—-**	**23**	**—-**	**—-**
5315	ferro alloys	23	—	23	—	—
Subtotal primary non-ferrous metal products		**12**	**11**	**0**	**0**	**—-**
5480	fab. metal products	12	11	0	0	—
Ton-miles (x1000)		**1,514,326**	**224,237**	**1,277,345**	**2,384**	**10,360**

Tons All Traffic (x1000)	**22,151**
Ton-miles All Traffic (x1000)	**1,514,326**

LITTLE KANAWHA RIVER, WV

Section Included: Ohio River to Head of Navigation, mile 48 above mouth. Project inactive. Controlling Depth: A slack water channel from the Ohio River providing a 9-foot depth for 14.5 miles is presently being maintained. No maintenance and no navigation exists beyond that point.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	491	1995	125	1998	187	**2001**	**254**
1993	247	1996	336	1999	237		
1994	174	1997	140	2000	246		

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Internal Inbound Upbound	Internal Outbound Downbnd
Total, all commodities	**254**	**253**	**1**
Total coal	**5**	**5**	**—-**
1100 coal lignite	5	5	—-
Total chemicals and related products	**1**	**1**	**—-**
Subtotal other chemicals and related products	**1**	**1**	**—-**
3276 metallic salts	1	1	—-
Total crude materials, inedible except fuels	**247**	**247**	**—-**
Subtotal soil, sand, gravel, rock and stone	**242**	**242**	**—-**
4322 limestone	186	186	—-
4331 sand & gravel	56	56	—-
Subtotal other non-metal. min.	**5**	**5**	**—-**
4900 non-metal. min. nec	5	5	—-
Total all manufactured equipment, machinery and products	**1**	**—-**	**1**
7110 machinery (not elec)	1	—-	1
Ton-miles (x1000)	**756**	**755**	**1**

Tons All Traffic (x1000)	**254**
Ton-miles All Traffic (x1000)	**756**

OHIO RIVER

Section Included: Pittsburgh, PA to Mouth of River, 981 miles. Maintained Depth: 9 feet.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	226,372	1995	234,064	1998	242,901*	**2001**	**242,503**
1993	227,235	1996	237,688	1999	240,789		
1994	236,655	1997	239,757	2000	236,304		

* Revised after original year of publication

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total, all commodities	**242,502**	**38,717**	**29,846**	**15,471**	**42,605**	**15,945**	**22,025**	**38,918**	**38,976**
Total coal	**128,004**	**15,204**	**27,484**	**8,670**	**18,958**	**1,949**	**8,172**	**24,980**	**22,588**
1100 coal lignite	126,369	14,705	27,454	8,652	18,492	1,700	7,911	24,909	22,547
1200 coal coke	1,635	498	30	19	465	249	261	71	41
Total petroleum and petroleum products	**20,283**	**5,124**	**1,239**	**1,184**	**1,649**	**4,445**	**854**	**1,929**	**3,860**
Subtotal crude petroleum	**277**	**—-**	**1**	**5**	**95**	**6**	**9**	**159**	**—-**
2100 crude petroleum	277	—-	1	5	95	6	9	159	—-
Subtotal petroleum products	**20,007**	**5,124**	**1,238**	**1,179**	**1,553**	**4,439**	**845**	**1,770**	**3,860**
2211 gasoline	7,978	1,709	359	568	662	1,164	69	1,013	2,433
2221 kerosene	66	25	—-	—-	1	1	—-	25	14
2330 distillate fuel oil	4,457	893	170	440	441	553	206	583	1,170
2340 residual fuel oil	1,222	406	30	72	102	185	312	4	112
2350 lube oil & greases	755	439	79	—-	65	118	36	3	14
2410 petro. jelly & waxes	48	—-	—-	—-	—-	40	8	—-	—-
2429 naphtha & solvents	223	76	90	—-	6	1	50	—-	—-
2430 asphalt, tar & pitch	2,334	568	510	91	19	891	148	31	76
2540 petroleum coke	2,779	994	—-	—-	191	1,453	14	87	40
2640 liquid natural gas	75	—-	—-	8	43	1	—-	23	—-
2990 petro. products nec	71	14	—-	—-	23	32	2	—-	—-
Total chemicals and related products	**9,728**	**5,352**	**257**	**21**	**737**	**2,674**	**429**	**178**	**79**
Subtotal fertilizers	**2,817**	**1,816**	**2**	**13**	**297**	**447**	**45**	**133**	**64**
3110 nitrogenous fert.	1,558	1,204	2	1	26	265	41	14	5
3120 phosphatic fert.	232	200	—-	—-	—-	33	—-	—-	—-
3130 potassic fert.	673	146	—-	11	271	68	—-	118	59
3190 fert. & mixes nec	354	266	—-	—-	—-	82	5	1	—-
Subtotal other chemicals and related products	**6,911**	**3,536**	**256**	**8**	**440**	**2,226**	**384**	**45**	**15**
3211 acyclic hydrocarbons	79	79	—-	—-	—-	—-	—-	—-	—-
3212 benzene & toluene	200	38	3	—-	64	93	1	—-	—-
3219 other hydrocarbons	2,865	1,779	251	2	23	695	109	—-	7
3220 alcohols	1,289	763	—-	—-	—-	420	102	4	—-
3230 carboxylic acids	250	55	—-	—-	—-	192	2	—-	—-
3240 nitrogen func. comp.	417	39	—-	—-	25	335	—-	17	—-
3260 organic comp. nec	271	17	—-	3	181	56	12	3	—-
3273 ammonia	277	175	—-	—-	—-	102	—-	—-	—-
3274 sodium hydroxide	839	465	—-	4	31	277	35	20	8
3275 inorg. elem.,oxides, & halogen salts	224	30	—-	—-	92	9	94	—-	—-
3276 metallic salts	56	34	—-	—-	—-	3	17	2	—-
3279 inorganic chem. nec	94	56	1	—-	—-	32	5	—-	—-
3297 chemical additives	12	—-	—-	—-	—-	12	—-	—-	—-
3298 wood & resin chem.	2	—-	—-	—-	2	—-	—-	—-	—-
3299 chem. products nec	36	5	—-	—-	24	—-	8	—-	—-
Total crude materials, inedible except fuels	**52,934**	**8,075**	**793**	**5,035**	**5,494**	**2,730**	**10,374**	**9,397**	**11,034**
Subtotal forest products, wood and chips	**323**	**38**	**—-**	**—-**	**12**	**25**	**243**	**5**	**—-**
4161 wood chips	307	28	—-	—-	12	22	240	5	—-
4170 wood in the rough	3	3	—-	—-	—-	—-	—-	—-	—-
4189 lumber	1	1	—-	—-	—-	—-	—-	—-	—-
4190 forest products nec	12	7	—-	—-	—-	2	3	—-	—-
Subtotal soil, sand, gravel, rock and stone	**40,883**	**581**	**738**	**5,027**	**4,712**	**132**	**9,376**	**9,347**	**10,968**
4310 building stone	32	—-	—-	—-	13	—-	18	—-	—-
4322 limestone	22,334	171	556	1,782	1,621	61	7,299	5,092	5,752
4323 gypsum	2,395	183	7	8	1,006	—-	475	186	531
4331 sand & gravel	15,350	225	24	3,238	2,072	69	984	4,055	4,685
4335 waterway improv. mat	772	2	152	—-	—-	2	600	15	—-
Subtotal iron ore and scrap	**4,583**	**2,783**	**47**	**6**	**613**	**414**	**618**	**35**	**66**
4410 iron ore	3,037	2,607	—-	—-	3	353	14	8	53
4420 iron & steel scrap	1,546	176	47	6	610	61	605	27	14
Subtotal non-ferrous ores and scrap	**3,433**	**2,545**	**3**	**—-**	**43**	**791**	**51**	**—-**	**—-**
4650 aluminum ore	2,574	2,114	—-	—-	0	460	—-	—-	—-
4670 manganese ore	371	289	3	—-	15	58	7	—-	—-
4680 non-ferrous scrap	8	5	—-	—-	—-	—-	3	—-	—-
4690 non-ferrous ores nec	480	138	—-	—-	28	273	41	—-	—-

OHIO RIVER
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Grand Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Subtotal sulphur, clay and salt	**254**	**171**	**5**	**2**	**8**	**41**	**28**	**—-**	**—-**
4782 clay & refrac. mat.	254	171	5	2	8	41	28	—	—
Subtotal slag	**376**	**132**	**—-**	**—-**	**106**	**69**	**59**	**10**	**—-**
4860 slag	376	132	—	—	106	69	59	10	—
Subtotal other non-metal. min.	**3,083**	**1,824**	**—-**	**—-**	**—-**	**1,259**	**—-**	**—-**	**—-**
4900 non-metal. min. nec	3,083	1,824	—	—	—	1,259	—	—	—
Total primary manufactured goods	**13,079**	**4,373**	**68**	**318**	**1,993**	**2,205**	**524**	**2,267**	**1,332**
Subtotal paper products	**42**	**7**	**—-**	**—-**	**—-**	**35**	**—-**	**—-**	**—-**
5110 newsprint	42	7	—	—	—	35	—	—	—
Subtotal lime, cement and glass	**5,889**	**648**	**—-**	**301**	**646**	**995**	**88**	**2,195**	**1,016**
5210 lime	3,037	530	—	101	1	158	6	1,240	1,001
5220 cement & concrete	2,846	119	—	196	642	837	82	955	14
5240 glass & glass prod.	6	—	—	5	2	—	—	—	—
Subtotal primary iron and steel products	**6,360**	**3,194**	**68**	**14**	**1,257**	**1,047**	**393**	**72**	**316**
5312 pig iron	2,113	1,767	—	—	2	343	1	—	—
5315 ferro alloys	594	457	—	1	26	88	22	—	—
5320 i&s primary forms	451	217	—	—	5	29	—	—	200
5330 i&s plates & sheets	1,658	233	66	11	812	257	161	68	49
5360 i&s bars & shapes	656	389	2	2	8	246	10	—	—
5370 i&s pipe & tube	315	25	—	—	96	—	187	—	7
5390 primary i&s nec	574	106	—	—	309	85	12	4	59
Subtotal primary non-ferrous metal products	**788**	**525**	**—-**	**2**	**91**	**127**	**43**	**0**	**—-**
5422 aluminum	178	130	—	—	0	47	—	—	—
5429 smelted prod. nec	49	19	—	—	3	19	8	—	—
5480 fab. metal products	561	375	—	2	87	61	35	0	—
Total food and farm products	**18,341**	**553**	**5**	**244**	**13,685**	**1,934**	**1,669**	**167**	**83**
Subtotal grain	**9,192**	**66**	**—-**	**11**	**6,677**	**1,680**	**754**	**—-**	**4**
6241 wheat	1,085	3	—	—	599	246	238	—	—
6344 corn	7,896	7	—	11	5,998	1,365	511	—	4
6442 rice	34	—	—	—	16	15	3	—	—
6443 barley & rye	27	27	—	—	—	—	—	—	—
6445 oats	82	28	—	—	—	55	—	—	—
6447 sorghum grains	67	2	—	—	63	—	2	—	—
Subtotal oilseeds	**6,233**	**426**	**5**	**89**	**4,704**	**178**	**650**	**101**	**79**
6522 soybeans	3,564	424	5	—	2,341	112	506	98	79
6590 oilseeds nec	2,669	2	—	89	2,364	66	145	3	—
Subtotal vegetable products	**326**	**—-**	**—-**	**143**	**82**	**26**	**9**	**66**	**—-**
6653 vegetable oils	324	—	—	143	80	26	9	66	—
6654 vegetables & prod.	2	—	—	—	2	—	—	—	—
Subtotal processed grain and animal feed	**2,543**	**14**	**—-**	**—-**	**2,222**	**50**	**256**	**—-**	**—-**
6747 grain mill products	64	—	—	—	9	—	55	—	—
6782 animal feed, prep.	2,479	14	—	—	2,213	50	201	—	—
Subtotal other agricultural products	**47**	**47**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**	**—-**
6865 molasses	40	40	—	—	—	—	—	—	—
6885 alcoholic beverages	7	7	—	—	—	—	—	—	—
Total all manufactured equipment, machinery and products	**48**	**35**	**—-**	**—-**	**3**	**8**	**2**	**—-**	**—-**
7110 machinery (not elec)	37	26	—	—	1	8	2	—	—
7120 electrical machinery	1	1	—	—	—	—	—	—	—
7210 vehicles & parts	3	3	—	—	—	0	0	—	—
7400 manufac. wood prod.	0	0	—	—	—	—	—	—	—
7500 textile products	4	4	—	—	—	—	—	—	—
7900 manufac. prod. nec	1	—	—	—	1	—	—	—	—
Total waste and scrap nec	**85**	**—-**	**—-**	**—-**	**85**	**—-**	**—-**	**—-**	**—-**
8900 waste and scrap nec	85	—	—	—	85	—	—	—	—
Ton-miles (x1000)	**58,749,622**	**16,806,033**	**5,225,020**	**3,021,276**	**8,369,910**	**3,601,018**	**6,496,681**	**7,778,555**	**7,451,130**

Tons All Traffic (x1000) **242,503**
Ton-miles All Traffic (x1000) **58,749,638**

PORT OF HUNTINGTON - TRISTATE

Section Included: Both banks of the Ohio River from mile 256.8 to mile 356.8; Kanawha River mile 0 to mile 90; Big Sandy River mile 0 to mile 9.
Maintained Depth: 9 feet.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	21,833	1995	28,266	1998	24,739	**2001**	**76,670**
1993	22,833	1996	27,478	1999	22,314		
1994	25,629	1997	25,175	2000*	76,868		

*In CY 2000 the port definition was expanded from miles 303 thru 317 to miles 256.8 thru 356.8 on the Ohio River and incorporated the Kanawaha and Big Sandy Rivers.

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Internal		
		Receipts	Shipments	Intraport
Total, all commodities	**76,670**	**10,204**	**61,185**	**5,280**
Total coal	**60,168**	**3,530**	**53,010**	**3,628**
1100 coal lignite	59,705	3,492	52,585	3,628
1200 coal coke	463	38	424	—
Total petroleum and petroleum products	**10,045**	**1,013**	**7,659**	**1,374**
Subtotal crude petroleum	**102**	**95**	**1**	**6**
2100 crude petroleum	102	95	1	6
Subtotal petroleum products	**9,943**	**918**	**7,657**	**1,368**
2211 gasoline	5,033	100	4,284	650
2221 kerosene	40	1	39	—
2330 distillate fuel oil	2,860	370	1,915	575
2340 residual fuel oil	539	216	323	—
2350 lube oil & greases	172	5	167	—
2410 petro. jelly & waxes	32	—	32	—
2429 naphtha & solvents	148	—	148	—
2430 asphalt, tar & pitch	939	121	705	113
2540 petroleum coke	61	18	43	—
2640 liquid natural gas	53	44	1	8
2990 petro. products nec	66	45	—	22
Total chemicals and related products	**1,653**	**1,101**	**362**	**190**
Subtotal fertilizers	**80**	**80**	**—**	**—**
3110 nitrogenous fert.	80	80	—	—
Subtotal other chemicals and related products	**1,573**	**1,022**	**362**	**190**
3212 benzene & toluene	110	103	7	—
3219 other hydrocarbons	679	365	128	185
3220 alcohols	394	355	40	—
3230 carboxylic acids	80	78	2	—
3240 nitrogen func. comp.	42	—	41	1
3260 organic comp. nec	151	9	140	3
3273 ammonia	35	35	—	—
3274 sodium hydroxide	58	57	1	—
3275 inorg. elem., oxides, & halogen salts	1	1	—	—
3279 inorganic chem. nec	7	7	—	—
3297 chemical additives	12	12	—	—
3298 wood & resin chem.	2	—	2	—
3299 chem. products nec	1	—	1	—
Total crude materials, inedible except fuels	**3,936**	**3,840**	**96**	**—**
Subtotal forest products, wood and chips	**3**	**3**	**—**	**—**
4161 wood chips	3	3	—	—
Subtotal soil, sand, gravel, rock and stone	**2,987**	**2,973**	**14**	**—**
4322 limestone	1,699	1,699	—	—
4331 sand & gravel	1,283	1,269	14	—
4335 waterway improv. mat	5	5	—	—
Subtotal iron ore and scrap	**593**	**534**	**59**	**—**
4410 iron ore	531	523	8	—
4420 iron & steel scrap	62	11	51	—
Subtotal non-ferrous ores and scrap	**109**	**90**	**19**	**—**
4650 aluminum ore	64	64	—	—
4670 manganese ore	1	1	—	—
4690 non-ferrous ores nec	43	25	19	—
Subtotal sulphur, clay and salt	**18**	**15**	**2**	**—**
4782 clay & refrac. mat.	18	15	2	—
Subtotal slag	**11**	**10**	**2**	**—**
4860 slag	11	10	2	—
Subtotal other non-metal. min.	**216**	**216**	**—**	**—**
4900 non-metal. min. nec	216	216	—	—
Total primary manufactured goods	**782**	**720**	**59**	**4**
Subtotal lime, cement and glass	**651**	**647**	**—**	**4**
5210 lime	490	490	—	—
5220 cement & concrete	161	158	—	4
Subtotal primary iron and steel products	**77**	**54**	**23**	**—**
5312 pig iron	50	50	—	—
5315 ferro alloys	24	1	23	—
5330 i&s plates & sheets	3	3	—	—

PORT OF HUNTINGTON - TRISTATE
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity		Grand Total	Internal		
			Receipts	Shipments	Intraport
Subtotal primary non-ferrous metal products		**54**	**18**	**36**	**0**
5422	aluminum	5	5	—-	—-
5480	fab. metal products	49	13	36	0
Total waste and scrap nec		**85**	**—-**	**—-**	**85**
8900	waste and scrap nec	85	—-	—-	85

OHIO RIVER SYSTEM

Section Included: Main Channels and all navigable tributaries and embayments of the Ohio, Tennessee, and Cumberland Rivers.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	261,430	1995	267,604	1998	278,811*	**2001**	**281,801**
1993	257,281	1996	270,932	1999	277,902		
1994	270,539	1997	274,859	2000	274,372		

* Revised after original year of publication

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Internal						
		Inbound		Outbound		Through	Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Upbound	Downbnd
Total, all commodities	**281,800**	**42,211**	**103**	**2,122**	**48,515**	**361**	**110,594**	**77,894**
Total coal	**157,089**	**4,198**	**12**	**1,105**	**15,173**	**148**	**79,142**	**57,311**
1100 coal lignite	155,454	3,472	12	1,105	14,491	147	78,988	57,240
1200 coal coke	1,635	726	—	—	682	2	154	71
Total petroleum and petroleum products	**20,946**	**9,642**	**13**	**—**	**916**	**8**	**5,265**	**5,102**
Subtotal crude petroleum	**392**	**24**	**—**	**—**	**107**	**—**	**260**	**1**
2100 crude petroleum	392	24	—	—	107	—	260	1
Subtotal petroleum products	**20,554**	**9,618**	**13**	**—**	**810**	**8**	**5,006**	**5,101**
2211 gasoline	8,049	2,925	—	—	50	—	2,282	2,792
2221 kerosene	66	26	—	—	—	—	26	14
2330 distillate fuel oil	4,540	1,456	—	—	83	—	1,661	1,340
2340 residual fuel oil	1,246	552	—	—	253	—	295	145
2350 lube oil & greases	755	497	9	—	102	—	53	93
2410 petro. jelly & waxes	48	8	—	—	8	—	32	—
2429 naphtha & solvents	223	45	—	—	56	1	31	90
2430 asphalt, tar & pitch	2,401	1,358	3	—	64	—	390	586
2540 petroleum coke	2,779	2,439	—	—	163	6	131	40
2640 liquid natural gas	75	1	—	—	—	—	74	—
2990 petro. products nec	373	312	—	—	31	—	30	—
Total chemicals and related products	**10,706**	**8,459**	**—**	**—**	**1,274**	**3**	**584**	**386**
Subtotal fertilizers	**2,828**	**2,274**	**—**	**—**	**233**	**—**	**247**	**73**
3110 nitrogenous fert.	1,558	1,470	—	—	14	—	68	6
3120 phosphatic fert.	232	232	—	—	—	—	—	—
3130 potassic fert.	682	223	—	—	214	—	178	67
3190 fert. & mixes nec	355	349	—	—	5	—	1	—
Subtotal other chemicals and related products	**7,878**	**6,185**	**—**	**—**	**1,041**	**3**	**337**	**312**
3211 acyclic hydrocarbons	79	78	—	—	—	—	1	—
3212 benzene & toluene	200	129	—	—	65	—	2	3
3219 other hydrocarbons	3,583	2,931	—	—	375	—	19	258
3220 alcohols	1,295	1,162	—	—	102	—	26	5
3230 carboxylic acids	250	248	—	—	2	—	—	—
3240 nitrogen func. comp.	513	375	—	—	121	—	17	—
3260 organic comp. nec	271	73	—	—	193	—	6	—
3273 ammonia	277	277	—	—	—	—	—	—
3274 sodium hydroxide	939	734	—	—	32	3	161	10
3275 inorg. elem., oxides, & halogen salts	271	36	—	—	97	—	104	35
3276 metallic salts	56	37	—	—	17	—	2	—
3279 inorganic chem. nec	94	88	—	—	5	—	—	1
3297 chemical additives	12	12	—	—	—	—	—	—
3298 wood & resin chem.	2	—	—	—	2	—	—	—
3299 chem. products nec	36	5	—	—	31	—	—	—
Total crude materials, inedible except fuels	**60,741**	**10,646**	**67**	**973**	**14,023**	**193**	**21,245**	**13,594**
Subtotal forest products, wood and chips	**1,681**	**247**	**—**	**182**	**1,165**	**33**	**52**	**2**
4150 fuel wood	3	—	—	—	3	—	—	—
4161 wood chips	1,530	238	—	180	1,029	33	48	2
4170 wood in the rough	136	3	—	—	133	—	—	—
4189 lumber	1	1	—	—	—	—	—	—
4190 forest products nec	12	5	—	3	—	—	3	—
Subtotal soil, sand, gravel, rock and stone	**46,702**	**314**	**47**	**787**	**11,302**	**134**	**20,660**	**13,457**
4310 building stone	32	—	—	—	32	—	—	—
4322 limestone	24,614	71	—	715	8,457	134	8,613	6,626
4323 gypsum	2,479	57	—	—	864	—	1,012	546
4327 phosphate rock	2	—	—	—	2	—	—	—
4331 sand & gravel	18,417	187	47	70	1,350	—	10,632	6,131
4335 waterway improv. mat	1,159	—	—	3	597	—	403	155
Subtotal iron ore and scrap	**4,632**	**3,092**	**—**	**3**	**1,262**	**10**	**140**	**125**
4410 iron ore	3,037	2,945	—	—	17	—	22	53
4420 iron & steel scrap	1,595	147	—	3	1,246	10	118	72
Subtotal non-ferrous ores and scrap	**3,538**	**3,342**	**8**	**—**	**90**	**—**	**95**	**3**
4650 aluminum ore	2,579	2,578	—	—	0	—	—	—
4670 manganese ore	371	341	—	—	18	—	9	3

OHIO RIVER SYSTEM
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Grand Total	Internal						
		Inbound		Outbound		Through	Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Upbound	Downbnd
4680 non-ferrous scrap	8	5	—	—	3	—	—	—
4690 non-ferrous ores nec	581	418	8	—	69	—	85	—
Subtotal sulphur, clay and salt	**290**	**211**	**—**	**—**	**65**	**—**	**8**	**6**
4782 clay & refrac. mat.	290	211	—	—	65	—	8	6
Subtotal slag	**655**	**211**	**—**	**—**	**139**	**16**	**289**	**—**
4860 slag	655	211	—	—	139	16	289	—
Subtotal other non-metal. min.	**3,243**	**3,229**	**12**	**—**	**—**	**—**	**1**	**—**
4900 non-metal. min. nec	3,243	3,229	12	—	—	—	1	—
Total primary manufactured goods	**13,598**	**6,760**	**10**	**44**	**2,189**	**4**	**3,179**	**1,412**
Subtotal paper products	**42**	**42**	**—**	**—**	**—**	**—**	**—**	**—**
5110 newsprint	42	42	—	—	—	—	—	—
Subtotal lime, cement and glass	**6,334**	**1,896**	**—**	**44**	**734**	**—**	**2,644**	**1,016**
5210 lime	3,037	686	—	—	7	—	1,342	1,001
5220 cement & concrete	3,291	1,210	—	44	726	—	1,298	14
5240 glass & glass prod.	6	—	—	—	2	—	5	—
Subtotal primary iron and steel products	**6,419**	**4,197**	**6**	**—**	**1,350**	**4**	**471**	**392**
5312 pig iron	2,113	2,108	—	—	3	1	—	—
5315 ferro alloys	597	489	—	—	35	—	73	—
5320 i&s primary forms	451	245	—	—	5	—	—	200
5330 i&s plates & sheets	1,709	505	6	—	766	1	311	121
5360 i&s bars & shapes	656	635	—	—	17	1	2	2
5370 i&s pipe & tube	315	21	—	—	283	—	4	7
5390 primary i&s nec	577	194	—	—	242	—	80	61
Subtotal primary non-ferrous metal products	**803**	**625**	**4**	**1**	**105**	**—**	**64**	**4**
5422 aluminum	178	177	—	—	0	—	—	—
5429 smelted prod. nec	54	38	—	—	11	—	5	—
5480 fab. metal products	572	409	4	1	93	—	60	4
Total food and farm products	**18,584**	**2,464**	**1**	**—**	**14,937**	**3**	**1,090**	**88**
Subtotal grain	**9,328**	**1,746**	**1**	**—**	**7,010**	**2**	**565**	**4**
6241 wheat	1,114	249	—	—	824	—	40	—
6344 corn	8,003	1,372	—	—	6,101	2	525	4
6442 rice	34	15	—	—	19	—	—	—
6443 barley & rye	27	27	—	—	—	—	—	—
6445 oats	84	82	1	—	—	—	—	—
6447 sorghum grains	67	2	—	—	65	—	—	—
Subtotal oilseeds	**6,320**	**572**	**—**	**—**	**5,346**	**2**	**316**	**84**
6522 soybeans	3,647	504	—	—	2,863	2	194	84
6590 oilseeds nec	2,673	68	—	—	2,483	—	122	—
Subtotal vegetable products	**326**	**26**	**—**	**—**	**91**	**—**	**209**	**—**
6653 vegetable oils	324	26	—	—	89	—	209	—
6654 vegetables & prod.	2	—	—	—	2	—	—	—
Subtotal processed grain and animal feed	**2,563**	**73**	**—**	**—**	**2,491**	**—**	**—**	**—**
6747 grain mill products	65	—	—	—	65	—	—	—
6782 animal feed, prep.	2,498	73	—	—	2,425	—	—	—
Subtotal other agricultural products	**47**	**47**	**—**	**—**	**—**	**—**	**—**	**—**
6865 molasses	40	40	—	—	—	—	—	—
6885 alcoholic beverages	7	7	—	—	—	—	—	—
Total all manufactured equipment, machinery and products	**52**	**42**	**—**	**—**	**3**	**2**	**3**	**2**
7110 machinery (not elec)	41	33	—	—	2	2	3	2
7120 electrical machinery	2	1	—	—	0	—	—	—
7210 vehicles & parts	3	3	—	—	0	—	—	—
7400 manufac. wood prod.	0	0	—	—	—	—	—	—
7500 textile products	4	4	—	—	—	—	—	—
7900 manufac. prod. nec	1	—	—	—	1	—	0	0
Total waste and scrap nec	**85**	**—**	**—**	**—**	**—**	**—**	**85**	**—**
8900 waste and scrap nec	85	—	—	—	—	—	85	—
Ton-miles (x1000)	**72,516,121**	**20,870,141**	**39,105**	**746,117**	**12,477,285**	**129,128**	**24,154,729**	**14,099,617**

Tons All Traffic (x1000)	**281,801**
Ton-miles All Traffic (x1000)	**72,516,294**

MISSISSIPPI RIVER SYSTEM

Section Included: Main Channels and all Tributaries of the Mississippi, Illinois, Missouri, and Ohio Rivers.

Comparative Statement of Traffic (thousand short tons)

Year	Total	Year	Total	Year	Total	Year	Total
1992	465,434	1995	479,421	1998	491,640*	**2001**	**496,259**
1993	451,731	1996	482,791	1999	499,550		
1994	478,673	1997	488,876	2000	493,121		

* Revised after original year of publication

Freight Traffic, 2001 (thousand short tons)

Commodity	Grand Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
Total, all commodities	**496,259**	**29,322**	**8,778**	**13,850**	**29,647**	**5,216**	**2,678**	**201,150**	**205,620**
Total coal	**177,094**	**142**	**91**	**1,689**	**5,733**	**162**	**12**	**91,457**	**77,806**
1100 coal lignite	173,328	21	12	1,200	5,688	151	8	89,705	76,543
1200 coal coke	3,765	121	79	490	44	11	4	1,753	1,263
Total petroleum and petroleum products	**75,283**	**13,418**	**2,973**	**4,337**	**7,496**	**1,633**	**1,183**	**27,264**	**16,980**
Subtotal crude petroleum	**8,896**	**3,815**	**646**	**208**	**398**	**229**	**273**	**2,519**	**808**
2100 crude petroleum	8,896	3,815	646	208	398	229	273	2,519	808
Subtotal petroleum products	**66,387**	**9,602**	**2,328**	**4,128**	**7,098**	**1,404**	**910**	**24,745**	**16,172**
2211 gasoline	16,909	2,748	949	623	1,556	257	152	7,516	3,107
2221 kerosene	347	6	—	79	110	—	—	68	84
2330 distillate fuel oil	15,447	1,591	474	1,154	1,901	329	191	6,164	3,644
2340 residual fuel oil	13,124	1,785	428	451	947	109	90	4,013	5,302
2350 lube oil & greases	2,645	1,056	51	34	333	158	5	499	509
2410 petro. jelly & waxes	79	39	—	—	8	—	—	32	—
2429 naphtha & solvents	3,003	581	128	360	1,019	152	69	313	380
2430 asphalt, tar & pitch	5,384	463	121	644	173	161	15	2,564	1,242
2540 petroleum coke	6,913	685	131	403	611	7	21	3,234	1,822
2640 liquid natural gas	1,189	196	9	9	291	225	368	84	7
2990 petro. products nec	1,349	452	36	372	149	5	—	258	77
Total chemicals and related products	**34,373**	**6,170**	**1,129**	**2,465**	**3,119**	**1,091**	**383**	**16,264**	**3,752**
Subtotal fertilizers	**11,548**	**539**	**21**	**750**	**393**	**24**	**14**	**9,066**	**741**
3110 nitrogenous fert.	6,742	42	5	631	300	—	—	5,502	262
3120 phosphatic fert.	966	139	—	46	26	18	—	736	—
3130 potassic fert.	1,366	73	15	3	18	—	6	816	434
3190 fert. & mixes nec	2,474	285	—	70	48	6	8	2,013	44
Subtotal other chemicals and related products	**22,825**	**5,631**	**1,108**	**1,715**	**2,726**	**1,067**	**369**	**7,198**	**3,011**
3211 acyclic hydrocarbons	792	253	90	53	185	3	7	186	14
3212 benzene & toluene	2,591	323	78	104	500	170	73	510	833
3219 other hydrocarbons	5,828	3,064	356	80	435	262	56	1,124	451
3220 alcohols	3,982	370	164	746	360	252	31	1,712	347
3230 carboxylic acids	324	259	0	34	17	—	—	13	1
3240 nitrogen func. comp.	662	377	31	9	131	40	57	17	—
3260 organic comp. nec	657	103	14	70	189	46	46	63	126
3271 sulphur (liquid)	205	39	82	10	37	—	—	3	34
3272 sulphuric acid	780	99	67	114	150	3	2	129	215
3273 ammonia	1,134	42	—	40	155	15	—	728	153
3274 sodium hydroxide	3,685	419	102	361	147	251	46	1,626	734
3275 inorg. elem.,oxides, & halogen salts	936	50	92	9	73	17	43	610	41
3276 metallic salts	571	44	20	40	213	4	5	204	39
3279 inorganic chem. nec	189	—	—	12	5	3	—	164	5
3286 plastics	15	—	—	15	—	—	—	—	—
3291 pesticides	1	1	—	—	—	—	—	—	—
3297 chemical additives	342	176	6	20	39	—	—	91	11
3298 wood & resin chem.	2	—	—	—	—	—	—	—	2
3299 chem. products nec	130	12	5	—	89	0	1	17	5
Total crude materials, inedible except fuels	**98,987**	**7,666**	**1,475**	**2,918**	**8,983**	**1,148**	**236**	**45,283**	**31,278**
Subtotal forest products, wood and chips	**2,232**	**283**	**0**	**112**	**1,257**	**3**	**0**	**470**	**106**
4150 fuel wood	3	—	—	—	3	—	—	—	—
4161 wood chips	1,739	268	—	97	1,101	—	—	251	21
4170 wood in the rough	428	—	—	—	133	—	—	210	85
4189 lumber	22	—	0	12	10	—	0	1	—
4190 forest products nec	40	15	0	4	11	3	—	8	—
Subtotal pulp and waste paper	**22**	**13**	**—**	**—**	**—**	**—**	**—**	**1**	**8**
4225 pulp & waste paper	22	13	—	—	—	—	—	1	8
Subtotal soil, sand, gravel, rock and stone	**74,650**	**148**	**487**	**1,986**	**6,715**	**147**	**2**	**35,617**	**29,547**
4310 building stone	32	—	—	—	9	—	—	18	4
4322 limestone	26,232	2	18	531	3,608	134	—	10,059	11,881
4323 gypsum	2,547	40	—	7	525	—	—	1,047	928

MISSISSIPPI RIVER SYSTEM
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Grand Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
4327 phosphate rock	2	—	—	—	2	—	—	—	—
4331 sand & gravel	39,495	105	469	1,406	1,749	13	2	22,133	13,619
4335 waterway improv. mat	6,340	—	—	43	823	—	—	2,359	3,115
4338 soil & fill dirt	1	1	—	—	—	—	—	—	—
Subtotal iron ore and scrap	**7,361**	**1,015**	**691**	**80**	**135**	**27**	**48**	**3,860**	**1,505**
4410 iron ore	3,150	15	26	64	14	—	—	2,974	57
4420 iron & steel scrap	4,210	1,000	664	16	122	27	48	885	1,448
Subtotal marine shells	**3**	**3**	**—**	**—**	**—**	**—**	**—**	**—**	**—**
4515 marine shells	3	3	—	—	—	—	—	—	—
Subtotal non-ferrous ores and scrap	**4,515**	**669**	**10**	**109**	**40**	**2**	**16**	**3,626**	**43**
4650 aluminum ore	3,318	612	—	27	12	2	16	2,648	0
4670 manganese ore	489	5	—	46	19	—	—	407	12
4680 non-ferrous scrap	9	5	2	—	—	—	—	—	3
4690 non-ferrous ores nec	699	47	8	37	8	—	—	571	28
Subtotal sulphur, clay and salt	**740**	**22**	**6**	**25**	**87**	**66**	**59**	**463**	**11**
4782 clay & refrac. mat.	740	22	6	25	87	66	59	463	11
Subtotal slag	**1,128**	**108**	**8**	**57**	**240**	**18**	**12**	**628**	**57**
4860 slag	1,128	108	8	57	240	18	12	628	57
Subtotal other non-metal. min.	**8,336**	**5,405**	**273**	**548**	**507**	**886**	**98**	**619**	**0**
4900 non-metal. min. nec	8,336	5,405	273	548	507	886	98	619	0
Total primary manufactured goods	**25,469**	**1,229**	**211**	**2,171**	**3,302**	**251**	**327**	**15,828**	**2,151**
Subtotal paper products	**104**	**2**	**—**	**18**	**0**	**0**	**0**	**43**	**40**
5110 newsprint	42	—	—	—	—	—	—	42	—
5120 paper & paperboard	29	2	—	3	—	—	—	—	25
5190 paper products nec	33	0	—	15	0	0	0	1	16
Subtotal lime, cement and glass	**12,078**	**627**	**6**	**714**	**1,654**	**72**	**156**	**7,395**	**1,454**
5210 lime	3,399	2	—	—	166	—	—	2,216	1,015
5220 cement & concrete	8,665	624	3	714	1,488	72	156	5,171	438
5240 glass & glass prod.	11	—	3	—	—	—	—	8	—
5290 misc. mineral prod.	3	2	—	—	—	—	—	—	1
Subtotal primary iron and steel products	**11,861**	**550**	**187**	**1,244**	**1,467**	**161**	**160**	**7,493**	**600**
5312 pig iron	4,434	5	—	477	129	4	5	3,813	2
5315 ferro alloys	875	14	8	127	49	—	—	671	7
5320 i&s primary forms	540	11	—	56	12	1	1	250	207
5330 i&s plates & sheets	3,155	219	145	274	761	48	118	1,304	286
5360 i&s bars & shapes	1,344	178	5	139	38	73	—	900	12
5370 i&s pipe & tube	590	10	6	55	338	28	12	132	9
5390 primary i&s nec	924	114	23	115	140	7	24	423	78
Subtotal primary non-ferrous metal products	**1,419**	**47**	**17**	**194**	**179**	**18**	**11**	**897**	**56**
5421 copper	27	3	—	—	—	—	—	23	1
5422 aluminum	217	18	—	3	3	3	—	189	1
5429 smelted prod. nec	167	—	—	71	23	—	—	66	8
5480 fab. metal products	1,009	26	17	121	154	15	11	619	47
Subtotal primary wood products	**6**	**3**	**—**	**—**	**2**	**1**	**—**	**—**	**1**
5540 primary wood prod.	6	3	—	—	2	1	—	—	1
Total food and farm products	**83,469**	**612**	**2,893**	**169**	**949**	**176**	**124**	**4,903**	**73,643**
Subtotal grain	**48,811**	**111**	**1,170**	**2**	**842**	**2**	**3**	**2,838**	**43,845**
6241 wheat	6,638	57	460	—	34	—	—	355	5,731
6344 corn	38,778	9	375	—	556	2	2	2,204	35,632
6442 rice	1,809	41	196	—	223	—	2	35	1,312
6443 barley & rye	32	—	—	—	—	—	—	32	—
6445 oats	199	1	3	2	27	—	—	162	4
6447 sorghum grains	1,356	3	136	—	2	—	—	50	1,165
Subtotal oilseeds	**25,055**	**53**	**764**	**—**	**20**	**2**	**5**	**1,231**	**22,979**
6522 soybeans	19,873	47	736	—	18	2	—	863	18,207
6590 oilseeds nec	5,182	6	28	—	2	—	5	368	4,772
Subtotal vegetable products	**1,169**	**18**	**112**	**—**	**28**	**—**	**—**	**318**	**693**
6653 vegetable oils	1,114	3	84	—	28	—	—	318	681
6654 vegetables & prod.	55	15	28	—	—	—	—	—	12
Subtotal processed grain and animal feed	**7,029**	**88**	**515**	**6**	**7**	**7**	**—**	**327**	**6,079**
6746 wheat flour	82	10	68	—	—	—	—	1	2
6747 grain mill products	408	—	6	—	—	—	—	3	398
6782 animal feed, prep.	6,539	77	440	6	7	7	—	323	5,679
Subtotal other agricultural products	**1,405**	**343**	**333**	**161**	**52**	**166**	**115**	**188**	**47**
6861 sugar	610	269	256	41	—	16	—	9	19
6865 molasses	317	61	—	65	19	7	—	162	4
6885 alcoholic beverages	29	—	—	—	5	—	—	9	16
6887 groceries	1	0	1	0	0	0	0	—	—
6888 water & ice	272	0	—	55	28	142	36	5	4

MISSISSIPPI RIVER SYSTEM
Freight Traffic, 2001 - continued
(thousand short tons)

Commodity	Grand Total	Internal							
		Inbound		Outbound		Through		Intra	
		Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd	Upbound	Downbnd
6889 food products nec	168	12	77	—	—	—	79	—	—
6893 cotton	1	—	—	—	—	—	—	1	—
6899 farm products nec	6	—	—	—	—	—	—	1	4
Total all manufactured equipment, machinery and products	**1,243**	**85**	**6**	**101**	**64**	**543**	**371**	**64**	**9**
7110 machinery (not elec)	1,081	60	5	14	59	540	369	33	2
7120 electrical machinery	7	1	1	—	1	0	—	1	3
7210 vehicles & parts	4	0	—	—	0	—	—	3	—
7230 ships & boats	2	1	—	—	—	0	0	0	0
7300 ordnance & access.	0	0	—	—	—	—	—	—	—
7400 manufac. wood prod.	9	5	1	—	0	2	1	0	—
7500 textile products	28	—	—	4	0	—	—	25	—
7600 rubber & plastic pr.	107	18	0	83	3	—	2	—	2
7900 manufac. prod. nec	5	0	—	0	1	—	—	2	1
Total waste and scrap nec	**342**	**—-**	**0**	**—-**	**1**	**212**	**42**	**86**	**1**
8900 waste and scrap nec	342	—	0	—	1	212	42	86	1
Ton-miles (x1000)	**261,252,013**	**19,338,319**	**3,571,702**	**6,453,683**	**14,727,389**	**2,966,849**	**403,593**	**87,945,503**	**125,844,976**

Tons All Traffic (x1000) **496,259**
Ton-miles All Traffic (x1000) **261,252,013**

Other Harbors and Waterways 2001

Harbor or Waterway	Commodity	Thousand Short Tons
Project		
MUSKINGUM RIVER, OH	No Commerce Reported	

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
BIG SANDY RIVER, TUG AND LEVISA FORKS, KY AND WV												
	Upbound						Downbound					
Grand Total	**19,723**	**—-**	**—-**	**5,793**	**12,581**	**1,349**	**20,667**	**—-**	**—-**	**5,751**	**13,116**	**1,800**
DOMESTIC												
Total	**19,723**	**—-**	**—-**	**5,793**	**12,581**	**1,349**	**20,667**	**—-**	**—-**	**5,751**	**13,116**	**1,800**
11	5	—-	—-	4	—-	1	122	—-	—-	4	108	10
10	74	—-	—-	32	36	6	671	—-	—-	31	607	33
9	705	—-	—-	116	424	165	8,541	—-	—-	116	7,353	1,072
8	496	—-	—-	136	159	201	4,659	—-	—-	145	4,355	159
7	593	—-	—-	497	11	85	659	—-	—-	493	85	81
6	177	—-	—-	112	28	37	256	—-	—-	112	127	17
5	415	—-	—-	399	1	15	406	—-	—-	387	4	15
4	951	—-	—-	944	—-	7	953	—-	—-	947	—-	6
3	78	—-	—-	—-	1	77	16	—-	—-	—-	—-	16
2	16,104	—-	—-	3,553	11,877	674	4,276	—-	—-	3,516	457	303
1	125	—-	—-	—-	44	81	108	—-	—-	—-	20	88
										Total trips:		**40,390**
KANAWHA RIVER, WV												
	Upbound						Downbound					
Grand Total	**21,092**	**—-**	**—-**	**5,149**	**15,311**	**632**	**20,028**	**—-**	**—-**	**4,925**	**14,475**	**628**
DOMESTIC												
Total	**21,092**	**—-**	**—-**	**5,149**	**15,311**	**632**	**20,028**	**—-**	**—-**	**4,925**	**14,475**	**628**
11	4	—-	—-	1	2	1	424	—-	—-	1	423	—-
10	144	—-	—-	2	135	7	228	—-	—-	1	226	1
9	1,606	—-	—-	228	1,208	170	10,611	—-	—-	227	10,376	8
8	1,754	—-	—-	879	693	182	2,954	—-	—-	865	2,076	13
7	3,737	—-	—-	3,529	48	160	3,357	—-	—-	3,335	19	3
6	596	—-	—-	444	128	24	509	—-	—-	435	70	4
5	131	—-	—-	65	—-	66	85	—-	—-	61	8	16
4	6	—-	—-	—-	—-	6	4	—-	—-	—-	—-	4
3	6	—-	—-	1	4	1	21	—-	—-	—-	1	20
2	10,492	—-	—-	—-	10,480	12	1,562	—-	—-	—-	1,089	473
1	2,616	—-	—-	—-	2,613	3	273	—-	—-	—-	187	86
										Total trips:		**41,120**
LITTLE KANAWHA RIVER, WV												
	Upbound						Downbound					
Grand Total	**287**	**—-**	**—-**	**129**	**157**	**1**	**226**	**—-**	**—-**	**92**	**133**	**1**
DOMESTIC												
Total	**287**	**—-**	**—-**	**129**	**157**	**1**	**226**	**—-**	**—-**	**92**	**133**	**1**
10	14	—-	—-	—-	14	—-	—-	—-	—-	—-	—-	—-
9	106	—-	—-	—-	105	1	1	—-	—-	—-	1	—-
8	37	—-	—-	1	36	—-	1	—-	—-	1	—-	—-
7	42	—-	—-	41	1	—-	38	—-	—-	38	—-	—-
6	59	—-	—-	59	—-	—-	26	—-	—-	26	—-	—-
5	28	—-	—-	28	—-	—-	27	—-	—-	27	—-	—-
2	—-	—-	—-	—-	—-	—-	133	—-	—-	—-	132	1
1	1	—-	—-	—-	1	—-	—-	—-	—-	—-	—-	—-
										Total trips:		**513**
OHIO RIVER												
	Upbound						Downbound					
Grand Total	**198,957**	**9,109**	**—-**	**47,289**	**130,986**	**11,573**	**197,634**	**9,110**	**—-**	**46,069**	**130,986**	**11,469**
DOMESTIC												
Total	**198,957**	**9,109**	**—-**	**47,289**	**130,986**	**11,573**	**197,634**	**9,110**	**—-**	**46,069**	**130,986**	**11,469**
13	17	—-	—-	—-	17	—-	26	—-	—-	—-	26	—-
12	63	—-	—-	—-	24	39	359	—-	—-	—-	349	10
11	1,594	—-	—-	484	955	155	1,605	—-	—-	521	1,068	16

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
OHIO RIVER - continued												
			Upbound						Downbound			
DOMESTIC												
10	4,166	—	—	990	2,702	474	4,675	—	—	1,143	3,435	97
9	50,300	4,095	—	3,728	38,213	4,264	53,749	4,095	—	3,723	43,481	2,450
8	28,029	1,639	—	8,384	16,404	1,602	36,750	1,658	—	8,119	26,079	894
7	18,251	695	—	12,388	4,504	664	17,264	693	—	11,521	4,172	878
6	9,759	1,440	—	5,821	2,359	139	9,568	1,433	—	5,637	2,291	207
5	7,008	280	—	6,257	350	121	7,142	271	—	6,090	615	166
4	2,586	956	—	1,315	205	110	2,661	955	—	1,270	312	124
3	857	3	—	482	221	151	1,034	5	—	511	256	262
2	74,923	1	—	7,288	64,283	3,351	61,100	—	—	7,390	47,675	6,035
1	1,404	—	—	152	749	503	1,701	—	—	144	1,227	330
										Total trips:		**396,591**
PORT OF HUNTINGTON - TRISTATE												
			Inbound						Outbound			
Grand Total	**67,273**	**—**	**—**	**20,789**	**41,666**	**4,818**	**66,888**	**—**	**—**	**20,402**	**41,665**	**4,821**
DOMESTIC												
Total	**67,273**	**—**	**—**	**20,789**	**41,666**	**4,818**	**66,888**	**—**	**—**	**20,402**	**41,665**	**4,821**
11	76	—	—	32	20	24	650	—	—	38	605	7
10	565	—	—	69	476	20	1,393	—	—	68	1,249	76
9	5,732	—	—	819	4,152	761	26,860	—	—	836	24,516	1,508
8	5,525	—	—	2,713	2,394	418	12,352	—	—	2,300	9,325	727
7	6,193	—	—	5,854	117	222	7,329	—	—	5,856	439	1,034
6	1,647	—	—	1,361	190	96	1,772	—	—	1,358	269	145
5	1,730	—	—	1,600	6	124	1,697	—	—	1,605	19	73
4	1,028	—	—	1,004	—	24	1,032	—	—	1,003	1	28
3	128	—	—	15	11	102	65	—	—	16	10	39
2	41,594	—	—	7,322	31,827	2,445	12,921	—	—	7,322	4,570	1,029
1	3,055	—	—	—	2,473	582	817	—	—	—	662	155
										Total trips:		**134,161**
OHIO RIVER SYSTEM												
			Upbound						Downbound			
Grand Total	**260,457**	**14,375**	**—**	**63,295**	**169,373**	**13,414**	**256,342**	**14,362**	**—**	**61,949**	**169,373**	**10,658**
DOMESTIC												
Total	**260,457**	**14,375**	**—**	**63,295**	**169,373**	**13,414**	**256,342**	**14,362**	**—**	**61,949**	**169,373**	**10,658**
13	17	—	—	—	17	—	26	—	—	—	26	—
12	74	—	—	—	34	40	354	—	—	—	343	11
11	1,772	—	—	534	1,081	157	1,622	—	—	563	1,043	16
10	6,151	—	—	1,092	4,453	606	4,763	—	—	1,202	3,466	95
9	66,377	4,097	—	4,463	53,216	4,601	81,317	4,094	—	3,692	71,305	2,226
8	44,695	1,651	—	11,466	29,594	1,984	36,491	1,646	—	11,075	23,025	745
7	28,056	1,227	—	19,172	6,766	891	24,759	1,223	—	19,173	3,704	659
6	15,304	3,785	—	7,948	3,374	197	14,288	3,785	—	7,813	2,507	183
5	10,290	1,151	—	8,385	531	223	11,346	1,152	—	8,114	1,940	140
4	4,808	2,406	—	2,038	245	119	5,793	2,404	—	2,105	1,165	119
3	1,086	3	—	486	320	277	1,090	5	—	514	364	207
2	76,803	54	—	7,555	65,402	3,792	72,562	53	—	7,555	59,003	5,951
1	5,024	1	—	156	4,340	527	1,931	—	—	143	1,482	306
										Total trips:		**516,799**
MISSISSIPPI RIVER SYSTEM												
			Upbound						Downbound			
Grand Total	**532,210**	**64,532**	**1,768**	**142,659**	**280,823**	**42,428**	**529,725**	**64,070**	**1,749**	**141,655**	**279,822**	**42,429**
FOREIGN												
Total	**5,167**	**3,676**	**1,422**	**31**	**35**	**3**	**5,383**	**3,918**	**1,394**	**35**	**33**	**3**
13	5,051	3,595	1,422	23	9	2	5,113	3,667	1,394	29	22	1
12	33	21	—	5	7	—	26	18	—	3	5	—
11	9	8	—	—	1	—	10	9	—	1	—	—

Trips and Drafts of Vessels, 2001
(draft in feet)

Draft	Self Propelled Vessels				Non-Self Propelled Vessels		Self Propelled Vessels				Non-Self Propelled Vessels	
	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker	Total	Pass & Dry Cargo	Tanker	Tow or Tug	Dry Cargo	Tanker
MISSISSIPPI RIVER SYSTEM - continued												
	Upbound						Downbound					
FOREIGN												
10	9	6	—	2	1	—	14	12	—	1	1	—
9	13	10	—	1	2	—	10	9	—	—	1	—
8	14	7	—	—	7	—	27	24	—	1	1	1
7	6	3	—	—	2	1	46	45	—	—	—	1
6	28	25	—	—	3	—	123	120	—	—	3	—
5	3	—	—	—	3	—	12	12	—	—	—	—
3	1	1	—	—	—	—	1	1	—	—	—	—
2	—	—	—	—	—	—	1	1	—	—	—	—
DOMESTIC												
Total	**527,043**	**60,856**	**346**	**142,628**	**280,788**	**42,425**	**524,342**	**60,152**	**355**	**141,620**	**279,789**	**42,426**
13	2,883	405	292	1,811	191	184	3,716	343	254	1,904	615	600
12	2,106	317	1	1,124	126	538	2,517	300	—	1,095	681	441
11	3,773	242	19	1,273	1,540	699	4,875	197	5	1,227	2,741	705
10	13,603	618	4	4,785	5,445	2,751	11,584	460	—	3,927	6,001	1,196
9	89,805	5,407	7	11,641	63,941	8,809	96,923	5,426	—	11,754	72,276	7,467
8	79,408	3,088	5	24,654	46,051	5,610	119,673	3,035	2	24,655	89,302	2,679
7	52,422	4,677	—	32,688	12,960	2,097	45,098	4,804	—	32,675	6,317	1,302
6	42,795	11,091	18	20,865	9,851	970	38,601	11,091	94	20,865	5,830	721
5	40,326	9,880	—	24,705	4,372	1,369	40,432	9,885	—	24,706	5,321	520
4	14,944	5,368	—	7,418	845	1,313	14,865	4,894	—	7,009	1,982	980
3	12,166	7,087	—	1,717	1,998	1,364	12,255	7,198	—	1,906	1,852	1,299
2	159,076	12,674	—	8,491	123,055	14,856	127,314	12,519	—	8,491	84,034	22,270
1	13,736	2	—	1,456	10,413	1,865	6,489	—	—	1,406	2,837	2,246
										Total trips:		**1,061,935**

MUSKINGUM RIVER, OH
No Vessel Trips Reported

FREIGHT TRAFFIC INDEX

B
BIG SANDY RIVER, TUG AND LEVISA FORKS, KY AND WV 1

H
HUNTINGTON TRISTATE (PORT OF HUNTINGTON TRISTATE) 6
HUNTINGTON, WV DISTRICT 1

K
KANAWHA RIVER, WV 2

L
LEVISA FORK, KY AND WV (BIG SANDY RIVER, TUG AND LEVISA FORKS, KY AND WV) 1
LITTLE KANAWHA RIVER, WV 3

M
MISSISSIPPI RIVER SYSTEM 10
MUSKINGUM RIVER, OH 13

O
OHIO RIVER. 4
OHIO RIVER SYSTEM 8

P
PORT OF HUNTINGTON - TRISTATE 6

T
TUG FORK, KY AND WV (BIG SANDY RIVER, TUG AND LEVISA FORKS, KY AND WV) 1

TRIPS AND DRAFTS INDEX

B
BIG SANDY RIVER, TUG AND LEVISA FORKS, KY AND WV 14

H
HUNTINGTON TRISTATE (PORT OF HUNTINGTON TRISTATE) 15
HUNTINGTON, WV DISTRICT. 14

K
KANAWHA RIVER, WV 14

L
LEVISA FORK, KY AND WV (BIG SANDY RIVER, TUG AND LEVISA FORKS, KY AND WV) 14
LITTLE KANAWHA RIVER, WV 14

M
MISSISSIPPI RIVER SYSTEM. 15
MUSKINGUM RIVER, OH 16

O
OHIO RIVER 14
OHIO RIVER SYSTEM. 15

P
PORT OF HUNTINGTON - TRISTATE 15

T
TUG FORK, KY AND WV (BIG SANDY RIVER, TUG AND LEVISA FORKS, KY AND WV) 14

Port Facilities by Waterway

Waterway: **Big Sandy River** Mile: 1 PWD: 71
Name: **Tri-State Stone Corp. Wharf.**
Port: Big Sandy River
Location: Mile 1.2, right bank, Big Sandy River, Kenova. Datum: NPE
Operator: Tri-State Stone Corp.
Owner: Tri-State Stone Corp.
Address: 935 23rd Street Phone: 304/453-1318
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose: Receipt of sand, gravel and magnetite, and occasionally coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.399722
Total Berthing Space (feet): 50 | | Longitude (decimal): -82.59361
Remarks: Tri-State Ready-Mix Co. maintains an open storage area with capacity for 9,000 tons of sand and gravel on adjacent downstream property.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42001 Huntington District

---

Waterway: **Big Sandy River** Mile: 3 PWD: 56
Name: **Ashland Petroleum Co., Crude Oil Dock.**
Port: Big Sandy River
Location: Mile 3.2, left bank, Big Sandy River, Catlettsburg. Datum: NPE
Operator: Ashland Petroleum Co. , Division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Address: U.S. Highway 23. Phone: 304/327-6404
Town: Catlettsburg State: KY County: Boyd
Railway Connection: None.
Purpose: Receipt of crude oil, petroleum products, and methanol; shipment of lubricating oil.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.373333
Total Berthing Space (feet): 370 | | Longitude (decimal): -82.59361
Remarks: Six 6-inch pipelines extend from wharf to storage tanks at refinery in rear:

Tanks	(barrels)	Commodity	
Crude oil	1	150,000	Petroleum products
1	Lubricating oil	13	337,000
Methanol	1	20,000	In addition one 4-inch steam line serves wharf.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42003 Huntington District

---

Port Facilities by Waterway

Waterway: **Big Sandy River** Mile: 4 PWD: 58
Name: **Ashland Petroleum Co. Heavy Oil Dock.**
Port: Big Sandy River
Location: Mile 4.0, left bank, Big Sandy River, Catlettsburg Datum: NPE
Operator: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Address: U.S. Highway 23. Phone: 304/327-6404
Town: Catlettsburg State: KY County: Boyd
Railway Connection: None.
Purpose: Shipment of fuel oil and asphalt.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.3625
Total Berthing Space (feet): 390 | | Longitude (decimal): -82.59806
Remarks: Two 10-inch pipelines extend to wharf from 4 steel fuel oil storage tanks, total capacity 500,000 barrels; and 25 asphalt storage tanks, total capacity 1,000,000 barrels, at refinery in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42004 Huntington District

---

Waterway: **Big Sandy River** Mile: 4 PWD: 57
Name: **Ashland Petroleum Co., Light Oil Dock.**
Port: Big Sandy River
Location: Mile 3.7, left bank, Big Sandy River, Catlettsburg. Datum: NPE
Operator: Ashland Petroleum Co. , Division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Address: U.S. Highway 23. Phone: 304/327-6404
Town: Catlettsburg State: KY County: Boyd
Railway Connection: None.
Purpose: Shipment of mineral spirits, solvent, naphtha, cumene, xylene, benzene, and toluene; receipt of crude light oil and butane.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.366944
Total Berthing Space (feet): 390 | | Longitude (decimal): -82.59694
Remarks: Four 8- and five 6-inch pipelines extend from wharf to 34 steel storage tanks:

Tanks	(barrels)	Commodity
2	100,000	Mineral spirits
5	Solvent	
4	80,000	Naphtha
2	40,000	
Cumene	4	Xylene
4	24,000	
Benzene	7	71,000
Toluene		
6Butane	2	20,000

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42003 Huntington District

---

Port Facilities by Waterway

Waterway: **Big Sandy River** Mile: 5 PWD: 60
Name: **Pen Coal Corp., Big Sandy Dock.**
Port: Big Sandy River
Location: Mile 4.7, left bank, Big Sandy River, Catlettsburg Datum: NPE
Operator: Pen Coal Corp.
Owner: Pen Coal Corp.
Address: State Highway 757. Phone: 606/739-6311
Town: Catlettsburg State: KY County: Boyd
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.351111
Total Berthing Space (feet): 1510 | | Longitude (decimal): -82.59833
Remarks: Open storage area at rear has capacity for 30,000 tons of coal.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42004 Huntington District

---

Waterway: **Big Sandy River** Mile: 5 PWD: 59
Name: **Placer Coal, Wharf.**
Port: Big Sandy River
Location: Mile 4.5, left bank, Big Sandy River, Catlettsburg. Datum: NPE
Operator: Placer Coal, Inc., a subsidiary of Placer Dome Limited.
Owner: Placer Coal, Inc., a subsidiary of Placer Dome Limited.
Address: 13125 State Highway 757. Phone: 606/739-8431
Town: Catlettsburg State: KY County: Boyd
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.354722
Total Berthing Space (feet): 1000 | | Longitude (decimal): -82.59833
Remarks: Continuous belt loader also acts as radial stacker serving open storage area at rear, which has capacity for 30,000 tons of coal.□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42004 Huntington District

---

Port Facilities by Waterway

Waterway: **Big Sandy River** Mile: 6 PWD: 68
Name: **Big Sandy Terminal Rail Dock..**
Port: Big Sandy River
Location: Mile 6.4, right bank, Big Sandy River, Kenova. Datum: NPE
Operator: Big Sandy Terminal, Inc.
Owner: Big Sandy Terminal, Inc.
Address: Big Sandy Road Phone: 304/453-6161
Town: Kenova State: WV County: Wayne
Railway Connection: Two surface tracks serve undertrack receiving pit, join 290-car capacity holding yard; connect with Norfolk and Western Railway.
Purpose: Shipment of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.333333
Total Berthing Space (feet): 1200 | | Longitude (decimal): -82.58222

Waterway: **Big Sandy River** Mile: 6 PWD: 68
Name: **Big Sandy Terminal Rail Dock..**
Port: Big Sandy River
Location: Mile 6.4, right bank, Big Sandy River, Kenova. Datum: NPE
Operator: Big Sandy Terminal, Inc.
Owner: Big Sandy Terminal, Inc.
Address: Big Sandy Road Phone: 304/453-6161
Town: Kenova State: WV County: Wayne
Railway Connection: Two surface tracks serve undertrack receiving pit, join 290-car capacity holding yard; connect with Norfolk and Western Railway.
Purpose: Shipment of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.333333
Total Berthing Space (feet): 1200 | | Longitude (decimal): -82.58222

Waterway: **Big Sandy River** Mile: 6 PWD: 68
Name: **Big Sandy Terminal Rail Dock..**
Port: Big Sandy River
Location: Mile 6.4, right bank, Big Sandy River, Kenova. Datum: NPE
Operator: Big Sandy Terminal, Inc.
Owner: Big Sandy Terminal, Inc.
Address: Big Sandy Road Phone: 304/453-6161
Town: Kenova State: WV County: Wayne
Railway Connection: Two surface tracks serve undertrack receiving pit, join 290-car capacity holding yard; connect with Norfolk and Western Railway.
Purpose: Shipment of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.333333
Total Berthing Space (feet): 1200 | | Longitude (decimal): -82.58222

Remarks: Hopper car receiving pit has twelve 40-ton receiving hoppers and is capable of handling approximately 400 tons per hour. Rail car storage yard has capacity for 120 loaded and 170 empty cars. Concrete-surfaced ope of barge loader (reclaim pad) has capacity for 10,000 tons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42006 Huntington District

Remarks: Hopper car receiving pit has twelve 40-ton receiving hoppers and is capable of handling approximately 400 tons per hour. Rail car storage yard has capacity for 120 loaded and 170 empty cars. Concrete-surfaced ope of barge loader (reclaim pad) has capacity for 10,000 tons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42006 Huntington District

Port Facilities by Waterway

Remarks: Hopper car receiving pit has twelve 40-ton receiving hoppers and is capable of handling approximately 400 tons per hour. Rail car storage yard has capacity for 120 loaded and 170 empty cars. Concrete-surfaced ope of barge loader (reclaim pad) has capacity for 10,000 tons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42006 Huntington District

Port Facilities by Waterway

Waterway: **Big Sandy River** Mile: 6 PWD: 68
Name: **Big Sandy Terminal Rail Dock..**
Port: Big Sandy River
Location: Mile 6.4, right bank, Big Sandy River, Kenova. Datum: NPE
Operator: Big Sandy Terminal, Inc.
Owner: Big Sandy Terminal, Inc.
Address: Big Sandy Road Phone: 304/453-6161
Town: Kenova State: WV County: Wayne
Railway Connection: Two surface tracks serve undertrack receiving pit, join 290-car capacity holding yard; connect with Norfolk and Western Railway.
Purpose: Shipment of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.333333
Total Berthing Space (feet): 1200 | | Longitude (decimal): -82.58222

Waterway: **Big Sandy River** Mile: 6 PWD: 68
Name: **Big Sandy Terminal Rail Dock..**
Port: Big Sandy River
Location: Mile 6.4, right bank, Big Sandy River, Kenova. Datum: NPE
Operator: Big Sandy Terminal, Inc.
Owner: Big Sandy Terminal, Inc.
Address: Big Sandy Road Phone: 304/453-6161
Town: Kenova State: WV County: Wayne
Railway Connection: Two surface tracks serve undertrack receiving pit, join 290-car capacity holding yard; connect with Norfolk and Western Railway.
Purpose: Shipment of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.333333
Total Berthing Space (feet): 1200 | | Longitude (decimal): -82.58222

Waterway: **Big Sandy River** Mile: 6 PWD: 68
Name: **Big Sandy Terminal Rail Dock..**
Port: Big Sandy River
Location: Mile 6.4, right bank, Big Sandy River, Kenova. Datum: NPE
Operator: Big Sandy Terminal, Inc.
Owner: Big Sandy Terminal, Inc.
Address: Big Sandy Road Phone: 304/453-6161
Town: Kenova State: WV County: Wayne
Railway Connection: Two surface tracks serve undertrack receiving pit, join 290-car capacity holding yard; connect with Norfolk and Western Railway.
Purpose: Shipment of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.333333
Total Berthing Space (feet): 1200 | | Longitude (decimal): -82.58222

Remarks: Hopper car receiving pit has twelve 40-ton receiving hoppers and is capable of handling approximately 400 tons per hour. Rail car storage yard has capacity for 120 loaded and 170 empty cars. Concrete-surfaced ope of barge loader (reclaim pad) has capacity for 10,000 tons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42006 Huntington District

Remarks: Hopper car receiving pit has twelve 40-ton receiving hoppers and is capable of handling approximately 400 tons per hour. Rail car storage yard has capacity for 120 loaded and 170 empty cars. Concrete-surfaced ope of barge loader (reclaim pad) has capacity for 10,000 tons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42006 Huntington District

Port Facilities by Waterway

Remarks: Hopper car receiving pit has twelve 40-ton receiving hoppers and is capable of handling approximately 400 tons per hour. Rail car storage yard has capacity for 120 loaded and 170 empty cars. Concrete-surfaced ope of barge loader (reclaim pad) has capacity for 10,000 tons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42006 Huntington District

Port Facilities by Waterway

Waterway: **Big Sandy River** Mile: 6 PWD: 68
Name: **Big Sandy Terminal Rail Dock..**
Port: Big Sandy River
Location: Mile 6.4, right bank, Big Sandy River, Kenova. Datum: NPE
Operator: Big Sandy Terminal, Inc.
Owner: Big Sandy Terminal, Inc.
Address: Big Sandy Road Phone: 304/453-6161
Town: Kenova State: WV County: Wayne
Railway Connection: Two surface tracks serve undertrack receiving pit, join 290-car capacity holding yard; connect with Norfolk and Western Railway.
Purpose: Shipment of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.333333
Total Berthing Space (feet): 1200 | | Longitude (decimal): -82.58222

Waterway: **Big Sandy River** Mile: 6 PWD: 68
Name: **Big Sandy Terminal Rail Dock..**
Port: Big Sandy River
Location: Mile 6.4, right bank, Big Sandy River, Kenova. Datum: NPE
Operator: Big Sandy Terminal, Inc.
Owner: Big Sandy Terminal, Inc.
Address: Big Sandy Road Phone: 304/453-6161
Town: Kenova State: WV County: Wayne
Railway Connection: Two surface tracks serve undertrack receiving pit, join 290-car capacity holding yard; connect with Norfolk and Western Railway.
Purpose: Shipment of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.333333
Total Berthing Space (feet): 1200 | | Longitude (decimal): -82.58222

Waterway: **Big Sandy River** Mile: 6 PWD: 68
Name: **Big Sandy Terminal Rail Dock..**
Port: Big Sandy River
Location: Mile 6.4, right bank, Big Sandy River, Kenova. Datum: NPE
Operator: Big Sandy Terminal, Inc.
Owner: Big Sandy Terminal, Inc.
Address: Big Sandy Road Phone: 304/453-6161
Town: Kenova State: WV County: Wayne
Railway Connection: Two surface tracks serve undertrack receiving pit, join 290-car capacity holding yard; connect with Norfolk and Western Railway.
Purpose: Shipment of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.333333
Total Berthing Space (feet): 1200 | | Longitude (decimal): -82.58222

Remarks: Hopper car receiving pit has twelve 40-ton receiving hoppers and is capable of handling approximately 400 tons per hour. Rail car storage yard has capacity for 120 loaded and 170 empty cars. Concrete-surfaced ope of barge loader (reclaim pad) has capacity for 10,000 tons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42006 Huntington District

Remarks: Hopper car receiving pit has twelve 40-ton receiving hoppers and is capable of handling approximately 400 tons per hour. Rail car storage yard has capacity for 120 loaded and 170 empty cars. Concrete-surfaced ope of barge loader (reclaim pad) has capacity for 10,000 tons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42006 Huntington District

Port Facilities by Waterway

Remarks: Hopper car receiving pit has twelve 40-ton receiving hoppers and is capable of handling approximately 400 tons per hour. Rail car storage yard has capacity for 120 loaded and 170 empty cars. Concrete-surfaced ope of barge loader (reclaim pad) has capacity for 10,000 tons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42006 Huntington District

Port Facilities by Waterway

Waterway: **Big Sandy River** Mile: 6 PWD: 69
Name: **Big Sandy Terminal Truck Dock.**
Port: Big Sandy River
Location: Mile 6.3, right bank, Big Sandy River, Kenova. Datum: NPE
Operator: Big Sandy Terminal, Inc.
Owner: Big Sandy Terminal, Inc.
Address: Big Sandy Road. Phone: 304/453-6161
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.334444
Total Berthing Space (feet): 800 | | Longitude (decimal): -82.58417

Waterway: **Big Sandy River** Mile: 6 PWD: 69
Name: **Big Sandy Terminal Truck Dock.**
Port: Big Sandy River
Location: Mile 6.3, right bank, Big Sandy River, Kenova. Datum: NPE
Operator: Big Sandy Terminal, Inc.
Owner: Big Sandy Terminal, Inc.
Address: Big Sandy Road. Phone: 304/453-6161
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.334444
Total Berthing Space (feet): 800 | | Longitude (decimal): -82.58417

Waterway: **Big Sandy River** Mile: 6 PWD: 69
Name: **Big Sandy Terminal Truck Dock.**
Port: Big Sandy River
Location: Mile 6.3, right bank, Big Sandy River, Kenova. Datum: NPE
Operator: Big Sandy Terminal, Inc.
Owner: Big Sandy Terminal, Inc.
Address: Big Sandy Road. Phone: 304/453-6161
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.334444
Total Berthing Space (feet): 800 | | Longitude (decimal): -82.58417
Remarks: Open storage area at rear served by a second truck receiving hopper and a radial stacker has capacity for approximately 400,000 tons of coal. Coal is reclaimed via front-end loaders to fixed 40-ton hoppers spanni A 50-ton ground-level receiving hopper in open storage area is served by a 36-inch electric belt conveyor extending to a rail car loading spout; rate 500 tons per hour. Terminal has capacity for mooring a total of 16of survey plans called for construction of a second truck to barge facility to be located either at the south end of the terminal, above Ref. No. 68, or at the north end above Ref. No. 70.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42006 Huntington District

Port Facilities by Waterway

Remarks: Open storage area at rear served by a second truck receiving hopper and a radial stacker has capacity for approximately 400,000 tons of coal. Coal is reclaimed via front-end loaders to fixed 40-ton hoppers spanni A 50-ton ground-level receiving hopper in open storage area is served by a 36-inch electric belt conveyor extending to a rail car loading spout; rate 500 tons per hour. Terminal has capacity for mooring a total of 16of survey plans called for construction of a second truck to barge facility to be located either at the south end of the terminal, above Ref. No. 68, or at the north end above Ref. No. 70.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42006 Huntington District

Remarks: Open storage area at rear served by a second truck receiving hopper and a radial stacker has capacity for approximately 400,000 tons of coal. Coal is reclaimed via front-end loaders to fixed 40-ton hoppers spanni A 50-ton ground-level receiving hopper in open storage area is served by a 36-inch electric belt conveyor extending to a rail car loading spout; rate 500 tons per hour. Terminal has capacity for mooring a total of 16of survey plans called for construction of a second truck to barge facility to be located either at the south end of the terminal, above Ref. No. 68, or at the north end above Ref. No. 70.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42006 Huntington District

Port Facilities by Waterway

Waterway: **Big Sandy River** Mile: 6 PWD: 69
Name: **Big Sandy Terminal Truck Dock.**
Port: Big Sandy River
Location: Mile 6.3, right bank, Big Sandy River, Kenova. Datum: NPE
Operator: Big Sandy Terminal, Inc.
Owner: Big Sandy Terminal, Inc.
Address: Big Sandy Road. Phone: 304/453-6161
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.334444
Total Berthing Space (feet): 800 | | Longitude (decimal): -82.58417

Waterway: **Big Sandy River** Mile: 6 PWD: 69
Name: **Big Sandy Terminal Truck Dock.**
Port: Big Sandy River
Location: Mile 6.3, right bank, Big Sandy River, Kenova. Datum: NPE
Operator: Big Sandy Terminal, Inc.
Owner: Big Sandy Terminal, Inc.
Address: Big Sandy Road. Phone: 304/453-6161
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.334444
Total Berthing Space (feet): 800 | | Longitude (decimal): -82.58417

Waterway: **Big Sandy River** Mile: 6 PWD: 69
Name: **Big Sandy Terminal Truck Dock.**
Port: Big Sandy River
Location: Mile 6.3, right bank, Big Sandy River, Kenova. Datum: NPE
Operator: Big Sandy Terminal, Inc.
Owner: Big Sandy Terminal, Inc.
Address: Big Sandy Road. Phone: 304/453-6161
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.334444
Total Berthing Space (feet): 800 | | Longitude (decimal): -82.58417
Remarks: Open storage area at rear served by a second truck receiving hopper and a radial stacker has capacity for approximately 400,000 tons of coal. Coal is reclaimed via front-end loaders to fixed 40-ton hoppers spanni A 50-ton ground-level receiving hopper in open storage area is served by a 36-inch electric belt conveyor extending to a rail car loading spout; rate 500 tons per hour. Terminal has capacity for mooring a total of 16of survey plans called for construction of a second truck to barge facility to be located either at the south end of the terminal, above Ref. No. 68, or at the north end above Ref. No. 70.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42006 Huntington District

Port Facilities by Waterway

Remarks: Open storage area at rear served by a second truck receiving hopper and a radial stacker has capacity for approximately 400,000 tons of coal. Coal is reclaimed via front-end loaders to fixed 40-ton hoppers spanni A 50-ton ground-level receiving hopper in open storage area is served by a 36-inch electric belt conveyor extending to a rail car loading spout; rate 500 tons per hour. Terminal has capacity for mooring a total of 16of survey plans called for construction of a second truck to barge facility to be located either at the south end of the terminal, above Ref. No. 68, or at the north end above Ref. No. 70.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42006 Huntington District

Remarks: Open storage area at rear served by a second truck receiving hopper and a radial stacker has capacity for approximately 400,000 tons of coal. Coal is reclaimed via front-end loaders to fixed 40-ton hoppers spanni A 50-ton ground-level receiving hopper in open storage area is served by a 36-inch electric belt conveyor extending to a rail car loading spout; rate 500 tons per hour. Terminal has capacity for mooring a total of 16of survey plans called for construction of a second truck to barge facility to be located either at the south end of the terminal, above Ref. No. 68, or at the north end above Ref. No. 70.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42006 Huntington District

Port Facilities by Waterway

Waterway: **Big Sandy River** Mile: 6 PWD: 69
Name: **Big Sandy Terminal Truck Dock.**
Port: Big Sandy River
Location: Mile 6.3, right bank, Big Sandy River, Kenova. Datum: NPE
Operator: Big Sandy Terminal, Inc.
Owner: Big Sandy Terminal, Inc.
Address: Big Sandy Road. Phone: 304/453-6161
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.334444
Total Berthing Space (feet): 800 | | Longitude (decimal): -82.58417

Waterway: **Big Sandy River** Mile: 6 PWD: 69
Name: **Big Sandy Terminal Truck Dock.**
Port: Big Sandy River
Location: Mile 6.3, right bank, Big Sandy River, Kenova. Datum: NPE
Operator: Big Sandy Terminal, Inc.
Owner: Big Sandy Terminal, Inc.
Address: Big Sandy Road. Phone: 304/453-6161
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.334444
Total Berthing Space (feet): 800 | | Longitude (decimal): -82.58417

Waterway: **Big Sandy River** Mile: 6 PWD: 69
Name: **Big Sandy Terminal Truck Dock.**
Port: Big Sandy River
Location: Mile 6.3, right bank, Big Sandy River, Kenova. Datum: NPE
Operator: Big Sandy Terminal, Inc.
Owner: Big Sandy Terminal, Inc.
Address: Big Sandy Road. Phone: 304/453-6161
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.334444
Total Berthing Space (feet): 800 | | Longitude (decimal): -82.58417
Remarks: Open storage area at rear served by a second truck receiving hopper and a radial stacker has capacity for approximately 400,000 tons of coal. Coal is reclaimed via front-end loaders to fixed 40-ton hoppers spanni A 50-ton ground-level receiving hopper in open storage area is served by a 36-inch electric belt conveyor extending to a rail car loading spout; rate 500 tons per hour. Terminal has capacity for mooring a total of 16of survey plans called for construction of a second truck to barge facility to be located either at the south end of the terminal, above Ref. No. 68, or at the north end above Ref. No. 70.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42006 Huntington District

Port Facilities by Waterway

Remarks: Open storage area at rear served by a second truck receiving hopper and a radial stacker has capacity for approximately 400,000 tons of coal. Coal is reclaimed via front-end loaders to fixed 40-ton hoppers spanni A 50-ton ground-level receiving hopper in open storage area is served by a 36-inch electric belt conveyor extending to a rail car loading spout; rate 500 tons per hour. Terminal has capacity for mooring a total of 16of survey plans called for construction of a second truck to barge facility to be located either at the south end of the terminal, above Ref. No. 68, or at the north end above Ref. No. 70.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42006 Huntington District

Remarks: Open storage area at rear served by a second truck receiving hopper and a radial stacker has capacity for approximately 400,000 tons of coal. Coal is reclaimed via front-end loaders to fixed 40-ton hoppers spanni A 50-ton ground-level receiving hopper in open storage area is served by a 36-inch electric belt conveyor extending to a rail car loading spout; rate 500 tons per hour. Terminal has capacity for mooring a total of 16of survey plans called for construction of a second truck to barge facility to be located either at the south end of the terminal, above Ref. No. 68, or at the north end above Ref. No. 70.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42006 Huntington District

Port Facilities by Waterway

Waterway: **Big Sandy River** Mile: 6 PWD: 70
Name: **Big Sandy Terminal Unloading Dock..**
Port: Big Sandy River
Location: Mile 6.1, right bank, Big Sandy River, Kenova. Datum: NPE
Operator: Big Sandy Terminal, Inc.
Owner: Midco Construction Co.
Address: Big Sandy Road. Phone: 304/453-6161
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose: Receipt of ammonium nitrate and magnetite.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.336389
Total Berthing Space (feet): 300 | | Longitude (decimal): -82.58528

Waterway: **Big Sandy River** Mile: 6 PWD: 70
Name: **Big Sandy Terminal Unloading Dock..**
Port: Big Sandy River
Location: Mile 6.1, right bank, Big Sandy River, Kenova. Datum: NPE
Operator: Big Sandy Terminal, Inc.
Owner: Midco Construction Co.
Address: Big Sandy Road. Phone: 304/453-6161
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose: Receipt of ammonium nitrate and magnetite.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.336389
Total Berthing Space (feet): 300 | | Longitude (decimal): -82.58528

Waterway: **Big Sandy River** Mile: 6 PWD: 70
Name: **Big Sandy Terminal Unloading Dock..**
Port: Big Sandy River
Location: Mile 6.1, right bank, Big Sandy River, Kenova. Datum: NPE
Operator: Big Sandy Terminal, Inc.
Owner: Midco Construction Co.
Address: Big Sandy Road. Phone: 304/453-6161
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose: Receipt of ammonium nitrate and magnetite.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.336389
Total Berthing Space (feet): 300 | | Longitude (decimal): -82.58528
Remarks: Storage dome at rear has capacity for 20,000 tons of material.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42006 Huntington District

---

Remarks: Storage dome at rear has capacity for 20,000 tons of material.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42006 Huntington District

---

Remarks: Storage dome at rear has capacity for 20,000 tons of material.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42006 Huntington District

---

Port Facilities by Waterway

Waterway: **Big Sandy River** Mile: 6 PWD: 70
Name: **Big Sandy Terminal Unloading Dock..**
Port: Big Sandy River
Location: Mile 6.1, right bank, Big Sandy River, Kenova. Datum: NPE
Operator: Big Sandy Terminal, Inc.
Owner: Midco Construction Co.
Address: Big Sandy Road. Phone: 304/453-6161
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose: Receipt of ammonium nitrate and magnetite.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.336389
Total Berthing Space (feet): 300 | | Longitude (decimal): -82.58528

Waterway: **Big Sandy River** Mile: 6 PWD: 70
Name: **Big Sandy Terminal Unloading Dock..**
Port: Big Sandy River
Location: Mile 6.1, right bank, Big Sandy River, Kenova. Datum: NPE
Operator: Big Sandy Terminal, Inc.
Owner: Midco Construction Co.
Address: Big Sandy Road. Phone: 304/453-6161
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose: Receipt of ammonium nitrate and magnetite.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.336389
Total Berthing Space (feet): 300 | | Longitude (decimal): -82.58528

Waterway: **Big Sandy River** Mile: 6 PWD: 70
Name: **Big Sandy Terminal Unloading Dock..**
Port: Big Sandy River
Location: Mile 6.1, right bank, Big Sandy River, Kenova. Datum: NPE
Operator: Big Sandy Terminal, Inc.
Owner: Midco Construction Co.
Address: Big Sandy Road. Phone: 304/453-6161
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose: Receipt of ammonium nitrate and magnetite.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.336389
Total Berthing Space (feet): 300 | | Longitude (decimal): -82.58528
Remarks: Storage dome at rear has capacity for 20,000 tons of material.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42006 Huntington District

---

Remarks: Storage dome at rear has capacity for 20,000 tons of material.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42006 Huntington District

---

Remarks: Storage dome at rear has capacity for 20,000 tons of material.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42006 Huntington District

Port Facilities by Waterway

Waterway: **Big Sandy River** Mile: 6 PWD: 70
Name: **Big Sandy Terminal Unloading Dock..**
Port: Big Sandy River
Location: Mile 6.1, right bank, Big Sandy River, Kenova. Datum: NPE
Operator: Big Sandy Terminal, Inc.
Owner: Midco Construction Co.
Address: Big Sandy Road. Phone: 304/453-6161
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose: Receipt of ammonium nitrate and magnetite.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.336389
Total Berthing Space (feet): 300 | | Longitude (decimal): -82.58528

Waterway: **Big Sandy River** Mile: 6 PWD: 70
Name: **Big Sandy Terminal Unloading Dock..**
Port: Big Sandy River
Location: Mile 6.1, right bank, Big Sandy River, Kenova. Datum: NPE
Operator: Big Sandy Terminal, Inc.
Owner: Midco Construction Co.
Address: Big Sandy Road. Phone: 304/453-6161
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose: Receipt of ammonium nitrate and magnetite.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.336389
Total Berthing Space (feet): 300 | | Longitude (decimal): -82.58528

Waterway: **Big Sandy River** Mile: 6 PWD: 70
Name: **Big Sandy Terminal Unloading Dock..**
Port: Big Sandy River
Location: Mile 6.1, right bank, Big Sandy River, Kenova. Datum: NPE
Operator: Big Sandy Terminal, Inc.
Owner: Midco Construction Co.
Address: Big Sandy Road. Phone: 304/453-6161
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose: Receipt of ammonium nitrate and magnetite.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.336389
Total Berthing Space (feet): 300 | | Longitude (decimal): -82.58528
Remarks: Storage dome at rear has capacity for 20,000 tons of material.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42006 Huntington District

---

Remarks: Storage dome at rear has capacity for 20,000 tons of material.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42006 Huntington District

---

Remarks: Storage dome at rear has capacity for 20,000 tons of material.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42006 Huntington District

---

Port Facilities by Waterway

Waterway: **Big Sandy River** Mile: 7 PWD: 62
Name: **Riverway North, Dock.**
Port: Big Sandy River
Location: Mile 7.2, left bank, Big Sandy River, Catlettsburg Datum: NPE
Operator: Riverway North, Inc.
Owner: Riverway North, Inc.
Address: 16232 U.S. Highway 23 Phone: 606/739-8412
Town: Catlettsburg State: KY County: Boyd
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.321667
Total Berthing Space (feet): 800 | | Longitude (decimal): -82.57472
Remarks: Open storage area at rear has capacity for 50,000 tons of coal.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42007 Huntington District

---

Waterway: **Big Sandy River** Mile: 7 PWD: 63
Name: **Riverway South, Dock.**
Port: Big Sandy River
Location: Mile 7.4, left bank, Big Sandy River, Catlettsburg Datum: NPE
Operator: Riverway South, Inc.
Owner: Riverway South, Inc.
Address: 16232 U.S. Highway 23 Phone: 606/739-8412
Town: Catlettsburg State: KY County: Boyd
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.319167
Total Berthing Space (feet): 700 | | Longitude (decimal): -82.57333
Remarks: Open storage area at rear is served by 2 radial stackers and has capacity for 100,000 tons of coal.□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42007 Huntington District

---

Waterway: **Big Sandy River** Mile: 7 PWD: 61
Name: **Tri-State Terminals Wharf.**
Port: Big Sandy River
Location: Mile 6.6, left bank, Big Sandy River, Catlettsburg. Datum: NPE
Operator: Tri-State Terminals Inc.
Owner: Tri-State Terminals Inc.
Address: U.S. Highway 23. Phone: 606/327-6665
Town: Catlettsburg State: WV County: Boyd
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.331389
Total Berthing Space (feet): 2800 | | Longitude (decimal): -82.58111
Remarks: Thirteen ground level pits and one truck dumping pit serve open storage area at rear, which has capacity for 350,000 tons of coal.□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42006 Huntington District

---

Port Facilities by Waterway

Waterway: **Big Sandy River** Mile: 8 PWD: 64
Name: **Kentucky May Coal Co. Dock.**
Port: Big Sandy River
Location: Mile 7.8, left bank, Big Sandy River, Catlettsburg. Datum: NPE
Operator: Kentucky May Coal Co., Inc. and Marigold Docks Inc. (See Remarks).
Owner: Electric Fuels Corp.
Address: U.S. Highway 23 Phone: 606/739-8651
Town: Catlettsburg State: KY County: Boyd
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.331667
Total Berthing Space (feet): 1260 | | Longitude (decimal): -82.57194
Remarks: Approximately 15 acres of open storage area at rear has capacity for 100,000 tons of coal.□Marigold Docks, Inc. operates an adjacent 14 acre terminal and open storage area for 100,000 tons of coal, which is served by 4 ground level hoppers and a 60-inch electric belt conveyor connecting with the barge loading equipment described above. In addition two 10 cubic yard diesel front-endbulldozers serve the open storage area.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42007 Huntington District

---

Waterway: **Big Sandy River** Mile: 8 PWD: 65
Name: **Leon Services Co. Dock.**
Port: Big Sandy River
Location: Mile 8.5, left bank, Big Sandy River, Catlettsburg. Datum: NPE
Operator: Leon Services Co.
Owner: David Jones and George Arrington.
Address: U.S. Highway 23 Phone: 606/329-0358
Town: Catlettsburg State: KY County: Boyd
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.308333
Total Berthing Space (feet): 720 | | Longitude (decimal): -82.57667
Remarks: Open storage area at rear has capacity for 90,000 tons of coal.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42008 Huntington District

---

Port Facilities by Waterway

Waterway: **Big Sandy River** Mile: 8 PWD: 67
Name: **Pen Coal Corp., Wayne County River Terminal Dock.**
Port: Big Sandy River
Location: Mile 7.6, right bank, Big Sandy River, Kenova. Datum: NPE
Operator: Pen Coal Corp.
Owner: Pen Coal Corp.
Address: 3023 Big Sandy Road. Phone: 304/453-6140
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.318611
Total Berthing Space (feet): 1350 | | Longitude (decimal): -82.57167
Remarks: Open storage area at rear has capacity for 30,000 tons of coal.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42007 Huntington District

---

Waterway: **Big Sandy River** Mile: 9 PWD: 66
Name: **Ashland Materials Dock No. 1.**
Port: Big Sandy River
Location: Mile 8.6, left bank, Big Sandy River, Catlettsburg Datum: NPE
Operator: Ashland Materials, Inc.
Owner: Ruhr Kohle Trading Corp. (Riverton Coal Co.)
Address: 17318 U.S. Highway 23 Phone: 606/739-8423
Town: Catlettsburg State: KY County: Boyd
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 - 11 | | Latitude (decimal): 38.305556
Total Berthing Space (feet): 1400 | | Longitude (decimal): -82.57861
Remarks: Open storage area at rear is served by 2 radial stackers and has capacity for 60,000 tons of coal.□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42008 Huntington District

---

Waterway: **Elk River** Mile: 1 PWD: 82
Name: **Dravo Basic Materials Co., Elk River Dock.**
Port: Huntington
Location: Mile 0.9, right bank, Elk River, Charleston. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: 1100 Pennsylvania Avenue Phone: 304/343-4571
Town: Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.358056
Total Berthing Space (feet): 600 | | Longitude (decimal): -81.63139
Remarks: Open storage area at rear has capacity for approximately 75,000 tons of material.□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42357 Huntington District

---

Port Facilities by Waterway

Waterway: **Elk River** Mile: 1 PWD: 79
Name: **Pfaff & Smith Builders Supply Co. Dock.**
Port: Huntington
Location: Mile 1.1, left bank, Elk River, Charleston. Datum: NPE
Operator: Pfaff & Smith Builders Supply Co.
Owner: Pfaff & Smith Builders Supply Co.
Address: Spring & Bullitt Streets Phone: 304/342-4171
Town: Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 8 | | Latitude (decimal): 38.358056
Total Berthing Space (feet): 350 | | Longitude (decimal): -81.62694
Remarks: Ready-mix concrete plant and open storage area with capacity for 30,000 tons of material are located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42357 Huntington District

---

Waterway: **Elk River** Mile: 2 PWD: 81
Name: **Shamblin Stone, Charleston Dock.**
Port: Huntington
Location: Mile 2.4, right bank, Elk River, Charleston. Datum: NPE
Operator: Not operated.
Owner: Shamblin Stone, Inc.
Address: 4703 Pennsylvania Avenue Phone: 304/342-1930
Town: Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 8 | | Latitude (decimal): 38.368889
Total Berthing Space (feet): 100 | | Longitude (decimal): -81.60861
Remarks: Facility formerly was used for receipt of sand and gravel. Ready-mix concrete plant and open storage area with capacity for 25,000 tons of material are located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42357 Huntington District

---

Port Facilities by Waterway

Waterway: **Elk River** Mile: 3 PWD: 80
Name: **Pennzoil Products Co., Etowah Terminal Dock.**
Port: Huntington
Location: Mile 2.5, left bank, Elk River, Etowah. Datum: NPE
Operator: Pennzoil Products Co., a subsidiary of Pennzoil Co.
Owner: Pennzoil Products Co., a subsidiary of Pennzoil Co.
Address: 1015 Barlow Drive Phone: 304/342-8161
Town: Etowah State: WV County: Kanawha
Railway Connection: One surface track serves 5-car-capacity unloading rack in rear; connects with CSX Rail Transport.
Purpose: Receipt of petroleum products; fueling towboats and miscellaneous small vessels.
Depth Alongside (feet): 13 | | Latitude (decimal): 38.369167
Total Berthing Space (feet): 380 | | Longitude (decimal): -81.6075
Remarks: Two 6-inch pipelines extend from wharf to 10 steel storage tanks at rear, total capacity 95,000 barrels. One 2-inch pipeline is used for fueling.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42357 Huntington District

---

Waterway: **Kanawha River** Mile: 1 PWD: 23
Name: **Amherst Industries, Barge Repair Division Dock.**
Port: Huntington
Location: Mile 1.0, left bank, Kanawha River, Henderson. Datum: NPE
Operator: Amherst Industries, Inc.
Owner: Amherst Industries, Inc.
Address: Phone: 304/675-5190
Town: Henderson State: WV County: Mason
Railway Connection: None.
Purpose: Mooring floating equipment for maintenance and repair; mooring floating drydock.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.831667
Total Berthing Space (feet): | | Longitude (decimal): -82.13194
Remarks: Facility has capacity for mooring approximately 40 barges extending over approximately one mile of river frontage. One 2,000-ton floating drydock is moored at wharf. Wharf barges are equipped with outlets for c welding gas.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42300 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 28 PWD: 102
Name: **Kanawha Manufacturing Co., Buffalo Plant Dock.**
Port: Huntington
Location: Mile 28.1, right bank, Kanawha River, Eleanor. Datum: NPE
Operator: Kanawha Manufacturing Co.
Owner: Kanawha Manufacturing Co.
Address: Route 62 North. Phone: 304/342-6127
Town: Eleanor State: WV County: Putnam
Railway Connection: None.
Purpose: Shipment of fabricated steel products.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.546667
Total Berthing Space (feet): 175 | | Longitude (decimal): -81.95667
Remarks: Steel fabrication plant and approximately 40 acres of open storage area are located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42328 Huntington District

---

Waterway: **Kanawha River** Mile: 38 PWD: 101
Name: **Putnam Fabricating Co. Dock.**
Port: Huntington
Location: Mile 37.8, right bank, Kanawha River, Black Betsy. Datum: NPE
Operator: Putnam Fabricating Co., Division of Union Boiler Co.
Owner: Putnam Fabricating Co., Division of Union Boiler Co. (See Remarks).
Address: Phone: 304/755-8171
Town: Black Betsy State: WV County: Putnam
Railway Connection: Two surface tracks serving plant in rear, total capacity 8 cars, and connecting with Consolidated Rail Corp. were not in use at time of survey.
Purpose: Receipt and shipment of large steel fabrications.
Depth Alongside (feet): 8 | | Latitude (decimal): 38.492778
Total Berthing Space (feet): 360 | | Longitude (decimal): -81.83556
Remarks: Outer end of 390- by 59-foot steel frame, metal-covered fabrication building covers slips. Approximately 4 acres of open storage area and 2 acres of covered storage are located at rear. Facility was for sale at

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42338 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 39 PWD: 24
Name: **Appalachian Power Co., John E. Amos Plant, Fuel Oil Dock.**
Port: Huntington
Location: Mile 39.1, left bank, Kanawha River, 3.5 miles below Scary. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/755-5301x1
Town: Scary State: WV County: Putnam
Railway Connection: None.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.47
Total Berthing Space (feet): | | Longitude (decimal): -81.81806

Waterway: **Kanawha River** Mile: 39 PWD: 24
Name: **Appalachian Power Co., John E. Amos Plant, Fuel Oil Dock.**
Port: Huntington
Location: Mile 39.1, left bank, Kanawha River, 3.5 miles below Scary. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/755-5301x1
Town: Scary State: WV County: Putnam
Railway Connection: None.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.47
Total Berthing Space (feet): | | Longitude (decimal): -81.81806

Waterway: **Kanawha River** Mile: 39 PWD: 24
Name: **Appalachian Power Co., John E. Amos Plant, Fuel Oil Dock.**
Port: Huntington
Location: Mile 39.1, left bank, Kanawha River, 3.5 miles below Scary. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/755-5301x1
Town: Scary State: WV County: Putnam
Railway Connection: None.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.47
Total Berthing Space (feet): | | Longitude (decimal): -81.81806
Remarks: One 6-inch pipeline extends from each cell to 3 steel storage tanks in rear, total capacity 119,000 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42339 Huntington District

Remarks: One 6-inch pipeline extends from each cell to 3 steel storage tanks in rear, total capacity 119,000 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42339 Huntington District

Remarks: One 6-inch pipeline extends from each cell to 3 steel storage tanks in rear, total capacity 119,000 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42339 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 39 PWD: 24
Name: **Appalachian Power Co., John E. Amos Plant, Fuel Oil Dock.**
Port: Huntington
Location: Mile 39.1, left bank, Kanawha River, 3.5 miles below Scary. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/755-5301x1
Town: Scary State: WV County: Putnam
Railway Connection: None.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.47
Total Berthing Space (feet): | | Longitude (decimal): -81.81806

Waterway: **Kanawha River** Mile: 39 PWD: 24
Name: **Appalachian Power Co., John E. Amos Plant, Fuel Oil Dock.**
Port: Huntington
Location: Mile 39.1, left bank, Kanawha River, 3.5 miles below Scary. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/755-5301x1
Town: Scary State: WV County: Putnam
Railway Connection: None.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.47
Total Berthing Space (feet): | | Longitude (decimal): -81.81806

Waterway: **Kanawha River** Mile: 39 PWD: 24
Name: **Appalachian Power Co., John E. Amos Plant, Fuel Oil Dock.**
Port: Huntington
Location: Mile 39.1, left bank, Kanawha River, 3.5 miles below Scary. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/755-5301x1
Town: Scary State: WV County: Putnam
Railway Connection: None.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.47
Total Berthing Space (feet): | | Longitude (decimal): -81.81806
Remarks: One 6-inch pipeline extends from each cell to 3 steel storage tanks in rear, total capacity 119,000 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42339 Huntington District

Remarks: One 6-inch pipeline extends from each cell to 3 steel storage tanks in rear, total capacity 119,000 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42339 Huntington District

Remarks: One 6-inch pipeline extends from each cell to 3 steel storage tanks in rear, total capacity 119,000 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42339 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 39 PWD: 24
Name: **Appalachian Power Co., John E. Amos Plant, Fuel Oil Dock.**
Port: Huntington
Location: Mile 39.1, left bank, Kanawha River, 3.5 miles below Scary. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/755-5301x1
Town: Scary State: WV County: Putnam
Railway Connection: None.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.47
Total Berthing Space (feet): | | Longitude (decimal): -81.81806

Waterway: **Kanawha River** Mile: 39 PWD: 24
Name: **Appalachian Power Co., John E. Amos Plant, Fuel Oil Dock.**
Port: Huntington
Location: Mile 39.1, left bank, Kanawha River, 3.5 miles below Scary. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/755-5301x1
Town: Scary State: WV County: Putnam
Railway Connection: None.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.47
Total Berthing Space (feet): | | Longitude (decimal): -81.81806

Waterway: **Kanawha River** Mile: 39 PWD: 24
Name: **Appalachian Power Co., John E. Amos Plant, Fuel Oil Dock.**
Port: Huntington
Location: Mile 39.1, left bank, Kanawha River, 3.5 miles below Scary. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/755-5301x1
Town: Scary State: WV County: Putnam
Railway Connection: None.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.47
Total Berthing Space (feet): | | Longitude (decimal): -81.81806
Remarks: One 6-inch pipeline extends from each cell to 3 steel storage tanks in rear, total capacity 119,000 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42339 Huntington District

Remarks: One 6-inch pipeline extends from each cell to 3 steel storage tanks in rear, total capacity 119,000 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42339 Huntington District

Remarks: One 6-inch pipeline extends from each cell to 3 steel storage tanks in rear, total capacity 119,000 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42339 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 40 PWD: 26
Name: **Appalachian Power Co., John E. Amos Plant, Coal Loading Dock.**
Port: Huntington
Location: Mile 40.0, left bank, Kanawha River, 2.6 miles below Scary. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/755-5301x1
Town: Scary State: WV County: Putnam
Railway Connection: Thirteen surface tracks in rear, total capacity 700 cars; connect with CSX Rail Transport.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.464444
Total Berthing Space (feet): 3240 | | Longitude (decimal): -81.81944

Waterway: **Kanawha River** Mile: 40 PWD: 26
Name: **Appalachian Power Co., John E. Amos Plant, Coal Loading Dock.**
Port: Huntington
Location: Mile 40.0, left bank, Kanawha River, 2.6 miles below Scary. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/755-5301x1
Town: Scary State: WV County: Putnam
Railway Connection: Thirteen surface tracks in rear, total capacity 700 cars; connect with CSX Rail Transport.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.464444
Total Berthing Space (feet): 3240 | | Longitude (decimal): -81.81944

Waterway: **Kanawha River** Mile: 40 PWD: 26
Name: **Appalachian Power Co., John E. Amos Plant, Coal Loading Dock.**
Port: Huntington
Location: Mile 40.0, left bank, Kanawha River, 2.6 miles below Scary. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/755-5301x1
Town: Scary State: WV County: Putnam
Railway Connection: Thirteen surface tracks in rear, total capacity 700 cars; connect with CSX Rail Transport.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.464444
Total Berthing Space (feet): 3240 | | Longitude (decimal): -81.81944

Waterway: **Kanawha River** Mile: 40 PWD: 26
Name: **Appalachian Power Co., John E. Amos Plant, Coal Loading Dock.**
Port: Huntington
Location: Mile 40.0, left bank, Kanawha River, 2.6 miles below Scary. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/755-5301x1
Town: Scary State: WV County: Putnam
Railway Connection: Thirteen surface tracks in rear, total capacity 700 cars; connect with CSX Rail Transport.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.464444
Total Berthing Space (feet): 3240 | | Longitude (decimal): -81.81944
Remarks: Wharf has capacity for mooring 30 empty barges above and approximately 20 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42339 Huntington District

Remarks: Wharf has capacity for mooring 30 empty barges above and approximately 20 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42339 Huntington District

Remarks: Wharf has capacity for mooring 30 empty barges above and approximately 20 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42339 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 40 PWD: 26
Name: **Appalachian Power Co., John E. Amos Plant, Coal Loading Dock.**
Port: Huntington
Location: Mile 40.0, left bank, Kanawha River, 2.6 miles below Scary. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/755-5301x1
Town: Scary State: WV County: Putnam
Railway Connection: Thirteen surface tracks in rear, total capacity 700 cars; connect with CSX Rail Transport.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.464444
Total Berthing Space (feet): 3240 | | Longitude (decimal): -81.81944

Waterway: **Kanawha River** Mile: 40 PWD: 26
Name: **Appalachian Power Co., John E. Amos Plant, Coal Loading Dock.**
Port: Huntington
Location: Mile 40.0, left bank, Kanawha River, 2.6 miles below Scary. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/755-5301x1
Town: Scary State: WV County: Putnam
Railway Connection: Thirteen surface tracks in rear, total capacity 700 cars; connect with CSX Rail Transport.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.464444
Total Berthing Space (feet): 3240 | | Longitude (decimal): -81.81944

Waterway: **Kanawha River** Mile: 40 PWD: 26
Name: **Appalachian Power Co., John E. Amos Plant, Coal Loading Dock.**
Port: Huntington
Location: Mile 40.0, left bank, Kanawha River, 2.6 miles below Scary. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/755-5301x1
Town: Scary State: WV County: Putnam
Railway Connection: Thirteen surface tracks in rear, total capacity 700 cars; connect with CSX Rail Transport.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.464444
Total Berthing Space (feet): 3240 | | Longitude (decimal): -81.81944

Waterway: **Kanawha River** Mile: 40 PWD: 26
Name: **Appalachian Power Co., John E. Amos Plant, Coal Loading Dock.**
Port: Huntington
Location: Mile 40.0, left bank, Kanawha River, 2.6 miles below Scary. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/755-5301x1
Town: Scary State: WV County: Putnam
Railway Connection: Thirteen surface tracks in rear, total capacity 700 cars; connect with CSX Rail Transport.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.464444
Total Berthing Space (feet): 3240 | | Longitude (decimal): -81.81944
Remarks: Wharf has capacity for mooring 30 empty barges above and approximately 20 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42339 Huntington District

Remarks: Wharf has capacity for mooring 30 empty barges above and approximately 20 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42339 Huntington District

Remarks: Wharf has capacity for mooring 30 empty barges above and approximately 20 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42339 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 40 PWD: 26
Name: **Appalachian Power Co., John E. Amos Plant, Coal Loading Dock.**
Port: Huntington
Location: Mile 40.0, left bank, Kanawha River, 2.6 miles below Scary. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/755-5301x1
Town: Scary State: WV County: Putnam
Railway Connection: Thirteen surface tracks in rear, total capacity 700 cars; connect with CSX Rail Transport.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.464444
Total Berthing Space (feet): 3240 | | Longitude (decimal): -81.81944

Waterway: **Kanawha River** Mile: 40 PWD: 26
Name: **Appalachian Power Co., John E. Amos Plant, Coal Loading Dock.**
Port: Huntington
Location: Mile 40.0, left bank, Kanawha River, 2.6 miles below Scary. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/755-5301x1
Town: Scary State: WV County: Putnam
Railway Connection: Thirteen surface tracks in rear, total capacity 700 cars; connect with CSX Rail Transport.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.464444
Total Berthing Space (feet): 3240 | | Longitude (decimal): -81.81944

Waterway: **Kanawha River** Mile: 40 PWD: 26
Name: **Appalachian Power Co., John E. Amos Plant, Coal Loading Dock.**
Port: Huntington
Location: Mile 40.0, left bank, Kanawha River, 2.6 miles below Scary. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/755-5301x1
Town: Scary State: WV County: Putnam
Railway Connection: Thirteen surface tracks in rear, total capacity 700 cars; connect with CSX Rail Transport.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.464444
Total Berthing Space (feet): 3240 | | Longitude (decimal): -81.81944

Remarks: Wharf has capacity for mooring 30 empty barges above and approximately 20 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42339 Huntington District

Remarks: Wharf has capacity for mooring 30 empty barges above and approximately 20 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42339 Huntington District

Remarks: Wharf has capacity for mooring 30 empty barges above and approximately 20 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42339 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 40 PWD: 25
Name: **Appalachian Power Co., John E. Amos Plant, Coal Unloading Dock.**
Port: Huntington
Location: Mile 39.7, left bank, Kanawha River, 2.9 miles below Scary. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/755-5301x1
Town: Scary State: WV County: Putnam
Railway Connection: Thirteen surface tracks in rear, total capacity 700 cars; connect with CSX Rail Transport.
Purpose: Occasional receipt of coal for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.468333
Total Berthing Space (feet): 1710 | | Longitude (decimal): -81.81833

Waterway: **Kanawha River** Mile: 40 PWD: 25
Name: **Appalachian Power Co., John E. Amos Plant, Coal Unloading Dock.**
Port: Huntington
Location: Mile 39.7, left bank, Kanawha River, 2.9 miles below Scary. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/755-5301x1
Town: Scary State: WV County: Putnam
Railway Connection: Thirteen surface tracks in rear, total capacity 700 cars; connect with CSX Rail Transport.
Purpose: Occasional receipt of coal for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.468333
Total Berthing Space (feet): 1710 | | Longitude (decimal): -81.81833

Waterway: **Kanawha River** Mile: 40 PWD: 25
Name: **Appalachian Power Co., John E. Amos Plant, Coal Unloading Dock.**
Port: Huntington
Location: Mile 39.7, left bank, Kanawha River, 2.9 miles below Scary. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/755-5301x1
Town: Scary State: WV County: Putnam
Railway Connection: Thirteen surface tracks in rear, total capacity 700 cars; connect with CSX Rail Transport.
Purpose: Occasional receipt of coal for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.468333
Total Berthing Space (feet): 1710 | | Longitude (decimal): -81.81833

Remarks: Open storage areas at rear have total capacity for approximately 1,800,000 tons of coal. Wharf has capacity for mooring 20 empty barges below and 20 loaded barges above. Coal usually has been received by railro

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42339 Huntington District

Remarks: Open storage areas at rear have total capacity for approximately 1,800,000 tons of coal. Wharf has capacity for mooring 20 empty barges below and 20 loaded barges above. Coal usually has been received by railro

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42339 Huntington District

Port Facilities by Waterway

Remarks: Open storage areas at rear have total capacity for approximately 1,800,000 tons of coal. Wharf has capacity for mooring 20 empty barges below and 20 loaded barges above. Coal usually has been received by railro

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42339 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 40 PWD: 25
Name: **Appalachian Power Co., John E. Amos Plant, Coal Unloading Dock.**
Port: Huntington
Location: Mile 39.7, left bank, Kanawha River, 2.9 miles below Scary. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/755-5301x1
Town: Scary State: WV County: Putnam
Railway Connection: Thirteen surface tracks in rear, total capacity 700 cars; connect with CSX Rail Transport.
Purpose: Occasional receipt of coal for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.468333
Total Berthing Space (feet): 1710 | | Longitude (decimal): -81.81833

Waterway: **Kanawha River** Mile: 40 PWD: 25
Name: **Appalachian Power Co., John E. Amos Plant, Coal Unloading Dock.**
Port: Huntington
Location: Mile 39.7, left bank, Kanawha River, 2.9 miles below Scary. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/755-5301x1
Town: Scary State: WV County: Putnam
Railway Connection: Thirteen surface tracks in rear, total capacity 700 cars; connect with CSX Rail Transport.
Purpose: Occasional receipt of coal for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.468333
Total Berthing Space (feet): 1710 | | Longitude (decimal): -81.81833

Waterway: **Kanawha River** Mile: 40 PWD: 25
Name: **Appalachian Power Co., John E. Amos Plant, Coal Unloading Dock.**
Port: Huntington
Location: Mile 39.7, left bank, Kanawha River, 2.9 miles below Scary. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/755-5301x1
Town: Scary State: WV County: Putnam
Railway Connection: Thirteen surface tracks in rear, total capacity 700 cars; connect with CSX Rail Transport.
Purpose: Occasional receipt of coal for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.468333
Total Berthing Space (feet): 1710 | | Longitude (decimal): -81.81833

Remarks: Open storage areas at rear have total capacity for approximately 1,800,000 tons of coal. Wharf has capacity for mooring 20 empty barges below and 20 loaded barges above. Coal usually has been received by railro

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42339 Huntington District

Remarks: Open storage areas at rear have total capacity for approximately 1,800,000 tons of coal. Wharf has capacity for mooring 20 empty barges below and 20 loaded barges above. Coal usually has been received by railro

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42339 Huntington District

Port Facilities by Waterway

Remarks: Open storage areas at rear have total capacity for approximately 1,800,000 tons of coal. Wharf has capacity for mooring 20 empty barges below and 20 loaded barges above. Coal usually has been received by railro

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42339 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 40 PWD: 25
Name: **Appalachian Power Co., John E. Amos Plant, Coal Unloading Dock.**
Port: Huntington
Location: Mile 39.7, left bank, Kanawha River, 2.9 miles below Scary. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/755-5301x1
Town: Scary State: WV County: Putnam
Railway Connection: Thirteen surface tracks in rear, total capacity 700 cars; connect with CSX Rail Transport.
Purpose: Occasional receipt of coal for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.468333
Total Berthing Space (feet): 1710 | | Longitude (decimal): -81.81833

Waterway: **Kanawha River** Mile: 40 PWD: 25
Name: **Appalachian Power Co., John E. Amos Plant, Coal Unloading Dock.**
Port: Huntington
Location: Mile 39.7, left bank, Kanawha River, 2.9 miles below Scary. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/755-5301x1
Town: Scary State: WV County: Putnam
Railway Connection: Thirteen surface tracks in rear, total capacity 700 cars; connect with CSX Rail Transport.
Purpose: Occasional receipt of coal for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.468333
Total Berthing Space (feet): 1710 | | Longitude (decimal): -81.81833

Waterway: **Kanawha River** Mile: 40 PWD: 25
Name: **Appalachian Power Co., John E. Amos Plant, Coal Unloading Dock.**
Port: Huntington
Location: Mile 39.7, left bank, Kanawha River, 2.9 miles below Scary. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/755-5301x1
Town: Scary State: WV County: Putnam
Railway Connection: Thirteen surface tracks in rear, total capacity 700 cars; connect with CSX Rail Transport.
Purpose: Occasional receipt of coal for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.468333
Total Berthing Space (feet): 1710 | | Longitude (decimal): -81.81833

Remarks: Open storage areas at rear have total capacity for approximately 1,800,000 tons of coal. Wharf has capacity for mooring 20 empty barges below and 20 loaded barges above. Coal usually has been received by railro

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42339 Huntington District

Remarks: Open storage areas at rear have total capacity for approximately 1,800,000 tons of coal. Wharf has capacity for mooring 20 empty barges below and 20 loaded barges above. Coal usually has been received by railro

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42339 Huntington District

Port Facilities by Waterway

Remarks: Open storage areas at rear have total capacity for approximately 1,800,000 tons of coal. Wharf has capacity for mooring 20 empty barges below and 20 loaded barges above. Coal usually has been received by railro

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42339 Huntington District

---

Waterway: **Kanawha River** Mile: 40 PWD: 99
Name: **Orders & Haynes Paving Co., Poca Dock.**
Port: Huntington
Location: Mile 40.1, right bank, Kanawha River, Poca. Datum: NPE
Operator: Orders & Haynes Paving Co., Inc.
Owner: West Virginia Steel Corp.
Address: Wright Road Phone: 304/755-5243
Town: Poca State: WV County: Putnam
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.458889
Total Berthing Space (feet): 525 | | Longitude (decimal): -81.81972
Remarks: Ready mix concrete plant and open storage area with capacity for 40,000 tons of material are located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42340 Huntington District

---

Waterway: **Kanawha River** Mile: 40 PWD: 98
Name: **Voyager Coal Co. Dock.**
Port: Huntington
Location: Mile 40.4, right bank, Kanawha River, Poca. Datum: NPE
Operator: Voyager Coal Company.
Owner: West Virginia Steel Corp.
Address: Wright Road Phone: 304/755-2236
Town: Poca State: WV County: Putnam
Railway Connection: None.
Purpose: Mooring contractor's floating equipment.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.457222
Total Berthing Space (feet): 500 | | Longitude (decimal): -81.82083
Remarks: Dispatch office is located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42340 Huntington District

---

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 42 PWD: 27
Name: **Arrow Industries, Scary Dock.**
Port: Huntington
Location: Mile 41.7, left bank, Kanawha River, 0.9 miles below Scary. Datum: NPE
Operator: Arrow Industries Corp.
Owner: Arrow Industries Corp.
Address: 962 Winfield Road Phone: 304/755-5300
Town: Scary State: WV County: Putnam
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.4475
Total Berthing Space (feet): 225 | | Longitude (decimal): -81.83889
Remarks: Approximately 5 acres of open storage area at rear has capacity for 20,000 tons of material. Wharf has capacity for mooring approximately 6 barges.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42341 Huntington District

---

Waterway: **Kanawha River** Mile: 43 PWD: 97
Name: **Monsanto Chemical Co., Nitro Plant Dock.**
Port: Huntington
Location: Mile 42.5, right bank, Kanawha River, Nitro. Datum: NPE
Operator: Monsanto Chemical Co.
Owner: Monsanto Chemical Co.
Address: 1 Monsanto Road Phone: 304/759-4378
Town: Nitro State: WV County: Putnam
Railway Connection: Plant trackage connects with Consolidated Rail Corp.
Purpose: Receipt of caustic soda.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.436944
Total Berthing Space (feet): 390 | | Longitude (decimal): -81.84833
Remarks: One 6-inch pipeline extends from wharf to one 250,000-gallon steel storage tank at rear. One 4-inch steam line serves wharf.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42342 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 43 PWD: 96
Name: **PB & S Chemical Co., Kanawha Valley Chemport Dock.**
Port: Huntington
Location: Mile 43.1, right bank, Kanawha River, Nitro. Datum: NPE
Operator: PB & S Chemical Co., Inc.
Owner: PB & S Chemical Co., Inc.
Address: Phone: 304/755-8622
Town: Nitro State: WV County: Putnam
Railway Connection: One surface track serves 5-car-capacity loading rack; connects with Consolidated Rail Corp.
Purpose: Receipt of caustic soda.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.428333
Total Berthing Space (feet): 500 | | Longitude (decimal): -81.85056

Waterway: **Kanawha River** Mile: 43 PWD: 96
Name: **PB & S Chemical Co., Kanawha Valley Chemport Dock.**
Port: Huntington
Location: Mile 43.1, right bank, Kanawha River, Nitro. Datum: NPE
Operator: PB & S Chemical Co., Inc.
Owner: PB & S Chemical Co., Inc.
Address: Phone: 304/755-8622
Town: Nitro State: WV County: Putnam
Railway Connection: One surface track serves 5-car-capacity loading rack; connects with Consolidated Rail Corp.
Purpose: Receipt of caustic soda.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.428333
Total Berthing Space (feet): 500 | | Longitude (decimal): -81.85056

Remarks: One 6-inch pipeline extends from wharf to 5 steel storage tanks at rear, total capacity 1,250,000 gallons. One 2-inch steam pipeline serves wharf.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42343 Huntington District

Remarks: One 6-inch pipeline extends from wharf to 5 steel storage tanks at rear, total capacity 1,250,000 gallons. One 2-inch steam pipeline serves wharf.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42343 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 43 PWD: 96
Name: **PB & S Chemical Co., Kanawha Valley Chemport Dock.**
Port: Huntington
Location: Mile 43.1, right bank, Kanawha River, Nitro. Datum: NPE
Operator: PB & S Chemical Co., Inc.
Owner: PB & S Chemical Co., Inc.
Address: Phone: 304/755-8622
Town: Nitro State: WV County: Putnam
Railway Connection: One surface track serves 5-car-capacity loading rack; connects with Consolidated Rail Corp.
Purpose: Receipt of caustic soda.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.428333
Total Berthing Space (feet): 500 | | Longitude (decimal): -81.85056

Waterway: **Kanawha River** Mile: 43 PWD: 96
Name: **PB & S Chemical Co., Kanawha Valley Chemport Dock.**
Port: Huntington
Location: Mile 43.1, right bank, Kanawha River, Nitro. Datum: NPE
Operator: PB & S Chemical Co., Inc.
Owner: PB & S Chemical Co., Inc.
Address: Phone: 304/755-8622
Town: Nitro State: WV County: Putnam
Railway Connection: One surface track serves 5-car-capacity loading rack; connects with Consolidated Rail Corp.
Purpose: Receipt of caustic soda.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.428333
Total Berthing Space (feet): 500 | | Longitude (decimal): -81.85056

Remarks: One 6-inch pipeline extends from wharf to 5 steel storage tanks at rear, total capacity 1,250,000 gallons. One 2-inch steam pipeline serves wharf.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42343 Huntington District

Remarks: One 6-inch pipeline extends from wharf to 5 steel storage tanks at rear, total capacity 1,250,000 gallons. One 2-inch steam pipeline serves wharf.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42343 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 43 PWD: 28
Name: **Shamblin Stone, Scary Dock.**
Port: Huntington
Location: Mile 43.2, left bank, Kanawha River, Scary. Datum: NPE
Operator: Shamblin Stone, Inc.
Owner: Shamblin Stone, Inc.
Address: Phone: 304/755-3482
Town: St. Albans State: WV County: Putnam
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.428611
Total Berthing Space (feet): 300 | | Longitude (decimal): -81.85361

Waterway: **Kanawha River** Mile: 43 PWD: 28
Name: **Shamblin Stone, Scary Dock.**
Port: Huntington
Location: Mile 43.2, left bank, Kanawha River, Scary. Datum: NPE
Operator: Shamblin Stone, Inc.
Owner: Shamblin Stone, Inc.
Address: Phone: 304/755-3482
Town: St. Albans State: WV County: Putnam
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.428611
Total Berthing Space (feet): 300 | | Longitude (decimal): -81.85361

Remarks: Open storage area with capacity for 60,000 tons of material is located at rear.□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42343 Huntington District

Remarks: Open storage area with capacity for 60,000 tons of material is located at rear.□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42343 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 43 PWD: 28
Name: **Shamblin Stone, Scary Dock.**
Port: Huntington
Location: Mile 43.2, left bank, Kanawha River, Scary. Datum: NPE
Operator: Shamblin Stone, Inc.
Owner: Shamblin Stone, Inc.
Address: Phone: 304/755-3482
Town: St. Albans State: WV County: Putnam
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.428611
Total Berthing Space (feet): 300 | | Longitude (decimal): -81.85361

Waterway: **Kanawha River** Mile: 43 PWD: 28
Name: **Shamblin Stone, Scary Dock.**
Port: Huntington
Location: Mile 43.2, left bank, Kanawha River, Scary. Datum: NPE
Operator: Shamblin Stone, Inc.
Owner: Shamblin Stone, Inc.
Address: Phone: 304/755-3482
Town: St. Albans State: WV County: Putnam
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.428611
Total Berthing Space (feet): 300 | | Longitude (decimal): -81.85361
Remarks: Open storage area with capacity for 60,000 tons of material is located at rear.□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42343 Huntington District

Remarks: Open storage area with capacity for 60,000 tons of material is located at rear.□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42343 Huntington District

Waterway: **Kanawha River** Mile: 44 PWD: 29
Name: **Columbia Gas Transmission Corp. Dock.**
Port: Huntington
Location: Mile 44.2, left bank, Kanawha River, 1.8 miles below St. Albans. Datum: NPE
Operator: Columbia Gas Transmission Corp.
Owner: Columbia Gas Transmission Corp.
Address: Phone: 304/727-2211
Town: St. Albans State: WV County: Kanawha
Railway Connection: One surface track in rear, total capacity 12 cars; connects with CSX Rail Transport.
Purpose: Occasional receipt of steel pipe.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.412778
Total Berthing Space (feet): | | Longitude (decimal): -81.85083
Remarks: Approximately 15 acres of open storage area and fabrication, welding, and machine shops are located at rear.□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42344 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 44 PWD: 30
Name: **Concrete Supply Corp. Dock**
Port: Huntington
Location: Mile 44.3, left bank, Kanawha River, 1.7 miles below St. Albans. Datum: NPE
Operator: Not operated.
Owner: Concrete Supply Corp.
Address: Phone: 304/766-6191
Town: St. Albans State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.411944
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.85056
Remarks: Facility formerly was used for shipment of coal. Approximately 5 acres of open storage area are located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42344 Huntington District

---

Waterway: **Kanawha River** Mile: 45 PWD: 32
Name: **Go Mart Amandaville River Terminal Dock.**
Port: Huntington
Location: Mile 45.2, left bank, Kanawha River, 0.8 mile below St. Albans. Datum: NPE
Operator: Go Mart, Inc.
Owner: Go Mart, Inc.
Address: Oliver Street Phone: 304/727-5423
Town: St. Albans State: WV County: Kanawha
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.398889
Total Berthing Space (feet): | | Longitude (decimal): -81.84194
Remarks: Three 8-inch pipelines extend from wharf to 7 steel storage tanks at rear, total capacity 153,250 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42345 Huntington District

---

Waterway: **Kanawha River** Mile: 45 PWD: 31
Name: **Peerless Block & Brick Co. Dock**
Port: Huntington
Location: Mile 44.8, left bank, Kanawha River, 1.2 miles below St. Albans. Datum: NPE
Operator: Peerless Block & Brick Co.
Owner: Peerless Block & Brick Co.
Address: 400 Oliver Street Phone: 304/727-4301
Town: St. Albans State: WV County: Kanawha
Railway Connection: One surface track in rear connects with CSX Rail Transport.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.4025
Total Berthing Space (feet): 420 | | Longitude (decimal): -81.84778
Remarks: Approximately 40 acres of open storage area with capacity for 11,000 tons of sand, 7,500 tons of limestone, and 3,000 tons of gravel, are located in rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42344 Huntington District

---

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 47 PWD: 95
Name: **Raleigh Junk Co., Sattes Yard Dock.**
Port: Huntington
Location: Mile 46.7, right bank, Kanawha River, Sattes. Datum: NPE
Operator: Raleigh Junk Co.
Owner: Raleigh Junk Co.
Address: Route 25 and Michigan Avenue Phone: 304/727-8251
Town: Sattes State: WV County: Kanawha
Railway Connection: None.
Purpose: Receipt and shipment of scrap metal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.390278
Total Berthing Space (feet): 287 | | Longitude (decimal): -81.8225
Remarks: Approximately 14 acres of open storage area are located at rear.□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42346 Huntington District

---

Waterway: **Kanawha River** Mile: 48 PWD: 93
Name: **Dravo Basic Materials Co., Institute Dock.**
Port: Huntington
Location: Mile 48.4, right bank, Kanawha River, Institute. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Phone: 304/727-4314
Town: Institute State: WV County: Kanawha
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.383333
Total Berthing Space (feet): 175 | | Longitude (decimal): -81.7925
Remarks: Approximately 8 acres of open storage area with capacity for 60,000 tons of material are located at rear.□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42347 Huntington District

---

Waterway: **Kanawha River** Mile: 48 PWD: 94
Name: **Rhone-Poulenc AG Company, Kanawha Valley Fleet Mooring.**
Port: Huntington
Location: Mile 47.8, right bank, Kanawha River, Institute. Datum: NPE
Operator: Rhone-Poulenc AG Company.
Owner: Rhone-Poulenc AG Company.
Address: Phone: 304/747-6102
Town: Institute State: WV County: Kanawha
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 17 | | Latitude (decimal): 38.386667
Total Berthing Space (feet): 1000 | | Longitude (decimal): -81.80278
Remarks: Fleeting area has capacity for approximately 30 barges.□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42347 Huntington District

---

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 49 PWD: 91
Name: **Rhone-Poulenc AG Co., Institute Plant, Dock No. 1.**
Port: Huntington
Location: Mile 49.1, right bank, Kanawha River, Institute. Datum: NPE
Operator: Rhone-Poulenc AG Co.
Owner: Rhone-Poulenc AG Co.
Address: Phone: 304/747-6102
Town: Institute State: WV County: Kanawha
Railway Connection: Five surface tracks serve plant in rear; connect with Consolidated Rail Corp.
Purpose: Receipt and shipment of liquid chemicals.
Depth Alongside (feet): 17 | | Latitude (decimal): 38.378611
Total Berthing Space (feet): 300 | | Longitude (decimal): -81.78
Remarks: Two 6- and four 4-inch pipelines extend from wharf to storage tanks described under Ref. No. 90.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42349 Huntington District

---

Waterway: **Kanawha River** Mile: 49 PWD: 92
Name: **Rhone-Poulenc AG Co., Institute Plant, Dock No. 2.**
Port: Huntington
Location: Mile 48.9, right bank, Kanawha River, Institute. Datum: NPE
Operator: Rhone-Poulenc AG Co.
Owner: Rhone-Poulenc AG Co.
Address: Phone: 304/747-6102
Town: Institute State: WV County: Kanawha
Railway Connection: Five surface tracks serve plant in rear; connect with Consolidated Rail Corp.
Purpose: Occasional receipt and shipment of liquid chemicals.
Depth Alongside (feet): 17 | | Latitude (decimal): 38.379444
Total Berthing Space (feet): 436 | | Longitude (decimal): -81.7825
Remarks: Five 6-, two 4-, and one 3-inch pipelines extend from wharf to storage tanks described under Ref. No. 90. Emergency response boat moors at lower side of pump house and Dock No. 2.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42348 Huntington District

---

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 49 PWD: 90
Name: **Rhone-Poulenc AG Co., Institute Plant, Dock No. 3.**
Port: Huntington
Location: Mile 49.3, right bank, Kanawha River, Institute. Datum: NPE
Operator: Rhone-Poulenc AG Co.
Owner: Rhone-Poulenc AG Co.
Address: Phone: 304/747-6102
Town: Institute State: WV County: Kanawha
Railway Connection: Five surface tracks serve plant in rear; connect with Consolidated Rail Corp.
Purpose: Receipt and shipment of liquid chemicals.
Depth Alongside (feet): 17 | | Latitude (decimal): 38.377778
Total Berthing Space (feet): 385 | | Longitude (decimal): -81.77722

Waterway: **Kanawha River** Mile: 49 PWD: 90
Name: **Rhone-Poulenc AG Co., Institute Plant, Dock No. 3.**
Port: Huntington
Location: Mile 49.3, right bank, Kanawha River, Institute. Datum: NPE
Operator: Rhone-Poulenc AG Co.
Owner: Rhone-Poulenc AG Co.
Address: Phone: 304/747-6102
Town: Institute State: WV County: Kanawha
Railway Connection: Five surface tracks serve plant in rear; connect with Consolidated Rail Corp.
Purpose: Receipt and shipment of liquid chemicals.
Depth Alongside (feet): 17 | | Latitude (decimal): 38.377778
Total Berthing Space (feet): 385 | | Longitude (decimal): -81.77722

Remarks: Five 6-inch pipelines extend from wharf to approximately 200 steel storage tanks at rear, total capacity 60,000,000 gallons. One 4-inch steam pipeline serves wharf.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42349 Huntington District

Remarks: Five 6-inch pipelines extend from wharf to approximately 200 steel storage tanks at rear, total capacity 60,000,000 gallons. One 4-inch steam pipeline serves wharf.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42349 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 49 PWD: 90
Name: **Rhone-Poulenc AG Co., Institute Plant, Dock No. 3.**
Port: Huntington
Location: Mile 49.3, right bank, Kanawha River, Institute. Datum: NPE
Operator: Rhone-Poulenc AG Co.
Owner: Rhone-Poulenc AG Co.
Address: Phone: 304/747-6102
Town: Institute State: WV County: Kanawha
Railway Connection: Five surface tracks serve plant in rear; connect with Consolidated Rail Corp.
Purpose: Receipt and shipment of liquid chemicals.
Depth Alongside (feet): 17 | | Latitude (decimal): 38.377778
Total Berthing Space (feet): 385 | | Longitude (decimal): -81.77722

Waterway: **Kanawha River** Mile: 49 PWD: 90
Name: **Rhone-Poulenc AG Co., Institute Plant, Dock No. 3.**
Port: Huntington
Location: Mile 49.3, right bank, Kanawha River, Institute. Datum: NPE
Operator: Rhone-Poulenc AG Co.
Owner: Rhone-Poulenc AG Co.
Address: Phone: 304/747-6102
Town: Institute State: WV County: Kanawha
Railway Connection: Five surface tracks serve plant in rear; connect with Consolidated Rail Corp.
Purpose: Receipt and shipment of liquid chemicals.
Depth Alongside (feet): 17 | | Latitude (decimal): 38.377778
Total Berthing Space (feet): 385 | | Longitude (decimal): -81.77722

Remarks: Five 6-inch pipelines extend from wharf to approximately 200 steel storage tanks at rear, total capacity 60,000,000 gallons. One 4-inch steam pipeline serves wharf.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42349 Huntington District

Remarks: Five 6-inch pipelines extend from wharf to approximately 200 steel storage tanks at rear, total capacity 60,000,000 gallons. One 4-inch steam pipeline serves wharf.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42349 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 49 PWD: 89
Name: **Rhone-Poulenc AG Company, Institute Plant, Dock No. 4.**
Port: Huntington
Location: Mile 49.4, right bank, Kanawha River, Institute. Datum: NPE
Operator: Not operated.
Owner: Rhone-Poulenc AG Company.
Address: Phone: 304/747-6102
Town: Institute State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 17 | | Latitude (decimal): 38.376944
Total Berthing Space (feet): 520 | | Longitude (decimal): -81.775

Waterway: **Kanawha River** Mile: 49 PWD: 89
Name: **Rhone-Poulenc AG Company, Institute Plant, Dock No. 4.**
Port: Huntington
Location: Mile 49.4, right bank, Kanawha River, Institute. Datum: NPE
Operator: Not operated.
Owner: Rhone-Poulenc AG Company.
Address: Phone: 304/747-6102
Town: Institute State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 17 | | Latitude (decimal): 38.376944
Total Berthing Space (feet): 520 | | Longitude (decimal): -81.775
Remarks: □□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42349 Huntington District

Remarks: □□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42349 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 49 PWD: 89
Name: **Rhone-Poulenc AG Company, Institute Plant, Dock No. 4.**
Port: Huntington
Location: Mile 49.4, right bank, Kanawha River, Institute. Datum: NPE
Operator: Not operated.
Owner: Rhone-Poulenc AG Company.
Address: Phone: 304/747-6102
Town: Institute State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 17 | | Latitude (decimal): 38.376944
Total Berthing Space (feet): 520 | | Longitude (decimal): -81.775

Waterway: **Kanawha River** Mile: 49 PWD: 89
Name: **Rhone-Poulenc AG Company, Institute Plant, Dock No. 4.**
Port: Huntington
Location: Mile 49.4, right bank, Kanawha River, Institute. Datum: NPE
Operator: Not operated.
Owner: Rhone-Poulenc AG Company.
Address: Phone: 304/747-6102
Town: Institute State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 17 | | Latitude (decimal): 38.376944
Total Berthing Space (feet): 520 | | Longitude (decimal): -81.775
Remarks: □□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42349 Huntington District

Remarks: □□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42349 Huntington District

Waterway: **Kanawha River** Mile: 5 PWD: 103
Name: **B & Q Machine & Repair Dock.**
Port: Huntington
Location: Mile 5.4, right bank, Kanawha River, Ambrosia. Datum: NPE
Operator: B & Q Machine & Repair, Inc.
Owner: B & Q Machine & Repair, Inc.
Address: Phone: 304/675-1578
Town: Ambrosia State: WV County: Mason
Railway Connection: None.
Purpose: Mooring floating equipment for maintenance and repair.
Depth Alongside (feet): 6 | | Latitude (decimal): 38.805556
Total Berthing Space (feet): 2000 | | Longitude (decimal): -82.05639
Remarks: One 500-ton sidehaul marine railway is located adjacent to upper side. Wharf is equipped with outlets for supplying fresh water, compressed air, electricity, and welding gas.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42305 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 50 PWD: 88
Name: **West Virginia Paving Dock.**
Port: Huntington
Location: Mile 50.4, right bank, Kanwha River, Dunbar. Datum: NPE
Operator: West Virginia Paving, Inc.
Owner: West Virginia Paving, Inc.
Address: 2902 Charles Avenue. Phone: 304/768-9733
Town: West Dunbar State: WV County: Kanawha
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.368889
Total Berthing Space (feet): 875 | | Longitude (decimal): -81.76139
Remarks: Approximately 7 acres of open storage area with capacity for 30,000 tons of material are located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42350 Huntington District

---

Waterway: **Kanawha River** Mile: 53 PWD: 87
Name: **Shamblin Stone, Wilsons Island Dock.**
Port: Huntington
Location: Mile 53.1, right bank, Kanawha River, Wilsons Island. Datum: NPE
Operator: Shamblin Stone, Inc.
Owner: Shamblin Stone, Inc.
Address: Phone: 304/766-7316
Town: Wilson Island State: WV County: Kanawha
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 38.361389
Total Berthing Space (feet): 195 | 195 | 195 Longitude (decimal): -81.72
Remarks: Approximately 15 acres of open storage area are located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42353 Huntington District

---

Waterway: **Kanawha River** Mile: 54 PWD: 34
Name: **City of South Charleston, Kanawha River Dock.**
Port: Huntington
Location: Mile 53.8, left bank, Kanawha River, South Charleston. Datum: NPE
Operator: City of South Charleston.
Owner: City of South Charleston.
Address: Phone: 304/744-4008
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Mooring vessels; landing for harbor excursion vessel 'West Virginia Belle.'
Depth Alongside (feet): 10 | 10 | Latitude (decimal): 38.366667
Total Berthing Space (feet): 120 | | Longitude (decimal): -81.70972
Remarks: Access for vehicles is via 10-foot wide concrete driveway at rear of shopping center. Ticket office is located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42353 Huntington District

---

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 54 PWD: 33
Name: **Park Corp., Charleston Ordnance Center Dock.**
Port: Huntington
Location: Mile 53.8, left bank, Kanawha River, South Charleston. Datum: NPE
Operator: Park Corp.
Owner: Park Corp.
Address: 3100 MacCorkle Ave. SW Phone: 304/744-1551
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Occasional receipt and shipment of machinery and heavy equipment.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.365278
Total Berthing Space (feet): 350 | | Longitude (decimal): -81.71222
Remarks: Approximately 2 acres of paved, open storage area are located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42353 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 55 PWD: 35
Name: **FMC Corp., South Charleston Steam Plant, Caustic Loading Dock.**
Port: Huntington
Location: Mile 54.7, left bank, Kanawha River, South Charleston. Datum: NPE
Operator: Not operated.
Owner: FMC Corporation, Peroxygen Chemicals Division.
Address: Phone: 304/746-2307
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.371389
Total Berthing Space (feet): 400 | | Longitude (decimal): -81.69444

Waterway: **Kanawha River** Mile: 55 PWD: 35
Name: **FMC Corp., South Charleston Steam Plant, Caustic Loading Dock.**
Port: Huntington
Location: Mile 54.7, left bank, Kanawha River, South Charleston. Datum: NPE
Operator: Not operated.
Owner: FMC Corporation, Peroxygen Chemicals Division.
Address: Phone: 304/746-2307
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.371389
Total Berthing Space (feet): 400 | | Longitude (decimal): -81.69444

Waterway: **Kanawha River** Mile: 55 PWD: 35
Name: **FMC Corp., South Charleston Steam Plant, Caustic Loading Dock.**
Port: Huntington
Location: Mile 54.7, left bank, Kanawha River, South Charleston. Datum: NPE
Operator: Not operated.
Owner: FMC Corporation, Peroxygen Chemicals Division.
Address: Phone: 304/746-2307
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.371389
Total Berthing Space (feet): 400 | | Longitude (decimal): -81.69444
Remarks: Facility formerly was used for shipment of liquid chemicals. Pipeline had been capped at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42354 Huntington District

---

Remarks: Facility formerly was used for shipment of liquid chemicals. Pipeline had been capped at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42354 Huntington District

---

Remarks: Facility formerly was used for shipment of liquid chemicals. Pipeline had been capped at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42354 Huntington District

---

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 55 PWD: 35
Name: **FMC Corp., South Charleston Steam Plant, Caustic Loading Dock.**
Port: Huntington
Location: Mile 54.7, left bank, Kanawha River, South Charleston. Datum: NPE
Operator: Not operated.
Owner: FMC Corporation, Peroxygen Chemicals Division.
Address: Phone: 304/746-2307
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.371389
Total Berthing Space (feet): 400 | | Longitude (decimal): -81.69444

Waterway: **Kanawha River** Mile: 55 PWD: 35
Name: **FMC Corp., South Charleston Steam Plant, Caustic Loading Dock.**
Port: Huntington
Location: Mile 54.7, left bank, Kanawha River, South Charleston. Datum: NPE
Operator: Not operated.
Owner: FMC Corporation, Peroxygen Chemicals Division.
Address: Phone: 304/746-2307
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.371389
Total Berthing Space (feet): 400 | | Longitude (decimal): -81.69444

Waterway: **Kanawha River** Mile: 55 PWD: 35
Name: **FMC Corp., South Charleston Steam Plant, Caustic Loading Dock.**
Port: Huntington
Location: Mile 54.7, left bank, Kanawha River, South Charleston. Datum: NPE
Operator: Not operated.
Owner: FMC Corporation, Peroxygen Chemicals Division.
Address: Phone: 304/746-2307
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.371389
Total Berthing Space (feet): 400 | | Longitude (decimal): -81.69444
Remarks: Facility formerly was used for shipment of liquid chemicals. Pipeline had been capped at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42354 Huntington District

Remarks: Facility formerly was used for shipment of liquid chemicals. Pipeline had been capped at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42354 Huntington District

Remarks: Facility formerly was used for shipment of liquid chemicals. Pipeline had been capped at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42354 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 55 PWD: 35
Name: **FMC Corp., South Charleston Steam Plant, Caustic Loading Dock.**
Port: Huntington
Location: Mile 54.7, left bank, Kanawha River, South Charleston. Datum: NPE
Operator: Not operated.
Owner: FMC Corporation, Peroxygen Chemicals Division.
Address: Phone: 304/746-2307
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.371389
Total Berthing Space (feet): 400 | | Longitude (decimal): -81.69444

Waterway: **Kanawha River** Mile: 55 PWD: 35
Name: **FMC Corp., South Charleston Steam Plant, Caustic Loading Dock.**
Port: Huntington
Location: Mile 54.7, left bank, Kanawha River, South Charleston. Datum: NPE
Operator: Not operated.
Owner: FMC Corporation, Peroxygen Chemicals Division.
Address: Phone: 304/746-2307
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.371389
Total Berthing Space (feet): 400 | | Longitude (decimal): -81.69444

Waterway: **Kanawha River** Mile: 55 PWD: 35
Name: **FMC Corp., South Charleston Steam Plant, Caustic Loading Dock.**
Port: Huntington
Location: Mile 54.7, left bank, Kanawha River, South Charleston. Datum: NPE
Operator: Not operated.
Owner: FMC Corporation, Peroxygen Chemicals Division.
Address: Phone: 304/746-2307
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.371389
Total Berthing Space (feet): 400 | | Longitude (decimal): -81.69444
Remarks: Facility formerly was used for shipment of liquid chemicals. Pipeline had been capped at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42354 Huntington District

---

Remarks: Facility formerly was used for shipment of liquid chemicals. Pipeline had been capped at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42354 Huntington District

---

Remarks: Facility formerly was used for shipment of liquid chemicals. Pipeline had been capped at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42354 Huntington District

---

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 55 PWD: 36
Name: **FMC Corp., South Charleston Steam Plant, Chlorine Loading Dock.**
Port: Huntington
Location: Mile 54.8, left bank, Kanawha River, South Charleston. Datum: NPE
Operator: Not operated.
Owner: FMC Corporation, Peroxygen Chemicals Division.
Address: Phone: 304/746-2307
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.371111
Total Berthing Space (feet): 195 | | Longitude (decimal): -81.69222

Waterway: **Kanawha River** Mile: 55 PWD: 36
Name: **FMC Corp., South Charleston Steam Plant, Chlorine Loading Dock.**
Port: Huntington
Location: Mile 54.8, left bank, Kanawha River, South Charleston. Datum: NPE
Operator: Not operated.
Owner: FMC Corporation, Peroxygen Chemicals Division.
Address: Phone: 304/746-2307
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.371111
Total Berthing Space (feet): 195 | | Longitude (decimal): -81.69222

Waterway: **Kanawha River** Mile: 55 PWD: 36
Name: **FMC Corp., South Charleston Steam Plant, Chlorine Loading Dock.**
Port: Huntington
Location: Mile 54.8, left bank, Kanawha River, South Charleston. Datum: NPE
Operator: Not operated.
Owner: FMC Corporation, Peroxygen Chemicals Division.
Address: Phone: 304/746-2307
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.371111
Total Berthing Space (feet): 195 | | Longitude (decimal): -81.69222

Remarks: Formerly used for shipment of liquid chemicals. Pipeline had been capped at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42354 Huntington District

Remarks: Formerly used for shipment of liquid chemicals. Pipeline had been capped at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42354 Huntington District

Remarks: Formerly used for shipment of liquid chemicals. Pipeline had been capped at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42354 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 55 PWD: 36
Name: **FMC Corp., South Charleston Steam Plant, Chlorine Loading Dock.**
Port: Huntington
Location: Mile 54.8, left bank, Kanawha River, South Charleston. Datum: NPE
Operator: Not operated.
Owner: FMC Corporation, Peroxygen Chemicals Division.
Address: Phone: 304/746-2307
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.371111
Total Berthing Space (feet): 195 | | Longitude (decimal): -81.69222

Waterway: **Kanawha River** Mile: 55 PWD: 36
Name: **FMC Corp., South Charleston Steam Plant, Chlorine Loading Dock.**
Port: Huntington
Location: Mile 54.8, left bank, Kanawha River, South Charleston. Datum: NPE
Operator: Not operated.
Owner: FMC Corporation, Peroxygen Chemicals Division.
Address: Phone: 304/746-2307
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.371111
Total Berthing Space (feet): 195 | | Longitude (decimal): -81.69222

Waterway: **Kanawha River** Mile: 55 PWD: 36
Name: **FMC Corp., South Charleston Steam Plant, Chlorine Loading Dock.**
Port: Huntington
Location: Mile 54.8, left bank, Kanawha River, South Charleston. Datum: NPE
Operator: Not operated.
Owner: FMC Corporation, Peroxygen Chemicals Division.
Address: Phone: 304/746-2307
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.371111
Total Berthing Space (feet): 195 | | Longitude (decimal): -81.69222

Remarks: Formerly used for shipment of liquid chemicals. Pipeline had been capped at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42354 Huntington District

Remarks: Formerly used for shipment of liquid chemicals. Pipeline had been capped at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42354 Huntington District

Remarks: Formerly used for shipment of liquid chemicals. Pipeline had been capped at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42354 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 55 PWD: 36
Name: **FMC Corp., South Charleston Steam Plant, Chlorine Loading Dock.**
Port: Huntington
Location: Mile 54.8, left bank, Kanawha River, South Charleston. Datum: NPE
Operator: Not operated.
Owner: FMC Corporation, Peroxygen Chemicals Division.
Address: Phone: 304/746-2307
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.371111
Total Berthing Space (feet): 195 | | Longitude (decimal): -81.69222

Waterway: **Kanawha River** Mile: 55 PWD: 36
Name: **FMC Corp., South Charleston Steam Plant, Chlorine Loading Dock.**
Port: Huntington
Location: Mile 54.8, left bank, Kanawha River, South Charleston. Datum: NPE
Operator: Not operated.
Owner: FMC Corporation, Peroxygen Chemicals Division.
Address: Phone: 304/746-2307
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.371111
Total Berthing Space (feet): 195 | | Longitude (decimal): -81.69222

Waterway: **Kanawha River** Mile: 55 PWD: 36
Name: **FMC Corp., South Charleston Steam Plant, Chlorine Loading Dock.**
Port: Huntington
Location: Mile 54.8, left bank, Kanawha River, South Charleston. Datum: NPE
Operator: Not operated.
Owner: FMC Corporation, Peroxygen Chemicals Division.
Address: Phone: 304/746-2307
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.371111
Total Berthing Space (feet): 195 | | Longitude (decimal): -81.69222

Remarks: Formerly used for shipment of liquid chemicals. Pipeline had been capped at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42354 Huntington District

Remarks: Formerly used for shipment of liquid chemicals. Pipeline had been capped at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42354 Huntington District

Remarks: Formerly used for shipment of liquid chemicals. Pipeline had been capped at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42354 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 55 PWD: 37
Name: **FMC Corp., South Charleston Steam Plant, Coal Unloading Dock.**
Port: Huntington
Location: Mile 54.9, left bank, Kanawha River, South Charleston. Datum: NPE
Operator: Not operated.
Owner: FMC Corp., Peroxygen Chemicals Division.
Address: Phone: 304/746-2307
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.370278
Total Berthing Space (feet): 600 | | Longitude (decimal): -81.69083

Waterway: **Kanawha River** Mile: 55 PWD: 37
Name: **FMC Corp., South Charleston Steam Plant, Coal Unloading Dock.**
Port: Huntington
Location: Mile 54.9, left bank, Kanawha River, South Charleston. Datum: NPE
Operator: Not operated.
Owner: FMC Corp., Peroxygen Chemicals Division.
Address: Phone: 304/746-2307
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.370278
Total Berthing Space (feet): 600 | | Longitude (decimal): -81.69083

Waterway: **Kanawha River** Mile: 55 PWD: 37
Name: **FMC Corp., South Charleston Steam Plant, Coal Unloading Dock.**
Port: Huntington
Location: Mile 54.9, left bank, Kanawha River, South Charleston. Datum: NPE
Operator: Not operated.
Owner: FMC Corp., Peroxygen Chemicals Division.
Address: Phone: 304/746-2307
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.370278
Total Berthing Space (feet): 600 | | Longitude (decimal): -81.69083

Remarks: Wharf formerly was used for receipt of coal for plant consumption; coal is now received by truck. Crane for unloading coal from barges had been removed from facility.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42354 Huntington District

Remarks: Wharf formerly was used for receipt of coal for plant consumption; coal is now received by truck. Crane for unloading coal from barges had been removed from facility.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42354 Huntington District

Remarks: Wharf formerly was used for receipt of coal for plant consumption; coal is now received by truck. Crane for unloading coal from barges had been removed from facility.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42354 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 55 PWD: 37
Name: **FMC Corp., South Charleston Steam Plant, Coal Unloading Dock.**
Port: Huntington
Location: Mile 54.9, left bank, Kanawha River, South Charleston. Datum: NPE
Operator: Not operated.
Owner: FMC Corp., Peroxygen Chemicals Division.
Address: Phone: 304/746-2307
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.370278
Total Berthing Space (feet): 600 | | Longitude (decimal): -81.69083

Waterway: **Kanawha River** Mile: 55 PWD: 37
Name: **FMC Corp., South Charleston Steam Plant, Coal Unloading Dock.**
Port: Huntington
Location: Mile 54.9, left bank, Kanawha River, South Charleston. Datum: NPE
Operator: Not operated.
Owner: FMC Corp., Peroxygen Chemicals Division.
Address: Phone: 304/746-2307
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.370278
Total Berthing Space (feet): 600 | | Longitude (decimal): -81.69083

Waterway: **Kanawha River** Mile: 55 PWD: 37
Name: **FMC Corp., South Charleston Steam Plant, Coal Unloading Dock.**
Port: Huntington
Location: Mile 54.9, left bank, Kanawha River, South Charleston. Datum: NPE
Operator: Not operated.
Owner: FMC Corp., Peroxygen Chemicals Division.
Address: Phone: 304/746-2307
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.370278
Total Berthing Space (feet): 600 | | Longitude (decimal): -81.69083
Remarks: Wharf formerly was used for receipt of coal for plant consumption; coal is now received by truck.
Crane for unloading coal from barges had been removed from facility.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42354 Huntington District

Remarks: Wharf formerly was used for receipt of coal for plant consumption; coal is now received by truck.
Crane for unloading coal from barges had been removed from facility.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42354 Huntington District

Remarks: Wharf formerly was used for receipt of coal for plant consumption; coal is now received by truck.
Crane for unloading coal from barges had been removed from facility.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42354 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 55 PWD: 37
Name: **FMC Corp., South Charleston Steam Plant, Coal Unloading Dock.**
Port: Huntington
Location: Mile 54.9, left bank, Kanawha River, South Charleston. Datum: NPE
Operator: Not operated.
Owner: FMC Corp., Peroxygen Chemicals Division.
Address: Phone: 304/746-2307
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.370278
Total Berthing Space (feet): 600 | | Longitude (decimal): -81.69083

Waterway: **Kanawha River** Mile: 55 PWD: 37
Name: **FMC Corp., South Charleston Steam Plant, Coal Unloading Dock.**
Port: Huntington
Location: Mile 54.9, left bank, Kanawha River, South Charleston. Datum: NPE
Operator: Not operated.
Owner: FMC Corp., Peroxygen Chemicals Division.
Address: Phone: 304/746-2307
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.370278
Total Berthing Space (feet): 600 | | Longitude (decimal): -81.69083

Waterway: **Kanawha River** Mile: 55 PWD: 37
Name: **FMC Corp., South Charleston Steam Plant, Coal Unloading Dock.**
Port: Huntington
Location: Mile 54.9, left bank, Kanawha River, South Charleston. Datum: NPE
Operator: Not operated.
Owner: FMC Corp., Peroxygen Chemicals Division.
Address: Phone: 304/746-2307
Town: S. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.370278
Total Berthing Space (feet): 600 | | Longitude (decimal): -81.69083

Remarks: Wharf formerly was used for receipt of coal for plant consumption; coal is now received by truck. Crane for unloading coal from barges had been removed from facility.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42354 Huntington District

Remarks: Wharf formerly was used for receipt of coal for plant consumption; coal is now received by truck. Crane for unloading coal from barges had been removed from facility.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42354 Huntington District

Remarks: Wharf formerly was used for receipt of coal for plant consumption; coal is now received by truck. Crane for unloading coal from barges had been removed from facility.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42354 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 55 PWD: 86
Name: **Union Carbide Corp., North Charleston Bulk Terminal, Dock No. 1.**
Port: Huntington
Location: Mile 55.1, right bank, Kanawha River, North Charleston. Datum: NPE
Operator: Union Carbide Corp.
Owner: Union Carbide Corp.
Address: Phone: 304/747-2899
Town: N. Charleston State: WV County: Kanawha
Railway Connection: Three surface tracks serving terminal in rear and connecting with Consolidated Rail Corp. were not in use at time of survey.
Purpose: Receipt and shipment of liquid chemicals.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.373056
Total Berthing Space (feet): 390 | | Longitude (decimal): -81.68833

Waterway: **Kanawha River** Mile: 55 PWD: 86
Name: **Union Carbide Corp., North Charleston Bulk Terminal, Dock No. 1.**
Port: Huntington
Location: Mile 55.1, right bank, Kanawha River, North Charleston. Datum: NPE
Operator: Union Carbide Corp.
Owner: Union Carbide Corp.
Address: Phone: 304/747-2899
Town: N. Charleston State: WV County: Kanawha
Railway Connection: Three surface tracks serving terminal in rear and connecting with Consolidated Rail Corp. were not in use at time of survey.
Purpose: Receipt and shipment of liquid chemicals.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.373056
Total Berthing Space (feet): 390 | | Longitude (decimal): -81.68833
Remarks: Seven 4-inch pipelines extend from wharf to 38 steel storage tanks at rear, total capacity 16,000,000 gallons.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42355 Huntington District

Remarks: Seven 4-inch pipelines extend from wharf to 38 steel storage tanks at rear, total capacity 16,000,000 gallons.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42355 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 55 PWD: 86
Name: **Union Carbide Corp., North Charleston Bulk Terminal, Dock No. 1.**
Port: Huntington
Location: Mile 55.1, right bank, Kanawha River, North Charleston. Datum: NPE
Operator: Union Carbide Corp.
Owner: Union Carbide Corp.
Address: Phone: 304/747-2899
Town: N. Charleston State: WV County: Kanawha
Railway Connection: Three surface tracks serving terminal in rear and connecting with Consolidated Rail Corp. were not in use at time of survey.
Purpose: Receipt and shipment of liquid chemicals.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.373056
Total Berthing Space (feet): 390 | | Longitude (decimal): -81.68833

Waterway: **Kanawha River** Mile: 55 PWD: 86
Name: **Union Carbide Corp., North Charleston Bulk Terminal, Dock No. 1.**
Port: Huntington
Location: Mile 55.1, right bank, Kanawha River, North Charleston. Datum: NPE
Operator: Union Carbide Corp.
Owner: Union Carbide Corp.
Address: Phone: 304/747-2899
Town: N. Charleston State: WV County: Kanawha
Railway Connection: Three surface tracks serving terminal in rear and connecting with Consolidated Rail Corp. were not in use at time of survey.
Purpose: Receipt and shipment of liquid chemicals.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.373056
Total Berthing Space (feet): 390 | | Longitude (decimal): -81.68833
Remarks: Seven 4-inch pipelines extend from wharf to 38 steel storage tanks at rear, total capacity 16,000,000 gallons.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42355 Huntington District

Remarks: Seven 4-inch pipelines extend from wharf to 38 steel storage tanks at rear, total capacity 16,000,000 gallons.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42355 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 55 PWD: 85
Name: **Union Carbide Corp., North Charleston Bulk Terminal, Dock No. 2.**
Port: Huntington
Location: Mile 55.2, right bank, Kanawha River, North Charleston. Datum: NPE
Operator: Union Carbide Corp.
Owner: Union Carbide Corp.
Address: Phone: 304/747-2899
Town: N. Charleston State: WV County: Kanawha
Railway Connection: Three surface tracks serving terminal in rear and connecting with Consolidated Rail Corp. were not in use at time of survey.
Purpose: Receipt of propylene.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.372778
Total Berthing Space (feet): 195 | | Longitude (decimal): -81.68611

Waterway: **Kanawha River** Mile: 55 PWD: 85
Name: **Union Carbide Corp., North Charleston Bulk Terminal, Dock No. 2.**
Port: Huntington
Location: Mile 55.2, right bank, Kanawha River, North Charleston. Datum: NPE
Operator: Union Carbide Corp.
Owner: Union Carbide Corp.
Address: Phone: 304/747-2899
Town: N. Charleston State: WV County: Kanawha
Railway Connection: Three surface tracks serving terminal in rear and connecting with Consolidated Rail Corp. were not in use at time of survey.
Purpose: Receipt of propylene.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.372778
Total Berthing Space (feet): 195 | | Longitude (decimal): -81.68611
Remarks: One 6-inch pipeline extends from wharf to 3 steel storage tanks at rear, total capacity 946,000 gallons.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42355 Huntington District

Remarks: One 6-inch pipeline extends from wharf to 3 steel storage tanks at rear, total capacity 946,000 gallons.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42355 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 55 PWD: 85
Name: **Union Carbide Corp., North Charleston Bulk Terminal, Dock No. 2.**
Port: Huntington
Location: Mile 55.2, right bank, Kanawha River, North Charleston. Datum: NPE
Operator: Union Carbide Corp.
Owner: Union Carbide Corp.
Address: Phone: 304/747-2899
Town: N. Charleston State: WV County: Kanawha
Railway Connection: Three surface tracks serving terminal in rear and connecting with Consolidated Rail Corp. were not in use at time of survey.
Purpose: Receipt of propylene.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.372778
Total Berthing Space (feet): 195 | | Longitude (decimal): -81.68611

Waterway: **Kanawha River** Mile: 55 PWD: 85
Name: **Union Carbide Corp., North Charleston Bulk Terminal, Dock No. 2.**
Port: Huntington
Location: Mile 55.2, right bank, Kanawha River, North Charleston. Datum: NPE
Operator: Union Carbide Corp.
Owner: Union Carbide Corp.
Address: Phone: 304/747-2899
Town: N. Charleston State: WV County: Kanawha
Railway Connection: Three surface tracks serving terminal in rear and connecting with Consolidated Rail Corp. were not in use at time of survey.
Purpose: Receipt of propylene.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.372778
Total Berthing Space (feet): 195 | | Longitude (decimal): -81.68611
Remarks: One 6-inch pipeline extends from wharf to 3 steel storage tanks at rear, total capacity 946,000 gallons.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42355 Huntington District

Remarks: One 6-inch pipeline extends from wharf to 3 steel storage tanks at rear, total capacity 946,000 gallons.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42355 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 55 PWD: 84
Name: **Union Carbide Corp., North Charleston Bulk Terminal, Dock No. 3.**
Port: Huntington
Location: Mile 55.3, right bank, Kanawha River, North Charleston. Datum: NPE
Operator: Union Carbide Corp.
Owner: Union Carbide Corp.
Address: Phone: 304/747-2899
Town: N. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Mooring company-owned floating equipment for cleaning and maintenance.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.372222
Total Berthing Space (feet): 260 | | Longitude (decimal): -81.68361
Remarks: Wharf is equipped with three 4-inch water lines and outlets for supplying compressed air, steam and electricity.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42355 Huntington District

---

Waterway: **Kanawha River** Mile: 55 PWD: 38
Name: **Union Carbide Corp., South Charleston Plant, Dock No. 4.**
Port: Huntington
Location: Mile 55.4, left bank, Kanawha River, Blaines Island, South Charleston. Datum: NPE
Operator: Union Carbide Corp.
Owner: Union Carbide Corp.
Address: Phone: 304/747-2899
Town: S. Charleston State: WV County: Kanawha
Railway Connection: Five surface tracks serve chemical plant in rear; connect with CSX Rail Transport.
Purpose: Receipt and shipment of liquid chemicals.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.371111
Total Berthing Space (feet): 500 | | Longitude (decimal): -81.68333
Remarks: One 6- and five 4-inch pipelines extend from wharf to 18 steel storage tanks at rear, total capacity 5,000,000 gallons.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42355 Huntington District

---

Waterway: **Kanawha River** Mile: 56 PWD: 83
Name: **Chevron U. S. A., Charleston Terminal Dock.**
Port: Huntington
Location: Mile 55.6, right bank, Kanawha River, North Charleston. Datum: NPE
Operator: Chevron U. S. A., Inc.
Owner: Chevron U. S. A., Inc.
Address: 207-15 26th Street West Phone: 304/342-1123
Town: N. Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.371944
Total Berthing Space (feet): 390 | | Longitude (decimal): -81.68
Remarks: One 8- and three 6-inch pipelines extend from wharf to 6 steel storage tanks at rear, total capacity 117,300 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42355 Huntington District

---

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 57 PWD: 40
Name: **Rheox, Charleston Terminal Dock.**
Port: Huntington
Location: Mile 56.8, left bank, Kanawha River, Charleston. Datum: NPE
Operator: Southwestern Portland Cement Co.
Owner: Rheox, Inc.
Address: 1007 MacCorkle Avenue Phone: 304/348-0806
Town: Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Receipt of bulk cement.
Depth Alongside (feet): 13 | | Latitude (decimal): 38.360833
Total Berthing Space (feet): 300 | | Longitude (decimal): -81.66111
Remarks: Access is via 12-foot wide, concrete tunnel under MacCorkle Avenue. One 12-inch pipeline extends from wharf through tunnel to 6 cement storage silos at rear, total capacity 11,700 tons.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42356 Huntington District

---

Waterway: **Kanawha River** Mile: 57 PWD: 39
Name: **Trojan Steel Co. Dock.**
Port: Huntington
Location: Mile 56.7, left bank, Kanawha River, Charleston. Datum: NPE
Operator: Trojan Steel Co. and W & W Towing Co., Inc.
Owner: Trojan Steel Co.
Address: 1414 MacCorkle Avenue, S. W. Phone: 304/746-1224
Town: Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Receipt and shipment of steel products; mooring company-owned towboats.
Depth Alongside (feet): 11 | | Latitude (decimal): 38.362222
Total Berthing Space (feet): 500 | | Longitude (decimal): -81.66472
Remarks: Steel fabrication plant, warehouse, and approximately 1 acre of open storage area are located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42356 Huntington District

---

Waterway: **Kanawha River** Mile: 58 PWD: 78
Name: **City of Charleston Public Wharf.**
Port: Huntington
Location: Mile 58.4, right bank, Kanawha River, Charleston. Datum: NPE
Operator: City of Charleston.
Owner: City of Charleston.
Address: Phone: 304/348-8106
Town: Charleston State: WV County: Kanawha
Railway Connection: None.
Purpose: Mooring vessels; landing for harbor excursion vessel 'P. A. Denny.'
Depth Alongside (feet): 9 | | Latitude (decimal): 38.349444
Total Berthing Space (feet): 500 | | Longitude (decimal): -81.64111
Remarks: A parking lot is located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42358 Huntington District

---

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 58 PWD: 41

Name: **Exxon Co., USA, Charleston Terminal Dock.**

Port: Huntington

Location: Mile 57.9, left bank, Kanawha River, Charleston. Datum: NPE

Operator: Exxon Co., USA.

Owner: Exxon Co., USA.

Address: Phone: 304/347-1059

Town: Charleston State: WV County: Kanawha

Railway Connection: None.

Purpose: Receipt of petroleum products including aviation fuel.

Depth Alongside (feet): 15 | | Latitude (decimal): 38.352778

Total Berthing Space (feet): 600 | | Longitude (decimal): -81.64667

Remarks: Access is via 12-foot wide, concrete tunnel under MacCorkle Avenue. Four 8- and five 6-inch pipelines extend from wharf through tunnel to 10 steel storage tanks at rear, total capacity 175,000 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42357 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 64 PWD: 77
Name: **Amherst Industries, Port Amherst Aggregates Dock.**
Port: Huntington
Location: Mile 63.7, right bank, Kanawha River, Port Amherst. Datum: NPE
Operator: Amherst Industries, Inc., and Madison Coal & Supply Co.
Owner: Amherst Industries, Inc.
Address: 2 Port Amherst Drive Phone: 304/922-1140
Town: Port Amherst State: WV County: Kanawha
Railway Connection: None.
Purpose: Receipt of limestone, sand, gravel, steel products, and heavy equipment; mooring company-owned equipment.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.310278
Total Berthing Space (feet): 175 | | Longitude (decimal): -81.56056

Waterway: **Kanawha River** Mile: 64 PWD: 77
Name: **Amherst Industries, Port Amherst Aggregates Dock.**
Port: Huntington
Location: Mile 63.7, right bank, Kanawha River, Port Amherst. Datum: NPE
Operator: Amherst Industries, Inc., and Madison Coal & Supply Co.
Owner: Amherst Industries, Inc.
Address: 2 Port Amherst Drive Phone: 304/922-1140
Town: Port Amherst State: WV County: Kanawha
Railway Connection: None.
Purpose: Receipt of limestone, sand, gravel, steel products, and heavy equipment; mooring company-owned equipment.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.310278
Total Berthing Space (feet): 175 | | Longitude (decimal): -81.56056
Remarks: Open storage area at rear has capacity for 10,000 tons of limestone, 4,000 tons of sand, and 4,000 tons of gravel. Floating equipment owned by Madison Coal & Supply Co. is moored at upper end.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42363 Huntington District

Remarks: Open storage area at rear has capacity for 10,000 tons of limestone, 4,000 tons of sand, and 4,000 tons of gravel. Floating equipment owned by Madison Coal & Supply Co. is moored at upper end.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42363 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 64 PWD: 77
Name: **Amherst Industries, Port Amherst Aggregates Dock.**
Port: Huntington
Location: Mile 63.7, right bank, Kanawha River, Port Amherst. Datum: NPE
Operator: Amherst Industries, Inc., and Madison Coal & Supply Co.
Owner: Amherst Industries, Inc.
Address: 2 Port Amherst Drive Phone: 304/922-1140
Town: Port Amherst State: WV County: Kanawha
Railway Connection: None.
Purpose: Receipt of limestone, sand, gravel, steel products, and heavy equipment; mooring company-owned equipment.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.310278
Total Berthing Space (feet): 175 | | Longitude (decimal): -81.56056

Waterway: **Kanawha River** Mile: 64 PWD: 77
Name: **Amherst Industries, Port Amherst Aggregates Dock.**
Port: Huntington
Location: Mile 63.7, right bank, Kanawha River, Port Amherst. Datum: NPE
Operator: Amherst Industries, Inc., and Madison Coal & Supply Co.
Owner: Amherst Industries, Inc.
Address: 2 Port Amherst Drive Phone: 304/922-1140
Town: Port Amherst State: WV County: Kanawha
Railway Connection: None.
Purpose: Receipt of limestone, sand, gravel, steel products, and heavy equipment; mooring company-owned equipment.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.310278
Total Berthing Space (feet): 175 | | Longitude (decimal): -81.56056

Remarks: Open storage area at rear has capacity for 10,000 tons of limestone, 4,000 tons of sand, and 4,000 tons of gravel. Floating equipment owned by Madison Coal & Supply Co. is moored at upper end.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42363 Huntington District

Remarks: Open storage area at rear has capacity for 10,000 tons of limestone, 4,000 tons of sand, and 4,000 tons of gravel. Floating equipment owned by Madison Coal & Supply Co. is moored at upper end.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42363 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 64 PWD: 76
Name: **Amherst Industries, Port Amherst Coal Dock.**
Port: Huntington
Location: Mile 63.9, right bank, Kanawha River, Port Amherst. Datum: NPE
Operator: Amherst Industries, Inc.
Owner: Amherst Industries, Inc.
Address: 2 Port Amherst Drive Phone: 304/922-1140
Town: Port Amherst State: WV County: Kanawha
Railway Connection: Three surface tracks in rear, total capacity 45 cars, connect with CSX Rail Transport.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.305556
Total Berthing Space (feet): 500 | | Longitude (decimal): -81.55972

Waterway: **Kanawha River** Mile: 64 PWD: 76
Name: **Amherst Industries, Port Amherst Coal Dock.**
Port: Huntington
Location: Mile 63.9, right bank, Kanawha River, Port Amherst. Datum: NPE
Operator: Amherst Industries, Inc.
Owner: Amherst Industries, Inc.
Address: 2 Port Amherst Drive Phone: 304/922-1140
Town: Port Amherst State: WV County: Kanawha
Railway Connection: Three surface tracks in rear, total capacity 45 cars, connect with CSX Rail Transport.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.305556
Total Berthing Space (feet): 500 | | Longitude (decimal): -81.55972
Remarks: Open storage area at rear has capacity for 15,000 tons of coal. Wharf has capacity for mooring approximately 20 empty barges above and 20 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42363 Huntington District

Remarks: Open storage area at rear has capacity for 15,000 tons of coal. Wharf has capacity for mooring approximately 20 empty barges above and 20 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42363 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 64 PWD: 76
Name: **Amherst Industries, Port Amherst Coal Dock.**
Port: Huntington
Location: Mile 63.9, right bank, Kanawha River, Port Amherst. Datum: NPE
Operator: Amherst Industries, Inc.
Owner: Amherst Industries, Inc.
Address: 2 Port Amherst Drive Phone: 304/922-1140
Town: Port Amherst State: WV County: Kanawha
Railway Connection: Three surface tracks in rear, total capacity 45 cars, connect with CSX Rail Transport.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.305556
Total Berthing Space (feet): 500 | | Longitude (decimal): -81.55972

Waterway: **Kanawha River** Mile: 64 PWD: 76
Name: **Amherst Industries, Port Amherst Coal Dock.**
Port: Huntington
Location: Mile 63.9, right bank, Kanawha River, Port Amherst. Datum: NPE
Operator: Amherst Industries, Inc.
Owner: Amherst Industries, Inc.
Address: 2 Port Amherst Drive Phone: 304/922-1140
Town: Port Amherst State: WV County: Kanawha
Railway Connection: Three surface tracks in rear, total capacity 45 cars, connect with CSX Rail Transport.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.305556
Total Berthing Space (feet): 500 | | Longitude (decimal): -81.55972
Remarks: Open storage area at rear has capacity for 15,000 tons of coal. Wharf has capacity for mooring approximately 20 empty barges above and 20 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42363 Huntington District

Remarks: Open storage area at rear has capacity for 15,000 tons of coal. Wharf has capacity for mooring approximately 20 empty barges above and 20 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42363 Huntington District

Waterway: **Kanawha River** Mile: 68 PWD: 75
Name: **Du Pont Belle Plant, Dock No. 1.**
Port: Huntington
Location: Mile 68.2, right bank, Kanawha River, Belle. Datum: NPE
Operator: E. I. du Pont de Nemours & Co.
Owner: E. I. du Pont de Nemours & Co.
Address: 901 West Du Pont Avenue. Phone: 304/357-1718
Town: Belle State: WV County: Kanawha
Railway Connection: Plant trackage connects with Consolidated Rail Corp.
Purpose: Receipt of anhydrous ammonia.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.244722
Total Berthing Space (feet): 510 | | Longitude (decimal): -81.55944
Remarks: One 10-inch line extends from wharf to one steel storage tank at rear, total capacity 3,683,000 gallons. In addition, one 2-inch compressed air line and one 1-inch steam line serve wharf.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42368 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 69 PWD: 74
Name: **Du Pont Belle Plant, Dock No. 2.**
Port: Huntington
Location: Mile 68.7, right bank, Kanawha River, Belle. Datum: NPE
Operator: E. I. du Pont de Nemours & Co.
Owner: E. I. du Pont de Nemours & Co.
Address: 901 West Du Pont Avenue. Phone: 304/357-1028
Town: Belle State: WV County: Kanawha
Railway Connection: Plant trackage connects with Consolidated Rail Corp.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.241944
Total Berthing Space (feet): 475 | | Longitude (decimal): -81.55694
Remarks: Open storage area at rear has capacity for 20,000 tons of coal. Wharf has capacity for mooring 3 barges.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42368 Huntington District

---

Waterway: **Kanawha River** Mile: 69 PWD: 73
Name: **Du Pont Belle Plant, Dock No. 4.**
Port: Huntington
Location: Mile 69.1, right bank, Kanawha River, Belle. Datum: NPE
Operator: E. I. du Pont de Nemours & Co.
Owner: E. I. du Pont de Nemours & Co.
Address: 901 West Du Pont Avenue. Phone: 304/357-1478
Town: Belle State: WV County: Kanawha
Railway Connection: Plant trackage connects with Consolidated Rail Corp.
Purpose: Receipt of acetone and methanol; shipment of refined glycol.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.238889
Total Berthing Space (feet): | | Longitude (decimal): -81.55167
Remarks: Three 8-inch pipelines extend from wharf to two acetone storage tanks, total capacity 1,000,000 gallons, 10 methanol storage tanks, total capacity 5,000,000 gallons, and from one 500,000-gallon refined glycol sto

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42369 Huntington District

---

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 69 PWD: 42
Name: **Hatfield Dock & Transfer, Marmet Dock.**
Port: Huntington
Location: Mile 68.95, left bank, Kanawha River, Marmet. Datum: NPE
Operator: Electric Fuels Corp.
Owner: Electric Fuels Corp.
Address: Phone: 304/949-3336
Town: Marmet State: WV County: Kanawha
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.238056
Total Berthing Space (feet): 1560 | | Longitude (decimal): -81.55417
Remarks: Approximately eight acres of open storage area with capacity for 40,000 tons of coal are located at rear. Wharf has capacity for mooring 4 empty barges above and 8 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42369 Huntington District

---

Waterway: **Kanawha River** Mile: 69 PWD: 72
Name: **Occidental Chemical Corp., Belle Plant Docks.**
Port: Huntington
Location: Mile 69.3, right bank, Kanawha River, Belle. Datum: NPE
Operator: Occidental Chemical Corp.
Owner: Occidental Chemical Corp.
Address: Phone: 304/949-4515
Town: Belle State: WV County: Kanawha
Railway Connection: Five surface tracks serve plant in rear, total capacity 10 cars; connect with Consolidated Rail Corp.
Purpose: Receipt of chlorine at upper dock; shipment of chlorinated solvents at lower dock.
Depth Alongside (feet): 12 | 12 | Latitude (decimal): 38.235833
Total Berthing Space (feet): | | Longitude (decimal): -81.5475
Remarks: One 3- and one 2-inch pipelines extend from upper dock to 7 chlorine storage tanks at rear, total capacity 100,000 gallons. Two 6-inch pipelines extend to lower dock from 3 chlorinated solvents storage tanks at 1,000,000 gallons.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42369 Huntington District

---

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 69 PWD: 43
Name: **River Point Processing Co. Dock.**
Port: Huntington
Location: Mile 69.2, left bank, Kanawha River, Marmet. Datum: NPE
Operator: River Point Processing Co.
Owner: River Point Processing Co.
Address: 11003 MacCorkle Avenue Phone: 304/949-6242
Town: Marmet State: WV County: Kanawha
Railway Connection: Two surface tracks in rear, total capacity 65 cars, connecting with CSX Rail Transport were not in use at time of survey.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.236667
Total Berthing Space (feet): 910 | | Longitude (decimal): -81.55222
Remarks: Open storage area with capacity for 50,000 tons of coal is located at rear. Wharf has capacity for mooring 7 empty barges above and 4 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42369 Huntington District

---

Waterway: **Kanawha River** Mile: 70 PWD: 71
Name: **Cecil I. Walker Machinery Co., Belle Dock.**
Port: Huntington
Location: Mile 70.1, right bank, Kanawha River, Belle. Datum: NPE
Operator: Cecil I. Walker Machinery Co.
Owner: Cecil I. Walker Machinery Co.
Address: Phone: 304/949-6400
Town: Belle State: WV County: Kanawha
Railway Connection: None.
Purpose: Mooring vessels for diesel engine maintenance and repair.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.228056
Total Berthing Space (feet): 175 | | Longitude (decimal): -81.53778
Remarks: Approximately 25 acres of open storage area and engine repair shops are located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42370 Huntington District

---

Waterway: **Kanawha River** Mile: 70 PWD: 44
Name: **Shamblin Stone, Marmet Yard Dock.**
Port: Huntington
Location: Mile 69.5, left bank, Kanawha River, Marmet. Datum: NPE
Operator: Shamblin Stone, Inc.
Owner: Shamblin Stone, Inc.
Address: Phone: 304/949-5614
Town: Marmet State: WV County: Kanawha
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.235556
Total Berthing Space (feet): | | Longitude (decimal): -81.55056
Remarks: Approximately 5 acres of open storage area are located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42369 Huntington District

---

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 72 PWD: 45
Name: **Winifrede Railroad, Chesapeake Dock.**
Port: Huntington
Location: Mile 71.7, left bank, Kanawha River, Chesapeake. Datum: NPE
Operator: Winifrede Railroad Co.
Owner: Winifrede Railroad Co.
Address: 1 Carbon Center Phone: 304/949-6083
Town: Chesapeake State: WV County: Kanawha
Railway Connection: Twelve surface tracks in rear with capacity for 100 loaded and 60 empty cars connect with Winifrede Railroad Company and CSX Rail Transport.
Purpose: Shipment of coal. (See Remarks).
Depth Alongside (feet): 14 | | Latitude (decimal): 38.211111
Total Berthing Space (feet): 2000 | | Longitude (decimal): -81.52139
Remarks: Wharf with capacity for mooring 30 empty barges above and 30 loaded barges below was inactive at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42371 Huntington District

---

Waterway: **Kanawha River** Mile: 73 PWD: 46
Name: **Amherst Industries, Chelyan Dock.**
Port: Huntington
Location: Mile 73.0, left bank, Kanawha River, Chelyan. Datum: NPE
Operator: Cannelton Industries, Inc.
Owner: Amherst Industries, Inc.
Address: Phone: 304/595-4720
Town: Chelyan State: WV County: Kanawha
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 16 | | Latitude (decimal): 38.197778
Total Berthing Space (feet): 700 | | Longitude (decimal): -81.50556
Remarks: Open storage area located at rear has capacity for 6,000 tons of coal is located at rear. Wharf has capacity for mooring 2 empty barges above and 2 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42373 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 73 PWD: 70
Name: **Hatfield Dock & Transfer, Quincy Dock.**
Port: Huntington
Location: Mile 73.15, right bank, Kanawha River, Quincy. Datum: NPE
Operator: Electric Fuels Corp.
Owner: Electric Fuels Corp.
Address: Phone: 304/949-3336
Town: Quincy State: WV County: Kanawha
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 38.198611
Total Berthing Space (feet): 875 | | Longitude (decimal): -81.5
Remarks: Open storage area at rear has capacity for 100,000 tons of coal. Facility has capacity for mooring 20 empty barges above, and 20 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42373 Huntington District

---

Waterway: **Kanawha River** Mile: 73 PWD: 47
Name: **Nu East Mining Corp., Chelyan Dock.**
Port: Huntington
Location: Mile 73.2, left bank, Kanawha River, Chelyan. Datum: NPE
Operator: Nu East Mining Corp.
Owner: Nu East Mining Corp.
Address: Phone: 304/595-1134
Town: Chelyan State: WV County: Kanawha
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.196389
Total Berthing Space (feet): 1225 | | Longitude (decimal): -81.49917
Remarks: Approximately 5 acres of open storage area are located at rear. Wharf has capacity for mooring 8 empty barges above and 12 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42373 Huntington District

---

Waterway: **Kanawha River** Mile: 75 PWD: 50
Name: **Catenary Coal Co., Coalburg East Dock**
Port: Huntington
Location: Mile 75.3, left bank, Kanawha River, Coalburg. Datum: NPE
Operator: Not operated.
Owner: Catenary Coal Co.
Address: Phone: 304/595-1452
Town: Coalburg State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.204722
Total Berthing Space (feet): 380 | | Longitude (decimal): -81.46417
Remarks: Wharf formerly was used for shipment of coal. Open storage area at rear of railroad tracks has capacity for 2,000 tons of coal.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42375 Huntington District

---

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 75 PWD: 49
Name: **Catenary Coal Co., Coalburg West Dock**
Port: Huntington
Location: Mile 75.1, left bank, Kanawha River, Coalburg. Datum: NPE
Operator: Not operated.
Owner: Catenary Coal Co.
Address: Phone: 304/595-1452
Town: Coalburg State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.203333
Total Berthing Space (feet): 800 | | Longitude (decimal): -81.46778
Remarks: Wharf formerly was used for shipment of coal. Open storage area at rear has capacity for 10,000 tons. Wharf has capacity for mooring 4 empty barges above and 4 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42375 Huntington District

---

Waterway: **Kanawha River** Mile: 75 PWD: 69
Name: **Shrewsbury Coal Co., Shrewsbury Dock.**
Port: Huntington
Location: Mile 74.6, right bank, Kanawha River, Shrewsbury. Datum: NPE
Operator: Shrewsbury Coal Co.
Owner: Valley Camp Coal Co.
Address: 2971 E. DuPont Avenue. Phone: 304/595-2131
Town: Shrewsbury State: WV County: Kanawha
Railway Connection: Two surface tracks in rear, total capacity 22 cars, connect with Consolidated Rail Corp.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.202222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -81.47639
Remarks: Open storage area at rear has capacity for approximately 30,000 tons of coal. Wharf has capacity for mooring 30 empty barges above and 30 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42374 Huntington District

---

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 75 PWD: 48
Name: **Uno-Ven Co., Cabin Creek Terminal Dock.**
Port: Huntington
Location: Mile 74.6, left bank, Kanawha River, Cabin Creek. Datum: NPE
Operator: Not operated.
Owner: Uno-Ven Co.
Address: Phone: 304/768-9846
Town: Cabin Creek State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 38.200833
Total Berthing Space (feet): 392 | | Longitude (decimal): -81.47333
Remarks: Wharf formerly was used for the receipt of lubricating oil. Two 8-, two 6-, and one 4-inch pipelines extending from wharf to 5 steel storage tanks at rear, total capacity 19,500 barrels, were not in use at time o closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42374 Huntington District

---

Waterway: **Kanawha River** Mile: 76 PWD: 68
Name: **Indiana & Michigan Power Co., Cedar Grove Landing.**
Port: Huntington
Location: Mile 76.4, right bank, Kanawha River, Monarch. Datum: NPE
Operator: Indiana & Michigan Power Co.
Owner: Mitchell Rashid.
Address: Phone: 304/675-4700
Town: Monarch State: WV County: Kanawha
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.217778
Total Berthing Space (feet): 1200 | | Longitude (decimal): -81.45083
Remarks: Facility has capacity for mooring approximately 20 barges arranged in 5 tiers, each 4 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42376 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 76 PWD: 51
Name: **W. R. Morris, East Bank Dock.**
Port: Huntington
Location: Mile 76.0, left bank, Kanawha River, East Bank. Datum: NPE
Operator: Not operated. (See Remarks.)
Owner: W. R. Morris, Inc.
Address: Phone: 304/595-1818
Town: East Bank State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.213056
Total Berthing Space (feet): 1000 | | Longitude (decimal): -81.455
Remarks: Facility formerly was used for shipment of coal. Open storage area at rear has capacity for 10,500 tons. At time of survey, plans called for the installation of new coal loading equipment, including a telescopic reclaim hoppers, a larger screening and crushing unit, six steel pile breasting dolphins and five timber pile breasting dolphins. Proposed wharf will have capacity for mooring 3 empty barges above, and 6 loaded barge

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42376 Huntington District

---

Waterway: **Kanawha River** Mile: 78 PWD: 66
Name: **Appalachian Power Co., Kanawha River Plant Dock.**
Port: Huntington
Location: Mile 78.3, right bank, Kanawha River, Glasgow. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/595-3480x1
Town: Glasgow State: WV County: Kanawha
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of coal for plant consumption.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.2075
Total Berthing Space (feet): 1050 | | Longitude (decimal): -81.42583
Remarks: Open storage area has capacity for approximately 325,000 tons of coal. Wharf has capacity for mooring 6 empty barges below, and 6 loaded barges above. One icebreaker cell is located at upper end.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42378 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 78 PWD: 67
Name: **Shrewsbury Coal Co., Cedar Grove Dock.**
Port: Huntington
Location: Mile 77.7, right bank, Kanawha River, Cedar Grove. Datum: NPE
Operator: Shrewsbury Coal Co.
Owner: Valley Camp Coal Co.
Address: 2971 East DuPont Avenue Phone: 304/595-2131
Town: Cedar Grove State: WV County: Kanawha
Railway Connection: Two surface tracks in rear, total capacity 34 cars; connect with Consolidated Rail Corp.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 - 18 | | Latitude (decimal): 38.217222
Total Berthing Space (feet): 1200 | | Longitude (decimal): -81.43139
Remarks: Facility has capacity for mooring 16 empty barges above and 35 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42377 Huntington District

---

Waterway: **Kanawha River** Mile: 79 PWD: 53
Name: **Catenary Coal Co., Crown Hill Lower Dock.**
Port: Huntington
Location: Mile 79.1, left bank, Kanawha River, Crown Hill. Datum: NPE
Operator: Catenary Coal Co.
Owner: Catenary Coal Co.
Address: Phone: 304/595-1452
Town: Crown Hill State: WV County: Kanawha
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.201944
Total Berthing Space (feet): 560 | | Longitude (decimal): -81.41333

Waterway: **Kanawha River** Mile: 79 PWD: 53
Name: **Catenary Coal Co., Crown Hill Lower Dock.**
Port: Huntington
Location: Mile 79.1, left bank, Kanawha River, Crown Hill. Datum: NPE
Operator: Catenary Coal Co.
Owner: Catenary Coal Co.
Address: Phone: 304/595-1452
Town: Crown Hill State: WV County: Kanawha
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.201944
Total Berthing Space (feet): 560 | | Longitude (decimal): -81.41333
Remarks: Open storage area at rear has capacity for 2,000 tons of material.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42379 Huntington District

---

Remarks: Open storage area at rear has capacity for 2,000 tons of material.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42379 Huntington District

---

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 79 PWD: 53
Name: **Catenary Coal Co., Crown Hill Lower Dock.**
Port: Huntington
Location: Mile 79.1, left bank, Kanawha River, Crown Hill. Datum: NPE
Operator: Catenary Coal Co.
Owner: Catenary Coal Co.
Address: Phone: 304/595-1452
Town: Crown Hill State: WV County: Kanawha
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.201944
Total Berthing Space (feet): 560 | | Longitude (decimal): -81.41333

Waterway: **Kanawha River** Mile: 79 PWD: 53
Name: **Catenary Coal Co., Crown Hill Lower Dock.**
Port: Huntington
Location: Mile 79.1, left bank, Kanawha River, Crown Hill. Datum: NPE
Operator: Catenary Coal Co.
Owner: Catenary Coal Co.
Address: Phone: 304/595-1452
Town: Crown Hill State: WV County: Kanawha
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.201944
Total Berthing Space (feet): 560 | | Longitude (decimal): -81.41333

Remarks: Open storage area at rear has capacity for 2,000 tons of material.□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42379 Huntington District

Remarks: Open storage area at rear has capacity for 2,000 tons of material.□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42379 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 79 PWD: 54
Name: **Catenary Coal Co., Crown Hill Upper Dock.**
Port: Huntington
Location: Mile 79.2, left bank, Kanawha River, Crown Hill. Datum: NPE
Operator: Catenary Coal Co.
Owner: Catenary Coal Co.
Address: Phone: 304/595-1452
Town: Crown Hill State: WV County: Kanawha
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.202222
Total Berthing Space (feet): 1000 | | Longitude (decimal): -81.4125

Waterway: **Kanawha River** Mile: 79 PWD: 54
Name: **Catenary Coal Co., Crown Hill Upper Dock.**
Port: Huntington
Location: Mile 79.2, left bank, Kanawha River, Crown Hill. Datum: NPE
Operator: Catenary Coal Co.
Owner: Catenary Coal Co.
Address: Phone: 304/595-1452
Town: Crown Hill State: WV County: Kanawha
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.202222
Total Berthing Space (feet): 1000 | | Longitude (decimal): -81.4125

Remarks: Open storage area at rear has capacity for 100,000 tons of coal. Wharf has capacity for mooring 15 empty barges above and 10 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42379 Huntington District

Remarks: Open storage area at rear has capacity for 100,000 tons of coal. Wharf has capacity for mooring 15 empty barges above and 10 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42379 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 79 PWD: 54
Name: **Catenary Coal Co., Crown Hill Upper Dock.**
Port: Huntington
Location: Mile 79.2, left bank, Kanawha River, Crown Hill. Datum: NPE
Operator: Catenary Coal Co.
Owner: Catenary Coal Co.
Address: Phone: 304/595-1452
Town: Crown Hill State: WV County: Kanawha
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.202222
Total Berthing Space (feet): 1000 | | Longitude (decimal): -81.4125

Waterway: **Kanawha River** Mile: 79 PWD: 54
Name: **Catenary Coal Co., Crown Hill Upper Dock.**
Port: Huntington
Location: Mile 79.2, left bank, Kanawha River, Crown Hill. Datum: NPE
Operator: Catenary Coal Co.
Owner: Catenary Coal Co.
Address: Phone: 304/595-1452
Town: Crown Hill State: WV County: Kanawha
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.202222
Total Berthing Space (feet): 1000 | | Longitude (decimal): -81.4125

Remarks: Open storage area at rear has capacity for 100,000 tons of coal. Wharf has capacity for mooring 15 empty barges above and 10 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42379 Huntington District

Remarks: Open storage area at rear has capacity for 100,000 tons of coal. Wharf has capacity for mooring 15 empty barges above and 10 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42379 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 79 PWD: 52
Name: **Kanawha Transportation Center, Kanawha River Dock.**
Port: Huntington
Location: Mile 78.95, left bank, Kanawha River, Crown Hill. Datum: NPE
Operator: Not operated. (See Remarks.)
Owner: Kanawha Transportation Center, Inc.
Address: Phone: 614/926-1351
Town: Crown Hill State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.201389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -81.41694
Remarks: Open storage area at rear has capacity for 40,000 tons of coal. Wharf with capacity for mooring 4 empty barges above, and 4 loaded barges below was in the preconstruction stage at time of survey and will be used coal; type of construction and equipment are described as specified in the permit.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42378 Huntington District

---

Waterway: **Kanawha River** Mile: 80 PWD: 65
Name: **Raleigh Junk Co., Riverside Yard Dock.**
Port: Huntington
Location: Mile 79.6, right bank, Kanawha River, Riverside. Datum: NPE
Operator: Raleigh Junk Co.
Owner: Raleigh Junk Co.
Address: U. S. Route 60 Phone: 304/949-1597
Town: Riverside State: WV County: Kanawha
Railway Connection: One surface track at rear of face, total length 200 feet; connects with Consolidated Rail Corp..
Purpose: Shipment of scrap metal.
Depth Alongside (feet): 8 | | Latitude (decimal): 38.205833
Total Berthing Space (feet): 195 | | Longitude (decimal): -81.40472
Remarks: Approximately 15 acres of open storage area are located at rear.□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42379 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 82 PWD: 63
Name: **Baker Oil Co. Dock.**
Port: Huntington
Location: Mile 81.6, right bank, Kanawha River, Hugheston. Datum: NPE
Operator: Baker Oil Co.
Owner: Baker Oil Co.
Address: U. S. Highway 60 Phone: 304/442-2439
Town: Hugheston State: WV County: Kanawha
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.206944
Total Berthing Space (feet): 400 | | Longitude (decimal): -81.37611
Remarks: Four 8-inch pipelines extend from wharf to 5 steel storage tanks at rear, total capacity 115,000 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42381 Huntington District

---

Waterway: **Kanawha River** Mile: 82 PWD: 64
Name: **Montgomery Iron & Dock, Hugheston Dock.**
Port: Huntington
Location: Mile 81.5, right bank, Kanawha River, Hugheston. Datum: NPE
Operator: Not operated.
Owner: Montgomery Iron & Dock, Inc.
Address: Phone: 304/442-2100
Town: Hugheston State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.210278
Total Berthing Space (feet): 780 | | Longitude (decimal): -81.37778
Remarks: Facility former used for shipment of coal has capacity for mooring 2 empty barges above, and 2 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42381 Huntington District

---

Waterway: **Kanawha River** Mile: 82 PWD: 62
Name: **Shamblin Stone, Hugheston Dock**
Port: Huntington
Location: Mile 81.7, right bank, Kanawha River, Hugheston. Datum: NPE
Operator: Shamblin Stone, Inc.
Owner: Shamblin Stone, Inc.
Address: Phone: 304/442-9487
Town: Hugheston State: WV County: Kanawha
Railway Connection: None.
Purpose: Receipt of limestone, salt, sand, and gravel.
Depth Alongside (feet): 8 | | Latitude (decimal): 38.205556
Total Berthing Space (feet): | | Longitude (decimal): -81.37556
Remarks: Approximately 5 acres of open storage area are located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42381 Huntington District

---

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 84 PWD: 61
Name: **Cannelton Industries Dock.**
Port: Huntington
Location: Mile 84.2, right bank, Kanawha River, 1.5 miles above London. Datum: NPE
Operator: Cannelton Industries, Inc.
Owner: Cannelton Industries, Inc.
Address: Phone: 304/442-9575
Town: London State: WV County: Kanawha
Railway Connection: One surface track in rear connecting with CSX Rail Transport was not in use at time of survey.
Purpose: Shipment of coal.
Depth Alongside (feet): 12 - 15 | | Latitude (decimal): 38.182778
Total Berthing Space (feet): 3000 | | Longitude (decimal): -81.34611
Remarks: Open storage area with capacity for 400,000 tons of coal is located at rear. Wharf has capacity for mooring 19 empty barges above, and 17 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42384 Huntington District

---

Waterway: **Kanawha River** Mile: 84 PWD: 55
Name: **Nu East Mining, Montgomery Dock.**
Port: Huntington
Location: Mile 84.4, left bank, Kanawha River, Montgomery. Datum: NPE
Operator: Not operated.
Owner: Nu East Mining Corp.
Address: Phone: 304/344-0300
Town: Montgomery State: WV County: Kanawha
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 7 | | Latitude (decimal): 38.180833
Total Berthing Space (feet): 900 | | Longitude (decimal): -81.345
Remarks: Facility formerly used for shipment of coal has capacity for mooring 10 empty barges above and 6 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42384 Huntington District

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 85 PWD: 56
Name: **Marsico Brothers Dock.**
Port: Huntington
Location: Mile 84.7, left bank, Kanawha River, Montgomery. Datum: NPE
Operator: Marsico Brothers, Inc.
Owner: Marsico Brothers, Inc.
Address: 1214 2d Avenue Phone: 304/442-9331
Town: Montgomery State: WV County: Kanawha
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.180833
Total Berthing Space (feet): 400 | | Longitude (decimal): -81.33611
Remarks: Ready-mix concrete plant and open storage area with capacity for 19,000 tons of material are located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42384 Huntington District

---

Waterway: **Kanawha River** Mile: 87 PWD: 57
Name: **Cyprus Kanawha Corp., Eagle Loading Facility Dock.**
Port: Huntington
Location: Mile 87.2, left bank, Kanawha River, Eagle. Datum: NPE
Operator: Cyprus Kanawha Corp.
Owner: Cyprus Kanawha Corp.
Address: Phone: 304/442-4572
Town: Eagle State: WV County: Fayette
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.164722
Total Berthing Space (feet): 2970 | | Longitude (decimal): -81.30806
Remarks: Wharf has capacity for mooring 8 empty barges above and 10 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42387 Huntington District

---

Waterway: **Kanawha River** Mile: 88 PWD: 60
Name: **Hawks Nest Mining Co., Harewood Loading Dock.**
Port: Huntington
Location: Mile 88.1, right bank, Kanawha River, Harewood. Datum: NPE
Operator: Hawks Nest Mining Co.
Owner: Hawks Nest Mining Co.
Address: Phone: 304/343-6550
Town: Harewood State: WV County: Fayette
Railway Connection: One surface track serving coal loading spout in rear, total capacity 47 cars, connecting with CSX Rail Transport, was not in use at time of survey.
Purpose: Shipment of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.156389
Total Berthing Space (feet): 1750 | | Longitude (decimal): -81.29611
Remarks: Open storage area with capacity for 20,000 tons of coal is located at rear.Facility has capacity for mooring 12 empty barges above and 15 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42388 Huntington District

---

Port Facilities by Waterway

Waterway: **Kanawha River** Mile: 89 PWD: 59
Name: **Exxon Co., USA, Boomer Terminal Dock.**
Port: Huntington
Location: Mile 88.9, right bank, Kanawha River, Boomer. Datum: NPE
Operator: Not operated.
Owner: Exxon Co., USA.
Address: Phone: 304/347-1059
Town: Boomer State: WV County: Fayette
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 38.148056
Total Berthing Space (feet): 400 | | Longitude (decimal): -81.28722
Remarks: Wharf formerly was used for the receipt of petroleum products. Two 8- and three 6-inch pipelines extending from wharf to 4 steel storage tanks at rear, total capacity 115,600 barrels, were not in use at time of s

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42388 Huntington District

---

Waterway: **Kanawha River** Mile: 90 PWD: 58
Name: **Elkhem Metals Co. Dock.**
Port: Huntington
Location: Mile 89.7, right bank, Kanawha River, Alloy. Datum: NPE
Operator: Elkhem Metals Co. and Vandalia Mining Corp.
Owner: Elkhem Metals Co.
Address: Phone: 304/779-3300
Town: Alloy State: WV County: Fayette
Railway Connection: Two surface tracks in rear; connect with CSX Rail Transport and Norfolk Southern Railway Co.
Purpose: Shipment and occasional receipt of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.136389
Total Berthing Space (feet): 675 | | Longitude (decimal): -81.28056
Remarks: Open storage area with capacity for 100,000 tons of coal is located at rear. Wharf has capacity for mooring 24 empty barges above and 24 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42389 Huntington District

---

Port Facilities by Waterway

Waterway: **Little Kanawha River** Mile: 2 PWD: 123
Name: **Dravo Basic Materials Co., Merrill Yard Dock.**
Port: Huntington
Location: Mile 2.1, left bank, Little Kanawha River, Parkersburg. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Foot of Kanawha Street. Phone: 304/428-5501
Town: Parkersburg State: WV County: Wood
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.254444
Total Berthing Space (feet): 800 | | Longitude (decimal): -81.53333

Waterway: **Little Kanawha River** Mile: 2 PWD: 123
Name: **Dravo Basic Materials Co., Merrill Yard Dock.**
Port: Huntington
Location: Mile 2.1, left bank, Little Kanawha River, Parkersburg. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Foot of Kanawha Street. Phone: 304/428-5501
Town: Parkersburg State: WV County: Wood
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.254444
Total Berthing Space (feet): 800 | | Longitude (decimal): -81.53333

Remarks: Approximately 13 acres of open storage area are located at rear with capacity for 60,000 tons of material.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42797 Huntington District

Remarks: Approximately 13 acres of open storage area are located at rear with capacity for 60,000 tons of material.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42797 Huntington District

Port Facilities by Waterway

Waterway: **Little Kanawha River** Mile: 2 PWD: 123
Name: **Dravo Basic Materials Co., Merrill Yard Dock.**
Port: Huntington
Location: Mile 2.1, left bank, Little Kanawha River, Parkersburg. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Foot of Kanawha Street. Phone: 304/428-5501
Town: Parkersburg State: WV County: Wood
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.254444
Total Berthing Space (feet): 800 | | Longitude (decimal): -81.53333

Waterway: **Little Kanawha River** Mile: 2 PWD: 123
Name: **Dravo Basic Materials Co., Merrill Yard Dock.**
Port: Huntington
Location: Mile 2.1, left bank, Little Kanawha River, Parkersburg. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Foot of Kanawha Street. Phone: 304/428-5501
Town: Parkersburg State: WV County: Wood
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.254444
Total Berthing Space (feet): 800 | | Longitude (decimal): -81.53333

Remarks: Approximately 13 acres of open storage area are located at rear with capacity for 60,000 tons of material.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42797 Huntington District

Remarks: Approximately 13 acres of open storage area are located at rear with capacity for 60,000 tons of material.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42797 Huntington District

Port Facilities by Waterway

Waterway: **Mill Creek** Mile: 1 PWD: 118
Name: **Valley Millwood Plant Dock.**
Port: Huntington
Location: Mile 0.8, left bank, Mill Creek, Millwood. Datum: NPE
Operator: Valley, Inc.
Owner: Valley, Inc.
Address: Phone: 304/273-5555
Town: Millwood State: WV County: Jackson
Railway Connection: One surface track connects with CSX Rail Transport.
Purpose: Receipt of limestone, sand, gravel, aluminum ingots, and salt.
Depth Alongside (feet): 12 - 14 | | Latitude (decimal): 38.89
Total Berthing Space (feet): 175 | | Longitude (decimal): -81.84972
Remarks: Open storage area with capacity for 30,000 tons of material is located at rear. Two storage warehouses located at rear have capacity for 4,000 tons of salt. An additional four storage warehouses are available fo products and other materials.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42749 Huntington District

---

Waterway: **Ohio River** Mile: 102 PWD: 235
Name: **Ohio Edison Co., R. E. Burger Power Plant, Unloading Dock.**
Port: Ohio River 40 - 317
Location: Mile 102.2, right bank, Ohio River, Shadyside. Datum: NPE
Operator: Ohio Edison Co.
Owner: Ohio Edison Co.
Address: 57246 Ferry Landing Road Phone: 614/671-2907
Town: Shadyside State: OH County: Belmont
Railway Connection: One surface track serves plant in rear; connects with Consolidated Rail Corp.
Purpose: Receipt of coal.
Depth Alongside (feet): 18 | | Latitude (decimal): 39.911111
Total Berthing Space (feet): 1560 | | Longitude (decimal): -80.75722
Remarks: Open storage area at rear is served by a 180-foot radial stacker and has capacity for 550,000 tons of coal.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43878 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 103 PWD: 236
Name: **Ohio River Sand and Gravel Co., Dilles Bottom Plant Wharf.**
Port: Ohio River 40 - 317
Location: Mile 103.3, right bank, Ohio River, Dilles Bottom. Datum: NPE
Operator: Ohio River Sand and Gravel Co.
Owner: Ohio River Sand and Gravel Co.
Address: Mead Township Road 533. Phone: 614/676-3090
Town: Dilles Bottom State: OH County: Belmont
Railway Connection: None.
Purpose: Shipment of sand and gravel.
Depth Alongside (feet): 9 | | Latitude (decimal): 39.911944
Total Berthing Space (feet): 1000 | | Longitude (decimal): -80.77389
Remarks: Gravel pit and open storage area with capacity for 100,000 tons of sand and gravel are located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43877 Huntington District

---

Waterway: **Ohio River** Mile: 104 PWD: 237
Name: **The North American Coal Corp., Mine No. 3, Dock.**
Port: Ohio River 40 - 317
Location: Mile 104.0, right bank, Ohio River, Dilles Bottom. Datum: NPE
Operator: Not operated.
Owner: The North American Coal Corp.
Address: 155 State Highway 7 Phone: 614/795-4346
Town: Dilles Bottom State: OH County: Belmont
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 23 | | Latitude (decimal): 39.917222
Total Berthing Space (feet): 900 | | Longitude (decimal): -80.785
Remarks: -

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43877 Huntington District

---

Waterway: **Ohio River** Mile: 106 PWD: 156
Name: **Hanlin Chemicals-West Virginia Dock.**
Port: Huntington
Location: Mile 105.9, left bank, Ohio River, 4.3 miles below Moundsville. Datum: NPE
Operator: Hanlin Chemicals-West Virginia, Inc.
Owner: Hanlin Chemicals-West Virginia, Inc.
Address: Phone: 304/843-1310
Town: Moundsville State: WV County: Marshall
Railway Connection: Nine surface tracks serve plant in rear; connect with CSX Rail Transport.
Purpose: Shipment of caustic soda and chlorine; receipt of methanol.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.905556
Total Berthing Space (feet): | | Longitude (decimal): -80.80583
Remarks: One 4-inch pipeline extends to wharf from 4 caustic soda storage tanks at rear, total capacity 600,000 gallons; one 1 1/2-inch pipeline extends to wharf from 4 chlorine storage tanks at rear, total capacity 1,400 6-inch pipeline extends from wharf to one 500,000-gallon methanol storage tank.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43875 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 110 PWD: 155
Name: **Consolidation Coal Co., Ireland Mine Loading Dock.**
Port: Huntington
Location: Mile 110.4, left bank, Ohio River, Franklin Township. Datum: NPE
Operator: Consolidation Coal Co.
Owner: Consolidation Coal Co.
Address: Phone: 304/843-3520
Town: Franklin Twnshi State: WV County: Marshall
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.851667
Total Berthing Space (feet): 2650 | | Longitude (decimal): -80.81194
Remarks: One concrete silo at rear has capacity for 1,800 tons of coal. Bulldozers and front-end loaders are available as needed. Fleeting area has capacity for mooring 16 empty and 20 loaded barges.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43870 Huntington District

---

Waterway: **Ohio River** Mile: 111 PWD: 238
Name: **Ohio Valley Transloading Co., Loading Dock.**
Port: Ohio River 40 - 317
Location: Mile 110.6, right bank, Ohio River, Powhatan Point.. Datum: NPE
Operator: Ohio Valley Transloading Co.
Owner: American Sales Co.
Address: State Hwy 7. Phone: 614/795-4967
Town: Powhatan Point. State: OH County: Belmont
Railway Connection: One surface track serves undertrack pit in rear; connects with Consolidated Rail Corp.
Purpose: Receipt and shipment of coal; receipt of limestone.
Depth Alongside (feet): 23 | 23 | Latitude (decimal): 39.852222
Total Berthing Space (feet): 1515 | 360 | Longitude (decimal): -80.81833
Remarks: Open storage area with capacity for 250,000 tons is served by a free fall stacker and electric belt conveyor system extending from rail car pit.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43870 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 112 PWD: 154
Name: **Ohio Power Co., Mitchell Power Plant, Coal Unloading Dock.**
Port: Huntington
Location: Mile 112.3, left bank, Ohio River, Franklin Township. Datum: NPE
Operator: Ohio Power Co., a subsidiary of American Electric Power Co.
Owner: Ohio Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/845-6220x3
Town: Franklin Twnshi State: WV County: Marshall
Railway Connection: Three surface tracks serve plant in rear; connect with CSX Rail Transport.
Purpose: Occasional receipt of coal.
Depth Alongside (feet): 14 | | Latitude (decimal): 39.83
Total Berthing Space (feet): 1800 | | Longitude (decimal): -80.82139

Waterway: **Ohio River** Mile: 112 PWD: 154
Name: **Ohio Power Co., Mitchell Power Plant, Coal Unloading Dock.**
Port: Huntington
Location: Mile 112.3, left bank, Ohio River, Franklin Township. Datum: NPE
Operator: Ohio Power Co., a subsidiary of American Electric Power Co.
Owner: Ohio Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/845-6220x3
Town: Franklin Twnshi State: WV County: Marshall
Railway Connection: Three surface tracks serve plant in rear; connect with CSX Rail Transport.
Purpose: Occasional receipt of coal.
Depth Alongside (feet): 14 | | Latitude (decimal): 39.83
Total Berthing Space (feet): 1800 | | Longitude (decimal): -80.82139

Remarks: Open storage area at rear has capacity for 1,400,000 tons of coal. A company- owned towboat is used for handling barges.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43868 Huntington District

Remarks: Open storage area at rear has capacity for 1,400,000 tons of coal. A company- owned towboat is used for handling barges.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43868 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 112 PWD: 154
Name: **Ohio Power Co., Mitchell Power Plant, Coal Unloading Dock.**
Port: Huntington
Location: Mile 112.3, left bank, Ohio River, Franklin Township. Datum: NPE
Operator: Ohio Power Co., a subsidiary of American Electric Power Co.
Owner: Ohio Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/845-6220x3
Town: Franklin Twnshi State: WV County: Marshall
Railway Connection: Three surface tracks serve plant in rear; connect with CSX Rail Transport.
Purpose: Occasional receipt of coal.
Depth Alongside (feet): 14 | | Latitude (decimal): 39.83
Total Berthing Space (feet): 1800 | | Longitude (decimal): -80.82139

Waterway: **Ohio River** Mile: 112 PWD: 154
Name: **Ohio Power Co., Mitchell Power Plant, Coal Unloading Dock.**
Port: Huntington
Location: Mile 112.3, left bank, Ohio River, Franklin Township. Datum: NPE
Operator: Ohio Power Co., a subsidiary of American Electric Power Co.
Owner: Ohio Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/845-6220x3
Town: Franklin Twnshi State: WV County: Marshall
Railway Connection: Three surface tracks serve plant in rear; connect with CSX Rail Transport.
Purpose: Occasional receipt of coal.
Depth Alongside (feet): 14 | | Latitude (decimal): 39.83
Total Berthing Space (feet): 1800 | | Longitude (decimal): -80.82139

Remarks: Open storage area at rear has capacity for 1,400,000 tons of coal. A company- owned towboat is used for handling barges.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43868 Huntington District

Remarks: Open storage area at rear has capacity for 1,400,000 tons of coal. A company- owned towboat is used for handling barges.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43868 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 113 PWD: 153
Name: **Ohio Power Co., Mitchell Power Plant, Fuel Oil Dock.**
Port: Huntington
Location: Mile 112.5, left bank, Ohio River, Franklin Township. Datum: NPE
Operator: Ohio Power Co., a subsidiary of American Electric Power Co.
Owner: Ohio Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/845-6220x3
Town: Franklin Twnshi State: WV County: Marshall
Railway Connection: Three surface tracks serve plant in rear; connect with CSX Rail Transport.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 14 | | Latitude (decimal): 39.826944
Total Berthing Space (feet): 160 | | Longitude (decimal): -80.82028

Waterway: **Ohio River** Mile: 113 PWD: 153
Name: **Ohio Power Co., Mitchell Power Plant, Fuel Oil Dock.**
Port: Huntington
Location: Mile 112.5, left bank, Ohio River, Franklin Township. Datum: NPE
Operator: Ohio Power Co., a subsidiary of American Electric Power Co.
Owner: Ohio Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/845-6220x3
Town: Franklin Twnshi State: WV County: Marshall
Railway Connection: Three surface tracks serve plant in rear; connect with CSX Rail Transport.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 14 | | Latitude (decimal): 39.826944
Total Berthing Space (feet): 160 | | Longitude (decimal): -80.82028

Remarks: One 8-inch pipeline extends from wharf to 3 steel storage tanks at rear, total capacity 48,000 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43868 Huntington District

Remarks: One 8-inch pipeline extends from wharf to 3 steel storage tanks at rear, total capacity 48,000 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43868 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 113 PWD: 153
Name: **Ohio Power Co., Mitchell Power Plant, Fuel Oil Dock.**
Port: Huntington
Location: Mile 112.5, left bank, Ohio River, Franklin Township. Datum: NPE
Operator: Ohio Power Co., a subsidiary of American Electric Power Co.
Owner: Ohio Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/845-6220x3
Town: Franklin Twnshi State: WV County: Marshall
Railway Connection: Three surface tracks serve plant in rear; connect with CSX Rail Transport.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 14 | | Latitude (decimal): 39.826944
Total Berthing Space (feet): 160 | | Longitude (decimal): -80.82028

Waterway: **Ohio River** Mile: 113 PWD: 153
Name: **Ohio Power Co., Mitchell Power Plant, Fuel Oil Dock.**
Port: Huntington
Location: Mile 112.5, left bank, Ohio River, Franklin Township. Datum: NPE
Operator: Ohio Power Co., a subsidiary of American Electric Power Co.
Owner: Ohio Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/845-6220x3
Town: Franklin Twnshi State: WV County: Marshall
Railway Connection: Three surface tracks serve plant in rear; connect with CSX Rail Transport.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 14 | | Latitude (decimal): 39.826944
Total Berthing Space (feet): 160 | | Longitude (decimal): -80.82028

Remarks: One 8-inch pipeline extends from wharf to 3 steel storage tanks at rear, total capacity 48,000 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43868 Huntington District

Remarks: One 8-inch pipeline extends from wharf to 3 steel storage tanks at rear, total capacity 48,000 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43868 Huntington District

Waterway: **Ohio River** Mile: 115 PWD: 152
Name: **Columbian Chemicals Co., Marshall Plant Dock.**
Port: Huntington
Location: Mile 114.5, left bank, Ohio River, approximately 0.8 mile below Fish Creek. Datum: NPE
Operator: Columbian Chemicals Co.
Owner: Columbian Chemicals Co.
Address: Phone: 304/845-1519
Town: Graysville Stat State: WV County: Marshall
Railway Connection: One surface track serves terminal in rear; connects with CSX Rail Transport.
Purpose: Receipt of carbon black feed stock oil.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.798889
Total Berthing Space (feet): 170 | | Longitude (decimal): -80.82361
Remarks: One 6-inch pipeline extends from wharf to 4 steel storage tanks at rear, total capacity 6,000,000 gallons.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43866 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 116 PWD: 239
Name: **Quarto Mining Co., Powhatan 4, Loading Dock.**
Port: Ohio River 40 - 317
Location: Mile 115.6, right bank, Ohio River, Clarington. Datum: NPE
Operator: Quarto Mining Co., subsidiary of Consolidation Coal Co.
Owner: Quarto Mining Co., subsidiary of Consolidation Coal Co.
Address: 1029 Market Street Phone: 614/458-2016
Town: Clarington State: OH County: Monroe
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 21 | | Latitude (decimal): 39.788611
Total Berthing Space (feet): 1555 | | Longitude (decimal): -80.83972
Remarks: Open storage area at rear is served by a free fall stacker and has capacity for 300,000 tons of coal.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43865 Huntington District

---

Waterway: **Ohio River** Mile: 119 PWD: 151
Name: **PPG Industries, Natrium Plant Benzene Dock.**
Port: Huntington
Location: Mile 119.1, left bank, Ohio River, Natrium. Datum: NPE
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: Phone: 304/845-2200x3
Town: Natrium State: WV County: Marshall
Railway Connection: Four surface tracks serve plant in rear; connect with CSX Rail Transport.
Purpose: Receipt of benzene.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.748889
Total Berthing Space (feet): 180 | | Longitude (decimal): -80.8575

Waterway: **Ohio River** Mile: 119 PWD: 151
Name: **PPG Industries, Natrium Plant Benzene Dock.**
Port: Huntington
Location: Mile 119.1, left bank, Ohio River, Natrium. Datum: NPE
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: Phone: 304/845-2200x3
Town: Natrium State: WV County: Marshall
Railway Connection: Four surface tracks serve plant in rear; connect with CSX Rail Transport.
Purpose: Receipt of benzene.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.748889
Total Berthing Space (feet): 180 | | Longitude (decimal): -80.8575
Remarks: One 4-inch pipeline extends from wharf to one 500,000-gallon steel storage tank at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43861 Huntington District

---

Remarks: One 4-inch pipeline extends from wharf to one 500,000-gallon steel storage tank at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43861 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 119 PWD: 151
Name: **PPG Industries, Natrium Plant Benzene Dock.**
Port: Huntington
Location: Mile 119.1, left bank, Ohio River, Natrium. Datum: NPE
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: Phone: 304/845-2200x3
Town: Natrium State: WV County: Marshall
Railway Connection: Four surface tracks serve plant in rear; connect with CSX Rail Transport.
Purpose: Receipt of benzene.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.748889
Total Berthing Space (feet): 180 | | Longitude (decimal): -80.8575

Waterway: **Ohio River** Mile: 119 PWD: 151
Name: **PPG Industries, Natrium Plant Benzene Dock.**
Port: Huntington
Location: Mile 119.1, left bank, Ohio River, Natrium. Datum: NPE
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: Phone: 304/845-2200x3
Town: Natrium State: WV County: Marshall
Railway Connection: Four surface tracks serve plant in rear; connect with CSX Rail Transport.
Purpose: Receipt of benzene.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.748889
Total Berthing Space (feet): 180 | | Longitude (decimal): -80.8575
Remarks: One 4-inch pipeline extends from wharf to one 500,000-gallon steel storage tank at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43861 Huntington District

Remarks: One 4-inch pipeline extends from wharf to one 500,000-gallon steel storage tank at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43861 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 119 PWD: 150
Name: **PPG Industries, Natrium Plant Caustic and Chlorine Docks.**
Port: Huntington
Location: Mile 119.4, left bank, Ohio River, Natrium. Datum: NPE
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: Phone: 304/845-2200x3
Town: Natrium State: WV County: Marshall
Railway Connection: Four surface tracks serve plant in rear; connect with CSX Rail Transport.
Purpose: Shipment of chlorine and caustic soda.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.746389
Total Berthing Space (feet): 1040 | | Longitude (decimal): -80.85583

Waterway: **Ohio River** Mile: 119 PWD: 150
Name: **PPG Industries, Natrium Plant Caustic and Chlorine Docks.**
Port: Huntington
Location: Mile 119.4, left bank, Ohio River, Natrium. Datum: NPE
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: Phone: 304/845-2200x3
Town: Natrium State: WV County: Marshall
Railway Connection: Four surface tracks serve plant in rear; connect with CSX Rail Transport.
Purpose: Shipment of chlorine and caustic soda.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.746389
Total Berthing Space (feet): 1040 | | Longitude (decimal): -80.85583
Remarks: One 6-inch pipeline extends to wharf from one 275,000-gallon caustic soda storage tank and one 2-inch pipeline extends to wharf from one 30,000-gallon chlorine storage tank at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43861 Huntington District

Remarks: One 6-inch pipeline extends to wharf from one 275,000-gallon caustic soda storage tank and one 2-inch pipeline extends to wharf from one 30,000-gallon chlorine storage tank at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43861 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 119 PWD: 150
Name: **PPG Industries, Natrium Plant Caustic and Chlorine Docks.**
Port: Huntington
Location: Mile 119.4, left bank, Ohio River, Natrium. Datum: NPE
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: Phone: 304/845-2200x3
Town: Natrium State: WV County: Marshall
Railway Connection: Four surface tracks serve plant in rear; connect with CSX Rail Transport.
Purpose: Shipment of chlorine and caustic soda.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.746389
Total Berthing Space (feet): 1040 | | Longitude (decimal): -80.85583

Waterway: **Ohio River** Mile: 119 PWD: 150
Name: **PPG Industries, Natrium Plant Caustic and Chlorine Docks.**
Port: Huntington
Location: Mile 119.4, left bank, Ohio River, Natrium. Datum: NPE
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: Phone: 304/845-2200x3
Town: Natrium State: WV County: Marshall
Railway Connection: Four surface tracks serve plant in rear; connect with CSX Rail Transport.
Purpose: Shipment of chlorine and caustic soda.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.746389
Total Berthing Space (feet): 1040 | | Longitude (decimal): -80.85583
Remarks: One 6-inch pipeline extends to wharf from one 275,000-gallon caustic soda storage tank and one 2-inch pipeline extends to wharf from one 30,000-gallon chlorine storage tank at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43861 Huntington District

Remarks: One 6-inch pipeline extends to wharf from one 275,000-gallon caustic soda storage tank and one 2-inch pipeline extends to wharf from one 30,000-gallon chlorine storage tank at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43861 Huntington District

Waterway: **Ohio River** Mile: 120 PWD: 149
Name: **PPG Industries, Natrium Plant, Coal Unloading Dock.**
Port: Huntington
Location: Mile 119.5, left bank, Ohio River, Natrium. Datum: NPE
Operator: PPG Industries, Inc.
Owner: PPG Industries, Inc.
Address: Phone: 304/845-2200x3
Town: Natrium State: WV County: Marshall
Railway Connection: Four surface tracks serve plant in rear; connect with CSX Rail Transport.
Purpose: Receipt of coal.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.744722
Total Berthing Space (feet): 1160 | | Longitude (decimal): -80.85333
Remarks: Open storage area at rear has capacity for 100,000 tons of coal. Wharf has capacity for mooring 10 loaded barges above and 20 empty barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43861 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 120 PWD: 240
Name: **Quarto Mining Co., Powhatan 7, Loading Dock.**
Port: Ohio River 40 - 317
Location: Mile 120.2, right bank, Ohio River, Clarington. Datum: NPE
Operator: Quarto Mining Co., subsidiary of Consolidation Coal Co.
Owner: Quarto Mining Co., subsidiary of Consolidation Coal Co.
Address: State Highway 7. Phone: 614/458-2016
Town: Clarington State: OH County: Monroe
Railway Connection: None.
Purpose: Mooring barges.
Depth Alongside (feet): 21 | | Latitude (decimal): 39.735556
Total Berthing Space (feet): 1570 | | Longitude (decimal): -80.84611
Remarks: At time of survey mine was closed. Open storage area at rear with capacity for 100,000 tons of coal was not in use.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43865 Huntington District

---

Waterway: **Ohio River** Mile: 121 PWD: 148
Name: **Miles, New Martinsville Plant, North Dock.**
Port: Huntington
Location: Mile 121.3, left bank, Ohio River, Franklin Township. Datum: NPE
Operator: Miles, Inc.
Owner: Miles, Inc.
Address: Phone: 304/455-4400x2
Town: Franklin Townsh State: WV County: Marshall
Railway Connection: One surface track serves plant in rear; connects with CSX Rail Transport.
Purpose: Receipt of benzene and toluene; shipment of hydrochloric acid.
Depth Alongside (feet): 18 | | Latitude (decimal): 39.727222
Total Berthing Space (feet): 150 | | Longitude (decimal): -80.83556
Remarks: One 4-inch pipeline extends from wharf to 3 steel hydrochloric acid storage tanks, total capacity 2,000,000 gallons; one 6-inch pipeline extends from wharf to 2 benzene tanks, total capacity 900,000 gallons; and extends from wharf to one 500,000-gallon toluene tank.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43860 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 121 PWD: 147

Name: **Miles, New Martinsville Plant, South Dock.**

Port: Huntington

Location: Mile 121.3, left bank, Ohio River, Franklin Township. Datum: NPE

Operator: Miles, Inc.

Owner: Miles, Inc.

Address: Phone: 304/455-4400x2

Town: Franklin Townsh State: WV County: Marshall

Railway Connection: One surface track serves plant in rear; connects with CSX Rail Transport.

Purpose: Receipt of fuel oil for plant consumption; receipt of aniline oil.

Depth Alongside (feet): 20 | | Latitude (decimal): 39.723889

Total Berthing Space (feet): 140 | | Longitude (decimal): -80.8325

Remarks: One 8-inch pipeline extends from wharf to 2 steel fuel oil storage tanks, total capacity 95,200 barrels; and one 6-inch pipeline extends from wharf to 2 aniline oil storage tanks, total capacity 1,000,000 gallons

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43860 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 123 PWD: 241
Name: **Ormet Corp., Upstream Wharf.**
Port: Ohio River 40 - 317
Location: Mile 123.1, right bank, Ohio River, Hannibal. Datum: NPE
Operator: Ormet Corp. and Westbank Harbor Services, Inc.
Owner: Ormet Corp.
Address: State Highway 7. Phone: 614/483-2678
Town: Hannibal State: OH County: Monroe
Railway Connection: Trackage serving plant in rear connects with CSX Rail Transport.
Purpose: Mooring barges for storage, maintenance, repair and fleeting (See Remarks).
Depth Alongside (feet): 21 | | Latitude (decimal): 39.7025
Total Berthing Space (feet): 1120 | | Longitude (decimal): -80.83722

Waterway: **Ohio River** Mile: 123 PWD: 241
Name: **Ormet Corp., Upstream Wharf.**
Port: Ohio River 40 - 317
Location: Mile 123.1, right bank, Ohio River, Hannibal. Datum: NPE
Operator: Ormet Corp. and Westbank Harbor Services, Inc.
Owner: Ormet Corp.
Address: State Highway 7. Phone: 614/483-2678
Town: Hannibal State: OH County: Monroe
Railway Connection: Trackage serving plant in rear connects with CSX Rail Transport.
Purpose: Mooring barges for storage, maintenance, repair and fleeting (See Remarks).
Depth Alongside (feet): 21 | | Latitude (decimal): 39.7025
Total Berthing Space (feet): 1120 | | Longitude (decimal): -80.83722

Remarks: Westbank Harbor Services, Inc. maintains fleet with capacity for 15 barges arranged in 5 tiers each 3 barges wide at wharf

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43857 Huntington District

Remarks: Westbank Harbor Services, Inc. maintains fleet with capacity for 15 barges arranged in 5 tiers each 3 barges wide at wharf

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43857 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 123 PWD: 241
Name: **Ormet Corp., Upstream Wharf.**
Port: Ohio River 40 - 317
Location: Mile 123.1, right bank, Ohio River, Hannibal. Datum: NPE
Operator: Ormet Corp. and Westbank Harbor Services, Inc.
Owner: Ormet Corp.
Address: State Highway 7. Phone: 614/483-2678
Town: Hannibal State: OH County: Monroe
Railway Connection: Trackage serving plant in rear connects with CSX Rail Transport.
Purpose: Mooring barges for storage, maintenance, repair and fleeting (See Remarks).
Depth Alongside (feet): 21 | | Latitude (decimal): 39.7025
Total Berthing Space (feet): 1120 | | Longitude (decimal): -80.83722

Waterway: **Ohio River** Mile: 123 PWD: 241
Name: **Ormet Corp., Upstream Wharf.**
Port: Ohio River 40 - 317
Location: Mile 123.1, right bank, Ohio River, Hannibal. Datum: NPE
Operator: Ormet Corp. and Westbank Harbor Services, Inc.
Owner: Ormet Corp.
Address: State Highway 7. Phone: 614/483-2678
Town: Hannibal State: OH County: Monroe
Railway Connection: Trackage serving plant in rear connects with CSX Rail Transport.
Purpose: Mooring barges for storage, maintenance, repair and fleeting (See Remarks).
Depth Alongside (feet): 21 | | Latitude (decimal): 39.7025
Total Berthing Space (feet): 1120 | | Longitude (decimal): -80.83722

Remarks: Westbank Harbor Services, Inc. maintains fleet with capacity for 15 barges arranged in 5 tiers each 3 barges wide at wharf

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43857 Huntington District

Remarks: Westbank Harbor Services, Inc. maintains fleet with capacity for 15 barges arranged in 5 tiers each 3 barges wide at wharf

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43857 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 124 PWD: 242
Name: **Ormet Corp., Alumina Unloading Wharf.**
Port: Ohio River 40 - 317
Location: Mile 123.6, right bank, Ohio River, Hannibal. Datum: NPE
Operator: Ormet Corp. and Westbank Harbor Services, Inc.
Owner: Ormet Corp.
Address: State Highway 7 Phone: 614/483-2678
Town: Hannibal State: OH County: Monroe
Railway Connection: Trackage serving plant in rear connects with CSX Rail Transport.
Purpose: Receipt of alumina; mooring barges for fleeting. (See Remarks.)
Depth Alongside (feet): 21 | | Latitude (decimal): 39.699722
Total Berthing Space (feet): 2500 | | Longitude (decimal): -80.84472

Waterway: **Ohio River** Mile: 124 PWD: 242
Name: **Ormet Corp., Alumina Unloading Wharf.**
Port: Ohio River 40 - 317
Location: Mile 123.6, right bank, Ohio River, Hannibal. Datum: NPE
Operator: Ormet Corp. and Westbank Harbor Services, Inc.
Owner: Ormet Corp.
Address: State Highway 7 Phone: 614/483-2678
Town: Hannibal State: OH County: Monroe
Railway Connection: Trackage serving plant in rear connects with CSX Rail Transport.
Purpose: Receipt of alumina; mooring barges for fleeting. (See Remarks.)
Depth Alongside (feet): 21 | | Latitude (decimal): 39.699722
Total Berthing Space (feet): 2500 | | Longitude (decimal): -80.84472

Remarks: Eight steel storage silos at plant in rear have total capacity for 37,000 tons of alumina.□Westbank Harbor Services, Inc. performs towing and fleeting services and maintains loaded fleet with capacity for 15 barges arranged in 5 tiers each 3 barges wide at lower dolphins and a similar empty fleet at upper dolphins and at Ref. No. 241.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43857 Huntington District

Remarks: Eight steel storage silos at plant in rear have total capacity for 37,000 tons of alumina.□Westbank Harbor Services, Inc. performs towing and fleeting services and maintains loaded fleet with capacity for 15 barges arranged in 5 tiers each 3 barges wide at lower dolphins and a similar empty fleet at upper dolphins and at Ref. No. 241.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43857 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 124 PWD: 242
Name: **Ormet Corp., Alumina Unloading Wharf.**
Port: Ohio River 40 - 317
Location: Mile 123.6, right bank, Ohio River, Hannibal. Datum: NPE
Operator: Ormet Corp. and Westbank Harbor Services, Inc.
Owner: Ormet Corp.
Address: State Highway 7 Phone: 614/483-2678
Town: Hannibal State: OH County: Monroe
Railway Connection: Trackage serving plant in rear connects with CSX Rail Transport.
Purpose: Receipt of alumina; mooring barges for fleeting. (See Remarks.)
Depth Alongside (feet): 21 | | Latitude (decimal): 39.699722
Total Berthing Space (feet): 2500 | | Longitude (decimal): -80.84472

Waterway: **Ohio River** Mile: 124 PWD: 242
Name: **Ormet Corp., Alumina Unloading Wharf.**
Port: Ohio River 40 - 317
Location: Mile 123.6, right bank, Ohio River, Hannibal. Datum: NPE
Operator: Ormet Corp. and Westbank Harbor Services, Inc.
Owner: Ormet Corp.
Address: State Highway 7 Phone: 614/483-2678
Town: Hannibal State: OH County: Monroe
Railway Connection: Trackage serving plant in rear connects with CSX Rail Transport.
Purpose: Receipt of alumina; mooring barges for fleeting. (See Remarks.)
Depth Alongside (feet): 21 | | Latitude (decimal): 39.699722
Total Berthing Space (feet): 2500 | | Longitude (decimal): -80.84472

Remarks: Eight steel storage silos at plant in rear have total capacity for 37,000 tons of alumina.□Westbank Harbor Services, Inc. performs towing and fleeting services and maintains loaded fleet with capacity for 15 barges arranged in 5 tiers each 3 barges wide at lower dolphins and a similar empty fleet at upper dolphins and at Ref. No. 241.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43857 Huntington District

Remarks: Eight steel storage silos at plant in rear have total capacity for 37,000 tons of alumina.□Westbank Harbor Services, Inc. performs towing and fleeting services and maintains loaded fleet with capacity for 15 barges arranged in 5 tiers each 3 barges wide at lower dolphins and a similar empty fleet at upper dolphins and at Ref. No. 241.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43857 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 125 PWD: 243
Name: **Dock Side Hannibal Terminal Dock.**
Port: Ohio River 40 - 317
Location: Mile 124.6, right bank, Ohio River, Hannibal. Datum: NPE
Operator: Dock Side, Inc., a subsidiary of Marietta Industrial Enterprises, Inc.
Owner: Marietta Industrial Enterprises, Inc.
Address: State Highway 7 Phone: 614/373-2252
Town: Hannibal State: OH County: Monroe
Railway Connection: None.
Purpose: Receipt and shipment of petroleum coke, coal, and other miscellaneous bulk materials.
Depth Alongside (feet): 15 | 15 | Latitude (decimal): 39.692778
Total Berthing Space (feet): 195 | 195 | Longitude (decimal): -80.86333
Remarks: Barges breast on outside of crane barge(s).□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43856 Huntington District

---

Waterway: **Ohio River** Mile: 127 PWD: 146
Name: **Dravo Basic Materials Co., New Martinsville Yard Dock.**
Port: Huntington
Location: Mile 127.2, left bank, Ohio River, New Martinsville. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Phone: 304/455-5847
Town: New Martinsvill State: WV County: Wetzel
Railway Connection: One surface track serves area in rear; connects with CSX Rail Transport.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.653611
Total Berthing Space (feet): 135 | | Longitude (decimal): -80.86278
Remarks: Approximately 8 acres of open storage area with capacity for 60,000 tons of coal are located at rear.□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42853 Huntington District

---

Waterway: **Ohio River** Mile: 143 PWD: 244
Name: **Shell Oil Co., New Matamoras Terminal Dock.**
Port: Ohio River 40 - 317
Location: Mile 143.3, right bank, Ohio River, New Matamoras. Datum: NPE
Operator: Not operated.
Owner: R. & F. Coal Co., a subsidiary of Shell Oil Co.
Address: State Highway 7 Phone: 713/241-4748
Town: Hannibal State: OH County: Monroe
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.510278
Total Berthing Space (feet): 90 | | Longitude (decimal): -81.07583
Remarks: Two 8-inch pipelines extending from wharf to 3 steel storage tanks at terminal in rear; total capacity 65,000 barrels, were not in use at time of survey. Terminal, formerly used for receipt of fuel oil and keros

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42837 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 145 PWD: 145
Name: **Union Carbide Chemicals and Plastics Co., Sistersville Plant Dock.**
Port: Huntington
Location: Mile 145.3, left bank, Ohio River, Long Reach. Datum: NPE
Operator: Not operated.
Owner: Union Carbide Chemicals and Plastics Co., Inc., Specialty Chemicals Division.
Address: Phone: 304/652-3211x5
Town: Long Reach State: WV County: Tyler
Railway Connection: One surface track serves plant in rear; connects with CSX Rail Transport.
Purpose: Not used.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.485833
Total Berthing Space (feet): 165 | | Longitude (decimal): -81.09694
Remarks: Wharf formerly was used for receipt of fuel oil for plant consumption. One 8-inch pipeline extending from wharf was not in use at time of survey. Approximately 7.6 miles above wharf, the Sistersville Ferry operat ramps at mile 137.7 near the communities of Sistersville, WV, and Springtown Fly, OH, on the left and right banks, respectively.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42835 Huntington District

---

Waterway: **Ohio River** Mile: 146 PWD: 144
Name: **CNG Energy Co., Long Reach Dock.**
Port: Huntington
Location: Mile 146.3, left bank, Ohio River, Long Reach. Datum: NPE
Operator: CNG Energy Co.
Owner: CNG Energy Co.
Address: Phone: 304/422-0349
Town: Long Reach State: WV County: Tyler
Railway Connection: None.
Purpose: Receipt of natural gas.
Depth Alongside (feet): 17 | | Latitude (decimal): 39.473056
Total Berthing Space (feet): 240 | | Longitude (decimal): -81.10583
Remarks: One 8-inch pipeline extends from wharf to one 23,800-barrel natural gasoline storage tank approximately one mile inland.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42835 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 147 PWD: 143
Name: **Business Brokers Realty, Bens Run Dock.**
Port: Huntington
Location: Mile 147.0, left bank, Ohio River, Bens Run. Datum: NPE
Operator: Not operated.
Owner: Business Brokers Realty.
Address: Phone: 304/344-8989
Town: Bens Run State: WV County: Pleasants
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 25 | | Latitude (decimal): 39.464444
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.11222
Remarks: Wharf formerly was used for shipment of brine. One unused 10-inch pipeline extends to wharf from two brine reservoirs at rear, total capacity 5,000,000 gallons. The reservoirs are supplied by a 10-inch pipeline e natural salt formations inland. Facility was for sale at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42834 Huntington District

---

Waterway: **Ohio River** Mile: 150 PWD: 142
Name: **Dravo Basic Materials Co., St. Marys Yard Dock.**
Port: Huntington
Location: Mile 150.4, left bank, Ohio River, 4.6 miles above St. Marys. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: Phone: 304/684-7104
Town: St. Marys State: WV County: Pleasants
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.439167
Total Berthing Space (feet): 600 | | Longitude (decimal): -81.15944
Remarks: Approximately 15 acres of open storage area with capacity for 60,000 tons of material are located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42830 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 155 PWD: 141
Name: **St. Marys Refining Co. Dock.**
Port: Huntington
Location: Mile 155.1, left bank, Ohio River, St. Marys. Datum: NPE
Operator: St. Marys Refining Co., Inc.
Owner: St. Marys Refining Co., Inc.
Address: 201 Barkwill Street Phone: 304/684-2200
Town: St. Marys State: WV County: Pleasants
Railway Connection: Two surface tracks serve plant in rear, capacity 20 cars; connect with CSX Rail Transport.
Purpose: Receipt and shipment of crude oil, blending oil, gasoline, and fuel oil.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.388333
Total Berthing Space (feet): 300 | | Longitude (decimal): -81.21056
Remarks: One 12-, two 8-, and two 6-inch pipelines extend to wharf from 20 steel storage tanks at rear, total capacity 465,000 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42825 Huntington District

---

Waterway: **Ohio River** Mile: 158 PWD: 140
Name: **Westbrook Trucking, Belmont Dock.**
Port: Huntington
Location: Mile 157.8, left bank, Ohio River, Belmont. Datum: NPE
Operator: Westbrook Trucking, Inc.
Owner: Westbrook Trucking, Inc.
Address: Phone: 304/665-2580
Town: Belmont State: WV County: Pleasants
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.384722
Total Berthing Space (feet): 600 | | Longitude (decimal): -81.25611
Remarks: Approximately 4 acres of open storage area are located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42824 Huntington District

---

Waterway: **Ohio River** Mile: 160 PWD: 245
Name: **The Ohio Oil Gathering Corp. Wharf.**
Port: Ohio River 40 - 317
Location: Mile 159.8, right bank, Ohio River, Newport. Datum: NPE
Operator: The Ohio Oil Gathering Corp.
Owner: The Ohio Oil Gathering Corp.
Address: State Highway 7. Phone: 614/473-2711
Town: Newport State: OH County: Washington
Railway Connection: None.
Purpose: Shipment of crude oil.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.376389
Total Berthing Space (feet): 350 | | Longitude (decimal): -81.29056
Remarks: Two 8-inch pipelines extend from wharf to 4 steel storage tanks at terminal in rear; total capacity 155,000 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42821 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 163 PWD: 136
Name: **Lambert Enterprises Dock.**
Port: Huntington
Location: Mile 162.9, left bank, Ohio River, 1 mile above Maplewood. Datum: NPE
Operator: Lambert Enterprises, Inc.
Owner: Lambert Enterprises, Inc.
Address: Phone: 304/665-2941
Town: Maplewood State: WV County: Pleasants
Railway Connection: None.
Purpose: Receipt of limestone, sand, gravel, and salt; occasional receipt of coal.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.348889
Total Berthing Space (feet): 545 | | Longitude (decimal): -81.33556
Remarks: A 35-acre open storage area at rear has capacity for over 1,000,000 tons of dry bulk materials.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42818 Huntington District

---

Waterway: **Ohio River** Mile: 164 PWD: 135
Name: **Cabot Corp., Waverly Plant Dock.**
Port: Huntington
Location: Mile 164.0, left bank, Ohio River, 1 mile above Waverly. Datum: NPE
Operator: Cabot Corp.
Owner: Cabot Corp.
Address: Phone: 304/665-2441
Town: Waverly State: WV County: Pleasants
Railway Connection: Two surface tracks serve plant in rear; connect with CSX Rail Transport.
Purpose: Receipt of No. 6 fuel oil.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.339722
Total Berthing Space (feet): 360 | | Longitude (decimal): -81.35667
Remarks: One 12-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 100,000 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42817 Huntington District

---

Waterway: **Ohio River** Mile: 169 PWD: 246
Name: **Smith Concrete Co., Dock.**
Port: Ohio River 40 - 317
Location: Mile 168.6, right bank, Ohio River, Reno. Datum: NPE
Operator: Smith Concrete Co.
Owner: Smith Concrete Co.
Address: Newport Pike Phone: 614/373-7441
Town: Reno State: OH County: Washington
Railway Connection: None.
Purpose: Receipt of limestone and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.373056
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.40444
Remarks: Open storage area at rear has capacity for 70,000 tons of material.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42812 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 172 PWD: 247
Name: **U.S. Army Corps of Engineers, Marietta Repair Station Wharf.**
Port: Ohio River 40 - 317
Location: Mile 172.2, right bank, Ohio River, Marietta, (left bank Muskingum River at mouth). Datum: NPE
Operator: U.S. Army Corps of Engineers.
Owner: United States Government.
Address: 100 Post Street Phone: 614/373-3393
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose: Handling lock and dam apparatus for repair; handling construction materials machinery, supplies, and equipment; and mooring government-owned floating equipment.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.410556
Total Berthing Space (feet): 400 | | Longitude (decimal): -81.45556
Remarks: Repair shops for lock and dam equipment and open work area are located at rear.□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42808 Huntington District

---

Waterway: **Ohio River** Mile: 173 PWD: 248
Name: **ITAPCO-Marietta Wharf.**
Port: Ohio River 40 - 317
Location: Mile 173.1, right bank, Ohio River, Marietta. Datum: NPE
Operator: ITAPCO-Marietta Inc.
Owner: ITAPCO-Marietta Inc.
Address: Mile Run Road Phone: 614/373-4655
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose: Receipt of gasoline, kerosene, and fuel oil.
Depth Alongside (feet): 14 | | Latitude (decimal): 39.401944
Total Berthing Space (feet): 230 | | Longitude (decimal): -81.47111
Remarks: Two 6-inch pipelines extend from wharf to 5 steel storage tanks at rear; total capacity 65,000 barrels.□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42807 Huntington District

---

Waterway: **Ohio River** Mile: 173 PWD: 249
Name: **Shelley & Sands, Marietta Wharf.**
Port: Ohio River 40 - 317
Location: Mile 173.2, right bank, Ohio River, Marietta. Datum: NPE
Operator: Shelley & Sands, Inc.
Owner: Shelley & Sands, Inc.
Address: Mile Run Road Phone: 614/373-6495
Town: Marietta State: OH County: Washington
Railway Connection: One surface track serves facility at rear; connects with CSX Rail Transport.
Purpose: Receipt of crushed limestone, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.401111
Total Berthing Space (feet): 175 | | Longitude (decimal): -81.4225
Remarks: Ready-mix asphalt plant and open storage area with capacity for 20,000 tons of material are located at rear.□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42807 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 174 PWD: 250
Name: **American River Terminals Wharf.**
Port: Ohio River 40 - 317
Location: Mile 173.6, right bank, Ohio River, Marietta. Datum: NPE
Operator: American River Terminals, Inc.
Owner: American Marietta Corp.
Address: Mile Run Road Phone: 614/373-8056
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose: Receipt of crude oil.
Depth Alongside (feet): 22 | | Latitude (decimal): 39.396389
Total Berthing Space (feet): 150 | | Longitude (decimal): -81.47722
Remarks: One 6-inch pipeline extends from wharf to 2 steel storage tanks at rear; total capacity 15,000 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42807 Huntington District

---

Waterway: **Ohio River** Mile: 175 PWD: 251
Name: **Ashland Petroleum Co., Marietta Terminal No. 1 Dock.**
Port: Ohio River 40 - 317
Location: Mile 174.8, right bank, Ohio River, Marietta. Datum: NPE
Operator: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Address: Tunnel Road (County Hwy 7) Phone: 614/374-5067
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose: Receipt of fuel oil, gasoline, and kerosene.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.383056
Total Berthing Space (feet): 400 | | Longitude (decimal): -81.49083
Remarks: Three 8-inch pipelines extend from wharf to 8 steel storage tanks at rear; total capacity 106,000 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42807 Huntington District

---

Waterway: **Ohio River** Mile: 175 PWD: 252
Name: **Asphalt Materials, South Marietta Dock.**
Port: Ohio River 40 - 317
Location: Mile 175.0, right bank, Ohio River, Marietta. Datum: NPE
Operator: Asphalt Materials, Inc.
Owner: Asphalt Materials, Inc.
Address: Tunnel Road (County Hwy 7) Phone: 614/373-3040
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose: Receipt of liquid asphalt.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.381389
Total Berthing Space (feet): 150 | | Longitude (decimal): -81.49361
Remarks: One 8-inch pipeline extends from wharf to one 23,800-barrel steel storage tank at rear. One 5-inch steam pipeline serves wharf. At time of survey, plans called for consolidation of operations at company's North M No. 262).

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42807 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 175 PWD: 253
Name: **Koch Materials Co., Marietta Terminal Dock.**
Port: Ohio River 40 - 317
Location: Mile 175.1, right bank, Ohio River, Marietta. Datum: NPE
Operator: Koch Materials Co. and Ashland Petroleum Co., a division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Address: Tunnel Road (County Hwy 7) Phone: 614/373-6686
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose: Receipt of asphalt and miscellaneous petroleum products.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 39.380556
Total Berthing Space (feet): 110 | | Longitude (decimal): -81.49472
Remarks: Koch Materials Co.: One 8-inch pipeline extends from wharf to 14 steel asphalt storage tanks at terminal in rear; total capacity 107,200 barrels.□Ashland Petroleum Co.: Two 8-inch pipelines extend from wharf to petroleum products storage tanks at terminal in rear; total capacity 72,400 barrels.□One 5-inch steam pipeline serves wharf.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42807 Huntington District

---

Waterway: **Ohio River** Mile: 176 PWD: 254
Name: **Ashland Petroleum Co., Marietta Crude Oil Dock.**
Port: Ohio River 40 - 317
Location: Mile 175.5, right bank, Ohio River, Marietta. Datum: NPE
Operator: Not operated.
Owner: Ashland Oil, Inc.
Address: Tunnel Road (County Hwy 7) Phone: 614/374-5067
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.375556
Total Berthing Space (feet): 350 | | Longitude (decimal): -81.50056
Remarks: Wharf formerly was used for receipt of petroleum products. Two 8-inch pipelines extend from wharf to 6 steel storage tanks at rear; total capacity 65,500 barrels. At time of survey terminal was being offered for sale.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42807 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 176 PWD: 256
Name: **Marietta Industrial Enterprises, Marietta River Terminal Dock.**
Port: Ohio River 40 - 317
Location: Mile 175.9, right bank, Ohio River, Marietta. Datum: NPE
Operator: Marietta Industrial Enterprises, Inc.
Owner: Marietta Industrial Enterprises, Inc.
Address: Riverview Road (State Hwy 7) Phone: 614/373-2252
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose: Receipt and shipment of miscellaneous bulk materials including coal, coke, quartzite, limestone, salt and various ores; receipt and shipment of steel products and lumber.
Depth Alongside (feet): 19 | | Latitude (decimal): 39.372222
Total Berthing Space (feet): 100 | | Longitude (decimal): -81.50667
Remarks: Unloading rate for dry bulk materials is approximately 400 tons per hour.□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42807 Huntington District

---

Waterway: **Ohio River** Mile: 176 PWD: 255
Name: **Par-Mar Oil Co. Dock.**
Port: Ohio River 40 - 317
Location: Mile 175.6, right bank, Ohio River, Marietta. Datum: NPE
Operator: Not operated.
Owner: Par-Mar Oil Co.
Address: Riverview Road (State Hwy 7) Phone: 614/373-7406
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.375
Total Berthing Space (feet): 160 | | Longitude (decimal): -81.50222
Remarks: Wharf was formerly was used for receipt of petroleum products; all pipelines have been removed.□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42807 Huntington District

---

Waterway: **Ohio River** Mile: 177 PWD: 257
Name: **Chevron Chemical Co., Marietta Plant Dock.**
Port: Ohio River 40 - 317
Location: Mile 176.5, right bank, Ohio River, Marietta. Datum: NPE
Operator: Chevron Chemical Co.
Owner: Chevron Chemical Co.
Address: Riverview Road (State Hwy 7) Phone: 614/374-0205
Town: Marietta State: OH County: Washington
Railway Connection: Trackage serving plant approximately 1,500 feet in rear is served by CSX Rail Transport.
Purpose: Receipt of styrene monomer.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 39.367222
Total Berthing Space (feet): 300 | | Longitude (decimal): -81.51417
Remarks: One 6-inch pipeline extends from wharf to 3 steel storage tanks at plant in rear, total capacity 4,297,000 gallons□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42807 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 177 PWD: 258
Name: **Elkem Metals Co. Wharf.**
Port: Ohio River 40 - 317
Location: Mile 176.7, right bank, Ohio River, Marietta. Datum: NPE
Operator: Marietta Industrial Enterprises, Inc.
Owner: Elkem Metals Co.
Address: Riverview Road (State Hwy 7) Phone: 614/373-2252
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose: Mooring barges.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.348333
Total Berthing Space (feet): 1700 | | Longitude (decimal): -81.5175
Remarks: -□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42804 Huntington District

---

Waterway: **Ohio River** Mile: 177 PWD: 259
Name: **Mid-Ohio Valley Lime, Wharf.**
Port: Ohio River 40 - 317
Location: Mile 177.1, right bank, Ohio River, Marietta. Datum: NPE
Operator: Mid-Ohio Valley Lime, Inc.
Owner: Elkem Metals Co.
Address: Riverview Road (State Hwy 7) Phone: 614/373-1006
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose: Receipt of bulk lime.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.362778
Total Berthing Space (feet): 100 | | Longitude (decimal): -81.52389
Remarks: Three concrete silos at rear have total capacity for 2,700 tons of lime.□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42803 Huntington District

---

Waterway: **Ohio River** Mile: 179 PWD: 262
Name: **Asphalt Materials North Marietta Wharf.**
Port: Ohio River 40 - 317
Location: Mile 179.3, right bank, Ohio River, Marietta. Datum: NPE
Operator: Asphalt Materials, Inc.
Owner: Asphalt Materials, Inc.
Address: Riverview Road (State Hwy 7) Phone: 614/373-3040
Town: Marietta State: OH County: Washington
Railway Connection: Trackage serving plant in rear connects with CSX Rail Transport.
Purpose: Receipt of asphalt.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.343056
Total Berthing Space (feet): 165 | | Longitude (decimal): -81.55611
Remarks: Three 8-inch pipelines extend from wharf to 29 steel storage tanks at plant inrear, total capacity 98,700 barrels.□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42801 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 179 PWD: 261
Name: **Dock Side River Terminal, Lower Dock.**
Port: Ohio River 40 - 317
Location: Mile 179.0, right bank, Ohio River, Marietta. Datum: NPE
Operator: Dock Side, Inc., a subsidiary of Marietta Industrial Enterprises, Inc.
Owner: Dock Side, Inc., a subsidiary of Marietta Industrial Enterprises, Inc.
Address: Riverview Road (State Hwy 7) Phone: 614/373-2252
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose: Receipt of miscellaneous bulk materials including coal, coke, quartzite, limestone, manganese and chrome ores and salt, receipt of steel pipe, lumber; shipment of ferromanganese and ferro-chromium.
Depth Alongside (feet): 19 | | Latitude (decimal): 39.346389
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.55306

Waterway: **Ohio River** Mile: 179 PWD: 261
Name: **Dock Side River Terminal, Lower Dock.**
Port: Ohio River 40 - 317
Location: Mile 179.0, right bank, Ohio River, Marietta. Datum: NPE
Operator: Dock Side, Inc., a subsidiary of Marietta Industrial Enterprises, Inc.
Owner: Dock Side, Inc., a subsidiary of Marietta Industrial Enterprises, Inc.
Address: Riverview Road (State Hwy 7) Phone: 614/373-2252
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose: Receipt of miscellaneous bulk materials including coal, coke, quartzite, limestone, manganese and chrome ores and salt, receipt of steel pipe, lumber; shipment of ferromanganese and ferro-chromium.
Depth Alongside (feet): 19 | | Latitude (decimal): 39.346389
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.55306

Remarks: Approximately 2 acres paved open storage area with capacity for 50,000 tons of salt, and 8 acres unpaved open storage area for other commodities are located at rear. Ten buildings with a total area of approximat located approximately 1,000 feet north are used as storage warehouses.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42802 Huntington District

Remarks: Approximately 2 acres paved open storage area with capacity for 50,000 tons of salt, and 8 acres unpaved open storage area for other commodities are located at rear. Ten buildings with a total area of approximat located approximately 1,000 feet north are used as storage warehouses.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42802 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 179 PWD: 261
Name: **Dock Side River Terminal, Lower Dock.**
Port: Ohio River 40 - 317
Location: Mile 179.0, right bank, Ohio River, Marietta. Datum: NPE
Operator: Dock Side, Inc., a subsidiary of Marietta Industrial Enterprises, Inc.
Owner: Dock Side, Inc., a subsidiary of Marietta Industrial Enterprises, Inc.
Address: Riverview Road (State Hwy 7) Phone: 614/373-2252
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose: Receipt of miscellaneous bulk materials including coal, coke, quartzite, limestone, manganese and chrome ores and salt, receipt of steel pipe, lumber; shipment of ferromanganese and ferro-chromium.
Depth Alongside (feet): 19 | | Latitude (decimal): 39.346389
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.55306

Waterway: **Ohio River** Mile: 179 PWD: 261
Name: **Dock Side River Terminal, Lower Dock.**
Port: Ohio River 40 - 317
Location: Mile 179.0, right bank, Ohio River, Marietta. Datum: NPE
Operator: Dock Side, Inc., a subsidiary of Marietta Industrial Enterprises, Inc.
Owner: Dock Side, Inc., a subsidiary of Marietta Industrial Enterprises, Inc.
Address: Riverview Road (State Hwy 7) Phone: 614/373-2252
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose: Receipt of miscellaneous bulk materials including coal, coke, quartzite, limestone, manganese and chrome ores and salt, receipt of steel pipe, lumber; shipment of ferromanganese and ferro-chromium.
Depth Alongside (feet): 19 | | Latitude (decimal): 39.346389
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.55306

Remarks: Approximately 2 acres paved open storage area with capacity for 50,000 tons of salt, and 8 acres unpaved open storage area for other commodities are located at rear. Ten buildings with a total area of approximat located approximately 1,000 feet north are used as storage warehouses.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42802 Huntington District

Remarks: Approximately 2 acres paved open storage area with capacity for 50,000 tons of salt, and 8 acres unpaved open storage area for other commodities are located at rear. Ten buildings with a total area of approximat located approximately 1,000 feet north are used as storage warehouses.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42802 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 179 PWD: 260
Name: **Dock Side River Terminal, Upper Dock.**
Port: Ohio River 40 - 317
Location: Mile 178.8, right bank, Ohio River, Marietta. Datum: NPE
Operator: Dock Side, Inc., a subsidiary of Marietta Industrial Enterprises, Inc.
Owner: Dock Side, Inc., a subsidiary of Marietta Industrial Enterprises, Inc.
Address: Riverview Road (State Hwy 7) Phone: 614/373-2252
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose: Receipt of miscellaneous bulk materials including coal, coke, quartzite, limestone, ores, and salt.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.348333
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.55111

Waterway: **Ohio River** Mile: 179 PWD: 260
Name: **Dock Side River Terminal, Upper Dock.**
Port: Ohio River 40 - 317
Location: Mile 178.8, right bank, Ohio River, Marietta. Datum: NPE
Operator: Dock Side, Inc., a subsidiary of Marietta Industrial Enterprises, Inc.
Owner: Dock Side, Inc., a subsidiary of Marietta Industrial Enterprises, Inc.
Address: Riverview Road (State Hwy 7) Phone: 614/373-2252
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose: Receipt of miscellaneous bulk materials including coal, coke, quartzite, limestone, ores, and salt.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.348333
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.55111

Remarks: Use of warehouses and open storage areas described under Ref. No. 261.□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42802 Huntington District

Remarks: Use of warehouses and open storage areas described under Ref. No. 261.□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42802 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 179 PWD: 260
Name: **Dock Side River Terminal, Upper Dock.**
Port: Ohio River 40 - 317
Location: Mile 178.8, right bank, Ohio River, Marietta. Datum: NPE
Operator: Dock Side, Inc., a subsidiary of Marietta Industrial Enterprises, Inc.
Owner: Dock Side, Inc., a subsidiary of Marietta Industrial Enterprises, Inc.
Address: Riverview Road (State Hwy 7) Phone: 614/373-2252
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose: Receipt of miscellaneous bulk materials including coal, coke, quartzite, limestone, ores, and salt.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.348333
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.55111

Waterway: **Ohio River** Mile: 179 PWD: 260
Name: **Dock Side River Terminal, Upper Dock.**
Port: Ohio River 40 - 317
Location: Mile 178.8, right bank, Ohio River, Marietta. Datum: NPE
Operator: Dock Side, Inc., a subsidiary of Marietta Industrial Enterprises, Inc.
Owner: Dock Side, Inc., a subsidiary of Marietta Industrial Enterprises, Inc.
Address: Riverview Road (State Hwy 7) Phone: 614/373-2252
Town: Marietta State: OH County: Washington
Railway Connection: None.
Purpose: Receipt of miscellaneous bulk materials including coal, coke, quartzite, limestone, ores, and salt.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.348333
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.55111
Remarks: Use of warehouses and open storage areas described under Ref. No. 261.□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42802 Huntington District

Remarks: Use of warehouses and open storage areas described under Ref. No. 261.□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42802 Huntington District

Waterway: **Ohio River** Mile: 179 PWD: 134
Name: **Joe S. Towing Co. Dock.**
Port: Huntington
Location: Mile 178.5, left bank, Ohio River, Vienna. Datum: NPE
Operator: Joe S. Towing Co.
Owner: Joe S. Towing Co.
Address: Phone: 304/295-4223
Town: Vienna State: WV County: Wood
Railway Connection: None.
Purpose: Mooring company-owned vessels and equipment; mooring barges for fleeting.
Depth Alongside (feet): 18 | | Latitude (decimal): 39.350833
Total Berthing Space (feet): 680 | | Longitude (decimal): -81.53972
Remarks: Fleeting area extends approximately 1-1/2 miles along left bank and has capacity for fleeting up to 100 barges. In addition, fleeting for approximately 60 barges is available along 1,950 feet of right bank. Fou company-owned fleeting boats are based here.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42802 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 181 PWD: 133
Name: **ITAPCO-Parkersburg Terminal Dock.**
Port: Huntington
Location: Mile 180.8, left bank, Ohio River, Vienna. Datum: NPE
Operator: ITAPCO-Parkersburg Terminal, Inc.
Owner: ITAPCO-Parkersburg Terminal, Inc.
Address: 1711 Grand Central Avenue. Phone: 304/295-9494
Town: Vienna State: WV County: Wood
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 18 | | Latitude (decimal): 39.318333
Total Berthing Space (feet): | | Longitude (decimal): -81.55639
Remarks: Five 6-inch pipelines extend from wharf to 5 steel storage tanks at rear, total capacity 47,600 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42801 Huntington District

---

Waterway: **Ohio River** Mile: 182 PWD: 263
Name: **DeGussa Corp., Belpre Plant Wharf.**
Port: Ohio River 40 - 317
Location: Mile 182.1, right bank, Ohio River, Belpre. Datum: NPE
Operator: DeGussa Corp.
Owner: DeGussa Corp.
Address: State Hwy 7. Phone: 614/423-9571
Town: Belpre State: OH County: Washington
Railway Connection: Trackage serving plant in rear connects with CSX Rail Transport.
Purpose: Receipt of carbon black feedstocks.
Depth Alongside (feet): 18 | | Latitude (decimal): 39.301944
Total Berthing Space (feet): 185 | | Longitude (decimal): -81.56528
Remarks: One 8-inch pipeline extends from wharf to 4 steel storage tanks at rear, total capacity 3,150,000 gallons.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42799 Huntington District

---

Waterway: **Ohio River** Mile: 183 PWD: 132
Name: **Dover Parkersburg Co. Dock.**
Port: Huntington
Location: Mile 182.6, left bank, Ohio River, Parkersburg. Datum: NPE
Operator: Not operated.
Owner: Dover Parkersburg Co.
Address: Phone: 304/485-4573
Town: Parkersburg State: WV County: Wood
Railway Connection: Seven surface tracks serve warehouse at rear; connect with CSX Rail Transport.
Purpose: Not used.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.293056
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.56222
Remarks: Wharf formerly was used for unloading steel pipe. Building at rear with 409,000 square feet of dry storage area is used as a storage warehouse.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42798 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 184 PWD: 130
Name: **Dravo Basic Materials Co., Parkersburg Dock.**
Port: Huntington
Location: Mile 183.8, left bank, Ohio River, Parkersburg. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co. and Criss Concrete Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: 21 12th Street. Phone: 304/785-5481
Town: Parkersburg State: WV County: Wood
Railway Connection: None.
Purpose: Receipt of sand, gravel, and limestone; mooring company-owned floating equipment.
Depth Alongside (feet): 22 | 22 | 22 Latitude (decimal): 39.275556
Total Berthing Space (feet): 390 | 125 | 233 Longitude (decimal): -81.56194

Waterway: **Ohio River** Mile: 184 PWD: 130
Name: **Dravo Basic Materials Co., Parkersburg Dock.**
Port: Huntington
Location: Mile 183.8, left bank, Ohio River, Parkersburg. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co. and Criss Concrete Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: 21 12th Street. Phone: 304/785-5481
Town: Parkersburg State: WV County: Wood
Railway Connection: None.
Purpose: Receipt of sand, gravel, and limestone; mooring company-owned floating equipment.
Depth Alongside (feet): 22 | 22 | 22 Latitude (decimal): 39.275556
Total Berthing Space (feet): 390 | 125 | 233 Longitude (decimal): -81.56194

Remarks: Dravo Basic Materials Co., Inc.: Dispatch office and approximately 2 acres of open storage area are located at rear.□Criss Concrete Co.: Open storage area with capacity for 10,000 and ready-mix concrete plant are located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42797 Huntington District

Remarks: Dravo Basic Materials Co., Inc.: Dispatch office and approximately 2 acres of open storage area are located at rear.□Criss Concrete Co.: Open storage area with capacity for 10,000 and ready-mix concrete plant are located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42797 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 184 PWD: 130
Name: **Dravo Basic Materials Co., Parkersburg Dock.**
Port: Huntington
Location: Mile 183.8, left bank, Ohio River, Parkersburg. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co. and Criss Concrete Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: 21 12th Street. Phone: 304/785-5481
Town: Parkersburg State: WV County: Wood
Railway Connection: None.
Purpose: Receipt of sand, gravel, and limestone; mooring company-owned floating equipment.
Depth Alongside (feet): 22 | 22 | 22 Latitude (decimal): 39.275556
Total Berthing Space (feet): 390 | 125 | 233 Longitude (decimal): -81.56194

Waterway: **Ohio River** Mile: 184 PWD: 130
Name: **Dravo Basic Materials Co., Parkersburg Dock.**
Port: Huntington
Location: Mile 183.8, left bank, Ohio River, Parkersburg. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co. and Criss Concrete Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: 21 12th Street. Phone: 304/785-5481
Town: Parkersburg State: WV County: Wood
Railway Connection: None.
Purpose: Receipt of sand, gravel, and limestone; mooring company-owned floating equipment.
Depth Alongside (feet): 22 | 22 | 22 Latitude (decimal): 39.275556
Total Berthing Space (feet): 390 | 125 | 233 Longitude (decimal): -81.56194

Remarks: Dravo Basic Materials Co., Inc.: Dispatch office and approximately 2 acres of open storage area are located at rear.□Criss Concrete Co.: Open storage area with capacity for 10,000 and ready-mix concrete plant are located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42797 Huntington District

Remarks: Dravo Basic Materials Co., Inc.: Dispatch office and approximately 2 acres of open storage area are located at rear.□Criss Concrete Co.: Open storage area with capacity for 10,000 and ready-mix concrete plant are located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42797 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 184 PWD: 131
Name: **Pennzoil Products Co., Parkersburg Terminal Dock.**
Port: Huntington
Location: Mile 183.5, left bank, Ohio River, Parkersburg. Datum: NPE
Operator: Not operated.
Owner: Pennzoil Products Co., a subsidiary of Pennzoil Co.
Address: Phone: 304/342-8161
Town: Parkersburg State: WV County: Wood
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 20 | | Latitude (decimal): 39.2825
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.56167
Remarks: Terminal formerly was used for receipt of gasoline. One 6-inch pipeline extending from wharf to 2 steel storage tanks at rear, total capacity 28,600 barrels, was not in use at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42797 Huntington District

---

Waterway: **Ohio River** Mile: 185 PWD: 129
Name: **City of Parkersburg, Point Park Dock.**
Port: Huntington
Location: Mile 184.5, left bank, Ohio River, Parkersburg. Datum: NPE
Operator: City of Parkersburg.
Owner: City of Parkersburg.
Address: 215 First Street Phone: 304/428-1130
Town: Parkersburg State: WV County: Wood
Railway Connection: None.
Purpose: Mooring vessels; landing for harbor excursion vessel.
Depth Alongside (feet): 15 | | Latitude (decimal): 39.266667
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.56694
Remarks: City of Parkersburg Point Park is located at rear. Rubble's Sternwheeler provides tours to Blennerhassett Island.□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42796 Huntington District

---

Waterway: **Ohio River** Mile: 189 PWD: 266
Name: **Price Inland Terminal, Center Dock.**
Port: Ohio River 40 - 317
Location: Mile 189.1, right bank, Ohio River, Belpre. Datum: NPE
Operator: Price Inland Terminal Co.
Owner: Price Inland Terminal Co.
Address: 3059 Washington Blvd (State Hwy 618) Phone: 614/423-9803
Town: Belpre State: OH County: Washington
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.2775
Total Berthing Space (feet): 375 | | Longitude (decimal): -81.64778
Remarks: Open storage area at rear is described under Ref. No. 265.□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42791 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 189 PWD: 267
Name: **Price Inland Terminal, Lower Dock.**
Port: Ohio River 40 - 317
Location: Mile 189.2, right bank, Ohio River, Belpre. Datum: NPE
Operator: Price Inland Terminal Co.
Owner: Price Inland Terminal Co.
Address: 3059 Washington Blvd (State Hwy 618) Phone: 614/423-9803
Town: Belpre State: OH County: Washington
Railway Connection: None.
Purpose: Receipt and shipment of miscellaneous bulk materials including coal, vanadium slag, limestone, chrome ore, sand and gravel; receipt and shipment of steel products and unitized general cargo.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.2775
Total Berthing Space (feet): 800 | | Longitude (decimal): -81.64944

Waterway: **Ohio River** Mile: 189 PWD: 267
Name: **Price Inland Terminal, Lower Dock.**
Port: Ohio River 40 - 317
Location: Mile 189.2, right bank, Ohio River, Belpre. Datum: NPE
Operator: Price Inland Terminal Co.
Owner: Price Inland Terminal Co.
Address: 3059 Washington Blvd (State Hwy 618) Phone: 614/423-9803
Town: Belpre State: OH County: Washington
Railway Connection: None.
Purpose: Receipt and shipment of miscellaneous bulk materials including coal, vanadium slag, limestone, chrome ore, sand and gravel; receipt and shipment of steel products and unitized general cargo.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.2775
Total Berthing Space (feet): 800 | | Longitude (decimal): -81.64944
Remarks: Approximately 15 acres of open storage area for miscellaneous bulk materials, 2 concrete silos with total capacity for 3,000 tons of lime and one 1,500-ton- capacity silo for ottawa sand are located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42791 Huntington District

Remarks: Approximately 15 acres of open storage area for miscellaneous bulk materials, 2 concrete silos with total capacity for 3,000 tons of lime and one 1,500-ton- capacity silo for ottawa sand are located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42791 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 189 PWD: 267
Name: **Price Inland Terminal, Lower Dock.**
Port: Ohio River 40 - 317
Location: Mile 189.2, right bank, Ohio River, Belpre. Datum: NPE
Operator: Price Inland Terminal Co.
Owner: Price Inland Terminal Co.
Address: 3059 Washington Blvd (State Hwy 618) Phone: 614/423-9803
Town: Belpre State: OH County: Washington
Railway Connection: None.
Purpose: Receipt and shipment of miscellaneous bulk materials including coal, vanadium slag, limestone, chrome ore, sand and gravel; receipt and shipment of steel products and unitized general cargo.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.2775
Total Berthing Space (feet): 800 | | Longitude (decimal): -81.64944

Waterway: **Ohio River** Mile: 189 PWD: 267
Name: **Price Inland Terminal, Lower Dock.**
Port: Ohio River 40 - 317
Location: Mile 189.2, right bank, Ohio River, Belpre. Datum: NPE
Operator: Price Inland Terminal Co.
Owner: Price Inland Terminal Co.
Address: 3059 Washington Blvd (State Hwy 618) Phone: 614/423-9803
Town: Belpre State: OH County: Washington
Railway Connection: None.
Purpose: Receipt and shipment of miscellaneous bulk materials including coal, vanadium slag, limestone, chrome ore, sand and gravel; receipt and shipment of steel products and unitized general cargo.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.2775
Total Berthing Space (feet): 800 | | Longitude (decimal): -81.64944
Remarks: Approximately 15 acres of open storage area for miscellaneous bulk materials, 2 concrete silos with total capacity for 3,000 tons of lime and one 1,500-ton- capacity silo for ottawa sand are located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42791 Huntington District

Remarks: Approximately 15 acres of open storage area for miscellaneous bulk materials, 2 concrete silos with total capacity for 3,000 tons of lime and one 1,500-ton- capacity silo for ottawa sand are located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42791 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 189 PWD: 265
Name: **Price Inland Terminal, Upper Dock.**
Port: Ohio River 40 - 317
Location: Mile 188.9, right bank, Ohio River, Belpre. Datum: NPE
Operator: Price Inland Terminal Co.
Owner: Price Inland Terminal Co.
Address: 3059 Washington Blvd (State Hwy 618) Phone: 614/423-9803
Town: Belpre State: OH County: Washington
Railway Connection: None.
Purpose: Receipt and shipment of miscellaneous bulk materials including coal, vanadium slag, limestone, chrome ore, sand and gravel; receipt and shipment of steel products and unitized general cargo.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.277222
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.64472

Waterway: **Ohio River** Mile: 189 PWD: 265
Name: **Price Inland Terminal, Upper Dock.**
Port: Ohio River 40 - 317
Location: Mile 188.9, right bank, Ohio River, Belpre. Datum: NPE
Operator: Price Inland Terminal Co.
Owner: Price Inland Terminal Co.
Address: 3059 Washington Blvd (State Hwy 618) Phone: 614/423-9803
Town: Belpre State: OH County: Washington
Railway Connection: None.
Purpose: Receipt and shipment of miscellaneous bulk materials including coal, vanadium slag, limestone, chrome ore, sand and gravel; receipt and shipment of steel products and unitized general cargo.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.277222
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.64472
Remarks: Open storage area at rear equipped with a radial stacker has capacity for 3,000 tons of coal.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42791 Huntington District

Remarks: Open storage area at rear equipped with a radial stacker has capacity for 3,000 tons of coal.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42791 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 189 PWD: 265
Name: **Price Inland Terminal, Upper Dock.**
Port: Ohio River 40 - 317
Location: Mile 188.9, right bank, Ohio River, Belpre. Datum: NPE
Operator: Price Inland Terminal Co.
Owner: Price Inland Terminal Co.
Address: 3059 Washington Blvd (State Hwy 618) Phone: 614/423-9803
Town: Belpre State: OH County: Washington
Railway Connection: None.
Purpose: Receipt and shipment of miscellaneous bulk materials including coal, vanadium slag, limestone, chrome ore, sand and gravel; receipt and shipment of steel products and unitized general cargo.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.277222
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.64472

Waterway: **Ohio River** Mile: 189 PWD: 265
Name: **Price Inland Terminal, Upper Dock.**
Port: Ohio River 40 - 317
Location: Mile 188.9, right bank, Ohio River, Belpre. Datum: NPE
Operator: Price Inland Terminal Co.
Owner: Price Inland Terminal Co.
Address: 3059 Washington Blvd (State Hwy 618) Phone: 614/423-9803
Town: Belpre State: OH County: Washington
Railway Connection: None.
Purpose: Receipt and shipment of miscellaneous bulk materials including coal, vanadium slag, limestone, chrome ore, sand and gravel; receipt and shipment of steel products and unitized general cargo.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.277222
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.64472
Remarks: Open storage area at rear equipped with a radial stacker has capacity for 3,000 tons of coal.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42791 Huntington District

Remarks: Open storage area at rear equipped with a radial stacker has capacity for 3,000 tons of coal.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42791 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 189 PWD: 264
Name: **Shell Chemical Co., Belpre Plant Wharf.**
Port: Ohio River 40 - 317
Location: Mile 188.6, right bank, Ohio River, Belpre. Datum: NPE
Operator: Shell Chemical Co., a division of Shell Oil Co.
Owner: Shell Chemical Co., a division of Shell Oil Co.
Address: 2982 Washington Blvd (State Hwy 618). Phone: 614/423-7571
Town: Belpre State: OH County: Washington
Railway Connection: Trackage serving plant in rear connects with CSX Rail Transport.
Purpose: Receipt of styrene, feedstock oil, and butadiene.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.276667
Total Berthing Space (feet): 100 | | Longitude (decimal): -81.63917
Remarks: Two 8- one 6- and one 4-inch vent pipelines extend from wharf to storage tanks at plant in rear.

Commodity	Tanks	Capacity		
(gallons)	Styrene	6	3,Feedstock	2
1,000,000	Butadiene	2*	2,000,000	*Spheres.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42792 Huntington District

---

Waterway: **Ohio River** Mile: 190 PWD: 268
Name: **Ohio Power Co., Porterfield Wharf.**
Port: Ohio River 40 - 317
Location: Mile 189.5, right bank, Ohio River, Belpre. Datum: NPE
Operator: Price Inland Terminal Co.
Owner: Ohio Power Co., a subsidiary of American Electric Power Co.
Address: 5001 Washington Blvd (State Hwy 618). Phone: 614/423-9803
Town: Belpre State: OH County: Washington
Railway Connection: None.
Purpose: Mooring barges.
Depth Alongside (feet): 10 | | Latitude (decimal): 39.2775
Total Berthing Space (feet): 890 | | Longitude (decimal): -81.65583
Remarks: Wharf and adjacent bank area has capacity for storing 8 to 12 empty barges. Open storage area at rear with capacity for 200,000 tons of coal was not in use at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42791 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 191 PWD: 121
Name: **General Electric Plastics, Washington Dock.**
Port: Huntington
Location: Mile 191.4, left bank, Ohio River, Washington, approximately 1.5 miles below Blennerhasset Island. Datum: NPE
Operator: General Electric Plastics and E. I. du Pont de Nemours & Co.
Owner: General Electric Plastics.
Address: Phone: 304/863-7302
Town: Washington State: WV County: Wood
Railway Connection: Two surface tracks serve plant at rear, connect with CSX Rail Transport.
Purpose: Receipt of styrene, butadiene, and methanol.
Depth Alongside (feet): 18 | | Latitude (decimal): 39
Total Berthing Space (feet): 240 | | Longitude (decimal): -82
Remarks: General Electric Plastics: One 6-inch pipeline extends from wharf to four styrene storage tanks at rear, total capacity 1,850,000 gallons and one 6-inch pipeline extends from wharf to four butadiene storage sphe capacity 1,590,000 gallons.□E. I. du Pont de Nemours & Co.: One 8-inch pipeline extends from wharf to two methanol storage tanks at Washington Works plant, total capacity 3,700,000gallons.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42789 Huntington District

---

Waterway: **Ohio River** Mile: 220 PWD: 120
Name: **Dravo Basic Materials Co., Ravenswood Yard Dock.**
Port: Huntington
Location: Mile 220.3, left bank, Ohio River, Ravenswood. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: 105 Sycamore Street. Phone: 304/273-2600
Town: Ravenswood State: WV County: Jackson
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.948056
Total Berthing Space (feet): 600 | | Longitude (decimal): -81.76611
Remarks: Approximately 12 acres of open storage area with capacity for 45,000 tons of material is located at rear.□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42760 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 227 PWD: 119
Name: **Ravenswood Aluminum Corp. Dock.**
Port: Huntington
Location: Mile 226.9, left bank, Ohio River, approximately 6.2 miles belowRavenswood. Datum: NPE
Operator: Ravenswood Aluminum Corp.
Owner: Ravenswood Aluminum Corp.
Address: Phone: 304/273-6679
Town: Ravenswood State: WV County: Jackson
Railway Connection: Plant trackage connects with CSX Rail Transport.
Purpose: Receipt of alumina.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.94
Total Berthing Space (feet): 780 | | Longitude (decimal): -81.83167
Remarks: Two alumina storage silos at rear have total capacity for approximately 4,000 tons.□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42754 Huntington District

---

Waterway: **Ohio River** Mile: 230 PWD: 269
Name: **Richards and Son, Apple Grove Fleet Mooring.**
Port: Ohio River 40 - 317
Location: Mile 230.0, right bank, Ohio River, Apple Grove. Datum: NPE
Operator: Richards and Son, Inc.
Owner: Richards and Son, Inc.
Address: State Hwy 338. Phone: 614/247-2311
Town: Apple Grove State: OH County: Meigs
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.899167
Total Berthing Space (feet): 1000 | | Longitude (decimal): -81.85111
Remarks: Fleeting area has capacity for approximately 30 barges.□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42751 Huntington District

---

Waterway: **Ohio River** Mile: 232 PWD: 270
Name: **Dravo Basic Materials, Apple Grove Plant Wharf.**
Port: Ohio River 40 - 317
Location: Mile 232.2, right bank, Ohio River, Apple Grove. Datum: NPE
Operator: Dravo Basic Materials Co., Inc., a Dravo Co.
Owner: Dravo Basic Materials Co., Inc., a Dravo Co.
Address: 50494 State Hwy 338. Phone: 614/247-2211
Town: Apple Grove State: OH County: Meigs
Railway Connection: None.
Purpose: Shipment of sand and gravel.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.88
Total Berthing Space (feet): 540 | | Longitude (decimal): -81.87861
Remarks: Seven-acre open storage area at rear has normal capacity for 78,000 tons of sand and 85,000 tons of gravel.□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42749 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 234 PWD: 271
Name: **Richards and Son, Letart Falls Pit, Dock.**
Port: Ohio River 40 - 317
Location: Mile 233.8, right bank, Ohio River, Letart Falls. Datum: NPE
Operator: Richards and Son, Inc.
Owner: Richards and Son, Inc.
Address: State Hwy 338. Phone: 614/247-2311
Town: Letart Falls State: OH County: Meigs
Railway Connection: None.
Purpose: Shipment of sand and gravel.
Depth Alongside (feet): 16 | | Latitude (decimal): 38.876389
Total Berthing Space (feet): 1225 | | Longitude (decimal): -81.90222
Remarks: Open storage area at rear has capacity for 500,000 tons of sand and gravel. An additional 1,300 acres of open storage area is available at gravel pit.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42747 Huntington District

---

Waterway: **Ohio River** Mile: 235 PWD: 117
Name: **Jesco Corp, Letart Dock.**
Port: Huntington
Location: Mile 235.4, left bank, Ohio River, Letart. Datum: NPE
Operator: Jesco Corp.
Owner: Jesco Corp.
Address: Phone: 304/895-3611
Town: Letart State: WV County: Mason
Railway Connection: None.
Purpose: Shipment of sand and gravel.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.889444
Total Berthing Space (feet): 175 | | Longitude (decimal): -81.93056
Remarks: Sand and gravel pit is located on opposite side of State Highway 33. Open storage area with capacity for 15,000 tons of material is located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42745 Huntington District

---

Waterway: **Ohio River** Mile: 236 PWD: 116
Name: **Carl Kelly Paving, Letart Dock.**
Port: Huntington
Location: Mile 235.8, left bank, Ohio River, Letart. Datum: NPE
Operator: Carl Kelly Paving, Inc.
Owner: Carl Kelly Paving, Inc.
Address: Phone: 304/895-3301
Town: Letart State: WV County: Mason
Railway Connection: None.
Purpose: Receipt of limestone.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.896111
Total Berthing Space (feet): 175 | | Longitude (decimal): -81.93222
Remarks: Asphalt plant, sand and gravel pit, and open storage area with capacity for 10,000 tons of limestone are located on opposite side of State Highway 33.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42745 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 241 PWD: 114
Name: **Central Operating Co., Phillip Sporn Plant Fuel Oil Dock.**
Port: Huntington
Location: Mile 241.2, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Central Operating Co., a subsidiary of American Electric Power Co.
Owner: Central Operating Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-3111x1
Town: Grahams Station State: WV County: Mason
Railway Connection: None.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.969722
Total Berthing Space (feet): 390 | | Longitude (decimal): -81.92361

Waterway: **Ohio River** Mile: 241 PWD: 114
Name: **Central Operating Co., Phillip Sporn Plant Fuel Oil Dock.**
Port: Huntington
Location: Mile 241.2, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Central Operating Co., a subsidiary of American Electric Power Co.
Owner: Central Operating Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-3111x1
Town: Grahams Station State: WV County: Mason
Railway Connection: None.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.969722
Total Berthing Space (feet): 390 | | Longitude (decimal): -81.92361

Waterway: **Ohio River** Mile: 241 PWD: 114
Name: **Central Operating Co., Phillip Sporn Plant Fuel Oil Dock.**
Port: Huntington
Location: Mile 241.2, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Central Operating Co., a subsidiary of American Electric Power Co.
Owner: Central Operating Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-3111x1
Town: Grahams Station State: WV County: Mason
Railway Connection: None.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.969722
Total Berthing Space (feet): 390 | | Longitude (decimal): -81.92361
Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 23,800 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42739 Huntington District

Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 23,800 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42739 Huntington District

Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 23,800 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42739 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 241 PWD: 114
Name: **Central Operating Co., Phillip Sporn Plant Fuel Oil Dock.**
Port: Huntington
Location: Mile 241.2, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Central Operating Co., a subsidiary of American Electric Power Co.
Owner: Central Operating Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-3111x1
Town: Grahams Station State: WV County: Mason
Railway Connection: None.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.969722
Total Berthing Space (feet): 390 | | Longitude (decimal): -81.92361

Waterway: **Ohio River** Mile: 241 PWD: 114
Name: **Central Operating Co., Phillip Sporn Plant Fuel Oil Dock.**
Port: Huntington
Location: Mile 241.2, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Central Operating Co., a subsidiary of American Electric Power Co.
Owner: Central Operating Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-3111x1
Town: Grahams Station State: WV County: Mason
Railway Connection: None.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.969722
Total Berthing Space (feet): 390 | | Longitude (decimal): -81.92361

Waterway: **Ohio River** Mile: 241 PWD: 114
Name: **Central Operating Co., Phillip Sporn Plant Fuel Oil Dock.**
Port: Huntington
Location: Mile 241.2, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Central Operating Co., a subsidiary of American Electric Power Co.
Owner: Central Operating Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-3111x1
Town: Grahams Station State: WV County: Mason
Railway Connection: None.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.969722
Total Berthing Space (feet): 390 | | Longitude (decimal): -81.92361
Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 23,800 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42739 Huntington District

Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 23,800 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42739 Huntington District

Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 23,800 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42739 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 241 PWD: 114
Name: **Central Operating Co., Phillip Sporn Plant Fuel Oil Dock.**
Port: Huntington
Location: Mile 241.2, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Central Operating Co., a subsidiary of American Electric Power Co.
Owner: Central Operating Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-3111x1
Town: Grahams Station State: WV County: Mason
Railway Connection: None.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.969722
Total Berthing Space (feet): 390 | | Longitude (decimal): -81.92361

Waterway: **Ohio River** Mile: 241 PWD: 114
Name: **Central Operating Co., Phillip Sporn Plant Fuel Oil Dock.**
Port: Huntington
Location: Mile 241.2, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Central Operating Co., a subsidiary of American Electric Power Co.
Owner: Central Operating Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-3111x1
Town: Grahams Station State: WV County: Mason
Railway Connection: None.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.969722
Total Berthing Space (feet): 390 | | Longitude (decimal): -81.92361

Waterway: **Ohio River** Mile: 241 PWD: 114
Name: **Central Operating Co., Phillip Sporn Plant Fuel Oil Dock.**
Port: Huntington
Location: Mile 241.2, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Central Operating Co., a subsidiary of American Electric Power Co.
Owner: Central Operating Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-3111x1
Town: Grahams Station State: WV County: Mason
Railway Connection: None.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.969722
Total Berthing Space (feet): 390 | | Longitude (decimal): -81.92361
Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 23,800 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42739 Huntington District

Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 23,800 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42739 Huntington District

Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 23,800 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42739 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 241 PWD: 113
Name: **Central Operating Co., Phillip Sporn Plant Upper Barge Unloading**
Port: Huntington
Location: Mile 241.4, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Not operated.
Owner: Central Operating Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-3111x1
Town: Grahams Station State: WV County: Mason
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.97
Total Berthing Space (feet): 170 | | Longitude (decimal): -81.92417

Waterway: **Ohio River** Mile: 241 PWD: 113
Name: **Central Operating Co., Phillip Sporn Plant Upper Barge Unloading**
Port: Huntington
Location: Mile 241.4, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Not operated.
Owner: Central Operating Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-3111x1
Town: Grahams Station State: WV County: Mason
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.97
Total Berthing Space (feet): 170 | | Longitude (decimal): -81.92417

Waterway: **Ohio River** Mile: 241 PWD: 113
Name: **Central Operating Co., Phillip Sporn Plant Upper Barge Unloading**
Port: Huntington
Location: Mile 241.4, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Not operated.
Owner: Central Operating Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-3111x1
Town: Grahams Station State: WV County: Mason
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.97
Total Berthing Space (feet): 170 | | Longitude (decimal): -81.92417
Remarks: Facility formerly used for receipt of coal is being maintained on standby basis.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42739 Huntington District

Remarks: Facility formerly used for receipt of coal is being maintained on standby basis.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42739 Huntington District

Remarks: Facility formerly used for receipt of coal is being maintained on standby basis.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42739 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 241 PWD: 113
Name: **Central Operating Co., Phillip Sporn Plant Upper Barge Unloading**
Port: Huntington
Location: Mile 241.4, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Not operated.
Owner: Central Operating Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-3111x1
Town: Grahams Station State: WV County: Mason
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.97
Total Berthing Space (feet): 170 | | Longitude (decimal): -81.92417

Waterway: **Ohio River** Mile: 241 PWD: 113
Name: **Central Operating Co., Phillip Sporn Plant Upper Barge Unloading**
Port: Huntington
Location: Mile 241.4, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Not operated.
Owner: Central Operating Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-3111x1
Town: Grahams Station State: WV County: Mason
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.97
Total Berthing Space (feet): 170 | | Longitude (decimal): -81.92417

Waterway: **Ohio River** Mile: 241 PWD: 113
Name: **Central Operating Co., Phillip Sporn Plant Upper Barge Unloading**
Port: Huntington
Location: Mile 241.4, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Not operated.
Owner: Central Operating Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-3111x1
Town: Grahams Station State: WV County: Mason
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.97
Total Berthing Space (feet): 170 | | Longitude (decimal): -81.92417
Remarks: Facility formerly used for receipt of coal is being maintained on standby basis.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42739 Huntington District

Remarks: Facility formerly used for receipt of coal is being maintained on standby basis.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42739 Huntington District

Remarks: Facility formerly used for receipt of coal is being maintained on standby basis.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42739 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 241 PWD: 113
Name: **Central Operating Co., Phillip Sporn Plant Upper Barge Unloading**
Port: Huntington
Location: Mile 241.4, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Not operated.
Owner: Central Operating Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-3111x1
Town: Grahams Station State: WV County: Mason
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.97
Total Berthing Space (feet): 170 | | Longitude (decimal): -81.92417

Waterway: **Ohio River** Mile: 241 PWD: 113
Name: **Central Operating Co., Phillip Sporn Plant Upper Barge Unloading**
Port: Huntington
Location: Mile 241.4, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Not operated.
Owner: Central Operating Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-3111x1
Town: Grahams Station State: WV County: Mason
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.97
Total Berthing Space (feet): 170 | | Longitude (decimal): -81.92417

Waterway: **Ohio River** Mile: 241 PWD: 113
Name: **Central Operating Co., Phillip Sporn Plant Upper Barge Unloading**
Port: Huntington
Location: Mile 241.4, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Not operated.
Owner: Central Operating Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-3111x1
Town: Grahams Station State: WV County: Mason
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.97
Total Berthing Space (feet): 170 | | Longitude (decimal): -81.92417
Remarks: Facility formerly used for receipt of coal is being maintained on standby basis.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42739 Huntington District

Remarks: Facility formerly used for receipt of coal is being maintained on standby basis.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42739 Huntington District

Remarks: Facility formerly used for receipt of coal is being maintained on standby basis.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42739 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 241 PWD: 115

Name: **Foote Mineral Co., Grahams Station Dock.**

Port: Huntington

Location: Mile 241.0, left bank, Ohio River, Graham Station. Datum: NPE

Operator: Not operated.

Owner: Foote Mineral Co.

Address: Phone: 614/446-1516

Town: Grahams Station State: WV County: Mason

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 15 | | Latitude (decimal): 38.961111

Total Berthing Space (feet): | | Longitude (decimal): -81.91861

Remarks: Facility was formerly used for shipment of ferrosilicon alloys. Truck-loading hopper located at rear was not in use at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42739 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 242 PWD: 112
Name: **Central Operating Co., Phillip Sporn Plant Lower Barge Unloading**
Port: Huntington
Location: Mile 241.6, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Central Operating Co., a subsidiary of American Electric Power Co.
Owner: Central Operating Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-3111x1
Town: Grahams Station State: WV County: Mason
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.971389
Total Berthing Space (feet): 530 | | Longitude (decimal): -81.92556

Waterway: **Ohio River** Mile: 242 PWD: 112
Name: **Central Operating Co., Phillip Sporn Plant Lower Barge Unloading**
Port: Huntington
Location: Mile 241.6, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Central Operating Co., a subsidiary of American Electric Power Co.
Owner: Central Operating Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-3111x1
Town: Grahams Station State: WV County: Mason
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.971389
Total Berthing Space (feet): 530 | | Longitude (decimal): -81.92556

Waterway: **Ohio River** Mile: 242 PWD: 112
Name: **Central Operating Co., Phillip Sporn Plant Lower Barge Unloading**
Port: Huntington
Location: Mile 241.6, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Central Operating Co., a subsidiary of American Electric Power Co.
Owner: Central Operating Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-3111x1
Town: Grahams Station State: WV County: Mason
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.971389
Total Berthing Space (feet): 530 | | Longitude (decimal): -81.92556
Remarks: Open storage area at rear has capacity for 1,000,000 tons of coal. Wharf has capacity for mooring 20 loaded barges above and 15 empty barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42739 Huntington District

Remarks: Open storage area at rear has capacity for 1,000,000 tons of coal. Wharf has capacity for mooring 20 loaded barges above and 15 empty barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42739 Huntington District

Remarks: Open storage area at rear has capacity for 1,000,000 tons of coal. Wharf has capacity for mooring 20 loaded barges above and 15 empty barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42739 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 242 PWD: 112
Name: **Central Operating Co., Phillip Sporn Plant Lower Barge Unloading**
Port: Huntington
Location: Mile 241.6, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Central Operating Co., a subsidiary of American Electric Power Co.
Owner: Central Operating Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-3111x1
Town: Grahams Station State: WV County: Mason
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.971389
Total Berthing Space (feet): 530 | | Longitude (decimal): -81.92556

Waterway: **Ohio River** Mile: 242 PWD: 112
Name: **Central Operating Co., Phillip Sporn Plant Lower Barge Unloading**
Port: Huntington
Location: Mile 241.6, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Central Operating Co., a subsidiary of American Electric Power Co.
Owner: Central Operating Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-3111x1
Town: Grahams Station State: WV County: Mason
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.971389
Total Berthing Space (feet): 530 | | Longitude (decimal): -81.92556

Waterway: **Ohio River** Mile: 242 PWD: 112
Name: **Central Operating Co., Phillip Sporn Plant Lower Barge Unloading**
Port: Huntington
Location: Mile 241.6, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Central Operating Co., a subsidiary of American Electric Power Co.
Owner: Central Operating Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-3111x1
Town: Grahams Station State: WV County: Mason
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.971389
Total Berthing Space (feet): 530 | | Longitude (decimal): -81.92556
Remarks: Open storage area at rear has capacity for 1,000,000 tons of coal. Wharf has capacity for mooring 20 loaded barges above and 15 empty barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42739 Huntington District

Remarks: Open storage area at rear has capacity for 1,000,000 tons of coal. Wharf has capacity for mooring 20 loaded barges above and 15 empty barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42739 Huntington District

Remarks: Open storage area at rear has capacity for 1,000,000 tons of coal. Wharf has capacity for mooring 20 loaded barges above and 15 empty barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42739 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 242 PWD: 112
Name: **Central Operating Co., Phillip Sporn Plant Lower Barge Unloading**
Port: Huntington
Location: Mile 241.6, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Central Operating Co., a subsidiary of American Electric Power Co.
Owner: Central Operating Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-3111x1
Town: Grahams Station State: WV County: Mason
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.971389
Total Berthing Space (feet): 530 | | Longitude (decimal): -81.92556

Waterway: **Ohio River** Mile: 242 PWD: 112
Name: **Central Operating Co., Phillip Sporn Plant Lower Barge Unloading**
Port: Huntington
Location: Mile 241.6, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Central Operating Co., a subsidiary of American Electric Power Co.
Owner: Central Operating Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-3111x1
Town: Grahams Station State: WV County: Mason
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.971389
Total Berthing Space (feet): 530 | | Longitude (decimal): -81.92556

Waterway: **Ohio River** Mile: 242 PWD: 112
Name: **Central Operating Co., Phillip Sporn Plant Lower Barge Unloading**
Port: Huntington
Location: Mile 241.6, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Central Operating Co., a subsidiary of American Electric Power Co.
Owner: Central Operating Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-3111x1
Town: Grahams Station State: WV County: Mason
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.971389
Total Berthing Space (feet): 530 | | Longitude (decimal): -81.92556
Remarks: Open storage area at rear has capacity for 1,000,000 tons of coal. Wharf has capacity for mooring 20 loaded barges above and 15 empty barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42739 Huntington District

Remarks: Open storage area at rear has capacity for 1,000,000 tons of coal. Wharf has capacity for mooring 20 loaded barges above and 15 empty barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42739 Huntington District

Remarks: Open storage area at rear has capacity for 1,000,000 tons of coal. Wharf has capacity for mooring 20 loaded barges above and 15 empty barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42739 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 243 PWD: 110
Name: **Appalachian Power Co., Mountaineer Plant Coal Unloading Dock.**
Port: Huntington
Location: Mile 243.0, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-2151
Town: Grahams Station State: WV County: Mason
Railway Connection: Surface tracks having capacity for 300 cars serve undertrack pit at plant in rear; connects with CSX Rail Transport.
Purpose: Receipt of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 39
Total Berthing Space (feet): 3650 | | Longitude (decimal): -82

Waterway: **Ohio River** Mile: 243 PWD: 110
Name: **Appalachian Power Co., Mountaineer Plant Coal Unloading Dock.**
Port: Huntington
Location: Mile 243.0, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-2151
Town: Grahams Station State: WV County: Mason
Railway Connection: Surface tracks having capacity for 300 cars serve undertrack pit at plant in rear; connects with CSX Rail Transport.
Purpose: Receipt of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 39
Total Berthing Space (feet): 3650 | | Longitude (decimal): -82
Remarks: Open storage area at plant in rear has capacity for 1,500,000 tons of coal. Wharf has capacity for mooring 20 loaded barges above and 20 empty barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42737 Huntington District

Remarks: Open storage area at plant in rear has capacity for 1,500,000 tons of coal. Wharf has capacity for mooring 20 loaded barges above and 20 empty barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42737 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 243 PWD: 110
Name: **Appalachian Power Co., Mountaineer Plant Coal Unloading Dock.**
Port: Huntington
Location: Mile 243.0, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-2151
Town: Grahams Station State: WV County: Mason
Railway Connection: Surface tracks having capacity for 300 cars serve undertrack pit at plant in rear; connects with CSX Rail Transport.
Purpose: Receipt of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 39
Total Berthing Space (feet): 3650 | | Longitude (decimal): -82

Waterway: **Ohio River** Mile: 243 PWD: 110
Name: **Appalachian Power Co., Mountaineer Plant Coal Unloading Dock.**
Port: Huntington
Location: Mile 243.0, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-2151
Town: Grahams Station State: WV County: Mason
Railway Connection: Surface tracks having capacity for 300 cars serve undertrack pit at plant in rear; connects with CSX Rail Transport.
Purpose: Receipt of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 39
Total Berthing Space (feet): 3650 | | Longitude (decimal): -82
Remarks: Open storage area at plant in rear has capacity for 1,500,000 tons of coal. Wharf has capacity for mooring 20 loaded barges above and 20 empty barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42737 Huntington District

Remarks: Open storage area at plant in rear has capacity for 1,500,000 tons of coal. Wharf has capacity for mooring 20 loaded barges above and 20 empty barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42737 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 243 PWD: 111
Name: **Appalachian Power Co., Mountaineer Plant Fuel Oil Dock.**
Port: Huntington
Location: Mile 242.9, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-2151
Town: Grahams Station State: WV County: Mason
Railway Connection: Surface tracks having capacity for 300 cars serve undertrack pit at plant in rear; connects with CSX Rail Transport.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.983056
Total Berthing Space (feet): 150 | | Longitude (decimal): -81.93361

Waterway: **Ohio River** Mile: 243 PWD: 111
Name: **Appalachian Power Co., Mountaineer Plant Fuel Oil Dock.**
Port: Huntington
Location: Mile 242.9, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-2151
Town: Grahams Station State: WV County: Mason
Railway Connection: Surface tracks having capacity for 300 cars serve undertrack pit at plant in rear; connects with CSX Rail Transport.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.983056
Total Berthing Space (feet): 150 | | Longitude (decimal): -81.93361

Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 71,400 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42737 Huntington District

Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 71,400 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42737 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 243 PWD: 111
Name: **Appalachian Power Co., Mountaineer Plant Fuel Oil Dock.**
Port: Huntington
Location: Mile 242.9, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-2151
Town: Grahams Station State: WV County: Mason
Railway Connection: Surface tracks having capacity for 300 cars serve undertrack pit at plant in rear; connects with CSX Rail Transport.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.983056
Total Berthing Space (feet): 150 | | Longitude (decimal): -81.93361

Waterway: **Ohio River** Mile: 243 PWD: 111
Name: **Appalachian Power Co., Mountaineer Plant Fuel Oil Dock.**
Port: Huntington
Location: Mile 242.9, left bank, Ohio River, Grahams Station. Datum: NPE
Operator: Appalachian Power Co., a subsidiary of American Electric Power Co.
Owner: Appalachian Power Co., a subsidiary of American Electric Power Co.
Address: Phone: 304/882-2151
Town: Grahams Station State: WV County: Mason
Railway Connection: Surface tracks having capacity for 300 cars serve undertrack pit at plant in rear; connects with CSX Rail Transport.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.983056
Total Berthing Space (feet): 150 | | Longitude (decimal): -81.93361
Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 71,400 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42737 Huntington District

Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 71,400 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42737 Huntington District

Waterway: **Ohio River** Mile: 253 PWD: 109
Name: **Raven Hocking Coal Corp., Clifton Tipple Dock.**
Port: Huntington
Location: Mile 252.6, left bank, Ohio River, Clifton. Datum: NPE
Operator: Raven Hocking Coal Corp.
Owner: Raven Hocking Coal Corp.
Address: Phone: 304/773-5531
Town: Clifton State: WV County: Mason
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.979722
Total Berthing Space (feet): 600 | | Longitude (decimal): -82.07444
Remarks: Two storage silos at rear have capacity for 700 tons of coal.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42726 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 253 PWD: 272
Name: **Raven Hocking Coal Corp., Minersville Dock**
Port: Ohio River 40 - 317
Location: Mile 253.1, right bank, Ohio River, Minersville. Datum: NPE
Operator: Not operated.
Owner: Raven Hocking Coal Corp.
Address: 43287 State Hwy 124. Phone: 304/773-5531
Town: Minersville State: OH County: Meigs
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 39.016111
Total Berthing Space (feet): 520 | | Longitude (decimal): -81.98861
Remarks: At time of survey (1991), wharf was in deteriorated condition and had not been in use for 3 years.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42727 Huntington District

---

Waterway: **Ohio River** Mile: 256 PWD: 273
Name: **Addington No. 4, Wharf.**
Port: Ohio River 40 - 317
Location: Mile 256.2, right bank, Ohio River, Cheshire. Datum: NPE
Operator: Addington, Inc.
Owner: Addington, Inc.
Address: 8751 State Highway 7. Phone: 614/992-5639
Town: Cheshire State: OH County: Meigs
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.961944
Total Berthing Space (feet): 1050 | | Longitude (decimal): -82.09639
Remarks: Open storage area at rear has capacity for 40,000 tons of coal.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42724 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 257 PWD: 108

Name: **American Electric Power Co., River Transportation Division Mooring**

Port: Huntington

Location: Mile 256.8, left bank, Ohio River, Lakin. Datum: NPE

Operator: American Electric Power Co.

Owner: American Electric Power Co.

Address: 644 River View Road. Phone: 304/675-6300x4

Town: Lakin State: WV County: Mason

Railway Connection: None.

Purpose: Mooring company-owned towboats and barges for repair; mooring company barges for fleeting; mooring floating drydocks.

Depth Alongside (feet): 18 | | Latitude (decimal): 38.951944

Total Berthing Space (feet): 2550 | | Longitude (decimal): -82.09972

Remarks: One 2,000-, and one 1,200-ton floating drydocks are moored at wharf. Wharf barges ranging in size from 175 by 26 to 195 by 35 feet are equipped with outlets for supplying fresh water, oxygen, compressed air, and Approximately 1,200 feet of natural bank is used for fleeting company-owned barges. Fleeting area has capacity for approximately 52 barges.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42724 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 258 PWD: 274
Name: **Ohio Power Co., General James M. Gavin Plant Oil Dock.**
Port: Ohio River 40 - 317
Location: Mile 258.1, right bank, Ohio River, Cheshire. Datum: NPE
Operator: Ohio Power Co., a subsidiary of American Electric Power Co.
Owner: Ohio Power Co., a subsidiary of American Electric Power Co.
Address: 2397 North State Highway 7. Phone: 614/367-7331ext
Town: Cheshire State: OH County: Gallia
Railway Connection: Three surface tracks serve power plant in rear; connect with CSX Rail Transport.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.938611
Total Berthing Space (feet): 245 | | Longitude (decimal): -82.11167

Waterway: **Ohio River** Mile: 258 PWD: 274
Name: **Ohio Power Co., General James M. Gavin Plant Oil Dock.**
Port: Ohio River 40 - 317
Location: Mile 258.1, right bank, Ohio River, Cheshire. Datum: NPE
Operator: Ohio Power Co., a subsidiary of American Electric Power Co.
Owner: Ohio Power Co., a subsidiary of American Electric Power Co.
Address: 2397 North State Highway 7. Phone: 614/367-7331ext
Town: Cheshire State: OH County: Gallia
Railway Connection: Three surface tracks serve power plant in rear; connect with CSX Rail Transport.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.938611
Total Berthing Space (feet): 245 | | Longitude (decimal): -82.11167

Remarks: One 25- by 15-foot work float is moored at lower side of pier. One 8-inch pipeline extends from pier to 3 steel storage tanks at rear; total capacity 143,000 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42722 Huntington District

Remarks: One 25- by 15-foot work float is moored at lower side of pier. One 8-inch pipeline extends from pier to 3 steel storage tanks at rear; total capacity 143,000 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42722 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 258 PWD: 274
Name: **Ohio Power Co., General James M. Gavin Plant Oil Dock.**
Port: Ohio River 40 - 317
Location: Mile 258.1, right bank, Ohio River, Cheshire. Datum: NPE
Operator: Ohio Power Co., a subsidiary of American Electric Power Co.
Owner: Ohio Power Co., a subsidiary of American Electric Power Co.
Address: 2397 North State Highway 7. Phone: 614/367-7331ext
Town: Cheshire State: OH County: Gallia
Railway Connection: Three surface tracks serve power plant in rear; connect with CSX Rail Transport.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.938611
Total Berthing Space (feet): 245 | | Longitude (decimal): -82.11167

Waterway: **Ohio River** Mile: 258 PWD: 274
Name: **Ohio Power Co., General James M. Gavin Plant Oil Dock.**
Port: Ohio River 40 - 317
Location: Mile 258.1, right bank, Ohio River, Cheshire. Datum: NPE
Operator: Ohio Power Co., a subsidiary of American Electric Power Co.
Owner: Ohio Power Co., a subsidiary of American Electric Power Co.
Address: 2397 North State Highway 7. Phone: 614/367-7331ext
Town: Cheshire State: OH County: Gallia
Railway Connection: Three surface tracks serve power plant in rear; connect with CSX Rail Transport.
Purpose: Receipt of fuel oil for plant consumption.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.938611
Total Berthing Space (feet): 245 | | Longitude (decimal): -82.11167

Remarks: One 25- by 15-foot work float is moored at lower side of pier. One 8-inch pipeline extends from pier to 3 steel storage tanks at rear; total capacity 143,000 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42722 Huntington District

Remarks: One 25- by 15-foot work float is moored at lower side of pier. One 8-inch pipeline extends from pier to 3 steel storage tanks at rear; total capacity 143,000 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42722 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 259 PWD: 275
Name: **Ohio Power Co; General James M. Gavin, Coal Dock.**
Port: Ohio River 40 - 317
Location: Mile 258.5, right bank, Ohio River, Cheshire. Datum: NPE
Operator: Ohio Power Co., a subsidiary of American Electric Power Co.
Owner: Ohio Power Co., a subsidiary of American Electric Power Co.
Address: 2397 North State Highway 7. Phone: 614/367-7331ext
Town: Cheshire State: OH County: Gallia
Railway Connection: Three surface tracks serve power plant in rear; connect with CSX Rail Transport.
Purpose: Receipt of coal.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.931944
Total Berthing Space (feet): 3570 | | Longitude (decimal): -82.11472

Waterway: **Ohio River** Mile: 259 PWD: 275
Name: **Ohio Power Co; General James M. Gavin, Coal Dock.**
Port: Ohio River 40 - 317
Location: Mile 258.5, right bank, Ohio River, Cheshire. Datum: NPE
Operator: Ohio Power Co., a subsidiary of American Electric Power Co.
Owner: Ohio Power Co., a subsidiary of American Electric Power Co.
Address: 2397 North State Highway 7. Phone: 614/367-7331ext
Town: Cheshire State: OH County: Gallia
Railway Connection: Three surface tracks serve power plant in rear; connect with CSX Rail Transport.
Purpose: Receipt of coal.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.931944
Total Berthing Space (feet): 3570 | | Longitude (decimal): -82.11472

Remarks: Open storage area at rear has capacity for 2,700,000 tons of coal. Upper dolphins have capacity for 28 loaded barges and lower dolphins have an equal capacity for empty barges, each arranged in tiers up to 7-wide

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42722 Huntington District

Remarks: Open storage area at rear has capacity for 2,700,000 tons of coal. Upper dolphins have capacity for 28 loaded barges and lower dolphins have an equal capacity for empty barges, each arranged in tiers up to 7-wide

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42722 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 259 PWD: 275
Name: **Ohio Power Co; General James M. Gavin, Coal Dock.**
Port: Ohio River 40 - 317
Location: Mile 258.5, right bank, Ohio River, Cheshire. Datum: NPE
Operator: Ohio Power Co., a subsidiary of American Electric Power Co.
Owner: Ohio Power Co., a subsidiary of American Electric Power Co.
Address: 2397 North State Highway 7. Phone: 614/367-7331ext
Town: Cheshire State: OH County: Gallia
Railway Connection: Three surface tracks serve power plant in rear; connect with CSX Rail Transport.
Purpose: Receipt of coal.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.931944
Total Berthing Space (feet): 3570 | | Longitude (decimal): -82.11472

Waterway: **Ohio River** Mile: 259 PWD: 275
Name: **Ohio Power Co; General James M. Gavin, Coal Dock.**
Port: Ohio River 40 - 317
Location: Mile 258.5, right bank, Ohio River, Cheshire. Datum: NPE
Operator: Ohio Power Co., a subsidiary of American Electric Power Co.
Owner: Ohio Power Co., a subsidiary of American Electric Power Co.
Address: 2397 North State Highway 7. Phone: 614/367-7331ext
Town: Cheshire State: OH County: Gallia
Railway Connection: Three surface tracks serve power plant in rear; connect with CSX Rail Transport.
Purpose: Receipt of coal.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.931944
Total Berthing Space (feet): 3570 | | Longitude (decimal): -82.11472

Remarks: Open storage area at rear has capacity for 2,700,000 tons of coal. Upper dolphins have capacity for 28 loaded barges and lower dolphins have an equal capacity for empty barges, each arranged in tiers up to 7-wide

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42722 Huntington District

Remarks: Open storage area at rear has capacity for 2,700,000 tons of coal. Upper dolphins have capacity for 28 loaded barges and lower dolphins have an equal capacity for empty barges, each arranged in tiers up to 7-wide

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42722 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 260 PWD: 276
Name: **Ohio Valley Electric Corp., Kyger Creek Power Plant Dock.**
Port: Ohio River 40 - 317
Location: Mile 259.7, right bank, Ohio River, Addison. Datum: NPE
Operator: Ohio Valley Electric Corp.
Owner: Ohio Valley Electric Corp.
Address: State Highway 7. Phone: 614/367-7311
Town: Addison State: OH County: Gallia
Railway Connection: One surface track serves power plant in rear; connects with CSX Rail Transport.
Purpose: Receipt of coal.
Depth Alongside (feet): 18 | | Latitude (decimal): 38.9175
Total Berthing Space (feet): 3400 | | Longitude (decimal): -82.12444
Remarks: Open storage area at rear has capacity for 1,000,000 tons of coal. Upper dolphins have capacity for 35 loaded barges and lower dolphins have an equal capacity for empty barges, each arranged in tiers up to 7-wide

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42721 Huntington District

---

Waterway: **Ohio River** Mile: 261 PWD: 107
Name: **Pantasote Co. Dock.**
Port: Huntington
Location: Mile 260.5, left bank, Ohio River, York Station. Datum: NPE
Operator: Not operated.
Owner: Pantasote Co.
Address: Phone: 304/675-2288
Town: York Station State: WV County: Mason
Railway Connection: One surface track serving plant in rear and connecting with CSX Rail Transport was not in use at time of survey.
Purpose: Not used.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.906944
Total Berthing Space (feet): 450 | | Longitude (decimal): -82.12667
Remarks: Facility formerly was used for receipt of vinyl chloride. One 6-inch pipeline extending from wharf to one 480,000-gallon steel storage sphere was not in use at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42720 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 263 PWD: 277
Name: **Conrich of Ohio Wharf.**
Port: Ohio River 40 - 317
Location: Mile 263.0, right bank, Ohio River, Gallipolis. Datum: NPE
Operator: Mon River Towing, Inc.
Owner: Conrich of Ohio, Inc.
Address: 715 Upper River Road. Phone: 614/446-7040
Town: Gallipolis State: OH County: Gallia
Railway Connection: None.
Purpose: Mooring barges for fleeting. (See Remarks).
Depth Alongside (feet): 15 | | Latitude (decimal): 38.875
Total Berthing Space (feet): 910 | | Longitude (decimal): -82.14222
Remarks: Terminal in rear having open storage area for 10,000 tons of coal was not in operation at time of survey (1991).

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42718 Huntington District

---

Waterway: **Ohio River** Mile: 264 PWD: 278
Name: **Lamay Industries, Gallipolis Wharf.**
Port: Ohio River 40 - 317
Location: Mile 264.1, right bank, Ohio River, Gallipolis. Datum: NPE
Operator: Not operated.
Owner: Conrich of Ohio, Inc.
Address: 567 Upper River Road. Phone: 614/446-9200
Town: Gallipolis State: OH County: Gallia
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.859722
Total Berthing Space (feet): 75 | | Longitude (decimal): -82.14028
Remarks: Terminal in rear having open storage area for 4,000 tons of coal was not in operation at time of survey (1991).

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42716 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 264 PWD: 106
Name: **Point Pleasant Marine Ways Dock.**
Port: Huntington
Location: Mile 263.6, left bank, Ohio River, Point Pleasant. Datum: NPE
Operator: Point Pleasant Marine Ways, a division of Amherst Industries, Inc.
Owner: Point Pleasant Marine Ways, a division of Amherst Industries, Inc.
Address: Phone: 304/675-4904
Town: Point Pleasant State: WV County: Mason
Railway Connection: Six surface tracks serving facility in rear connect with CSX Rail Transport.
Purpose: Mooring barges and towboats for repair.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.865
Total Berthing Space (feet): 100 | | Longitude (decimal): -82.13611

Waterway: **Ohio River** Mile: 264 PWD: 106
Name: **Point Pleasant Marine Ways Dock.**
Port: Huntington
Location: Mile 263.6, left bank, Ohio River, Point Pleasant. Datum: NPE
Operator: Point Pleasant Marine Ways, a division of Amherst Industries, Inc.
Owner: Point Pleasant Marine Ways, a division of Amherst Industries, Inc.
Address: Phone: 304/675-4904
Town: Point Pleasant State: WV County: Mason
Railway Connection: Six surface tracks serving facility in rear connect with CSX Rail Transport.
Purpose: Mooring barges and towboats for repair.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.865
Total Berthing Space (feet): 100 | | Longitude (decimal): -82.13611

Remarks: One 800-ton marine railway is located at upper side. Wharf is equipped with outlets for supplying fresh water, compressed air, and electricity.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42717 Huntington District

Remarks: One 800-ton marine railway is located at upper side. Wharf is equipped with outlets for supplying fresh water, compressed air, and electricity.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42717 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 264 PWD: 106
Name: **Point Pleasant Marine Ways Dock.**
Port: Huntington
Location: Mile 263.6, left bank, Ohio River, Point Pleasant. Datum: NPE
Operator: Point Pleasant Marine Ways, a division of Amherst Industries, Inc.
Owner: Point Pleasant Marine Ways, a division of Amherst Industries, Inc.
Address: Phone: 304/675-4904
Town: Point Pleasant State: WV County: Mason
Railway Connection: Six surface tracks serving facility in rear connect with CSX Rail Transport.
Purpose: Mooring barges and towboats for repair.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.865
Total Berthing Space (feet): 100 | | Longitude (decimal): -82.13611

Waterway: **Ohio River** Mile: 264 PWD: 106
Name: **Point Pleasant Marine Ways Dock.**
Port: Huntington
Location: Mile 263.6, left bank, Ohio River, Point Pleasant. Datum: NPE
Operator: Point Pleasant Marine Ways, a division of Amherst Industries, Inc.
Owner: Point Pleasant Marine Ways, a division of Amherst Industries, Inc.
Address: Phone: 304/675-4904
Town: Point Pleasant State: WV County: Mason
Railway Connection: Six surface tracks serving facility in rear connect with CSX Rail Transport.
Purpose: Mooring barges and towboats for repair.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.865
Total Berthing Space (feet): 100 | | Longitude (decimal): -82.13611
Remarks: One 800-ton marine railway is located at upper side. Wharf is equipped with outlets for supplying fresh water, compressed air, and electricity.□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42717 Huntington District

Remarks: One 800-ton marine railway is located at upper side. Wharf is equipped with outlets for supplying fresh water, compressed air, and electricity.□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42717 Huntington District

Waterway: **Ohio River** Mile: 265 PWD: 104
Name: **Hartley Marine Corp. Dock.**
Port: Huntington
Location: Mile 265.4, left bank, Ohio River, Point Pleasant. Datum: NPE
Operator: Hartley Marine Corp.
Owner: Hartley Marine Corp.
Address: Foot of 2nd Street. Phone: 304/675-201-
Town: Point Pleasant State: WV County: Mason
Railway Connection: None.
Purpose: Loading midstream fueling barge; fueling towboats.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.841389
Total Berthing Space (feet): 490 | | Longitude (decimal): -82.14028
Remarks: Company-owned midstream fueling barge and two supply barges are based here.□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42715 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 265 PWD: 281
Name: **Jay Hall, Jr. Fleet Mooring.**
Port: Ohio River 40 - 317
Location: Mile 265.0, right bank, Ohio River, Gallipolis. Datum: NPE
Operator: Jay Hall, Jr.
Owner: Jay Hall, Jr.
Address: 425 Upper River Road. Phone: 614/367-7622
Town: Gallipolis State: OH County: Gallia
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.846944
Total Berthing Space (feet): 24 | | Longitude (decimal): -82.1425
Remarks: Fleeting area extends below spar barge wharf and has capacity for 24 barges arranged in 8 tiers each 3 barges wide.□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42716 Huntington District

---

Waterway: **Ohio River** Mile: 265 PWD: 279
Name: **Richards & Son, Plant #2 Dock.**
Port: Ohio River 40 - 317
Location: Mile 264.5, right bank, Ohio River, Gallipolis. Datum: NPE
Operator: Richards & Son, Inc. and Middleport Terminal, Inc.
Owner: Richards & Son, Inc.
Address: 487 Upper River Road. Phone: 614/446-7785
Town: Gallipolis State: OH County: Gallia
Railway Connection: None.
Purpose: Richards & Son, Inc.: receipt of sand and stone.□Middleport Terminal, Inc.: receipt of asphalt.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.854444
Total Berthing Space (feet): 275 | | Longitude (decimal): -82.14139
Remarks: Richards & Son, Inc.: Open storage area in rear is served by a radial stacker and has capacity for 40,000 tons of material.□Middleport Terminal, Inc.: One 12- inch pipelone extends from wharf to 2 steel asphalt storage tanks in rear, total capacity 107,140 barrels. Two 4-inch hot oil pipelines serve wharf.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42715 Huntington District

---

Waterway: **Ohio River** Mile: 265 PWD: 280
Name: **Sands Hill Coal Co. Wharf.**
Port: Ohio River 40 - 317
Location: Mile 264.8, right bank, Ohio River, Gallipolis. Datum: NPE
Operator: Sands Hill Coal Co., Inc.
Owner: Sands Hill Coal Co., Inc.
Address: 465 Upper River Road. Phone: 614/446-8060
Town: Gallipolis State: OH County: Gallia
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.850556
Total Berthing Space (feet): 895 | | Longitude (decimal): -82.14222
Remarks: Open storage area at rear has capacity for 10,000 tons of coal.□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42715 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 266 PWD: 282
Name: **O-Kan Dock & Machine Wharf.**
Port: Ohio River 40 - 317
Location: Mile 266.3, right bank, Ohio River, Gallipolis. Datum: NPE
Operator: O-Kan Dock & Machine, a subsidiary of G & C Towing, Inc. and Kanawha River Towing, In
Owner: G & C Towing, Inc.
Address: 267 Upper River Road. Phone: 614/446-4686
Town: Gallipolis State: OH County: Gallia
Railway Connection: None.
Purpose: Mooring floating equipment for maintenance and repair; mooring floating drydocks; mooring barges for fleeting. (See Remarks.)
Depth Alongside (feet): 25 | | Latitude (decimal): 38.830833
Total Berthing Space (feet): 150 | | Longitude (decimal): -82.155
Remarks: One 5,000-, one 1,200-, and one 750-ton floating drydocks moored at wharf. Wharf is equipped with outlets for supplying compressed air, oxygen, natural gas, and electricity. Kanawha River Towing, Inc. operates Fleet with capacity for 40 barges arranged in 10 tiers, each 4 barges wide at shore moorings, along approximately 2,000 feet of bank located below wharf.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 41714 Huntington District

---

Waterway: **Ohio River** Mile: 267 PWD: 22
Name: **Kanawha River Towing Landing.**
Port: Huntington
Location: Mile 266.8, left bank, Ohio River, Henderson. Datum: NPE
Operator: Kanawha River Towing, Inc.
Owner: Kanawha River Towing, Inc.
Address: Phone: 304/675-4545
Town: Henderson State: WV County: Mason
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 30 | | Latitude (decimal): 38.823889
Total Berthing Space (feet): | | Longitude (decimal): -82.155
Remarks: Above-waterline repairs are made to company-owned equipment. Fleeting area has capacity for mooring approximately 250 barges and extends one mile along both sides of the Ohio River.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42714 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 268 PWD: 284
Name: **Arrow Concrete Co. Dock.**
Port: Ohio River 40 - 317
Location: Mile 268.1, right bank, Ohio River, Gallipolis. Datum: NPE
Operator: Arrow Concrete Co.
Owner: Arrow Industries.
Address: 1725 Eastern Avenue Phone: 614/446-1594
Town: Gallipolis State: OH County: Gallia
Railway Connection: None.
Purpose: Receipt of sand and stone.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.817778
Total Berthing Space (feet): 175 | | Longitude (decimal): -82.17972
Remarks: Open storage area at rear has capacity for approximately 7,500 tons of material.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42712 Huntington District

---

Waterway: **Ohio River** Mile: 268 PWD: 283
Name: **Cremeans Concrete & Supply Co. Dock.**
Port: Ohio River 40 - 317
Location: Mile 267.8, right bank, Ohio River, Gallipolis. Datum: NPE
Operator: Cremeans Concrete & Supply Co.
Owner: Cremeans Concrete & Supply Co.
Address: 1725 Eastern Avenue Phone: 614/446-1142
Town: Gallipolis State: OH County: Gallia
Railway Connection: None.
Purpose: Receipt and shipment of sand and gravel.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.818889
Total Berthing Space (feet): 175 | | Longitude (decimal): -82.17611
Remarks: Approximately 5 acres of open storage area is located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42713 Huntington District

---

Waterway: **Ohio River** Mile: 281 PWD: 21
Name: **The Goodyear Tire & Rubber Co., Point Pleasant Polyester Plant Doc**
Port: Huntington
Location: Mile 280.7, left bank, Ohio River, Apple Grove. Datum: NPE
Operator: The Goodyear Tire & Rubber Co.
Owner: The Goodyear Tire & Rubber Co.
Address: State Route 2 Phone: 304/576-4551
Town: Apple Grove State: WV County: Mason
Railway Connection: Plant trackage connects with CSX Rail Transport.
Purpose: Receipt of ethylene glycol. Occasional receipt of fuel oil for plant consumption.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.660556
Total Berthing Space (feet): | | Longitude (decimal): -82.1825
Remarks: One 6-inch pipeline extends from wharf to 2 ethylene glycol storage tanks at rear, total capacity 1,500,000 gallons and one 6-inch pipeline extends from wharf to one 47,000-barrel fuel oil storage tank.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42700 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 290 PWD: 285
Name: **Barrick Gold Exploration Dock.**
Port: Ohio River 40 - 317
Location: Mile 289.5, right bank, Ohio River, Crown City. Datum: NPE
Operator: Not operated.
Owner: Barrick Gold Exploration.
Address: Phone: 614/256-6327
Town: Crown City State: OH County: Gallia
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.599167
Total Berthing Space (feet): 1750 | | Longitude (decimal): -82.25583
Remarks: Facility formerly was used for shipment of coal. Open storage area at rear of State Highway 7 has capacity for approximately 15,000 tons. Wharf has capacity for mooring 12 empty barges above, and 12 loaded barg

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42691 Huntington District

---

Waterway: **Ohio River** Mile: 298 PWD: 20
Name: **Adams Trucking & Supply Dock.**
Port: Huntington
Location: Mile 298.1, left bank, Ohio River, 1.3 miles below Lesage. Datum: NPE
Operator: Adams Trucking & Supply, Inc.
Owner: Adams Trucking & Supply, Inc.
Address: 300 Water Street Phone: 304/736-7788
Town: Lesage State: WV County: Cabell
Railway Connection: One surface track in rear connects with CSX Rail Transport.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.488333
Total Berthing Space (feet): 325 | | Longitude (decimal): -82.30333
Remarks: Approximately 6 acres of open storage area with capacity for 20,000 tons of material are located in rear.□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42683 Huntington District

---

Waterway: **Ohio River** Mile: 300 PWD: 19
Name: **Barboursville Block Co. Dock.**
Port: Huntington
Location: Mile 299.9, left bank, Ohio River, 3.0 miles below Lesage. Datum: NPE
Operator: Barboursville Block Co.
Owner: Barboursville Block Co.
Address: Phone: 304/736-1248
Town: Lesage State: WV County: Cabell
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.465
Total Berthing Space (feet): 525 | | Longitude (decimal): -82.31056
Remarks: Open storage area at rear has capacity for 40,000 tons of material.□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42683 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 304 PWD: 18
Name: **Chevron U.S.A., Huntington Terminal Dock.**
Port: Huntington
Location: Mile 303.6, right bank, Ohio River, 4.8 miles above Huntington. Datum: NPE
Operator: Not operated.
Owner: Chevron U.S.A., Inc.
Address: Phone: 800/284-3938
Town: Huntington State: WV County: Cabell
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.434444
Total Berthing Space (feet): | | Longitude (decimal): -82.36139
Remarks: Four 10-, one 8-, and one 6-inch pipelines extending from wharf to 7 steel storage tanks at rear, total capacity 80,000 barrels were not in use at time of survey. Terminal was for sale at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Huntington District

---

Waterway: **Ohio River** Mile: 304 PWD: 17
Name: **Huntington Asphalt Corp. Dock.**
Port: Huntington
Location: Mile 304.1, left bank, Ohio River, 3.3 miles above Huntington. Datum: NPE
Operator: Huntington Asphalt Corp.
Owner: Huntington Asphalt Corp.
Address: Phone: 304/525-3600
Town: Huntington State: WV County: Cabell
Railway Connection: None.
Purpose: Receipt of limestone, sand, gravel, and salt.
Depth Alongside (feet): 12 - 15 | | Latitude (decimal): 38.4325
Total Berthing Space (feet): 700 | | Longitude (decimal): -82.37111
Remarks: Facility has capacity for mooring 12 barges. Asphalt plant and approximately 9 acres of open storage area with capacity for 10,000 tons of salt and 25,000 tons of sand, gravel or limestone are located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Huntington District

---

Waterway: **Ohio River** Mile: 304 PWD: 286
Name: **Richards & Son, Plant No. 1 Dock.**
Port: Ohio River 40 - 317
Location: Mile 303.9, right bank, Ohio River, Proctorville. Datum: NPE
Operator: Richards & Son, Inc.
Owner: Richards & Son, Inc.
Address: Phone: 614/886-6640
Town: Proctorville State: OH County: Lawrence
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.437778
Total Berthing Space (feet): 380 | | Longitude (decimal): -82.36861
Remarks: Open storage area with capacity for 15,000 tons of material is located at rear.□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 306 PWD: 287
Name: **Economy Barge Repair, Proctorville Dock.**
Port: Ohio River 40 - 317
Location: Mile 305.5, right bank, Ohio River, Proctorville. Datum: NPE
Operator: Economy Barge Repair, Inc.
Owner: Superior Marine Ways, Inc.
Address: Phone: 614/886-6662
Town: Proctorville State: OH County: Lawrence
Railway Connection: None.
Purpose: Mooring barges for cleaning and repair.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.437778
Total Berthing Space (feet): 525 | | Longitude (decimal): -82.39361
Remarks: One 700-ton side haul marine railway is located adjacent to upper side. Wharf is equipped with outlets for supplying oxygen, acetylene gas, and electricity.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Huntington District

---

Waterway: **Ohio River** Mile: 306 PWD: 288
Name: **Riverside Coal Co., Proctorville Dock.**
Port: Ohio River 40 - 317
Location: Mile 305.7, Proctorville. Datum: NPE
Operator: Riverside Coal Co.
Owner: United Coal Company, Tri-State Division, Harbor Marine, Inc..
Address: Phone: 614/886-8444
Town: Proctorville State: OH County: Lawrence
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.439167
Total Berthing Space (feet): 565 | | Longitude (decimal): -82.3975
Remarks: Open storage area at rear has capacity for 20,000 tons of coal. Wharf has capacity for mooring 12 empty barges above, and 30 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Huntington District

---

Waterway: **Ohio River** Mile: 307 PWD: 16
Name: **Ohio River Terminals Co., Huntington Terminal Dock.**
Port: Huntington
Location: Mile 306.5, left bank, Ohio River, Huntington. Datum: NPE
Operator: Ohio River Terminals Co.
Owner: Ohio River Co.
Address: Foot of 25th Street. Phone: 304/523-6461
Town: Huntington State: WV County: Cabell
Railway Connection: Twenty-six surface tracks in rear, total capacity 300 cars; connect with CSX Rail Transport.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.434444
Total Berthing Space (feet): 3000 | | Longitude (decimal): -82.41306
Remarks: Facility has capacity for mooring approximately 40 empty barges above and 40 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 308 PWD: 13
Name: **City of Huntington, Harris Riverfront Park Wharf.**
Port: Huntington
Location: Mile 308.2, left bank, Ohio River, Huntington. Datum: NPE
Operator: City of Huntington.
Owner: City of Huntington.
Address: Phone:
Town: Huntington State: WV County: Wayne
Railway Connection: None.
Purpose: Mooring vessels; landing for harbor excursion vessel 'West Virginia Belle.'
Depth Alongside (feet): 15 | | Latitude (decimal): 38.425
Total Berthing Space (feet): 1000 | | Longitude (decimal): -82.4425
Remarks: City of Huntington Harris Riverfront Park is located at rear. Two launching ramps for recreational vessels are located at upper side.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Huntington District

---

Waterway: **Ohio River** Mile: 308 PWD: 15
Name: **Exxon Co., USA, Huntington Terminal Dock.**
Port: Huntington
Location: Mile 307.6, left bank, Ohio River, Huntington. Datum: NPE
Operator: Not operated.
Owner: Exxon Co., USA.
Address: Phone: 304/347-1059
Town: Huntington State: WV County: Cabell
Railway Connection: None.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 15 | | Latitude (decimal): 38.431944
Total Berthing Space (feet): | | Longitude (decimal): -82.4275
Remarks: Four 8-inch pipelines extending from wharf to 8 steel storage tanks at rear, total capacity 52,400 barrels were not in use at time of survey. Terminal, for sale at time of survey, formerly was used for receipt o

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Huntington District

---

Waterway: **Ohio River** Mile: 308 PWD: 14
Name: **Steel of West Virginia, Huntington Works Dock.**
Port: Huntington
Location: Mile 307.7, left bank, Ohio River, Huntington. Datum: NPE
Operator: Steel of West Virginia.
Owner: Steel of West Virginia.
Address: Phone: 304/696-8200
Town: Huntington State: WV County: Cabell
Railway Connection: One surface track in rear connects with CSX Rail Transport.
Purpose: Receipt and shipment of steel products.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.426944
Total Berthing Space (feet): 220 | | Longitude (decimal): -82.43472
Remarks: A steel manufacturing plant is located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 309 PWD: 12
Name: **Huntington Coal Transportation Corp., River Terminal Dock.**
Port: Huntington
Location: Mile 309.0, left bank, Ohio River, Huntington. Datum: NPE
Operator: Huntington Coal Transportation Corp.
Owner: Huntington Coal Transportation Corp..
Address: Phone: 304/523-3238
Town: Huntington State: WV County: Cabell
Railway Connection: Twelve surface storage tracks in rear, total capacity 150 cars, connect with CSX Rail Transport.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.421944
Total Berthing Space (feet): 780 | | Longitude (decimal): -82.45611
Remarks: Wharf has capacity for mooring 10 empty barges above and 10 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Huntington District

---

Waterway: **Ohio River** Mile: 310 PWD: 11
Name: **Century Oils Dock.**
Port: Huntington
Location: Mile 310.4, left bank, Ohio River, Huntington. Datum: NPE
Operator: Century Oils, Inc.
Owner: Century Oils, Inc.
Address: 120 13th Street Phone: 304/523-3716
Town: Huntington State: WV County: Cabell
Railway Connection: None.
Purpose: Receipt of lubricating oils.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.416389
Total Berthing Space (feet): | | Longitude (decimal): -82.48083
Remarks: One 6-inch pipeline extends from wharf to 9 steel storage tanks at rear, total capacity 51,800 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Huntington District

---

Waterway: **Ohio River** Mile: 311 PWD: 10
Name: **Pennzoil Products Co., Huntington Terminal Dock.**
Port: Huntington
Location: Mile 310.8, Huntington. Datum: NPE
Operator: Not operated.
Owner: Pennzoil Products Co., a subsidiary of Pennzoil Co.
Address: Virginia Avenue Phone: 304/429-4201
Town: Huntington State: WV County: Cabell
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.41444
Total Berthing Space (feet): | | Longitude (decimal): -82.48694
Remarks: One 10-inch pipeline extending to 2 steel storage tanks at rear, total capacity 30,950 barrels, was not in use at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 314 PWD: 9
Name: **Crounse Corp., Huntington Fleet Mooring.**
Port: Huntington
Location: Mile 313.5, left bank, Ohio River, Huntington. Datum: NPE
Operator: Crounse Corp.
Owner: Crounse Corp.
Address: Phone:
Town: Huntington State: WV County: Wayne
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.400833
Total Berthing Space (feet): 1170 | | Longitude (decimal): -82.53361
Remarks: Fleeting area has capacity for mooring 30 barges arranged in six tiers, each 5 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Huntington District

---

Waterway: **Ohio River** Mile: 315 PWD: 8
Name: **Electric Fuels Corp., Ceredo River Dock.**
Port: Huntington
Location: Mile 314.6, left bank, Ohio River, Ceredo. Datum: NPE
Operator: Electric Fuels Corp.
Owner: Electric Fuels Corp.
Address: River and Main Street Phone: 304/453-1336
Town: Ceredo State: WV County: Wayne
Railway Connection: Fourteen surface tracks in rear, total capacity 300 cars, connect with Norfolk Southern Railway Company and CSX Rail Transport.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.399167
Total Berthing Space (feet): 1000 | | Longitude (decimal): -82.55306
Remarks: Adjacent fleeting area at natural bank has capacity for mooring approximately 100 barges extending over approximately one mile of river frontage.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Huntington District

---

Waterway: **Ohio River** Mile: 315 PWD: 291
Name: **South Point Barge Co. Dock.**
Port: Ohio River 40 - 317
Location: Mile 315.3, right bank, Ohio River, North Kenova. Datum: NPE
Operator: South Point Barge Co., Inc.
Owner: South Point Barge Co., Inc.
Address: Phone: 614/894-5911
Town: North Kenova State: OH County: Lawrence
Railway Connection: None.
Purpose: Mooring barges for cleaning and repair; mooring floating drydocks.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.406667
Total Berthing Space (feet): 3000 | | Longitude (decimal): -82.57028
Remarks: One 650- and one 500-ton capacity floating drydocks are moored to grounded barges. Wharf is equipped with outlets for supplying compressed air, oxygen, propane, and electricity.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 315 PWD: 6
Name: **Union Concrete Pipe Co., Lower Dock.**
Port: Huntington
Location: Mile 314.8, left bank, Ohio River, Ceredo. Datum: NPE
Operator: Economy Barge Repair, Inc.
Owner: Union Concrete Pipe Co.
Address: Main Street & Riverfront Phone: 304/453-1391
Town: Ceredo State: WV County: Wayne
Railway Connection: None.
Purpose: Mooring barges for cleaning.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.4
Total Berthing Space (feet): 780 | | Longitude (decimal): -82.55972
Remarks: Fleeting area has capacity for mooring 16 barges.□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Huntington District

---

Waterway: **Ohio River** Mile: 315 PWD: 7
Name: **Union Concrete Pipe Co., Upper Dock.**
Port: Huntington
Location: Mile 314.8, left bank, Ohio River, Ceredo. Datum: NPE
Operator: Kosmos Cement Co.
Owner: Union Concrete Pipe Co.
Address: Main Street and Riverfront Phone: 304/453-6331
Town: Ceredo State: WV County: Wayne
Railway Connection: None.
Purpose: Receipt of bulk cement.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.4
Total Berthing Space (feet): 100 | | Longitude (decimal): -82.55889
Remarks: One 10-inch pipeline extends from wharf to one 800-ton storage silo at rear.□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Huntington District

---

Waterway: **Ohio River** Mile: 316 PWD: 292
Name: **American Commercial Terminals, North Kenova Fleet Mooring.**
Port: Ohio River 40 - 317
Location: Mile 316.2, right bank, Ohio River, South Point. Datum: NPE
Operator: Coal Terminals, Inc.
Owner: American Commercial Barge Line Co.
Address: Phone: 304/453-3271
Town: North Kenova State: OH County: Lawrence
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.410556
Total Berthing Space (feet): 1800 | | Longitude (decimal): -82.58
Remarks: Fleeting area has capacity for mooring approximately 60 barges, consisting of 15 tiers, each 4 barges wide.□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 316 PWD: 5
Name: **Ashland Petroleum Co., Kenova Fleet Mooring.**
Port: Huntington
Location: Mile 315.7, left bank, Ohio River, Kenova. Datum: NPE
Operator: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Address: 23d Street & River Phone: 304/453-3331
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 25 | | Latitude (decimal): 38.403889
Total Berthing Space (feet): 1200 | | Longitude (decimal): -82.575

Waterway: **Ohio River** Mile: 316 PWD: 5
Name: **Ashland Petroleum Co., Kenova Fleet Mooring.**
Port: Huntington
Location: Mile 315.7, left bank, Ohio River, Kenova. Datum: NPE
Operator: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Address: 23d Street & River Phone: 304/453-3331
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 25 | | Latitude (decimal): 38.403889
Total Berthing Space (feet): 1200 | | Longitude (decimal): -82.575

Remarks: Cells are in line with Ref. No. 4, providing a total of 1,200 feet of continuous berthing space.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Huntington District

Remarks: Cells are in line with Ref. No. 4, providing a total of 1,200 feet of continuous berthing space.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 316 PWD: 5
Name: **Ashland Petroleum Co., Kenova Fleet Mooring.**
Port: Huntington
Location: Mile 315.7, left bank, Ohio River, Kenova. Datum: NPE
Operator: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Address: 23d Street & River Phone: 304/453-3331
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 25 | | Latitude (decimal): 38.403889
Total Berthing Space (feet): 1200 | | Longitude (decimal): -82.575

Waterway: **Ohio River** Mile: 316 PWD: 5
Name: **Ashland Petroleum Co., Kenova Fleet Mooring.**
Port: Huntington
Location: Mile 315.7, left bank, Ohio River, Kenova. Datum: NPE
Operator: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Address: 23d Street & River Phone: 304/453-3331
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 25 | | Latitude (decimal): 38.403889
Total Berthing Space (feet): 1200 | | Longitude (decimal): -82.575

Remarks: Cells are in line with Ref. No. 4, providing a total of 1,200 feet of continuous berthing space.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Huntington District

Remarks: Cells are in line with Ref. No. 4, providing a total of 1,200 feet of continuous berthing space.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 316 PWD: 4
Name: **Ashland Petroleum Co., Kenova Fueling Dock.**
Port: Huntington
Location: Mile 315.9, left bank, Ohio River, Kenova. Datum: NPE
Operator: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Address: 23d Street & River. Phone: 304/453-3331
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose: Fueling towboats and company-owned vessels.
Depth Alongside (feet): 25 | | Latitude (decimal): 38.405
Total Berthing Space (feet): 1200 | | Longitude (decimal): -82.57778

Waterway: **Ohio River** Mile: 316 PWD: 4
Name: **Ashland Petroleum Co., Kenova Fueling Dock.**
Port: Huntington
Location: Mile 315.9, left bank, Ohio River, Kenova. Datum: NPE
Operator: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Address: 23d Street & River. Phone: 304/453-3331
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose: Fueling towboats and company-owned vessels.
Depth Alongside (feet): 25 | | Latitude (decimal): 38.405
Total Berthing Space (feet): 1200 | | Longitude (decimal): -82.57778

Remarks: One 3- and one 1-inch pipelines extend from storage tanks at rear of Ref. No. 2. Cells are in line with Ref. No. 5, providing a total of 1,200 feet of continuous berthing space.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Huntington District

Remarks: One 3- and one 1-inch pipelines extend from storage tanks at rear of Ref. No. 2. Cells are in line with Ref. No. 5, providing a total of 1,200 feet of continuous berthing space.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 316 PWD: 4
Name: **Ashland Petroleum Co., Kenova Fueling Dock.**
Port: Huntington
Location: Mile 315.9, left bank, Ohio River, Kenova. Datum: NPE
Operator: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Address: 23d Street & River. Phone: 304/453-3331
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose: Fueling towboats and company-owned vessels.
Depth Alongside (feet): 25 | | Latitude (decimal): 38.405
Total Berthing Space (feet): 1200 | | Longitude (decimal): -82.57778

Waterway: **Ohio River** Mile: 316 PWD: 4
Name: **Ashland Petroleum Co., Kenova Fueling Dock.**
Port: Huntington
Location: Mile 315.9, left bank, Ohio River, Kenova. Datum: NPE
Operator: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Address: 23d Street & River. Phone: 304/453-3331
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose: Fueling towboats and company-owned vessels.
Depth Alongside (feet): 25 | | Latitude (decimal): 38.405
Total Berthing Space (feet): 1200 | | Longitude (decimal): -82.57778

Remarks: One 3- and one 1-inch pipelines extend from storage tanks at rear of Ref. No. 2. Cells are in line with Ref. No. 5, providing a total of 1,200 feet of continuous berthing space.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Huntington District

Remarks: One 3- and one 1-inch pipelines extend from storage tanks at rear of Ref. No. 2. Cells are in line with Ref. No. 5, providing a total of 1,200 feet of continuous berthing space.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Huntington District

Waterway: **Ohio River** Mile: 316 PWD: 2
Name: **Ashland Petroleum Co., Kenova Terminal Dock.**
Port: Huntington
Location: Mile 316.3, left bank, Ohio River, Kenova Datum: NPE
Operator: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., a division of Ashland Oil, Inc.
Address: 23d Street & River. Phone: 304/453-3331
Town: Kenova State: WV County: Wayne
Railway Connection: None.
Purpose: Shipment of petroleum products.
Depth Alongside (feet): 27 | | Latitude (decimal): 38.408056
Total Berthing Space (feet): 1028 | | Longitude (decimal): -82.585
Remarks: One 12-, three 10-, and two 8-inch pipelines extend from 6 steel storage tanks at rear, total capacity 600,000 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 316 PWD: 3
Name: **Coal Terminals, Transfer Terminal, Kenova Dock.**
Port: Huntington
Location: Mile 316.1, left bank, Ohio River, Kenova. Datum: NPE
Operator: Coal Terminals, Inc.
Owner: Coal Terminals, Inc.
Address: Phone: 304/453-3271
Town: Kenova State: WV County: Wayne
Railway Connection: Four surface tracks in rear, total capacity 113 cars; connect with Norfolk Southern Railway.
Purpose: Shipment of coal.
Depth Alongside (feet): 25 | | Latitude (decimal): 38.4075
Total Berthing Space (feet): 1200 | | Longitude (decimal): -82.58194
Remarks: Open storage area at rear has capacity for 13,000 tons of coal. Wharf has capacity for mooring 14 empty barges above and 18 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Huntington District

---

Waterway: **Ohio River** Mile: 317 PWD: 1
Name: **The Ohio River Co., Kenova Terminal Dock.**
Port: Huntington
Location: Mile 316.7, left bank, Ohio River, Kenova. Datum: NPE
Operator: The Ohio River Co.
Owner: The Ohio River Co.
Address: 23d & Beech St. Phone: 304/453-1385
Town: Kenova State: WV County: Wayne
Railway Connection: Ten surface tracks in rear, total capacity 250 cars; connect with Norfolk Southern Railway.
Purpose: Shipment of coal.
Depth Alongside (feet): 26 | | Latitude (decimal): 38.410833
Total Berthing Space (feet): 1300 | | Longitude (decimal): -82.58944
Remarks: Wharf has capacity for mooring 18 empty barges above and 50 loaded barges below.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42673 Huntington District

---

Waterway: **Ohio River** Mile: 318 PWD: 54
Name: **Ashland Petroleum Co., Catlettsburg Marine Repair Terminal Dock.**
Port: Ohio River
Location: Mile 318.3, left bank, Ohio River, Catlettsburg. Datum: NPE
Operator: Ashland Petroleum Co. , Division of Ashland Oil, Inc.
Owner: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Address: 13th and Center Streets. Phone: 606/329-5374
Town: Catlettsburg State: KY County: Boyd
Railway Connection: None.
Purpose: Mooring company-owned towboats and barges for maintenance and repair.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.432222
Total Berthing Space (feet): 528 | | Longitude (decimal): -82.60333
Remarks: Floating wharf barge is equipped with outlets for steam and welding gas.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42663 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 318 PWD: 73
Name: **McGinnis South Point Dock No. 3.**
Port: Ohio River
Location: Mile 317.6, right bank Ohio River, South Point. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: Second Street Extension Phone: 614/377-4391
Town: South Point State: OH County: Lawrence
Railway Connection: None.
Purpose: Mooring vessels for repair; mooring floating drydocks; mooring vessels for fleeting. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 38.424722
Total Berthing Space (feet): 200 | | Longitude (decimal): -82.59583

Waterway: **Ohio River** Mile: 318 PWD: 73
Name: **McGinnis South Point Dock No. 3.**
Port: Ohio River
Location: Mile 317.6, right bank Ohio River, South Point. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: Second Street Extension Phone: 614/377-4391
Town: South Point State: OH County: Lawrence
Railway Connection: None.
Purpose: Mooring vessels for repair; mooring floating drydocks; mooring vessels for fleeting. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 38.424722
Total Berthing Space (feet): 200 | | Longitude (decimal): -82.59583

Remarks: One 1,200-ton floating drydock is moored at wharf. 'Ernie's Fleet' fronts Dock 3 as well as Docks 2 and 1 (See Remarks, Ref. No. 72). 'Darrell's Fleet' at 4 permanently-moored spar barges located approximately 1, capacity for 24 barges arranged in 4 tiers, each 6 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42673 Huntington District

Remarks: One 1,200-ton floating drydock is moored at wharf. 'Ernie's Fleet' fronts Dock 3 as well as Docks 2 and 1 (See Remarks, Ref. No. 72). 'Darrell's Fleet' at 4 permanently-moored spar barges located approximately 1, capacity for 24 barges arranged in 4 tiers, each 6 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42673 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 318 PWD: 73
Name: **McGinnis South Point Dock No. 3.**
Port: Ohio River
Location: Mile 317.6, right bank Ohio River, South Point. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: Second Street Extension Phone: 614/377-4391
Town: South Point State: OH County: Lawrence
Railway Connection: None.
Purpose: Mooring vessels for repair; mooring floating drydocks; mooring vessels for fleeting. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 38.424722
Total Berthing Space (feet): 200 | | Longitude (decimal): -82.59583

Waterway: **Ohio River** Mile: 318 PWD: 73
Name: **McGinnis South Point Dock No. 3.**
Port: Ohio River
Location: Mile 317.6, right bank Ohio River, South Point. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: Second Street Extension Phone: 614/377-4391
Town: South Point State: OH County: Lawrence
Railway Connection: None.
Purpose: Mooring vessels for repair; mooring floating drydocks; mooring vessels for fleeting. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 38.424722
Total Berthing Space (feet): 200 | | Longitude (decimal): -82.59583

Remarks: One 1,200-ton floating drydock is moored at wharf. 'Ernie's Fleet' fronts Dock 3 as well as Docks 2 and 1 (See Remarks, Ref. No. 72). 'Darrell's Fleet' at 4 permanently-moored spar barges located approximately 1, capacity for 24 barges arranged in 4 tiers, each 6 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42673 Huntington District

Remarks: One 1,200-ton floating drydock is moored at wharf. 'Ernie's Fleet' fronts Dock 3 as well as Docks 2 and 1 (See Remarks, Ref. No. 72). 'Darrell's Fleet' at 4 permanently-moored spar barges located approximately 1, capacity for 24 barges arranged in 4 tiers, each 6 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42673 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 318 PWD: 72
Name: **McGinnis South Point Docks 1 and 2.**
Port: Ohio River
Location: Mile 317.5, right bank Ohio River, South Point. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: Second Street Extension Phone: 614/377-4391
Town: South Point State: OH County: Lawrence
Railway Connection: None.
Purpose: Mooring barges for fleeting; mooring floating drydocks; mooring vessels for repair.
Depth Alongside (feet): 10 - 20 | 10 - 20 | Latitude (decimal): 38.423611
Total Berthing Space (feet): 1090 | 460 | Longitude (decimal): -82.59472

Waterway: **Ohio River** Mile: 318 PWD: 72
Name: **McGinnis South Point Docks 1 and 2.**
Port: Ohio River
Location: Mile 317.5, right bank Ohio River, South Point. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: Second Street Extension Phone: 614/377-4391
Town: South Point State: OH County: Lawrence
Railway Connection: None.
Purpose: Mooring barges for fleeting; mooring floating drydocks; mooring vessels for repair.
Depth Alongside (feet): 10 - 20 | 10 - 20 | Latitude (decimal): 38.423611
Total Berthing Space (feet): 1090 | 460 | Longitude (decimal): -82.59472

Remarks: 'Ernie's Fleet' fronts both Docks 1 and 2 as well as Dock 3 (Ref No. 73) and has capacity for 72 barges arranged in 13 tiers, each 6 barges wide. One 2,000-ton floating drydock is moored at Dock 1. One work barg with outlets for welding gas and natural gas.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42673 Huntington District

Remarks: 'Ernie's Fleet' fronts both Docks 1 and 2 as well as Dock 3 (Ref No. 73) and has capacity for 72 barges arranged in 13 tiers, each 6 barges wide. One 2,000-ton floating drydock is moored at Dock 1. One work barg with outlets for welding gas and natural gas.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42673 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 318 PWD: 72
Name: **McGinnis South Point Docks 1 and 2.**
Port: Ohio River
Location: Mile 317.5, right bank Ohio River, South Point. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: Second Street Extension Phone: 614/377-4391
Town: South Point State: OH County: Lawrence
Railway Connection: None.
Purpose: Mooring barges for fleeting; mooring floating drydocks; mooring vessels for repair.
Depth Alongside (feet): 10 - 20 | 10 - 20 | Latitude (decimal): 38.423611
Total Berthing Space (feet): 1090 | 460 | Longitude (decimal): -82.59472

Waterway: **Ohio River** Mile: 318 PWD: 72
Name: **McGinnis South Point Docks 1 and 2.**
Port: Ohio River
Location: Mile 317.5, right bank Ohio River, South Point. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: Second Street Extension Phone: 614/377-4391
Town: South Point State: OH County: Lawrence
Railway Connection: None.
Purpose: Mooring barges for fleeting; mooring floating drydocks; mooring vessels for repair.
Depth Alongside (feet): 10 - 20 | 10 - 20 | Latitude (decimal): 38.423611
Total Berthing Space (feet): 1090 | 460 | Longitude (decimal): -82.59472

Remarks: 'Ernie's Fleet' fronts both Docks 1 and 2 as well as Dock 3 (Ref No. 73) and has capacity for 72 barges arranged in 13 tiers, each 6 barges wide. One 2,000-ton floating drydock is moored at Dock 1. One work barg with outlets for welding gas and natural gas.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42673 Huntington District

Remarks: 'Ernie's Fleet' fronts both Docks 1 and 2 as well as Dock 3 (Ref No. 73) and has capacity for 72 barges arranged in 13 tiers, each 6 barges wide. One 2,000-ton floating drydock is moored at Dock 1. One work barg with outlets for welding gas and natural gas.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42673 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 318 PWD: 55
Name: **Merdie Boggs & Sons, Catlettsburg Wharf.**
Port: Ohio River
Location: Mile 317.6, left bank, Ohio River, Catlettsburg. Datum: NPE
Operator: Merdie Boggs & Sons, Inc.
Owner: Merdie Boggs & Sons, Inc.
Address: 1900 Center Street Phone: 606/739-4154
Town: Catlettsburg State: KY County: Boyd
Railway Connection: None.
Purpose: Loading midstream fueling barges; fueling towboats; mooring barges for fleeting.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.423889
Total Berthing Space (feet): 230 | | Longitude (decimal): -82.6
Remarks: One company-owned midstream fueling barge and eight company-owned fleeting boats are based at wharf. Approximately 5,000 feet along adjacent bank is used for fleeting and has capacity for approximately 30 barges each 5 barges wide. Fueling pipelines extend to face from 2 steel tank barges, total capacity 11,000 barrels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42663 Huntington District

---

Waterway: **Ohio River** Mile: 319 PWD: 50
Name: **Armco Steel Co., Ashland Works, Coke Plant, Coal Unloading Dock.**
Port: Ohio River
Location: Mile 319.4, left bank, Ohio River, Catlettsburg. Datum: NPE
Operator: Armco Steel Co, L.P.
Owner: Armco Steel Co, L.P.
Address: Foot of 40th Street Phone: 606/329-7873
Town: Catlettsburg State: KY County: Boyd
Railway Connection: Trackage serving plant at rear; connects with CSX Rail Transport.
Purpose: Receipt of coal; mooring barges fot fleeting (See Remarks).
Depth Alongside (feet): 10 | | Latitude (decimal): 38.449444
Total Berthing Space (feet): 390 | | Longitude (decimal): -82.60778
Remarks: Open storage area in rear has capacity for approximately 250,000 tons of coal.□Merdie Boggs and Sons Inc. operates their 'Solvay Fleet' with capacity for 30 barges arranged in 5 tiers each 6 barges wide, at shor immediately upstream from wharf.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41661 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 319 PWD: 52
Name: **Ashland Coal, Catlettsburg Dock.**
Port: Ohio River
Location: Mile 318.9, left bank, Ohio River, Catlettsburg. Datum: NPE
Operator: Not operated.
Owner: Midway, Inc.
Address: Foot of 53rd Street Phone: 606/739-4166
Town: Catlettsburg State: KY County: Boyd
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 13 | | Latitude (decimal): 38.442222
Total Berthing Space (feet): 600 | | Longitude (decimal): -82.60667
Remarks: At time of survey (1991) terminal had suspended operations and open storage area at rear with capacity for 200,000 tons of coal was empty.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42663 Huntington District

---

Waterway: **Ohio River** Mile: 319 PWD: 74
Name: **Ashland Services Co., South Point Dock.**
Port: Ohio River
Location: Mile 318.5, right bank Ohio River, South Point. Datum: NPE
Operator: Ashland Services Co.
Owner: Ashland Oil, Inc.
Address: County Highway 1 Phone: 614/377-2765
Town: South Point State: OH County: Lawrence
Railway Connection: One surface track serves terminal at rear; connects with Norfolk and Western Railway.
Purpose: Receipt and shipment of mineral spirits; shipment of ethanol; mooring barges for fleeting (See Remarks).
Depth Alongside (feet): 10 | | Latitude (decimal): 38.436667
Total Berthing Space (feet): 350 | | Longitude (decimal): -82.60083
Remarks: One 8-inch pipeline extends from wharf to 2 steel mineral spirits storage tanks, total capacity 1,680,000 gallons, and one 8-inch pipeline extends from 2 ethanol storage tanks, total capacity 2,000,000 gallons. A 4-inch pipeline on wharf was out of service. McGinnis Inc. 'Ritchie Fleet' at shore moorings located below wharf has capacity for 30 barges arranged in 5 tiers, each 6 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41662 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 319 PWD: 51
Name: **Chevron U.S.A., Catlettsburg Terminal Dock.**
Port: Ohio River
Location: Mile 319.0, left bank, Ohio River, Catlettsburg. Datum: NPE
Operator: Chevron U.S.A., Inc.
Owner: Chevron U.S.A., Inc.
Address: 215 53rd Street Phone: 606/325-0416
Town: Catlettsburg State: KY County: Boyd
Railway Connection: None.
Purpose: Receipt of petroleum products.
Depth Alongside (feet): 10 - 12 | | Latitude (decimal): 38.443611
Total Berthing Space (feet): 400 | | Longitude (decimal): -82.60667
Remarks: Four 6-inch pipelines extend from lower cell to 12 steel storage tanks at terminal in rear, total capacity 137,000 barrels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41662 Huntington District

---

Waterway: **Ohio River** Mile: 319 PWD: 53
Name: **R & D Associates Wharf.**
Port: Ohio River
Location: Mile 318.9 - 318.5, left bank, Ohio River, Catlettsburg. Datum: NPE
Operator: R & D Associates, Inc. and McGinnis, Inc.
Owner: R & D Associates, Inc.
Address: Phone: 614/377-4391
Town: Catlettsburg State: KY County: Boyd
Railway Connection: None.
Purpose: R & D Associates, Inc.: Mooring barges and towboats for repair; mooring floating drydock. McGinnis, Inc.: Mooring barges for fleeting. (See Remarks.)
Depth Alongside (feet): 10 - 12 | 10 - 20 | 10 - 15 Latitude (decimal): 38.438611
Total Berthing Space (feet): 400 | 16 | 20 Longitude (decimal): -82.60556
Remarks: One 2,500-ton floating drydock is moored at upper end of wharf. McGinnis, Inc. Elkhorn Fleets are located at shore moorings on upper side of wharf extending to mile 318.5. Lower Fleet is normally is used for 300- arranged in a block 4 barges long by 4 wide and Upper Fleet is used for 195- by 35-foot barges arranged in a block 4 barges long by 5 wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42663 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 320 PWD: 48
Name: **Armco Steel Co., Ashland Works Coke Plant, Coal Tar Dock.**
Port: Ohio River
Location: Mile 320.3, left bank, Ohio River, Ashland. Datum: NPE
Operator: Armco Steel Co, L.P.
Owner: Armco Steel Co, L.P.
Address: Foot of 40th Street Phone: 606/329-7873
Town: Ashland State: KY County: Boyd
Railway Connection: Trackage serving plant at rear; connects with CSX Rail Transport.
Purpose: Shipment of coal tar; mooring barges for fleeting (see Remarks).
Depth Alongside (feet): 10 | | Latitude (decimal): 38.461111
Total Berthing Space (feet): 175 | | Longitude (decimal): -82.60944
Remarks: One 6-inch pipeline extends to wharf from 4 steel storage tanks in rear, total capacity 47,600 barrels.□McGinnis, Inc. operates their 'Armco Fleet' with capacity for 33 barges arranged in 11 tiers each 3 barges wide, at shore moorings located at mile 321, approximately 0.7 miles downstream from wharf.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41661 Huntington District

---

Waterway: **Ohio River** Mile: 320 PWD: 75
Name: **Barge & Rail Terminals Wharf.**
Port: Ohio River
Location: Mile 319.6, right bank Ohio River, South Point. Datum: NPE
Operator: Barge & Rail Terminals Inc.
Owner: Thomas L. Hatfield.
Address: County Highway 1 Phone: 614/377-2460
Town: South Point State: OH County: Lawrence
Railway Connection: None.
Purpose: Shipment of grain; mooring barges. (See Remarks.)
Depth Alongside (feet): 12 | | Latitude (decimal): 38.451667
Total Berthing Space (feet): 750 | | Longitude (decimal): -82.60333
Remarks: Steel frame grain storage building at rear has capoacity for approximately 29,000 bushels.□McGinnis Inc. 'Lowman Fleet' at shore moorings located below wharf has capacity for nine 210- by 45-foot barges arranged in 3 tiers, each 3 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41661 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 320 PWD: 76
Name: **Lower South Point Fleet Moorings.**
Port: Ohio River
Location: Mile 319.8 to 320.7, right bank Ohio River, South Point. Datum: NPE
Operator: Merdie Boggs & Sons and McGinnis, Inc.
Owner: Merdie Boggs & Sons and McGinnis, Inc.
Address: Phone: 606/739-4154
Town: South Point State: OH County: Lawrence
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 10 | 10 | 10 Latitude (decimal): 38.463889
Total Berthing Space (feet): 35 | 36 | 126 Longitude (decimal): -82.60556
Remarks: Merdie Boggs & Sons operates the upstream 'Perry Fleet' arranged in 5 tiers each 7 barges wide and the downstream 'Upper & Lower 29 Fleets' arranged in 21 tiers each 6 barges wide and McGinnis Inc. operates the Fleet' arranged in 6 tiers each 6 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41661 Huntington District

---

Waterway: **Ohio River** Mile: 320 PWD: 49
Name: **Merdie Boggs & Sons Leon 29 Fleet Mooring.**
Port: Ohio River
Location: Mile 319.8, left bank, Ohio River, Catlettsburg. Datum: NPE
Operator: Merdie Boggs & Sons, Inc.
Owner: Merdie Boggs & Sons, Inc.
Address: Phone: 606/739-4154
Town: Catlettsburg State: KY County: Boyd
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.453889
Total Berthing Space (feet): 4000 | | Longitude (decimal): -82.60806
Remarks: Fleet has capacity for 48 barges arranged in 8 tiers, each 6 barges wide.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 42663 Huntington District

---

Waterway: **Ohio River** Mile: 322 PWD: 47
Name: **Mansbach Metal Co. Wharf.**
Port: Ohio River
Location: Mile 322.3, left bank, Ohio River, Ashland. Datum: NPE
Operator: Mansbach Metal Co.
Owner: Mansbach Metal Co.
Address: 1900 Front Street Phone: 606/329-9600
Town: Ashland State: KY County: Boyd
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Receipt and shipment of scrap metal; coal.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.479722
Total Berthing Space (feet): 175 | | Longitude (decimal): -82.63417
Remarks: One 200-ton marine railway located at upper end is used to remove barges from river for scrapping. Open storage area at rear has capacity for 40,000 tons of scrap metal.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41655 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 322 PWD: 46
Name: **Mansbach Metal Co., Coal Wharf.**
Port: Ohio River
Location: Mile 322.4, left bank, Ohio River, Ashland. Datum: NPE
Operator: Mansbach Metal Co.
Owner: Mansbach Metal Co.
Address: 1900 Front Street Phone: 606/329-9600
Town: Ashland State: KY County: Boyd
Railway Connection: One surface track serves plant at rear; connects with CSX Rail Transport.
Purpose: Occasional shipment of coal.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.480556
Total Berthing Space (feet): 140 | | Longitude (decimal): -82.63639
Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41658 Huntington District

---

Waterway: **Ohio River** Mile: 323 PWD: 77
Name: **Oliver M. Elam Jr. Co., Dock No. 1.**
Port: Ohio River
Location: Mile 323.4, right bank Ohio River, Coal Grove. Datum: NPE
Operator: Not operated.
Owner: Oliver M. Elam, Jr. Co., Inc.
Address: Foot of Lane Street Phone: 606/324-6186
Town: Coal Grove State: OH County: Lawrence
Railway Connection: One unused surface track at rear; connects with Norfolk and Western Railway.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.49
Total Berthing Space (feet): 500 | | Longitude (decimal): -82.64889

Waterway: **Ohio River** Mile: 323 PWD: 77
Name: **Oliver M. Elam Jr. Co., Dock No. 1.**
Port: Ohio River
Location: Mile 323.4, right bank Ohio River, Coal Grove. Datum: NPE
Operator: Not operated.
Owner: Oliver M. Elam, Jr. Co., Inc.
Address: Foot of Lane Street Phone: 606/324-6186
Town: Coal Grove State: OH County: Lawrence
Railway Connection: One unused surface track at rear; connects with Norfolk and Western Railway.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.49
Total Berthing Space (feet): 500 | | Longitude (decimal): -82.64889
Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41657 Huntington District

---

Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41657 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 323 PWD: 77
Name: **Oliver M. Elam Jr. Co., Dock No. 1.**
Port: Ohio River
Location: Mile 323.4, right bank Ohio River, Coal Grove. Datum: NPE
Operator: Not operated.
Owner: Oliver M. Elam, Jr. Co., Inc.
Address: Foot of Lane Street Phone: 606/324-6186
Town: Coal Grove State: OH County: Lawrence
Railway Connection: One unused surface track at rear; connects with Norfolk and Western Railway.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.49
Total Berthing Space (feet): 500 | | Longitude (decimal): -82.64889

Waterway: **Ohio River** Mile: 323 PWD: 77
Name: **Oliver M. Elam Jr. Co., Dock No. 1.**
Port: Ohio River
Location: Mile 323.4, right bank Ohio River, Coal Grove. Datum: NPE
Operator: Not operated.
Owner: Oliver M. Elam, Jr. Co., Inc.
Address: Foot of Lane Street Phone: 606/324-6186
Town: Coal Grove State: OH County: Lawrence
Railway Connection: One unused surface track at rear; connects with Norfolk and Western Railway.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.49
Total Berthing Space (feet): 500 | | Longitude (decimal): -82.64889
Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41657 Huntington District

Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41657 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 324 PWD: 78
Name: **Oliver M. Elam Jr. Co., Docks Nos. 2 and 3.**
Port: Ohio River
Location: Mile 323.7, right bank Ohio River, Coal Grove. Datum: NPE
Operator: Oliver M. Elam, Jr. Co., Inc.
Owner: Oliver M. Elam, Jr. Co., Inc.
Address: 510 Riverside Drive. Phone: 606/324-6186
Town: Coal Grove State: OH County: Lawrence
Railway Connection: None.
Purpose: Receipt and shipment of coal, dry pitch, limestone, and miscellaneous dry bulk commodities.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.494444
Total Berthing Space (feet): 1100 | | Longitude (decimal): -82.65417

Waterway: **Ohio River** Mile: 324 PWD: 78
Name: **Oliver M. Elam Jr. Co., Docks Nos. 2 and 3.**
Port: Ohio River
Location: Mile 323.7, right bank Ohio River, Coal Grove. Datum: NPE
Operator: Oliver M. Elam, Jr. Co., Inc.
Owner: Oliver M. Elam, Jr. Co., Inc.
Address: 510 Riverside Drive. Phone: 606/324-6186
Town: Coal Grove State: OH County: Lawrence
Railway Connection: None.
Purpose: Receipt and shipment of coal, dry pitch, limestone, and miscellaneous dry bulk commodities.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.494444
Total Berthing Space (feet): 1100 | | Longitude (decimal): -82.65417

Remarks: Open storage area at rear has capacity for 100,000 tons of dry bulk commodities. Dry bulk commodities are unloaded by crane directly into trucks at a rate of 250 tons per hour.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41657 Huntington District

Remarks: Open storage area at rear has capacity for 100,000 tons of dry bulk commodities. Dry bulk commodities are unloaded by crane directly into trucks at a rate of 250 tons per hour.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41657 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 324 PWD: 78
Name: **Oliver M. Elam Jr. Co., Docks Nos. 2 and 3.**
Port: Ohio River
Location: Mile 323.7, right bank Ohio River, Coal Grove. Datum: NPE
Operator: Oliver M. Elam, Jr. Co., Inc.
Owner: Oliver M. Elam, Jr. Co., Inc.
Address: 510 Riverside Drive. Phone: 606/324-6186
Town: Coal Grove State: OH County: Lawrence
Railway Connection: None.
Purpose: Receipt and shipment of coal, dry pitch, limestone, and miscellaneous dry bulk commodities.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.494444
Total Berthing Space (feet): 1100 | | Longitude (decimal): -82.65417

Waterway: **Ohio River** Mile: 324 PWD: 78
Name: **Oliver M. Elam Jr. Co., Docks Nos. 2 and 3.**
Port: Ohio River
Location: Mile 323.7, right bank Ohio River, Coal Grove. Datum: NPE
Operator: Oliver M. Elam, Jr. Co., Inc.
Owner: Oliver M. Elam, Jr. Co., Inc.
Address: 510 Riverside Drive. Phone: 606/324-6186
Town: Coal Grove State: OH County: Lawrence
Railway Connection: None.
Purpose: Receipt and shipment of coal, dry pitch, limestone, and miscellaneous dry bulk commodities.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.494444
Total Berthing Space (feet): 1100 | | Longitude (decimal): -82.65417

Remarks: Open storage area at rear has capacity for 100,000 tons of dry bulk commodities. Dry bulk commodities are unloaded by crane directly into trucks at a rate of 250 tons per hour.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41657 Huntington District

Remarks: Open storage area at rear has capacity for 100,000 tons of dry bulk commodities. Dry bulk commodities are unloaded by crane directly into trucks at a rate of 250 tons per hour.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41657 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 325 PWD: 81
Name: **Action Terminals, Ironton Wharf.**
Port: Ohio River
Location: Mile 324.9, right bank Ohio River, Ironton. Datum: NPE
Operator: Not operated.
Owner: Action Terminals, Inc.
Address: 2914 South Third Street. Phone: 614/533-0000
Town: Ironton State: OH County: Lawrence
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 4 | | Latitude (decimal): 38.509444
Total Berthing Space (feet): 200 | | Longitude (decimal): -82.6675
Remarks: Three 6- and one 4-inch pipelines extend from wharf to 7 steel storage tanks at terminal in rear, total capacity 103,500 barrels. At time of survey (1991) tanks were being supplied solely by tank truck; however, maintained in useable condition. A breasting barge is used to provide berth in adequate depth.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41654 Huntington District

---

Waterway: **Ohio River** Mile: 325 PWD: 80
Name: **Allied Signal Corp., Ironton Tar Plant Dock.**
Port: Ohio River
Location: Mile 324.6, right bank Ohio River, Ironton. Datum: NPE
Operator: Allied Signal Corp.
Owner: Allied Signal Corp.
Address: 3330 South Third Street. Phone: 614/533-1040
Town: Ironton State: OH County: Lawrence
Railway Connection: One surface track serves plant at rear, connects with Norfolk and Western Railway.
Purpose: Receipt and shipment of coal tar and creosote.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.503333
Total Berthing Space (feet): 135 | | Longitude (decimal): -82.66278
Remarks: Two 6-inch pipelines extend from wharf to 2 steel coal tar, storage tanks, total capacity 15,000 barrels; and one 630,000-gallon creosote storage tank, at plant in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41656 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 325 PWD: 79
Name: **Ironton Coal Co. Wharf.**
Port: Ohio River
Location: Mile 324.5, right bank Ohio River, Ironton. Datum: NPE
Operator: Ironton Coal Co., Inc.
Owner: Ironton Coal Co., Inc.
Address: 3400 South Third Street. Phone: 614/532-5322
Town: Ironton State: OH County: Lawrence
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.503056
Total Berthing Space (feet): 1200 | | Longitude (decimal): -82.66167
Remarks: Open storage area at rear with 3 ground level hoppers for reclamation has capacity for 140,000 tons of coal.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41656 Huntington District

---

Waterway: **Ohio River** Mile: 325 PWD: 82
Name: **Rail River Terminal Co., Dock.**
Port: Ohio River
Location: Mile 325.0, right bank Ohio River, Ironton. Datum: NPE
Operator: Rail River Terminal Co.
Owner: Rail River Terminal Co.
Address: 101 Dayton Lane Phone: 614/532-6100
Town: Ironton State: OH County: Lawrence
Railway Connection: One unused surface track at rear connects with Norfolk and Western Railway.
Purpose: Shipment of coal.
Depth Alongside (feet): 13 | | Latitude (decimal): 38.509722
Total Berthing Space (feet): 800 | | Longitude (decimal): -82.66917
Remarks: Open storage area at rear has capacity for 400,000 tons of coal.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41657 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 326 PWD: 44
Name: **Armco Steel Co., Ashland Works Barge Dock.**
Port: Ohio River
Location: Mile 325.7, left bank, Ohio River, Ashland. Datum: NPE
Operator: Armco Steel Co, L.P.
Owner: Armco Steel Co, L.P.
Address: West Winchester Avenue. Phone: 606/329-7873
Town: Ashland State: KY County: Greenup
Railway Connection: Plant trackage in rear connects with CSX Rail Transport.
Purpose: Receipt of iron ore and scrap metal; shipment of slag and pig iron.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.513611
Total Berthing Space (feet): 300 | | Longitude (decimal): -82.67889

Waterway: **Ohio River** Mile: 326 PWD: 44
Name: **Armco Steel Co., Ashland Works Barge Dock.**
Port: Ohio River
Location: Mile 325.7, left bank, Ohio River, Ashland. Datum: NPE
Operator: Armco Steel Co, L.P.
Owner: Armco Steel Co, L.P.
Address: West Winchester Avenue. Phone: 606/329-7873
Town: Ashland State: KY County: Greenup
Railway Connection: Plant trackage in rear connects with CSX Rail Transport.
Purpose: Receipt of iron ore and scrap metal; shipment of slag and pig iron.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.513611
Total Berthing Space (feet): 300 | | Longitude (decimal): -82.67889

Remarks: Open storage area at rear of face has capacity for approximately 1,000 cubic yards of miscellaneous materials. Ore yard approximately one mile in rear has capacity for 1,000,000 tons of ore (4 months supply).

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41655 Huntington District

Remarks: Open storage area at rear of face has capacity for approximately 1,000 cubic yards of miscellaneous materials. Ore yard approximately one mile in rear has capacity for 1,000,000 tons of ore (4 months supply).

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41655 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 326 PWD: 44
Name: **Armco Steel Co., Ashland Works Barge Dock.**
Port: Ohio River
Location: Mile 325.7, left bank, Ohio River, Ashland. Datum: NPE
Operator: Armco Steel Co, L.P.
Owner: Armco Steel Co, L.P.
Address: West Winchester Avenue. Phone: 606/329-7873
Town: Ashland State: KY County: Greenup
Railway Connection: Plant trackage in rear connects with CSX Rail Transport.
Purpose: Receipt of iron ore and scrap metal; shipment of slag and pig iron.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.513611
Total Berthing Space (feet): 300 | | Longitude (decimal): -82.67889

Waterway: **Ohio River** Mile: 326 PWD: 44
Name: **Armco Steel Co., Ashland Works Barge Dock.**
Port: Ohio River
Location: Mile 325.7, left bank, Ohio River, Ashland. Datum: NPE
Operator: Armco Steel Co, L.P.
Owner: Armco Steel Co, L.P.
Address: West Winchester Avenue. Phone: 606/329-7873
Town: Ashland State: KY County: Greenup
Railway Connection: Plant trackage in rear connects with CSX Rail Transport.
Purpose: Receipt of iron ore and scrap metal; shipment of slag and pig iron.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.513611
Total Berthing Space (feet): 300 | | Longitude (decimal): -82.67889

Remarks: Open storage area at rear of face has capacity for approximately 1,000 cubic yards of miscellaneous materials. Ore yard approximately one mile in rear has capacity for 1,000,000 tons of ore (4 months supply).

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41655 Huntington District

Remarks: Open storage area at rear of face has capacity for approximately 1,000 cubic yards of miscellaneous materials. Ore yard approximately one mile in rear has capacity for 1,000,000 tons of ore (4 months supply).

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41655 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 326 PWD: 45
Name: **Armco Steel Co., Ashland Works, River Terminal Dock.**
Port: Ohio River
Location: Mile 325.5, left bank, Ohio River, Ashland. Datum: NPE
Operator: Armco Steel Co, L.P.
Owner: Armco Steel Co, L.P.
Address: West Winchester Avenue. Phone: 606/329-7873
Town: Ashland State: KY County: Greenup
Railway Connection: Plant trackage in rear connects with CSX Rail Transport.
Purpose: Shipment of steel; occasional receipt of iron ore and scrap metal.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.512222
Total Berthing Space (feet): 1200 | | Longitude (decimal): -82.67778

Waterway: **Ohio River** Mile: 326 PWD: 45
Name: **Armco Steel Co., Ashland Works, River Terminal Dock.**
Port: Ohio River
Location: Mile 325.5, left bank, Ohio River, Ashland. Datum: NPE
Operator: Armco Steel Co, L.P.
Owner: Armco Steel Co, L.P.
Address: West Winchester Avenue. Phone: 606/329-7873
Town: Ashland State: KY County: Greenup
Railway Connection: Plant trackage in rear connects with CSX Rail Transport.
Purpose: Shipment of steel; occasional receipt of iron ore and scrap metal.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.512222
Total Berthing Space (feet): 1200 | | Longitude (decimal): -82.67778
Remarks: Two of the cellular breasting dolphins support outer end of a cantilevered, metal-covered, steel structure for the bridge crane.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41655 Huntington District

Remarks: Two of the cellular breasting dolphins support outer end of a cantilevered, metal-covered, steel structure for the bridge crane.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41655 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 326 PWD: 45
Name: **Armco Steel Co., Ashland Works, River Terminal Dock.**
Port: Ohio River
Location: Mile 325.5, left bank, Ohio River, Ashland. Datum: NPE
Operator: Armco Steel Co, L.P.
Owner: Armco Steel Co, L.P.
Address: West Winchester Avenue. Phone: 606/329-7873
Town: Ashland State: KY County: Greenup
Railway Connection: Plant trackage in rear connects with CSX Rail Transport.
Purpose: Shipment of steel; occasional receipt of iron ore and scrap metal.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.512222
Total Berthing Space (feet): 1200 | | Longitude (decimal): -82.67778

Waterway: **Ohio River** Mile: 326 PWD: 45
Name: **Armco Steel Co., Ashland Works, River Terminal Dock.**
Port: Ohio River
Location: Mile 325.5, left bank, Ohio River, Ashland. Datum: NPE
Operator: Armco Steel Co, L.P.
Owner: Armco Steel Co, L.P.
Address: West Winchester Avenue. Phone: 606/329-7873
Town: Ashland State: KY County: Greenup
Railway Connection: Plant trackage in rear connects with CSX Rail Transport.
Purpose: Shipment of steel; occasional receipt of iron ore and scrap metal.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.512222
Total Berthing Space (feet): 1200 | | Longitude (decimal): -82.67778
Remarks: Two of the cellular breasting dolphins support outer end of a cantilevered, metal-covered, steel structure for the bridge crane.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41655 Huntington District

Remarks: Two of the cellular breasting dolphins support outer end of a cantilevered, metal-covered, steel structure for the bridge crane.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41655 Huntington District

Waterway: **Ohio River** Mile: 327 PWD: 83
Name: **Rich Oil, Ironton Dock.**
Port: Ohio River
Location: Mile 326.8, right bank Ohio River, Ironton, approximately 1,100 feet above Ironton-Russell Bridge. Datum: NPE
Operator: Rich Oil, Inc.
Owner: Rich Oil, Inc.
Address: 620 Front Street Phone: 614/532-9598
Town: Ironton State: OH County: Lawrence
Railway Connection: None.
Purpose: Receipt of gasoline.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.529722
Total Berthing Space (feet): 200 | | Longitude (decimal): -82.68528
Remarks: Two 6-inch pipelines extend from shore to 3 steel storage tanks at rear, total capacity 45,000 barrels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41654 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 328 PWD: 43
Name: **CSX Rail Transport, Russell Yards, Fuel Oil Wharf.**
Port: Ohio River
Location: Mile 327.7, left bank, Ohio River, Russell. Datum: NPE
Operator: Ashland Petroleum Co., Division of Ashland Oil, Inc.
Owner: CSX Rail Transport.
Address: River Road Phone: 606/833-7225
Town: Russell State: KY County: Greenup
Railway Connection: CSX Rail Transport, Russell Yards located in rear.
Purpose: Receipt of diesel oil.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.539444
Total Berthing Space (feet): 200 | | Longitude (decimal): -82.69833
Remarks: One 8-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 22,400 barrels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41653 Huntington District

---

Waterway: **Ohio River** Mile: 329 PWD: 84
Name: **Kosmos Cement Co., Ironton Wharf.**
Port: Ohio River
Location: Mile 329.4, right bank Ohio River, Ironton. Datum: NPE
Operator: Not operated.
Owner: Kosmos Cement Co. Inc.
Address: 2500 South Third Street Phone: 304/453-6331
Town: Ironton State: OH County: Lawrence
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): | | Latitude (decimal): 38.555556
Total Berthing Space (feet): 150 | | Longitude (decimal): -82.73639
Remarks: Facility was formerly used for shipment of cement produced at plant located in Superior, Ohio. Four unused concrete storage silos at rear have total capacity for 2,500 tons. At time of survey (1991) facility had and storage silos were empty.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41651 Huntington District

---

Waterway: **Ohio River** Mile: 330 PWD: 85
Name: **Collins Mining Co. Wharf.**
Port: Ohio River
Location: Mile 330.0, right bank Ohio River, Hanging Rock. Datum: NPE
Operator: Collins Mining Co.
Owner: Collins Mining Co.
Address: Phone: 614/532-9400
Town: Hanging Rock State: OH County: Lawrence
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.559444
Total Berthing Space (feet): 600 | | Longitude (decimal): -82.73278
Remarks: Open storage area at rear has capacity for 2,000 tons of coal.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41650 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 331 PWD: 86
Name: **Hanging Rock Coal Co., Dock.**
Port: Ohio River
Location: Mile 331.0, right bank Ohio River, Hanging Rock. Datum: NPE
Operator: Not operated.
Owner: Hanging Rock Coal Co.
Address: U. S. Highway 52. Phone: 614/532-8165
Town: Hanging Rock State: OH County: Lawrence
Railway Connection: One surface track serves rail receiving pit at rear; connects with Norfolk and Western Railway.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.558333
Total Berthing Space (feet): 720 | | Longitude (decimal): -82.74972
Remarks: Open storage area at rear has capacity for 200,000 tons of coal.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41650 Huntington District

---

Waterway: **Ohio River** Mile: 333 PWD: 87
Name: **Dow Chemical U.S.A., Hanging Rock Plant Dock.**
Port: Ohio River
Location: Mile 333.2, right bank Ohio River, Hanging Rock. Datum: NPE
Operator: Dow Chemical U.S.A.
Owner: Dow Chemical U.S.A.
Address: Phone: 614/532-4149
Town: Hanging Rock State: OH County: Lawrence
Railway Connection: Two surface tracks serve plant at rear; connect with Norfolk and Western Railway.
Purpose: Receipt of styrene.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.561667
Total Berthing Space (feet): 175 | | Longitude (decimal): -82.79056
Remarks: One 6-inch pipeline extends from wharf to 2 steel storage tanks at rear, total capacity 1,600,000 gallons.□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41647 Huntington District

---

Waterway: **Ohio River** Mile: 333 PWD: 42
Name: **Du Pont Wurtland Plant Dock.**
Port: Ohio River
Location: Mile 333.1, left bank Ohio River, Wurtland. Datum: NPE
Operator: E. I. du Pont de Nemours & Co.
Owner: E. I. du Pont de Nemours & Co.
Address: Harris Road Phone: 606/833-1212
Town: Wurtland State: KY County: Greenup
Railway Connection: Six surface tracks serve plant in rear; connnect with CSX Rail Transport.
Purpose: Receipt and shipment of sulfuric acid; receipt of liquid sulphur.
Depth Alongside (feet): 24 | | Latitude (decimal): 38.557222
Total Berthing Space (feet): 110 | | Longitude (decimal): -82.78972
Remarks: One 6-inch pipeline extends from wharf to 6 sulfuric acid storage tanks, total capacity 976,800 gallons, and one 8-inch pipeline extends to one 13,000 gallon-liquid sulphur tank at plant in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41647 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 334 PWD: 41
Name: **Debbie Jo Dock.**
Port: Ohio River
Location: Mile 333.8, left bank, Ohio River, Wurtland. Datum: NPE
Operator: Debbie Jo Dock, Inc.
Owner: Debbie Jo Dock, Inc.
Address: 2225 Ashland Road Phone: 606/473-7341
Town: Wurtland State: KY County: Greenup
Railway Connection: One surface track serving open storage area connecting with CSX Rail Transport is planned.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 38.561944
Total Berthing Space (feet): 1325 | | Longitude (decimal): -82.80389
Remarks: Open storage area at rear is served by a rotary stacker and has capacity for 750,000 tons of coal.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41648 Huntington District

---

Waterway: **Ohio River** Mile: 335 PWD: 89
Name: **McGinnis Haverhill, Lower Mooring.**
Port: Ohio River
Location: Mile 335.2, right bank Ohio River, Haverhill. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: Old U.S. Highway 52 Phone: 614/377-4391
Town: Haverhill State: OH County: Scioto
Railway Connection: None.
Purpose: Mooring barges for fleeting, cleaning, and repair.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.573333
Total Berthing Space (feet): 700 | | Longitude (decimal): -82.81833

Waterway: **Ohio River** Mile: 335 PWD: 89
Name: **McGinnis Haverhill, Lower Mooring.**
Port: Ohio River
Location: Mile 335.2, right bank Ohio River, Haverhill. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: Old U.S. Highway 52 Phone: 614/377-4391
Town: Haverhill State: OH County: Scioto
Railway Connection: None.
Purpose: Mooring barges for fleeting, cleaning, and repair.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.573333
Total Berthing Space (feet): 700 | | Longitude (decimal): -82.81833
Remarks: Fleeting area at upper end has capacity for mooring 25 barges arranged in 5 tiers, each 5 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41646 Huntington District

---

Remarks: Fleeting area at upper end has capacity for mooring 25 barges arranged in 5 tiers, each 5 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41646 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 335 PWD: 89
Name: **McGinnis Haverhill, Lower Mooring.**
Port: Ohio River
Location: Mile 335.2, right bank Ohio River, Haverhill. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: Old U.S. Highway 52 Phone: 614/377-4391
Town: Haverhill State: OH County: Scioto
Railway Connection: None.
Purpose: Mooring barges for fleeting, cleaning, and repair.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.573333
Total Berthing Space (feet): 700 | | Longitude (decimal): -82.81833

Waterway: **Ohio River** Mile: 335 PWD: 89
Name: **McGinnis Haverhill, Lower Mooring.**
Port: Ohio River
Location: Mile 335.2, right bank Ohio River, Haverhill. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: Old U.S. Highway 52 Phone: 614/377-4391
Town: Haverhill State: OH County: Scioto
Railway Connection: None.
Purpose: Mooring barges for fleeting, cleaning, and repair.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.573333
Total Berthing Space (feet): 700 | | Longitude (decimal): -82.81833

Remarks: Fleeting area at upper end has capacity for mooring 25 barges arranged in 5 tiers, each 5 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41646 Huntington District

Remarks: Fleeting area at upper end has capacity for mooring 25 barges arranged in 5 tiers, each 5 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41646 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 335 PWD: 88
Name: **McGinnis Haverhill, Upper Mooring.**
Port: Ohio River
Location: Mile 334.8, right bank Ohio River, Haverhill. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: Phone: 614/377-4391
Town: Haverhill State: OH County: Scioto
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.570833
Total Berthing Space (feet): 1400 | | Longitude (decimal): -82.81306

Waterway: **Ohio River** Mile: 335 PWD: 88
Name: **McGinnis Haverhill, Upper Mooring.**
Port: Ohio River
Location: Mile 334.8, right bank Ohio River, Haverhill. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: Phone: 614/377-4391
Town: Haverhill State: OH County: Scioto
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.570833
Total Berthing Space (feet): 1400 | | Longitude (decimal): -82.81306

Remarks: Facility has capacity for mooring 30 barges arranged in 6 tiers, each 5 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41646 Huntington District

Remarks: Facility has capacity for mooring 30 barges arranged in 6 tiers, each 5 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41646 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 335 PWD: 88
Name: **McGinnis Haverhill, Upper Mooring.**
Port: Ohio River
Location: Mile 334.8, right bank Ohio River, Haverhill. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: Phone: 614/377-4391
Town: Haverhill State: OH County: Scioto
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.570833
Total Berthing Space (feet): 1400 | | Longitude (decimal): -82.81306

Waterway: **Ohio River** Mile: 335 PWD: 88
Name: **McGinnis Haverhill, Upper Mooring.**
Port: Ohio River
Location: Mile 334.8, right bank Ohio River, Haverhill. Datum: NPE
Operator: McGinnis, Inc.
Owner: McGinnis, Inc.
Address: Phone: 614/377-4391
Town: Haverhill State: OH County: Scioto
Railway Connection: None.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 20 | | Latitude (decimal): 38.570833
Total Berthing Space (feet): 1400 | | Longitude (decimal): -82.81306
Remarks: Facility has capacity for mooring 30 barges arranged in 6 tiers, each 5 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41646 Huntington District

Remarks: Facility has capacity for mooring 30 barges arranged in 6 tiers, each 5 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41646 Huntington District

Waterway: **Ohio River** Mile: 336 PWD: 90
Name: **Aristech Chemical Co., Haverhill Plant Dock.**
Port: Ohio River
Location: Mile 336.4, right bank Ohio River, Haverhill. Datum: NPE
Operator: Aristech Chemical Co.
Owner: Aristech Chemical Co.
Address: U.S. Highway 52 and Ohio Furnace Road Phone: 614/533-5224
Town: Haverhill State: OH County: Scioto
Railway Connection: One surface track serves plant in rear; connects with Norfolk and Western Railway.
Purpose: Shipment of acetone, aniline, alpha methyl styrene, oxidate water and phenol; receipt of cumene and occasionally fuel oil.
Depth Alongside (feet): 18 | | Latitude (decimal): 38.585833
Total Berthing Space (feet): 450 | | Longitude (decimal): -82.83861
Remarks: One 8-, three 6-, and one 4-inch pipelines extend from wharf to 22 steel storage tanks at rear, total capacity 17,000 gallons.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41644 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 337 PWD: 40
Name: **Addington Resources, Inc.**
Port: Ohio River
Location: Mile 336.6, left bank, Ohio River, Greenup. Datum: NPE
Operator: Not operated.
Owner: Addington Resources, Inc.
Address: Main Street Phone: 614/532-5322
Town: Greenup State: KY County: Greenup
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.583056
Total Berthing Space (feet): 1560 | | Longitude (decimal): -82.84167
Remarks: At time of survey (1991), open storage area at rear with capacity for 200,000 tons of coal was empty and facility had not been in use for 5 years; however, facilities were being maintained in operable condition.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41645 Huntington District

---

Waterway: **Ohio River** Mile: 345 PWD: 91
Name: **Norfolk Southern, Wheelersburg Terminal Dock.**
Port: Ohio River
Location: Mile 344.7, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: Norfolk Soutern Corp.
Owner: Norfolk Southern Corp.
Address: Hayport Road Phone:
Town: Wheelersburg State: OH County: Scioto
Railway Connection: Norfolk & Western Railway: Three surface tracks, with total capacity for 500 cars, serve rotary dumper, loading spout, and open storage area at rear.
Purpose: Shipment of coal.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.697222
Total Berthing Space (feet): 2400 | | Longitude (decimal): -82.87694
Remarks: Facility has capacity for mooring 55 barges. Open storage area at rear has capacity for 700,000 tons of coal.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41636 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 347 PWD: 92

Name: **McGovney River Terminal, Wheelersburg Fleet Mooring.**

Port: Ohio River

Location: Mile 346.9, right bank Ohio River, Wheelersburg. Datum: NPE

Operator: McGovney River Terminal and McGinnis, Inc.

Owner: McGovney Realty Co.

Address: Hayport Road Phone: 614/353-4111

Town: Wheelersburg State: OH County: Scioto

Railway Connection: None.

Purpose: Mooring barges for fleeting.

Depth Alongside (feet): 15 | 10 | Latitude (decimal): 38.727778

Total Berthing Space (feet): 60 | 800 | Longitude (decimal): -82.87028

Remarks: Facility has capacity for mooring 16 barges arranged in 4 tiers, each 4 barges wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41634 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 347 PWD: 94
Name: **The Standard Slag Co., Wheelersburg Center Dock.**
Port: Ohio River
Location: Mile 347.2, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: Standard Materials, Inc.
Owner: The Standard Slag Co.
Address: Center Street and Hayport Road Phone: 614/574-2404
Town: Wheelersburg State: OH County: Scioto
Railway Connection: Two surface tracks serve open storage area at rear; connect with Norfolk and Western Railway.
Purpose: Receipt of crushed limestone, pitch, fluorspar, ferro alloys, flint clay, gypsum, salt, magnesite, chrome ore, and slag; shipment of clay.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.732222
Total Berthing Space (feet): 320 | | Longitude (decimal): -82.87139

Waterway: **Ohio River** Mile: 347 PWD: 94
Name: **The Standard Slag Co., Wheelersburg Center Dock.**
Port: Ohio River
Location: Mile 347.2, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: Standard Materials, Inc.
Owner: The Standard Slag Co.
Address: Center Street and Hayport Road Phone: 614/574-2404
Town: Wheelersburg State: OH County: Scioto
Railway Connection: Two surface tracks serve open storage area at rear; connect with Norfolk and Western Railway.
Purpose: Receipt of crushed limestone, pitch, fluorspar, ferro alloys, flint clay, gypsum, salt, magnesite, chrome ore, and slag; shipment of clay.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.732222
Total Berthing Space (feet): 320 | | Longitude (decimal): -82.87139

Waterway: **Ohio River** Mile: 347 PWD: 94
Name: **The Standard Slag Co., Wheelersburg Center Dock.**
Port: Ohio River
Location: Mile 347.2, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: Standard Materials, Inc.
Owner: The Standard Slag Co.
Address: Center Street and Hayport Road Phone: 614/574-2404
Town: Wheelersburg State: OH County: Scioto
Railway Connection: Two surface tracks serve open storage area at rear; connect with Norfolk and Western Railway.
Purpose: Receipt of crushed limestone, pitch, fluorspar, ferro alloys, flint clay, gypsum, salt, magnesite, chrome ore, and slag; shipment of clay.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.732222
Total Berthing Space (feet): 320 | | Longitude (decimal): -82.87139

Waterway: **Ohio River** Mile: 347 PWD: 94
Name: **The Standard Slag Co., Wheelersburg Center Dock.**
Port: Ohio River
Location: Mile 347.2, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: Standard Materials, Inc.
Owner: The Standard Slag Co.
Address: Center Street and Hayport Road Phone: 614/574-2404
Town: Wheelersburg State: OH County: Scioto
Railway Connection: Two surface tracks serve open storage area at rear; connect with Norfolk and Western Railway.
Purpose: Receipt of crushed limestone, pitch, fluorspar, ferro alloys, flint clay, gypsum, salt, magnesite, chrome ore, and slag; shipment of clay.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.732222
Total Berthing Space (feet): 320 | | Longitude (decimal): -82.87139
Remarks: Approximately 100 acres of open storage area is located at terminal in rear.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41633 Huntington District

Remarks: Approximately 100 acres of open storage area is located at terminal in rear.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41633 Huntington District

Port Facilities by Waterway

Remarks: Approximately 100 acres of open storage area is located at terminal in rear.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41633 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 347 PWD: 94
Name: **The Standard Slag Co., Wheelersburg Center Dock.**
Port: Ohio River
Location: Mile 347.2, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: Standard Materials, Inc.
Owner: The Standard Slag Co.
Address: Center Street and Hayport Road Phone: 614/574-2404
Town: Wheelersburg State: OH County: Scioto
Railway Connection: Two surface tracks serve open storage area at rear; connect with Norfolk and Western Railway.
Purpose: Receipt of crushed limestone, pitch, fluorspar, ferro alloys, flint clay, gypsum, salt, magnesite, chrome ore, and slag; shipment of clay.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.732222
Total Berthing Space (feet): 320 | | Longitude (decimal): -82.87139

Waterway: **Ohio River** Mile: 347 PWD: 94
Name: **The Standard Slag Co., Wheelersburg Center Dock.**
Port: Ohio River
Location: Mile 347.2, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: Standard Materials, Inc.
Owner: The Standard Slag Co.
Address: Center Street and Hayport Road Phone: 614/574-2404
Town: Wheelersburg State: OH County: Scioto
Railway Connection: Two surface tracks serve open storage area at rear; connect with Norfolk and Western Railway.
Purpose: Receipt of crushed limestone, pitch, fluorspar, ferro alloys, flint clay, gypsum, salt, magnesite, chrome ore, and slag; shipment of clay.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.732222
Total Berthing Space (feet): 320 | | Longitude (decimal): -82.87139

Waterway: **Ohio River** Mile: 347 PWD: 94
Name: **The Standard Slag Co., Wheelersburg Center Dock.**
Port: Ohio River
Location: Mile 347.2, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: Standard Materials, Inc.
Owner: The Standard Slag Co.
Address: Center Street and Hayport Road Phone: 614/574-2404
Town: Wheelersburg State: OH County: Scioto
Railway Connection: Two surface tracks serve open storage area at rear; connect with Norfolk and Western Railway.
Purpose: Receipt of crushed limestone, pitch, fluorspar, ferro alloys, flint clay, gypsum, salt, magnesite, chrome ore, and slag; shipment of clay.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.732222
Total Berthing Space (feet): 320 | | Longitude (decimal): -82.87139

Waterway: **Ohio River** Mile: 347 PWD: 94
Name: **The Standard Slag Co., Wheelersburg Center Dock.**
Port: Ohio River
Location: Mile 347.2, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: Standard Materials, Inc.
Owner: The Standard Slag Co.
Address: Center Street and Hayport Road Phone: 614/574-2404
Town: Wheelersburg State: OH County: Scioto
Railway Connection: Two surface tracks serve open storage area at rear; connect with Norfolk and Western Railway.
Purpose: Receipt of crushed limestone, pitch, fluorspar, ferro alloys, flint clay, gypsum, salt, magnesite, chrome ore, and slag; shipment of clay.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.732222
Total Berthing Space (feet): 320 | | Longitude (decimal): -82.87139
Remarks: Approximately 100 acres of open storage area is located at terminal in rear.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41633 Huntington District

Remarks: Approximately 100 acres of open storage area is located at terminal in rear.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41633 Huntington District

Port Facilities by Waterway

Remarks: Approximately 100 acres of open storage area is located at terminal in rear.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41633 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 347 PWD: 94
Name: **The Standard Slag Co., Wheelersburg Center Dock.**
Port: Ohio River
Location: Mile 347.2, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: Standard Materials, Inc.
Owner: The Standard Slag Co.
Address: Center Street and Hayport Road Phone: 614/574-2404
Town: Wheelersburg State: OH County: Scioto
Railway Connection: Two surface tracks serve open storage area at rear; connect with Norfolk and Western Railway.
Purpose: Receipt of crushed limestone, pitch, fluorspar, ferro alloys, flint clay, gypsum, salt, magnesite, chrome ore, and slag; shipment of clay.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.732222
Total Berthing Space (feet): 320 | | Longitude (decimal): -82.87139

Waterway: **Ohio River** Mile: 347 PWD: 94
Name: **The Standard Slag Co., Wheelersburg Center Dock.**
Port: Ohio River
Location: Mile 347.2, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: Standard Materials, Inc.
Owner: The Standard Slag Co.
Address: Center Street and Hayport Road Phone: 614/574-2404
Town: Wheelersburg State: OH County: Scioto
Railway Connection: Two surface tracks serve open storage area at rear; connect with Norfolk and Western Railway.
Purpose: Receipt of crushed limestone, pitch, fluorspar, ferro alloys, flint clay, gypsum, salt, magnesite, chrome ore, and slag; shipment of clay.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.732222
Total Berthing Space (feet): 320 | | Longitude (decimal): -82.87139

Waterway: **Ohio River** Mile: 347 PWD: 94
Name: **The Standard Slag Co., Wheelersburg Center Dock.**
Port: Ohio River
Location: Mile 347.2, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: Standard Materials, Inc.
Owner: The Standard Slag Co.
Address: Center Street and Hayport Road Phone: 614/574-2404
Town: Wheelersburg State: OH County: Scioto
Railway Connection: Two surface tracks serve open storage area at rear; connect with Norfolk and Western Railway.
Purpose: Receipt of crushed limestone, pitch, fluorspar, ferro alloys, flint clay, gypsum, salt, magnesite, chrome ore, and slag; shipment of clay.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.732222
Total Berthing Space (feet): 320 | | Longitude (decimal): -82.87139

Waterway: **Ohio River** Mile: 347 PWD: 94
Name: **The Standard Slag Co., Wheelersburg Center Dock.**
Port: Ohio River
Location: Mile 347.2, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: Standard Materials, Inc.
Owner: The Standard Slag Co.
Address: Center Street and Hayport Road Phone: 614/574-2404
Town: Wheelersburg State: OH County: Scioto
Railway Connection: Two surface tracks serve open storage area at rear; connect with Norfolk and Western Railway.
Purpose: Receipt of crushed limestone, pitch, fluorspar, ferro alloys, flint clay, gypsum, salt, magnesite, chrome ore, and slag; shipment of clay.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.732222
Total Berthing Space (feet): 320 | | Longitude (decimal): -82.87139
Remarks: Approximately 100 acres of open storage area is located at terminal in rear.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41633 Huntington District

Remarks: Approximately 100 acres of open storage area is located at terminal in rear.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41633 Huntington District

Port Facilities by Waterway

Remarks: Approximately 100 acres of open storage area is located at terminal in rear.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41633 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 347 PWD: 95
Name: **The Standard Slag Co., Wheelersburg Lower Dock.**
Port: Ohio River
Location: Mile 347.3, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: Standard Materials, Inc.
Owner: The Standard Slag Co.
Address: Center Street and Hayport Road Phone: 614/574-2404
Town: Wheelersburg State: OH County: Scioto
Railway Connection: Two surface tracks serve terminal at rear; connect with Norfolk and Western Railway.
Purpose: Shipment of coal; receipt of crushed limestone and gravel.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.733056
Total Berthing Space (feet): 200 | | Longitude (decimal): -82.87139

Waterway: **Ohio River** Mile: 347 PWD: 95
Name: **The Standard Slag Co., Wheelersburg Lower Dock.**
Port: Ohio River
Location: Mile 347.3, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: Standard Materials, Inc.
Owner: The Standard Slag Co.
Address: Center Street and Hayport Road Phone: 614/574-2404
Town: Wheelersburg State: OH County: Scioto
Railway Connection: Two surface tracks serve terminal at rear; connect with Norfolk and Western Railway.
Purpose: Shipment of coal; receipt of crushed limestone and gravel.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.733056
Total Berthing Space (feet): 200 | | Longitude (decimal): -82.87139

Waterway: **Ohio River** Mile: 347 PWD: 95
Name: **The Standard Slag Co., Wheelersburg Lower Dock.**
Port: Ohio River
Location: Mile 347.3, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: Standard Materials, Inc.
Owner: The Standard Slag Co.
Address: Center Street and Hayport Road Phone: 614/574-2404
Town: Wheelersburg State: OH County: Scioto
Railway Connection: Two surface tracks serve terminal at rear; connect with Norfolk and Western Railway.
Purpose: Shipment of coal; receipt of crushed limestone and gravel.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.733056
Total Berthing Space (feet): 200 | | Longitude (decimal): -82.87139
Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41633 Huntington District

Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41633 Huntington District

Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41633 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 347 PWD: 95
Name: **The Standard Slag Co., Wheelersburg Lower Dock.**
Port: Ohio River
Location: Mile 347.3, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: Standard Materials, Inc.
Owner: The Standard Slag Co.
Address: Center Street and Hayport Road Phone: 614/574-2404
Town: Wheelersburg State: OH County: Scioto
Railway Connection: Two surface tracks serve terminal at rear; connect with Norfolk and Western Railway.
Purpose: Shipment of coal; receipt of crushed limestone and gravel.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.733056
Total Berthing Space (feet): 200 | | Longitude (decimal): -82.87139

Waterway: **Ohio River** Mile: 347 PWD: 95
Name: **The Standard Slag Co., Wheelersburg Lower Dock.**
Port: Ohio River
Location: Mile 347.3, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: Standard Materials, Inc.
Owner: The Standard Slag Co.
Address: Center Street and Hayport Road Phone: 614/574-2404
Town: Wheelersburg State: OH County: Scioto
Railway Connection: Two surface tracks serve terminal at rear; connect with Norfolk and Western Railway.
Purpose: Shipment of coal; receipt of crushed limestone and gravel.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.733056
Total Berthing Space (feet): 200 | | Longitude (decimal): -82.87139

Waterway: **Ohio River** Mile: 347 PWD: 95
Name: **The Standard Slag Co., Wheelersburg Lower Dock.**
Port: Ohio River
Location: Mile 347.3, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: Standard Materials, Inc.
Owner: The Standard Slag Co.
Address: Center Street and Hayport Road Phone: 614/574-2404
Town: Wheelersburg State: OH County: Scioto
Railway Connection: Two surface tracks serve terminal at rear; connect with Norfolk and Western Railway.
Purpose: Shipment of coal; receipt of crushed limestone and gravel.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.733056
Total Berthing Space (feet): 200 | | Longitude (decimal): -82.87139
Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41633 Huntington District

Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41633 Huntington District

Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41633 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 347 PWD: 95
Name: **The Standard Slag Co., Wheelersburg Lower Dock.**
Port: Ohio River
Location: Mile 347.3, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: Standard Materials, Inc.
Owner: The Standard Slag Co.
Address: Center Street and Hayport Road Phone: 614/574-2404
Town: Wheelersburg State: OH County: Scioto
Railway Connection: Two surface tracks serve terminal at rear; connect with Norfolk and Western Railway.
Purpose: Shipment of coal; receipt of crushed limestone and gravel.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.733056
Total Berthing Space (feet): 200 | | Longitude (decimal): -82.87139

Waterway: **Ohio River** Mile: 347 PWD: 95
Name: **The Standard Slag Co., Wheelersburg Lower Dock.**
Port: Ohio River
Location: Mile 347.3, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: Standard Materials, Inc.
Owner: The Standard Slag Co.
Address: Center Street and Hayport Road Phone: 614/574-2404
Town: Wheelersburg State: OH County: Scioto
Railway Connection: Two surface tracks serve terminal at rear; connect with Norfolk and Western Railway.
Purpose: Shipment of coal; receipt of crushed limestone and gravel.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.733056
Total Berthing Space (feet): 200 | | Longitude (decimal): -82.87139

Waterway: **Ohio River** Mile: 347 PWD: 95
Name: **The Standard Slag Co., Wheelersburg Lower Dock.**
Port: Ohio River
Location: Mile 347.3, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: Standard Materials, Inc.
Owner: The Standard Slag Co.
Address: Center Street and Hayport Road Phone: 614/574-2404
Town: Wheelersburg State: OH County: Scioto
Railway Connection: Two surface tracks serve terminal at rear; connect with Norfolk and Western Railway.
Purpose: Shipment of coal; receipt of crushed limestone and gravel.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.733056
Total Berthing Space (feet): 200 | | Longitude (decimal): -82.87139
Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41633 Huntington District

Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41633 Huntington District

Remarks: -□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41633 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 347 PWD: 93
Name: **The Standard Slag Co., Wheelersburg Upper Dock.**
Port: Ohio River
Location: Mile 347.0, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: Standard Materials, Inc.
Owner: The Standard Slag Co.
Address: Center Street and Hayport Road Phone: 614/574-2404
Town: Wheelersburg State: OH County: Scioto
Railway Connection: Two surface tracks serve terminal at rear; connect with Norfolk and Western Railway.
Purpose: Shipment of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.730833
Total Berthing Space (feet): 720 | | Longitude (decimal): -82.87139

Waterway: **Ohio River** Mile: 347 PWD: 93
Name: **The Standard Slag Co., Wheelersburg Upper Dock.**
Port: Ohio River
Location: Mile 347.0, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: Standard Materials, Inc.
Owner: The Standard Slag Co.
Address: Center Street and Hayport Road Phone: 614/574-2404
Town: Wheelersburg State: OH County: Scioto
Railway Connection: Two surface tracks serve terminal at rear; connect with Norfolk and Western Railway.
Purpose: Shipment of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.730833
Total Berthing Space (feet): 720 | | Longitude (decimal): -82.87139

Waterway: **Ohio River** Mile: 347 PWD: 93
Name: **The Standard Slag Co., Wheelersburg Upper Dock.**
Port: Ohio River
Location: Mile 347.0, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: Standard Materials, Inc.
Owner: The Standard Slag Co.
Address: Center Street and Hayport Road Phone: 614/574-2404
Town: Wheelersburg State: OH County: Scioto
Railway Connection: Two surface tracks serve terminal at rear; connect with Norfolk and Western Railway.
Purpose: Shipment of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.730833
Total Berthing Space (feet): 720 | | Longitude (decimal): -82.87139

Remarks: Open storage area at rear has capacity for 1,000,000 tons of coal. Breasting dolphins are in line with upstream dolphin of Center Dock (Ref No. 94) providing added berthing space. Three adjacent company-owned wh 93 - 95) provide a total contiguous berthing distance of approximately 1,300 feet, with capacity for mooring 9 barges.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41633 Huntington District

Remarks: Open storage area at rear has capacity for 1,000,000 tons of coal. Breasting dolphins are in line with upstream dolphin of Center Dock (Ref No. 94) providing added berthing space. Three adjacent company-owned wh 93 - 95) provide a total contiguous berthing distance of approximately 1,300 feet, with capacity for mooring 9 barges.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41633 Huntington District

Port Facilities by Waterway

Remarks: Open storage area at rear has capacity for 1,000,000 tons of coal. Breasting dolphins are in line with upstream dolphin of Center Dock (Ref No. 94) providing added berthing space. Three adjacent company-owned wh 93 - 95) provide a total contiguous berthing distance of approximately 1,300 feet, with capacity for mooring 9 barges.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41633 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 347 PWD: 93
Name: **The Standard Slag Co., Wheelersburg Upper Dock.**
Port: Ohio River
Location: Mile 347.0, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: Standard Materials, Inc.
Owner: The Standard Slag Co.
Address: Center Street and Hayport Road Phone: 614/574-2404
Town: Wheelersburg State: OH County: Scioto
Railway Connection: Two surface tracks serve terminal at rear; connect with Norfolk and Western Railway.
Purpose: Shipment of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.730833
Total Berthing Space (feet): 720 | | Longitude (decimal): -82.87139

Waterway: **Ohio River** Mile: 347 PWD: 93
Name: **The Standard Slag Co., Wheelersburg Upper Dock.**
Port: Ohio River
Location: Mile 347.0, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: Standard Materials, Inc.
Owner: The Standard Slag Co.
Address: Center Street and Hayport Road Phone: 614/574-2404
Town: Wheelersburg State: OH County: Scioto
Railway Connection: Two surface tracks serve terminal at rear; connect with Norfolk and Western Railway.
Purpose: Shipment of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.730833
Total Berthing Space (feet): 720 | | Longitude (decimal): -82.87139

Waterway: **Ohio River** Mile: 347 PWD: 93
Name: **The Standard Slag Co., Wheelersburg Upper Dock.**
Port: Ohio River
Location: Mile 347.0, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: Standard Materials, Inc.
Owner: The Standard Slag Co.
Address: Center Street and Hayport Road Phone: 614/574-2404
Town: Wheelersburg State: OH County: Scioto
Railway Connection: Two surface tracks serve terminal at rear; connect with Norfolk and Western Railway.
Purpose: Shipment of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.730833
Total Berthing Space (feet): 720 | | Longitude (decimal): -82.87139

Remarks: Open storage area at rear has capacity for 1,000,000 tons of coal. Breasting dolphins are in line with upstream dolphin of Center Dock (Ref No. 94) providing added berthing space. Three adjacent company-owned wh 93 - 95) provide a total contiguous berthing distance of approximately 1,300 feet, with capacity for mooring 9 barges.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41633 Huntington District

Remarks: Open storage area at rear has capacity for 1,000,000 tons of coal. Breasting dolphins are in line with upstream dolphin of Center Dock (Ref No. 94) providing added berthing space. Three adjacent company-owned wh 93 - 95) provide a total contiguous berthing distance of approximately 1,300 feet, with capacity for mooring 9 barges.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41633 Huntington District

Port Facilities by Waterway

Remarks: Open storage area at rear has capacity for 1,000,000 tons of coal. Breasting dolphins are in line with upstream dolphin of Center Dock (Ref No. 94) providing added berthing space. Three adjacent company-owned wh 93 - 95) provide a total contiguous berthing distance of approximately 1,300 feet, with capacity for mooring 9 barges.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41633 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 347 PWD: 93
Name: **The Standard Slag Co., Wheelersburg Upper Dock.**
Port: Ohio River
Location: Mile 347.0, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: Standard Materials, Inc.
Owner: The Standard Slag Co.
Address: Center Street and Hayport Road Phone: 614/574-2404
Town: Wheelersburg State: OH County: Scioto
Railway Connection: Two surface tracks serve terminal at rear; connect with Norfolk and Western Railway.
Purpose: Shipment of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.730833
Total Berthing Space (feet): 720 | | Longitude (decimal): -82.87139

Waterway: **Ohio River** Mile: 347 PWD: 93
Name: **The Standard Slag Co., Wheelersburg Upper Dock.**
Port: Ohio River
Location: Mile 347.0, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: Standard Materials, Inc.
Owner: The Standard Slag Co.
Address: Center Street and Hayport Road Phone: 614/574-2404
Town: Wheelersburg State: OH County: Scioto
Railway Connection: Two surface tracks serve terminal at rear; connect with Norfolk and Western Railway.
Purpose: Shipment of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.730833
Total Berthing Space (feet): 720 | | Longitude (decimal): -82.87139

Waterway: **Ohio River** Mile: 347 PWD: 93
Name: **The Standard Slag Co., Wheelersburg Upper Dock.**
Port: Ohio River
Location: Mile 347.0, right bank Ohio River, Wheelersburg. Datum: NPE
Operator: Standard Materials, Inc.
Owner: The Standard Slag Co.
Address: Center Street and Hayport Road Phone: 614/574-2404
Town: Wheelersburg State: OH County: Scioto
Railway Connection: Two surface tracks serve terminal at rear; connect with Norfolk and Western Railway.
Purpose: Shipment of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.730833
Total Berthing Space (feet): 720 | | Longitude (decimal): -82.87139

Remarks: Open storage area at rear has capacity for 1,000,000 tons of coal. Breasting dolphins are in line with upstream dolphin of Center Dock (Ref No. 94) providing added berthing space. Three adjacent company-owned wh 93 - 95) provide a total contiguous berthing distance of approximately 1,300 feet, with capacity for mooring 9 barges.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41633 Huntington District

Remarks: Open storage area at rear has capacity for 1,000,000 tons of coal. Breasting dolphins are in line with upstream dolphin of Center Dock (Ref No. 94) providing added berthing space. Three adjacent company-owned wh 93 - 95) provide a total contiguous berthing distance of approximately 1,300 feet, with capacity for mooring 9 barges.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41633 Huntington District

Port Facilities by Waterway

Remarks: Open storage area at rear has capacity for 1,000,000 tons of coal. Breasting dolphins are in line with upstream dolphin of Center Dock (Ref No. 94) providing added berthing space. Three adjacent company-owned wh 93 - 95) provide a total contiguous berthing distance of approximately 1,300 feet, with capacity for mooring 9 barges.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41633 Huntington District

---

Waterway: **Ohio River** Mile: 349 PWD: 96

Name: **BP Oil Co., Sciotoville Wharf.**

Port: Ohio River

Location: Mile 349.2, right bank Ohio River, Sciotoville. Datum: NPE

Operator: BP Oil Co.

Owner: BP Oil Co.

Address: 106 Harding Street Phone: 614/776-7979

Town: Sciotoville State: OH County: Scioto

Railway Connection: None.

Purpose: Receipt of petroleum products.

Depth Alongside (feet): 12 | | Latitude (decimal): 38.754722

Total Berthing Space (feet): 150 | | Longitude (decimal): -82.89222

Remarks: Two 8- and one 6-inch pipelines extend from wharf to 9 steel storage tanks at terminal in rear, total capacity 123,500 barrels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41632 Huntington District

---

Waterway: **Ohio River** Mile: 351 PWD: 39

Name: **Kentucky-Ohio Transportation Co., South Shore Terminal Dock.**

Port: Ohio River

Location: Mile 350.8, Ohio River bank, Ohio River, South Shore. Datum: NPE

Operator: Kentucky-Ohio Transportation Co.

Owner: Kentucky-Ohio Transportation Co.

Address: U.S. Highway 23 and Johnson Lane. Phone: 606/932-3101

Town: South Shore State: KY County: Greenup

Railway Connection: One surface track serves rotary car dumper, joins 5 storage tracks with total capacity for 500 cars, connects with CSX Rail Transport.

Purpose: Shipment of coal.

Depth Alongside (feet): 15 | | Latitude (decimal): 38.748333

Total Berthing Space (feet): 2500 | | Longitude (decimal): -82.91889

Remarks: Automatic samplers, belt scales, rail car loading spout, and open storage area with capacity for 1,500,000 tons of coal are located at rear. Empty barges are stored in a block 3 long by 5 wide at 3 permanently-mo steel floats located at bank on lower side of wharf and 40 loaded barges can be handled at wharf.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41630 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 352 PWD: 38
Name: **MarkWest Hydrocarbon, Siloam Fractionation Plant Dock.**
Port: Ohio River
Location: Mile 351.6, left bank, Ohio River, South Shore. Datum: NPE
Operator: MarkWest Hydrocarbon Partners, Ltd.
Owner: MarkWest Hydrocarbon Partners, Ltd.
Address: U.S. Highway 23. Phone: 606/932-3111
Town: South Shore State: KY County: Greenup
Railway Connection: One surface track serves facility at rear; connects with CSX Rail Transport.
Purpose: Shipment of gasoline, butane, isopentane and liquefied petroleum gas (see Remarks).
Depth Alongside (feet): 10 | | Latitude (decimal): 38.743611
Total Berthing Space (feet): 160 | | Longitude (decimal): -82.93222
Remarks: One 6-inch pipeline extends to wharf from 2 gasoline storage tanks, total capacity 16,600 barrels, and one 6-inch pipeline extends to wharf from under- ground butane storage cavern, total capacity 71,400 barrels. facilities for handling isopentane and liquefied petroleum gas had not yet been installed.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41630 Huntington District

---

Waterway: **Ohio River** Mile: 352 PWD: 97
Name: **New Boston Industrial Corp. Wharf.**
Port: Ohio River
Location: Mile 351.7, right bank Ohio River, New Boston. Datum: NPE
Operator: Not operated.
Owner: John Pizzuto.
Address: Foot of West Avenue Phone: 614/354-1902
Town: New Boston State: OH County: Scioto
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.746389
Total Berthing Space (feet): 300 | | Longitude (decimal): -82.93694
Remarks: At time of survey (1991), plans called for construction of an industrial park complex on site of former coke reduction plant in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41630 Huntington District

---

Waterway: **Ohio River** Mile: 353 PWD: 98
Name: **Norfolk & Western Railway Co., Portsmouth Fuel Oil Dock.**
Port: Ohio River
Location: Mile 352.7, right bank Ohio River, Portsmouth. Datum: NPE
Operator: Norfolk & Western Railway Co.
Owner: Norfolk & Western Railway Co.
Address: Foot of West Avenue Phone: 614/353-4529
Town: Portsmouth State: OH County: Scioto
Railway Connection: Norfolk and Western Railway: Portsmouth Yard located in rear.
Purpose: Receipt of diesel fuel.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.739444
Total Berthing Space (feet): 160 | | Longitude (decimal): -82.95111
Remarks: One 8-inch pipeline extends from cell to 2 steel storage tanks in rear, total capacity 47,600 barrels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41629 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 354 PWD: 99
Name: **McGovney River Terminal, High Dock.**
Port: Ohio River
Location: Mile 353.9, right bank Ohio River, Portsmouth. Datum: NPE
Operator: McGovney Ready-Mix, Inc.
Owner: McGovney Realty, Inc.
Address: 55 River Avenue. Phone: 614/353-4111
Town: Portsmouth State: OH County: Scioto
Railway Connection: Two surface tracks serve facility at rear; connect with Norfolk and Western Railway.
Purpose: Shipment of miscellaneous dry bulk commodities including fertilizer, refractory materials, sand, and crushed stone.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.729722
Total Berthing Space (feet): 135 | | Longitude (decimal): -82.97

Waterway: **Ohio River** Mile: 354 PWD: 99
Name: **McGovney River Terminal, High Dock.**
Port: Ohio River
Location: Mile 353.9, right bank Ohio River, Portsmouth. Datum: NPE
Operator: McGovney Ready-Mix, Inc.
Owner: McGovney Realty, Inc.
Address: 55 River Avenue. Phone: 614/353-4111
Town: Portsmouth State: OH County: Scioto
Railway Connection: Two surface tracks serve facility at rear; connect with Norfolk and Western Railway.
Purpose: Shipment of miscellaneous dry bulk commodities including fertilizer, refractory materials, sand, and crushed stone.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.729722
Total Berthing Space (feet): 135 | | Longitude (decimal): -82.97
Remarks: Approximately 25 acres of open storage area at rear for dry bulk commodities.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41627 Huntington District

Remarks: Approximately 25 acres of open storage area at rear for dry bulk commodities.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41627 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 354 PWD: 99
Name: **McGovney River Terminal, High Dock.**
Port: Ohio River
Location: Mile 353.9, right bank Ohio River, Portsmouth. Datum: NPE
Operator: McGovney Ready-Mix, Inc.
Owner: McGovney Realty, Inc.
Address: 55 River Avenue. Phone: 614/353-4111
Town: Portsmouth State: OH County: Scioto
Railway Connection: Two surface tracks serve facility at rear; connect with Norfolk and Western Railway.
Purpose: Shipment of miscellaneous dry bulk commodities including fertilizer, refractory materials, sand, and crushed stone.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.729722
Total Berthing Space (feet): 135 | | Longitude (decimal): -82.97

Waterway: **Ohio River** Mile: 354 PWD: 99
Name: **McGovney River Terminal, High Dock.**
Port: Ohio River
Location: Mile 353.9, right bank Ohio River, Portsmouth. Datum: NPE
Operator: McGovney Ready-Mix, Inc.
Owner: McGovney Realty, Inc.
Address: 55 River Avenue. Phone: 614/353-4111
Town: Portsmouth State: OH County: Scioto
Railway Connection: Two surface tracks serve facility at rear; connect with Norfolk and Western Railway.
Purpose: Shipment of miscellaneous dry bulk commodities including fertilizer, refractory materials, sand, and crushed stone.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.729722
Total Berthing Space (feet): 135 | | Longitude (decimal): -82.97
Remarks: Approximately 25 acres of open storage area at rear for dry bulk commodities.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41627 Huntington District

Remarks: Approximately 25 acres of open storage area at rear for dry bulk commodities.□□

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41627 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 354 PWD: 100
Name: **McGovney River Terminal, Low Dock.**
Port: Ohio River
Location: Mile 354.0, right bank Ohio River, Portsmouth. Datum: NPE
Operator: McGovney Ready-Mix, Inc.
Owner: McGovney Realty, Inc..
Address: Phone: 614/353-4111
Town: Portsmouth State: OH County: Scioto
Railway Connection: Two surface tracks serve facility at rear; connect with Norfolk and Western Railway.
Purpose: Receipt and shipment of steel products; and receipt of dry bulk commodities including fertilizer, sand, refractory materials and crushed stone.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.729444
Total Berthing Space (feet): 745 | | Longitude (decimal): -82.97056

Waterway: **Ohio River** Mile: 354 PWD: 100
Name: **McGovney River Terminal, Low Dock.**
Port: Ohio River
Location: Mile 354.0, right bank Ohio River, Portsmouth. Datum: NPE
Operator: McGovney Ready-Mix, Inc.
Owner: McGovney Realty, Inc..
Address: Phone: 614/353-4111
Town: Portsmouth State: OH County: Scioto
Railway Connection: Two surface tracks serve facility at rear; connect with Norfolk and Western Railway.
Purpose: Receipt and shipment of steel products; and receipt of dry bulk commodities including fertilizer, sand, refractory materials and crushed stone.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.729444
Total Berthing Space (feet): 745 | | Longitude (decimal): -82.97056
Remarks: One 36,000- and one 24,000-square foot bulk storage buildings located at rear. Terminal has capacity for mooring 20 barges.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41627 Huntington District

Remarks: One 36,000- and one 24,000-square foot bulk storage buildings located at rear. Terminal has capacity for mooring 20 barges.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41627 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 354 PWD: 100
Name: **McGovney River Terminal, Low Dock.**
Port: Ohio River
Location: Mile 354.0, right bank Ohio River, Portsmouth. Datum: NPE
Operator: McGovney Ready-Mix, Inc.
Owner: McGovney Realty, Inc..
Address: Phone: 614/353-4111
Town: Portsmouth State: OH County: Scioto
Railway Connection: Two surface tracks serve facility at rear; connect with Norfolk and Western Railway.
Purpose: Receipt and shipment of steel products; and receipt of dry bulk commodities including fertilizer, sand, refractory materials and crushed stone.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.729444
Total Berthing Space (feet): 745 | | Longitude (decimal): -82.97056

Waterway: **Ohio River** Mile: 354 PWD: 100
Name: **McGovney River Terminal, Low Dock.**
Port: Ohio River
Location: Mile 354.0, right bank Ohio River, Portsmouth. Datum: NPE
Operator: McGovney Ready-Mix, Inc.
Owner: McGovney Realty, Inc..
Address: Phone: 614/353-4111
Town: Portsmouth State: OH County: Scioto
Railway Connection: Two surface tracks serve facility at rear; connect with Norfolk and Western Railway.
Purpose: Receipt and shipment of steel products; and receipt of dry bulk commodities including fertilizer, sand, refractory materials and crushed stone.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.729444
Total Berthing Space (feet): 745 | | Longitude (decimal): -82.97056
Remarks: One 36,000- and one 24,000-square foot bulk storage buildings located at rear. Terminal has capacity for mooring 20 barges.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41627 Huntington District

Remarks: One 36,000- and one 24,000-square foot bulk storage buildings located at rear. Terminal has capacity for mooring 20 barges.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41627 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 390 PWD: 101
Name: **The Dayton Power and Light Co., Killen Elec- tric Generating Stati**
Port: Ohio River
Location: Mile 389.6, right bank Ohio River, Manchester. Datum: NPE
Operator: The Dayton Power and Light Co.,
Owner: The Dayton Power and Light Co.,
Address: U.S. Highway 52. Phone: 513/549-3911
Town: Manchester State: OH County: Adams
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.686389
Total Berthing Space (feet): 3700 | | Longitude (decimal): -83.48111

Waterway: **Ohio River** Mile: 390 PWD: 101
Name: **The Dayton Power and Light Co., Killen Elec- tric Generating Stati**
Port: Ohio River
Location: Mile 389.6, right bank Ohio River, Manchester. Datum: NPE
Operator: The Dayton Power and Light Co.,
Owner: The Dayton Power and Light Co.,
Address: U.S. Highway 52. Phone: 513/549-3911
Town: Manchester State: OH County: Adams
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.686389
Total Berthing Space (feet): 3700 | | Longitude (decimal): -83.48111

Waterway: **Ohio River** Mile: 390 PWD: 101
Name: **The Dayton Power and Light Co., Killen Elec- tric Generating Stati**
Port: Ohio River
Location: Mile 389.6, right bank Ohio River, Manchester. Datum: NPE
Operator: The Dayton Power and Light Co.,
Owner: The Dayton Power and Light Co.,
Address: U.S. Highway 52. Phone: 513/549-3911
Town: Manchester State: OH County: Adams
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.686389
Total Berthing Space (feet): 3700 | | Longitude (decimal): -83.48111
Remarks: Open storage area at rear has capacity for 700,000 tons of coal. Wharf has capacity to hold 20 loaded and 20 empty barges arranged in tiers up to 5-wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41590 Huntington District

Remarks: Open storage area at rear has capacity for 700,000 tons of coal. Wharf has capacity to hold 20 loaded and 20 empty barges arranged in tiers up to 5-wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41590 Huntington District

Remarks: Open storage area at rear has capacity for 700,000 tons of coal. Wharf has capacity to hold 20 loaded and 20 empty barges arranged in tiers up to 5-wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41590 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 390 PWD: 101
Name: **The Dayton Power and Light Co., Killen Elec- tric Generating Stati**
Port: Ohio River
Location: Mile 389.6, right bank Ohio River, Manchester. Datum: NPE
Operator: The Dayton Power and Light Co.,
Owner: The Dayton Power and Light Co.,
Address: U.S. Highway 52. Phone: 513/549-3911
Town: Manchester State: OH County: Adams
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.686389
Total Berthing Space (feet): 3700 | | Longitude (decimal): -83.48111

Waterway: **Ohio River** Mile: 390 PWD: 101
Name: **The Dayton Power and Light Co., Killen Elec- tric Generating Stati**
Port: Ohio River
Location: Mile 389.6, right bank Ohio River, Manchester. Datum: NPE
Operator: The Dayton Power and Light Co.,
Owner: The Dayton Power and Light Co.,
Address: U.S. Highway 52. Phone: 513/549-3911
Town: Manchester State: OH County: Adams
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.686389
Total Berthing Space (feet): 3700 | | Longitude (decimal): -83.48111

Waterway: **Ohio River** Mile: 390 PWD: 101
Name: **The Dayton Power and Light Co., Killen Elec- tric Generating Stati**
Port: Ohio River
Location: Mile 389.6, right bank Ohio River, Manchester. Datum: NPE
Operator: The Dayton Power and Light Co.,
Owner: The Dayton Power and Light Co.,
Address: U.S. Highway 52. Phone: 513/549-3911
Town: Manchester State: OH County: Adams
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.686389
Total Berthing Space (feet): 3700 | | Longitude (decimal): -83.48111
Remarks: Open storage area at rear has capacity for 700,000 tons of coal. Wharf has capacity to hold 20 loaded and 20 empty barges arranged in tiers up to 5-wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41590 Huntington District

Remarks: Open storage area at rear has capacity for 700,000 tons of coal. Wharf has capacity to hold 20 loaded and 20 empty barges arranged in tiers up to 5-wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41590 Huntington District

Remarks: Open storage area at rear has capacity for 700,000 tons of coal. Wharf has capacity to hold 20 loaded and 20 empty barges arranged in tiers up to 5-wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41590 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 390 PWD: 101
Name: **The Dayton Power and Light Co., Killen Elec- tric Generating Stati**
Port: Ohio River
Location: Mile 389.6, right bank Ohio River, Manchester. Datum: NPE
Operator: The Dayton Power and Light Co.,
Owner: The Dayton Power and Light Co.,
Address: U.S. Highway 52. Phone: 513/549-3911
Town: Manchester State: OH County: Adams
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.686389
Total Berthing Space (feet): 3700 | | Longitude (decimal): -83.48111

Waterway: **Ohio River** Mile: 390 PWD: 101
Name: **The Dayton Power and Light Co., Killen Elec- tric Generating Stati**
Port: Ohio River
Location: Mile 389.6, right bank Ohio River, Manchester. Datum: NPE
Operator: The Dayton Power and Light Co.,
Owner: The Dayton Power and Light Co.,
Address: U.S. Highway 52. Phone: 513/549-3911
Town: Manchester State: OH County: Adams
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.686389
Total Berthing Space (feet): 3700 | | Longitude (decimal): -83.48111

Waterway: **Ohio River** Mile: 390 PWD: 101
Name: **The Dayton Power and Light Co., Killen Elec- tric Generating Stati**
Port: Ohio River
Location: Mile 389.6, right bank Ohio River, Manchester. Datum: NPE
Operator: The Dayton Power and Light Co.,
Owner: The Dayton Power and Light Co.,
Address: U.S. Highway 52. Phone: 513/549-3911
Town: Manchester State: OH County: Adams
Railway Connection: None.
Purpose: Receipt of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.686389
Total Berthing Space (feet): 3700 | | Longitude (decimal): -83.48111
Remarks: Open storage area at rear has capacity for 700,000 tons of coal. Wharf has capacity to hold 20 loaded and 20 empty barges arranged in tiers up to 5-wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41590 Huntington District

Remarks: Open storage area at rear has capacity for 700,000 tons of coal. Wharf has capacity to hold 20 loaded and 20 empty barges arranged in tiers up to 5-wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41590 Huntington District

Remarks: Open storage area at rear has capacity for 700,000 tons of coal. Wharf has capacity to hold 20 loaded and 20 empty barges arranged in tiers up to 5-wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41590 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 390 PWD: 102
Name: **The Dayton Power and Light Co., Killen Electric Generating Station**
Port: Ohio River
Location: Mile 390.1, right bank Ohio River, Manchester. Datum: NPE
Operator: The Dayton Power and Light Co.
Owner: The Dayton Power and Light Co.
Address: U.S. Highway 52. Phone: 513/549-3911
Town: Manchester State: OH County: Adams
Railway Connection: None.
Purpose: Receipt of fuel oil.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.690556
Total Berthing Space (feet): 150 | | Longitude (decimal): -83.48667

Waterway: **Ohio River** Mile: 390 PWD: 102
Name: **The Dayton Power and Light Co., Killen Electric Generating Station**
Port: Ohio River
Location: Mile 390.1, right bank Ohio River, Manchester. Datum: NPE
Operator: The Dayton Power and Light Co.
Owner: The Dayton Power and Light Co.
Address: U.S. Highway 52. Phone: 513/549-3911
Town: Manchester State: OH County: Adams
Railway Connection: None.
Purpose: Receipt of fuel oil.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.690556
Total Berthing Space (feet): 150 | | Longitude (decimal): -83.48667

Waterway: **Ohio River** Mile: 390 PWD: 102
Name: **The Dayton Power and Light Co., Killen Electric Generating Station**
Port: Ohio River
Location: Mile 390.1, right bank Ohio River, Manchester. Datum: NPE
Operator: The Dayton Power and Light Co.
Owner: The Dayton Power and Light Co.
Address: U.S. Highway 52. Phone: 513/549-3911
Town: Manchester State: OH County: Adams
Railway Connection: None.
Purpose: Receipt of fuel oil.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.690556
Total Berthing Space (feet): 150 | | Longitude (decimal): -83.48667
Remarks: One 10-inch pipeline extends from wharf to 2 steel storage tanks at plant in rear, total capacity 64,000 barrels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41590 Huntington District

Remarks: One 10-inch pipeline extends from wharf to 2 steel storage tanks at plant in rear, total capacity 64,000 barrels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41590 Huntington District

Remarks: One 10-inch pipeline extends from wharf to 2 steel storage tanks at plant in rear, total capacity 64,000 barrels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41590 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 390 PWD: 102
Name: **The Dayton Power and Light Co., Killen Electric Generating Station**
Port: Ohio River
Location: Mile 390.1, right bank Ohio River, Manchester. Datum: NPE
Operator: The Dayton Power and Light Co.
Owner: The Dayton Power and Light Co.
Address: U.S. Highway 52. Phone: 513/549-3911
Town: Manchester State: OH County: Adams
Railway Connection: None.
Purpose: Receipt of fuel oil.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.690556
Total Berthing Space (feet): 150 | | Longitude (decimal): -83.48667

Waterway: **Ohio River** Mile: 390 PWD: 102
Name: **The Dayton Power and Light Co., Killen Electric Generating Station**
Port: Ohio River
Location: Mile 390.1, right bank Ohio River, Manchester. Datum: NPE
Operator: The Dayton Power and Light Co.
Owner: The Dayton Power and Light Co.
Address: U.S. Highway 52. Phone: 513/549-3911
Town: Manchester State: OH County: Adams
Railway Connection: None.
Purpose: Receipt of fuel oil.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.690556
Total Berthing Space (feet): 150 | | Longitude (decimal): -83.48667

Waterway: **Ohio River** Mile: 390 PWD: 102
Name: **The Dayton Power and Light Co., Killen Electric Generating Station**
Port: Ohio River
Location: Mile 390.1, right bank Ohio River, Manchester. Datum: NPE
Operator: The Dayton Power and Light Co.
Owner: The Dayton Power and Light Co.
Address: U.S. Highway 52. Phone: 513/549-3911
Town: Manchester State: OH County: Adams
Railway Connection: None.
Purpose: Receipt of fuel oil.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.690556
Total Berthing Space (feet): 150 | | Longitude (decimal): -83.48667
Remarks: One 10-inch pipeline extends from wharf to 2 steel storage tanks at plant in rear, total capacity 64,000 barrels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41590 Huntington District

Remarks: One 10-inch pipeline extends from wharf to 2 steel storage tanks at plant in rear, total capacity 64,000 barrels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41590 Huntington District

Remarks: One 10-inch pipeline extends from wharf to 2 steel storage tanks at plant in rear, total capacity 64,000 barrels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41590 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 390 PWD: 102
Name: **The Dayton Power and Light Co., Killen Electric Generating Station**
Port: Ohio River
Location: Mile 390.1, right bank Ohio River, Manchester. Datum: NPE
Operator: The Dayton Power and Light Co.
Owner: The Dayton Power and Light Co.
Address: U.S. Highway 52. Phone: 513/549-3911
Town: Manchester State: OH County: Adams
Railway Connection: None.
Purpose: Receipt of fuel oil.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.690556
Total Berthing Space (feet): 150 | | Longitude (decimal): -83.48667

Waterway: **Ohio River** Mile: 390 PWD: 102
Name: **The Dayton Power and Light Co., Killen Electric Generating Station**
Port: Ohio River
Location: Mile 390.1, right bank Ohio River, Manchester. Datum: NPE
Operator: The Dayton Power and Light Co.
Owner: The Dayton Power and Light Co.
Address: U.S. Highway 52. Phone: 513/549-3911
Town: Manchester State: OH County: Adams
Railway Connection: None.
Purpose: Receipt of fuel oil.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.690556
Total Berthing Space (feet): 150 | | Longitude (decimal): -83.48667

Waterway: **Ohio River** Mile: 390 PWD: 102
Name: **The Dayton Power and Light Co., Killen Electric Generating Station**
Port: Ohio River
Location: Mile 390.1, right bank Ohio River, Manchester. Datum: NPE
Operator: The Dayton Power and Light Co.
Owner: The Dayton Power and Light Co.
Address: U.S. Highway 52. Phone: 513/549-3911
Town: Manchester State: OH County: Adams
Railway Connection: None.
Purpose: Receipt of fuel oil.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.690556
Total Berthing Space (feet): 150 | | Longitude (decimal): -83.48667
Remarks: One 10-inch pipeline extends from wharf to 2 steel storage tanks at plant in rear, total capacity 64,000 barrels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41590 Huntington District

Remarks: One 10-inch pipeline extends from wharf to 2 steel storage tanks at plant in rear, total capacity 64,000 barrels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41590 Huntington District

Remarks: One 10-inch pipeline extends from wharf to 2 steel storage tanks at plant in rear, total capacity 64,000 barrels.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41590 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 391 PWD: 103
Name: **The Dayton Power and Light Co., Killen Electric Generating Station**
Port: Ohio River
Location: Mile 390.6, right bank Ohio River, Manchester. Datum: NPE
Operator: Not operated.
Owner: The Dayton Power and Light Co.
Address: U.S. Highway 52. Phone: 513/549-3911
Town: Manchester State: OH County: Adams
Railway Connection: One surface track extends to 60-foot face; connects with plant trackage.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 15 | 15 | 15 Latitude (decimal): 38.694722
Total Berthing Space (feet): 175 | | Longitude (decimal): -83.49333

Waterway: **Ohio River** Mile: 391 PWD: 103
Name: **The Dayton Power and Light Co., Killen Electric Generating Station**
Port: Ohio River
Location: Mile 390.6, right bank Ohio River, Manchester. Datum: NPE
Operator: Not operated.
Owner: The Dayton Power and Light Co.
Address: U.S. Highway 52. Phone: 513/549-3911
Town: Manchester State: OH County: Adams
Railway Connection: One surface track extends to 60-foot face; connects with plant trackage.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 15 | 15 | 15 Latitude (decimal): 38.694722
Total Berthing Space (feet): 175 | | Longitude (decimal): -83.49333

Waterway: **Ohio River** Mile: 391 PWD: 103
Name: **The Dayton Power and Light Co., Killen Electric Generating Station**
Port: Ohio River
Location: Mile 390.6, right bank Ohio River, Manchester. Datum: NPE
Operator: Not operated.
Owner: The Dayton Power and Light Co.
Address: U.S. Highway 52. Phone: 513/549-3911
Town: Manchester State: OH County: Adams
Railway Connection: One surface track extends to 60-foot face; connects with plant trackage.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 15 | 15 | 15 Latitude (decimal): 38.694722
Total Berthing Space (feet): 175 | | Longitude (decimal): -83.49333
Remarks: Facility was constructed for the transfer of rail cars carrying plant equipment and supplies during the period of plant construction (1983) from a similar facility on opposite bank (Ref. No. 33).

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41590 Huntington District

Remarks: Facility was constructed for the transfer of rail cars carrying plant equipment and supplies during the period of plant construction (1983) from a similar facility on opposite bank (Ref. No. 33).

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41590 Huntington District

Remarks: Facility was constructed for the transfer of rail cars carrying plant equipment and supplies during the period of plant construction (1983) from a similar facility on opposite bank (Ref. No. 33).

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41590 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 391 PWD: 103
Name: **The Dayton Power and Light Co., Killen Electric Generating Station**
Port: Ohio River
Location: Mile 390.6, right bank Ohio River, Manchester. Datum: NPE
Operator: Not operated.
Owner: The Dayton Power and Light Co.
Address: U.S. Highway 52. Phone: 513/549-3911
Town: Manchester State: OH County: Adams
Railway Connection: One surface track extends to 60-foot face; connects with plant trackage.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 15 | 15 | 15 Latitude (decimal): 38.694722
Total Berthing Space (feet): 175 | | Longitude (decimal): -83.49333

Waterway: **Ohio River** Mile: 391 PWD: 103
Name: **The Dayton Power and Light Co., Killen Electric Generating Station**
Port: Ohio River
Location: Mile 390.6, right bank Ohio River, Manchester. Datum: NPE
Operator: Not operated.
Owner: The Dayton Power and Light Co.
Address: U.S. Highway 52. Phone: 513/549-3911
Town: Manchester State: OH County: Adams
Railway Connection: One surface track extends to 60-foot face; connects with plant trackage.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 15 | 15 | 15 Latitude (decimal): 38.694722
Total Berthing Space (feet): 175 | | Longitude (decimal): -83.49333

Waterway: **Ohio River** Mile: 391 PWD: 103
Name: **The Dayton Power and Light Co., Killen Electric Generating Station**
Port: Ohio River
Location: Mile 390.6, right bank Ohio River, Manchester. Datum: NPE
Operator: Not operated.
Owner: The Dayton Power and Light Co.
Address: U.S. Highway 52. Phone: 513/549-3911
Town: Manchester State: OH County: Adams
Railway Connection: One surface track extends to 60-foot face; connects with plant trackage.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 15 | 15 | 15 Latitude (decimal): 38.694722
Total Berthing Space (feet): 175 | | Longitude (decimal): -83.49333
Remarks: Facility was constructed for the transfer of rail cars carrying plant equipment and supplies during the period of plant construction (1983) from a similar facility on opposite bank (Ref. No. 33).

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41590 Huntington District

---

Remarks: Facility was constructed for the transfer of rail cars carrying plant equipment and supplies during the period of plant construction (1983) from a similar facility on opposite bank (Ref. No. 33).

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41590 Huntington District

---

Remarks: Facility was constructed for the transfer of rail cars carrying plant equipment and supplies during the period of plant construction (1983) from a similar facility on opposite bank (Ref. No. 33).

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41590 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 391 PWD: 103
Name: **The Dayton Power and Light Co., Killen Electric Generating Station**
Port: Ohio River
Location: Mile 390.6, right bank Ohio River, Manchester. Datum: NPE
Operator: Not operated.
Owner: The Dayton Power and Light Co.
Address: U.S. Highway 52. Phone: 513/549-3911
Town: Manchester State: OH County: Adams
Railway Connection: One surface track extends to 60-foot face; connects with plant trackage.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 15 | 15 | 15 Latitude (decimal): 38.694722
Total Berthing Space (feet): 175 | | Longitude (decimal): -83.49333

Waterway: **Ohio River** Mile: 391 PWD: 103
Name: **The Dayton Power and Light Co., Killen Electric Generating Station**
Port: Ohio River
Location: Mile 390.6, right bank Ohio River, Manchester. Datum: NPE
Operator: Not operated.
Owner: The Dayton Power and Light Co.
Address: U.S. Highway 52. Phone: 513/549-3911
Town: Manchester State: OH County: Adams
Railway Connection: One surface track extends to 60-foot face; connects with plant trackage.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 15 | 15 | 15 Latitude (decimal): 38.694722
Total Berthing Space (feet): 175 | | Longitude (decimal): -83.49333

Waterway: **Ohio River** Mile: 391 PWD: 103
Name: **The Dayton Power and Light Co., Killen Electric Generating Station**
Port: Ohio River
Location: Mile 390.6, right bank Ohio River, Manchester. Datum: NPE
Operator: Not operated.
Owner: The Dayton Power and Light Co.
Address: U.S. Highway 52. Phone: 513/549-3911
Town: Manchester State: OH County: Adams
Railway Connection: One surface track extends to 60-foot face; connects with plant trackage.
Purpose: Not used. (See Remarks.)
Depth Alongside (feet): 15 | 15 | 15 Latitude (decimal): 38.694722
Total Berthing Space (feet): 175 | | Longitude (decimal): -83.49333
Remarks: Facility was constructed for the transfer of rail cars carrying plant equipment and supplies during the period of plant construction (1983) from a similar facility on opposite bank (Ref. No. 33).

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41590 Huntington District

---

Remarks: Facility was constructed for the transfer of rail cars carrying plant equipment and supplies during the period of plant construction (1983) from a similar facility on opposite bank (Ref. No. 33).

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41590 Huntington District

---

Remarks: Facility was constructed for the transfer of rail cars carrying plant equipment and supplies during the period of plant construction (1983) from a similar facility on opposite bank (Ref. No. 33).

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41590 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 40 PWD: 196
Name: **S. H. Bell Co., State Line Terminal Wharf.**
Port: Huntington
Location: Mile 40.0, right bank, Ohio River, East Liverpool. Datum: NPE
Operator: S. H. Bell Co.
Owner: S. H. Bell Co.
Address: 2217 Michigan Avenue. Phone: 216/385-5083
Town: East Liverpool State: OH County: Columbiana
Railway Connection: One platform-level track serves one warehouse, one loading platform, and undertrack pit and loading conveyor at terminal in rear, connects with Consolidated Rail Corp.
Purpose: Receipt of ferroalloys, ores, fluorspar, refractory materials, gypsum rock, and miscellaneous bulk commodities.
Depth Alongside (feet): 9 - 11 | | Latitude (decimal): 40.639167
Total Berthing Space (feet): 1400 | | Longitude (decimal): -80.51917

Waterway: **Ohio River** Mile: 40 PWD: 196
Name: **S. H. Bell Co., State Line Terminal Wharf.**
Port: Huntington
Location: Mile 40.0, right bank, Ohio River, East Liverpool. Datum: NPE
Operator: S. H. Bell Co.
Owner: S. H. Bell Co.
Address: 2217 Michigan Avenue. Phone: 216/385-5083
Town: East Liverpool State: OH County: Columbiana
Railway Connection: One platform-level track serves one warehouse, one loading platform, and undertrack pit and loading conveyor at terminal in rear, connects with Consolidated Rail Corp.
Purpose: Receipt of ferroalloys, ores, fluorspar, refractory materials, gypsum rock, and miscellaneous bulk commodities.
Depth Alongside (feet): 9 - 11 | | Latitude (decimal): 40.639167
Total Berthing Space (feet): 1400 | | Longitude (decimal): -80.51917

Remarks: Terminal straddles the Ohio - Pennsylvania boundary. At time of survey, plans called for extending wharf by embedding 2 stacked barges in bank below dolphins. Approximately 100 acres of concrete- and asphalt-pa area, 24 steel frame, metal-covered, concrete and timber-walled warehouse buildings and a total of 451,000 square feet of storage area, and 3 processing plants are located at rear. Fleeting area at lower end has capabarges in 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43941 Huntington District

Remarks: Terminal straddles the Ohio - Pennsylvania boundary. At time of survey, plans called for extending wharf by embedding 2 stacked barges in bank below dolphins. Approximately 100 acres of concrete- and asphalt-pa area, 24 steel frame, metal-covered, concrete and timber-walled warehouse buildings and a total of 451,000 square feet of storage area, and 3 processing plants are located at rear. Fleeting area at lower end has capabarges in 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43941 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 40 PWD: 196
Name: **S. H. Bell Co., State Line Terminal Wharf.**
Port: Huntington
Location: Mile 40.0, right bank, Ohio River, East Liverpool. Datum: NPE
Operator: S. H. Bell Co.
Owner: S. H. Bell Co.
Address: 2217 Michigan Avenue. Phone: 216/385-5083
Town: East Liverpool State: OH County: Columbiana
Railway Connection: One platform-level track serves one warehouse, one loading platform, and undertrack pit and loading conveyor at terminal in rear, connects with Consolidated Rail Corp.
Purpose: Receipt of ferroalloys, ores, fluorspar, refractory materials, gypsum rock, and miscellaneous bulk commodities.
Depth Alongside (feet): 9 - 11 | | Latitude (decimal): 40.639167
Total Berthing Space (feet): 1400 | | Longitude (decimal): -80.51917

Waterway: **Ohio River** Mile: 40 PWD: 196
Name: **S. H. Bell Co., State Line Terminal Wharf.**
Port: Huntington
Location: Mile 40.0, right bank, Ohio River, East Liverpool. Datum: NPE
Operator: S. H. Bell Co.
Owner: S. H. Bell Co.
Address: 2217 Michigan Avenue. Phone: 216/385-5083
Town: East Liverpool State: OH County: Columbiana
Railway Connection: One platform-level track serves one warehouse, one loading platform, and undertrack pit and loading conveyor at terminal in rear, connects with Consolidated Rail Corp.
Purpose: Receipt of ferroalloys, ores, fluorspar, refractory materials, gypsum rock, and miscellaneous bulk commodities.
Depth Alongside (feet): 9 - 11 | | Latitude (decimal): 40.639167
Total Berthing Space (feet): 1400 | | Longitude (decimal): -80.51917

Remarks: Terminal straddles the Ohio - Pennsylvania boundary. At time of survey, plans called for extending wharf by embedding 2 stacked barges in bank below dolphins. Approximately 100 acres of concrete- and asphalt-pa area, 24 steel frame, metal-covered, concrete and timber-walled warehouse buildings and a total of 451,000 square feet of storage area, and 3 processing plants are located at rear. Fleeting area at lower end has capabarges in 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43941 Huntington District

Remarks: Terminal straddles the Ohio - Pennsylvania boundary. At time of survey, plans called for extending wharf by embedding 2 stacked barges in bank below dolphins. Approximately 100 acres of concrete- and asphalt-pa area, 24 steel frame, metal-covered, concrete and timber-walled warehouse buildings and a total of 451,000 square feet of storage area, and 3 processing plants are located at rear. Fleeting area at lower end has capabarges in 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43941 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 403 PWD: 37
Name: **Dravo Lime Co., Maysville Division Coal Dock.**
Port: Ohio River
Location: Mile 403.0, left bank, Ohio River, Maysville. Datum: NPE
Operator: Dravo Lime Co., Maysville Division.
Owner: Dravo Lime Co., Maysville Division.
Address: Springdale Road. Phone: 606/564-9617
Town: Maysville State: KY County: Mason
Railway Connection: Three surface tracks serve loading spout at rear; connect with CSX Rail Transport.
Purpose: Shipment of crushed limestone; receipt of coal.
Depth Alongside (feet): 16 | | Latitude (decimal): 38.620278
Total Berthing Space (feet): 1000 | | Longitude (decimal): -83.66833

Waterway: **Ohio River** Mile: 403 PWD: 37
Name: **Dravo Lime Co., Maysville Division Coal Dock.**
Port: Ohio River
Location: Mile 403.0, left bank, Ohio River, Maysville. Datum: NPE
Operator: Dravo Lime Co., Maysville Division.
Owner: Dravo Lime Co., Maysville Division.
Address: Springdale Road. Phone: 606/564-9617
Town: Maysville State: KY County: Mason
Railway Connection: Three surface tracks serve loading spout at rear; connect with CSX Rail Transport.
Purpose: Shipment of crushed limestone; receipt of coal.
Depth Alongside (feet): 16 | | Latitude (decimal): 38.620278
Total Berthing Space (feet): 1000 | | Longitude (decimal): -83.66833

Remarks: Open storage area at rear has capacity for 50,000 tons of crushed limestone and 15,000 tons of coal. Additional open storage area is available at quarry.□A company-operated fleeting area directly across the rive permanently moored spar barges and has capacity for 15 barges arranged in a block 5 barges long by 5- wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41578 Huntington District

Remarks: Open storage area at rear has capacity for 50,000 tons of crushed limestone and 15,000 tons of coal. Additional open storage area is available at quarry.□A company-operated fleeting area directly across the rive permanently moored spar barges and has capacity for 15 barges arranged in a block 5 barges long by 5- wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41578 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 403 PWD: 37
Name: **Dravo Lime Co., Maysville Division Coal Dock.**
Port: Ohio River
Location: Mile 403.0, left bank, Ohio River, Maysville. Datum: NPE
Operator: Dravo Lime Co., Maysville Division.
Owner: Dravo Lime Co., Maysville Division.
Address: Springdale Road. Phone: 606/564-9617
Town: Maysville State: KY County: Mason
Railway Connection: Three surface tracks serve loading spout at rear; connect with CSX Rail Transport.
Purpose: Shipment of crushed limestone; receipt of coal.
Depth Alongside (feet): 16 | | Latitude (decimal): 38.620278
Total Berthing Space (feet): 1000 | | Longitude (decimal): -83.66833

Waterway: **Ohio River** Mile: 403 PWD: 37
Name: **Dravo Lime Co., Maysville Division Coal Dock.**
Port: Ohio River
Location: Mile 403.0, left bank, Ohio River, Maysville. Datum: NPE
Operator: Dravo Lime Co., Maysville Division.
Owner: Dravo Lime Co., Maysville Division.
Address: Springdale Road. Phone: 606/564-9617
Town: Maysville State: KY County: Mason
Railway Connection: Three surface tracks serve loading spout at rear; connect with CSX Rail Transport.
Purpose: Shipment of crushed limestone; receipt of coal.
Depth Alongside (feet): 16 | | Latitude (decimal): 38.620278
Total Berthing Space (feet): 1000 | | Longitude (decimal): -83.66833

Remarks: Open storage area at rear has capacity for 50,000 tons of crushed limestone and 15,000 tons of coal. Additional open storage area is available at quarry.□A company-operated fleeting area directly across the rive permanently moored spar barges and has capacity for 15 barges arranged in a block 5 barges long by 5- wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41578 Huntington District

Remarks: Open storage area at rear has capacity for 50,000 tons of crushed limestone and 15,000 tons of coal. Additional open storage area is available at quarry.□A company-operated fleeting area directly across the rive permanently moored spar barges and has capacity for 15 barges arranged in a block 5 barges long by 5- wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41578 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 403 PWD: 36
Name: **Dravo Lime Co., Maysville Division Lime Dock.**
Port: Ohio River
Location: Mile 403.2, left bank, Ohio River, Maysville. Datum: NPE
Operator: Dravo Lime Co., Maysville Division.
Owner: Dravo Lime Co., Maysville Division.
Address: Springdale Road. Phone: 606/564-9617
Town: Maysville State: KY County: Mason
Railway Connection: Three surface tracks serve loading spout at rear; connect with CSX Rail Transport.
Purpose: Shipment of processed lime.
Depth Alongside (feet): 16 | | Latitude (decimal): 38.620556
Total Berthing Space (feet): 1000 | | Longitude (decimal): -83.67111

Waterway: **Ohio River** Mile: 403 PWD: 36
Name: **Dravo Lime Co., Maysville Division Lime Dock.**
Port: Ohio River
Location: Mile 403.2, left bank, Ohio River, Maysville. Datum: NPE
Operator: Dravo Lime Co., Maysville Division.
Owner: Dravo Lime Co., Maysville Division.
Address: Springdale Road. Phone: 606/564-9617
Town: Maysville State: KY County: Mason
Railway Connection: Three surface tracks serve loading spout at rear; connect with CSX Rail Transport.
Purpose: Shipment of processed lime.
Depth Alongside (feet): 16 | | Latitude (decimal): 38.620556
Total Berthing Space (feet): 1000 | | Longitude (decimal): -83.67111
Remarks: Three concrete silos with total capacity for 62,000 tons are located at lime processing plant in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41578 Huntington District

Remarks: Three concrete silos with total capacity for 62,000 tons are located at lime processing plant in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41578 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 403 PWD: 36
Name: **Dravo Lime Co., Maysville Division Lime Dock.**
Port: Ohio River
Location: Mile 403.2, left bank, Ohio River, Maysville. Datum: NPE
Operator: Dravo Lime Co., Maysville Division.
Owner: Dravo Lime Co., Maysville Division.
Address: Springdale Road. Phone: 606/564-9617
Town: Maysville State: KY County: Mason
Railway Connection: Three surface tracks serve loading spout at rear; connect with CSX Rail Transport.
Purpose: Shipment of processed lime.
Depth Alongside (feet): 16 | | Latitude (decimal): 38.620556
Total Berthing Space (feet): 1000 | | Longitude (decimal): -83.67111

Waterway: **Ohio River** Mile: 403 PWD: 36
Name: **Dravo Lime Co., Maysville Division Lime Dock.**
Port: Ohio River
Location: Mile 403.2, left bank, Ohio River, Maysville. Datum: NPE
Operator: Dravo Lime Co., Maysville Division.
Owner: Dravo Lime Co., Maysville Division.
Address: Springdale Road. Phone: 606/564-9617
Town: Maysville State: KY County: Mason
Railway Connection: Three surface tracks serve loading spout at rear; connect with CSX Rail Transport.
Purpose: Shipment of processed lime.
Depth Alongside (feet): 16 | | Latitude (decimal): 38.620556
Total Berthing Space (feet): 1000 | | Longitude (decimal): -83.67111
Remarks: Three concrete silos with total capacity for 62,000 tons are located at lime processing plant in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41578 Huntington District

Remarks: Three concrete silos with total capacity for 62,000 tons are located at lime processing plant in rear.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41578 Huntington District

Waterway: **Ohio River** Mile: 405 PWD: 35
Name: **Maysville Dredging Co. Dock.**
Port: Ohio River
Location: Mile 405.1, left bank, Ohio River, Maysville. Datum: NPE
Operator: Maysville Dredging Co.
Owner: Lexington Quarry Co.
Address: State Highway 10 Phone: 606/564-3343
Town: Maysville State: KY County: Mason
Railway Connection: None.
Purpose: Receipt of sand and gravel; occasional receipt of granular fertilizer.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.631111
Total Berthing Space (feet): 525 | | Longitude (decimal): -83.70333
Remarks: Open storage area at rear has capacity for 250,000 tons of sand and gravel. The conveyor system is only used occasionally.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41576 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 405 PWD: 105
Name: **The Dayton Power and Light Co., J.M. Stuart Electric Generating St**
Port: Ohio River
Location: Mile 405.2, right bank Ohio River, Aberdeen. Datum: NPE
Operator: The Dayton Power and Light Co.
Owner: The Dayton Power and Light Co.
Address: Phone: 513/549-2641
Town: Aberdeen State: OH County: Adams
Railway Connection: One surface track extends to 60-foot face; joins additional plant trackage.
Purpose: Handling construction materials. (See Remarks.)
Depth Alongside (feet): 15 - 2 | | Latitude (decimal): 38.639167
Total Berthing Space (feet): 150 | | Longitude (decimal): -83.70278

Waterway: **Ohio River** Mile: 405 PWD: 105
Name: **The Dayton Power and Light Co., J.M. Stuart Electric Generating St**
Port: Ohio River
Location: Mile 405.2, right bank Ohio River, Aberdeen. Datum: NPE
Operator: The Dayton Power and Light Co.
Owner: The Dayton Power and Light Co.
Address: Phone: 513/549-2641
Town: Aberdeen State: OH County: Adams
Railway Connection: One surface track extends to 60-foot face; joins additional plant trackage.
Purpose: Handling construction materials. (See Remarks.)
Depth Alongside (feet): 15 - 2 | | Latitude (decimal): 38.639167
Total Berthing Space (feet): 150 | | Longitude (decimal): -83.70278

Remarks: Facility was constructed for the transfer of rail cars carrying plant equipment and supplies during the period of plant construction (1980) from a similar facility on opposite bank. At time of survey, the 60 foot float berth had shoaled severely and was not usable.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41575 Huntington District

Remarks: Facility was constructed for the transfer of rail cars carrying plant equipment and supplies during the period of plant construction (1980) from a similar facility on opposite bank. At time of survey, the 60 foot float berth had shoaled severely and was not usable.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41575 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 405 PWD: 104

Name: **The Dayton Power and Light Co., J.M. Stuart Electric Generating St**

Port: Ohio River

Location: Mile 404.5, right bank Ohio River, Aberdeen. Datum: NPE

Operator: The Dayton Power and Light Co.

Owner: The Dayton Power and Light Co.

Address: Phone: 513/549-2641

Town: Aberdeen State: OH County: Adams

Railway Connection: None.

Purpose: Receipt of coal.

Depth Alongside (feet): 12 | | 12 Latitude (decimal): 38.634722

Total Berthing Space (feet): 2800 | | 48 Longitude (decimal): -83.69222

Remarks: Open storage area at rear, served by a 165-foot radial stacker has capacity for 1,000,000 tons of coal. Wharf has capacity for mooring 48 loaded barges at downstream end and 48 empty barges at upstream end, each each 8-wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41576 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 405 PWD: 105
Name: **The Dayton Power and Light Co., J.M. Stuart Electric Generating St**
Port: Ohio River
Location: Mile 405.2, right bank Ohio River, Aberdeen. Datum: NPE
Operator: The Dayton Power and Light Co.
Owner: The Dayton Power and Light Co.
Address: Phone: 513/549-2641
Town: Aberdeen State: OH County: Adams
Railway Connection: One surface track extends to 60-foot face; joins additional plant trackage.
Purpose: Handling construction materials. (See Remarks.)
Depth Alongside (feet): 15 - 2 | | Latitude (decimal): 38.639167
Total Berthing Space (feet): 150 | | Longitude (decimal): -83.70278

Waterway: **Ohio River** Mile: 405 PWD: 105
Name: **The Dayton Power and Light Co., J.M. Stuart Electric Generating St**
Port: Ohio River
Location: Mile 405.2, right bank Ohio River, Aberdeen. Datum: NPE
Operator: The Dayton Power and Light Co.
Owner: The Dayton Power and Light Co.
Address: Phone: 513/549-2641
Town: Aberdeen State: OH County: Adams
Railway Connection: One surface track extends to 60-foot face; joins additional plant trackage.
Purpose: Handling construction materials. (See Remarks.)
Depth Alongside (feet): 15 - 2 | | Latitude (decimal): 38.639167
Total Berthing Space (feet): 150 | | Longitude (decimal): -83.70278

Remarks: Facility was constructed for the transfer of rail cars carrying plant equipment and supplies during the period of plant construction (1980) from a similar facility on opposite bank. At time of survey, the 60 foot float berth had shoaled severely and was not usable.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41575 Huntington District

Remarks: Facility was constructed for the transfer of rail cars carrying plant equipment and supplies during the period of plant construction (1980) from a similar facility on opposite bank. At time of survey, the 60 foot float berth had shoaled severely and was not usable.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41575 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 406 PWD: 33
Name: **The Dayton Light and Power Co., Maysville Dock.**
Port: Ohio River
Location: Mile 406.4, left bank, Ohio River, Maysville. Datum: NPE
Operator: Not operated.
Owner: The Dayton Light and Power Co.
Address: Foot of Winchester Street. Phone: 513/549-2641
Town: Maysville State: KY County: Mason
Railway Connection: One surface track extends to face; connects with Transkentucky Transportation Railroad.
Purpose: Not used (See Remarks).
Depth Alongside (feet): | | Latitude (decimal): 38.640278
Total Berthing Space (feet): 80 | | Longitude (decimal): -83.72472

Waterway: **Ohio River** Mile: 406 PWD: 33
Name: **The Dayton Light and Power Co., Maysville Dock.**
Port: Ohio River
Location: Mile 406.4, left bank, Ohio River, Maysville. Datum: NPE
Operator: Not operated.
Owner: The Dayton Light and Power Co.
Address: Foot of Winchester Street. Phone: 513/549-2641
Town: Maysville State: KY County: Mason
Railway Connection: One surface track extends to face; connects with Transkentucky Transportation Railroad.
Purpose: Not used (See Remarks).
Depth Alongside (feet): | | Latitude (decimal): 38.640278
Total Berthing Space (feet): 80 | | Longitude (decimal): -83.72472

Remarks: Slip formerly was used for shipment of equipment and materials during construction of the Killen and J.M. Stuart Electric Generating Stations on the opposite bank at miles 389.6 and 404.5 respectively. At time of the facility had shoaled severely and had not been in use for 8 years.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41575 Huntington District

Remarks: Slip formerly was used for shipment of equipment and materials during construction of the Killen and J.M. Stuart Electric Generating Stations on the opposite bank at miles 389.6 and 404.5 respectively. At time of the facility had shoaled severely and had not been in use for 8 years.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41575 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 406 PWD: 33
Name: **The Dayton Light and Power Co., Maysville Dock.**
Port: Ohio River
Location: Mile 406.4, left bank, Ohio River, Maysville. Datum: NPE
Operator: Not operated.
Owner: The Dayton Light and Power Co.
Address: Foot of Winchester Street. Phone: 513/549-2641
Town: Maysville State: KY County: Mason
Railway Connection: One surface track extends to face; connects with Transkentucky Transportation Railroad.
Purpose: Not used (See Remarks).
Depth Alongside (feet): | | Latitude (decimal): 38.640278
Total Berthing Space (feet): 80 | | Longitude (decimal): -83.72472

Waterway: **Ohio River** Mile: 406 PWD: 33
Name: **The Dayton Light and Power Co., Maysville Dock.**
Port: Ohio River
Location: Mile 406.4, left bank, Ohio River, Maysville. Datum: NPE
Operator: Not operated.
Owner: The Dayton Light and Power Co.
Address: Foot of Winchester Street. Phone: 513/549-2641
Town: Maysville State: KY County: Mason
Railway Connection: One surface track extends to face; connects with Transkentucky Transportation Railroad.
Purpose: Not used (See Remarks).
Depth Alongside (feet): | | Latitude (decimal): 38.640278
Total Berthing Space (feet): 80 | | Longitude (decimal): -83.72472
Remarks: Slip formerly was used for shipment of equipment and materials during construction of the Killen and J.M. Stuart Electric Generating Stations on the opposite bank at miles 389.6 and 404.5 respectively. At time of the facility had shoaled severely and had not been in use for 8 years.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41575 Huntington District

Remarks: Slip formerly was used for shipment of equipment and materials during construction of the Killen and J.M. Stuart Electric Generating Stations on the opposite bank at miles 389.6 and 404.5 respectively. At time of the facility had shoaled severely and had not been in use for 8 years.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41575 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 406 PWD: 34
Name: **Transcontinental Terminals Maysville Wharf.**
Port: Ohio River
Location: Mile 405.9, left bank, Ohio River, Maysville. Datum: NPE
Operator: Transcontinental Terminals, Inc.
Owner: Transcontinental Terminals, Inc.
Address: State Highway 10 Phone: 606/564-6763
Town: Maysville State: KY County: Mason
Railway Connection: Transkentucky Transportation Railroad: One surface track serving twin undertrack pits and one bypass track join 6 storage tracks with total capacity for 180 cars.
Purpose: Shipment of coal.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.638333
Total Berthing Space (feet): 525 | | Longitude (decimal): -83.71833
Remarks: Facility has capacity for mooring 24 empty- and 24 loaded- barges 6-long by 4-wide at shore moorings located below and above wharf, respectively.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41575 Huntington District

---

Waterway: **Ohio River** Mile: 408 PWD: 32
Name: **Crounse Corp., Maysville Dock.**
Port: Ohio River
Location: Mile 408.1, left bank, Ohio River, Maysville. Datum: NPE
Operator: Crounse Corp.
Owner: Crounse Corp.
Address: Foot of Commerce Street. Phone: 606/564-6843
Town: Maysville State: KY County: Mason
Railway Connection: None.
Purpose: Mooring and repairing company-owned floating equipment.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.646389
Total Berthing Space (feet): 175 | | Longitude (decimal): -83.755
Remarks: None.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41572 Huntington District

---

Waterway: **Ohio River** Mile: 409 PWD: 106
Name: **Maysville Ready-Mix Concrete Co., Aberdeen River Terminal Dock.**
Port: Ohio River
Location: Mile 408.5, right bank Ohio River, Aberdeen, immediately below Maysville-Aberdeen (U.S. Highways 62 and Datum: NPE
Operator: Maysville Ready-Mix Concrete Co., Inc.
Owner: Maysville Ready-Mix Concrete Co., Inc.
Address: Foot of Main Cross Street. Phone: 606/564-4081
Town: Aberdeen State: OH County: Brown
Railway Connection: None.
Purpose: Receipt of concrete aggregate.
Depth Alongside (feet): 9 | | Latitude (decimal): 38.651944
Total Berthing Space (feet): 100 | | Longitude (decimal): -83.75889
Remarks: -

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41572 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 41 PWD: 197
Name: **J & T Towing Landing.**
Port: Huntington
Location: Mile 41.1, right bank, Ohio River, East Liverpool. Datum: NPE
Operator: J & T Towing, Inc.
Owner: J & T Towing, Inc.
Address: Foot of Walter Street Phone: 412/378-2070
Town: East Liverpool State: OH County: Columbiana
Railway Connection: None.
Purpose: Mooring company-owned towboats for performing maintenance and handling supplies; occasional mooring of barge for cleaning and repair; mooring barges for fleeting.
Depth Alongside (feet): 12 | 7 - 12 | Latitude (decimal): 40.633611
Total Berthing Space (feet): 275 | 65 | Longitude (decimal): -80.53889
Remarks: Two towboats are based at whard which serves as headquarters for fleeting operations: Congo Terminal Fleet, Ref. No. 190, Loaded Fleet, Ref. No. 199, and Empty Fleet, moored to 4 steel spar barges located at Mile capacity 20 barges in 4 tiers, each 5 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43939 Huntington District

---

Waterway: **Ohio River** Mile: 41 PWD: 199
Name: **J & T Towing Loaded Fleet Mooring.**
Port: Huntington
Location: Mile 41.4, right bank, Ohio River, East Liverpool. Datum: NPE
Operator: J & T Towing, Inc.
Owner: Columbiana County Port Authority.
Address: 1250 St. George Street Phone: 412/378-2070
Town: East Liverpool State: OH County: Columbiana
Railway Connection: One surface track serves plants at rear, connects with Consolidated Rail Corp.
Purpose: Mooring barges for fleeting.
Depth Alongside (feet): 14 | | Latitude (decimal): 40.631389
Total Berthing Space (feet): 800 | | Longitude (decimal): -80.54417
Remarks: East Liverpool plant of Waste Technology Industries, division of Von Roll USA, is located at rear of bulkhead. Columbiana County Port Authority plant and office buildings are located at rear. Fleet has capacity arranged in 4 tiers, each 4 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43939 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 41 PWD: 198
Name: **S. H. Bell Co., Little England Terminal Wharf.**
Port: Huntington
Location: Mile 41.2, right bank, Ohio River, East Liverpool. Datum: NPE
Operator: S. H. Bell Co.
Owner: S. H. Bell Co.
Address: Foot of Walter Street. Phone: 216/385-5083
Town: East Liverpool State: OH County: Columbiana
Railway Connection: None.
Purpose: Receipt of ferroalloys, ores, fluorspar, refractory materials, gypsum rock, and miscellaneous bulk commodities.
Depth Alongside (feet): 9 - 11 | | Latitude (decimal): 40.633056
Total Berthing Space (feet): 650 | | Longitude (decimal): -80.53972

Waterway: **Ohio River** Mile: 41 PWD: 198
Name: **S. H. Bell Co., Little England Terminal Wharf.**
Port: Huntington
Location: Mile 41.2, right bank, Ohio River, East Liverpool. Datum: NPE
Operator: S. H. Bell Co.
Owner: S. H. Bell Co.
Address: Foot of Walter Street. Phone: 216/385-5083
Town: East Liverpool State: OH County: Columbiana
Railway Connection: None.
Purpose: Receipt of ferroalloys, ores, fluorspar, refractory materials, gypsum rock, and miscellaneous bulk commodities.
Depth Alongside (feet): 9 - 11 | | Latitude (decimal): 40.633056
Total Berthing Space (feet): 650 | | Longitude (decimal): -80.53972
Remarks: Approximately 6 acres of concrete-paved open storage area and 2 steel frame, metal-covered, timber-walled warehouse buildings with a total of 65,000 square feet of storage area located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43941 Huntington District

Remarks: Approximately 6 acres of concrete-paved open storage area and 2 steel frame, metal-covered, timber-walled warehouse buildings with a total of 65,000 square feet of storage area located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43941 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 41 PWD: 198
Name: **S. H. Bell Co., Little England Terminal Wharf.**
Port: Huntington
Location: Mile 41.2, right bank, Ohio River, East Liverpool. Datum: NPE
Operator: S. H. Bell Co.
Owner: S. H. Bell Co.
Address: Foot of Walter Street. Phone: 216/385-5083
Town: East Liverpool State: OH County: Columbiana
Railway Connection: None.
Purpose: Receipt of ferroalloys, ores, fluorspar, refractory materials, gypsum rock, and miscellaneous bulk commodities.
Depth Alongside (feet): 9 - 11 | | Latitude (decimal): 40.633056
Total Berthing Space (feet): 650 | | Longitude (decimal): -80.53972

Waterway: **Ohio River** Mile: 41 PWD: 198
Name: **S. H. Bell Co., Little England Terminal Wharf.**
Port: Huntington
Location: Mile 41.2, right bank, Ohio River, East Liverpool. Datum: NPE
Operator: S. H. Bell Co.
Owner: S. H. Bell Co.
Address: Foot of Walter Street. Phone: 216/385-5083
Town: East Liverpool State: OH County: Columbiana
Railway Connection: None.
Purpose: Receipt of ferroalloys, ores, fluorspar, refractory materials, gypsum rock, and miscellaneous bulk commodities.
Depth Alongside (feet): 9 - 11 | | Latitude (decimal): 40.633056
Total Berthing Space (feet): 650 | | Longitude (decimal): -80.53972
Remarks: Approximately 6 acres of concrete-paved open storage area and 2 steel frame, metal-covered, timber-walled warehouse buildings with a total of 65,000 square feet of storage area located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43941 Huntington District

Remarks: Approximately 6 acres of concrete-paved open storage area and 2 steel frame, metal-covered, timber-walled warehouse buildings with a total of 65,000 square feet of storage area located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43941 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 414 PWD: 31
Name: **East Kentucky Power Cooperative, Spurlock Power Station Dock.**
Port: Ohio River
Location: Mile 414.1, left bank, Ohio River, Maysville. Datum: NPE
Operator: East Kentucky Power Cooperative, Inc.
Owner: East Kentucky Power Cooperative, Inc.
Address: State Highway 8 Phone: 606/883-3166
Town: Maysville State: KY County: Mason
Railway Connection: Five surface tracks, total capacity 300 cars, serve rotary car dumper at plant in rear; connect with CSX Rail Transport.
Purpose: Receipt of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 38.704722
Total Berthing Space (feet): 2350 | | Longitude (decimal): -83.81972
Remarks: Open storage area at rear has capacity for 350,000 tons of coal. Wharf has capacity to hold 25 barges arranged in tiers up to 5-wide.

Port Series: 62 Year of Last Survey: 1991 Corps of Engnrs Waterway Code: 41567 Huntington District

---

Waterway: **Ohio River** Mile: 42 PWD: 194
Name: **Congo River Terminal, Chester Wharf.**
Port: Huntington
Location: Mile 42.2, left bank, Ohio River, approximately 0.5 mile above Jennings Randolph Highway Bridge, Newell. Datum: NPE
Operator: Congo Corp., a subsidiary of Orran Hofstetter, Inc.
Owner: Congo Corp., a subsidiary of Orran Hofstetter, Inc.
Address: 1100 Collins Memorial Drive Phone: 304/387-3021
Town: Chester State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt and shipment of coal, coke, ores, fertilizers, light aggregate and miscellaneous bulk materials. (See Remarks.)
Depth Alongside (feet): 15 | | Latitude (decimal): 40.622222
Total Berthing Space (feet): 500 | | Longitude (decimal): -80.55306
Remarks: Among commodities handled are bauxite, iron pellets, magnesite, diammonium phosphate fertilizer, urea, and mulch. At time of survey, plans called for construction of a receiving hopper on apron serving a 24-inch extending to 3 acres of paved and 4 acres of unpaved open storage area at rear, 2 warehouse buildings, one fiberglass- and shingle-covered over concrete walls, capacity 6,000-tons, and one brick and tile with concretetons, and dry-mix concrete plant are located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43938 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 42 PWD: 200
Name: **D. W. Dickey & Son, Concrete Plant Wharf.**
Port: Huntington
Location: Mile 42.3, right bank, Ohio River, approximately 0.3 mile above Jennings Randolph Highway Bridge, East L Datum: NPE
Operator: D. W. Dickey & Son, Inc.
Owner: D. W. Dickey & Son, Inc.
Address: 700 River Road Phone: 216/385-7930
Town: East Liverpool State: OH County: Columbiana
Railway Connection: None.
Purpose: Receipt of sand, gravel, and dry bulk fertilizer.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.624722
Total Berthing Space (feet): 300 | | Longitude (decimal): -80.55944

Waterway: **Ohio River** Mile: 42 PWD: 200
Name: **D. W. Dickey & Son, Concrete Plant Wharf.**
Port: Huntington
Location: Mile 42.3, right bank, Ohio River, approximately 0.3 mile above Jennings Randolph Highway Bridge, East L Datum: NPE
Operator: D. W. Dickey & Son, Inc.
Owner: D. W. Dickey & Son, Inc.
Address: 700 River Road Phone: 216/385-7930
Town: East Liverpool State: OH County: Columbiana
Railway Connection: None.
Purpose: Receipt of sand, gravel, and dry bulk fertilizer.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.624722
Total Berthing Space (feet): 300 | | Longitude (decimal): -80.55944

Remarks: Three concrete-walled bins with capacity for 3,500 tons of sand and 3,500 tons of gravel are located on apron. Fertilizer is transported by truck to 7 timber-roofed warehouse buildings with concrete walls and to 45,000 tons, located at 1080 Elmwood Street, one mile at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43939 Huntington District

Remarks: Three concrete-walled bins with capacity for 3,500 tons of sand and 3,500 tons of gravel are located on apron. Fertilizer is transported by truck to 7 timber-roofed warehouse buildings with concrete walls and to 45,000 tons, located at 1080 Elmwood Street, one mile at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43939 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 42 PWD: 200
Name: **D. W. Dickey & Son, Concrete Plant Wharf.**
Port: Huntington
Location: Mile 42.3, right bank, Ohio River, approximately 0.3 mile above Jennings Randolph Highway Bridge, East L Datum: NPE
Operator: D. W. Dickey & Son, Inc.
Owner: D. W. Dickey & Son, Inc.
Address: 700 River Road Phone: 216/385-7930
Town: East Liverpool State: OH County: Columbiana
Railway Connection: None.
Purpose: Receipt of sand, gravel, and dry bulk fertilizer.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.624722
Total Berthing Space (feet): 300 | | Longitude (decimal): -80.55944

Waterway: **Ohio River** Mile: 42 PWD: 200
Name: **D. W. Dickey & Son, Concrete Plant Wharf.**
Port: Huntington
Location: Mile 42.3, right bank, Ohio River, approximately 0.3 mile above Jennings Randolph Highway Bridge, East L Datum: NPE
Operator: D. W. Dickey & Son, Inc.
Owner: D. W. Dickey & Son, Inc.
Address: 700 River Road Phone: 216/385-7930
Town: East Liverpool State: OH County: Columbiana
Railway Connection: None.
Purpose: Receipt of sand, gravel, and dry bulk fertilizer.
Depth Alongside (feet): 9 | | Latitude (decimal): 40.624722
Total Berthing Space (feet): 300 | | Longitude (decimal): -80.55944

Remarks: Three concrete-walled bins with capacity for 3,500 tons of sand and 3,500 tons of gravel are located on apron. Fertilizer is transported by truck to 7 timber-roofed warehouse buildings with concrete walls and to 45,000 tons, located at 1080 Elmwood Street, one mile at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43939 Huntington District

Remarks: Three concrete-walled bins with capacity for 3,500 tons of sand and 3,500 tons of gravel are located on apron. Fertilizer is transported by truck to 7 timber-roofed warehouse buildings with concrete walls and to 45,000 tons, located at 1080 Elmwood Street, one mile at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43939 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 42 PWD: 195
Name: **Wind-Chester Roofing Products Dock.**
Port: Huntington
Location: Mile 42.0, left bank, Ohio River, approximately 0.7 mile above Jennings Randolph Highway Bridge, Newell. Datum: NPE
Operator: Congo Corp., a subsidiary of Orran Hofstetter, Inc. and Ashland Petroleum Co., a divi
Owner: Wind-Chester Roofing Products, Inc.
Address: Collins Memorial Drive Phone: 304/387-3221
Town: Chester State: WV County: Hancock
Railway Connection: None.
Purpose: Transient mooring of barges.
Depth Alongside (feet): 14 | | Latitude (decimal): 40.623333
Total Berthing Space (feet): 200 | | Longitude (decimal): -80.55111
Remarks: One 8-inch asphalt pipeline extends from wharf to one 14,000-barrel storage tank in roofing material plant at rear, all unused at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43939 Huntington District

---

Waterway: **Ohio River** Mile: 43 PWD: 204
Name: **Billson Towing Co. Repair Mooring**
Port: Huntington
Location: Mile 43.1, right bank, Ohio River, approximately 0.5 mile below Jennings Randolph Highway Bridge, East L Datum: NPE
Operator: Billson Towing Co., Inc., and A. M. & O. Towing, Inc.
Owner: A. M. & O. Towing, Inc., and East Liverpool River-Rail Terminal, Inc.
Address: 253 River Road Phone: 216/385-4048
Town: East Liverpool State: OH County: Columbiana
Railway Connection: None.
Purpose: Mooring company-owned towboats, floating cranes, and floating drydock; occasionally mooring towboats and barges for cleaning and repair; mooring barges for fleeting.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.616111
Total Berthing Space (feet): 1350 | | Longitude (decimal): -80.57139
Remarks: Berthing space includes 200 feet of river bank at upper side owned by East Liverpool River-Rail Terminal, Inc., extending to the lower breasting dolphin of their wharf, Ref. No. 203. Billson Towing Co., Inc., mo floating drydock at mooring. A brick office building is located at rear. A. M. & O. Towing, Inc., fleets up to 15 barges in 5 tiers, each 3 barges wide at mooring.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43938 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 43 PWD: 201
Name: **D. W. Dickey & Son, Grain Dock.**
Port: Huntington
Location: Mile 42.5, right bank, Ohio River, approximately 0.1 mile above Jennings Randolph Highway Bridge, East L Datum: NPE
Operator: D. W. Dickey & Son, Inc.
Owner: D. W. Dickey & Son, Inc.
Address: 600 River Road Phone: 216/385-7930
Town: East Liverpool State: OH County: Columbiana
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.622778
Total Berthing Space (feet): 200 | | Longitude (decimal): -80.5625

Waterway: **Ohio River** Mile: 43 PWD: 201
Name: **D. W. Dickey & Son, Grain Dock.**
Port: Huntington
Location: Mile 42.5, right bank, Ohio River, approximately 0.1 mile above Jennings Randolph Highway Bridge, East L Datum: NPE
Operator: D. W. Dickey & Son, Inc.
Owner: D. W. Dickey & Son, Inc.
Address: 600 River Road Phone: 216/385-7930
Town: East Liverpool State: OH County: Columbiana
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.622778
Total Berthing Space (feet): 200 | | Longitude (decimal): -80.5625

Remarks: Two storage silos have total capacity for of 160,000 bushels of grain.□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43939 Huntington District

Remarks: Two storage silos have total capacity for of 160,000 bushels of grain.□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43939 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 43 PWD: 201
Name: **D. W. Dickey & Son, Grain Dock.**
Port: Huntington
Location: Mile 42.5, right bank, Ohio River, approximately 0.1 mile above Jennings Randolph Highway Bridge, East L Datum: NPE
Operator: D. W. Dickey & Son, Inc.
Owner: D. W. Dickey & Son, Inc.
Address: 600 River Road Phone: 216/385-7930
Town: East Liverpool State: OH County: Columbiana
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.622778
Total Berthing Space (feet): 200 | | Longitude (decimal): -80.5625

Waterway: **Ohio River** Mile: 43 PWD: 201
Name: **D. W. Dickey & Son, Grain Dock.**
Port: Huntington
Location: Mile 42.5, right bank, Ohio River, approximately 0.1 mile above Jennings Randolph Highway Bridge, East L Datum: NPE
Operator: D. W. Dickey & Son, Inc.
Owner: D. W. Dickey & Son, Inc.
Address: 600 River Road Phone: 216/385-7930
Town: East Liverpool State: OH County: Columbiana
Railway Connection: None.
Purpose: Shipment of grain.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.622778
Total Berthing Space (feet): 200 | | Longitude (decimal): -80.5625

Remarks: Two storage silos have total capacity for of 160,000 bushels of grain.□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43939 Huntington District

Remarks: Two storage silos have total capacity for of 160,000 bushels of grain.□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43939 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 43 PWD: 205

Name: **D. W. Dickey & Son, River Rail Terminal Dock**

Port: Huntington

Location: Mile 43.2, right bank, Ohio River, approximately 0.6 mile below Jennings Randolph Highway Bridge, East L Datum: NPE

Operator: D. W. Dickey & Son, Inc.

Owner: D. W. Dickey & Son, Inc.

Address: 100 River Road Phone: 216/385-7930

Town: East Liverpool State: OH County: Columbiana

Railway Connection: One surface track serves undertrack pit at rear, connects with Consolidated Rail Corp.

Purpose: Receipt of dry bulk fertilizer.

Depth Alongside (feet): 12 | | Latitude (decimal): 40.615556

Total Berthing Space (feet): 200 | | Longitude (decimal): -80.57278

Remarks: Rail-dumping pit and 2 hoppers in warehouse building serve conveyor system. Warehouse building of timber construction over low concrete walls has capacity for 12,000 tons of fertilizer.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43937 Huntington District

---

Waterway: **Ohio River** Mile: 43 PWD: 203

Name: **East Liverpool River-Rail Terminal Wharf.**

Port: Huntington

Location: Mile 42.9, right bank, Ohio River, approximately 0.3 mile below Jennings Randolph Highway Bridge, East L Datum: NPE

Operator: East Liverpool River-Rail Terminal, Inc.

Owner: East Liverpool River-Rail Terminal, Inc.

Address: 395 River Road Phone: 216/386-4747

Town: East Liverpool State: OH County: Columbiana

Railway Connection: None.

Purpose: Receipt of lube oils, styrene monomer, acetone, and other miscellaneous bulk liquids.

Depth Alongside (feet): 9 | | Latitude (decimal): 40.617778

Total Berthing Space (feet): 650 | | Longitude (decimal): -80.56806

Remarks: One 8- and six 6-inch pipelines extend from wharf to 11 steel storage tanks in rear:□Product Pipelines Tanks No. Size No. Total Capacity□Blend oil 1 8-inch 1 30,000 bbls.□Diluent oils 2 6 4 35,000 bbls.Styrene monomer 1 6 3 1,050,000 gal.□Acetone 1 6 1 630,000 gal.□Sunflower Seed Oil 1 6 1 840,000 gal.Molasses* 1 6 1 630,000 gal.□*Molasses pipeline was out of service at time of survey. One 2-inch steam and one 1-inch compressed air lines serve wharf.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43938 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 43 PWD: 202

Name: **ITAPCO-Ohio Terminal Wharf**

Port: Huntington

Location: Mile 42.8, right bank, Ohio River, approximately 0.2 mile below Jennings Randolph Highway Bridge, East L Datum: NPE

Operator: ITAPCO-Ohio Terminal, Inc.

Owner: ITAPCO-Ohio Terminal, Inc.

Address: 425 River Road Phone: 216/385-5424

Town: East Liverpool State: OH County: Columbiana

Railway Connection: None.

Purpose: Receipt of liquid fertilizer, waste oil, solvents, and other miscellaneous bulk liquids.

Depth Alongside (feet): 12 | | Latitude (decimal): 40.618889

Total Berthing Space (feet): 315 | | Longitude (decimal): -80.56667

Remarks: Four 6-inch fertilizer pipelines extend from wharf to 4 steel storage tanks in rear, total capacity 5,838,000 gallons, and six 6-inch miscellaneous product pipelines extend to 6 steel storage tanks, total capacit

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43938 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 44 PWD: 208
Name: **Parsons Coal Co., Lower Wharf.**
Port: Huntington
Location: Mile 44.0, right bank, Ohio River, approximately 0.4 mile above Newell Highway Bridge, East Liverpool. Datum: NPE
Operator: Parsons Coal Co., Inc., a subsidiary of North Star Coal Co.
Owner: Parsons Coal Co., Inc., a subsidiary of North Star Coal Co.
Address: First and Jackson Streets Phone: 216/385-5700
Town: East Liverpool State: OH County: Columbiana
Railway Connection: One surface track serving plant in rear connects with Consolidated Rail Corp.
Purpose: Receipt and shipment of steel coils and pipe; receipt of coal, gypsum rock, manganese, and other miscellaneous ores.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.615833
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.58361

Waterway: **Ohio River** Mile: 44 PWD: 208
Name: **Parsons Coal Co., Lower Wharf.**
Port: Huntington
Location: Mile 44.0, right bank, Ohio River, approximately 0.4 mile above Newell Highway Bridge, East Liverpool. Datum: NPE
Operator: Parsons Coal Co., Inc., a subsidiary of North Star Coal Co.
Owner: Parsons Coal Co., Inc., a subsidiary of North Star Coal Co.
Address: First and Jackson Streets Phone: 216/385-5700
Town: East Liverpool State: OH County: Columbiana
Railway Connection: One surface track serving plant in rear connects with Consolidated Rail Corp.
Purpose: Receipt and shipment of steel coils and pipe; receipt of coal, gypsum rock, manganese, and other miscellaneous ores.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.615833
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.58361

Remarks: Wharf is contiguous with Seaforth Mineral & Ore Co., Inc., Wharf, Ref. No. 207. An open storage area with capacity for 3,000 tons of gypsum rock, one steel frame, metal-covered warehouse building with concrete wa 5,600 tons of fluorspar, one brick warehouse building with capacity for 4,500 tons of ores and ilmenite, and 2 truck-loading hoppers, one served by an electric bucket elevator from the ore warehouse, are located in rebrick and one steel frame, metal-covered warehouse buildings at the rear of the Upper Wharf, Ref. No. 206, have capacity for a total of 2,800 tons of ferroalloys. Up to 12 barges moor below wharf at abank belonging to the City of East Liverpool, in 6 tiers, each 2 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43937 Huntington District

Remarks: Wharf is contiguous with Seaforth Mineral & Ore Co., Inc., Wharf, Ref. No. 207. An open storage area with capacity for 3,000 tons of gypsum rock, one steel frame, metal-covered warehouse building with concrete wa 5,600 tons of fluorspar, one brick warehouse building with capacity for 4,500 tons of ores and ilmenite, and 2 truck-loading hoppers, one served by an electric bucket elevator from the ore warehouse, are located in rebrick and one steel frame, metal-covered warehouse buildings at the rear of the Upper Wharf, Ref. No. 206, have capacity for a total of 2,800 tons of ferroalloys. Up to 12 barges moor below wharf at abank belonging to the City of East Liverpool, in 6 tiers, each 2 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43937 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 44 PWD: 208
Name: **Parsons Coal Co., Lower Wharf.**
Port: Huntington
Location: Mile 44.0, right bank, Ohio River, approximately 0.4 mile above Newell Highway Bridge, East Liverpool. Datum: NPE
Operator: Parsons Coal Co., Inc., a subsidiary of North Star Coal Co.
Owner: Parsons Coal Co., Inc., a subsidiary of North Star Coal Co.
Address: First and Jackson Streets Phone: 216/385-5700
Town: East Liverpool State: OH County: Columbiana
Railway Connection: One surface track serving plant in rear connects with Consolidated Rail Corp.
Purpose: Receipt and shipment of steel coils and pipe; receipt of coal, gypsum rock, manganese, and other miscellaneous ores.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.615833
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.58361

Waterway: **Ohio River** Mile: 44 PWD: 208
Name: **Parsons Coal Co., Lower Wharf.**
Port: Huntington
Location: Mile 44.0, right bank, Ohio River, approximately 0.4 mile above Newell Highway Bridge, East Liverpool. Datum: NPE
Operator: Parsons Coal Co., Inc., a subsidiary of North Star Coal Co.
Owner: Parsons Coal Co., Inc., a subsidiary of North Star Coal Co.
Address: First and Jackson Streets Phone: 216/385-5700
Town: East Liverpool State: OH County: Columbiana
Railway Connection: One surface track serving plant in rear connects with Consolidated Rail Corp.
Purpose: Receipt and shipment of steel coils and pipe; receipt of coal, gypsum rock, manganese, and other miscellaneous ores.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.615833
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.58361

Remarks: Wharf is contiguous with Seaforth Mineral & Ore Co., Inc., Wharf, Ref. No. 207. An open storage area with capacity for 3,000 tons of gypsum rock, one steel frame, metal-covered warehouse building with concrete wa 5,600 tons of fluorspar, one brick warehouse building with capacity for 4,500 tons of ores and ilmenite, and 2 truck-loading hoppers, one served by an electric bucket elevator from the ore warehouse, are located in rebrick and one steel frame, metal-covered warehouse buildings at the rear of the Upper Wharf, Ref. No. 206, have capacity for a total of 2,800 tons of ferroalloys. Up to 12 barges moor below wharf at abank belonging to the City of East Liverpool, in 6 tiers, each 2 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43937 Huntington District

Remarks: Wharf is contiguous with Seaforth Mineral & Ore Co., Inc., Wharf, Ref. No. 207. An open storage area with capacity for 3,000 tons of gypsum rock, one steel frame, metal-covered warehouse building with concrete wa 5,600 tons of fluorspar, one brick warehouse building with capacity for 4,500 tons of ores and ilmenite, and 2 truck-loading hoppers, one served by an electric bucket elevator from the ore warehouse, are located in rebrick and one steel frame, metal-covered warehouse buildings at the rear of the Upper Wharf, Ref. No. 206, have capacity for a total of 2,800 tons of ferroalloys. Up to 12 barges moor below wharf at abank belonging to the City of East Liverpool, in 6 tiers, each 2 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43937 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 44 PWD: 206

Name: **Parsons Coal Co., Upper Wharf.**

Port: Huntington

Location: Mile 43.7, right bank, Ohio River, approximately 0.7 mile above Newell Highway Bridge, East Liverpool. Datum: NPE

Operator: Parsons Coal Co., Inc., a subsidiary of North Star Coal Co.

Owner: Parsons Coal Co., Inc., a subsidiary of North Star Coal Co.

Address: First and Washington Streets Phone: 216/385-5700

Town: East Liverpool State: OH County: Columbiana

Railway Connection: Two surface tracks serving plant in rear connect with Consolidated Rail Corp.

Purpose: Receipt of coal, methanol, mineral spirits, and petroleum derivatives.

Depth Alongside (feet): 10 | | Latitude (decimal): 40.614167

Total Berthing Space (feet): 600 | | Longitude (decimal): -80.57917

Waterway: **Ohio River** Mile: 44 PWD: 206

Name: **Parsons Coal Co., Upper Wharf.**

Port: Huntington

Location: Mile 43.7, right bank, Ohio River, approximately 0.7 mile above Newell Highway Bridge, East Liverpool. Datum: NPE

Operator: Parsons Coal Co., Inc., a subsidiary of North Star Coal Co.

Owner: Parsons Coal Co., Inc., a subsidiary of North Star Coal Co.

Address: First and Washington Streets Phone: 216/385-5700

Town: East Liverpool State: OH County: Columbiana

Railway Connection: Two surface tracks serving plant in rear connect with Consolidated Rail Corp.

Purpose: Receipt of coal, methanol, mineral spirits, and petroleum derivatives.

Depth Alongside (feet): 10 | | Latitude (decimal): 40.614167

Total Berthing Space (feet): 600 | | Longitude (decimal): -80.57917

Remarks: Wharf is contiguous with Seaforth Mineral & Ore Co., Inc., Wharf, Ref. No. 207. One 8- and five 6-inch pipelines extend from wharf to 6 steel storage tanks in rear: Product Pipelines Tanks □ No. Size No. Total Capacity□Methanol (1 8-inch (2 6 3 1,890,000 gal.□Polypropylene glycol 1 6 1 630,000 gal.□Mineral spirits 1 6 1 420,000 gal.Light oils 1 6 1 5,000 bbl.□Open storage area is located at rear has capacity for 3,000 tons of coal. Two warehouse buildings at rear are described under Lower Wharf, Ref. N

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43937 Huntington District

Remarks: Wharf is contiguous with Seaforth Mineral & Ore Co., Inc., Wharf, Ref. No. 207. One 8- and five 6-inch pipelines extend from wharf to 6 steel storage tanks in rear: Product Pipelines Tanks □ No. Size No. Total Capacity□Methanol (1 8-inch (2 6 3 1,890,000 gal.□Polypropylene glycol 1 6 1 630,000 gal.□Mineral spirits 1 6 1 420,000 gal.Light oils 1 6 1 5,000 bbl.□Open storage area is located at rear has capacity for 3,000 tons of coal. Two warehouse buildings at rear are described under Lower Wharf, Ref. N

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43937 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 44 PWD: 206

Name: **Parsons Coal Co., Upper Wharf.**

Port: Huntington

Location: Mile 43.7, right bank, Ohio River, approximately 0.7 mile above Newell Highway Bridge, East Liverpool. Datum: NPE

Operator: Parsons Coal Co., Inc., a subsidiary of North Star Coal Co.

Owner: Parsons Coal Co., Inc., a subsidiary of North Star Coal Co.

Address: First and Washington Streets Phone: 216/385-5700

Town: East Liverpool State: OH County: Columbiana

Railway Connection: Two surface tracks serving plant in rear connect with Consolidated Rail Corp.

Purpose: Receipt of coal, methanol, mineral spirits, and petroleum derivatives.

Depth Alongside (feet): 10 | | Latitude (decimal): 40.614167

Total Berthing Space (feet): 600 | | Longitude (decimal): -80.57917

Waterway: **Ohio River** Mile: 44 PWD: 206

Name: **Parsons Coal Co., Upper Wharf.**

Port: Huntington

Location: Mile 43.7, right bank, Ohio River, approximately 0.7 mile above Newell Highway Bridge, East Liverpool. Datum: NPE

Operator: Parsons Coal Co., Inc., a subsidiary of North Star Coal Co.

Owner: Parsons Coal Co., Inc., a subsidiary of North Star Coal Co.

Address: First and Washington Streets Phone: 216/385-5700

Town: East Liverpool State: OH County: Columbiana

Railway Connection: Two surface tracks serving plant in rear connect with Consolidated Rail Corp.

Purpose: Receipt of coal, methanol, mineral spirits, and petroleum derivatives.

Depth Alongside (feet): 10 | | Latitude (decimal): 40.614167

Total Berthing Space (feet): 600 | | Longitude (decimal): -80.57917

Remarks: Wharf is contiguous with Seaforth Mineral & Ore Co., Inc., Wharf, Ref. No. 207. One 8- and five 6-inch pipelines extend from wharf to 6 steel storage tanks in rear: Product Pipelines Tanks □ No. Size No. Total Capacity□Methanol (1 8-inch (2 6 3 1,890,000 gal.□Polypropylene glycol 1 6 1 630,000 gal.□Mineral spirits 1 6 1 420,000 gal.Light oils 1 6 1 5,000 bbl.□Open storage area is located at rear has capacity for 3,000 tons of coal. Two warehouse buildings at rear are described under Lower Wharf, Ref. N

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43937 Huntington District

Remarks: Wharf is contiguous with Seaforth Mineral & Ore Co., Inc., Wharf, Ref. No. 207. One 8- and five 6-inch pipelines extend from wharf to 6 steel storage tanks in rear: Product Pipelines Tanks □ No. Size No. Total Capacity□Methanol (1 8-inch (2 6 3 1,890,000 gal.□Polypropylene glycol 1 6 1 630,000 gal.□Mineral spirits 1 6 1 420,000 gal.Light oils 1 6 1 5,000 bbl.□Open storage area is located at rear has capacity for 3,000 tons of coal. Two warehouse buildings at rear are described under Lower Wharf, Ref. N

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43937 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 44 PWD: 207
Name: **Seaforth Mineral & Ore Co., East Liverpool Wharf.**
Port: Huntington
Location: Mile 43.9, right bank, Ohio River, approximately 0.5 mile above Newell Highway Bridge, East Liverpool. Datum: NPE
Operator: Seaforth Mineral & Ore Co., Inc.
Owner: Seaforth Mineral & Ore Co., Inc., and City of East Liverpool
Address: First and Market Streets Phone: 216/386-8200
Town: East Liverpool State: OH County: Columbiana
Railway Connection: One surface track serving loading spout at plant in rear connects with Consolidated Rail Corp.
Purpose: Receipt of fluorspar, dry bulk boric acid, and other miscellaneous ores.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.615
Total Berthing Space (feet): 746 | | Longitude (decimal): -80.58222
Remarks: Upper and lower sides are contiguous with Parsons Coal Co., Inc., Upper and Lower Wharves, Ref. Nos. 206 and 208, respectively. Four elevated hoppers serve electric bucket elevators extending to 8 truck-loading time of survey, plans called for construction of an undertrack rail pit. Approximately 5 acres of concrete-paved open storage area and 3 brick warehouse buildings with a total area of 120,000 square feet are located

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43937 Huntington District

---

Waterway: **Ohio River** Mile: 47 PWD: 193
Name: **Congo River Terminal, Newell Wharf.**
Port: Huntington
Location: Mile 46.5, left bank, Ohio River, Newell. Datum: NPE
Operator: Congo Corp., a subsidiary of Orran Hofstetter, Inc.
Owner: Congo Corp., a subsidiary of Orran Hofstetter, Inc.
Address: State Highway 2 Phone: 304/387-3021
Town: Newell State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of bauxite and magnesite; occasional receipt of coal; occasional receipt and shipment of sand.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.616111
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.62611
Remarks: At time of survey, plans called for construction of a steel sheet pile bulkhead with solid fill between the faces of the cell and pier extension. Approximately 40 acres of open storage area are located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43934 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 47 PWD: 191

Name: **DTC Environmental Services Wharf**

Port: Huntington

Location: Mile 47.3, left bank, Ohio River, Congo. Datum: NPE

Operator: DTC Environmental Services, Inc.

Owner: DTC Environmental Services, Inc.

Address: 2500 Congo Road Phone: 304/387-3860

Town: Congo State: WV County: Hancock

Railway Connection: None.

Purpose: Mooring tank barges for cleaning and repair. See Remarks.

Depth Alongside (feet): 9 | | Latitude (decimal): 40.608333

Total Berthing Space (feet): 300 | | Longitude (decimal): -80.63694

Remarks: Facility, under construction at time of survey, was designed for handling dry bulk materials and cleaning hopper barges as well as tank barges. Plans called for mooring a 195- by 35-foot spar barge above wharf t 400 feet of berthing space for 4 barges in 2 tiers, each 2 barges wide. One 3-inch steam line serves wharf. Approximately 3 acres of open storage area are located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43933 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 47 PWD: 192
Name: **Quaker State Oil Refining Corp., Congo Plant Dock.**
Port: Huntington
Location: Mile 46.8, left bank, Ohio River, Newell. Datum: NPE
Operator: Quaker State Oil Refining Corp.
Owner: Quaker State Oil Refining Corp.
Address: State Highway 2 Phone: 304/387-3530
Town: Newell State: WV County: Hancock
Railway Connection: Four surface tracks serve plant in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products.
Depth Alongside (feet): 17 | | Latitude (decimal): 40.613889
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.63083

Waterway: **Ohio River** Mile: 47 PWD: 192
Name: **Quaker State Oil Refining Corp., Congo Plant Dock.**
Port: Huntington
Location: Mile 46.8, left bank, Ohio River, Newell. Datum: NPE
Operator: Quaker State Oil Refining Corp.
Owner: Quaker State Oil Refining Corp.
Address: State Highway 2 Phone: 304/387-3530
Town: Newell State: WV County: Hancock
Railway Connection: Four surface tracks serve plant in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products.
Depth Alongside (feet): 17 | | Latitude (decimal): 40.613889
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.63083

Remarks: One 8-inch crude oil pipeline extends from wharf to 3 steel storage tanks, total capacity 150,000 barrels, and one 10-, three 8-, and two 6-inch petroleum product pipelines extend from wharf to 93 steel storage t capacity 784,000 barrels. One 4-inch steam, one 1-inch compressed air, and one 2-inch slop lines serve wharf.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43934 Huntington District

Remarks: One 8-inch crude oil pipeline extends from wharf to 3 steel storage tanks, total capacity 150,000 barrels, and one 10-, three 8-, and two 6-inch petroleum product pipelines extend from wharf to 93 steel storage t capacity 784,000 barrels. One 4-inch steam, one 1-inch compressed air, and one 2-inch slop lines serve wharf.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43934 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 47 PWD: 192
Name: **Quaker State Oil Refining Corp., Congo Plant Dock.**
Port: Huntington
Location: Mile 46.8, left bank, Ohio River, Newell. Datum: NPE
Operator: Quaker State Oil Refining Corp.
Owner: Quaker State Oil Refining Corp.
Address: State Highway 2 Phone: 304/387-3530
Town: Newell State: WV County: Hancock
Railway Connection: Four surface tracks serve plant in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products.
Depth Alongside (feet): 17 | | Latitude (decimal): 40.613889
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.63083

Waterway: **Ohio River** Mile: 47 PWD: 192
Name: **Quaker State Oil Refining Corp., Congo Plant Dock.**
Port: Huntington
Location: Mile 46.8, left bank, Ohio River, Newell. Datum: NPE
Operator: Quaker State Oil Refining Corp.
Owner: Quaker State Oil Refining Corp.
Address: State Highway 2 Phone: 304/387-3530
Town: Newell State: WV County: Hancock
Railway Connection: Four surface tracks serve plant in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of crude oil; receipt and shipment of petroleum products.
Depth Alongside (feet): 17 | | Latitude (decimal): 40.613889
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.63083

Remarks: One 8-inch crude oil pipeline extends from wharf to 3 steel storage tanks, total capacity 150,000 barrels, and one 10-, three 8-, and two 6-inch petroleum product pipelines extend from wharf to 93 steel storage t capacity 784,000 barrels. One 4-inch steam, one 1-inch compressed air, and one 2-inch slop lines serve wharf.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43934 Huntington District

Remarks: One 8-inch crude oil pipeline extends from wharf to 3 steel storage tanks, total capacity 150,000 barrels, and one 10-, three 8-, and two 6-inch petroleum product pipelines extend from wharf to 93 steel storage t capacity 784,000 barrels. One 4-inch steam, one 1-inch compressed air, and one 2-inch slop lines serve wharf.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43934 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 48 PWD: 190
Name: **J. & T. River Services, Congo Terminal Wharf.**
Port: Huntington
Location: Mile 47.7, left bank, Ohio River, Congo. Datum: NPE
Operator: J & T Towing, Inc.
Owner: J & T Towing, Inc.
Address: State Highway 2 Phone: 412/378-2070
Town: Congo State: WV County: Hancock
Railway Connection: None.
Purpose: Occasional mooring of barges for fleeting.
Depth Alongside (feet): 6 | | Latitude (decimal): 40.603611
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.64056
Remarks: J. & T. River Services, Inc., affiliate of J & T Towing, Inc., equipped facility for handling dry bulk materials. Approximately 7 1/2 acres of open storage area and 2 steel frame, metal covered warehouse buildin floors, total capacity 6,000 square feet, are located at rear, all unused at time of survey. Congo Terminal Fleet, with capacity for 12 barges in 3 tiers, each 4 barges wide, is operated from J & T Towing Landing, Re

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43933 Huntington District

---

Waterway: **Ohio River** Mile: 48 PWD: 209
Name: **Mississippi Lime Co. Wharf.**
Port: Huntington
Location: Mile 48.4, right bank, Ohio River, Wellsville. Datum: NPE
Operator: Wellsville Terminals Co.
Owner: Mississippi Lime Co.
Address: 18th Street Phone: 216/532-1527
Town: Wellsville State: OH County: Columbiana
Railway Connection: One surface track at rear connects with Consolidated Rail Corporation.
Purpose: Receipt of lime; mooring barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.598611
Total Berthing Space (feet): 175 | | Longitude (decimal): -80.6525
Remarks: Wharf is contiguous with Wellsville Terminals Co. Wharf, Ref. No. 210. Four steel storage silos at rear, each equipped with a truck-loading spout, have a total capacity for 1,800 tons.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43932 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 49 PWD: 211

Name: **Ashland Petroleum Co., Wellsville Wharf.**

Port: Huntington

Location: Mile 49.1, right bank, Ohio River, Wellsville. Datum: NPE

Operator: Ashland Petroleum Co., a division of Ashland Oil, Inc.

Owner: Ashland Petroleum Co., a division of Ashland Oil, Inc.

Address: 21st & Nevada Streets Phone: 216/532-1273

Town: Wellsville State: OH County: Columbiana

Railway Connection: None.

Purpose: Receipt and shipment of asphalt; shipment of blending oil; receipt of fuel oil.

Depth Alongside (feet): 30 | 9 | Latitude (decimal): 40.593056

Total Berthing Space (feet): 440 | 315 | Longitude (decimal): -80.66083

Remarks: One barge can moor at rear of breasting dolphin on lower side of wharf. One steel barge permanently moored 400 feet below wharf as a towboat landing provides 100 feet of berthing space in 9-foot water depth. On one 6-inch pipelines extend from wharf to 5 steel storage tanks at rear:□Product Pipeline Tanks□ Size No. Total Capacity (inch) (barrels)□Fuel oil 10 3 259,000□Asphalt 8 1 54,000Crude light oil 6 1 15,000□One 4-inch steam line serves wharf.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43931 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 49 PWD: 210
Name: **Wellsville Terminals Co. Wharf.**
Port: Huntington
Location: Mile 48.5, right bank, Ohio River, Wellsville. Datum: NPE
Operator: Wellsville Terminals Co.
Owner: Wellsville Terminals Co.
Address: 18th Street Phone: 216/532-1527
Town: Wellsville State: OH County: Columbiana
Railway Connection: One surface track at rear connects with Consolidated Rail Corporation.
Purpose: Receipt of coal, ferroalloys, steel, and fiberboard; mooring barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.598056
Total Berthing Space (feet): 500 | | Longitude (decimal): -80.65333

Waterway: **Ohio River** Mile: 49 PWD: 210
Name: **Wellsville Terminals Co. Wharf.**
Port: Huntington
Location: Mile 48.5, right bank, Ohio River, Wellsville. Datum: NPE
Operator: Wellsville Terminals Co.
Owner: Wellsville Terminals Co.
Address: 18th Street Phone: 216/532-1527
Town: Wellsville State: OH County: Columbiana
Railway Connection: One surface track at rear connects with Consolidated Rail Corporation.
Purpose: Receipt of coal, ferroalloys, steel, and fiberboard; mooring barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.598056
Total Berthing Space (feet): 500 | | Longitude (decimal): -80.65333

Remarks: Wharf is contiguous with Mississippi Lime Co. Wharf, Ref. No. 209. Approximately 3 acres of open storage area and 3 warehouse buildings, 2 steel frame, metal covered over concrete walls and one of timber construc concrete block walls, total area 70,800 square feet, are located at rear. Fleeting areas fronting City of Wellsville Wastewater Treatment Plant below wharf and bank on opposite side of Ref. No. 209, have capacity for2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43932 Huntington District

Remarks: Wharf is contiguous with Mississippi Lime Co. Wharf, Ref. No. 209. Approximately 3 acres of open storage area and 3 warehouse buildings, 2 steel frame, metal covered over concrete walls and one of timber construc concrete block walls, total area 70,800 square feet, are located at rear. Fleeting areas fronting City of Wellsville Wastewater Treatment Plant below wharf and bank on opposite side of Ref. No. 209, have capacity for2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43932 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 49 PWD: 210
Name: **Wellsville Terminals Co. Wharf.**
Port: Huntington
Location: Mile 48.5, right bank, Ohio River, Wellsville. Datum: NPE
Operator: Wellsville Terminals Co.
Owner: Wellsville Terminals Co.
Address: 18th Street Phone: 216/532-1527
Town: Wellsville State: OH County: Columbiana
Railway Connection: One surface track at rear connects with Consolidated Rail Corporation.
Purpose: Receipt of coal, ferroalloys, steel, and fiberboard; mooring barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.598056
Total Berthing Space (feet): 500 | | Longitude (decimal): -80.65333

Waterway: **Ohio River** Mile: 49 PWD: 210
Name: **Wellsville Terminals Co. Wharf.**
Port: Huntington
Location: Mile 48.5, right bank, Ohio River, Wellsville. Datum: NPE
Operator: Wellsville Terminals Co.
Owner: Wellsville Terminals Co.
Address: 18th Street Phone: 216/532-1527
Town: Wellsville State: OH County: Columbiana
Railway Connection: One surface track at rear connects with Consolidated Rail Corporation.
Purpose: Receipt of coal, ferroalloys, steel, and fiberboard; mooring barges for fleeting.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.598056
Total Berthing Space (feet): 500 | | Longitude (decimal): -80.65333

Remarks: Wharf is contiguous with Mississippi Lime Co. Wharf, Ref. No. 209. Approximately 3 acres of open storage area and 3 warehouse buildings, 2 steel frame, metal covered over concrete walls and one of timber construc concrete block walls, total area 70,800 square feet, are located at rear. Fleeting areas fronting City of Wellsville Wastewater Treatment Plant below wharf and bank on opposite side of Ref. No. 209, have capacity for2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43932 Huntington District

Remarks: Wharf is contiguous with Mississippi Lime Co. Wharf, Ref. No. 209. Approximately 3 acres of open storage area and 3 warehouse buildings, 2 steel frame, metal covered over concrete walls and one of timber construc concrete block walls, total area 70,800 square feet, are located at rear. Fleeting areas fronting City of Wellsville Wastewater Treatment Plant below wharf and bank on opposite side of Ref. No. 209, have capacity for2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43932 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 50 PWD: 212
Name: **Wellsville Storage & Transport Wharf.**
Port: Huntington
Location: Mile 49.7, right bank, Ohio River, Wellsville. Datum: NPE
Operator: Wellsville Storage & Transport, Inc.
Owner: Wellsville Storage & Transport, Inc.
Address: 25th Street Phone: 216/532-1597
Town: Wellsville State: OH County: Columbiana
Railway Connection: One surface track serves plant in rear; connects with Consolidated Rail Corp.
Purpose: Receipt of blending oil.
Depth Alongside (feet): 18 | | Latitude (decimal): 40.584722
Total Berthing Space (feet): 425 | | Longitude (decimal): -80.66833

Waterway: **Ohio River** Mile: 50 PWD: 212
Name: **Wellsville Storage & Transport Wharf.**
Port: Huntington
Location: Mile 49.7, right bank, Ohio River, Wellsville. Datum: NPE
Operator: Wellsville Storage & Transport, Inc.
Owner: Wellsville Storage & Transport, Inc.
Address: 25th Street Phone: 216/532-1597
Town: Wellsville State: OH County: Columbiana
Railway Connection: One surface track serves plant in rear; connects with Consolidated Rail Corp.
Purpose: Receipt of blending oil.
Depth Alongside (feet): 18 | | Latitude (decimal): 40.584722
Total Berthing Space (feet): 425 | | Longitude (decimal): -80.66833

Remarks: One 12- and one 8-inch pipelines extend from wharf to 2 steel storage tanks at rear, total capacity 119,000 barrels. One 4-inch steam and one 3-inch compressed air lines serve wharf.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43932 Huntington District

Remarks: One 12- and one 8-inch pipelines extend from wharf to 2 steel storage tanks at rear, total capacity 119,000 barrels. One 4-inch steam and one 3-inch compressed air lines serve wharf.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43932 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 50 PWD: 212
Name: **Wellsville Storage & Transport Wharf.**
Port: Huntington
Location: Mile 49.7, right bank, Ohio River, Wellsville. Datum: NPE
Operator: Wellsville Storage & Transport, Inc.
Owner: Wellsville Storage & Transport, Inc.
Address: 25th Street Phone: 216/532-1597
Town: Wellsville State: OH County: Columbiana
Railway Connection: One surface track serves plant in rear; connects with Consolidated Rail Corp.
Purpose: Receipt of blending oil.
Depth Alongside (feet): 18 | | Latitude (decimal): 40.584722
Total Berthing Space (feet): 425 | | Longitude (decimal): -80.66833

Waterway: **Ohio River** Mile: 50 PWD: 212
Name: **Wellsville Storage & Transport Wharf.**
Port: Huntington
Location: Mile 49.7, right bank, Ohio River, Wellsville. Datum: NPE
Operator: Wellsville Storage & Transport, Inc.
Owner: Wellsville Storage & Transport, Inc.
Address: 25th Street Phone: 216/532-1597
Town: Wellsville State: OH County: Columbiana
Railway Connection: One surface track serves plant in rear; connects with Consolidated Rail Corp.
Purpose: Receipt of blending oil.
Depth Alongside (feet): 18 | | Latitude (decimal): 40.584722
Total Berthing Space (feet): 425 | | Longitude (decimal): -80.66833

Remarks: One 12- and one 8-inch pipelines extend from wharf to 2 steel storage tanks at rear, total capacity 119,000 barrels. One 4-inch steam and one 3-inch compressed air lines serve wharf.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43932 Huntington District

Remarks: One 12- and one 8-inch pipelines extend from wharf to 2 steel storage tanks at rear, total capacity 119,000 barrels. One 4-inch steam and one 3-inch compressed air lines serve wharf.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43932 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 51 PWD: 189
Name: **Standard-LaFarge Corp., Iron City Plant Wharf.**
Port: Huntington
Location: Mile 51.0, left bank, Ohio River, Arroyo. Datum: NPE
Operator: Standard-LaFarge Corp.
Owner: Standard-LaFarge Corp.
Address: State Highway 2 Phone: 304/387-1807
Town: Arroyo State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of sand and gravel.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.569444
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.6575

Waterway: **Ohio River** Mile: 51 PWD: 189
Name: **Standard-LaFarge Corp., Iron City Plant Wharf.**
Port: Huntington
Location: Mile 51.0, left bank, Ohio River, Arroyo. Datum: NPE
Operator: Standard-LaFarge Corp.
Owner: Standard-LaFarge Corp.
Address: State Highway 2 Phone: 304/387-1807
Town: Arroyo State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of sand and gravel.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.569444
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.6575

Remarks: Gravel pit at rear is excavated by diesel, mobile dragline crane serving belt conveyor to stacker at surge storage yard. Belt conveyor in tunnel under surge yard extends to processing plant serving 4 stackers in yard, capacity 90,000 tons of sand and 60,000 tons of gravel and aggregate. Wash plant serves 30-inch, electric belt conveyor system extending to 4 truck-loading hoppers as well as barge loader. Up to 10 barges moorin 5 tiers, each 2 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43934 Huntington District

Remarks: Gravel pit at rear is excavated by diesel, mobile dragline crane serving belt conveyor to stacker at surge storage yard. Belt conveyor in tunnel under surge yard extends to processing plant serving 4 stackers in yard, capacity 90,000 tons of sand and 60,000 tons of gravel and aggregate. Wash plant serves 30-inch, electric belt conveyor system extending to 4 truck-loading hoppers as well as barge loader. Up to 10 barges moorin 5 tiers, each 2 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43934 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 51 PWD: 189
Name: **Standard-LaFarge Corp., Iron City Plant Wharf.**
Port: Huntington
Location: Mile 51.0, left bank, Ohio River, Arroyo. Datum: NPE
Operator: Standard-LaFarge Corp.
Owner: Standard-LaFarge Corp.
Address: State Highway 2 Phone: 304/387-1807
Town: Arroyo State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of sand and gravel.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.569444
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.6575

Waterway: **Ohio River** Mile: 51 PWD: 189
Name: **Standard-LaFarge Corp., Iron City Plant Wharf.**
Port: Huntington
Location: Mile 51.0, left bank, Ohio River, Arroyo. Datum: NPE
Operator: Standard-LaFarge Corp.
Owner: Standard-LaFarge Corp.
Address: State Highway 2 Phone: 304/387-1807
Town: Arroyo State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of sand and gravel.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.569444
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.6575

Remarks: Gravel pit at rear is excavated by diesel, mobile dragline crane serving belt conveyor to stacker at surge storage yard. Belt conveyor in tunnel under surge yard extends to processing plant serving 4 stackers in yard, capacity 90,000 tons of sand and 60,000 tons of gravel and aggregate. Wash plant serves 30-inch, electric belt conveyor system extending to 4 truck-loading hoppers as well as barge loader. Up to 10 barges moorin 5 tiers, each 2 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43934 Huntington District

Remarks: Gravel pit at rear is excavated by diesel, mobile dragline crane serving belt conveyor to stacker at surge storage yard. Belt conveyor in tunnel under surge yard extends to processing plant serving 4 stackers in yard, capacity 90,000 tons of sand and 60,000 tons of gravel and aggregate. Wash plant serves 30-inch, electric belt conveyor system extending to 4 truck-loading hoppers as well as barge loader. Up to 10 barges moorin 5 tiers, each 2 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43934 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 53 PWD: 213
Name: **Ohio Edison Co., W. H. Sammis Steam Generating Plant, Unloading Do**
Port: Huntington
Location: Mile 53.1, right bank, Ohio River, approximately 1.0 mile above New Cumberland Locks and Dam, Stratton. Datum: NPE
Operator: Ohio Edison Co.
Owner: Ohio Edison Co.
Address: State Highway 7 Phone: 614/537-1546
Town: Stratton State: OH County: Jefferson
Railway Connection: One surface track serves plant in rear; connects with Consolidated Rail Corp.
Purpose: Receipt of coal.

Depth Alongside (feet):	22	22	Latitude (decimal):	40.541944
Total Berthing Space (feet):	1638	1700	Longitude (decimal):	-80.63639

Remarks: One permanently-moored steel barge with 70- by 2-foot steel catwalk approach, moored to 2 cells between the loading towers as a towboat landing, provides 69 feet of berthing. One 5-ton mast-and-boom derrick with with traveling electric hoist is located on a cell near the landing for handling equipment. Two 7-cubic yard diesel front-end loaders and 5 diesel crawler bulldozers serve storage area's ground-level hoppers servingelectric belt conveyor extending to power plant. Storage area has capacity for 900,000 tons of coal. Upper row and lower rows have capacity for 36 barges in 6 tiers, each 6 barges wide, and 32 bargesrespectively.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43928 Huntington District

---

Waterway: **Ohio River** Mile: 58 PWD: 214
Name: **Ohio Edison Co., Toronto Steam Generating Plant, Unloading Dock.**
Port: Huntington
Location: Mile 57.5, right bank, Ohio River, Toronto. Datum: NPE
Operator: Ohio Edison Co.
Owner: Ohio Edison Co.
Address: N. Fourth Street Phone: 614/537-1506
Town: Toronto State: OH County: Jefferson
Railway Connection: Two surface tracks serve plant in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of coal.

Depth Alongside (feet):	20		Latitude (decimal):	40.485
Total Berthing Space (feet):	1100		Longitude (decimal):	-80.60361

Remarks: Open storage area at rear for coal received by truck has capacity for 150,000 tons.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43923 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 62 PWD: 188
Name: **Weirton Steel, Browns Island Coke Landings**
Port: Huntington
Location: Miles 61.5 and 61.3, northeast bank, Browns Island, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Receipt of coke.
Depth Alongside (feet): 14 - 16 | 14 - 16 | Latitude (decimal): 40.431389
Total Berthing Space (feet): 400 | 400 | Longitude (decimal): -80.60778

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Coke is trucked across bridge to mill. Open storage area at rear has capacity for 300,000 tons of coke.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 185
Name: **Weirton Steel, Coal Unloading Dock.**
Port: Huntington
Location: Mile 62.2, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two surface tracks serve loading chute; connect with Consolidated Rail Corp.
Purpose: Mooring barges. (See Remarks.)
Depth Alongside (feet): 20 | | Latitude (decimal): 40.421389
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.60444

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Wharf formerly was used for receipt of coal. Coke plants at rear and on Browns Island were closed at time of survey. Five silos on Browns Island have total capacity for 5,000 tons of coal. Open storage area at 1,800,000 tons of coal; one fixed, straight-line coal loader at rear with 10 1/2-ton clamshell bucket for loading railroad cars, all were unused at time of survey. Up to 18 barges moor at wharf and dolphins in 6 tierwide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Waterway: **Ohio River** Mile: 62 PWD: 186
Name: **Weirton Steel, Dock No. 1.**
Port: Huntington
Location: Mile 62.1, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 16 | | Latitude (decimal): 40.422778
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60417

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: One building at rear, used as storage warehouse, has capacity for 2,000 tons of steel products. Up to 9 barges moor at wharf in 3 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 187
Name: **Weirton Steel, Dock No. 2.**
Port: Huntington
Location: Mile 61.8, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: Two platform-level tracks serve warehouse in rear; connect with Consolidated Rail Corp.
Purpose: Receipt of ore, steel scrap, mill scale, and plant equipment; shipment of steel products.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.427222
Total Berthing Space (feet): 1600 | | Longitude (decimal): -80.60444

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Remarks: Storage warehouse at rear has capacity for 2,000 tons of steel products. Steel sheet pile wall at rear of row of dolphins below wharf impounds plant water filtration lagoons. Up to 30 barges moor at dolphins in wide, and 2 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Waterway: **Ohio River** Mile: 62 PWD: 184
Name: **Weirton Steel, Fuel Oil Dock and Moorings.**
Port: Huntington
Location: Mile 62.4, left bank, Ohio River, Weirton Datum: NPE
Operator: Weirton Steel Corp.
Owner: Weirton Steel Corp.
Address: 400 Three Springs Drive Phone: 304/797-3908
Town: Weirton State: WV County: Hancock
Railway Connection: One surface track serves plant at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of fuel oil; mooring barges.
Depth Alongside (feet): 20 | 20 | 20 Latitude (decimal): 40.418611
Total Berthing Space (feet): 400 | 600 | 600 Longitude (decimal): -80.60444

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: Two 8- and one 6- becoming one 14-inch pipelines extend from platform to 7 fuel oil storage tanks; total capacity 267,000 barrels. An additional steel platform on a cell above the barge was in deteriorated condi survey. Up to 18 barges moor at upper and lower rows of dolphins in a total of 6 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 63 PWD: 183
Name: **International Mill Service, Weirton Wharf.**
Port: Huntington
Location: Mile 62.5, east bank, Browns Island, Ohio River, Weirton. Datum: NPE
Operator: L & J Bowers, Inc.
Owner: L & J Bowers, Inc.
Address: Phone: 614/264-7731
Town: Weirton State: WV County: Hancock
Railway Connection: None.
Purpose: Shipment of slag and coke.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.418056
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.60778

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Remarks: International Mill Service, Inc. operates a 2-acre open storage area for slag at rear. Storage area for coke is described under Ref. No. 188. Coke plant on Browns Island was closed at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43918 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 65 PWD: 182
Name: **Petroleum Fuel and Terminal Co., Pittsburgh/ Weirton Division Whar**
Port: Huntington
Location: Mile 64.9, left bank, Ohio River, Weirton Datum: NPE
Operator: Petroleum Fuel and Terminal Co., a subsidiary of Apex Oil Co.
Owner: Weirton Steel Corp.
Address: 3048 Birch Drive Phone: 304/748-1190
Town: Weirton State: WV County: Brooke
Railway Connection: None.
Purpose: Receipt and shipment of petroleum products; fueling towboats.
Depth Alongside (feet): 8 | | Latitude (decimal): 40.392222
Total Berthing Space (feet): 440 | | Longitude (decimal): -80.63056
Remarks: Four 8-inch pipelines, one with 4- and 2-inch fueling connections, extend from wharf to 5 steel storage tanks at rear, total capacity 685,000 barrels. One 3- and two 2-inch steam lines serve wharf.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43916 Huntington District

---

Waterway: **Ohio River** Mile: 66 PWD: 215
Name: **L & J Bowers River Terminal Wharf.**
Port: Huntington
Location: Mile 65.6, right bank, Ohio River, approximately 0.7 mile above Steubenville-Weirton Highway Bridge, Ste Datum: NPE
Operator: L & J Bowers Inc.
Owner: L & J Bowers Inc.
Address: Labelle Avenue Extension Phone: 614/264-7731
Town: Steubenville State: OH County: Jefferson
Railway Connection: None.
Purpose: Receipt and shipment of scrap metal, slag, steel coils, and machinery; mooring barges for cleaning.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.383611
Total Berthing Space (feet): 1000 | | Longitude (decimal): -80.62472
Remarks: Four acres of open storage area are located at rear. Two steel frame, metal-covered warehouses with concrete floors, each with 7,200 square feet of storage space for steel coils, are located on Labelle Avenue Ex mile below wharf, and on Two Ridges Road in Wintersville, 7 miles from wharf. Two 6-ton LP-gas forklift trucks serve each warehouse. Wharf has capacity for mooring 10 barges, 2 wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43915 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 66 PWD: 216

Name: **Steubenville Marina Wharf.**

Port: Huntington

Location: Mile 66.2, right bank, Ohio River, 500 feet above Steubenville-Weirton Highway Bridge, Steubenville. Datum: NPE

Operator: City of Steubenville

Owner: U.S. Government

Address: Labelle Avenue Extension Phone: 614/283-6133

Town: Steubenville State: OH County: Jefferson

Railway Connection: None.

Purpose: Landing for cruise and excursion boats; transient mooring of vessels.

Depth Alongside (feet): 12 | | Latitude (decimal): 40.379722

Total Berthing Space (feet): 1250 | | Longitude (decimal): -80.61611

Remarks: Wharf is former landward wall of Corps of Engineers Lock No. 10. A launching ramp for recreational craft is located below wharf. Steubenville Marina Park is located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43914 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 66 PWD: 181
Name: **Weirton Ice & Coal Supply Co., Half Moon Industrial Park General C**
Port: Huntington
Location: Mile 65.7, left bank, Ohio River, approximately 0.6 mile above Steubenville-Weirton Highway Bridge, Weir Datum: NPE
Operator: Weirton Ice & Coal Supply Co.
Owner: Weirton Ice & Coal Supply Co.
Address: Birch Drive Phone: 304/748-1400
Town: Weirton State: WV County: Brooke
Railway Connection: One surface track serves yard at rear; connects with Consolidated Rail Corp.
Purpose: Receipt and shipment of miscellaneous dry bulk materials and steel; receipt of lime; mooring barges for cleaning and fleeting.
Depth Alongside (feet): 10 - 11 | | Latitude (decimal): 40.385278
Total Berthing Space (feet): 2045 | | Longitude (decimal): -80.62111

Waterway: **Ohio River** Mile: 66 PWD: 181
Name: **Weirton Ice & Coal Supply Co., Half Moon Industrial Park General C**
Port: Huntington
Location: Mile 65.7, left bank, Ohio River, approximately 0.6 mile above Steubenville-Weirton Highway Bridge, Weir Datum: NPE
Operator: Weirton Ice & Coal Supply Co.
Owner: Weirton Ice & Coal Supply Co.
Address: Birch Drive Phone: 304/748-1400
Town: Weirton State: WV County: Brooke
Railway Connection: One surface track serves yard at rear; connects with Consolidated Rail Corp.
Purpose: Receipt and shipment of miscellaneous dry bulk materials and steel; receipt of lime; mooring barges for cleaning and fleeting.
Depth Alongside (feet): 10 - 11 | | Latitude (decimal): 40.385278
Total Berthing Space (feet): 2045 | | Longitude (decimal): -80.62111

Remarks: Facilities at rear include two limestone storage silos with total capacity for 1,000 tons, two storage warehouses with a total of 30,000 square feet of storage area and open storage area with capacity for 75,000 Wharf is adjacent to Ref. No. 180, providing 3,310 feet of continuous berthing space, including fleeting for up to 25 barges in 8 tiers, each 3 to 4 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43915 Huntington District

Remarks: Facilities at rear include two limestone storage silos with total capacity for 1,000 tons, two storage warehouses with a total of 30,000 square feet of storage area and open storage area with capacity for 75,000 Wharf is adjacent to Ref. No. 180, providing 3,310 feet of continuous berthing space, including fleeting for up to 25 barges in 8 tiers, each 3 to 4 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43915 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 66 PWD: 181
Name: **Weirton Ice & Coal Supply Co., Half Moon Industrial Park General C**
Port: Huntington
Location: Mile 65.7, left bank, Ohio River, approximately 0.6 mile above Steubenville-Weirton Highway Bridge, Weir Datum: NPE
Operator: Weirton Ice & Coal Supply Co.
Owner: Weirton Ice & Coal Supply Co.
Address: Birch Drive Phone: 304/748-1400
Town: Weirton State: WV County: Brooke
Railway Connection: One surface track serves yard at rear; connects with Consolidated Rail Corp.
Purpose: Receipt and shipment of miscellaneous dry bulk materials and steel; receipt of lime; mooring barges for cleaning and fleeting.
Depth Alongside (feet): 10 - 11 | | Latitude (decimal): 40.385278
Total Berthing Space (feet): 2045 | | Longitude (decimal): -80.62111

Waterway: **Ohio River** Mile: 66 PWD: 181
Name: **Weirton Ice & Coal Supply Co., Half Moon Industrial Park General C**
Port: Huntington
Location: Mile 65.7, left bank, Ohio River, approximately 0.6 mile above Steubenville-Weirton Highway Bridge, Weir Datum: NPE
Operator: Weirton Ice & Coal Supply Co.
Owner: Weirton Ice & Coal Supply Co.
Address: Birch Drive Phone: 304/748-1400
Town: Weirton State: WV County: Brooke
Railway Connection: One surface track serves yard at rear; connects with Consolidated Rail Corp.
Purpose: Receipt and shipment of miscellaneous dry bulk materials and steel; receipt of lime; mooring barges for cleaning and fleeting.
Depth Alongside (feet): 10 - 11 | | Latitude (decimal): 40.385278
Total Berthing Space (feet): 2045 | | Longitude (decimal): -80.62111

Remarks: Facilities at rear include two limestone storage silos with total capacity for 1,000 tons, two storage warehouses with a total of 30,000 square feet of storage area and open storage area with capacity for 75,000 Wharf is adjacent to Ref. No. 180, providing 3,310 feet of continuous berthing space, including fleeting for up to 25 barges in 8 tiers, each 3 to 4 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43915 Huntington District

Remarks: Facilities at rear include two limestone storage silos with total capacity for 1,000 tons, two storage warehouses with a total of 30,000 square feet of storage area and open storage area with capacity for 75,000 Wharf is adjacent to Ref. No. 180, providing 3,310 feet of continuous berthing space, including fleeting for up to 25 barges in 8 tiers, each 3 to 4 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43915 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 66 PWD: 180
Name: **Weirton Ice & Coal Supply Co., Half Moon Industrial Park Slag Whar**
Port: Huntington
Location: Mile 66.0, left bank, Ohio River, approximately 0.3 mile above Steubenville-Weirton Highway Bridge, Weir Datum: NPE
Operator: Weirton Ice & Coal Supply Co.
Owner: Weirton Ice & Coal Supply Co.
Address: Birch Drive Phone: 304/748-1400
Town: Weirton State: WV County: Brooke
Railway Connection: One surface track serves yard at rear; connects with Consolidated Rail Corp.
Purpose: Shipment of crushed slag; mooring coal conveyor barge; mooring barges for fleeting.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.384444
Total Berthing Space (feet): 1265 | | Longitude (decimal): -80.61806

Waterway: **Ohio River** Mile: 66 PWD: 180
Name: **Weirton Ice & Coal Supply Co., Half Moon Industrial Park Slag Whar**
Port: Huntington
Location: Mile 66.0, left bank, Ohio River, approximately 0.3 mile above Steubenville-Weirton Highway Bridge, Weir Datum: NPE
Operator: Weirton Ice & Coal Supply Co.
Owner: Weirton Ice & Coal Supply Co.
Address: Birch Drive Phone: 304/748-1400
Town: Weirton State: WV County: Brooke
Railway Connection: One surface track serves yard at rear; connects with Consolidated Rail Corp.
Purpose: Shipment of crushed slag; mooring coal conveyor barge; mooring barges for fleeting.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.384444
Total Berthing Space (feet): 1265 | | Longitude (decimal): -80.61806

Remarks: Two processing plants served by receiving hoppers and truck dumping pits, one for coal and one for slag and stone, are located in rear. At time of survey, plans called for adding 3 permanently-moored barges belo of bank used for fleeting. Wharf is adjacent to Ref. No. 181, providing 3,310 feet of berthing. Fleeting is described under Ref. No. 181.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43915 Huntington District

Remarks: Two processing plants served by receiving hoppers and truck dumping pits, one for coal and one for slag and stone, are located in rear. At time of survey, plans called for adding 3 permanently-moored barges belo of bank used for fleeting. Wharf is adjacent to Ref. No. 181, providing 3,310 feet of berthing. Fleeting is described under Ref. No. 181.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43915 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 66 PWD: 180
Name: **Weirton Ice & Coal Supply Co., Half Moon Industrial Park Slag Whar**
Port: Huntington
Location: Mile 66.0, left bank, Ohio River, approximately 0.3 mile above Steubenville-Weirton Highway Bridge, Weir Datum: NPE
Operator: Weirton Ice & Coal Supply Co.
Owner: Weirton Ice & Coal Supply Co.
Address: Birch Drive Phone: 304/748-1400
Town: Weirton State: WV County: Brooke
Railway Connection: One surface track serves yard at rear; connects with Consolidated Rail Corp.
Purpose: Shipment of crushed slag; mooring coal conveyor barge; mooring barges for fleeting.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.384444
Total Berthing Space (feet): 1265 | | Longitude (decimal): -80.61806

Waterway: **Ohio River** Mile: 66 PWD: 180
Name: **Weirton Ice & Coal Supply Co., Half Moon Industrial Park Slag Whar**
Port: Huntington
Location: Mile 66.0, left bank, Ohio River, approximately 0.3 mile above Steubenville-Weirton Highway Bridge, Weir Datum: NPE
Operator: Weirton Ice & Coal Supply Co.
Owner: Weirton Ice & Coal Supply Co.
Address: Birch Drive Phone: 304/748-1400
Town: Weirton State: WV County: Brooke
Railway Connection: One surface track serves yard at rear; connects with Consolidated Rail Corp.
Purpose: Shipment of crushed slag; mooring coal conveyor barge; mooring barges for fleeting.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.384444
Total Berthing Space (feet): 1265 | | Longitude (decimal): -80.61806

Remarks: Two processing plants served by receiving hoppers and truck dumping pits, one for coal and one for slag and stone, are located in rear. At time of survey, plans called for adding 3 permanently-moored barges belo of bank used for fleeting. Wharf is adjacent to Ref. No. 181, providing 3,310 feet of berthing. Fleeting is described under Ref. No. 181.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43915 Huntington District

Remarks: Two processing plants served by receiving hoppers and truck dumping pits, one for coal and one for slag and stone, are located in rear. At time of survey, plans called for adding 3 permanently-moored barges belo of bank used for fleeting. Wharf is adjacent to Ref. No. 181, providing 3,310 feet of berthing. Fleeting is described under Ref. No. 181.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43915 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 69 PWD: 176
Name: **Koppers Industries, Follansbee Plant Dock.**
Port: Huntington
Location: Mile 69.3, left bank, Ohio River, Follansbee. Datum: NPE
Operator: Koppers Industries, Inc.
Owner: Koppers Industries, Inc.
Address: State Highway 2 Phone: 304/527-0110
Town: Follansbee State: WV County: Brooke
Railway Connection: Four surface tracks serve plant at rear; connect with Consolidated Rail Corp.
Purpose: Receipt and shipment of coal tar and refined chemical oil; shipment of sodium cresylate and carbon black oil.
Depth Alongside (feet): 18 | | Latitude (decimal): 40.339722
Total Berthing Space (feet): 480 | | Longitude (decimal): -80.60806

Waterway: **Ohio River** Mile: 69 PWD: 176
Name: **Koppers Industries, Follansbee Plant Dock.**
Port: Huntington
Location: Mile 69.3, left bank, Ohio River, Follansbee. Datum: NPE
Operator: Koppers Industries, Inc.
Owner: Koppers Industries, Inc.
Address: State Highway 2 Phone: 304/527-0110
Town: Follansbee State: WV County: Brooke
Railway Connection: Four surface tracks serve plant at rear; connect with Consolidated Rail Corp.
Purpose: Receipt and shipment of coal tar and refined chemical oil; shipment of sodium cresylate and carbon black oil.
Depth Alongside (feet): 18 | | Latitude (decimal): 40.339722
Total Berthing Space (feet): 480 | | Longitude (decimal): -80.60806

Remarks: One 6-inch pipeline extends from wharf to 100 steel coal tar and refined chemical oil storage tanks, total capacity 25,000,000 gallons, 3 steel sodium cresylate storage tanks, total capacity 500,000 gallons, and gallon carbon black oil storage tank. One 4-inch steam line serves wharf.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43911 Huntington District

Remarks: One 6-inch pipeline extends from wharf to 100 steel coal tar and refined chemical oil storage tanks, total capacity 25,000,000 gallons, 3 steel sodium cresylate storage tanks, total capacity 500,000 gallons, and gallon carbon black oil storage tank. One 4-inch steam line serves wharf.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43911 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 69 PWD: 176
Name: **Koppers Industries, Follansbee Plant Dock.**
Port: Huntington
Location: Mile 69.3, left bank, Ohio River, Follansbee. Datum: NPE
Operator: Koppers Industries, Inc.
Owner: Koppers Industries, Inc.
Address: State Highway 2 Phone: 304/527-0110
Town: Follansbee State: WV County: Brooke
Railway Connection: Four surface tracks serve plant at rear; connect with Consolidated Rail Corp.
Purpose: Receipt and shipment of coal tar and refined chemical oil; shipment of sodium cresylate and carbon black oil.
Depth Alongside (feet): 18 | | Latitude (decimal): 40.339722
Total Berthing Space (feet): 480 | | Longitude (decimal): -80.60806

Waterway: **Ohio River** Mile: 69 PWD: 176
Name: **Koppers Industries, Follansbee Plant Dock.**
Port: Huntington
Location: Mile 69.3, left bank, Ohio River, Follansbee. Datum: NPE
Operator: Koppers Industries, Inc.
Owner: Koppers Industries, Inc.
Address: State Highway 2 Phone: 304/527-0110
Town: Follansbee State: WV County: Brooke
Railway Connection: Four surface tracks serve plant at rear; connect with Consolidated Rail Corp.
Purpose: Receipt and shipment of coal tar and refined chemical oil; shipment of sodium cresylate and carbon black oil.
Depth Alongside (feet): 18 | | Latitude (decimal): 40.339722
Total Berthing Space (feet): 480 | | Longitude (decimal): -80.60806

Remarks: One 6-inch pipeline extends from wharf to 100 steel coal tar and refined chemical oil storage tanks, total capacity 25,000,000 gallons, 3 steel sodium cresylate storage tanks, total capacity 500,000 gallons, and gallon carbon black oil storage tank. One 4-inch steam line serves wharf.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43911 Huntington District

Remarks: One 6-inch pipeline extends from wharf to 100 steel coal tar and refined chemical oil storage tanks, total capacity 25,000,000 gallons, 3 steel sodium cresylate storage tanks, total capacity 500,000 gallons, and gallon carbon black oil storage tank. One 4-inch steam line serves wharf.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43911 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 69 PWD: 177
Name: **Koppers Industries, Follansbee Plant Water Intake Mooring.**
Port: Huntington
Location: Mile 69.1, left bank, Ohio River, Follansbee. Datum: NPE
Operator: Wheeling-Pittsburgh Steel Corp.
Owner: Wheeling-Pittsburgh Steel Corp. and Koppers Industries, Inc.
Address: State Highway 2 Phone: 614/283-5459
Town: Follansbee State: WV County: Brooke
Railway Connection: None.
Purpose: Mooring barges.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.341667
Total Berthing Space (feet): 800 | | Longitude (decimal): -80.60806
Remarks: Koppers Industries, Inc. owns the lower 2 dolphins. Their plant water intake pump is located on a steel barge with an adjustable gangway approach moored between the dolphins.. Wheeling-Pittsburgh Steel Corp. own dolphins and icebreaker cells, and moors up to 12 barges in 4 tiers, each 3 barges wide alongside the 6 cells.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43911 Huntington District

---

Waterway: **Ohio River** Mile: 69 PWD: 175
Name: **Koppers Industries, Follansbee Plant, Enamel Wharf.**
Port: Huntington
Location: Mile 69.3, left bank, Ohio River, Follansbee. Datum: NPE
Operator: Koppers Industries, Inc.
Owner: Koppers Industries, Inc.
Address: State Highway 2 Phone: 304/527-0110
Town: Follansbee State: WV County: Brooke
Railway Connection: Four surface tracks serve plant at rear; connect with Consolidated Rail Corp.
Purpose: Shipment of pipeline enamel in steel drums.
Depth Alongside (feet): 18 | | Latitude (decimal): 40.339167
Total Berthing Space (feet): 150 | | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 69 PWD: 175
Name: **Koppers Industries, Follansbee Plant, Enamel Wharf.**
Port: Huntington
Location: Mile 69.3, left bank, Ohio River, Follansbee. Datum: NPE
Operator: Koppers Industries, Inc.
Owner: Koppers Industries, Inc.
Address: State Highway 2 Phone: 304/527-0110
Town: Follansbee State: WV County: Brooke
Railway Connection: Four surface tracks serve plant at rear; connect with Consolidated Rail Corp.
Purpose: Shipment of pipeline enamel in steel drums.
Depth Alongside (feet): 18 | | Latitude (decimal): 40.339167
Total Berthing Space (feet): 150 | | Longitude (decimal): -80.60778
Remarks: Open storage area at rear has capacity for 3,000 tons of drummed pipeline enamel.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43911 Huntington District

---

Remarks: Open storage area at rear has capacity for 3,000 tons of drummed pipeline enamel.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43911 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 69 PWD: 175
Name: **Koppers Industries, Follansbee Plant, Enamel Wharf.**
Port: Huntington
Location: Mile 69.3, left bank, Ohio River, Follansbee. Datum: NPE
Operator: Koppers Industries, Inc.
Owner: Koppers Industries, Inc.
Address: State Highway 2 Phone: 304/527-0110
Town: Follansbee State: WV County: Brooke
Railway Connection: Four surface tracks serve plant at rear; connect with Consolidated Rail Corp.
Purpose: Shipment of pipeline enamel in steel drums.
Depth Alongside (feet): 18 | | Latitude (decimal): 40.339167
Total Berthing Space (feet): 150 | | Longitude (decimal): -80.60778

Waterway: **Ohio River** Mile: 69 PWD: 175
Name: **Koppers Industries, Follansbee Plant, Enamel Wharf.**
Port: Huntington
Location: Mile 69.3, left bank, Ohio River, Follansbee. Datum: NPE
Operator: Koppers Industries, Inc.
Owner: Koppers Industries, Inc.
Address: State Highway 2 Phone: 304/527-0110
Town: Follansbee State: WV County: Brooke
Railway Connection: Four surface tracks serve plant at rear; connect with Consolidated Rail Corp.
Purpose: Shipment of pipeline enamel in steel drums.
Depth Alongside (feet): 18 | | Latitude (decimal): 40.339167
Total Berthing Space (feet): 150 | | Longitude (decimal): -80.60778

Remarks: Open storage area at rear has capacity for 3,000 tons of drummed pipeline enamel.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43911 Huntington District

Remarks: Open storage area at rear has capacity for 3,000 tons of drummed pipeline enamel.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43911 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 69 PWD: 178
Name: **Wheeling-Pittsburgh Steel Corp., Follansbee Plant Coal Dock.**
Port: Huntington
Location: Mile 68.9, left bank, Ohio River, approximately 800 feet below LaBelle Railroad Bridge, Follansbee. Datum: NPE
Operator: Wheeling-Pittsburgh Steel Corp.
Owner: Wheeling-Pittsburgh Steel Corp.
Address: State Highway 2 Phone: 614/283-5459
Town: Follansbee State: WV County: Brooke
Railway Connection: One surface track serves steel mill at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of coal; shipment of coke breeze and ammonium sulfate.
Depth Alongside (feet): 21 | | Latitude (decimal): 40.344444
Total Berthing Space (feet): 1100 | | Longitude (decimal): -80.60861

Waterway: **Ohio River** Mile: 69 PWD: 178
Name: **Wheeling-Pittsburgh Steel Corp., Follansbee Plant Coal Dock.**
Port: Huntington
Location: Mile 68.9, left bank, Ohio River, approximately 800 feet below LaBelle Railroad Bridge, Follansbee. Datum: NPE
Operator: Wheeling-Pittsburgh Steel Corp.
Owner: Wheeling-Pittsburgh Steel Corp.
Address: State Highway 2 Phone: 614/283-5459
Town: Follansbee State: WV County: Brooke
Railway Connection: One surface track serves steel mill at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of coal; shipment of coke breeze and ammonium sulfate.
Depth Alongside (feet): 21 | | Latitude (decimal): 40.344444
Total Berthing Space (feet): 1100 | | Longitude (decimal): -80.60861

Remarks: Four coal storage bins, total capacity 2,400 tons, one 200-ton capacity surge bin, and open storage area for 250,000 tons of coal are all located at rear. Traveling bridge cranes rehandle coal to coke plant at r are moored at dolphins below bulkhead, in 4 tiers, each 6 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43912 Huntington District

Remarks: Four coal storage bins, total capacity 2,400 tons, one 200-ton capacity surge bin, and open storage area for 250,000 tons of coal are all located at rear. Traveling bridge cranes rehandle coal to coke plant at r are moored at dolphins below bulkhead, in 4 tiers, each 6 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43912 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 69 PWD: 178
Name: **Wheeling-Pittsburgh Steel Corp., Follansbee Plant Coal Dock.**
Port: Huntington
Location: Mile 68.9, left bank, Ohio River, approximately 800 feet below LaBelle Railroad Bridge, Follansbee. Datum: NPE
Operator: Wheeling-Pittsburgh Steel Corp.
Owner: Wheeling-Pittsburgh Steel Corp.
Address: State Highway 2 Phone: 614/283-5459
Town: Follansbee State: WV County: Brooke
Railway Connection: One surface track serves steel mill at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of coal; shipment of coke breeze and ammonium sulfate.
Depth Alongside (feet): 21 | | Latitude (decimal): 40.344444
Total Berthing Space (feet): 1100 | | Longitude (decimal): -80.60861

Waterway: **Ohio River** Mile: 69 PWD: 178
Name: **Wheeling-Pittsburgh Steel Corp., Follansbee Plant Coal Dock.**
Port: Huntington
Location: Mile 68.9, left bank, Ohio River, approximately 800 feet below LaBelle Railroad Bridge, Follansbee. Datum: NPE
Operator: Wheeling-Pittsburgh Steel Corp.
Owner: Wheeling-Pittsburgh Steel Corp.
Address: State Highway 2 Phone: 614/283-5459
Town: Follansbee State: WV County: Brooke
Railway Connection: One surface track serves steel mill at rear; connects with Consolidated Rail Corp.
Purpose: Receipt of coal; shipment of coke breeze and ammonium sulfate.
Depth Alongside (feet): 21 | | Latitude (decimal): 40.344444
Total Berthing Space (feet): 1100 | | Longitude (decimal): -80.60861

Remarks: Four coal storage bins, total capacity 2,400 tons, one 200-ton capacity surge bin, and open storage area for 250,000 tons of coal are all located at rear. Traveling bridge cranes rehandle coal to coke plant at r are moored at dolphins below bulkhead, in 4 tiers, each 6 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43912 Huntington District

Remarks: Four coal storage bins, total capacity 2,400 tons, one 200-ton capacity surge bin, and open storage area for 250,000 tons of coal are all located at rear. Traveling bridge cranes rehandle coal to coke plant at r are moored at dolphins below bulkhead, in 4 tiers, each 6 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43912 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 69 PWD: 179
Name: **Wheeling-Pittsburgh Steel Corp., Follansbee Plant Light Oil Dock.**
Port: Huntington
Location: Mile 68.8, left bank, Ohio River, below LaBelle Railroad Bridge, Follansbee. Datum: NPE
Operator: Wheeling-Pittsburgh Steel Corp.
Owner: Wheeling-Pittsburgh Steel Corp.
Address: State Highway 2 Phone: 614/283-5459
Town: Follansbee State: WV County: Brooke
Railway Connection: One surface track serves facility at rear; connects with Consolidated Rail Corp.
Purpose: Shipment of light oil.
Depth Alongside (feet): 21 | | Latitude (decimal): 40.346667
Total Berthing Space (feet): 465 | | Longitude (decimal): -80.60944

Waterway: **Ohio River** Mile: 69 PWD: 179
Name: **Wheeling-Pittsburgh Steel Corp., Follansbee Plant Light Oil Dock.**
Port: Huntington
Location: Mile 68.8, left bank, Ohio River, below LaBelle Railroad Bridge, Follansbee. Datum: NPE
Operator: Wheeling-Pittsburgh Steel Corp.
Owner: Wheeling-Pittsburgh Steel Corp.
Address: State Highway 2 Phone: 614/283-5459
Town: Follansbee State: WV County: Brooke
Railway Connection: One surface track serves facility at rear; connects with Consolidated Rail Corp.
Purpose: Shipment of light oil.
Depth Alongside (feet): 21 | | Latitude (decimal): 40.346667
Total Berthing Space (feet): 465 | | Longitude (decimal): -80.60944

Remarks: Permanently-moored barge extends outward from upper dolphin when row is used for mooring hopper barges, allowing tank barges to load at outer end, otherwise, barge is moored along row. One 6-inch pipeline extend dolphin from 5 steel storage tanks at rear, total capacity 10,700 barrels. Plant water intake pump is located on steel barge moored below lowest dolphin. Up to 15 barges can be moored in 3 tiers, each 5 barges wide,No. 178.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43912 Huntington District

Remarks: Permanently-moored barge extends outward from upper dolphin when row is used for mooring hopper barges, allowing tank barges to load at outer end, otherwise, barge is moored along row. One 6-inch pipeline extend dolphin from 5 steel storage tanks at rear, total capacity 10,700 barrels. Plant water intake pump is located on steel barge moored below lowest dolphin. Up to 15 barges can be moored in 3 tiers, each 5 barges wide,No. 178.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43912 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 69 PWD: 179
Name: **Wheeling-Pittsburgh Steel Corp., Follansbee Plant Light Oil Dock.**
Port: Huntington
Location: Mile 68.8, left bank, Ohio River, below LaBelle Railroad Bridge, Follansbee. Datum: NPE
Operator: Wheeling-Pittsburgh Steel Corp.
Owner: Wheeling-Pittsburgh Steel Corp.
Address: State Highway 2 Phone: 614/283-5459
Town: Follansbee State: WV County: Brooke
Railway Connection: One surface track serves facility at rear; connects with Consolidated Rail Corp.
Purpose: Shipment of light oil.
Depth Alongside (feet): 21 | | Latitude (decimal): 40.346667
Total Berthing Space (feet): 465 | | Longitude (decimal): -80.60944

Waterway: **Ohio River** Mile: 69 PWD: 179
Name: **Wheeling-Pittsburgh Steel Corp., Follansbee Plant Light Oil Dock.**
Port: Huntington
Location: Mile 68.8, left bank, Ohio River, below LaBelle Railroad Bridge, Follansbee. Datum: NPE
Operator: Wheeling-Pittsburgh Steel Corp.
Owner: Wheeling-Pittsburgh Steel Corp.
Address: State Highway 2 Phone: 614/283-5459
Town: Follansbee State: WV County: Brooke
Railway Connection: One surface track serves facility at rear; connects with Consolidated Rail Corp.
Purpose: Shipment of light oil.
Depth Alongside (feet): 21 | | Latitude (decimal): 40.346667
Total Berthing Space (feet): 465 | | Longitude (decimal): -80.60944

Remarks: Permanently-moored barge extends outward from upper dolphin when row is used for mooring hopper barges, allowing tank barges to load at outer end, otherwise, barge is moored along row. One 6-inch pipeline extend dolphin from 5 steel storage tanks at rear, total capacity 10,700 barrels. Plant water intake pump is located on steel barge moored below lowest dolphin. Up to 15 barges can be moored in 3 tiers, each 5 barges wide,No. 178.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43912 Huntington District

Remarks: Permanently-moored barge extends outward from upper dolphin when row is used for mooring hopper barges, allowing tank barges to load at outer end, otherwise, barge is moored along row. One 6-inch pipeline extend dolphin from 5 steel storage tanks at rear, total capacity 10,700 barrels. Plant water intake pump is located on steel barge moored below lowest dolphin. Up to 15 barges can be moored in 3 tiers, each 5 barges wide,No. 178.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43912 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 70 PWD: 174
Name: **Arrow Terminals, Follansbee Wharf.**
Port: Huntington
Location: Mile 70.0, left bank, Ohio River, Follansbee. Datum: NPE
Operator: Arrow Terminals.
Owner: Arrow Terminals.
Address: State Highway 2. Phone: 412/643-8850
Town: Follansbee State: WV County: Brooke
Railway Connection: None.
Purpose: Receipt of iron ore fines; occasional shipment of steel coils.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.330833
Total Berthing Space (feet): 2020 | | Longitude (decimal): -80.60083
Remarks: Iron ore is transported by truck to the Wheeling-Pittsburgh Steel Corp. Follansbee Sinter Plant above wharf. Steel coils are shipped for the Wheeling-Nisshin, Inc., plant below wharf. Up to 20 loaded and 20 emp are moored at breasting dolphins above and below spar barges, in 8 tiers, each 5 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43911 Huntington District

---

Waterway: **Ohio River** Mile: 71 PWD: 173
Name: **American Industries & Resources Corp., Follansbee Wharf.**
Port: Huntington
Location: Mile 71.0, left bank, Ohio River, Follansbee. Datum: NPE
Operator: Not operated.
Owner: American Industries & Resources Corp.
Address: State Highway 2. Phone: 614/264-7704
Town: Follansbee State: WV County: Brooke
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.316111
Total Berthing Space (feet): 900 | | Longitude (decimal): -80.5975
Remarks: Wharf, formerly used for shipment of coal, is maintained on a standby basis. Open storage area at rear has capacity for 6,000 tons of coal. Up to 6 barges can moor at wharf.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43910 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 71 PWD: 217
Name: **Wheeling-Pittsburgh Steel Corp., Steubenville South Plant Wharf an**
Port: Huntington
Location: Mile 70.9, right bank, Ohio River, above Norfolk Southern (Wheeling & Lake Erie) Railway Bridge, Mingo J Datum: NPE
Operator: Wheeling-Pittsburgh Steel Corp.
Owner: Wheeling-Pittsburgh Steel Corp.
Address: State Highway 7 Phone: 614/283-5459
Town: Mingo Junction State: OH County: Jefferson
Railway Connection: One surface track at rear of wharf joins additional plant trackage; connects with Wheeling & Lake Erie Railway and Consolidated Rail Corp.
Purpose: Shipment of steel coils and sheets; mooring barges.
Depth Alongside (feet): 15 | | 15 Latitude (decimal): 40.318056
Total Berthing Space (feet): 265 | | 1500 Longitude (decimal): -80.60167
Remarks: Mooring area has capacity for 10 barges arranged in 5 tiers, 2 abreast.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43910 Huntington District

---

Waterway: **Ohio River** Mile: 74 PWD: 172
Name: **Wellsburg Wharf Park Landing.**
Port: Huntington
Location: Mile 74.2, left bank, Ohio River, Wellsburg. Datum: NPE
Operator: City of Wellsburg.
Owner: City of Wellsburg.
Address: Main Street Phone: 304/737-2104
Town: Wellsburg State: WV County: Brooke
Railway Connection: None.
Purpose: Landing for cruise and excursion boats.
Depth Alongside (feet): 10 - 12 | 10 - 12 | Latitude (decimal): 40.268333
Total Berthing Space (feet): 95 | 270 | Longitude (decimal): -80.615
Remarks: Small excursion boats moor at float. Large cruise boats moor at landing ramp. At time of survey, plans called for installation of shore moorings for large vessels. Wellsburg Wharf Park is located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43906 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 77 PWD: 218
Name: **Ohio Power Co., Cardinal Steam Generating Plant Wharves.**
Port: Huntington
Location: Mile 76.9, right bank, Ohio River, Brilliant. Datum: NPE
Operator: Cardinal Operating Co.
Owner: Ohio Power Co., a subsidiary of American Electric Power System Co., and Buckeye Power, Inc.
Address: State Highway 7 Phone: 614/598-4164 es
Town: Brilliant State: OH County: Jefferson
Railway Connection: One surface track serves undertrack pit at plant in rear; connects with Wheeling & Lake Erie Railway.
Purpose: Receipt of coal and fuel oil.
Depth Alongside (feet): 23 | 23 | 23 Latitude (decimal): 40.247778
Total Berthing Space (feet): 2400 | 2000 | 150 Longitude (decimal): -80.65056
Remarks: One 2-ton, electric and pneumatic mast-and-boom derrick with 12-foot boom for handling hose at fuel oil berth. Three concrete silos, total capacity 31,000 tons, and open storage area for 1,100,000 tons of coal ar One 8-inch pipeline extends from fuel oil berth to 4 steel storage tanks in rear, total capacity 52,400 barrels. Up to 60 barges can moor at wharves, in 15 tiers, each 4 barges wide, divided between 2 coal unloading700-foot row of 4 cellular breasting dolphins approximately 0.4 mile below lower unloading tower.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43904 Huntington District

---

Waterway: **Ohio River** Mile: 78 PWD: 171
Name: **Jack McCoy & Assoc. Wharf.**
Port: Huntington
Location: Mile 77.5, left bank, Ohio River, Wellsburg. Datum: NPE
Operator: Jack McCoy & Assoc.
Owner: Jack McCoy & Assoc.
Address: State Highway 2 Phone: 304/527-1110
Town: Wellsburg State: WV County: Brooke
Railway Connection: None.
Purpose: Occasional receipt of sand and gravel.
Depth Alongside (feet): 35 | | Latitude (decimal): 40.238889
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.65306
Remarks: At time of survey, plans called for raising height of wharf by stacking barges on top of existing barges. One-half acre of open storage area for sand and gravel is located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43903 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 80 PWD: 170
Name: **Windsor Coal Co. Mine Wharf.**
Port: Huntington
Location: Mile 80.1, left bank, Ohio River, Buffalo Township. Datum: NPE
Operator: Windsor Coal Co., subsidiary of American Electric Power Co.
Owner: Windsor Coal Co., subsidiary of American Electric Power Co.
Address: State Highway 2 Phone: 304/336-7203
Town: Buffalo Twnship State: WV County: Brooke
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | 15 | Latitude (decimal): 40.203611
Total Berthing Space (feet): 1580 | | Longitude (decimal): -80.66333
Remarks: Facility has capacity for mooring up to 40 barges in 8 tiers, each 5 barges wide. Usually 21 barges are handled in 7 tiers, each 3 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43901 Huntington District

---

Waterway: **Ohio River** Mile: 81 PWD: 219
Name: **American Industries & Resources Corp., Rayland Facility Wharf.**
Port: Huntington
Location: Mile 80.9, right bank, Ohio River, Rayland. Datum: NPE
Operator: American Industries & Resources Corp.
Owner: American Industries & Resources Corp.
Address: Old Route 7 Phone: 614/264-7704
Town: Rayland State: OH County: Jefferson
Railway Connection: One surface track in plant at rear connects with Wheeling & Lake Erie Railway.
Purpose: Shipment of coal.
Depth Alongside (feet): 25 | | Latitude (decimal): 40.191944
Total Berthing Space (feet): 800 | | Longitude (decimal): -80.675
Remarks: At time of survey, plans called for installation of a steel sheet pile bulkhead with breasting at upper end of terminal for receipt of coal utilizingh a crane and conveyor system with a planned unloading rate 1,0 receiving hopper in open storage area serves 48- and 36-inch electric belt conveyor system, extending to 4 stacking towers served by reclaiming tunnel, storage capacity 30,000 tons of coal. Additional open storage arcapacity for 50,000 tons of coal. Reclaiming system serves truckloading hopper as well as barge loader. Up to 16 barges in 4 tiers, each 4 barges wide can moor at wharf.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43900 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 81 PWD: 220
Name: **Tri-State Asphalt Corp. Wharf.**
Port: Huntington
Location: Mile 81.1, right bank, Ohio River, Rayland. Datum: NPE
Operator: Tri-State Asphalt Corp.
Owner: Tri-State Asphalt Corp.
Address: Old Route 7 Phone: 614/859-2131
Town: Rayland State: OH County: Jefferson
Railway Connection: None.
Purpose: Receipt of liquid asphalt.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.189167
Total Berthing Space (feet): 200 | | Longitude (decimal): -80.67806
Remarks: Two 8-inch pipelines extend from wharf to 8 steel storage tanks at rear, total capacity 140,000 barrels.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43899 Huntington District

---

Waterway: **Ohio River** Mile: 82 PWD: 169
Name: **Rayle Coal Co., Mine No. 1 Wharf.**
Port: Huntington
Location: Mile 82.2, left bank, Ohio River, approximately 1.8 miles above Pike Island Locks and Dam. Datum: NPE
Operator: Rayle Coal Co., a subsidiary of Marietta Coal Co.
Owner: Rayle Coal Co., a subsidiary of Marietta Coal Co.
Address: State Highway 2 Phone: 614/695-2197
Town: Pike Island State: WV County: Ohio
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 18 | | Latitude (decimal): 40.175
Total Berthing Space (feet): 1200 | | Longitude (decimal): -80.685
Remarks: Concrete surge silo has capacity for 12,000 tons of coal; truck-loading hopper located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43898 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 83 PWD: 221
Name: **Premier Concrete Products Wharf.**
Port: Huntington
Location: Mile 82.8, right bank, Ohio River, Tiltonsville. Datum: NPE
Operator: Premier Concrete Products, Inc.
Owner: Premier Concrete Products, Inc.
Address: 3d & Main Streets Phone: 614/859-2191
Town: Tiltonsville State: OH County: Jefferson
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 18 | | Latitude (decimal): 40.170278
Total Berthing Space (feet): 800 | | Longitude (decimal): -80.69417
Remarks: Open storage area at rear has capacity for 40,000 tons of sand and gravel. An additional 22 acres is available as needed on adjacent property. Ready-mix concrete and block plants are located at rear. Up to 4 b wharf.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43898 Huntington District

---

Waterway: **Ohio River** Mile: 83 PWD: 222
Name: **Wheeling-Pittsburgh Steel Corp., Yorkville Plant Dock.**
Port: Huntington
Location: Mile 83.4, right bank, Ohio River, approximately 0.8 mile above Pike Island Locks and Dam, Yorkville. Datum: NPE
Operator: Wheeling-Pittsburgh Steel Corp.
Owner: Wheeling-Pittsburgh Steel Corp.
Address: 219 Public Road Phone: 614/859-6700
Town: Yorkville State: OH County: Jefferson
Railway Connection: One surface track at rear and additional tracks serving plant connect with Wheeling & Lake Erie Railway.
Purpose: Shipment of steel products.
Depth Alongside (feet): 18 | | Latitude (decimal): 40.160833
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.70056
Remarks: Steel products are loaded directly from trucks into barges.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43897 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 85 PWD: 168
Name: **Westvaco Corp., Wheeling Wharf.**
Port: Huntington
Location: Mile 85.4, left bank, Ohio River, Wheeling. Datum: NPE
Operator: Not operated.
Owner: Westvaco Corp.
Address: Phone: 212/688-5000
Town: Wheeling State: WV County: Ohio
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 21 | | Latitude (decimal): 40.133056
Total Berthing Space (feet): 200 | | Longitude (decimal): -80.70444
Remarks: Two blanked 8-inch pipelines extend from wharf.□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43895 Huntington District

---

Waterway: **Ohio River** Mile: 86 PWD: 167
Name: **Tri-State Petroleum Corp., Warwood Terminal Dock.**
Port: Huntington
Location: Mile 85.8, left bank, Ohio River, Wheeling. Datum: NPE
Operator: Tri-State Petroleum Corp.
Owner: Tri-State Petroleum Corp.
Address: North 27th Street & Vance Avenue Phone: 304/277-3232
Town: Wheeling State: WV County: Ohio
Railway Connection: None.
Purpose: Receipt of fuel oil.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.128611
Total Berthing Space (feet): 200 | | Longitude (decimal): -80.70444
Remarks: One 6-inch pipeline extends from wharf to 3 steel storage tanks at rear, total capacity 28,500 barrels.□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43895 Huntington District

---

Waterway: **Ohio River** Mile: 87 PWD: 223
Name: **Wheeling & Lake Erie Railway Co., Martins Ferry Wharf.**
Port: Huntington
Location: Mile 86.9, right bank, Ohio River, Martins Ferry. Datum: NPE
Operator: Not operated.
Owner: Wheeling & Lake Erie Railway Co.
Address: Ohio Valley Pike Phone: 800/837-7245 ex
Town: Martins Ferry State: OH County: Belmont
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): | | Latitude (decimal): 40.112778
Total Berthing Space (feet): 700 | | Longitude (decimal): -80.7075
Remarks: Wharf formerly was used for shipment of coal.□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43894 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 88 PWD: 166

Name: **The Uno-Ven Co., Wheeling Wharf.**

Port: Huntington

Location: Mile 88.2, left bank, Ohio River, approximately 0.8 mile above Wheeling Terminal Railway Bridge, Wheelin Datum: NPE

Operator: Not operated.

Owner: The Uno-Ven Co.

Address: 439 River Road Phone: 304/277-2610

Town: Wheeling State: WV County: Ohio

Railway Connection: None.

Purpose: Not used.

Depth Alongside (feet): 10 | | Latitude (decimal): 40.094444

Total Berthing Space (feet): 150 | | Longitude (decimal): -80.71222

Remarks: Three 6-inch pipelines extend from wharf: one to one 11,300-barrel steel hydraulic oil storage tank at rear, maintained on standby basis, and two to 10 tanks planned for removal at time of survey.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43892 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 89 PWD: 226
Name: **Ayers River Landing**
Port: Huntington
Location: Mile 88.9, right bank, Ohio River, 700 feet above Wheeling Terminal Railway Bridge, Martins Ferry. Datum: NPE
Operator: Thomas E. Ayers
Owner: Thomas E. Ayers
Address: 1st and Fayette Streets. Phone: 614/633-2958
Town: Martins Ferry State: OH County: Belmont
Railway Connection: None.
Purpose: Occasional receipt of sand and gravel.
Depth Alongside (feet): 3 | | Latitude (decimal): 40.090833
Total Berthing Space (feet): 200 | | Longitude (decimal): -80.725

Waterway: **Ohio River** Mile: 89 PWD: 226
Name: **Ayers River Landing**
Port: Huntington
Location: Mile 88.9, right bank, Ohio River, 700 feet above Wheeling Terminal Railway Bridge, Martins Ferry. Datum: NPE
Operator: Thomas E. Ayers
Owner: Thomas E. Ayers
Address: 1st and Fayette Streets. Phone: 614/633-2958
Town: Martins Ferry State: OH County: Belmont
Railway Connection: None.
Purpose: Occasional receipt of sand and gravel.
Depth Alongside (feet): 3 | | Latitude (decimal): 40.090833
Total Berthing Space (feet): 200 | | Longitude (decimal): -80.725

Remarks: Approximately 5 acres of open storage area are located at rear. Three derelict barges and the ruins of a coal-loading conveyor are located 600 feet above landing.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43892 Huntington District

Remarks: Approximately 5 acres of open storage area are located at rear. Three derelict barges and the ruins of a coal-loading conveyor are located 600 feet above landing.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43892 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 89 PWD: 226
Name: **Ayers River Landing**
Port: Huntington
Location: Mile 88.9, right bank, Ohio River, 700 feet above Wheeling Terminal Railway Bridge, Martins Ferry. Datum: NPE
Operator: Thomas E. Ayers
Owner: Thomas E. Ayers
Address: 1st and Fayette Streets. Phone: 614/633-2958
Town: Martins Ferry State: OH County: Belmont
Railway Connection: None.
Purpose: Occasional receipt of sand and gravel.
Depth Alongside (feet): 3 | | Latitude (decimal): 40.090833
Total Berthing Space (feet): 200 | | Longitude (decimal): -80.725

Waterway: **Ohio River** Mile: 89 PWD: 226
Name: **Ayers River Landing**
Port: Huntington
Location: Mile 88.9, right bank, Ohio River, 700 feet above Wheeling Terminal Railway Bridge, Martins Ferry. Datum: NPE
Operator: Thomas E. Ayers
Owner: Thomas E. Ayers
Address: 1st and Fayette Streets. Phone: 614/633-2958
Town: Martins Ferry State: OH County: Belmont
Railway Connection: None.
Purpose: Occasional receipt of sand and gravel.
Depth Alongside (feet): 3 | | Latitude (decimal): 40.090833
Total Berthing Space (feet): 200 | | Longitude (decimal): -80.725

Remarks: Approximately 5 acres of open storage area are located at rear. Three derelict barges and the ruins of a coal-loading conveyor are located 600 feet above landing.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43892 Huntington District

Remarks: Approximately 5 acres of open storage area are located at rear. Three derelict barges and the ruins of a coal-loading conveyor are located 600 feet above landing.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43892 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 89 PWD: 225
Name: **Tri-State Petroleum Corp., Martins Ferry Wharf**
Port: Huntington
Location: Mile 88.6, right bank, Ohio River, approximately 0.4 mile above Wheeling Terminal Railway Bridge, Martin Datum: NPE
Operator: Tri-State Petroleum Corp.
Owner: Tri-State Petroleum Corp.
Address: 1st and Hanover Streets. Phone: 304/277-3232
Town: Martins Ferry State: OH County: Belmont
Railway Connection: One surface track in rear connects with CSX Rail Transport.
Purpose: Occasional receipt of miscellaneous dry bulk materials.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.092778
Total Berthing Space (feet): 238 | | Longitude (decimal): -80.72028

Waterway: **Ohio River** Mile: 89 PWD: 225
Name: **Tri-State Petroleum Corp., Martins Ferry Wharf**
Port: Huntington
Location: Mile 88.6, right bank, Ohio River, approximately 0.4 mile above Wheeling Terminal Railway Bridge, Martin Datum: NPE
Operator: Tri-State Petroleum Corp.
Owner: Tri-State Petroleum Corp.
Address: 1st and Hanover Streets. Phone: 304/277-3232
Town: Martins Ferry State: OH County: Belmont
Railway Connection: One surface track in rear connects with CSX Rail Transport.
Purpose: Occasional receipt of miscellaneous dry bulk materials.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.092778
Total Berthing Space (feet): 238 | | Longitude (decimal): -80.72028

Remarks: Approximately 2.7 acres of open storage area are located at rear. a deteriorated steel sheet pile bulkhead belonging to Thomas E. Ayers is in line and contiguous with the lower end.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43892 Huntington District

Remarks: Approximately 2.7 acres of open storage area are located at rear. a deteriorated steel sheet pile bulkhead belonging to Thomas E. Ayers is in line and contiguous with the lower end.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43892 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 89 PWD: 225
Name: **Tri-State Petroleum Corp., Martins Ferry Wharf**
Port: Huntington
Location: Mile 88.6, right bank, Ohio River, approximately 0.4 mile above Wheeling Terminal Railway Bridge, Martin Datum: NPE
Operator: Tri-State Petroleum Corp.
Owner: Tri-State Petroleum Corp.
Address: 1st and Hanover Streets. Phone: 304/277-3232
Town: Martins Ferry State: OH County: Belmont
Railway Connection: One surface track in rear connects with CSX Rail Transport.
Purpose: Occasional receipt of miscellaneous dry bulk materials.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.092778
Total Berthing Space (feet): 238 | | Longitude (decimal): -80.72028

Waterway: **Ohio River** Mile: 89 PWD: 225
Name: **Tri-State Petroleum Corp., Martins Ferry Wharf**
Port: Huntington
Location: Mile 88.6, right bank, Ohio River, approximately 0.4 mile above Wheeling Terminal Railway Bridge, Martin Datum: NPE
Operator: Tri-State Petroleum Corp.
Owner: Tri-State Petroleum Corp.
Address: 1st and Hanover Streets. Phone: 304/277-3232
Town: Martins Ferry State: OH County: Belmont
Railway Connection: One surface track in rear connects with CSX Rail Transport.
Purpose: Occasional receipt of miscellaneous dry bulk materials.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.092778
Total Berthing Space (feet): 238 | | Longitude (decimal): -80.72028

Remarks: Approximately 2.7 acres of open storage area are located at rear. a deteriorated steel sheet pile bulkhead belonging to Thomas E. Ayers is in line and contiguous with the lower end.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43892 Huntington District

Remarks: Approximately 2.7 acres of open storage area are located at rear. a deteriorated steel sheet pile bulkhead belonging to Thomas E. Ayers is in line and contiguous with the lower end.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43892 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 89 PWD: 224
Name: **Wheeling-Pittsburgh Steel Corp., Martins Ferry Plant Dock.**
Port: Huntington
Location: Mile 88.5, right bank, Ohio River, approximately 0.5 mile above Wheeling Terminal Railway Bridge, Martin Datum: NPE
Operator: Wheeling-Pittsburgh Steel Corp.
Owner: Wheeling-Pittsburgh Steel Corp.
Address: Foot of Hanover Street Phone: 304/234-7221
Town: Martins Ferry State: OH County: Belmont
Railway Connection: One surface track serves plant in rear; connects with Wheeling & Lake Erie Railway, CSX Rail Transport, and Consolidated Rail Corp.
Purpose: Shipment of steel sheets and steel coils.
Depth Alongside (feet): 13 | | Latitude (decimal): 40.093889
Total Berthing Space (feet): 180 | | Longitude (decimal): -80.71889
Remarks: Open storage area at rear has capacity for 10,000 tons of steel products.□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43892 Huntington District

---

Waterway: **Ohio River** Mile: 90 PWD: 165
Name: **Wheeling Amphitheater Wharf.**
Port: Huntington
Location: Mile 90.4, left bank, Ohio River, approximately 0.2 mile below 10th Street Wheeling Highway Bridge, Whee Datum: NPE
Operator: City of Wheeling
Owner: City of Wheeling
Address: Foot of 12th Street Phone: 304/234-3731
Town: Wheeling State: WV County: Ohio
Railway Connection: None.
Purpose: Landing for cruise and excursion boats.
Depth Alongside (feet): 10 | | Latitude (decimal): 40.068611
Total Berthing Space (feet): 400 | | Longitude (decimal): -80.72528
Remarks: Amphitheater is located at rear of wharf, which is accessed from parking lot via 10-foot wide concrete stairway.□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43891 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 91 PWD: 163
Name: **Contractors Supply Corp. Wharf.**
Port: Huntington
Location: Mile 91.2, left bank, Ohio River, approximately 0.6 mile above Interstate Highway 470 Bridge, Wheeling. Datum: NPE
Operator: Contractors Supply Corp.
Owner: Contractors Supply Corp.
Address: 24th & Water Streets Phone: 304/232-1040
Town: Wheeling State: WV County: Ohio
Railway Connection: None.
Purpose: Receipt of sand and gravel.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.057778
Total Berthing Space (feet): 180 | | Longitude (decimal): -80.72806
Remarks: Three bins on wharf have a total capacity for 2,000 tons of sand and gravel. Two-acre open storage area at rear has capacity for 10,000 tons of sand and gravel received by truck. Front-end loaders serve hoppe serving 24-inch electric belt conveyor extending to receiving hopper on dry-mix concrete plant in rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43889 Huntington District

---

Waterway: **Ohio River** Mile: 91 PWD: 164
Name: **Lou's Landing**
Port: Huntington
Location: Mile 90.6, left bank, Ohio River, approximately 0.3 mile below 10th Street Wheeling Highway Bridge, Whee Datum: NPE
Operator: Ohio Valley River Cruises, Inc.
Owner: Ohio Valley River Cruises, Inc.
Address: 1315 Water Street Phone: 304/233-1010
Town: Wheeling State: WV County: Ohio
Railway Connection: None.
Purpose: Landing for passenger excursion boat; mooring excursion vessel 'Valley Voyager.'
Depth Alongside (feet): | 7 | Latitude (decimal): 40.066389
Total Berthing Space (feet): | 66 | Longitude (decimal): -80.72528
Remarks: Floating restaurant located on spud barges. 'Valley Voyager' moors bow-to lower side of lower barge.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43891 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 92 PWD: 227

Name: **Belmont Marine Service, Dry Bulk Wharf**

Port: Huntington

Location: Mile 91.8, right bank, Ohio River, below Interstate Highway 470 Bridge, Bellaire. Datum: NPE

Operator: Belmont Marine Service, Inc.

Owner: J & C Towing Service, Inc.

Address: N. Guernsey Street. Phone: 614/676-4315

Town: Bellaire State: OH County: Belmont

Railway Connection: None.

Purpose: Receipt and shipment of dry bulk fertilizer; shipment of coal, sand, and gravel; mooring barges for fleeting.

Depth Alongside (feet): 11 - 12 | | Latitude (decimal): 40.048611

Total Berthing Space (feet): 635 | | Longitude (decimal): -80.73139

Remarks: At time of survey, plans called for replacing structure and barges with a part steel sheet pile, part concrete bulkhead with solid fill, 635 feet long and 13 feet high. Company trades cranes with affiliated J & 162. Approximately 8 acres of open storage area are located at rear. Fleeting is available at Mile 92.0 for 12 barges in 4 tiers, each 3 barges wide, moored to 2 permanently-moored barges, and at Mile 92.4 for 8 bar2 barges wide, moored to one grounded barge.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43889 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 92 PWD: 228
Name: **Cravat Coal Co., Loading Dock.**
Port: Huntington
Location: Mile 92.2, right bank, Ohio River, approximately 0.4 mile below Interstate Highway 470 Bridge, Bellaire. Datum: NPE
Operator: Cravat Coal Co.
Owner: PPG Industries, Inc.
Address: N. Guernsey Street. Phone: 614/676-6215
Town: Bellaire State: OH County: Belmont
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.044167
Total Berthing Space (feet): 440 | | Longitude (decimal): -80.73111

Waterway: **Ohio River** Mile: 92 PWD: 228
Name: **Cravat Coal Co., Loading Dock.**
Port: Huntington
Location: Mile 92.2, right bank, Ohio River, approximately 0.4 mile below Interstate Highway 470 Bridge, Bellaire. Datum: NPE
Operator: Cravat Coal Co.
Owner: PPG Industries, Inc.
Address: N. Guernsey Street. Phone: 614/676-6215
Town: Bellaire State: OH County: Belmont
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.044167
Total Berthing Space (feet): 440 | | Longitude (decimal): -80.73111

Remarks: Open storage area at rear has capacity for approximately 10,000 tons of coal.□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43888 Huntington District

Remarks: Open storage area at rear has capacity for approximately 10,000 tons of coal.□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43888 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 92 PWD: 228
Name: **Cravat Coal Co., Loading Dock.**
Port: Huntington
Location: Mile 92.2, right bank, Ohio River, approximately 0.4 mile below Interstate Highway 470 Bridge, Bellaire. Datum: NPE
Operator: Cravat Coal Co.
Owner: PPG Industries, Inc.
Address: N. Guernsey Street. Phone: 614/676-6215
Town: Bellaire State: OH County: Belmont
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.044167
Total Berthing Space (feet): 440 | | Longitude (decimal): -80.73111

Waterway: **Ohio River** Mile: 92 PWD: 228
Name: **Cravat Coal Co., Loading Dock.**
Port: Huntington
Location: Mile 92.2, right bank, Ohio River, approximately 0.4 mile below Interstate Highway 470 Bridge, Bellaire. Datum: NPE
Operator: Cravat Coal Co.
Owner: PPG Industries, Inc.
Address: N. Guernsey Street. Phone: 614/676-6215
Town: Bellaire State: OH County: Belmont
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.044167
Total Berthing Space (feet): 440 | | Longitude (decimal): -80.73111

Remarks: Open storage area at rear has capacity for approximately 10,000 tons of coal.□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43888 Huntington District

Remarks: Open storage area at rear has capacity for approximately 10,000 tons of coal.□□

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43888 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 92 PWD: 162
Name: **J & C Towing Service, Cleaning Wharf and Landing**
Port: Huntington
Location: Mile 91.8, left bank, Ohio River, below Interstate 470 Highway Bridge, Wheeling. Datum: NPE
Operator: J & C Towing Service, Inc.
Owner: J & C Towing Service, Inc.
Address: 34th & Market Streets. Phone: 304/233-2710
Town: Wheeling State: WV County: Ohio
Railway Connection: None.
Purpose: Mooring company-owned towboats; mooring barges for cleaning and fleeting.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.048611
Total Berthing Space (feet): 500 | | Longitude (decimal): -80.72833
Remarks: Three company-owned towboats are based here. Company trades cranes with affiliated Belmont Marine Service, Inc., Ref. No. 234. Fourteen acres of open storage area are located at rear. Fleeting is available at in 2 tiers, each 3 barges wide; at Mile 92.0 for 8 barges in 4 tiers, each 2 barges wide, moored to 3 grounded barges; and at Mile 92.3 for 15 barges in 5 tiers, each 3 barges wide, moored to 2 steel sheet pile, cellu

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43889 Huntington District

---

Waterway: **Ohio River** Mile: 93 PWD: 161
Name: **Benwood Limestone Co. Wharf.**
Port: Huntington
Location: Mile 93.3, left bank, Ohio River, Benwood. Datum: NPE
Operator: Benwood Limestone Co., a subsidiary of James River Limestone Co., Inc.
Owner: Benwood Limestone Co., a subsidiary of James River Limestone Co., Inc.
Address: 2d & Marshall Streets Phone: 304/233-0050
Town: Benwood State: WV County: Marshall
Railway Connection: None.
Purpose: Receipt of limestone chips and red crater rock.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.028611
Total Berthing Space (feet): 480 | | Longitude (decimal): -80.73139
Remarks: Open storage area at rear has capacity for 30,000 tons of limestone chips and 3,000 tons of red crater rock. One electric belt system in tunnel under storage area extends to crushing plant with 2 pulverized lime silos, total capacity 1,550 tons.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43887 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 93 PWD: 229
Name: **Ohio River Sand and Gravel Co., Bellaire Wharf.**
Port: Huntington
Location: Mile 92.5, right bank, Ohio River, approximately 0.7 mile below Interstate Highway 470 Bridge, Bellaire. Datum: NPE
Operator: Not operated.
Owner: Ohio River Sand and Gravel Co.
Address: 5300 N. Guernsey Street. Phone: 304/233-1110
Town: Bellaire State: OH County: Belmont
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.039444
Total Berthing Space (feet): 300 | | Longitude (decimal): -80.73167

Waterway: **Ohio River** Mile: 93 PWD: 229
Name: **Ohio River Sand and Gravel Co., Bellaire Wharf.**
Port: Huntington
Location: Mile 92.5, right bank, Ohio River, approximately 0.7 mile below Interstate Highway 470 Bridge, Bellaire. Datum: NPE
Operator: Not operated.
Owner: Ohio River Sand and Gravel Co.
Address: 5300 N. Guernsey Street. Phone: 304/233-1110
Town: Bellaire State: OH County: Belmont
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.039444
Total Berthing Space (feet): 300 | | Longitude (decimal): -80.73167

Remarks: Formerly used for receipt of sand and gravel. Open storage area at rear has capacity for 100,000 tons, now delivered by truck. Tri-State Asphalt Corp. has an asphalt batch plant and A #1 Concrete, Inc., has a r at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43888 Huntington District

Remarks: Formerly used for receipt of sand and gravel. Open storage area at rear has capacity for 100,000 tons, now delivered by truck. Tri-State Asphalt Corp. has an asphalt batch plant and A #1 Concrete, Inc., has a r at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43888 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 93 PWD: 229
Name: **Ohio River Sand and Gravel Co., Bellaire Wharf.**
Port: Huntington
Location: Mile 92.5, right bank, Ohio River, approximately 0.7 mile below Interstate Highway 470 Bridge, Bellaire. Datum: NPE
Operator: Not operated.
Owner: Ohio River Sand and Gravel Co.
Address: 5300 N. Guernsey Street. Phone: 304/233-1110
Town: Bellaire State: OH County: Belmont
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.039444
Total Berthing Space (feet): 300 | | Longitude (decimal): -80.73167

Waterway: **Ohio River** Mile: 93 PWD: 229
Name: **Ohio River Sand and Gravel Co., Bellaire Wharf.**
Port: Huntington
Location: Mile 92.5, right bank, Ohio River, approximately 0.7 mile below Interstate Highway 470 Bridge, Bellaire. Datum: NPE
Operator: Not operated.
Owner: Ohio River Sand and Gravel Co.
Address: 5300 N. Guernsey Street. Phone: 304/233-1110
Town: Bellaire State: OH County: Belmont
Railway Connection: None.
Purpose: Not used.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.039444
Total Berthing Space (feet): 300 | | Longitude (decimal): -80.73167

Remarks: Formerly used for receipt of sand and gravel. Open storage area at rear has capacity for 100,000 tons, now delivered by truck. Tri-State Asphalt Corp. has an asphalt batch plant and A #1 Concrete, Inc., has a r at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43888 Huntington District

Remarks: Formerly used for receipt of sand and gravel. Open storage area at rear has capacity for 100,000 tons, now delivered by truck. Tri-State Asphalt Corp. has an asphalt batch plant and A #1 Concrete, Inc., has a r at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43888 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 93 PWD: 230
Name: **R. & F. Coal Co., Bellaire Terminal Wharf.**
Port: Huntington
Location: Mile 92.8, right bank, Ohio River, approximately 1.0 mile below Interstate Highway 470 Bridge, Bellaire. Datum: NPE
Operator: R. & F. Coal Co.
Owner: R. & F. Coal Co.
Address: 53d & N. Guernsey Streets. Phone: 614/942-9258
Town: Bellaire State: OH County: Belmont
Railway Connection: One surface track serves undertrack pit; connects with CSX Rail Transport.
Purpose: Shipment of coal.
Depth Alongside (feet): 15 | | Latitude (decimal): 40.035
Total Berthing Space (feet): 2200 | | Longitude (decimal): -80.73278
Remarks: One concrete surge silo at rear has capacity for 16,000 tons of coal, and an open storage area has capacity for 22,000 tons of coal. A second truck-dumping pit serves a 42-inch electric belt conveyor system exte stacker in the open storage area. At time of survey, all coal was received by truck. Up to 25 loaded and 25 empty barges moor at wharf, in a total of 10 tiers, each 5 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43888 Huntington District

---

Waterway: **Ohio River** Mile: 94 PWD: 234
Name: **Belmont Marine Service, Repair Wharf.**
Port: Huntington
Location: Mile 93.9, right bank, Ohio River, approximately 0.4 mile above Bellaire Highway Bridge, Bellaire. Datum: NPE
Operator: Belmont Marine Service, Inc.
Owner: Belmont Marine Service, Inc.
Address: Foot of 41st Street Phone: 614/676-4315
Town: Bellaire State: OH County: Belmont
Railway Connection: None.
Purpose: Mooring vessels for repair; mooring company-owned floating equipment; mooring barges for fleeting.
Depth Alongside (feet): 20 | | Latitude (decimal): 40.021389
Total Berthing Space (feet): 550 | | Longitude (decimal): -80.73806
Remarks: One 500-ton marine railway with 3-section cradle is located at south side of wharf. One shop building is located on spud barge. Three company-owned fleeting boats are based here. Company trades cranes with aff Towing, Inc., Ref. No. 162. Fleeting is available at Mile 93.3 for 15 barges in 5 tiers, each 3 barges wide, moored to 3 steel sheet pile, cellular dolphins along east bank of Boggs Island, above Rayle River Moorings

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43887 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 94 PWD: 160
Name: **Consolidation Coal Co., Shoemaker Mine Loading Dock.**
Port: Huntington
Location: Mile 93.7, left bank, Ohio River, Benwood. Datum: NPE
Operator: Consolidation Coal Co.
Owner: Consolidation Coal Co.
Address: 4th Street Exit Phone: 304/243-4232
Town: Benwood State: WV County: Marshall
Railway Connection: None.
Purpose: Shipment of coal.
Depth Alongside (feet): 21 | | Latitude (decimal): 40.022778
Total Berthing Space (feet): 2700 | | Longitude (decimal): -80.73417
Remarks: Concrete silo at rear has capacity for 7,500 tons of coal. Wharf has capacity for mooring 20 empty barges above and 20 loaded barges below loading tower, in 8 tiers, each 5 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43887 Huntington District

---

Waterway: **Ohio River** Mile: 94 PWD: 232
Name: **Marietta Coal Co. Wash Plant Wharf**
Port: Huntington
Location: Mile 93.6, right bank, Ohio River, approximately 0.7 mile above Bellaire Highway Bridge, Bellaire Datum: NPE
Operator: Marietta Coal Co. and Rayle Coal Co., a subsidiary of Marietta Coal Co.
Owner: Marietta Coal Co.
Address: Foot of 41st Street Phone: 614/676-7975
Town: Bellaire State: OH County: Belmont
Railway Connection: Two surface tracks serve terminal in rear; connect with Consolidated Rail Corp. and CSX Rail Transport.
Purpose: Shipment of coal; occasional receipt of miscellaneous dry bulk materials.
Depth Alongside (feet): 11 | | Latitude (decimal): 40.024167
Total Berthing Space (feet): 500 | | Longitude (decimal): -80.7375
Remarks: Truck receiving pit serves a 42-inch electric belt conveyor system extending through wash plant to a radial stacker, which serves an open storage area with capacity for approximately 30,000 tons of washed coal. D unloaded to trucks. Up to 8 barges moor at wharf in 2 tiers, each 4 barges wide.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43887 Huntington District

---

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 94 PWD: 231
Name: **Rayle River Moorings.**
Port: Huntington
Location: Mile 93.5, right bank, Ohio River, lower end of Boggs Island, approximately 0.8 mile above Bellaire High Datum: NPE
Operator: Rayle Coal Co. and St. Jo Marine, Inc.
Owner: Rayle Coal Co., a subsidiary of Marietta Coal Co.
Address: Foot of 41st Street Phone: 614/676-7975
Town: Bellaire State: OH County: Belmont
Railway Connection: Two surface tracks serve facility in rear; connect with Consolidated Rail Corp. and CSX Rail Transport.
Purpose: Mooring barges; mooring company-owned towboats.
Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 40.026111
Total Berthing Space (feet): 1050 | 390 | 200 Longitude (decimal): -80.73806

Waterway: **Ohio River** Mile: 94 PWD: 231
Name: **Rayle River Moorings.**
Port: Huntington
Location: Mile 93.5, right bank, Ohio River, lower end of Boggs Island, approximately 0.8 mile above Bellaire High Datum: NPE
Operator: Rayle Coal Co. and St. Jo Marine, Inc.
Owner: Rayle Coal Co., a subsidiary of Marietta Coal Co.
Address: Foot of 41st Street Phone: 614/676-7975
Town: Bellaire State: OH County: Belmont
Railway Connection: Two surface tracks serve facility in rear; connect with Consolidated Rail Corp. and CSX Rail Transport.
Purpose: Mooring barges; mooring company-owned towboats.
Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 40.026111
Total Berthing Space (feet): 1050 | 390 | 200 Longitude (decimal): -80.73806

Remarks: Bulkhead is in line and contiguous with Marietta Coal Co. Wash Plant Wharf, Ref. No. 232. St. Jo Marine, Inc., has 2 fleeting boats based here. Fleet has capacity for 30 barges in basin, in 3 tiers, each 10 ba barges on Boggs Island above basin, in 6 tiers each 4 barges wide, and for 35 barges between miles 94.0 and 94.4 in 12 tiers, each 2 to 3 barges wide, moored to 4 grounded steel barges below the Belmont Marine Servicerailway, Ref. No. 234, and along natural bank.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43887 Huntington District

Remarks: Bulkhead is in line and contiguous with Marietta Coal Co. Wash Plant Wharf, Ref. No. 232. St. Jo Marine, Inc., has 2 fleeting boats based here. Fleet has capacity for 30 barges in basin, in 3 tiers, each 10 ba barges on Boggs Island above basin, in 6 tiers each 4 barges wide, and for 35 barges between miles 94.0 and 94.4 in 12 tiers, each 2 to 3 barges wide, moored to 4 grounded steel barges below the Belmont Marine Servicerailway, Ref. No. 234, and along natural bank.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43887 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 94 PWD: 231
Name: **Rayle River Moorings.**
Port: Huntington
Location: Mile 93.5, right bank, Ohio River, lower end of Boggs Island, approximately 0.8 mile above Bellaire High Datum: NPE
Operator: Rayle Coal Co. and St. Jo Marine, Inc.
Owner: Rayle Coal Co., a subsidiary of Marietta Coal Co.
Address: Foot of 41st Street Phone: 614/676-7975
Town: Bellaire State: OH County: Belmont
Railway Connection: Two surface tracks serve facility in rear; connect with Consolidated Rail Corp. and CSX Rail Transport.
Purpose: Mooring barges; mooring company-owned towboats.
Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 40.026111
Total Berthing Space (feet): 1050 | 390 | 200 Longitude (decimal): -80.73806

Waterway: **Ohio River** Mile: 94 PWD: 231
Name: **Rayle River Moorings.**
Port: Huntington
Location: Mile 93.5, right bank, Ohio River, lower end of Boggs Island, approximately 0.8 mile above Bellaire High Datum: NPE
Operator: Rayle Coal Co. and St. Jo Marine, Inc.
Owner: Rayle Coal Co., a subsidiary of Marietta Coal Co.
Address: Foot of 41st Street Phone: 614/676-7975
Town: Bellaire State: OH County: Belmont
Railway Connection: Two surface tracks serve facility in rear; connect with Consolidated Rail Corp. and CSX Rail Transport.
Purpose: Mooring barges; mooring company-owned towboats.
Depth Alongside (feet): 12 | 12 | 12 Latitude (decimal): 40.026111
Total Berthing Space (feet): 1050 | 390 | 200 Longitude (decimal): -80.73806

Remarks: Bulkhead is in line and contiguous with Marietta Coal Co. Wash Plant Wharf, Ref. No. 232. St. Jo Marine, Inc., has 2 fleeting boats based here. Fleet has capacity for 30 barges in basin, in 3 tiers, each 10 ba barges on Boggs Island above basin, in 6 tiers each 4 barges wide, and for 35 barges between miles 94.0 and 94.4 in 12 tiers, each 2 to 3 barges wide, moored to 4 grounded steel barges below the Belmont Marine Servicerailway, Ref. No. 234, and along natural bank.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43887 Huntington District

Remarks: Bulkhead is in line and contiguous with Marietta Coal Co. Wash Plant Wharf, Ref. No. 232. St. Jo Marine, Inc., has 2 fleeting boats based here. Fleet has capacity for 30 barges in basin, in 3 tiers, each 10 ba barges on Boggs Island above basin, in 6 tiers each 4 barges wide, and for 35 barges between miles 94.0 and 94.4 in 12 tiers, each 2 to 3 barges wide, moored to 4 grounded steel barges below the Belmont Marine Servicerailway, Ref. No. 234, and along natural bank.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43887 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 94 PWD: 233
Name: **Rayle River Wharf.**
Port: Huntington
Location: Mile 93.7, right bank, Ohio River, approximately 0.5 mile above Bellaire Highway Bridge, Bellaire. Datum: NPE
Operator: Rayle Coal Co., a subsidiary of Marietta Coal Co.
Owner: Rayle Coal Co., a subsidiary of Marietta Coal Co.
Address: Foot of 41st Street Phone: 614/676-7975
Town: Bellaire State: OH County: Belmont
Railway Connection: Two surface tracks serve terminal in rear; connect with Consolidated Rail Corp. and CSX Rail Transport.
Purpose: Receipt of steel and miscellaneous dry bulk materials; shipment of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.0225
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.7375

Waterway: **Ohio River** Mile: 94 PWD: 233
Name: **Rayle River Wharf.**
Port: Huntington
Location: Mile 93.7, right bank, Ohio River, approximately 0.5 mile above Bellaire Highway Bridge, Bellaire. Datum: NPE
Operator: Rayle Coal Co., a subsidiary of Marietta Coal Co.
Owner: Rayle Coal Co., a subsidiary of Marietta Coal Co.
Address: Foot of 41st Street Phone: 614/676-7975
Town: Bellaire State: OH County: Belmont
Railway Connection: Two surface tracks serve terminal in rear; connect with Consolidated Rail Corp. and CSX Rail Transport.
Purpose: Receipt of steel and miscellaneous dry bulk materials; shipment of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.0225
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.7375

Remarks: Open storage area at rear has capacity for approximately 120,000 tons of coal. Other commodities are unloaded to trucks.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43887 Huntington District

Remarks: Open storage area at rear has capacity for approximately 120,000 tons of coal. Other commodities are unloaded to trucks.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43887 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 94 PWD: 233
Name: **Rayle River Wharf.**
Port: Huntington
Location: Mile 93.7, right bank, Ohio River, approximately 0.5 mile above Bellaire Highway Bridge, Bellaire. Datum: NPE
Operator: Rayle Coal Co., a subsidiary of Marietta Coal Co.
Owner: Rayle Coal Co., a subsidiary of Marietta Coal Co.
Address: Foot of 41st Street Phone: 614/676-7975
Town: Bellaire State: OH County: Belmont
Railway Connection: Two surface tracks serve terminal in rear; connect with Consolidated Rail Corp. and CSX Rail Transport.
Purpose: Receipt of steel and miscellaneous dry bulk materials; shipment of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.0225
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.7375

Waterway: **Ohio River** Mile: 94 PWD: 233
Name: **Rayle River Wharf.**
Port: Huntington
Location: Mile 93.7, right bank, Ohio River, approximately 0.5 mile above Bellaire Highway Bridge, Bellaire. Datum: NPE
Operator: Rayle Coal Co., a subsidiary of Marietta Coal Co.
Owner: Rayle Coal Co., a subsidiary of Marietta Coal Co.
Address: Foot of 41st Street Phone: 614/676-7975
Town: Bellaire State: OH County: Belmont
Railway Connection: Two surface tracks serve terminal in rear; connect with Consolidated Rail Corp. and CSX Rail Transport.
Purpose: Receipt of steel and miscellaneous dry bulk materials; shipment of coal.
Depth Alongside (feet): 12 | | Latitude (decimal): 40.0225
Total Berthing Space (feet): 600 | | Longitude (decimal): -80.7375
Remarks: Open storage area at rear has capacity for approximately 120,000 tons of coal. Other commodities are unloaded to trucks.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43887 Huntington District

Remarks: Open storage area at rear has capacity for approximately 120,000 tons of coal. Other commodities are unloaded to trucks.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43887 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 95 PWD: 158

Name: **Automatic Recycling, Benwood Dock.**

Port: Huntington

Location: Mile 94.7, left bank, Ohio River, approximately 700 feet below CSX Rail Transport Bridge, Benwood. Datum: NPE

Operator: Automatic Recycling, Inc.

Owner: Automatic Recycling, Inc.

Address: Benwood Industrial Park, 8th Street Phone: 304/232-5175

Town: Benwood State: WV County: Marshall

Railway Connection: One surface track serves industrial park at rear; connects with CSX Rail Transport.

Purpose: Shipment of scrap steel; occasional receipt of steel coils.

Depth Alongside (feet): 12 - 15 | | Latitude (decimal): 40.008611

Total Berthing Space (feet): 400 | | Longitude (decimal): -80.73806

Remarks: Steel coils are occasionally received for Laclede Steel Co. Face of dock is in line with Ref. No. 159, providing 1,000 feet of continuous berthing. Open storage area at rear served by radial stacker has capacit scrap metal.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43886 Huntington District

---

Waterway: **Ohio River** Mile: 95 PWD: 159

Name: **Mull Industries, Benwood Industrial Park Dock.**

Port: Huntington

Location: Mile 94.6, left bank, Ohio River, below CSX Rail Transport Bridge, Benwood. Datum: NPE

Operator: Not operated.

Owner: Mull Industries, Inc.

Address: 8th & McMechen Streets. Phone: 304/233-3369

Town: Benwood State: WV County: Marshall

Railway Connection: One surface track serves industrial park at rear; connects with CSX Rail Transport.

Purpose: Not used.

Depth Alongside (feet): 12 | | Latitude (decimal): 40.01

Total Berthing Space (feet): 600 | | Longitude (decimal): -80.73806

Remarks: Row of dolphins is in line with Ref. No. 158, providing 1,000 feet of continuous berthing space.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43886 Huntington District

Port Facilities by Waterway

Waterway: **Ohio River** Mile: 97 PWD: 157
Name: **Ohio - West Virginia Excavating Co. Dock**
Port: Huntington
Location: Mile 96.5, left bank, Ohio River, McMechen. Datum: NPE
Operator: Ohio - West Virginia Excavating Co.
Owner: Ohio - West Virginia Excavating Co.
Address: 16th Street & State Highway 2 Phone: 304/233-6505
Town: McMechen State: WV County: Marshall
Railway Connection: None.
Purpose: Receipt of sand and limestone.
Depth Alongside (feet): 2 | | Latitude (decimal): 39.981944
Total Berthing Space (feet): 350 | | Longitude (decimal): -80.73528
Remarks: Four sand and limestone and one recycled asphalt hoppers serve electric belt system extending to asphalt batch plant at rear. Three acres of open storage area have capacity for 12,000 tons of materials.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 43884 Huntington District

---

Waterway: **Poca River** Mile: PWD: 100
Name: **Claxton Smith & Sons Concrete Co., Poca Dock.**
Port: Huntington
Location: Mile 0.1, right bank, Pocatalico River, Poca. Datum: NPE
Operator: Claxton Smith & Sons Concrete Co., Inc.
Owner: Claxton Smith & Sons Concrete Co., Inc.
Address: Phone: 304/755-5000
Town: Poca State: WV County: Putnam
Railway Connection: None.
Purpose: Receipt of limestone, sand, and gravel.
Depth Alongside (feet): 10 | | Latitude (decimal): 38.478056
Total Berthing Space (feet): 200 | | Longitude (decimal): -81.81583
Remarks: Ready-mix concrete plant and approximately 5 acres of open storage area with capacity for 30,000 tons of material are located at rear.

Port Series: 61 Year of Last Survey: 1992 Corps of Engnrs Waterway Code: 42339 Huntington District

US Army Corps of Engineers
Dredging Contracts Awarded

District Huntington

JOBNAME	Dredge Type	Bid Date	Quantity Cubic Yards	Government Estimate	Winning Bid	Winning Bidder	Status of Business	Number of Bids
FY1997 Awards								
ELK RIVER HARBOR	B	4/30/1997	70,000	$315,800	$436,271	MADISON COAL & SUPPLY CO.	L	1
KANAWHA RIVER	B	4/21/1997	45,000	$24,500	$24,750	MADISON COAL & SUPPLY CO.	L	1
			115,000	$340,300	$461,021			
FY 1998 Awards								
BIG SANDY HARBOR	B	3/31/1998	250,000	$3,282,400	$2,515,107	MADISON COAL & SUPPLY CO.	L	2
KANAWHA RIVER	B	4/21/1998	45,000	$20,500	$18,500	MADISON COAL & SUPPLY CO.	L	1
PORTSMOUTH HARBOR	P	6/30/1998	50,000	$194,670	$197,900	MIDWEST DREDGE & EXCVATING INC	S	2
			345,000	$3,497,570	$2,731,507			
FY 1999 Awards								
ELK RIVER HARBOR	B	6/10/1999	70,000	$444,300	$466,138	MADISON COAL & SUPPLY CO.	L	1
			70,000	$444,300	$466,138			
FY 2000 Awards								
PORTSMOUTH HARBOR	P	6/25/2000	50,000	$132,880	$141,800	MIDWEST DREDGE & EXCVATING INC	S	1
			50,000	$132,880	$141,800			
FY 2001 Awards								
BIG SANDY HARBOR	B	5/11/2001		$1,203,700	$843,057	ROSS BROTHERS CONSTRUCTION CO.	L	1
ELK RIVER HARBOR	B	5/25/2001		$599,438	$442,164	MADISON COAL & SUPPLY CO.	L	1
KANAWHA RIVER	B	7/5/2001		$107,000	$107,000	MADISON COAL & SUPPLY CO.	L	1
				$1,910,138	$1,392,221			
FY 2002 Awards								
BIG SANDY RIVER	B		200,000	$1,048,672	$1,012,881	MADISON COAL & SUPPLY CO.	L	1
			200,000	1,048,672	1,012,881			

Dredge Type		Status of Business
B Bucket	S Sidecaster	E Emerging Small
D Dustpan	W Combination - All types	L Large
H Hopper	X Pipeline & Bucket	S Small
N Nonconventional	Y Pipeline & Hopper	
P Pipeline	Z Hopper & Bucket	
	u undefined	

LPMS Summary by Division/District

January - December 1998 and 1999

Winfield — **Main8** — **Great Lakes And Ohio River Division**
Kanawha — **River Mile: 31.1** — **Huntington District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	2,072	318	1,680	74	13,204	3,199	10,005	15,276	5,232
Downbound	2,092	344	1,680	64	13,405	12,103	1,302	15,497	16,114
Total	4,164	662	3,360	138	26,609	15,302	11,307	30,773	21,346
1999									
Upbound	1,939	414	1,509	16	12,443	3,039	9,404	14,382	4,874
Downbound	2,012	430	1,509	23	12,794	11,154	1,640	14,806	14,648
Total	3,951	844	3,018	39	25,237	14,193	11,044	29,188	19,522
Percent Change	-5%	27%	-10%	-72%	-5%	-7%	-2%	-5%	-9%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	1,885	162	1,649	74	1,543	730	0.66	1.40	1,025.17
Downbound	1,905	186	1,655	64	1,544	637	0.52	1.25	797.47
Total	3,790	348	3,304	138	3,087	1,367	0.59	1.33	1,822.64
1999									
Upbound	1,698	193	1,489	16	1,447	548	0.35	0.93	510.83
Downbound	1,750	200	1,527	23	1,462	521	0.30	0.83	431.32
Total	3,448	393	3,016	39	2,909	1,069	0.32	0.88	942.15
Percent Change	-9%	13%	-9%	-72%	-6%	-22%	-46%	-34%	-48%

Winfield — **Main2** — **Great Lakes And Ohio River Division**
Kanawha — **River Mile: 31.1** — **Huntington District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound									
Downbound									
Total									
1999									
Upbound	0	0	0	0	0	0	0	0	0
Downbound	3	3	0	0	0	0	0	3	0
Total	3	3	0	0	0	0	0	3	0
Percent Change									

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound									
Downbound									
Total									
1999									
Upbound	0	0	0	0	0	0	0.00	0.00	0.00
Downbound	1	1	0	0	0	0	0.00	0.00	0.00
Total	1	1	0	0	0	0	0.00	0.00	0.00
Percent Change									

1999 data unavailable for the following month(s):Jan Feb Mar Apr May Jun Jul Aug Sep Nov Dec

LPMS Summary by Division/District

January - December 1998 and 1999

Winfield — **Main1** — **Great Lakes And Ohio River Division**
Kanawha — **River Mile: 31.1** — **Huntington District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	0	0	0	0	0	0	0	0	0
Downbound	4	4	0	0	0	0	0	4	0
Total	4	4	0	0	0	0	0	4	0
1999									
Upbound	1	0	1	0	0	0	0	1	0
Downbound	0	0	1	0	0	0	0	0	0
Total	1	0	2	0	0	0	0	1	0
Percent Change	-75%	-100%	N/A	N/A	N/A	N/A	N/A	-75%	N/A

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	0	0	0	0	0	0	0.00	0.00	0.00
Downbound	1	1	0	0	0	0	0.00	0.00	0.00
Total	1	1	0	0	0	0	0.00	0.00	0.00
1999									
Upbound	1	0	1	0	0	0	0.00	0.00	0.00
Downbound	0	0	0	0	0	0	0.00	0.00	0.00
Total	1	0	1	0	0	0	0.00	0.00	0.00
Percent Change	0%	-100%	N/A	N/A	N/A	N/A	N/A	N/A	N/A

1998 data unavailable for the following month(s) Jan Feb Mar Apr May Jun Jul Aug Oct Nov Dec
1999 data unavailable for the following month(s) Jan Feb Mar Apr May Jun Jul Aug Oct Nov Dec

Marmet — **Main2** — **Great Lakes And Ohio River Division**
Kanawha — **River Mile: 67.7** — **Huntington District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	1,289	99	1,185	5	6,068	299	5,769	7,357	501
Downbound	1,222	146	1,185	2	5,677	5,520	157	6,899	7,230
Total	2,511	245	2,370	7	11,745	5,819	5,926	14,256	7,731
1999									
Upbound	1,234	159	1,069	6	5,505	317	5,188	6,739	555
Downbound	1,314	155	1,069	11	5,854	5,594	260	7,168	7,246
Total	2,548	314	2,138	17	11,359	5,911	5,448	13,907	7,801
Percent Change	1%	28%	-10%	143%	-3%	2%	-8%	-2%	1%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	1,183	22	1,156	5	1,124	793	2.47	3.50	2,776.62
Downbound	1,084	25	1,057	2	1,008	632	2.02	3.23	2,040.03
Total	2,267	47	2,213	7	2,132	1,425	2.26	3.38	4,816.65
1999									
Upbound	1,092	38	1,048	6	1,001	538	1.68	3.12	1,679.83
Downbound	1,177	42	1,124	11	1,048	559	1.48	2.78	1,552.60
Total	2,269	80	2,172	17	2,049	1,097	1.58	2.95	3,232.43
Percent Change	0%	70%	-2%	143%	-4%	-23%	-30%	-13%	-33%

LPMS Summary by Division/District

January - December 1998 and 1999

Marmet — **Main1** — **Great Lakes And Ohio River Division**
Kanawha — **River Mile: 67.7** — **Huntington District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	1,183	59	1,119	5	5,636	436	5,200	6,819	717
Downbound	1,242	57	1,119	5	6,107	5,868	239	7,349	7,821
Total	2,425	116	2,238	10	11,743	6,304	5,439	14,168	8,538
1999									
Upbound	1,106	90	1,010	6	5,429	362	5,067	6,535	660
Downbound	1,102	140	1,010	6	5,119	4,910	209	6,221	6,269
Total	2,208	230	2,020	12	10,548	5,272	5,276	12,756	6,929
Percent Change	-9%	98%	-10%	20%	-10%	-16%	-3%	-10%	-19%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	1,096	7	1,084	5	1,057	734	2.76	3.98	2,918.90
Downbound	1,163	8	1,150	5	1,110	823	2.93	3.95	3,251.58
Total	2,259	15	2,234	10	2,167	1,557	2.85	3.96	6,170.48
1999									
Upbound	1,016	13	997	6	973	501	1.21	2.35	1,177.63
Downbound	981	39	936	6	880	479	1.27	2.34	1,119.30
Total	1,997	52	1,933	12	1,853	980	1.24	2.34	2,296.93
Percent Change	-12%	247%	-13%	20%	-14%	-37%	-56%	-41%	-63%

London — **Main2** — **Great Lakes And Ohio River Division**
Kanawha — **River Mile: 82.8** — **Huntington District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	1,299	221	1,065	13	3,551	49	3,502	4,850	56
Downbound	1,180	240	1,065	15	2,767	2,725	42	3,947	3,481
Total	2,479	461	2,130	28	6,318	2,774	3,544	8,797	3,537
1999									
Upbound	1,235	295	927	13	3,502	39	3,463	4,737	31
Downbound	959	288	927	16	1,911	1,891	20	2,870	2,285
Total	2,194	583	1,854	29	5,413	1,930	3,483	7,607	2,316
Percent Change	-11%	26%	-13%	4%	-14%	-30%	-2%	-14%	-35%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	1,166	96	1,057	13	908	145	0.21	1.30	187.92
Downbound	1,033	101	917	15	776	152	0.29	1.50	228.07
Total	2,199	197	1,974	28	1,684	297	0.25	1.40	415.99
1999									
Upbound	1,053	116	924	13	825	92	0.13	1.15	105.57
Downbound	790	121	653	16	520	74	0.14	1.01	75.02
Total	1,843	237	1,577	29	1,345	166	0.13	1.09	180.59
Percent Change	-16%	20%	-20%	4%	-20%	-44%	-48%	-22%	-57%

LPMS Summary by Division/District

January - December 1998 and 1999

London — **Main1** — **Great Lakes And Ohio River Division**
Kanawha — **River Mile: 82.8** — **Huntington District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	722	137	579	6	2,140	25	2,115	2,862	28
Downbound	807	119	579	6	2,858	2,825	33	3,665	3,709
Total	1,529	256	1,158	12	4,998	2,850	2,148	6,527	3,737
1999									
Upbound	597	123	467	7	1,885	40	1,845	2,482	56
Downbound	878	144	467	8	3,452	3,413	39	4,330	4,129
Total	1,475	267	934	15	5,337	3,453	1,884	6,812	4,185
Percent Change	-4%	4%	-19%	25%	7%	21%	-12%	4%	12%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	624	45	573	6	502	82	0.18	1.13	92.87
Downbound	730	48	676	6	611	122	0.32	1.61	196.32
Total	1,354	93	1,249	12	1,113	204	0.26	1.42	289.19
1999									
Upbound	521	53	461	7	416	73	0.20	1.14	83.45
Downbound	789	62	719	8	667	111	0.20	1.20	132.77
Total	1,310	115	1,180	15	1,083	184	0.20	1.18	216.22
Percent Change	-3%	24%	-6%	25%	-3%	-10%	-23%	-17%	-25%

Willow Island — **Aux** — **Great Lakes And Ohio River Division**
Ohio — **River Mile: 161.7** — **Huntington District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	1,032	775	242	15	407	317	90	1,439	456
Downbound	1,252	890	242	13	649	224	425	1,901	256
Total	2,284	1,665	484	28	1,056	541	515	3,340	712
1999									
Upbound	1,393	895	488	10	2,626	2,176	450	4,019	3,210
Downbound	1,393	854	488	10	2,879	1,575	1,304	4,272	2,204
Total	2,786	1,749	976	20	5,505	3,751	1,754	8,291	5,414
Percent Change	22%	5%	102%	-29%	421%	593%	241%	148%	660%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	590	333	242	15	186	12	0.03	0.43	5.13
Downbound	703	341	349	13	257	14	0.02	0.30	4.27
Total	1,293	674	591	28	443	26	0.02	0.36	9.40
1999									
Upbound	745	280	455	10	411	177	1.85	4.29	759.15
Downbound	821	285	526	10	467	203	1.93	4.43	899.12
Total	1,566	565	981	20	878	380	1.89	4.36	1,658.27
Percent Change	21%	-16%	66%	-29%	98%	1362%	9350%	L111%	17541%

LPMS Summary by Division/District

January - December 1998 and 1999

Willow Island — **Main** — **Great Lakes And Ohio River Division**
Ohio — **River Mile: 161.7** — **Huntington District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	1,916	8	1,906	2	21,778	20,193	1,585	23,694	29,481
Downbound	1,812	15	1,906	2	21,041	10,218	10,823	22,853	14,569
Total	3,728	23	3,812	4	42,819	30,411	12,408	46,547	44,050
1999									
Upbound	1,640	38	1,599	3	18,447	16,682	1,765	20,087	24,693
Downbound	1,584	31	1,599	2	18,288	9,698	8,590	19,872	14,208
Total	3,224	69	3,198	5	36,735	26,380	10,355	39,959	38,901
Percent Change	-14%	200%	-16%	25%	-14%	-13%	-17%	-14%	-12%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	1,907	3	1,902	2	1,898	723	0.38	1.00	725.17
Downbound	1,804	8	1,794	2	1,780	742	0.41	0.98	725.95
Total	3,711	11	3,696	4	3,678	1,465	0.39	0.99	1,451.12
1999									
Upbound	1,612	14	1,595	3	1,591	629	0.40	1.00	630.85
Downbound	1,561	14	1,545	2	1,533	598	0.36	0.92	548.63
Total	3,173	28	3,140	5	3,124	1,227	0.38	0.96	1,179.48
Percent Change	-14%	155%	-15%	25%	-15%	-16%	-3%	-3%	-19%

Belleville — **Aux 1** — **Great Lakes And Ohio River Division**
Ohio — **River Mile: 203.9** — **Huntington District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	945	485	451	9	499	345	154	1,444	436
Downbound	1,136	564	451	4	879	296	583	2,015	289
Total	2,081	1,049	902	13	1,378	641	737	3,459	725
1999									
Upbound	699	549	140	10	315	265	50	1,014	387
Downbound	817	605	140	9	547	130	417	1,364	134
Total	1,516	1,154	280	19	862	395	467	2,378	521
Percent Change	-27%	10%	-69%	46%	-37%	-38%	-37%	-31%	-28%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	647	191	447	9	233	12	0.03	0.61	7.27
Downbound	768	202	562	4	360	21	0.04	0.60	12.67
Total	1,415	393	1,009	13	593	33	0.03	0.60	19.94
1999									
Upbound	384	234	140	10	113	6	0.02	0.45	2.68
Downbound	472	261	202	9	178	12	0.03	0.49	5.88
Total	856	495	342	19	291	18	0.03	0.48	8.56
Percent Change	-40%	26%	-66%	46%	-51%	-45%	0%	-20%	-57%

LPMS Summary by Division/District

January - December 1998 and 1999

Belleville — **Main** — **Great Lakes And Ohio River Division**
Ohio — **River Mile: 203.9** — **Huntington District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	2,111	58	2,051	2	23,561	22,199	1,362	25,672	33,154
Downbound	1,984	58	2,051	4	23,019	10,391	12,628	25,003	14,803
Total	4,095	116	4,102	6	46,580	32,590	13,990	50,675	47,957
1999									
Upbound	2,019	63	1,950	6	22,423	20,883	1,540	24,442	31,536
Downbound	1,900	29	1,950	6	22,113	10,923	11,190	24,013	15,921
Total	3,919	92	3,900	12	44,536	31,806	12,730	48,455	47,457
Percent Change	-4%	-21%	-5%	100%	-4%	-2%	-9%	-4%	-1%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	2,067	19	2,046	2	2,022	841	0.36	0.87	730.82
Downbound	1,947	23	1,920	4	1,899	790	0.35	0.84	662.25
Total	4,014	42	3,966	6	3,921	1,631	0.36	0.85	1,393.07
1999									
Upbound	1,970	18	1,946	6	1,937	785	0.35	0.86	677.48
Downbound	1,878	9	1,863	6	1,852	797	0.39	0.90	714.87
Total	3,848	27	3,809	12	3,789	1,582	0.37	0.88	1,392.35
Percent Change	-4%	-36%	-4%	100%	-3%	-3%	3%	4%	0%

Racine — **Aux 1** — **Great Lakes And Ohio River Division**
Ohio — **River Mile: 237.5** — **Huntington District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	639	326	309	4	663	451	212	1,302	652
Downbound	783	335	309	6	1,187	480	707	1,970	620
Total	1,422	661	618	10	1,850	931	919	3,272	1,272
1999									
Upbound	836	588	239	9	498	294	204	1,334	427
Downbound	987	609	239	9	930	357	573	1,917	451
Total	1,823	1,197	478	18	1,428	651	777	3,251	878
Percent Change	28%	81%	-23%	80%	-23%	-30%	-15%	-1%	-31%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	470	161	305	4	212	32	0.49	3.25	103.90
Downbound	593	155	432	6	363	55	0.41	2.70	148.40
Total	1,063	316	737	10	575	87	0.44	2.90	252.30
1999									
Upbound	540	295	236	9	175	19	0.04	0.41	7.75
Downbound	660	284	367	9	311	18	0.02	0.41	7.35
Total	1,200	579	603	18	486	37	0.03	0.41	15.10
Percent Change	13%	83%	-18%	80%	-15%	-57%	-93%	-86%	-94%

LPMS Summary by Division/District

January - December 1998 and 1999

Racine — **Main** — **Great Lakes And Ohio River Division**
Ohio — **River Mile: 237.5** — **Huntington District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	2,191	110	2,079	2	23,758	22,198	1,560	25,949	33,029
Downbound	2,064	110	2,079	2	23,098	10,669	12,429	25,162	15,212
Total	4,255	220	4,158	4	46,856	32,867	13,989	51,111	48,241
1999									
Upbound	1,999	27	1,968	4	22,490	20,571	1,919	24,489	31,174
Downbound	1,888	22	1,968	4	22,298	11,365	10,933	24,186	16,589
Total	3,887	49	3,936	8	44,788	31,936	12,852	48,675	47,763
Percent Change	-9%	-78%	-5%	100%	-4%	-3%	-8%	-5%	-1%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	2,107	52	2,053	2	2,042	997	0.52	1.07	1,063.77
Downbound	1,993	54	1,938	1	1,925	874	0.46	1.02	892.17
Total	4,100	106	3,991	3	3,967	1,871	0.49	1.05	1,955.94
1999									
Upbound	1,963	6	1,953	4	1,946	893	0.48	1.04	930.25
Downbound	1,856	5	1,847	4	1,845	811	0.43	0.98	796.32
Total	3,819	11	3,800	8	3,791	1,704	0.46	1.01	1,726.57
Percent Change	-7%	-90%	-5%	167%	-4%	-9%	-6%	-4%	-12%

Robert C. Byrd — **Aux** — **Great Lakes And Ohio River Division**
Ohio — **River Mile: 279.2** — **Huntington District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	827	432	387	8	675	519	156	1,502	673
Downbound	969	455	387	11	1,035	344	691	2,004	452
Total	1,796	887	774	19	1,710	863	847	3,506	1,125
1999									
Upbound	940	560	378	2	520	307	213	1,460	430
Downbound	1,035	560	378	4	714	269	445	1,749	354
Total	1,975	1,120	756	6	1,234	576	658	3,209	784
Percent Change	10%	26%	-2%	-68%	-28%	-33%	-22%	-8%	-30%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	596	212	376	8	260	11	0.03	0.61	6.75
Downbound	712	217	484	11	353	17	0.04	0.79	13.38
Total	1,308	429	860	19	613	28	0.03	0.72	20.13
1999									
Upbound	632	260	370	2	231	13	0.03	0.51	6.58
Downbound	719	249	466	4	295	22	0.05	0.66	14.50
Total	1,351	509	836	6	526	35	0.04	0.60	21.08
Percent Change	3%	19%	-3%	-68%	-14%	25%	33%	-17%	5%

LPMS Summary by Division/District

January - December 1998 and 1999

Robert C. Byrd — **Main** — **Great Lakes And Ohio River Division**
Ohio — **River Mile: 279.2** — **Huntington District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	2,421	8	2,411	2	26,669	23,134	3,535	29,090	35,849
Downbound	2,322	10	2,411	1	26,404	14,009	12,395	28,726	20,881
Total	4,743	18	4,822	3	53,073	37,143	15,930	57,816	56,730
1999									
Upbound	2,328	8	2,317	3	26,155	22,586	3,569	28,483	35,266
Downbound	2,287	37	2,317	3	25,936	13,242	12,694	28,223	19,922
Total	4,615	45	4,634	6	52,091	35,828	16,263	56,706	55,188
Percent Change	-3%	150%	-4%	100%	-2%	-4%	2%	-2%	-3%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	2,379	2	2,375	2	2,369	1,305	0.74	1.35	1,762.15
Downbound	2,290	2	2,287	1	2,281	1,198	0.68	1.30	1,557.63
Total	4,669	4	4,662	3	4,650	2,503	0.71	1.33	3,319.78
1999									
Upbound	2,289	1	2,285	3	2,276	1,167	0.67	1.32	1,535.18
Downbound	2,217	1	2,213	3	2,210	1,130	0.68	1.34	1,511.22
Total	4,506	2	4,498	6	4,486	2,297	0.68	1.33	3,046.40
Percent Change	-3%	-50%	-4%	100%	-4%	-8%	-4%	0%	-8%

Greenup — **Aux 1** — **Great Lakes And Ohio River Division**
Ohio — **River Mile: 341.0** — **Huntington District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	1,078	508	561	9	2,350	1,027	1,323	3,428	1,633
Downbound	1,103	507	561	10	2,254	1,584	670	3,357	2,481
Total	2,181	1,015	1,122	19	4,604	2,611	1,993	6,785	4,114
1999									
Upbound	1,369	656	707	6	3,398	1,707	1,691	4,767	2,670
Downbound	1,468	700	707	10	3,315	2,185	1,130	4,783	3,370
Total	2,837	1,356	1,414	16	6,713	3,892	2,821	9,550	6,040
Percent Change	30%	34%	26%	-16%	46%	49%	42%	41%	47%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	779	213	558	8	423	148	8.60	24.59	3,638.95
Downbound	805	212	583	10	397	157	11.89	30.08	4,722.15
Total	1,584	425	1,141	18	820	305	10.20	27.41	8,361.10
1999									
Upbound	979	279	694	6	549	258	8.25	17.56	4,530.68
Downbound	1,037	293	734	10	541	254	8.92	19.00	4,824.92
Total	2,016	572	1,428	16	1,090	512	8.58	18.27	9,355.60
Percent Change	27%	35%	25%	-11%	33%	68%	-16%	-33%	12%

LPMS Summary by Division/District

January - December 1998 and 1999

Greenup **Main** **Great Lakes And Ohio River Division**
Ohio **River Mile: 341.0** **Huntington District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	2,994	16	2,977	1	33,606	13,863	19,743	36,600	21,950
Downbound	2,944	20	2,977	0	33,374	28,756	4,618	36,318	44,560
Total	5,938	36	5,954	1	66,980	42,619	24,361	72,918	66,510
1999									
Upbound	2,944	60	2,878	6	32,616	13,764	18,852	35,560	21,987
Downbound	2,891	36	2,878	2	32,603	27,048	5,555	35,494	42,011
Total	5,835	96	5,756	8	65,219	40,812	24,407	71,054	63,998
Percent Change	-2%	167%	-3%	700%	-3%	-4%	0%	-3%	-4%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	2,962	5	2,956	1	2,940	1,945	1.26	1.90	3,702.55
Downbound	2,910	5	2,905	0	2,879	1,922	1.26	1.89	3,638.53
Total	5,872	10	5,861	1	5,819	3,867	1.26	1.90	7,341.08
1999									
Upbound	2,851	9	2,836	6	2,820	1,824	1.13	1.74	3,181.55
Downbound	2,828	9	2,817	2	2,784	1,810	1.11	1.71	3,099.63
Total	5,679	18	5,653	8	5,604	3,634	1.12	1.73	6,281.18
Percent Change	-3%	80%	-4%	700%	-4%	-6%	-11%	-9%	-14%

Captain Anthony Meldahl **Aux 1** **Great Lakes And Ohio River Division**
Ohio **River Mile: 436.2** **Huntington District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	2,960	2,725	230	5	414	173	241	3,374	285
Downbound	3,028	2,802	230	5	420	166	254	3,448	280
Total	5,988	5,527	460	10	834	339	495	6,822	565
1999									
Upbound	3,490	3,217	263	10	501	248	253	3,991	408
Downbound	3,477	3,224	263	7	451	204	247	3,928	364
Total	6,967	6,441	526	17	952	452	500	7,919	772
Percent Change	16%	17%	14%	70%	14%	33%	1%	16%	37%

Jan - Dec	Lockages				Tows		Average Delay All Tows	Average Delay Delayed Tows	Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	(hrs)	(hrs)	(hrs)
Upbound	979	744	230	5	140	7	0.03	0.68	4.73
Downbound	1,015	791	219	5	147	7	0.04	0.76	5.35
Total	1,994	1,535	449	10	287	14	0.04	0.72	10.08
1999									
Upbound	1,112	841	261	10	168	13	0.11	1.47	19.12
Downbound	1,133	882	244	7	161	13	0.24	2.99	38.83
Total	2,245	1,723	505	17	329	26	0.18	2.23	57.95
Percent Change	13%	12%	12%	70%	15%	86%	350%	210%	475%

LPMS Summary by Division/District

January - December 1998 and 1999

Captain Anthony Meldahl **Main** **Great Lakes And Ohio River Division**
Ohio **River Mile: 436.2** **Huntington District**

Jan - Dec	Vessels				Barges			Bottoms	Tonnage
1998	Total	Rec	Comrcl	Other	Total	Loaded	Empty	Total	ktons
Upbound	2,704	31	2,671	2	30,775	12,678	18,097	33,479	20,388
Downbound	2,739	37	2,671	4	30,862	27,450	3,412	33,601	42,769
Total	5,443	68	5,342	6	61,637	40,128	21,509	67,080	63,157
1999									
Upbound	2,659	69	2,587	3	30,316	13,279	17,037	32,975	21,315
Downbound	2,668	54	2,587	3	30,544	26,186	4,358	33,212	40,692
Total	5,327	123	5,174	6	60,860	39,465	21,395	66,187	62,007
Percent Change	-2%	81%	-3%	0%	-1%	-2%	-1%	-1%	-2%

Jan - Dec	Lockages				Tows		Average Delay		Total Delay
1998	Total	Rec	Comrcl	Other	All	Delayed	All Tows (hrs)	Delayed Tows (hrs)	(hrs)
Upbound	2,671	10	2,659	2	2,645	1,529	0.87	1.50	2,295.13
Downbound	2,700	9	2,687	4	2,672	1,547	0.90	1.55	2,400.20
Total	5,371	19	5,346	6	5,317	3,076	0.88	1.53	4,695.33
1999									
Upbound	2,597	16	2,578	3	2,562	1,519	0.98	1.66	2,515.78
Downbound	2,624	19	2,602	3	2,591	1,502	0.97	1.68	2,524.40
Total	5,221	35	5,180	6	5,153	3,021	0.98	1.67	5,040.18
Percent Change	-3%	84%	-3%	0%	-3%	-2%	11%	9%	7%